

Ngatshang Non-Wood Forest Product Management and Marketing Plan

(2nd Revision)

སྤྱི་ཚང་ ཤིང་མན་ འཕྲོན་སྤྱིང་ འཛིན་སྤྱིང་དང་ ཆོང་འབྲེལ་
འཆར་གཞི།



སྤྱི་སྤྱོད་བཟོ་གཞིས་པ།



Ngatshang Gewog, Mongar Dzongkhag

Plan Period: 2024 –2034


Approval sheet

NWFP Management & Marketing Group	Ngatshang NWFP Management and Marketing Group
Village/Gewog	Ngatshang, Thumbari, Phanas and Yaekhar
Dzongkhag	Mongar
No. of hh	38
Area (ha)	4839
Plan period	2024-2034

Prepared and submitted for Approval

	Chairperson of NWFP Management and Marketing Group	Gup of the Gewog	Head FRPM Section of Division/Park	Chief Forestry Officer of Division/Park
Signature:				
Name:	Mr. Lekzang	Mrs. Ugyen Yangzom	Mr. Sonam Drugyel	Mr. Karma Tempa
Date:	09/05/2024	09/05/2024	12/06/2024	

Reviewed and recommended

	Reviewing Officer, FRPMD	Chief Forestry Officer, FRPMD
Signature		
Name	Kezang Wangmo	Sonam Drugyel
Date	24-7-24	25/07/24

Approved by:



(DIRECTOR)

Department of Forests and Park Service, MoENR

Table of Contents

PART A: NWFP Management and Marketing Plan.....	1
1. Background.....	1
2. Goals and Objectives	2
3. Description of NWFPs.....	2
4. Harvesting prescriptions for sustainable NWFP harvesting	5
5. Marketing and sales plan	13
6. Marketing arrangements	13
7. Benefits to the members.....	13
8. Benefits to the group.....	15
PART B: By-laws: Group regulations and norms	16
Tenure of committee members	17
Incentives to the committee members.....	17
<i>Sources for generation of group fund</i>	17
<i>Group fund management and utilization</i>	17
<i>Conflict resolution</i>	18
<i>Penalties</i>	18
Meeting and purpose.....	18
Authority of the Department.....	18
Cancellation of NWFP Management Certificate	18
Monitoring and Evaluation	19
12. Annexures	20
Annexure I: NWFP Group Membership List.....	20
.....	25
Annexure II: List of NWFPs to be collected by the group member	26
Annexure III. Daphne's data compilation and analysis sheet	28

PART A: NWFP Management and Marketing Plan

1. Background

The Ngatshang Non-Wood Forest Product (NWFP) Management and Marketing Group operates within the Ngatshang Gewog area, encompassing 4839 hectares in the Mongar District of Bhutan. This group's current management plan, covering the period from 2024 to 2034, involves the sustainable collection of 39 NWFPs. The group comprises 38 households distributed across the villages of Ngatshang, Thumbari, Yeakhar, and Phanas Chewog. The community members engage in various livelihood activities, including agriculture, carpentry, community contract work, and the preservation of traditional mask dances. Alongside these activities, the group also supplements its income through the sustainable management of NWFPs.

The community's involvement in NWFP management has evolved through previous initiatives. The Daphne Management Group was active from 2016 to 2022, while the NWFP Management Group operated from 2016 to 2023, both spanning two plan periods. These two groups have since merged into one due to the commonality of their members. This merger has allowed the community to draw on valuable experience and insights gained from managing and marketing NWFPs. The Ngatshang community has successfully marketed several NWFPs, including *Rubia cordifolia*, *Pouzolzia sanguinea*, *Daphne bholua*, and *Lindera* species. Among these, *Rubia cordifolia* has been the most successful, generating substantial revenue for Nu. 949,875 since the first plan in 2016. Overall, the community's NWFP sales have yielded a total revenue of Nu. 1,414,575.50 across all plan periods, highlighting the economic viability of these resources.

Encouraged by the potential for increased income and informed by past experiences, the Ngatshang community is revising its NWFP management plan. This revision aims to build on previous successes, address challenges encountered, and maximise opportunities within the NWFP market. Through strategic planning and collaboration, the community seeks to enhance the sustainability and profitability of NWFPs. This endeavour not only aims to improve the economic well-being of community members but also to ensure the preservation of local ecosystems.

The formation of the NWFP group is legally supported by Chapter One, Section 8, and Chapter Seven, Section 225 of the Forest and Nature Conservation Rules and Regulations, 2023.

Table 1: Comparative Sales Report (2016 to 2023)

Ngatshang Shingmein NWFP Group					
Plan Period	I (2016-2019)		II (2020-2023)		
Products	Quantity (Kg)	Revenue (Nu.)	Quantity (Kg)	Revenue (Nu.)	Total Revenue
<i>Rubia cordifolia</i>	5672	283600	12953	647650	949875
<i>Pouzolzia sanguinea</i>	1520	76000	1500	75000	154020
<i>Lindera</i> sp.	0	0	2000	100000	102000
Total	7192	359600	16453	822650	1205895

Ngatshang Desho Group

Plan Period	I (2016-2018)		II (2019-2022)		
Products	Quantity (Kg)	Revenue (Nu.)	Quantity (Kg)	Revenue (Nu.)	Total Revenue
<i>Daphne</i> Bark	4340.50	204340	0	0	208680.50
Total	4340.50	204340	0	0	208680.50

2. Goals and Objectives

The objectives of establishing the NWFP group are as follows:

1. **Generate Additional Household Income:** Enhance the financial stability of community members through the sale of NWFP products.
2. **Establish a Legal Framework:** Create a formalized structure for the legal sale of naturally available NWFP products.
3. **Strengthen Community Livelihoods:** Diversify income sources to bolster the economic resilience of the community.
4. **Promote Sustainable Management:** Encourage practices that ensure the long-term sustainability of NWFP resources.
5. **Supply High-Quality Products:** Provide buyers with high-quality NWFP products to maintain market credibility and demand.

3. Description of NWFPs

Table 2: A brief description on NWFPs

NWFP name	Harvesting area	Parts harvested	Use/Purpose	Harvesting month(s)	AHL
<i>Rubia cordifolia</i> (Laniru)	Rotangkhar, Ngatshang, Shingtharing, Phanas	Entire plant	Dyes, Medicine	November-February	2000 kg
<i>Daphne bholua</i> (Shugoshing)	Korila, Kharnang, Sangay Gortap, Sangay Brangsa, Golishing, Jakhoi	Bark	Traditional Bhutanese paper	March-June	4000 kg
<i>Pozolzia sanguinea</i> (Yongjiba)	Korila, Basakhar, Pangtoe	Bark	Adhesive, Incense	August-February	4000 kg
<i>Persea gamblei</i> (Zala Goli)	Golishing, Pangtoe	Bark	Adhesive, Incense	October-February	500 kg
<i>Elastomia lineolatum</i> (Dimom)	Golishing, Pangtoe, Basakhar	Stem and leaves	Vegetable	Whole Year	5000 kg

Ferns (Dawai)	Korila, Ngatshang, Pangtoe and Kharnang	Young shoot	Vegetable	March-September	5000 bundles
Mushrooms (Bamung)	Korila, Pangtoe, Sangay Brangsa, Shingtharing, Roptangkhar	Whole body	Vegetable	March-June	2500 kgs
<i>Diploknema butyracea</i> (Pinsey)	Shingtharing and Roptangkhar	Fruit	Cooking oil, butter lamp, ointment, ingredient to soap and candle making	April-May	100 kg
<i>Lindera</i> or <i>Litsea</i> sp. (Neng)	Korila, Basakhar and Pangtoe	Fruit	Essential oil, medicine	August	2500 kg
<i>Thysanolaena latifolia</i> (Bey shawa)	Korila, Pangtoe, Shingtharing, Roptangkhar	Upper parts	Fodder, Soft broom	December-March	2000 bundles
Hard brooms (Tsaku)	Korila, Basakhar and Pangtoe	Upper parts	Broom		1000 bundles
<i>Calamus latifolius</i> (Cane)	Shingtharing and Basakhar	Cane	Handicraft	November-March	500 bundles
<i>Chimona bambusa</i> (Rashu)	Korila and Kharnang	Stem	Handicraft		500 bundles
Bamboo (fagso)	Shingtharing and Roptangkhar	Culm	Weaving baskets and young shoot edible	October to February	1000 culms
<i>Borinda grossa</i> (Shee)	Korila, Kharnang, Jakhoi and Tsanphu	Culm	Mats	December-February	1000 culms
<i>Dendrocalamus hamiltoni</i> (Soo)	Shingtharing and Roptangkhar	Culm	Handicraft, construction material and young shoot edible	November-February	1000 culms

<i>Calamus acanthospathus</i> (Minji)	Shingtharing and Roptangkhar	Culm	Handicraft	November-March	500 bundles
<i>Calamus latifolia</i> (Drey)	Namkharing	Culm	Handicraft	November-March	100 bundles
<i>Piper hamiltoni</i> (Paan)	Shingtharing, Roptangkhar and Basakhar	Leaf	Stimulant	Whole Year	100 kg
(Bainang Pin)	Shingtharing and Roptangkhar	Stem and leaves	Adhesives		50 kg
<i>Paris polyphylla</i> (<i>Thogsumpa</i>)	Korila and Basakhar	Rhizome	Medicine	October-November	100 kg
<i>Zanthoxylum armatum</i> (Khaigee)	Korila, Basakhar	Fruit	Essential oil, medicine, pickle and spice	August-September	500 kg
<i>Zanthoxylum bungeanum</i> (Songee)	Korila, Basakhar and Shingtharing	Fruit	Essential oil, medicine, pickle and spice	August-September	500 kg
<i>Cymbidium</i> sp. (Olatse)	Korila and Basakhar	Flower	Vegetable	October-November	100 kg
<i>Viscum nepalensis</i> (Neyshing Jorma)	Manang	Entire plant	Local tea leaves	September-February	100 kg
<i>Juglans regia</i> (Khesey)	Roptangkhar, Shingtharing, Gochagpo	Seeds	Edible	November	1000 kg
<i>Choerospondia axillaris</i> (Phrumchung Sey)	Shingtharing	Fruit	Edible, dye and medicine	December-February	1000 kg
<i>Entada rhedii</i> (Kolokpa)	Namkharing	Beans	Medicine	October-December	100 kg
<i>Justicia adhatoda</i> (Khatsher Momnang)	Morungdrang	Flower	Vegetables	March-April	1000 kg
<i>Parasassafras confertiflora</i> (Sinsey)	Shingtharing	Seeds	Oil		100 kg
<i>Tupistra nutans</i> (Thormong)	Golishing	Flower	Vegetable	October-November	500 kg

<i>Tupistra wattii</i> (Wang Pemo)	Shingtharing	Flower	Vegetable	November- December	500 kg
Seyshing	Shingtharing	Fruit	Oil		500 kg
Wild Yam (Borang Joktang)	Shingtharing and Roptangkhar	Tuber	Vegetable		500 kg
<i>Panax</i> <i>Pseudogingseng</i>	Shingtharing and Basakhar	Root	Herbal tea	October- November	100 kg

4. Harvesting prescriptions for sustainable NWFP harvesting

Table 3: Harvesting prescriptions for sustainable harvesting (As per the Framework for Management and Marketing of Non-wood Forest Products, 2022)

NWFP species	Harvesting prescriptions for sustainable harvesting
<i>Rubia cordifolia</i> (Laniru)	• Use sharp scissors for the harvesting of the upper part of the plant. • Cut the plant at 5 cm above ground level. • Leave at least 10% of the plants without collecting or harvesting any raw materials from them (these plants shall act as seed plants for natural regeneration). • Do not collect roots. • Do not uproot entire plants.
<i>Daphne bholua</i> (Desho)	• Cut the plant at 10 cm above the ground level (the left stump will regenerate in the following growing season). • Cut only stems that are more than 3 cm in diameter. • Do not damage the remaining young stands, seedlings and or saplings. • Do not fell the surrounding trees to clear the area to ease harvesting. • Divide the harvesting area into 5 blocks for Daphne. Harvesting is rotated over the 5 blocks so that harvesting takes place only in one block per year (Daphne takes 5 years to produce stems of more than 3 cm in diameter).
<i>Pozolzia sanguinea</i> (Yongjiba)	• Cut the plant at 10 cm above the ground level. • Do not damage the remaining young stands/seedlings/ saplings. • Should not cut down surrounding trees to ease harvesting. • Leave at least 10% of the plants to allow natural regeneration. • Harvesting of roots is strictly prohibited for ecological reasons
	• Collect only bark from trees with a DBH of more than 10 cm.


<i>Persea gamblei</i> (Zala Goli)	• Collect the bark in strips with a maximum of 6 cm in width without damaging the cambium layer. • Strip the bark from down to up to avoid damaging the roots. • Harvest a maximum of two trips per tree trunk from opposite sides. • Do not strip off the tree bark for 4 years after the first harvest from the same tree (it takes a tree about 4 years to heal/recover from stripping). • Collect the bark every four years from opposite sides of the same tree.
<i>Elastomia lineolatum</i> (Dimom)	• Collect plants that are 15cm and above. • Retain stump of around 3” for sprouting of new shoots. • Don’t uproot whole plant. • Shouldn’t cut down trees and create more openings. • Shouldn’t disturb its catchment area.
<i>Bambusa balcooa</i> (Baluka)	• Collect only bark from trees with a DBH of more than 10 cm. • Collect the bark in strips with a maximum of 6 cm in width without damaging the cambium layer. • Strip the bark from down to up to avoid damaging the roots. • Harvest a maximum of two trips per tree trunk from opposite sides. • Do not strip off the tree bark for 4 years after the first harvest from the same tree (it takes a tree about 4 years to heal/recover from stripping). • Collect the bark every four years from opposite sides of the same tree.
Ferns (Dawai)	• Harvests young shoots that are 15cm in length. • Don’t harvest all shoots coming up in season. • Retain at least 50% of the young shoot of the last flush for the development of leaves. • Don’t harvest the shoots that have developed into leaves.
Mushrooms (Bamung)	• Collect mushrooms which are more than 5cm and above. • Do not disturb the growing habitat by hoeing or digging.
<i>Diploknema butyracea</i> (Pinsey)	• Collect fruits from the ground or hand-picking from trees. • Collect fruits when fully ripe. • Collect about 75% of the fruits and leave at least 25 % to for wild animals. • Do not fell trees or lop branches for the harvesting of fruits • Prevent forest fire as it is very sensitive to it

<i>Lindera</i> or <i>Litsea</i> sp. (Neng)	• Harvest fruit by handpicking or by lightly lopping off outer branches. • Do not cut down the tree for harvesting of fruit.
<i>Thysanolaena latifolia</i> (Soft broom)	• Do not damage the rhizomes to allow natural regeneration • Cut the matured stem right from the base.
Hard brooms (Tsaku)	• Collect on a thinning basis. • Collect on a rotation basis.
<i>Calamus latifolius</i> (Cane)	• Select a cane which is more than 10 m in length. • Pull down the cane from the tree top before cutting. • Do not pull down or cut flowering cane stems. • Do not cut all cane stems from the clump.
<i>Chimona bambusa</i> (Rashu)	• Cut culms above one node from the ground level • Do not cut culms less than one year old • Retain 50% of healthy culms in a clump • Remove matured culms from the center of the clump. • Do not harvest the culms growing on the periphery of the clump.
Bamboo (fagso)	• Cut culms above one node from the ground level • Do not cut culms less than one year old • Retain 50% of healthy culms in a clump • Remove matured culms from the center of the clump. • Do not harvest the culms growing on the periphery of the clump.
<i>Borinda grossa</i> (Shee)	• Cut culm above the first internode from the base. • Leave bamboo shoot or culm of less than one year old intact. • Cut at a maximum 33% of the 1+ year and 2+ year old culm per clump. • Do not cut culm when new shoots are sprouting.
<i>Dendrocalamus hamiltoni</i> (Soo)	• For culms • Cut culms above one node from the ground level • Do not cut culms less than one year old • Retain 50% of healthy culms in a clump • Remove matured culms from the center of the clump. • Do not harvest the culms growing on the periphery of the clump. • For shoots • Collect bamboo shoots to a maximum of 25% from a clump • Cut bamboo shoots with a sharp knife at the ground level without damaging or wounding the other healthy ones


	• After cutting and collecting the bamboo shoot, cover that void place with topsoil Protect the remaining shoots and let them further develop into culms
<i>Calamus acanthospathus</i> (Minji)	• Select a cane which is more than 10 m for cutting. • Pull down the cane from the tree top before cutting. • Once pulled down cut it from the base. • Do not damage young regeneration in the process of pulling down. • Do not pull down or cut flowering cane stems.
(Drey)	• Cut culms above one node from the ground level • Do not cut culms less than one year old • Retain 50% of healthy culms in a clump • Remove matured culms from the center of the clump. • Do not harvest the culms growing on the periphery of the clump.
<i>Piper hamiltoni</i> (Paan)	• Collect leaves only by hand-picking without damaging the climber and its tender buds. • Harvesting of leaves from a single (same) climber shall be allowed to a maximum of 4 times per year. • Collect a maximum of 80% of the leaves from a single climber. • Do not cut down the host tree to ease harvesting.
(Bainang Pin)	• Collect sporadically. • Collect only 50 % of the total.
<i>Paris polyphylla</i> (Thogsumpa)	• Oct-Nov is the most appropriate time because by this time, the bud emerges from the rhizome which remains dormant underground till the next germination period. • Leave some portion of the rhizome with bud underground. • Do not harvest the plant before the seed dispersal
<i>Panax pseudogingseng</i>	• Collect rhizome when leaves colour changes to yellow. • Do not collect a bulb attached to a young shoot. • Replace the dug-up soil.
<i>Zanthoxylum armatum</i> (Khaigee)	• Harvest fruit by handpicking, if possible, climbing on trees. • Use long bamboo poles with a hook to facilitate the picking of the fruit. • Collect only 70% of the fruits and leave 30% to allow natural regeneration. • Do not cut down the tree for collection of fruit.
<i>Zanthoxylum bungeanum</i> (Songee)	• Harvest fruit by handpicking, if possible, climbing on trees.

	• Use long bamboo poles with a hook to facilitate picking of the fruit. • Collect only 70% of the fruits and leave 30% to allow natural regeneration. • Do not cut down the tree for collection of fruit.
<i>Cymbidium</i> sp. (Olatse)	• Collect sporadically (not frequently). • Collect only flower parts.
<i>Viscum nepalensis</i> (Neyshing Jorma)	• Do not cut down the host plant to ease collection. • Do not collect the whole bunch. • Leave at least 25% for flowering and fruiting.
<i>Juglans regia</i> (Khesey)	• Collect 70 % of fruits. • Retain 30 % for seeding.
<i>Choerospondia axillaris</i> (Phrumchung Sey)	• Collect fruits by shaking trees. • Use long bamboo poles to detach fruits from the trees. • If the fruits are collected for nursery raising purpose, pick fruits when it turns yellow.
<i>Entada rhedii</i> (Kolokpa)	• Collect fallen beans from the ground. • Use ling poles to detach beans if beans are hanging from a support tree. • Do not uproot the climber.
<i>Justicia adhatoda</i> (Khatsher Momnang)	• Collect 90 % of flowers. • Retain 10 % for seeding.
<i>Parasassafras confertiflora</i> (Sinsey)	• Collect 90 % of flowers. • Retain 10 % for seeding.
<i>Tupistra nutans</i> (Thormong)	• Collect only flowers by hand. • Do not uproot mother plants. • Do not expose plant roots to direct sunlight.
<i>Tupistra watii</i> (Wang Pemo)	• Collect only flowers by hand. • Do not uproot mother plants. • Do not expose plant roots to direct sunlight.
(Seyshing)	• Collect 90 % of flowers. • Retain 10 % for seeding.
Wild Yam (Borang Joktang)	• Collect 50% of tubers. • Block rotation.

Google Map for NWFP Collection Sites Under Ngatshang Gewog based on traditional boundaries, customary practices and availability of NWFP resources



Map for NWFP Collection Sites Under Ngatshang Gewog based on traditional boundaries, customary practices and availability of NWFP resources



5. Marketing and sales plan

The executive members will keep track of the management plan and harvesting timeline. At the onset of the harvesting season, the Chairperson will inform the members to collect the forest produce. Accordingly, marketing will be carried out in groups although the collection can be done individually. In a year, each household must at least collect one type of product and contribute to the group. Marketing and sales plan is accordingly prepared as indicated in Table 4.

Table 4: Marketing and sales plan for major NWFPs

NWFP Product	Potential market	Estimated quantity for sale per season (unit)	Expected price per unit	Total (Nu)
<i>Rubia cordifolia</i>	International	2000	60	120000
<i>Daphne bholua</i>	Domestic	400	50	20000
<i>Pouzolzia sanguinea</i>	International	400	50	20000
<i>Lindera</i> or <i>Litsea</i> sp.	Domestic	250	50	12500
Mushrooms	Domestic	250	100	25000
Ferns	Domestic	500	20	10000
<i>Elastomia lineolatum</i>	Domestic	500	10	5000
<i>Thysanolaena latifolia</i>	Domestic	200	100	20000
Total				232500

6. Marketing arrangements

The marketing strategy entails collective promotion with individual product collection, culminating in auctions. Harvesting procedures strictly adhere to established guidelines, ensuring product quality. Buyers are identified through various channels such as social media or direct calls, with purchases restricted to licensed traders. Prices are determined through auction mechanisms. Following the deduction of expenses, net income is equitably distributed among members. Additionally, a community development fund is established by deducting Nu.1 per unit sold. Notably, committee members do not receive compensation for their services. This structured approach ensures efficient marketing operations while fostering community development and equitable income distribution.

7. Benefits to the members

By contributing Nu.1 for every unit sold, members directly contribute to the group's financial prosperity. Referring to Table 5, the revenue projections from the sales of various Non-Wood Forest Products (NWFPs) demonstrate the potential income. For instance, the total revenues from *Rubia cordifolia* sales amount to Nu. 120,000, while *Daphne bholua* sales yield Nu. 20,000. After deducting expenses such as packaging materials, royalty, transportation costs, and incidental expenses, the net income, or total benefit, is determined. This net income is then distributed among members, resulting in an average income per member. Furthermore, the price per unit paid to members is calculated based on the total benefit and the total quantity of each product sold. These financial benefits underscore the tangible rewards for members' contributions, promoting economic empowerment within the community.

Table 5: Financial projection of benefits to the members from NWFP sales (optional)

Sl.No	NWFP Products	<i>Rubia cordifolia</i>	<i>Daphne bholua</i>	<i>Pouzolzia sanguinea</i>	<i>Lindera sp.</i>	<i>Thysanolaena latifolia</i>	Mushrooms	Ferns	<i>Elastomia lineolatum</i>
1	Revenue								
a	Total quantity (unit)	2000	400	400	250	200	250	500	500
b	Market price (Nu per unit)	60	50	50	50	100	100	20	10
c	Total revenue from forest product sales (a*b)	120000	20000	20000	12500	20000	25000	10000	5000
A	Total revenue	120000	20000	20000	12500	20000	25000	10000	5000
2	Expenses								
a	Packaging materials	4000	4000	4000	4000	2000	1000	1000	1000
b	Royalty	32000	240	800		600	1000		
c	Transportation costs	2000	2000	2000	2000	2000	1000	1000	1000
d	Compensation fee to the executive committee for marketing products	0	0	0	0	0		0	0
e	Contribution to community development fund	2000	400	400	250	200	250	500	500
f	Incidental expenses	1000	1000	1000	1000	1000	500	500	500
B	Total expenses	41000	7640	8200	7250	5800	3750	3000	3000
C	Total benefit (net income) of group members (total revenues A – total expenses B)	79000	12360	11800	5250	14200	21250	7000	2000
D	Average income to group members (C/ no of group members)	2079	325	311	138	374	559	184	53

E	Price per unit paid to group members (C/1a)	40	31	30	21	71	85	14	4
----------	--	-----------	-----------	-----------	-----------	-----------	-----------	-----------	----------

8. Benefits to the group

The group's financial prosperity is evident through various avenues as outlined in Table 6. Revenue sources include membership fees totalling Nu. 3,800, contributions to the Community Development Fund (CDF) from product sales amounting to Nu. 4,500, and fines for absentees in group meetings totalling Nu. 2,075. After accounting for expenses such as stationery and refreshments during meetings, totalling Nu. 4,000, the group's financial balance stands at Nu. 6,375. This surplus reflects the effective management of funds, ensuring sustainability and facilitating further community initiatives.

Table 6: Financial projection of the benefits to the group, the community development fund (optional)

Sl. No	Particulars	Amount (Nu)
	Revenue	
1	Membership fees	3800
2	Contribution to the Community Development Fund (CDF) from sales of product	4500
3	Fines for absentees in group meeting	2075
A	Total revenue	10375
	Expenses (only include expenses that will be paid from the group funds)	
	Stationeries	1000
	Refreshment during meeting	3000
B	Total Expenses	4000
C	Balance: Total revenues – total expenses	6,375

PART B: By-laws: Group regulations and norms

Membership arrangement and responsibilities of the members

Village	Number of households	Gewog
Ngatshang	35	Ngatshang
Thumbari	3	
Yeakhar	1	
Phanas	1	
TOTAL	38	
Responsibilities and Rights of Members • Collect designated NWFP products according to the plan. • Adhere to hygienic processing methods. • Share responsibility for sustainable NWFP management. • Attend group meetings as required. • Strictly follow harvesting guidelines. • Participate in relevant training sessions. • Actively engage in electing committee members and fulfilling assigned responsibilities. • Harvest NWFPs during prescribed seasons. • Respect and follow instructions from executive members. • Report illegal harvesting activities to forest authorities. • Exercise the right to harvest and market NWFPs as per the plan. • Avoid collecting NWFPs from privately registered lands. • Share responsibilities and risks among members. • Semi-process NWFPs individually while maintaining quality standards		
Membership Arrangement The group comprises 38 households from Ngatshang, Thumbari, Yeakhar, and Phanas Chewog of Ngatshang Gewog. Only households registered in the Gewog census are eligible for membership. The current members were part of past NWFP groups formed between 2016 and 2023 for managing and marketing <i>Daphne bholua</i> and other NWFP products. New members seeking to join must apply to the Chairperson, accompanied by a payment calculated by dividing the total available funds by the current member count. A membership fee of Nu.100 shall be deposited. The new member must be the head of the household. Upon approval, new members can actively participate in group activities		
Resignation Procedure Members wishing to resign must formally apply to the Chairperson, indicating their decision. Upon resignation, members forfeit associated benefits and are not permitted to collect products or resources from the group. This process ensures a smooth transition and preserves group integrity.		

Executive Members

Secretary 	Name: Kinchap, Village: Tagor Gewog: Ngatshang Responsibilities of Secretary • Maintain/keep the sale records of different NWFP species • Maintain the minutes of the meeting. • Attend/participate in pieces of training/workshops/study tours when called. • Assist and officiate the Chairperson whenever needed. • Keep detailed records of NWFPs harvested and submit them to the Chairperson. • Shall maintain cash book in the absence of Treasurer.
Treasurer 	Name: Tashi Delek, Village: Shingtharing, Gewog: Ngatshang Responsibilities of Treasurer • Maintain cash transaction records. • Collect membership fees, incentives/compensation fees and deposit in bank • Look at overall financial transactions in collaboration with the chairman and secretary. • Officiate Secretary • Keep detailed records of NWFP sale data • Present the annual expenditure and income of the group to the members during the meeting

Tenure of committee members	• 10 years or complete plan period
Incentives to the committee members	• The group members discussed and decided not to compensate or pay incentives to any executive members.

Source of fund and financial utilization

Sources for generation of group fund	• Membership fees of Nu. 100/year/member on 1st week of January every year. • Absenteeism penalty of Nu. 415/member/occasion. • Deduction of Nu.1/unit/product.
Group fund management and utilization	• The group fund culminated from membership fees, fines and penalties and sale proceeds shall be saved in the Bhutan Development Bank at Yadi, Ngatshang. The account of the past NWFP group of the Ngatshang will be used for managing the accounts of the current management plan. The account will be managed by committee members including withdrawal transactions. The group fund will not be used for any events or occasions except for emergencies which include conducting meetings

Conflict Resolution and Penalties

Conflict resolution	- Conflicts or disputes within the NWFP Management Group should be settled as far as possible by the group executive members chaired by the Chairperson of the group. - If the case cannot be resolved, it shall be forwarded to the Gewog Administration via Chewog Tshogpa. - In case there is a conflict between the NWFP Group and outsiders, the case shall be forwarded to the Divisional Forest Office and Gewog Administration by the Chairperson. - In case of disputes or conflicts among communities on access to areas for NWFP harvesting; the matter shall be put up to the Chiwog Tshogpa, Gewog Tshogdhey (GT) and Dzongkhag Tshogdue (DT).
Penalties	- Late payment of annual fees incurs Nu. 10/day penalty until February 8th, then compulsory retirement. - Missing or being late to meetings results in a Nu. 415 fine per occasion, leading to retirement if unpaid. - Non-compliance with NWFP norms entails fines as per FNCRR 2023. - Misuse of funds by committee members results in double repayment, retirement, and product collection ban. - Committees failing responsibilities must step down. - Disobeying committee members leads to three warnings then retirement without benefits.

Meeting and purpose	Once in a year or based on necessity.
Authority of the Department	As per Chapter VII, sections 54, 263 and 264 of FNCRR, 2023, the Department shall: - Inspect, monitor, review the records of and otherwise supervise the activity of the NWFMG - Suspend the Non-Wood Forest Produce Group based on the preliminary finding in the event of violation of the management plan and Section 145 of the Act and this Rules. - Terminate Non-Wood Forest Produce Group based on the report and recommendation from the Division or Park Office.
Cancellation of NWFP Management Certificate	As per Chapter VII, sections 54, 263 and 264 of FNCRR, 2023, the Department shall: - Suspend the Non-Wood Forest Produce Group based on the preliminary finding in the event of violation of the management plan and Section 145 of the Act and this Rules. - Terminate Non-Wood Forest Produce Group based on the report and recommendation from the Division or Park Office.



Monitoring and Evaluation	• CFO shall be responsible for general monitoring of the availability of NWFP resources and the implementation of the framework in the field in collaboration with RO and NWFP groups regularly. • RO shall be responsible for the monitoring of the implementation of the NWFP Management & Marketing Plan and maintain records of the actual quantity collected and sold annually in collaboration with NWFP groups. • CFO shall be responsible for monitoring the movements of NWFPs. • CFO shall prepare an annual monitoring report describing resource availability and NWFP species sold by the group. • CFO/ RO shall be responsible for monitoring the marketing, trade and exports of NWFP produce. • CFO/RO shall be responsible to conduct and coordinate a mid-term review and further carry out the final evaluation of the implementation of the NWFP management & marketing plan. • FRPMD shall monitor and evaluate the implementation of NWFP management and marketing plan in the field and submit the report to the department. • FRPMD shall review the framework for the management and marketing of NWFPs as and when required.
--	---


12. Annexures

Annexure I: NWFP Group Membership List

Membership list of Ngatshang Shingmen Thenken Tshong Dral Detshen

Sl no	Name	Designation	Village	Signature/Thump print
1	Lekzang	Chairperson	Ngatshang	
2	Kunchap	Secretary	Tagor	
3	Tashi Delek	Tresurer	Shingtharing	
4	Tsheltrim	Member	Ngatshang	
5	Thinley Zangmo	Member	Gochakpo	
6	Yangzom	Member	Gochakpo	
7	Thinley	Member	Gochakpo	

8	Ugyen Dorji	Member	Gochakpo	
9	Gyaltshen	Member	Mentshang	Request- 
10	Wangmo	Member	Yeberi	Request- 
11	Kunzang Tshering	Member	Mentshang	 Request
12	Pema Dorji	Member	Mentshang	 Absent-
13	Ugyen Dema	Member	Kheshingwang	
14	Jurme Choden	Member	Bachak	
15	Kunzang Zemo	Member	Mentshang	

16	Naki	Member	Shingtharing	 Request-
17	Choytshomo	Member	Shingtharing	
18	Wangchuk	Member	Shingtharing	
19	Choten	Member	Shingtharing	
20	Jigme Wangmo	Member	Robtangkhar	
21	Gaito	Member	Shingtharing	
22	Penjor	Member	Bainangkhar	
23	Sangay Wangmo	Member	Robtangkhar	

24	Gyenden Zangmo	Member	Robtangkhar	<i>JiD</i>
25	Yeshi Choden	Member	Robtangkhar	
26	Phuntsho Wangmo	Member	Robtangkhar	
27	Naki	Member	Robtangkhar	<i>Agst:</i>
28	Choney Wangmo	Member	Robtangkhar	
29	Sonam Wangmo	Member	Aring	
30	Kota	Member	Chema	 <i>Agst:</i>
31	Sangay Choden	Member	Tagor	

32	Dorjila	Member	Chokpa	 Absent-
33	Karma	Member	Thumbari	
34	Karma	Member	Kheriwang	ཉེས་ཅོད་ Absent-
35	Nima Gyalmo	Member	Thumbari	
36	Singye Zangmo	Member	Thumbari	 Absent-
37	Sonam	Member	Domlung	ཉེས་ཅོད་ Absent-
38	Dupcho Zangmo	Member	Aring	
39	Phuntsho Wangdi	Member	Aring	

40	Kinzang Pemo	Member	Kaktongri	
41	Thukten/Jigme Wangchuk	Member	Tagor	
42	Dorji Wangmo	Member	Tagor	
43	Kelzang Dema		Phanas	

Annexure II: List of NWFPs to be collected by the group member

Sl. No.	Local Name of NWFPs	Scientific name of NWFPs
1	Laniru	<i>Rubia cordifolia</i>
2	Shugoshing	<i>Daphne bholua</i>
3	Yongjiba	<i>Pozolzia sanguinea</i>
4	Zala Goli	<i>Persea gamblei</i>
5	Dimom	<i>Elastomia lineolatum</i>
6	Ferns (Dawai)	
7	Mushrooms (Bamung)	
8	Pinsey	<i>Diploknema butyracea</i>
9	Nengsey	<i>Lindera</i> or <i>Litsea</i> sp.
10	Bey shawa	<i>Thysanolaena latifolia</i>
11	Hard brooms (Tsaku)	
16	Cane/phashi	<i>Calamus latifolius</i>
17	Rashu	<i>Chimona bambusa</i>
18	Bamboo (fagso)	
19	Shee	<i>Borinda grossa</i>
20	Soo	<i>Dendrocalamus hamiltoni</i>
21	Minji	<i>Calamus acanthospathus</i>
22	Drey	
23	Paan	<i>Piper hamiltoni</i>
24	Bainang Pin	
25	Thogsumpa	<i>Paris polyphylla</i>
26	Khaigee	<i>Zanthoxylum armatum</i>
27	Songee	<i>Zanthoxylum bungeanum</i>
28	Olatse	<i>Cymbidium</i> sp.
29	Neyshing Jorma	<i>Viscum nepalensis</i>
30	Khesey	<i>Juglans regia</i>
31	Phrumchung Sey	<i>Choerospondia axillaris</i>
32	Kolokpa	<i>Entada rhedii</i>

33	Khatsher Momnang	<i>Justicia adhatoda</i>
34	Sinsey	<i>Parasassafra confertiflora</i>
35	Thormong	<i>Tupistra nutans</i>
36	Wang Pemo	<i>Tupistra wattii</i>
37	Seyshing	
38	Wild Yam (Borang Joktang)	
39		<i>Panax Pseudogingseng</i>

Annexure III. Daphne's data compilation and analysis sheet

Block Name: Korila (3/5 compartments)

Number of plants with a diameter of less than 1 cm

<i>Sub-block</i> <i>(name)</i>	<i>Area</i> <i>(ha)</i> <i>(a)</i>	<i>No. of sample</i> <i>plots</i> <i>(b)</i>	<i>Total</i> <i>no. of</i> <i>plants</i> <i>of</i> <i>D10 <</i> <i>1 cm</i> <i>(c)</i>	<i>Average</i> <i>no. of</i> <i>plants of</i> <i>D10 < 1 cm</i> <i>per sample</i> <i>plot</i> <i>(=c/b)</i> <i>(d)</i>	<i>Average</i> <i>no. of</i> <i>plants of</i> <i>D10 < 1 cm</i> <i>per ha</i> <i>(=100*d)</i> <i>(e)</i>	<i>Total no. of</i> <i>plants of</i> <i>D10 < 1 cm</i> <i>in sub-block</i> <i>(=a*e)</i> <i>(f)</i>
Korila I	100	17	8	0.5	47	4706
Korila II	266	42	23	0.5	55	14567
Korila III	252	40	53	1.3	133	33390
Total	618	99	84	2	234	52663

Number of plants with a diameter of 1-1.9 cm

<i>Sub-block</i> <i>(name)</i>	<i>Area</i> <i>(ha)</i> <i>(a)</i>	<i>No. of sample</i> <i>plots</i> <i>(b)</i>	<i>Total</i> <i>no. of</i> <i>plants</i> <i>of</i> <i>D10:</i> <i>1-1.9</i> <i>cm</i> <i>(c)</i>	<i>Average</i> <i>no. of</i> <i>plants of</i> <i>D10: 1-1.9</i> <i>cm per</i> <i>sample plot</i> <i>(=c/b)</i> <i>(d)</i>	<i>Average</i> <i>no. of</i> <i>plants of</i> <i>D10: 1-1.9</i> <i>cm per ha</i> <i>(=100*d)</i> <i>(e)</i>	<i>Total no. of</i> <i>plants of</i> <i>D10: 1-1.9 cm in</i> <i>sub-block</i> <i>(=a*e)</i> <i>(f)</i>
Korila I	100	17	9	1	53	5294

Korila II	266	42	23	1	55	14567
Korila III	252	40	70	2	175	44100
Total	618	99	102	3	283	63961

Number of plants with a diameter of 2-2.9 cm

<i>Sub-block</i>	<i>Area (ha)</i>	<i>No. of sample plots</i>	<i>Total no. of plants of</i>	<i>Average no. of plants of</i>	<i>Average no. of plants of</i>	<i>Total no. of plants of</i>
<i>(name)</i>	<i>(a)</i>	<i>(b)</i>	<i>D10: 2-2.9 cm (c)</i>	<i>D10: 2-2.9 cm per sample plot (=c/b) (d)</i>	<i>D10: 2-2.9 cm per ha (=100*d) (e)</i>	<i>D10: 2-2.9 cm in sub-block (=a*e) (f)</i>
Korila I	100	17	4	0.2	24	2353
Korila II	266	42	54	1.3	129	34200
Korila III	252	40	83	2.1	208	52290
Total	618	99	141	4	360	88843

Available usable dry bark weight per sub-block of plants with a diameter of > 3.0 cm

<i>Sub- block</i>	<i>Area (ha)</i>	<i>No. of sample plots</i>	<i>Total Wd of plants with a diameter of > 3 cm</i>	<i>Average Wd per sample plot</i>	<i>Average Wd per ha</i>	<i>Total Wd in sub-block</i>	<i>Total usable bark</i>
<i>(name)</i>	<i>(a)</i>	<i>(b)</i>	<i>(c)</i>	<i>(=c/b) (d)</i>	<i>(=100*d) (e)</i>	<i>(=a*e) (f)</i>	<i>(53% of f)</i>
Korila I	100	17	118	7	694	69412	36788

Korila II	266	42	10089	240	24021	6389700	3386541
Korila III	252	40	2065	52	5163	1300950	689504
Total	618	99	12272	299	29878	7760062	4112833

Block Compilation Form

<i>Name of area</i>	<i>Area (ha)</i>	<i>No of sample plots</i>	<i>Total number of young plants</i>			<i>Plants with D10> 3cm</i>	
			<i>D10 < 1 cm</i>	<i>D10 1-1.9 cm</i>	<i>D10 2-2.9 cm</i>	<i>Total dry bark weight</i>	<i>Total usable bark</i>
Korila I	100	17	4706	5294	2353	69412	36788
Korila II	266	42	14567	14567	34200	6389700	3386541
Korila III	252	40	33390	44100	52290	1300950	689504
Total	618	99	52663	63961	88843	7760062	4112833

***Note: unit for weight is in gram