

Integrating the Healthcare Enterprise



5

IHE Patient Care Coordination (PCC) Technical Framework Supplement

CDA Content Modules

10

Trial Implementation

15

Date: September 2, 2011

20 Author: Patient Care Coordination Technical Committee

Email: pcc@ihe.net

Foreword

25 This is a supplement to the IHE Patient Care Coordination Technical Framework V7.0. Each supplement undergoes a process of public comment and trial implementation before being incorporated into the volumes of the Technical Frameworks.

30 This supplement is different than traditional IHE supplements. It serves as the Trial Implementation staging area for content modules. The content modules (section level, entry level) defined during Trial Implementation are gathered in this document to provide a central location for readers of supplements from PCC, QRPH and/or other domains that use the dictionary of content modules first defined by PCC. After individual modules are successfully tested and reviewed, they will be moved to Final Text. At that time, they are removed from this document. Thus, this supplement will continue to exist for some time as new content modules are defined and documented here. Likewise, content modules will be removed as they go to final text.

35 This supplement describes changes to the existing technical framework documents and where indicated amends text by addition (**bold underline**) or removal (**~~bold strikethrough~~**), as well as addition of large new sections introduced by editor's instructions to "add new text" or similar, which for readability are not bolded or underlined.

40 "Boxed" instructions like the sample below indicate to the Volume Editor how to integrate the relevant section(s) into the relevant Technical Framework volume:

<i>Replace Section X.X by the following:</i>
--

45 General information about IHE can be found at: www.ihe.net

Information about the IHE PCC domain can be found at: <http://www.ihe.net/Domains/index.cfm>

Information about the structure of IHE Technical Frameworks and Supplements can be found at: <http://www.ihe.net/About/process.cfm> and <http://www.ihe.net/profiles/index.cfm>

50 The current version of the IHE Technical Framework can be found at: http://www.ihe.net/Technical_Framework/index.cfm

CONTENTS

	INTRODUCTION	15
55	PROFILE ABSTRACT	15
	OPEN ISSUES AND QUESTIONS	15
	CLOSED ISSUES	15
	VOLUME 1 – INTEGRATION PROFILES	16
	GLOSSARY	17
60	2.5 HISTORY OF ANNUAL CHANGES	17
	VOLUME 2 – TRANSACTIONS AND CONTENT MODULES	18
	6.1 CONVENTIONS	18
	6.2 FOLDER CONTENT MODULES	19
	6.2.1 EDES Folder Specification	19
65	6.2.2 APR Folder Specification	19
	6.2.3 LDR Folder Specification	19
	6.3 HL7 VERSION 3.0 CONTENT MODULES	19
	6.3.1 CDA Document Content Modules	19
	6.3.1.X History and Physical Specification 1.3.6.1.4.1.19376.1.5.3.1.1.16.1.4	19
70	6.3.1.x.1 Format Code	19
	6.3.1.x.2 LOINC Code	19
	6.3.1.x.3 Standards	19
	6.3.1.x.4 Specification	20
	6.3.1.x.5 Conformance	20
75	6.3.2 CDA Header Content Modules	22
	6.3.2.1 Language Communication 1.3.6.1.4.1.19376.1.5.3.1.2.1	22
	6.3.2.2 Employer and School Contacts 1.3.6.1.4.1.19376.1.5.3.1.2.2	22
	6.3.2.3 Healthcare Providers and Pharmacies 1.3.6.1.4.1.19376.1.5.3.1.2.3	22
	6.3.2.4 Patient Contacts 1.3.6.1.4.1.19376.1.5.3.1.2.4	22
80	6.3.2.5 Spouse 1.3.6.1.4.1.19376.1.5.3.1.2.4.1	23
	6.3.2.5.1 Parent Template	23
	6.3.2.5.2 Specification	23
	6.3.2.5.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'/><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.1'/>	23
85	6.3.2.5.4 <associatedEntity classCode='PRS'>	23
	6.3.2.5.5 <code code='127848009 184142008' displayName=' ' codeSystem='2.16.840.1.113883.6.96'	23
	codeSystemName='SNOMED CT'/>	23
	6.3.2.5.6 Completed Example	24
	6.3.2.6 Natural Father of Fetus 1.3.6.1.4.1.19376.1.5.3.1.2.4.2	24
90	6.3.2.6.1 Parent Template	24
	6.3.2.6.2 Specification	24
	6.3.2.6.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'/><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.2'/>	25
	6.3.2.6.4 <associatedEntity classCode='PRS'>	25
	6.3.2.6.5 <code code='xx-fatherofbaby' displayName=' ' codeSystem='2.16.840.1.113883.6.96'	25
95	codeSystemName='SNOMED CT'/>	25
	6.3.2.6.6 Completed Example	25
	6.3.2.7 Authorization 1.3.6.1.4.1.19376.1.5.3.1.2.5	26
	6.3.2.7.1 Parent Template	26
	6.3.2.7.2 Specification	26
	6.3.2.7.3 <authorization typeCode='AUTH'>	26
100	6.3.2.7.4 <consent classCode='CONS' moodCode='EVN'>	26
	6.3.2.7.5 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.5'/>	26
	6.3.2.7.6 <id root=' ' />	26

	6.3.2.7.7 <code code=' ' codeSystem=' ' codeSystemName=' ' displayName=' '/>	27
	6.3.3 CDA Section Content Modules.....	27
105	6.3.3.1 Reasons for Care	27
	6.3.3.1.1 Reason for Referral	27
	6.3.3.1.2 Coded Reason for Referral	27
	6.3.3.1.3 Chief Complaint.....	27
	6.3.3.1.4 Hospital Admission Diagnosis	27
110	6.3.3.1.5 Proposed Procedure Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.1	27
	6.3.3.1.6 EBS Estimated Blood Loss Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.2	28
	6.3.3.1.7 Proposed Anesthesia Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.3	29
	6.3.3.1.8 Reason for Procedure Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.4	30
	6.3.3.1.9 Reason for Visit Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1.1	31
115	6.3.3.1.10 Injury Incident Description Section 1.3.6.1.4.1.19376.1.5.3.1.1.19.2.1	31
	6.3.3.2 Other Condition Histories	32
	6.3.3.2.1 History of Present Illness	32
	6.3.3.2.2 Hospital Course.....	32
	6.3.3.2.3 Active Problems.....	32
120	6.3.3.2.4 Discharge Diagnosis	32
	6.3.3.2.5 History of Past Illness	32
	6.3.3.2.6 Encounter Histories.....	32
	6.3.3.2.7 History of Outpatient Visits	32
	6.3.3.2.8 History of Inpatient Visits.....	32
125	6.3.3.2.9 List of Surgeries.....	32
	6.3.3.2.10 Coded List of Surgeries.....	32
	6.3.3.2.11 Allergies and Other Adverse Reactions	32
	6.3.3.2.12 Family medical History.....	33
	6.3.3.2.13 Coded Family Medical History	33
130	6.3.3.2.14 Social History Section.....	33
	6.3.3.2.15 Functional Status.....	33
	6.3.3.2.16 Review of Systems.....	33
	6.3.3.2.17 Hazardous Working Conditions.....	33
	6.3.3.2.18 Pregnancy History.....	33
135	6.3.3.2.19 Medical Devices.....	33
	6.3.3.2.20 Foreign Travel.....	33
	6.3.3.2.21 Pre-procedure Family Medical History Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.5 (Deprecated)	33
	6.3.3.2.22 Coded Functional Status Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.1	33
	6.3.3.2.22.1 Standards	34
140	6.3.3.2.22.2 Parent Template	34
	6.3.3.2.23 Pain Scale Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2	35
	6.3.3.2.24 Braden Score Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3	36
	6.3.3.2.25 Geriatric Depression Scale Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4	37
	6.3.3.2.26 Physical Function Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5	38
145	6.3.3.2.26.1 Constraints.....	38
	6.3.3.2.27 Preprocedure Review of Systems Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.13.....	42
	6.3.3.2.28 Estimated Delivery Date Section 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.1	43
	6.3.3.2.29 History of Tobacco Use Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.8	44
	6.3.3.2.30 Current Alcohol/Substance Abuse Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.10	44
150	6.3.3.2.31 History of Blood Transfusion Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.12	45
	6.3.3.2.32 Anesthesia Risk Review of Systems Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.14	46
	6.3.3.2.33 Implanted Medical Device Review Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.46	46
	6.3.3.2.34 Pregnancy Status Review Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.47	47
	6.3.3.2.35 History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1	47
155	6.3.3.2.36 Coded Social History Section 1.3.6.1.4.1.19376.1.5.3.1.3.16.1	48
	6.3.3.2.37 Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1	49
	6.3.3.2.38 Prenatal Events Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.2	49
	6.3.3.2.39 Labor and Delivery Events Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3	50
	6.3.3.2.40 Newborn Delivery Information Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4	51
160	6.3.3.2.41 Postpartum HospitalizationTreatment Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.7	54

	6.3.3.2.42 Event Outcomes Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9.....	56
	6.3.3.2.43 Newborn Status at Maternal Discharge 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.8.....	56
	6.3.3.2.44 History of Surgical Procedures Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2.....	57
165	6.3.3.2.45 Operative Note Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.6.....	57
	6.3.3.2.46 Child Functional Status Assessment 1.3.6.1.4.1.19376.1.7.3.1.1.13.3.....	58
	6.3.3.2.47 Psychomotor Development Section 1.3.6.1.4.1.19376.1.7.3.1.1.13.4.....	58
	6.3.3.2.48 Eating and Sleeping Assessment Section 1.3.6.1.4.1.19376.1.7.3.1.1.13.5.....	59
	6.3.3.2.49 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7.....	60
170	6.3.3.2.50 Intentionally blank.....	61
	6.3.3.2.51 Intentionally blank.....	61
	6.3.3.2.52 Intentionally blank.....	61
	6.3.3.2.53 Notifications, Alerts, and Reminders Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1.x.....	61
	6.3.3.2.54 Pain Assessment Panel Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.4.....	61
175	6.3.3.2.55 History of Cognitive Function Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.11.....	62
	6.3.3.2.56 Isolation Status Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.8.....	62
	6.3.3.2.57 Restraints Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.10.....	63
	6.3.3.2.58 Risk Indicators for Hearing Loss.....	63
	6.3.3.2.59 Cancer Diagnosis Section 1.3.6.1.4.1.19376.1.7.3.1.3.14.1.....	64
180	6.3.3.3 Medications.....	65
	6.3.3.3.1 Medications Section.....	65
	6.3.3.3.2 Admission Medication History Section.....	65
	6.3.3.3.3 Medications Administered Section.....	65
	6.3.3.3.4 Hospital Discharge Medications Section.....	65
185	6.3.3.3.5 Immunizations Section.....	65
	6.3.3.4 Physical Exams.....	65
	6.3.3.4.1 Physical Examination Section.....	65
	6.3.3.4.2 Detailed Physical Examination Section.....	66
	6.3.3.4.3 Hospital Discharge Physical Exam Section.....	66
190	6.3.3.4.4 Vital Signs Section.....	66
	6.3.3.4.5 Coded Vital Signs Section.....	66
	6.3.3.4.29 Extremities.....	66
	6.3.3.4.30 Coded Detailed Physical Examination Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1.....	66
	6.3.3.4.31 Pelvis Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.10.....	67
195	6.3.3.4.32 Admission Physical Exam Section 1.3.6.1.4.1.19376.1.5.3.1.1.22.1.1.2.1.....	68
	6.3.3.4.33 Discharge Status 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.12.....	69
	6.3.3.5 Relevant Studies.....	69
	6.3.3.5.1 Results.....	69
200	6.3.3.5.2 Coded Results.....	69
	6.3.3.5.3 Hospital Studies Summary.....	69
	6.3.3.5.4 Coded Hospital Studies Summary.....	69
	6.3.3.5.5 Consultations 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.8.....	69
	6.3.3.5.6 Antenatal Testing and Surveillance Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.....	70
	6.3.3.5.7 Coded Antenatal Testing and Surveillance Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.1.....	71
205	6.3.3.5.9 Intentionally blank.....	71
	6.3.3.5.10 Intentionally blank.....	71
	6.3.3.5.11 Hearing Screening Coded Results.....	72
	6.3.3.5.11.1 Parent Template.....	72
210	6.3.3.6 Plans of Care.....	73
	6.3.3.6.1 Care Plan.....	73
	6.3.3.6.2 Assessment and Plan.....	73
	6.3.3.6.3 Discharge Disposition.....	73
	6.3.3.6.4 Discharge Diet.....	73
	6.3.3.6.5 Advance Directives.....	74
215	6.3.3.6.6 Coded Advance Directives.....	74
	6.3.3.6.7 Transport Mode.....	74
	6.3.3.6.8 Procedure Care Plan Status Report Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.45.....	74
	6.3.3.6.9 Health Maintenance Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.50.....	75
	6.3.3.6.10 Health Maintenance Care Plan Status Report Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.41.....	75

220	6.3.3.6.11 Provider Orders Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1	76
	6.3.3.6.12 Birth Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.1	77
	6.3.3.6.13 Immunization Recommendations 1.3.6.1.4.1.19376.1.5.3.1.1.18.3.1	78
	6.3.3.6.14 Patient Education Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.38	78
	6.3.3.6.15 Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.3.31	79
225	6.3.3.6.16 Diet and Nutrition Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.2	80
	6.3.3.6.17 Intake and Output Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.3	81
	6.3.3.6.18 Intentionally blank	81
	6.3.3.6.19 Intentionally blank	81
	6.3.3.6.20 Procedure Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.40	81
230	6.3.3.7 Administrative and Other Information	84
	6.3.3.7.1 Payers	84
	6.3.3.7.2 Referral Source	84
	6.3.3.7.3 Transport Mode	84
	6.3.3.7.4 ED Disposition	84
	6.3.3.7.5 Intentionally blank	84
235	6.3.3.7.6 Sending Facility Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.1	84
	6.3.3.7.7 Receiving Facility Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.2	85
	6.3.3.7.8 Mass Casualty Incident Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.3	85
	6.3.3.7.9 Unit Response Level Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.4	86
	6.3.3.7.10 Extra Attendants Information Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.6	86
240	6.3.3.7.11 Provider Level Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.9	87
	6.3.3.8 Interventions	87
	6.3.3.8.3 Procedures and Interventions Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11	88
	6.3.3.8.4 Intravenous Fluids Administered Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.6	88
245	6.3.3.9 Impressions	89
	6.3.3.9.1 Pre-procedure Impressions Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.42 (Deprecated)	89
	6.3.3.9.2 Pre-procedure Risk Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.44	89
	6.3.3.9.3 Antepartum Visit Summary Flowsheet Section 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2	90
	6.3.3.9.4 Progress Note Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.7	91
250	6.3.3.9.5 ED Diagnosis Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.9	92
	6.3.3.9.6 Acuity Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.2	92
	6.3.3.9.7 Assessments Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.4	93
	6.3.4 CDA Entry Content Modules	94
	6.3.4.25 Family History Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.3	94
255	6.3.4.25.1 Standards	94
	6.3.4.25.2 Parent Template	94
	6.3.4.25.3 Specification	94
	6.3.4.25.4 <templateId root="2.16.840.1.113883.10.20.1.22"/> <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13.3"/>	94
	6.3.4.25.5 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '/>	94
260	6.3.4.25.6 <value xsi:type='CD' code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '/>	95
	6.3.4.27 EDD Observation 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1	95
	6.3.4.27.1 Specification	96
	6.3.4.27.2 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1"/>	96
	6.3.4.27.3 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13"/>	97
265	6.3.4.27.4 <code code='11778-8' codeSystem='2.16.840.1.113883.6.1'/>	97
	6.3.4.27.5 <value xsi:type='TS' value=' '>	97
	6.3.4.27.6 <author typeCode='AUT'><assignedAuthor><id root=' ' extension=' '/></assignedAuthor></author>	97
	6.3.4.27.7 <author typeCode='AUT'><time value=' '/></author>	97
	6.3.4.27.8 <entryRelationship typeCode='SPRT'>	97
270	6.3.4.27.9 <observation> <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13"/> : </observation> [1st nesting]	98
	6.3.4.27.10 <code code=' ' codeSystem='2.16.840.1.113883.6.1'/> [1st nesting]	98
	6.3.4.27.11 <entryRelationship typeCode='DRIV'>	98
275	6.3.4.27.12 <observation> <templateId root=' '/> : </observation> [2nd nesting]	98
	6.3.4.27.13 <code code=' ' codeSystem='2.16.840.1.113883.6.1'/> [2nd nesting]	99

	6.3.4.27.14 <repeatNumber value=' /> <interpretationCode code=' ' codeSystem=' /> <targetSiteCode code=' ' codeSystem=' />	99
	6.3.4.28 Antepartum Visit Summary Battery 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2.....	99
280	6.3.4.28.1 Specification	100
	6.3.4.28.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2' />	100
	6.3.4.28.3 <organizer classCode='BATTERY' moodCode='EVN'>	100
	6.3.4.28.4 <id root=' ' extension=' />	100
	6.3.4.28.6 <author/><time/><assignedAuthor><id/></assignedAuthor></author>	101
285	6.3.4.28.7 <statusCode code='completed' />	101
	6.3.4.28.8 <component>	101
	6.3.4.29 Advance Directive Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.7	103
	6.3.4.29.1 Standards.....	103
	6.3.4.29.2 Specification	103
290	6.3.4.29.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' /> <templateId root='2.16.840.1.113883.10.20.1.17' /> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.7' />	103
	6.3.4.29.4 <code code=' ' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />	104
	6.3.4.29.5 <value xsi:type='BL' value='true false' />	104
	6.3.4.29.6 <reference typeCode='REFR'> <templateId root='2.16.840.1.113883.10.20.1.36' /> <externalDocument classCode='DOC' moodCode='EVN'> <id root=' ' extension=' /> <text><reference value=' /></text>	104
295	6.3.4.30 Blood Type Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.6	105
	6.3.4.30.1 Standards.....	105
	6.3.4.30.2 Specification	105
300	6.3.4.30.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />	105
	<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.6' />	105
	<templateId root='2.16.840.1.113883.10.20.1.31' />	105
	6.3.4.30.4 <code code='882-1' displayName='ABO+RH GROUP' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />	105
305	6.3.4.31 Encounters 1.3.6.1.4.1.19376.1.5.3.1.4.14	106
	6.3.4.31.1 Standards.....	106
	6.3.4.31.2 Specification	106
	6.3.4.31.2.1 <encounter classCode='ENC' moodCode='APT ARQ EVN'>	107
310	6.3.4.31.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.14' />	107
	6.3.4.31.2.3 <id root=' ' extension=' />	107
	6.3.4.31.2.4 <code code=' ' codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActEncounterCode' /> ..	107
	6.3.4.31.2.5 <text><reference value='#xxx' /></text>	108
	6.3.4.31.2.6 <effectiveTime><low value=' /><high value=' /></effectiveTime>	108
315	6.3.4.31.2.7 <priorityCode code='CS' />	108
	6.3.4.31.2.8 <performer>	108
	6.3.4.31.2.9 <participant typeCode='LOC'> <participantRole classCode='SDLOC'>	108
	6.3.4.31.2.10 <id/>	108
	6.3.4.31.2.11 <code/>	108
320	6.3.4.31.2.12 <addr>...</addr>	108
	6.3.4.31.2.13 <telecom value=' ' use=' />	108
	6.3.4.31.2.14 <playingEntity classCode='PLC'> <name>...</name> </playingEntity>	109
	6.3.4.32 Update Entry 1.3.6.1.4.1.19376.1.5.3.1.4.16	109
	6.3.4.32.1 Specification	109
325	6.3.4.32.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.16' />	109
	6.3.4.32.3 <reference typeCode='RPLC'>	109
	6.3.4.32.4 <externalAct classCode='ACT' moodCode='EVN'>	110
	6.3.4.32.5 <id root=' ' extension=' />	110
	6.3.4.33 Procedure Entry 1.3.6.1.4.1.19376.1.5.3.1.4.19	110
330	6.3.4.33.1 Standards.....	110
	6.3.4.33.2 Specification	111
	6.3.4.33.2.1 <procedure classCode='PROC' moodCode='EVN INT'>	111
	6.3.4.33.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />	111
	6.3.4.33.2.3 <id root=' ' extension=' />	111

	6.3.4.33.2.4 <code code=" displayName=" codeSystem=" codeSystemName=" />.....	111
335	6.3.4.33.2.5 <text><reference value="#xxx"/></text>.....	111
	6.3.4.33.2.6 <statusCode code='completed active aborted cancelled'/>.....	112
	6.3.4.33.2.7 <effectiveTime><low value=""/><high value=""/></effectiveTime>.....	112
	6.3.4.33.2.8 <priorityCode code=""/>.....	112
340	6.3.4.33.2.9 <approachSiteCode code=" displayName=" codeSystem=" codeSystemName=""/>.....	112
	6.3.4.33.2.10 <targetSiteCode code=" displayName=" codeSystem=" codeSystemName=""/>.....	112
	6.3.4.33.2.11 <entryRelationship typeCode='COMP' inversionInd='true'/>.....	112
	6.3.4.33.2.12 <entryRelationship typeCode='RSON'/>.....	112
	6.3.4.34 Transport 1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1.....	112
345	6.3.4.34.1 Specification.....	113
	6.3.4.34.1.1 <act classCode='ACT' moodCode='INT EVN'/>.....	113
	6.3.4.34.1.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1'/>.....	113
	6.3.4.34.1.3 <id root=" extension=""/>.....	113
	6.3.4.34.1.4 <code code=" displayName=" codeSystem=" codeSystemName="2.16.840.1.113883.6.102.4.2' codeSystemName='DEEDS4.02'/>.....	113
350	6.3.4.34.1.5 <originalText><reference value="#xxx"/></originalText>.....	113
	6.3.4.34.1.6 <text><reference value="#text"/></text>.....	113
	6.3.4.34.1.7 <effectiveTime>.....	114
	6.3.4.34.1.8 <low value=""/>.....	114
	6.3.4.34.1.9 <high value=""/>.....	114
355	6.3.4.35 Encounter Disposition 1.3.6.1.4.1.19376.1.5.3.1.1.10.4.2.....	114
	6.3.4.35.1 Specification.....	115
	6.3.4.35.1.1 <act classCode='ACT' moodCode='INT EVN'/>.....	115
	6.3.4.35.1.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.2'/>.....	115
360	6.3.4.35.1.3 <id root=" extension=""/>.....	115
	6.3.4.35.1.4 <code code=" displayName=" codeSystem=" codeSystemName=" />.....	116
	6.3.4.35.1.5 <text><reference value="#xxx"/></text>.....	116
	6.3.4.35.1.6 <effectiveTime><low value=""/><high value=""/></effectiveTime>/>.....	116
	6.3.4.35.1.7 <performer typeCode='PRF'/>.....	116
	6.3.4.35.1.8 <assignedEntity>.....	116
365	6.3.4.35.1.9 <id root=" extension=""/>.....	116
	6.3.4.35.1.10 <addr></addr>.....	116
	6.3.4.35.1.11 <telecom value=" use=""/>.....	116
	6.3.4.35.1.12 <assignedPerson><name/></assignedPerson>.....	117
370	6.3.4.35.1.13 <participant typeCode='RCV'> <time value=""/> <participantRole classCode='ROL'> <id root=" extension=""/> <addr></addr> <telecom value=" use=""/> <playingEntity><name/></playingEntity>.....	117
	6.3.4.36 Coverage Entry 1.3.6.1.4.1.19376.1.5.3.1.4.17.....	117
	6.3.4.36.1 Standards.....	117
	6.3.4.36.2 Specification.....	117
375	6.3.4.36.3 <act classCode='ACT' moodCode='DEF'/>.....	118
	6.3.4.36.4 <templateId root='2.16.840.1.113883.10.20.1.20'/>.....	118
	<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.17'/>.....	118
	6.3.4.36.5 <id root=" extension=""/>.....	118
	6.3.4.36.6 <code code='35525-4' displayName='FINANCING AND INSURANCE' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'/>.....	118
380	6.3.4.36.7 <statusCode code='completed'/>.....	118
	6.3.4.36.8 <entryRelationship typeCode='COMP'/>.....	118
	6.3.4.36.9 <sequenceNumber value=""/>.....	118
	6.3.4.37 Payer Entry 1.3.6.1.4.1.19376.1.5.3.1.4.18.....	118
	6.3.4.37.1 Standards.....	119
385	6.3.4.37.2 Specification.....	119
	6.3.4.37.3 <act classCode='ACT' moodCode='EVN'/>.....	119
	6.3.4.37.4 <templateId root='2.16.840.1.113883.10.20.1.26'/>.....	120
	<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.18'/>.....	120
	6.3.4.37.5 <id root=" extension=""/>.....	120
390	6.3.4.37.6 <code code=" displayName=" codeSystem=" codeSystemName=" />.....	120

	6.3.4.37.7 <statusCode code='completed'/>	120
	6.3.4.37.8 <performer typeCode='PRF'>	120
	<assignedEntity classCode='ASSIGNED'>	120
395	6.3.4.37.9 <id root=' ' extension=' ' />	120
	6.3.4.37.10	121
	<code code='PAYOR GUAR PAT' displayName=' '	121
	codeSystem='2.16.840.1.113883.5.110'	121
	codeSystemName='RoleClass'/>	121
400	6.3.4.37.11 <addr></addr>	121
	6.3.4.37.12 <telecom value=' ' use=' ' />	121
	6.3.4.37.13 <representedOrganization typeCode='ORG'>	121
	<name></name>	121
	6.3.4.37.14 <participant typeCode='COV'>	121
405	<participantRole classCode='PAT'>	121
	6.3.4.37.15 <id root=' ' extension=' ' />	121
	6.3.4.37.16 <code code= displayName= codeSystem='2.16.840.1.113883.5.111' codeSystemName='RoleCode'/>	122
	6.3.4.37.17 <addr></addr>	122
410	6.3.4.37.18 <telecom value=' ' use=' ' />	122
	6.3.4.37.19 <playingEntity><name></name></playingEntity>	122
	6.3.4.37.20 <participant typeCode='HLD'>	122
	<participantRole classCode='IND'>	122
	6.3.4.37.21 <id root=' ' extension=' ' />	122
415	6.3.4.37.22 <addr></addr>	122
	6.3.4.37.23 <telecom value=' ' use=' ' />	123
	6.3.4.37.24 <playingEntity><name></name></playingEntity>	123
	6.3.4.37.25 <entryRelationship typeCode='REFR'>	123
	<act classCode='ACT' moodCode='DEF'>	123
420	6.3.4.37.26 <id root=' ' extension=' ' />	123
	6.3.4.37.27 <text><reference value=' ' /></text>	123
	6.3.4.38 Pain Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.1	123
	6.3.4.38.1 Parent Template	123
	6.3.4.38.2 Specification	124
425	6.3.4.38.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13'/>	124
	6.3.4.38.4 <code code='38208 5' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'>	
	<translation code='406127006' displayName='Pain intensity' codeSystem='2.16.840.1.113883.6.96'	
	codeSystemName='SNOMED CT'/>	124
	6.3.4.38.5 <value xsi:type='CO' value=' ' />	124
430	6.3.4.38.6 <interpretationCode code='301379001 40196000 76948002 67849003'	125
	codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT'/>	125
	6.3.4.38.7 <methodCode code=' ' codeSystem=' ' codeSystemName=' ' />	125
	6.3.4.38.8 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />	125
	6.3.4.39 Braden Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.2	125
435	6.3.4.40 Braden Score Component 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.3	125
	6.3.4.41 Geriatric Depression Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.4	125
	6.3.4.42 Geriatric Depression Score Component 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.5	126
	6.3.4.43 Survey Panel 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7	126
	6.3.4.43.1 Parent Template	126
440	6.3.4.43.2 Uses	126
	6.3.4.43.3 Specification	126
	6.3.4.43.3.1 <organizer classCode='CLUSTER' moodCode='EVN'>	126
	6.3.4.43.3.2 <templateId root='2.16.840.1.113883.10.20.1.32'/> <templateId	
	root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7'/>	127
445	6.3.4.43.3.3 <id root=' ' extension=' ' />	127
	6.3.4.43.3.4 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' ' />	127
	6.3.4.43.3.5 <statusCode code='completed'/>	127
	6.3.4.43.3.6 <effectiveTime value=' ' />	127
	6.3.4.43.3.7 <!-- one or more survey observations --> <component typeCode='COMP'>	127

450	6.3.4.44 Survey Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6.....	127
	6.3.4.44.1 Parent Template	127
	6.3.4.44.2 Uses	127
	6.3.4.44.3 Specification	128
455	6.3.4.44.3.1 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13'/> <templateId root='2.16.840.1.113883.10.20.1.31'/> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6'/>	128
	6.3.4.44.3.2 <code code=' ' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'/>	128
	6.3.4.44.3.3 <value xsi:type='CO CD INT PQ' .../>	128
	6.3.4.44.3.4 <interpretationCode code=' ' codeSystem=' ' codeSystemName=' '/>	128
460	6.3.4.44.3.5 <methodCode code=' ' codeSystem=' ' codeSystemName=' '/> <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/>	128
	6.3.4.45 Acuity 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1	129
	6.3.4.45.1 Specification	129
	6.3.4.45.1.1 <observation classCode='OBS' moodCode='EVN'>	129
	6.3.4.45.1.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1'/>	129
465	6.3.4.45.1.3 <id root=' ' extension=' '/>	129
	6.3.4.45.1.4 <code code=' ' displayName=' ' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT'>	129
	6.3.4.45.1.5 <originalText><reference value='#xxx'/><originalText>	129
	6.3.4.45.1.6 <text><reference value='#text'/></text>	129
470	6.3.4.45.1.7 <effectiveTime>	130
	6.3.4.45.1.8 <high value=' '/>	130
	6.3.4.46 Intravenous Fluids 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.2	130
	6.3.4.46.1 Specification	131
	6.3.4.46.1.1 Medication Fields	131
475	6.3.4.46.1.2 <substanceAdministration classCode='SBADM' moodCode='INT EVN'>	132
	6.3.4.46.1.3 <templateId root='2.16.840.1.113883.10.20.1.24'/> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7'/> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1' />	132
	6.3.4.46.1.4 <id root=' ' extension=' '/>	132
	6.3.4.46.1.5 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '>	132
480	6.3.4.46.1.6 <text><reference value=' '/></text>	133
	6.3.4.46.1.7 <statusCode code='completed active'/>	133
	6.3.4.46.1.8 <effectiveTime xsi:type='IVL_TS'>	133
	6.3.4.46.1.9 <low value=' '/><high value=' '/>	133
485	6.3.4.46.1.10 <approachSiteCode code=' ' codeSystem=' ' originalText><reference value=' '/></originalText> </approachSiteCode>	133
	6.3.4.46.1.11 <doseQuantity><low value=' ' unit=' '/><high value=' ' unit=' '/> </doseQuantity>	133
	6.3.4.46.1.12 <low high value=' ' > <translation> <originalText><reference value=' '/></originalText> </translation></low high >	134
	6.3.4.46.1.13 <rateQuantity><low value=' ' unit=' '/><high value=' ' unit=' '/> </rateQuantity>	134
490	6.3.4.46.1.14 <consumable>	134
	6.3.4.47 Nursing Assessments Battery 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4	134
	6.3.4.47.1 Specification	135
	6.3.4.47.1.1 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4'/>	135
	6.3.4.47.1.2 <organizer classCode='BATTERY' moodCode='EVN'>	135
495	6.3.4.47.1.3 <id root=' ' extension=' '/>	135
	6.3.4.47.1.4 <code code='X-ASSESS' codeSystem='2.16.840.1.113883.6.1'/>	135
	6.3.4.47.1.5 <author/><time/><assignedAuthor><id/></assignedAuthor></author>	136
	6.3.4.47.1.6 <statusCode code='completed'/>	136
	6.3.4.47.1.7 <component>	136
500	6.3.4.48 Antenatal Testing and Surveillance Battery 1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10	136
	6.3.4.48.1 Specification	137
	6.3.4.48.1.1 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10'/>	137
	6.3.4.48.1.2 <organizer classCode='BATTERY' moodCode='EVN'>	137
	6.3.4.48.1.3 <id root=' ' extension=' '/>	137
505	6.3.4.48.1.4 <code code='XX- XX-ANTENATALTESTINGBATTERY' codeSystem='2.16.840.1.113883.6.1'/>	137
	6.3.4.48.1.5 <author/><time/><assignedAuthor><id/></assignedAuthor></author>	138

	6.3.4.48.1.6 <statusCode code='completed'/>.....	138
	6.3.4.48.1.7 <component>.....	138
510	6.3.4.49 Immunization Recommendation 1.3.6.1.4.1.19376.1.5.3.1.4.12.2.....	138
	6.3.4.49.1 <substanceAdministrationIntent typeCode='SBADM' moodCode='INT PRP' negationInd='true false'/>.....	139
	6.3.4.49.2 <templateId root='2.16.840.1.113883.10.20.1.25'/>.....	139
	6.3.4.49.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.12.2'/>.....	139
	6.3.4.49.4 <id root=' ' extension=' '/>.....	139
515	6.3.4.49.5 <code code='IMMUNIZ' codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActCode'/>.....	140
	6.3.4.49.6 <text><reference value='#xxx'/></text>.....	140
	6.3.4.49.7 <statusCode code='active'/>.....	140
	6.3.4.49.8 <effectiveTime><low value=' ' ><high value=' ' ></effectiveTime>.....	140
520	6.3.4.49.9 <routeCode code=' ' codeSystem=' ' codeSystemName='RouteOfAdministration'/> <approachSiteCode code=' ' codeSystem=' ' codeSystemName='HumanSubstanceAdministrationSite'/> <doseQuantity value=' ' units=' '/>.....	140
	6.3.4.49.10 <consumable typeCode='CSM'/>.....	140
	6.3.4.49.11 <entryRelationship typeCode='SUBJ' > <observation classCode='OBS' moodCode='EVN' > <templateId root='2.16.840.1.113883.10.20.1.46'/> <code code='30973-2' displayName='Dose Number' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'/> <statusCode code='completed'/> <value xsi:type='INT' value=' ' > </observation> </entryRelationship>.....	140
525	6.3.4.49.12 <!-- Optional <entryRelationship> element referencing guidelines -->.....	141
	6.3.4.50 Alert Entry 1.3.6.1.4.1.19376.1.5.3.1.4.12.3.....	141
	6.3.4.50.1 <entryRelationship typeCode='SUBJ' inversionInd='true'/>.....	141
530	6.3.4.50.2 <templateId root='TBD'/>.....	141
	6.3.4.50.3 <observation classCode='OBS ALRT' moodCode='EVN'/>.....	142
	6.3.4.50.4 <id root=' ' extension=' '/>.....	142
	6.3.4.50.5 <code code=' ' displayName=' ' codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActDetectedIssueCode'/>.....	142
535	6.3.4.50.6 <text><reference value='#ref-1'/></text>.....	142
	6.3.4.51 Antigen Dose 1.3.6.1.4.1.19376.1.5.3.1.4.12.1.....	142
	6.3.4.51.1 Specification.....	143
	6.3.4.51.2 <substanceAdministration typeCode='SBADM' moodCode='EVN' negationInd='false'/>.....	143
	6.3.4.51.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.12.1'/>.....	143
540	6.3.4.51.4 <id root=' ' extension=' '/>.....	143
	6.3.4.51.5 <code></text></statusCode></effectiveTime value=' ' ></routeCode code=' ' codeSystem=' ' codeSystemName='RouteOfAdministration'/> <approachSiteCode code=' ' codeSystem=' ' codeSystemName='HumanSubstanceAdministrationSite'/>.....	143
	6.3.4.51.6 <doseQuantity value=' ' units=' '/>.....	143
545	6.3.4.51.7 <consumable typeCode='CSM'/>.....	144
	6.3.4.52 Intentionally blank.....	144
	6.3.4.53 Intentionally blank.....	144
	6.3.4.54 Observation Request 1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1.....	144
	6.3.4.54.1 Uses.....	144
550	6.3.4.54.2 Specification.....	144
	6.3.4.54.2.1 <observation classCode='OBS' moodCode='INT PRP GOL'/>.....	145
	6.3.4.54.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1'/>.....	145
	6.3.4.54.2.3 <templateId root='2.16.840.1.113883.10.20.1.25'/>.....	145
	6.3.4.54.2.4 <id root=' ' extension=' '/>.....	145
555	6.3.4.54.2.5 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '/>.....	145
	6.3.4.54.2.6 <text><reference value='#xxx'/></text> -OR- <text>text</text>.....	145
	6.3.4.54.2.7 <statusCode code='active'/>.....	146
	6.3.4.54.2.8 <effectiveTime value=' ' >.....	146
	6.3.4.54.2.9 <value xsi:type=' ' >.....	146
560	6.3.4.54.2.10 <methodCode code=' ' codeSystem=' ' codeSystemName=' '/>.....	146
	6.3.4.54.2.11 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/>.....	146
	6.3.4.54.2.12 <author><assignedAuthor classCode='ASSIGNED'>...<assignedAuthor></author>.....	146
	6.3.4.55 Risk Indicators for Hearing Loss Entry 1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1.....	146
	6.3.4.55.1 Specification.....	146
565	6.3.4.55.2 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1'/>.....	147

	6.3.4.55.3 <organizer classCode='BATTERY' moodCode='EVN'>	147
	6.3.4.55.4 <id root=' ' extension=' ' />	147
	6.3.4.55.5 <code code='58232-0' codeSystem='2.16.840.1.113883.6.1' />	148
570	6.3.4.55.6 <author/><time/><assignedAuthor><id/></assignedAuthor></author>	148
	6.3.4.55.7 <statusCode code='completed' />	148
	6.3.4.55.8 <component>	148
	6.3.4.56 Cancer Diagnosis Entry 1.3.6.1.4.1.19376.1.7.3.1.4.14.1	148
	6.3.4.56.1 Parent Template	148
575	6.3.4.56.2 Specification	149
	6.3.4.56.3 <act classCode='ACT' moodCode='EVN'>	151
	6.3.4.56.4 <templateId root='2.16.840.1.113883.10.20.1.27' /> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5.2' />	151
	6.3.4.56.5 <!-- 1.* entry relationships identifying problems of concern --><entryRelationship type='SUBJ'><observation classCode='OBS' moodCode='EVN'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5' />...</observation>	151
580	6.3.4.56.6 <observation classCode='OBS' moodCode='EVN'>	151
	6.3.4.56.7 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5' /> <templateId root='1.3.6.1.4.1.19376.1.7.3.1.4.14.1' />	151
585	6.3.4.56.8 <code code='282291009' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' displayName='Diagnosis' />	152
	6.3.4.56.9 <statusCode code='completed' />	152
	6.3.4.56.10 <effectiveTime value='xxx' />	152
	6.3.4.56.11 <value xsi:type='CD' code=' ' codeSystem=' ' codeSystemName=' ' displayName=' ' />	152
590	6.3.4.56.12 <qualifier><name code='31206-6' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' displayName=' Behavior ICD-O-3 Cancer' /><value code=' ' codeSystem=' ' codeSystemName=' ' displayName=' ' /> </qualifier>	152
	6.3.4.56.13 <qualifier><name code='21861-0' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' displayName='Dx confirmed by Cancer' /><value xsi:type='CD' code=' ' codeSystem=' ' codeSystemName=' ' displayName=' ' /></qualifier>	152
595	6.3.4.56.14 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' displayName=' ' />	153
	6.3.4.56.15 <qualifier><name code='20228-3' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' displayName='Anatomic part Laterality' /> <value code=' ' codeSystem=' ' codeSystemName=' ' displayName=' ' /></qualifier>	153
600	6.3.4.56.16 <entryRelationship typeCode='SUBJ' inversionInd='false'>	153
	6.3.4.56.17 <observation classCode='OBS' moodCode='EVN'> <templateId root='1.3.6.1.4.1.19376.1.7.3.1.4.14.2' /> [1 st nesting]	153
	6.3.4.56.18 <code code='xxxxx-x' displayName='TNM Clinical Stage Information' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' /> [1 st nesting]	153
605	6.3.4.56.19 <statusCode code='completed' /> [1 st nesting]	153
	6.3.4.56.20 <value xsi:type='CD' code=' ' codeSystem=' ' codeSystemName=' ' displayName=' ' /> [1 st nesting]	153
	6.3.4.56.21 <qualifier><name code='21909-7' displayName='Descriptor.clinical Cancer' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' /> <value xsi:type='CD' code=' ' codeSystem=' ' codeSystemName=' ' displayName=' ' /></qualifier> [1 st nesting]	154
610	6.3.4.56.22 <qualifier><name code='21917-0' displayName='Version TNM Classification' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' /> <value xsi:type='CD' code=' ' codeSystem=' ' codeSystemName=' ' displayName=' ' /></qualifier> [1 st nesting]	154
615	6.3.4.56.23 <participant typeCode='PPRF'> <participantRole> <code code='21910-5' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' displayName='Stager.clinical Cancer' /><playingEntity nullFlavor='NA'> <code xsi:type='CE' code=' ' codeSystem=' ' codeSystemName=' ' displayName=' ' /> [1 st nesting]	154
	6.3.4.56.24 <!-- 0.3 entryRelationships identifying simple observations for TNM Clinic Tumor, TNM Clinical Nodes, and TNM Clinical Metastases--><entryRelationship typeCode='COMP' inversionInd='false'><observation classCode='OBS' moodCode='EVN'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />...</observation> [2 nd nesting]	154
620	6.3.4.56.25 <code code=' ' displayName=' ' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' /> [2 nd nesting]	155
	6.3.4.56.26 <value xsi:type='CD' code=' ' codeSystem=' ' codeSystemName=' ' displayName=' ' />	155

	6.4 HL7 VERSION 2.0 CONTENT MODULES	155
625	6.5 PCC VALUE SETS	155
	6.5.A Antepartum History of Past Illness Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.1	156
	6.5.C Antepartum Family History and Genetic Screening Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.4	157
	6.5.D Antepartum Review of Systems Menstrual History Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.5	158
	6.5.E Antepartum History of Infection Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.6	159
630	6.5.F Antepartum Laboratory Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.7	159
	6.5.G Antepartum Education Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.8	162
	6.5.H JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set	164
	6.5.H.1 Metadata	164
	6.5.H.2 JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set Value Set	166
635	6.5.I JCIH-EHDI Risk Indicators for Hearing Loss Codes	167
	6.5.I.1 Metadata	167
	6.5.I.2 JCIH-EHDI Risk Indicators for Hearing Loss Value Set	168
	6.5.I.3 Pending Codes for SNOMED-CT Findings/Situation to support Risk Indicators for Hearing Loss	168
	6.5.J JCIH-EHDI Risk Indicators for Hearing Loss - Procedures Codes	169
640	6.5.J.1 Metadata	169
	6.5.J.2 JCIH-EHDI Risk Indicators for Hearing Loss - Procedures Value	169
	6.5.K Newborn Hearing Procedure Codes	170
	6.5.K.1 Metadata	170
	6.5.K.2 JCIH-EHDI Newborn Hearing Procedure Value Set	171
645	6.5.L JCIH-EHDI Newborn Hearing Screening Method Codes	171
	6.5.L.1 Metadata	171
	6.5.L.2 JCIH-EHDI Newborn Hearing Screening Method Value Set	172
	6.5.M JCIH-EHDI Hearing Screen Right Codes– Right	172
	6.5.M.1 Metadata	172
650	6.5.M.2 JCIH-EHDI Hearing Screen Right Value Set	173
	6.5.N JCIH-EHDI Hearing Screen Left Codes	173
	6.5.N.1 Metadata	173
	6.5.N.2 JCIH-EHDI Hearing Screen Left Value Set	174
	6.5.O JCIH-EHDI Reason for no Hearing Loss Diagnosis or Screening Codes(SNOMED)	174
655	6.5.O.1 Metadata	174
	6.5.O.2 JCIH-EHDI Reason for no Hearing Loss Diagnosis or Screening Value Set	175
	6.5.P JCIH-EHDI Newborn Hearing Loss Referrals Codes	176
	6.5.P.1 Metadata	176
	6.5.P.2 JCIH-EHDI Newborn Hearing Loss Referrals Value Set	177
660	6.5.Q JCIH-EHDI Newborn Hearing Loss Reason for no Follow-up – Patient Reason Codes	177
	6.5.Q.1 Metadata	177
	6.5.Q2 JCIH-EHDI Newborn Hearing Loss Reason for no Follow-up – Patient Reason Value Set	178
	6.5.R Joint Commission Medical Reason Codes	180
	6.5.R.1 Metadata	180
665	6.5.R.2 Joint Commission Medical Reason Value Set	180
	6.5.S JCIH-EHDI Inpatient Screening Results not Performed Codes	181
	6.5.S.1 Metadata	181
	6.5.S.2 JCIH-EHDI Inpatient Screening Results not Performed Value Set	181
	6.5.T JCIH-EHDI Evidence of Hearing Screening Performed Codes	182
670	6.5.T.1 Metadata	182
	6.5.T.2 JCIH-EHDI Evidence of Hearing Screening Performed Value Set	183
	6.5.U JCIH-EHDI Procedure Declined Value Set Codes	183
	6.5.U.1 Metadata	183
	6.5.U.2 JCIH-EHDI JCIH-EHDI Procedure Declined Value Set Value Set	184
675	6.5.V JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set Codes	184
	6.5.V.1 Metadata	184
	6.5.V.2 JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set	185
	6.5.W Primary Site Value Set	185

	<i>6.5.X Histologic Type Value Set.....</i>	<i>186</i>
680	<i>6.5.Y Derived AJCC Descriptor (T,N,M) Value Set.....</i>	<i>186</i>
	<i>6.5.Z TNM Edition Value Set.....</i>	<i>186</i>
	<i>6.5.AA TNM Stage Group Value Set.....</i>	<i>187</i>
	<i>6.5.BB TNM Stage Descriptor Value Set.....</i>	<i>188</i>
	<i>6.5.CC TNM Tumor Value Set.....</i>	<i>188</i>
685	<i>6.5.DD TNM Node Value Set.....</i>	<i>189</i>
	<i>6.5.DD TNM Metastasis Value Set.....</i>	<i>190</i>
	APPENDIX Q: DOCUMENT CONSTRUCTION	191

690 Introduction

This supplement is written for Trial Implementation. It is written as changes to the documents listed below. The reader should have already read and understood these documents:

1. [PCC Technical Framework Volume 1, Revision 7.0](#)
- 695 2. [PCC Technical Framework Volume 2, Revision 7.0](#)

This supplement also references other documents¹. The reader should have already read and understood these documents:

1. [IT Infrastructure Technical Framework Volume 1, Revision 8.0](#)
2. [IT Infrastructure Technical Framework Volume 2, Revision 8.0](#)
- 700 3. [IT Infrastructure Technical Framework Volume 3, Revision 8.0](#)
4. [The Patient Identifier Cross-Reference \(PIX\) and Patient Demographic Query \(PDQ\) HL7 v3 Supplement to the IT Infrastructure Technical Framework.](#)
5. HL7 and other standards documents referenced in Volume 1 and Volume 2

705 This supplement defines a number of PCC content modules that are shared between various content documents. These are provided for trial implementation and will be published in the same format for Trial Implementation. Upon completion, some content modules will be moved to Final Text; others may remain in Trial Implementation.

Profile Abstract

This supplement does not describe a profile

710 Open Issues and Questions

Closed Issues

¹ The first four documents can be located on the IHE Website at http://www.ihe.net/Technical_Framework/index.cfm#IT. The remaining document can be obtained from its respective publisher.

Volume 1 – Integration Profiles

715 **Glossary**

<i>Add the following terms to the Glossary:</i>

2.5 History of Annual Changes

720

<i>Add the following bullet to the end of the bullet list in Section 2.5</i>
--

- Added a set of CDA Content Modules shared across several Integration Profiles for the 2010-2011 documentation cycle.
- In the 2011-2012 documentation cycle, the following CDA Section Content Modules were added as well as various Entry Content Modules and Value Sets:
 - 725 • PCC Transport Summary Profiles supplement
 - Sending Facility
 - Receiving Facility
 - Mass Causality Incident
 - Unit Response Level
 - 730 • Protocols Used
 - Extra Attendants Information
 - Invasive Airway
 - Isolation Status
 - Restraints
 - 735 • Ventilator Usage
 - Provider Level
 - QRPH EHCP Profile
 - Risk Indicators for Hearing Loss
 - Hearing Screening Coded Results
 - 740 • QRPH PRPH-Ca Profile
 - Cancer Diagnosis

Volume 2 – Transactions and Content Modules

Add Section 6.1

6.1 Conventions

Various tables used in this section will further constrain the content. Within this volume, the follow conventions are used.

R

A "Required" data element is one that shall always be provided. If there is information available, the data element must be present. If there is no information available, or it cannot be transmitted, the data element must contain a value indicating the reason for omission of the data. (See PCC TF-2: 5.3.4.2 for a list of appropriate statements).

R2

A "Required if data present" data element is one that shall be provided when a value exists. If the information cannot be transmitted, the data element shall contain a value indicating the reason for omission of the data. If no such information is available to the creator or if such information is not available in a well identified manner (e.g., buried in a free form narrative that contains additional information relevant to other sections) or if the creator requires that information be absent, the R2 section shall be entirely absent. (See Section PCC TF-2: 5.3.4.2 for a list of appropriate statements).

O

An optional data element is one that may be provided, irrespective of whether the information is available or not. If the implementation elects to support this optional section, then its support shall meet the requirement set forth for the "Required if data present" or R2.

C

A conditional data element is one that is required, required if known, or optional depending upon other conditions. These will have further notes explaining when the data element is required, et cetera.

Note: The definitions of R, R2, and O differ slightly from other IHE profiles. This is due in part to the fact that local regulations and policies may in fact prohibit the transmission of certain information, and that a human decision to transmit the information may be required in many cases.

Add Section 6.2

6.2 Folder Content Modules

780 This section contains modules that describe the content requirements of Folders used with XDS, XDM or XDR. When workflows are completed normally, the folders will contain documents with the optionality specified in the tables shown below. Under certain circumstances, the folders will not meet the optionality requirements described below, for example, when the patient leaves before treatment is completed.

6.2.1 EDES Folder Specification

This section intentionally left blank.

785 6.2.2 APR Folder Specification

This section intentionally left blank.

6.2.3 LDR Folder Specification

This section intentionally left blank.

6.3 HL7 Version 3.0 Content Modules

790 This section contains content modules based upon the HL7 CDA Release 3.0 Standard, and related standards and/or implementation guides.

6.3.1 CDA Document Content Modules

<i>Add Section 6.3.1.X</i>

795 6.3.1.X History and Physical Specification 1.3.6.1.4.1.19376.1.5.3.1.1.16.1.4

The History and Physical document content module is a Medical Summary and inherits all header constraints from Medical Summary (1.3.6.1.4.1.19376.1.5.3.1.1.2). The intention of this document content module is to provide a base from which other document content modules may be derived. Future work may also result in a content profile for History and Physical.

800 6.3.1.x.1 Format Code

The XDSDocumentEntry format code for this content is **urn:ihe:pcc:hp:2008**

6.3.1.x.2 LOINC Code

The LOINC code for this document is **34117-2 HISTORY AND PHYSICAL**

6.3.1.x.3 Standards

CDAR2 [HL7 CDA Release 2.0](#)

CDTHP [CDA for Common Document Types History and Physical Notes \(DSTU\)](#)

6.3.1.x.4 Specification

This section references content modules using Template ID as the key identifier. Definitions of the modules are found in either:

- IHE Patient Care Coordination Volume 2: Final Text
- IHE PCC CDA Content Modules Supplement (this document, for Trial Implementation)

Table 6.3.1.x.4-1

Data Element Name	Opt	Template ID
Chief Complaint	R	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1
History of Present Illness	R	1.3.6.1.4.1.19376.1.5.3.1.3.4
History of Past Illness	R	1.3.6.1.4.1.19376.1.5.3.1.3.8
Medications	R	1.3.6.1.4.1.19376.1.5.3.1.3.19
Allergies and Other Adverse Reactions Section	R	1.3.6.1.4.1.19376.1.5.3.1.3.13
Social History	R	1.3.6.1.4.1.19376.1.5.3.1.3.16
Family History	R	1.3.6.1.4.1.19376.1.5.3.1.3.14
Review of Systems	R	1.3.6.1.4.1.19376.1.5.3.1.3.18
Detailed Physical Examination This section SHALL include Vital Signs (1.3.6.1.4.1.19376.1.5.3.1.3.25) as a subsection.	R	1.3.6.1.4.1.19376.1.5.3.1.1.9.15
Results Diagnostic Findings; use this OR Coded Results	R	1.3.6.1.4.1.19376.1.5.3.1.3.27
Coded Results Diagnostic Findings; use this OR Results	R	1.3.6.1.4.1.19376.1.5.3.1.3.28
Assessment and Plan	R	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.5

6.3.1.x.5 Conformance

CDA Release 2.0 documents that conform to the requirements of this content module shall indicate their conformance by the inclusion of the appropriate <templateId> elements in the header of the document. This is shown in the sample document below. A CDA Document may conform to more than one template. This content module inherits from the [Medical Summaries](#) content module, and so must conform to the requirements of that template as well, thus all <templateId> elements shown in the example below shall be included.

```

820 <ClinicalDocument xmlns='urn:hl7-org:v3'>
    <typeId extension="POCD_HD000040" root="2.16.840.1.113883.1.3"/>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.2'/>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.1.4'/>
    <id root=' ' extension=' '/>
825 <code code='34117-2' displayName='HISTORY AND PHYSICAL'
    codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'/>
    <title>History and Physical</title>
    <effectiveTime value='20080601012005'/>
830 <confidentialityCode code='N' displayName='Normal'
    codeSystem='2.16.840.1.113883.5.25' codeSystemName='Confidentiality' />
    <languageCode code='en-US'/>
    :
    <component><structuredBody>
835      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1'/>
          <!-- Required Chief Complaint Section content -->
        </section>
840      </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.4'/>
          <!-- Required History of Present Illness Section content -->
845        </section>
      </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.8'/>
          <!-- Required History of Past Illness Section content -->
850        </section>
      </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.19'/>
          <!-- Required Medications Section content -->
855        </section>
      </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.13'/>
          <!-- Required Allergies and Other Adverse Reactions Section content -->
860        </section>
      </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.16'/>
          <!-- Required Social History Section content -->
865        </section>
      </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.14'/>
          <!-- Required Family History Section content -->
870        </section>
      </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.18'/>
          <!-- Required Review of Systems Section content -->
875        </section>
      </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.15'/>
          <!-- Required Detailed Physical Examination Section content -->
880        </section>
      </component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.15'/>
        <!-- Required Detailed Physical Examination Section content -->
885      </section>
    </structuredBody>
  </component>
</ClinicalDocument>

```

```

890     </section>
      </component>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.27' />
        <!-- Required Results Section content -->
      </section>
    </component>
895    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.28' />
        <!-- Required Coded Results Section content -->
      </section>
    </component>
900    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.5' />
        <!-- Required Assessment and Plan Section content -->
      </section>
905    </component>
  </structuredBody></component>
</ClinicalDocument>

```

Figure 6.3.1.x.5-1 Sample History and Physical Document

910 *Add Section 6.3.2*

6.3.2 CDA Header Content Modules

Add Section 6.3.2.1

6.3.2.1 Language Communication 1.3.6.1.4.1.19376.1.5.3.1.2.1

Add Section 6.3.2.2

915 **6.3.2.2 Employer and School Contacts 1.3.6.1.4.1.19376.1.5.3.1.2.2**

Add Section 6.3.2.3

6.3.2.3 Healthcare Providers and Pharmacies 1.3.6.1.4.1.19376.1.5.3.1.2.3

Add Section 6.3.2.4

6.3.2.4 Patient Contacts 1.3.6.1.4.1.19376.1.5.3.1.2.4

920

Add Section 6.3.2.5

6.3.2.5 Spouse 1.3.6.1.4.1.19376.1.5.3.1.2.4.1

925 The spouse header element records the spouse of a patient, and inherits other constraints from the [Patient Contacts](#) entry. Items in bold in the example below show the additional constraints on this element.

This element SHALL be included as a participant in the header of the CDA document in the event of the pregnancy. If this does not apply to the patient this element SHALL use a null
930 flavor.

6.3.2.5.1 Parent Template

The parent of this template is [Patient Contacts](#).

6.3.2.5.2 Specification

```
935 <participant typeCode='IND'>
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4' />
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.1' />
  <time value='20070213' />
  <associatedEntity classCode='PRS'>
940   <code code='xx-spouse|184142008' displayName=' ' codeSystem='2.16.840.1.113883.6.96'
   codeSystemName='SNOMED CT' />
   <addr></addr>
   <telecom value=' ' use=' ' />
   <assignedPerson><name></name></assignedPerson>
945 </associatedEntity>
</participant>
```

6.3.2.5.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4' /><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.1' />

The <templateId> element identifies this person as a spouse and must be recorded exactly as shown above.

```
950 <rule context='hl7:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4.1"]'>
  <assert test='hl7:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4"'>
    A participant using template 1.3.6.1.4.1.19376.1.5.3.1.2.4.1 must also use template
    1.3.6.1.4.1.19376.1.5.3.1.2.4.
  </assert>
955 </rule>
```

6.3.2.5.4 <associatedEntity classCode='PRS'>

The classCode attribute of the <associatedEntity> element shall be PRS.

```
960 <rule context='hl7:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4.1"]'>
  <assert test='../hl7:associatedEntity/@classCode = "PRS"'>
    The classCode attribute of the associated entity shall be PRS.
  </assert>
</rule>
```

6.3.2.5.5 <code code='127848009|184142008' displayName=' ' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />

965 This element SHALL use 127848009 to represent the patient's spouse or 184142008 to represent the patient's next of kin. The code system name is SNOMED CT.

6.3.2.5.6 Completed Example

```

<!-- Husband/Domestic Partner -->
<participant typeCode="IND">
  <associatedEntity classCode="NOK">
    <code code="184142008" displayName="patient's next of kin"
      codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"/>
    <addr>
      <streetAddressLine>45 Chunn Dr.</streetAddressLine>
      <city>Spring Hill</city>
      <state>TN</state>
      <postalCode>37174</postalCode>
      <country>USA</country>
    </addr>
    <telecom value="tel:(999)555-1212" use="WP"/>
    <associatedPerson>
      <name>
        <prefix>Mr.</prefix>
        <given>John</given>
        <family>Youngston</family>
      </name>
    </associatedPerson>
  </associatedEntity>
</participant>

```

Add Section 6.3.2.6

6.3.2.6 Natural Father of Fetus 1.3.6.1.4.1.19376.1.5.3.1.2.4.2

This header element records the natural father of the fetus, and inherits other constraints from the Patient Contacts (1.3.6.1.4.1.19376.1.5.3.1.2.4) entry. Items in bold in the example below show the additional constraints on this element.

This element SHALL be included as a participant in the header of the CDA document in the event of the pregnancy. If the father of the baby is unknown this element SHALL use a null flavor.

6.3.2.6.1 Parent Template

The parent of this template is Patient Contacts (1.3.6.1.4.1.19376.1.5.3.1.2.4).

6.3.2.6.2 Specification

```

<participant typeCode='IND'>
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4' />
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.1' />
  <time value='20070213' />
  <associatedEntity classCode='PRS'>
    <code code='xx-fatherofbaby' displayName=' ' codeSystem='2.16.840.1.113883.6.96'
      codeSystemName='SNOMED CT' />
    <addr></addr>
    <telecom value=' ' use=' ' />
    <assignedPerson><name></name></assignedPerson>
  </associatedEntity>
</participant>

```


1015 **6.3.2.6.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4'/><templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.4.2'/>**

The <templateId> element identifies this person as the natural father and must be recorded exactly as shown above.

1020

```
<rule context='hl7:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4.2"]'>
  <assert test='hl7:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4"'>
    A participant using template 1.3.6.1.4.1.19376.1.5.3.1.2.4.2 must also use template
    1.3.6.1.4.1.19376.1.5.3.1.2.4.
  </assert>
</rule>
```

1025 **6.3.2.6.4 <associatedEntity classCode='PRS'>**

The classCode attribute of the <associatedEntity> element SHALL be PRS.

1030

```
<rule context='hl7:templateId/@root="1.3.6.1.4.1.19376.1.5.3.1.2.4.2"]'>
  <assert test='../hl7:associatedEntity/@classCode = "PRS"'>
    The classCode attribute of the associated entity shall be PRS.
  </assert>
</rule>
```

6.3.2.6.5 <code code='xx-fatherofbaby' displayName=' ' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT'/>

1035 For father of baby the code SHALL be xx-fatherofbaby (requested). The code system name is SNOMED CT.

6.3.2.6.6 Completed Example

1040

```
<!-- Father of baby -->
<participant typeCode="IND">
  <associatedEntity classCode="NOK">
    <code code="xx-fatherofbaby" displayName="Father of Baby"
      codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"/>
    <addr>
      <streetAddressLine>18 Oak Valley Dr.</streetAddressLine>
      <city>Monteagle</city>
      <state>TN</state>
      <postalCode>37205</postalCode>
      <country>USA</country>
    </addr>
    <telecom value="tel:(999)555-1212" use="WP"/>
    <associatedPerson>
      <name>
        <prefix>Mr.</prefix>
        <given>Thomas</given>
        <family>Caster</family>
      </name>
    </associatedPerson>
  </associatedEntity>
</participant>
```

1060 *Add Section 6.3.2.7*

6.3.2.7 Authorization 1.3.6.1.4.1.19376.1.5.3.1.2.5

Each <authorization> element in the CDA Header represents an informed consent. When the document being shared represents the informed consent to a policy expressed by the XDS Affinity Domain within the document, it shall do so in an <authorization> element. More than one <authorization> element may be present. The consent to share information shall have a unique identifier contained in the <id> element, representing the patient consent to that policy. The policy being consented to shall be represented in the <code> element. Note that other <authorization> elements may be present representing other sorts of consents associated with the document.

6.3.2.7.1 Parent Template

6.3.2.7.2 Specification

```
<authorization typeCode='AUTH'>
  <consent classCode='CONS' moodCode='EVN'>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.5' />
    <id root='' />
    <code code='' codeSystem='' codeSystemName='' displayName='' />
    <statusCode code='completed' />
  </consent>
</authorization>
```

6.3.2.7.3 <authorization typeCode='AUTH'>

At least one <authorization> element must be present in a consent medical document in documents shared by Document Source actors that implement the privacy option. The typeCode attribute shall be present and be valued with AUTH, indicating that this is an authorization act related to the document.

6.3.2.7.4 <consent classCode='CONS' moodCode='EVN'>

Each authorization element shall have one <consent> element. The classCode shall be present and be valued with CONS, indicating that the related act is an informed consent. The moodCode shall be EVN, indicating that this element represents an act that has occurred.

6.3.2.7.5 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.2.5' />

The <templateId> element shall be recorded as shown above and identifies this consent as an authorization entry.

6.3.2.7.6 <id root='' />

The <consent> element shall have one identifier that is used to uniquely identify the consent act. This identifier shall contain a root attribute, and shall not contain an extension attribute.

6.3.2.7.7 <code code=' ' codeSystem=' ' codeSystemName=' ' displayName=' '/>

The <consent> element shall have one <code> element that is used to identify the consent policy that was agreed to by the patient.

1100 *Add Section 6.3.3*

6.3.3 CDA Section Content Modules

Add Section 6.3.3.1

6.3.3.1 Reasons for Care

Add Section 6.3.3.1.1

1105 **6.3.3.1.1 Reason for Referral**

Add Section 6.3.3.1.2

6.3.3.1.2 Coded Reason for Referral

Add Section 6.3.3.1.3

6.3.3.1.3 Chief Complaint

1110 *Add Section 6.3.3.1.4*

6.3.3.1.4 Hospital Admission Diagnosis

Add Section 6.3.3.1.5

6.3.3.1.5 Proposed Procedure Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.1

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.1	
General Description	The proposed procedure section shall contain a description of the procedures for which a risk assessment is required including procedure names and codes, patient position, dates, and names of surgeons. It shall include entries for procedures as described in the Entry Content Modules and the required and optional subsections.	
LOINC Code	Opt	Description
29554-3	R	PROCEDURE
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.19	R	Procedure Entry
Subsections	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.9.4	R	Reason for Procedure
1.3.6.1.4.1.19376.1.5.3.1.1.9.3	R	Proposed Anesthesia
1.3.6.1.4.1.19376.1.5.3.1.1.9.2	R	Estimated Blood Loss

1.3.6.1.4.1.19376.1.5.3.1.1.9.40	R	Procedure Care Plan
----------------------------------	---	---------------------

```

1115 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.1' />
        <id root=' ' extension=' ' />
        <code code='29554-3' displayName='PROCEDURE'
1120       codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <entry>
1125       :
          <!-- Required Procedure Entry element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
          :
        </entry>
1130 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.4' />
        <!-- Required Reason for Procedure Section content -->
      </section>
1135 </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.3' />
          <!-- Required Proposed Anesthesia Section content -->
1140        </section>
      </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.2' />
          <!-- Required if known Estimated Blood Loss Section content -->
1145        </section>
      </component>
      <component>
        <section>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.40' />
          <!-- Required if known Procedure Care Plan Section content -->
1150        </section>
      </component>
    </section>
1155 </component>

```

Figure 6.3.3.1.5-1 Specification for Proposed Procedure Section

Add Section 6.3.3.1.6

6.3.3.1.6 EBS Estimated Blood Loss Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.2

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.2	
General Description	The estimated blood loss section shall contain a description of the blood loss for the procedure.	
LOINC Code	Opt	Description
8717-1	R	OPERATIVE NOTE ESTIMATED BLOOD LOSS
Entries	Opt	Description

1.3.6.1.4.1.19376.1.5.3.1.4.13	R	Simple Observation
--------------------------------	---	--------------------

1160

1165

1170

1175

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.2' />
    <id root=' ' extension=' ' />
    <code code='8717-1' displayName='OPERATIVE NOTE ESTIMATED BLOOD LOSS'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
    <entry>
      :
      <!-- Required Simple Observation element -->
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
      :
    </entry>
  </section>
</component>

```

Figure 6.3.3.1.6-1 EBS Specification for Estimated Blood Loss Section

1180

*Add Section 6.3.3.1.7***6.3.3.1.7 Proposed Anesthesia Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.3**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.3	
General Description	The proposed anesthesia section shall contain a description of the anesthetic techniques for which a risk assessment is required. It shall include entries for anesthetic procedures as described in the Entry Content Modules.	
LOINC Code	Opt	Description
10213-7	R	Surgical operation note anesthesia
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.19	R	Procedure Entry The procedure entries shall be in INT mood.

```

1185 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.3' />
        <id root=' ' extension=' ' />
        <code code='10213-7' displayName='Surgical operation note anesthesia'
1190       codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <entry>
          :
1195       <!-- Required Procedure Entry element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
          :
        </entry>
      </section>
    </component>

```

Figure 6.3.3.1.7-1 Specification for Anesthesia Administered Section

Add Section 6.3.3.1.8

6.3.3.1.8 Reason for Procedure Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.4

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.4	
General Description	The reason for procedure section shall contain a description of the reason that the patient is receiving the procedure. It shall include entries for conditions as described in the Entry Content Module.	
LOINC Code	Opt	Description
10217-8	R	OPERATIVE NOTE INDICATIONS
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.5	R2	Problem Entry

```

1205 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.4' />
        <id root=' ' extension=' ' />
        <code code='10217-8' displayName='OPERATIVE NOTE INDICATIONS'
1210       codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <entry>
          :
1215       <!-- Required if known Problem Entry element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5' />
          :
        </entry>
      </section>
    </component>
1220

```

Figure 6.3.3.1.8-1 Specification for Reason for Procedure Section

Add Section 6.3.3.1.9

1225 **6.3.3.1.9 Reason for Visit Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1.1**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1.1	
General Description	This contains a narrative description of the patient's reason for visit.	
LOINC Code	Opt	Description
29299-5	R	REASON FOR VISIT

1230

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1.1' />
    <id root=' ' extension=' ' />
    <code code='29299-5' displayName='REASON FOR VISIT'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

1235

Figure 6.3.3.1.9-1 Specification for Reason for Visit Section

1240

Add Section 6.3.3.1.10

6.3.3.1.10 Injury Incident Description Section 1.3.6.1.4.1.19376.1.5.3.1.1.19.2.1

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.19.2.1	
General Description	This section shall include a description of the incident leading to the injury, including status of relevant safety equipment in use (e.g., safety belts, air bag, helmet).	
LOINC Code	Opt	Description
11374-6	R	Injury incident description

1245

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.19.2.1' />
    <id root=' ' extension=' ' />
    <code code='11374-6' displayName='Injury incident description'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

1250

1255

Figure 6.3.3.1.10-1 Sample Injury Incident Description Section

Add Section 6.3.3.2

6.3.3.2 Other Condition Histories

1260 *Add Section 6.3.3.2.1*

6.3.3.2.1 History of Present Illness

Add Section 6.3.3.2.2

6.3.3.2.2 Hospital Course

Add Section 6.3.3.2.3

1265 **6.3.3.2.3 Active Problems**

Add Section 6.3.3.2.4

6.3.3.2.4 Discharge Diagnosis

Add Section 6.3.3.2.5

6.3.3.2.5 History of Past Illness

1270 *Add Section 6.3.3.2.6*

6.3.3.2.6 Encounter Histories

Add Section 6.3.3.2.7

6.3.3.2.7 History of Outpatient Visits

Add Section 6.3.3.2.8

1275 **6.3.3.2.8 History of Inpatient Visits**

Add Section 6.3.3.2.9

6.3.3.2.9 List of Surgeries

Add Section 6.3.3.2.10

6.3.3.2.10 Coded List of Surgeries

1280 *Add Section 6.3.3.2.11*

6.3.3.2.11 Allergies and Other Adverse Reactions

Add Section 6.3.3.2.12

6.3.3.2.12 Family medical History

Add Section 6.3.3.2.13

1285 **6.3.3.2.13 Coded Family Medical History**

Add Section 6.3.3.2.14

6.3.3.2.14 Social History Section

Add Section 6.3.3.2.15

6.3.3.2.15 Functional Status

1290 *Add Section 6.3.3.2.16*

6.3.3.2.16 Review of Systems

Add Section 6.3.3.2.17

6.3.3.2.17 Hazardous Working Conditions

Add Section 6.3.3.2.18

1295 **6.3.3.2.18 Pregnancy History**

Add Section 6.3.3.2.19

6.3.3.2.19 Medical Devices

Add Section 6.3.3.2.20

6.3.3.2.20 Foreign Travel

1300 *Add Section 6.3.3.2.21*

**6.3.3.2.21 Pre-procedure Family Medical History Section
1.3.6.1.4.1.19376.1.5.3.1.1.9.5 (Deprecated)**

Add Section 6.3.3.2.22

1305 **6.3.3.2.22 Coded Functional Status Assessment Section
1.3.6.1.4.1.19376.1.5.3.1.1.12.2.1**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.12.2.1
Parent Template	Functional Status (1.3.6.1.4.1.19376.1.5.3.1.3.17, see PCC TF-2: 6.3.3.2.15)
General Description	The coded functional status assessment section provides a machine readable and narrative description of the patient's status of normal functioning at the time the document was created.

	Functional status includes information concerning: Ambulatory ability Mental status or competency Activities of Daily Living (ADL's) including bathing, dressing, feeding, grooming Home/living situation having an effect on the health status of the patient Ability to care for self Social activity, including issues with social cognition, participation with friends and acquaintances other than family members Occupation activity, including activities partly or directly related to working, housework or volunteering, family and home responsibilities or activities related to home and family Communication ability, including issues with speech, writing or cognition required for communication Perception, including sight, hearing, taste, skin sensation, kinesthetic sense, proprioception, or balance	
LOINC Code	Opt	Description
47420-5	R	Functional Status Assessment
Subsections	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2	R	Pain Scale Assessment
1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3	O ^{Note 1}	Braden Score Assessment
1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4	O ^{Note 1}	Geriatric Depression Scale
1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5	O ^{Note 1}	Minimum Data Set

Note 1: At least one of the above optional subsections shall be present

6.3.3.2.22.1 Standards

CDAR2 [HL7 CDA Release 2.0](#)

CRS [HL7 Care Record Summary](#)

CCD [ASTM/HL7 Continuity of Care Document](#)

LOINC [Logical Observation Identifier Names and Codes](#)

SNOMED [Systemitized Nomenclature of Medicine Clinical Terminology](#)

6.3.3.2.22.2 Parent Template

The parent of this template is Functional Status (see PCC TF-2: 6.3.3.2.15).

```

1310 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.17' />
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.1' />
1315 <id root=' ' extension=' ' />
        <code code='47420-5' displayName='Functional Status Assessment'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
1320 <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2' />
            <!-- Required Pain Scale Assessment Section content -->
          </section>
1325 </component>

        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3' />
            <!-- Optional Braden Score Assessment Section content -->
          </section>
1330 </component>

        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4' />
            <!-- Optional Geriatric Depression Scale Section content -->
          </section>
1335 </component>

        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5' />
            <!-- Optional Minimum Data Set Section content -->
          </section>
1340 </component>

        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5' />
            <!-- Optional Minimum Data Set Section content -->
          </section>
1345 </component>

      </section>
1350 </component>

```

Figure 6.3.3.2.22.2-1 Specification for Coded Functional Status Assessment Section

Add Section 6.3.3.2.23

6.3.3.2.23 Pain Scale Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2	
General Description	The Pain Scale Assessment contains a coded observation reflecting the patient's reported intensity of pain on a scale from 0 to 10.	
LOINC Code	Opt	Description
38208-5	R	Pain severity
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.12.3.1	R	Pain Score Observation

```
<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.2' />
    <id root=' ' extension=' ' />
    <code code='38208-5' displayName='Pain severity'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
    <entry>
      :
      <!-- Required Pain Score Observation element -->
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.1' />
      :
    </entry>
  </section>
</component>
```

Figure 6.3.3.2.23-1 Specification for Pain Scale Assessment Section

Add Section 6.3.3.2.24

6.3.3.2.24 Braden Score Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3	
General Description	This section reports the braden score and its related assessments in machine and human readable form.	
LOINC Code	Opt	Description
38228-3	R	BRADEN SCALE SKIN ASSESSMENT PANEL
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.12.3.2	R	Braden Score Observation

```

1390 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.3' />
        <id root=' ' extension=' ' />
        <code code='38228-3' displayName='BRADEN SCALE SKIN ASSESSMENT PANEL'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <entry>
          :
          <!-- Required Braden Score Observation element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.2' />
          :
        </entry>
      </section>
    </component>

```

Figure 6.3.3.2.24-1 Specification for Braden Score Section

Add Section 6.3.3.2.25

6.3.3.2.25 Geriatric Depression Scale Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4	
General Description	This section reports the Geriatric Depression Scale score and its related assessments in machine and human readable form.	
LOINC Code	Opt	Description
48542-5	R	Geriatric Depression Scale (GDS) Panel
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.12.3.4	R	Geriatric Depression Score Observation

```

1410 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.4' />
        <id root=' ' extension=' ' />
        <code code='48542-5' displayName='Geriatric Depression Scale (GDS) Panel'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <entry>
          :
          <!-- Required Geriatric Depression Score Observation element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.4' />
          :
        </entry>
      </section>
    </component>

```

Figure 6.3.3.2.25-1 Specification for Geriatric Depression Scale Section

1430 *Add Section 6.3.3.2.26***6.3.3.2.26 Physical Function Section 1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5	
General Description	This section reports scores from section G of the Minimum Data Set.	
LOINC Code	Opt	Description
46006-3	R	Physical functioning and structural problems
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7	O	Survey Panel At least one Survey Panel or Survey Observation shall be present.
1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6	O	Survey Observation At least one Survey Panel or Survey Observation shall be present.

```

1435 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.2.5' />
        <id root=' ' extension=' ' />
        <code code='46006-3' displayName='Physical functioning and structural problems'
1440       codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <entry>
          :
1445       <!-- Optional Survey Panel element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7' />
          :
        </entry>
        <entry>
          :
1450       <!-- Optional Survey Observation element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6' />
          :
        </entry>
1455     </section>
  </component>

```

Figure 6.3.3.2.26-1 Specification for Physical Function Section**1460 6.3.3.2.26.1 Constraints**

[Survey Panel](#) found in this section shall be identified using the panel codes found in the table below, and shall contain one or more survey observations from that panel.

[Survey Observation](#) found in this section shall use the LOINC codes from table 6.3.3.2.26.1 to express the answer to one or more questions from the Minimum Data Set Section G. The Survey Observations shall not contain a <methodCode> or <targetSiteCode> element, as these are not appropriate to the MDS Survey instrument.

Table 6.3.3.2.26.1-1 Panel Codes

Panel Code	Observation Code	Description	Data Type	Value Set
46007-1	Panel	ADL self performance or support		
	45588-1	Bed mobility - self-performance	CO	2.16.840.1.113883.6.257.755
	45589-9	Bed mobility - support provided	CO	2.16.840.1.113883.6.257.768
	45590-7	Transfer - self-performance	CO	2.16.840.1.113883.6.257.755
	45591-5	Transfer - support provided	CO	2.16.840.1.113883.6.257.768
	45592-3	Walk in room - self-performance	CO	2.16.840.1.113883.6.257.755
	45593-1	Walk in room - support provided	CO	2.16.840.1.113883.6.257.768
	45594-9	Walk in corridor - self-performance	CO	2.16.840.1.113883.6.257.755
	45595-6	Walk in corridor - support provided	CO	2.16.840.1.113883.6.257.768
	45596-4	Locomotion on unit - self-performance	CO	2.16.840.1.113883.6.257.755
	45597-2	Locomotion on unit - support provided	CO	2.16.840.1.113883.6.257.768
	45598-0	Locomotion off unit - self-performance	CO	2.16.840.1.113883.6.257.755
	45599-8	Locomotion off unit - support provided	CO	2.16.840.1.113883.6.257.768
	45600-4	Dressing - self-performance	CO	2.16.840.1.113883.6.257.755
	45601-2	Dressing - support provided	CO	2.16.840.1.113883.6.257.768
	45602-0	Eating - self-performance	CO	2.16.840.1.113883.6.257.755
	45603-8	Eating - support provided	CO	2.16.840.1.113883.6.257.768
	45604-6	Toilet use - self-performance	CO	2.16.840.1.113883.6.257.755
	45605-3	Toilet use - support provided	CO	2.16.840.1.113883.6.257.768
	45606-1	Personal hygiene - self-performance	CO	2.16.840.1.113883.6.257.755
	45607-9	Personal hygiene - support provided	CO	2.16.840.1.113883.6.257.768
46008-9	Panel	Bathing		
	45608-7	Bathing - self-performance	CO	2.16.840.1.113883.6.257.860
	45609-5	Bathing - support provided	CO	2.16.840.1.113883.6.257.768
46009-7	Panel	Test for balance		
	45610-3	Balance while standing	CO	2.16.840.1.113883.6.257.876
	45523-8	Balance while sitting	CO	2.16.840.1.113883.6.257.876
46010-5	Panel	Functional limitation in range of motion		
	45524-6	Range of motion^Neck	CO	2.16.840.1.113883.6.257.889
	45525-3	Voluntary movement^Neck	CO	2.16.840.1.113883.6.257.898
	45526-1	Range of motion^Upper Extremity	CO	2.16.840.1.113883.6.257.889
	45527-9	Voluntary movement^Upper Extremity	CO	2.16.840.1.113883.6.257.898
	45528-7	Range of motion^Hand	CO	2.16.840.1.113883.6.257.889

Panel Code	Observation Code	Description	Data Type	Value Set
	45529-5	Voluntary movement^Hand	CO	2.16.840.1.113883.6.257.898
	45530-3	Range of motion^Lower Extremity	CO	2.16.840.1.113883.6.257.889
	45531-1	Voluntary movement^Lower Extremity	CO	2.16.840.1.113883.6.257.898
	45532-9	Range of motion^Foot	CO	2.16.840.1.113883.6.257.889
	45533-7	Voluntary movement^Foot	CO	2.16.840.1.113883.6.257.898
	45534-5	Other - range of motion	CO	2.16.840.1.113883.6.257.889
	45535-2	Other - voluntary movement	CO	2.16.840.1.113883.6.257.898
46011-3	Panel	Modes of locomotion		
	45536-0	Uses cane, walker or crutch	CO	2.16.840.1.113883.6.257.117
	45537-8	Wheeled self	CO	2.16.840.1.113883.6.257.117
	45538-6	Other person wheeled	CO	2.16.840.1.113883.6.257.117
	45539-4	Uses wheelchair for primary locomotion	CO	2.16.840.1.113883.6.257.117
	45540-2	No modes of locomotion	CO	2.16.840.1.113883.6.257.117
46012-1	Panel	Modes of transfer		
	45541-0	Bedfast all or most of the time	CO	2.16.840.1.113883.6.257.117
	45542-8	Bed rails for bed mobility or transfer	CO	2.16.840.1.113883.6.257.117
	45543-6	Lifted manually	CO	2.16.840.1.113883.6.257.117
	45544-4	Lifted mechanically	CO	2.16.840.1.113883.6.257.117
	45545-1	Transfer aid	CO	2.16.840.1.113883.6.257.117
	45546-9	No mode of transfer	CO	2.16.840.1.113883.6.257.117
No Panel	45611-1	Task segmentation	CO	2.16.840.1.113883.6.257.117
46013-9	Panel	ADL functional rehabilitation potential		
	45612-9	Resident sees increased independence capability	CO	2.16.840.1.113883.6.257.117
	45613-7	Staff sees increased independence capability	CO	2.16.840.1.113883.6.257.117
	45614-5	Resident slow performing tasks or activity	CO	2.16.840.1.113883.6.257.117
	45615-2	Difference in morning to evening activities of daily living	CO	2.16.840.1.113883.6.257.117
	45616-0	Activities of daily living rehabilitation potential - none of above	CO	2.16.840.1.113883.6.257.117
	45617-8	Change in activities of daily living function	CO	2.16.840.1.113883.6.257.464

1470

The coded original values used in the observations above are described in more detail in the table below.

Explanation	Coded Value
2.16.840.1.113883.6.257.755	
INDEPENDENT-No help or oversight -OR- Help/oversight provided only 1 or 2 times during last 7 days	0
SUPERVISION-Oversight, encouragement or cueing provided 3 or more times during last 7 days -OR- Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days	1
LIMITED ASSISTANCE-Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times - OR-More help provided only 1 or 2 times during last 7 days	2
EXTENSIVE ASSISTANCE-While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: - Weight-bearing support - Full staff performance during part (but not all) of last 7 days	3
TOTAL DEPENDENCE-Full staff performance of activity during entire 7 days	4
ACTIVITY DID NOT OCCUR during entire 7 days	8
2.16.840.1.113883.6.257.768	
No setup or physical help from staff	0
Setup help only	1
One person physical assist	2
ADL activity itself did not occur during entire 7 days	8
2.16.840.1.113883.6.257.860	
Independent-No help provided	0
Supervision-Oversight help only	1
Physical help limited to transfer only	2
Physical help in part of bathing activity	3
Total dependence	4
Activity itself did not occur during entire 7 days	8
2.16.840.1.113883.6.257.876	
Maintained position as required in test	0
Unsteady, but able to rebalance self without physical support	1
Partial physical support during test; or stands (sits) but does not follow directions for test	2
Not able to attempt test without physical help	3
2.16.840.1.113883.6.257.889	
No limitation	0
Limitation on one side	1
Limitation on both sides	2
2.16.840.1.113883.6.257.898	
No loss	0

Explanation	Coded Value
Partial loss	1
Full loss	2
2.16.840.1.113883.6.257.117	
No	0
Yes	1
UTD	-
2.16.840.1.113883.6.257.464	
No change	0
Improved	1
Deteriorated	2

1475 *Add Section 6.3.3.2.27***6.3.3.2.27 Preprocedure Review of Systems Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.13**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.13	
Parent Template	Review of Systems (1.3.6.1.4.1.19376.1.5.3.1.3.18)	
General Description	The pre-procedure review of systems section shall contain only required and optional subsections dealing with the responses the patient gave to a set of routine questions on body systems in general and specific risks of anesthesia not covered in general review of systems.	
LOINC Code	Opt	Description
10187-3	R	REVIEW OF SYSTEMS
Subsections	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.9.46	R	Implanted Medical Device Review
1.3.6.1.4.1.19376.1.5.3.1.1.9.47	R2	Pregnancy Status Review
1.3.6.1.4.1.19376.1.5.3.1.1.9.14	R	Anesthesia Risk Review of Systems

```

1480 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.18' />
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.13' />
        <id root=' ' extension=' ' />
        <code code='10187-3' displayName='REVIEW OF SYSTEMS'
1485       codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <component>
          <section>
1490           <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.46' />
           <!-- Required Implanted Medical Device Review Section content -->
          </section>
        </component>
        <component>
          <section>
1495           <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.47' />
           <!-- Required if known Pregnancy Status Review Section content -->
          </section>
        </component>
        <component>
          <section>
1500           <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.14' />
           <!-- Required Anesthesia Risk Review of Systems Section content -->
          </section>
1505        </component>
      </section>
    </component>

```

1510 **Figure 6.3.3.2.27-1 Specification for Preprocedure Review of Systems Section**

Add Section 6.3.3.2.28

6.3.3.2.28 Estimated Delivery Date Section 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.1

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.1	
General Description	This section contains the physician's best estimate of the patients due date. This is generally done both on an initial evaluation, and later confirmed at 18-20 weeks. The date is supported by evidence such as the patients history of last menstrual period, a physical examination, or ultrasound measurements.	
LOINC Code	Opt	Description
57060-6	R	Estimated date of delivery
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1	R	Estimated Delivery Date Observation This is a simple observation to represent the estimated due date with a supporting observation or observations that state the method used and date implied by that method. If one observation is present, then it is to be interpreted as the initial EDD. If the initial observation dates indicate the EDD is within the 18 to 20 weeks completed gestation, that observation will also populate the 18-20 week update. If the initial observation indicates an EDD of more than 20 weeks EGA, then no value will be placed in the 18-20 week update field.

```

1515 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.1' />
        <id root=' ' extension=' ' />
1520 <code code='57060-6' displayName='Estimated date of delivery'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <entry>
          :
1525 <!-- Required Estimated Due Date Observation element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1' />
          :
1530 </entry>
        </section>
      </component>

```

Figure 6.3.3.28-1 Specification for Estimated Delivery Dates Section

*Add Section 6.3.3.2.29***6.3.3.2.29 History of Tobacco Use Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.8**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.8	
General Description	The history of tobacco use section shall contain a description of the responses the patient gave to a set of routine questions on the history of tobacco use.	
LOINC Code	Opt	Description
11366-2	R	HISTORY OF TOBACCO USE

```

1540 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.8' />
        <id root=' ' extension=' ' />
1545 <code code='11366-2' displayName='HISTORY OF TOBACCO USE'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
1550 </section>
      </component>

```

Figure 6.3.3.29-1 Specification for History of Tobacco Use Section

*Add Section 6.3.3.2.30***6.3.3.2.30 Current Alcohol/Substance Abuse Section
1.3.6.1.4.1.19376.1.5.3.1.1.9.10**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.10
-------------	----------------------------------

General Description		The history of alcohol/substance abuse section shall contain a description of the responses the patient gave to a set of routine questions on the current abuse of alcohol or other substances.
LOINC Code	Opt	Description
18663-5	R	HISTORY OF PRESENT ALCOHOL AND/OR SUBSTANCE ABUSE

1560

<component>

<section>

<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.10' />

<id root=' ' extension=' ' />

1565

<code code='18663-5' displayName='HISTORY OF PRESENT ALCOHOL AND/OR SUBSTANCE ABUSE'

codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />

<text>

Text as described above

</text>

1570

</section>

</component>

Figure 6.3.3.2.30-1 Specification for Current Alcohol/Substance Abuse Section

1575

*Add Section 6.3.3.2.31***6.3.3.2.31 History of Blood Transfusion Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.12**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.12	
General Description	The History of Blood Transfusion section shall contain a narrative description of the blood products the patient has received in the past, including any reactions to blood products.	
LOINC Code	Opt	Description
56836-0	R	History of blood transfusion

1580

<component>

<section>

<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.12' />

<id root=' ' extension=' ' />

1585

<code code='56836-0' displayName='History of blood transfusion'

codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />

<text>

Text as described above

</text>

1590

</section>

</component>

Figure 6.3.3.2.31-1 Specification for History of Blood Transfusion Section

1595 *Add Section 6.3.3.2.32*

6.3.3.2.32 Anesthesia Risk Review of Systems Section
1.3.6.1.4.1.19376.1.5.3.1.1.9.14

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.14	
Parent Template	1.3.6.1.4.1.19376.1.5.3.1.3.18	
General Description	The anesthesia review of systems section shall contain a description of the responses the patient gave to a set of routine questions on specific risks of anesthesia not covered in general review of systems such as broken teeth, airway limitations, positioning limitations, recent infections, and history of personal anesthesia problems..	
LOINC Code	Opt	Description
57081-2	R	Anesthesia Risk Review of Systems

1600 <component>
 <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.18' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.14' />
 <id root=' ' extension=' ' />
 1605 <code code='57081-2' displayName='Anesthesia Risk Review of Systems'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <text>
 Text as described above
 </text>
 1610 </section>
 </component>

Figure 6.3.3.2.32-1 Specification for Anesthesia Risk Review of Systems Section

1615
Add Section 6.3.3.2.33

6.3.3.2.33 Implanted Medical Device Review Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.46

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.46	
General Description	The implanted medical device review section shall contain a description of the medical devices that are inserted into the patient, whether internal or partially external.	
LOINC Code	Opt	Description
57080-4	R	Implanted medical device

```

1620 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.46' />
1625 <id root=' ' extension=' ' />
        <code code='57080-4' displayName='Implanted medical device'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
1630 </text>
      </section>
    </component>

```

Figure 6.3.3.2.33-1 Specification for Implanted Medical Device Review Section

1635

Add Section 6.3.3.2.34

6.3.3.2.34 Pregnancy Status Review Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.47

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.47	
General Description	The pregnancy status review section shall contain a description of the responses the patient gave to a set of routine questions regarding potential pregnancy in females of child-bearing-age.	
LOINC Code	Opt	Description
11449-6	R	Pregnancy Status-Reported

```

1640 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.47' />
1645 <id root=' ' extension=' ' />
        <code code='11449-6' displayName='Pregnancy Status-Reported'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
1650 </text>
      </section>
    </component>

```

Figure 6.3.3.2.34-1 Specification for Pregnancy Status Review Section

Add Section 6.3.3.2.35

6.3.3.2.35 History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1	
General Description	The History of Infection section shall contain a narrative description of any infections the patient may have contracted prior to the patient's current visit or admission.	
LOINC Code	Opt	Description

56838-6	R	History of infectious disease
---------	---	-------------------------------

1660

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1' />
    <id root=' ' extension=' ' />
    <code code='56838-6' displayName='History of infectious disease'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

1665

1670

Figure 6.3.3.235-1 Specification for History of Infection Section

Add Section 6.3.3.2.36

6.3.3.2.36 Coded Social History Section 1.3.6.1.4.1.19376.1.5.3.1.3.16.1

Template ID	1.3.6.1.4.1.19376.1.5.3.1.3.16.1	
Parent Template	Social History (1.3.6.1.4.1.19376.1.5.3.1.3.16)	
General Description	The social history section shall contain a narrative description of the person's beliefs, home life, community life, work life, hobbies, and risky habits. It shall include Social History Observations.	
LOINC Code	Opt	Description
29762-2	R	SOCIAL HISTORY
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.13.4	R	Social History Observation

1675

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.16' />
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.16.1' />
    <id root=' ' extension=' ' />
    <code code='29762-2' displayName='SOCIAL HISTORY'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

1680

1685

Figure 6.3.3.236-1 Specification for Coded Social History Section

1690

Add Section 6.3.3.2.37

6.3.3.2.37 Coded History of Infection Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1	
Parent Template	History of Infection (1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1)	
General Description	The History of Infection section shall contain a narrative description of any infections the patient may have contracted prior to the patient's current condition. It shall include entries for problems as described in the Entry Content Modules.	
LOINC Code	Opt	Description
56838-6	R	History of infectious disease
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.5.2	R	Problem Concern Entry

```

1695 <component>
1700   <section>
1705     <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1.1.1' />
      <id root=' ' extension=' ' />
      <code code='56838-6' displayName='History of infectious disease'
        codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
      <text>
        Text as described above
      </text>
    </section>
  </component>

```

Figure 6.3.3.2.37-1 Specification for Coded History of Infection Section*Add Section 6.3.3.2.38***6.3.3.2.38 Prenatal Events Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.2**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.2	
General Description	The Prenatal Events Section shall include narrative text describing pertinent prenatal information that has a direct impact on the process of labor and delivery. It shall also include subsections if known.	
LOINC Code	Opt	Description
57073-9	R	Prenatal events
Subsections	Opt	Description
Coded Results This section SHOULD contain laboratory results and procedures as pertaining to the pregnancy , e.g amniocentesis, cordocentesis, chorionic villus sampling.	R2	1.3.6.1.4.1.19376.1.5.3.1.3.28
Procedures and Interventions This section SHOULD contain procedures that took place during the prenatal period (i.e. prenatal care, prenatal complications, prenatal surgeries)	R2	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11

Event Outcomes This section contains event outcomes related to prenatal events e.g. miscarriage, infection.	R2	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9
---	----	------------------------------------

```

1710 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.2' />
        <id root=' ' extension=' ' />
1715 <code code='57073-9' displayName='Prenatal events'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.28' />
            <!-- Required if known Coded Results Section -->
          </section>
        </component>
1725 <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11' />
            <!-- Required if known Procedures and Interventions Section -->
          </section>
        </component>
1730 <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9' />
            <!-- Required if known Event Outcomes Section -->
          </section>
        </component>
1735 </section>
      </component>

```

Figure 6.3.3.2.38-1 Specification for Prenatal Events Section

1740

Add Section 6.3.3.2.39

6.3.3.2.39 Labor and Delivery Events Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3	
Parent Template		
General Description	The Labor and Delivery Events Section SHALL include a narrative text containing relevant information collected during the labor and delivery process.	
LOINC Code	Opt	Description
57074-7	R	Labor and delivery process
Subsections	Opt	Description
Procedures and Interventions This section SHOULD contain procedures and interventions specific to labor and delivery events. These may include induction, C-section, blood transfusion etc.	R2	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11

Event Outcomes This section SHOULD contain outcomes related to the labor and delivery process such as live birth or stillborn.	R2	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9
--	----	------------------------------------

1745

1750

1755

1760

1765

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.3/'/>
    <id root=' ' extension=' ' />
    <code code='57074-7' displayName='Labor and delivery process'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11' />
        <!-- Required if known Procedures and Interventions Section -->
      </section>
    </component>
    <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9' />
        <!-- Required if known Event Outcomes Section -->
      </section>
    </component>
  </section>
</component>

```

Figure 6.3.3.2.39-1 Specification for Labor and Delivery Process Section*Add Section 6.3.3.2.40*

1770

6.3.3.2.40 Newborn Delivery Information Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4	
General Description	The Newborn Delivery Information Section SHALL include a narrative text containing information collected at the birth and up to the transfer of the infant from the birthing room to a post-natal unit.	
LOINC Code	Opt	Description
57075-4	R	Newborn delivery information from newborn
Subsections	Opt	Description
Coded Detailed Physical Examination Section This section SHALL include information about the newborn such as vital signs, Apgar score, cord and newborn presentation,	R	1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1
Active Problems This section SHALL describe problems that the newborn might have had during or immediately prior to delivery.	R2	1.3.6.1.4.1.19376.1.5.3.1.3.6
Procedures and Interventions This section SHALL include the procedures	R2	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11

and interventions received by the newborn such as suction or resuscitation.		
Medications Administered This section SHALL include the medication that was administered to the newborn while in the birthing suite.	R2	1.3.6.1.4.1.19376.1.5.3.1.3.21
Event Outcomes This section SHALL include the outcomes of the procedures and interventions.	R2	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9
Coded Event Outcomes	C	1.3.6.1.4.1.19376.1.7.3.1.1.13.7
Coded Vital Signs	C	1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2
Coded Results	C	1.3.6.1.4.1.19376.1.5.3.1.3.28
Intake and Output	C	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.3

Coded Event Outcomes shall be included when the Newborn Delivery Information Section is included in the Health Birth Summary document and omitted otherwise.

1775 Coded Vital Signs shall be included when the Newborn Delivery Information Section is included in the Health Birth Summary document and omitted otherwise.

Coded Results shall be included when the Newborn Delivery Information Section is included in the Child Growth Summary document and omitted otherwise.

Intake and Output shall be included when the Newborn Delivery Information Section is included in the Child Growth Summary document and omitted otherwise.

1780 The Newborn Delivery Information section shall include the subject which references the newborn when this section is included in the Health Birth Summary document and omitted otherwise.

```
1785 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.4' />
        <id root=' ' extension=' ' />
        <code code='57075-4' displayName='Newborn delivery information from newborn'
1790       codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.15' />
            <!-- Required Detailed Physical Examination Section -->
          </section>
        </component>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.6' />
            <!-- Required if known Active Problems Section -->
          </section>
        </component>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11' />
            <!-- Required if known Procedures and Interventions Section -->
          </section>
        </component>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.21' />
            <!-- Required if known Medications Administered Section -->
          </section>
        </component>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9' />
            <!-- Required if known Event Outcomes Section -->
          </section>
        </component>
      </section>
    </component>
```

Figure 6.3.3.2.40-1 Specification for Newborn Delivery Information Section

Add Section 6.3.3.2.41

6.3.3.2.41 Postpartum Hospitalization Treatment Section
1.3.6.1.4.1.19376.1.5.3.1.1.21.2.7

1830

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.7	
Parent Template		
General Description	The Postpartum Treatment Section shall include a narrative description of the treatment delivered to the mother subsequent to the delivery.	
LOINC Code	Opt	Description
57076-2	R	Postpartum hospitalization TREATMENT
Subsections	Opt	Description
Immunizations This section SHOULD contain the immunization given to the mother prior to the discharge from the birthing facility.	O	1.3.6.1.4.1.19376.1.5.3.1.4.12
Medications Administered This SHOULD include commonly prescribed maternal medications including contraceptive medication.	R2	1.3.6.1.4.1.19376.1.5.3.1.3.21
Procedures and Interventions This section SHALL include the procedures and interventions received by the mother during the immediate post-partum period e.g., transfusion or curettage.	R	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11
Coded Results This section SHOULD contain laboratory results and procedures as pertaining to the mother while discharged such as the hemoglobin or the hematocrit level.	R2	1.3.6.1.4.1.19376.1.5.3.1.3.28
Care plan This section SHOULD include the plan of care for the mother upon her discharge such as the feeding method or the contraceptive plan	O	1.3.6.1.4.1.19376.1.5.3.1.3.31
Discharge Diet This section SHALL include the diet that the mother was recommended upon her discharge.	R	1.3.6.1.4.1.19376.1.5.3.1.3.33

```

1835 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.7' />
        <id root=' ' extension=' ' />
        <code code='57076-2' displayName='POST PARTUM HOSPITALIZATION TREATMENT'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
1840       Text as described above
        </text>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.6' />
1845             <!-- Required Active Problems Section -->
          </section>
        </component>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.12' />
1850             <!-- Optional Immunizations Section -->
          </section>
        </component>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.22' />
1855             <!-- Required if known Hospital Discharge Medication Section -->
          </section>
        </component>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11' />
1860             <!-- Required Procedures and Interventions Section -->
          </section>
        </component>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.28' />
1865             <!-- Required if known Coded Results Section -->
          </section>
        </component>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.31' />
1870             <!-- Optional Care Plan Section -->
          </section>
        </component>
        <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.33' />
1875             <!-- Required Discharge Diet Section -->
          </section>
        </component>
      </section>
    </component>

```

Figure 6.3.3.2.41-1 Specification for Postpartum Treatment Section

*Add Section 6.3.3.2.42***6.3.3.2.42 Event Outcomes Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9	
Parent Template		
General Description	The Event Outcome Section shall include a narrative description of the outcomes following a procedure, an intervention or a problem.	
LOINC Code	Opt	Description
42545-4	R	EVENT OUTCOME

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9' />
    <id root=' ' extension=' ' />
    <code code='42545-4' displayName='EVENT OUTCOME'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

Figure 6.3.3.2.42-1 Specification for Event Outcomes Section*Add Section 6.3.3.2.43***6.3.3.2.43 Newborn Status at Maternal Discharge 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.8**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.8	
Parent Template		
General Description	The Newborn Status and Maternal Discharge section shall contain a narrative description of the status and disposition of the newborn at the time of maternal discharge.	
LOINC Code	Opt	Description
57077-0	R	Newborn status at maternal discharge from newborn

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.8' />
    <id root=' ' extension=' ' />
    <code code='57077-0' displayName='Newborn status at maternal discharge from newborn'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

Figure 6.3.3.2.43-1 Specification for Newborn Status at Maternal Discharge Section

*Add Section 6.3.3.2.44***6.3.3.2.44 History of Surgical Procedures Section 1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2	
Parent Template		
General Description	The History of Surgical Procedures Section shall contain a narrative description of the surgical procedures performed on the patient.	
LOINC Code	Opt	Description
10167-5	R	History of surgical procedures

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.16.2.2' />
    <id root=' ' extension=' ' />
    <code code='10167-5' displayName='History of surgical procedures'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

Figure 6.3.3.2.44-1 Specification for History of Surgical Procedures Section*Add Section 6.3.3.2.45***6.3.3.2.45 Operative Note Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.6**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.6	
Parent Template		
General Description	The Operative Note Section shall contain a narrative description of the current operation or surgical procedure in detail.	
LOINC Code	Opt	Description
10223-6	R	Surgical operation note surgical procedure

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.6' />
    <id root=' ' extension=' ' />
    <code code='10223-6' displayName='Surgical operation note surgical procedure'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

Figure 6.3.3.2.45-1 Specification for Operative Note Section

*Add Section 6.3.3.2.46*1950 **6.3.3.2.46 Child Functional Status Assessment 1.3.6.1.4.1.19376.1.7.3.1.1.13.3**

Template ID	1.3.6.1.4.1.19376.1.7.3.1.1.13.3	
General Description	This section provides a description of the child's status of normal functioning at the time the document was created. This section includes the psychomotor and the eating and sleeping assessments. This section shall include the Psychomotor Test Observation entry.	
LOINC Code	Opt	Description
47420-5	R	Functional Status Assessment
Subsections	Opt	Description
1.3.6.1.4.1.19376.1.7.3.1.1.13.4	O	Psychomotor Development
1.3.6.1.4.1.19376.1.7.3.1.1.13.5	O	Eating and sleeping assessment

Example

```

1950 <component>
1960   <section>
1965     <templateId root="1.3.6.1.4.1.19376.1.7.3.1.1.13.3"/>
1970     <id root="16696797-f854-443d-8819-231ee09cad71"/>
1975     <code code="47420-5" displayName="Functional Status Assessment"
        codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
        <title/>
        <text/>
        <component>
          <section>
            <!-- Optional Psychomotor Development section -->
            <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.13.4' />
            :
          </section>
        </component>

        <component>
          <section>
            <!-- Eating and sleeping assessment section -->
            <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.13.5' />
            :
          </section>
        </component>
      </section>
    </component>

```

*Add Section 6.3.3.2.47*1980 **6.3.3.2.47 Psychomotor Development Section 1.3.6.1.4.1.19376.1.7.3.1.1.13.4**

Template ID	1.3.6.1.4.1.19376.1.7.3.1.1.13.4
General Description	This section describes a test battery in order to evaluate the psychomotricity of the newborn.

LOINC Code	Opt	Description
xx-MCH-PsychoMDev	R	Psychomotor development
Entries	Opt	Description
Simple Observation	R	1.3.6.1.4.1.19376.1.5.3.1.4.13

1985

1990

1995

2000

```

<component>
  <section>
    <!-- Psychomotor Development section templateId -->
    <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.13.4' />
    <id root=' ' extension=' ' />
    <code code='47420-5' displayName=' Functional Status Assessment '
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      :
    </text>
    <entry>
      :
    <!--Required simple Observation element -->
    <templateId root=1.3.6.1.4.1.19376.1.5.3.1.4.13>
      :
    </entry>
  </section>
</component>

```

Add Section 6.3.3.2.48

6.3.3.2.48 Eating and Sleeping Assessment Section 1.3.6.1.4.1.19376.1.7.3.1.1.13.5

Template ID	1.3.6.1.4.1.19376.1.7.3.1.1.13.5	
General Description	This section describes a test battery in order to evaluate the psychomotricity of the newborn.	
LOINC Code	Opt	Description
47420-5	R	Functional Status Assessment
Entries	Opt	Description
Simple Observation	R	1.3.6.1.4.1.19376.1.5.3.1.4.13

2005

2010

```

<component>
  <section>
    <!--Eating and Sleeping assessment section templateId -->
    <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.13.5' />
    <id root=' ' extension=' ' />
    <code code='47420-5' displayName=' Functional Status Assessment '
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      :
    </text>
    <entry>
      :
    <!-- Required Simple Observation element -->
    <templateId root=1.3.6.1.4.1.19376.1.5.3.1.4.13 />
      :
    </entry>
  </section>
</component>

```

2015

2020

2025

*Add Section 6.3.3.2.49***6.3.3.2.49 Coded Event Outcomes 1.3.6.1.4.1.19376.1.7.3.1.1.13.7**

Template ID	1.3.6.1.4.1.19376.1.7.3.1.1.13.7	
Parent Template	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.9	
General Description	The Coded Event Outcome Section shall include a narrative description of the outcomes following a procedure, an intervention or a problem, and outcomes related to the labor and delivery process such as live birth or stillborn. It shall include entries for observation as described in the Simple Observation entry.	
LOINC Code	Opt	Description
42545-4	R	EVENT OUTCOME
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.13	R	Simple Observation

2030

```

<component>
  <section>
    <!--Coded Event Outcomes assessment section templateId -->
    <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.13.7' />
    <id root=' ' extension=' ' />
    <code code='42545-4' displayName='Event Outcome'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      :
    </text>
    <entry>
      :
    <!-- Required Simple Observation element -->
    <templateId root=1.3.6.1.4.1.19376.1.5.3.1.4.13 />
      :
    </entry>
  </section>
</component>

```

2035

2040

2045

Add Section 6.3.3.2.50 (Occupational History - removed 2011-09 at the request of QRPH)

6.3.3.2.50 Intentionally blank

2050 *Add Section 6.3.3.2.51 (Patient Status - removed 2011-09 at the request of QRPH)*

6.3.3.2.51 Intentionally blank

Add Section 6.3.3.2.52 Cancer Control - removed 2011-09 at the request of QRPH)

6.3.3.2.52 Intentionally blank

Add Section 6.3.3.2.53

2055 **6.3.3.2.53 Notifications, Alerts, and Reminders Section**
1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1.x

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1.x	
General Description	The Notifications, Reminders and Alerts section highlights areas of care plan non-conformance and directs the need for follow-up communications.	
LOINC Code	Opt	Description
XXX	R	Notifications, Alerts, and Reminders
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.7	C	<u>Medications</u> Medications entries shall appear for all pending medications when present. These entries shall be in intent mood.
1.3.6.1.4.1.19376.1.5.3.1.4.19	C	<u>Procedure</u> Procedure entries shall appear for all pending procedures when present. These entries shall be in intent mood.
1.3.6.1.4.1.19376.1.5.3.1.4.14	C	<u>Encounter</u> Encounter entries should appear for all pending follow-up encounters. These entries shall be in promise or appointment request mood.
1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1	C	<u>Observation Request</u> Observation request entries should appear for all pending follow-up observations. These entries shall appear in intent mood.

Add Section 6.3.3.2.54

2060 **6.3.3.2.54 Pain Assessment Panel Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.4**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.4
-------------	------------------------------------

General Description	This contains a narrative description of the patient's pain, including such items as severity, quality, location, time of onset, radiation, etc.	
LOINC Code	Opt	Description
38212-7	R	Pain Assessment Panel

```

2065 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.2.4' />
        <id root=' ' extension=' ' />
        <code code='38212-7' displayName='Pain Assessment Panel'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
2070 <text>
          Text as described above
        </text>
      </section>
    </component>

```

2075 **Figure 6.3.2.54-1 Specification for Pain Assessment Panel Section**

Add Section 6.3.3.2.55

6.3.3.2.55 History of Cognitive Function Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.11

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.11	
General Description	This contains a narrative description of a patient's mental status.	
LOINC Code	Opt	Description
11332-4	R	History of Cognitive Function

```

2080 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.11' />
        <id root=' ' extension=' ' />
        <code code='11332-4' displayName='History of Cognitive Function'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
2085 <text>
          Text as described above
        </text>
      </section>
2090 </component>

```

Figure 6.3.2.55-1 Specification for History of Cognitive Function Section

Add Section 6.3.3.2.56 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)

6.3.3.2.56 Isolation Status Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.8

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.8	
General Description	The Isolation Status section describes a patient with an active infectious disease	

	requiring additional personal protective equipment for healthcare providers.	
LOINC Code	Opt	Description
55017-8	R	ISOLATION OR QUARANTINE FOR ACTIVE INFECTIOUS DISEASE

```

2100 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.8' />
        <id root=' ' extension=' ' />
        <code code='55017-8' displayName=' ISOLATION OR QUARANTINE FOR ACTIVE INFECTIOUS DISEASE '
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
2105       Text as described above
        </text>
      </section>
    </component>

```

Figure 6.3.3.2.56-1 Sample Isolation Status Section

2110 *Add Section 6.3.3.2.57 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

6.3.3.2.57 Restraints Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.10

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.10	
General Description	The Restraints section describes the type of restraints currently in use on the patient to be transported.	
LOINC Code	Opt	Description
46067-5	R	DEVICES AND RESTRAINTS SET

```

2115 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.10' />
        <id root=' ' extension=' ' />
        <code code='46067-5' displayName='DEVICES AND RESTRAINTS SET'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
2120       Text as described above
        </text>
      </section>
    </component>

```

Figure 6.3.3.2.57-1 Sample Restraints Section

2125 *Add Section 6.3.3.2.58. Added 2011-09 from QRPH EHCP profile*

6.3.3.2.58 Risk Indicators for Hearing Loss

Template ID	1.3.6.1.4.1.19376.1.7.3.1.1.15.3.1	
General Description	This section SHALL include at least one entry describing hearing risk indicators for the subject	
LOINC® Code	Opt	Description

58232-0	R	HEARING LOSS RISK INDICATOR
Entries	Opt	Description
1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1	R	Risk Indicators for Hearing Loss Entry

2130

2135

2140

2145

```

<component>
  <section>
    <templateId root=1.3.6.1.4.1.19376.1.7.3.1.1.15.3.1' />
    <id root=' ' extension=' ' />
    <code code='58232-0' displayName= 'HEARING LOSS RISK INDICATOR '
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
    <entry>
      :
      <!-- Required Risk Indicators for Hearing Loss Entry element -->
      <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1' />
      :
    </entry>
  </section>
</component>

```

Figure 6.3.3.258-1 Sample Coded Risk Indicators for Hearing Loss Section

Add Section 6.3.3.2.58. Added 2011-09 from QRPH PRPH-Ca profile

6.3.3.2.59 Cancer Diagnosis Section 1.3.6.1.4.1.19376.1.7.3.1.3.14.1

Template ID	1.3.6.1.4.1.19376.1.7.3.1.3.14.1	
Parent ID	PCC Active Problem Section 1.3.6.1.4.1.19376.1.5.3.1.3.6 CCD 3.5 2.16.840.1.113883.10.20.1.11	
General Description	This section contains specific detailed information about cancer diagnosis(es) that are currently being monitored for the patient. A separate entry for each cancer diagnosis SHALL be provided.	
LOINC Code	Opt	Description
XXXXX-X	R	Cancer Diagnosis
Entries	Opt	Description
1.3.6.1.4.1.19376.1.7.3.1.4.14.1	R	Cancer Diagnosis Entry

2150

2155	<pre><component> <section> <templateId root='1.3.6.1.4.1.19376.1.7.3.1.3.14.1/'> <id root=' ' extension=' ' /> <code code='xxxxx-x' displayName='Cancer Diagnosis' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' /> <text> Text as described above </text> <entry> <!-- Required Cancer Diagnosis Entry element --> <templateId root='1.3.6.1.4.1.19376.1.7.3.1.4.14.1' /> : </entry> </section> </component></pre>
2160	
2165	

Figure 6.3.2.59-1 Specification for Cancer Diagnosis Section

	<i>Add Section 6.3.3.3</i>
2170	6.3.3.3 Medications
	<i>Add Section 6.3.3.3.1</i>
	6.3.3.3.1 Medications Section
	<i>Add Section 6.3.3.3.2</i>
	6.3.3.3.2 Admission Medication History Section
2175	<i>Add Section 6.3.3.3.3</i>
	6.3.3.3.3 Medications Administered Section
	<i>Add Section 6.3.3.3.4</i>
	6.3.3.3.4 Hospital Discharge Medications Section
	<i>Add Section 6.3.3.3.5</i>
2180	6.3.3.3.5 Immunizations Section
	<i>Add Section 6.3.3.4</i>
	6.3.3.4 Physical Exams
	<i>Add Section 6.3.3.3.4.1</i>
	6.3.3.4.1 Physical Examination Section
2185	<i>Add Section 6.3.3.3.4.2</i>

6.3.3.4.2 Detailed Physical Examination Section*Add Section 6.3.3.3.4.3***6.3.3.4.3 Hospital Discharge Physical Exam Section***Add Section 6.3.3.3.4.4*2190 **6.3.3.4.4 Vital Signs Section***Add Section 6.3.3.3.4.5***6.3.3.4.5 Coded Vital Signs Section***Add Section 6.3.3.3.4.29***6.3.3.4.29 Extremities**2195 *Add Section 6.3.3.4.30***6.3.3.4.30 Coded Detailed Physical Examination Section****1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1	
Parent Template	Detailed Physical Examination (1.3.6.1.4.1.19376.1.5.3.1.1.9.15)	
General Description	The Coded Detailed Physical Examination section shall contain a narrative description of the patient's physical findings. It shall include subsections, if known, for the exams that are performed.	
LOINC Code	Opt	Description
29545-1	R	PHYSICAL EXAMINATION
Subsections	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.5.3.2	R2	Coded Vital Signs Vital signs may be a subsection of the physical examination or they may stand alone
1.3.6.1.4.1.19376.1.5.3.1.1.9.16	R2	General Appearance
1.3.6.1.4.1.19376.1.5.3.1.1.9.48	R2	Visible Implanted Medical Devices
1.3.6.1.4.1.19376.1.5.3.1.1.9.17	R2	Integumentary System
1.3.6.1.4.1.19376.1.5.3.1.1.9.18	R2	Head
1.3.6.1.4.1.19376.1.5.3.1.1.9.19	R2	Eyes
1.3.6.1.4.1.19376.1.5.3.1.1.9.20	R2	Ears, Nose, Mouth and Throat
1.3.6.1.4.1.19376.1.5.3.1.1.9.21	R2	Ears
1.3.6.1.4.1.19376.1.5.3.1.1.9.22	R2	Nose
1.3.6.1.4.1.19376.1.5.3.1.1.9.23	R2	Mouth, Throat, and Teeth
1.3.6.1.4.1.19376.1.5.3.1.1.9.24	R2	Neck

1.3.6.1.4.1.19376.1.5.3.1.1.9.25	R2	Endocrine System
1.3.6.1.4.1.19376.1.5.3.1.1.9.26	R2	Thorax and Lungs
1.3.6.1.4.1.19376.1.5.3.1.1.9.27	R2	Chest Wall
1.3.6.1.4.1.19376.1.5.3.1.1.9.28	R2	Breasts
1.3.6.1.4.1.19376.1.5.3.1.1.9.29	R2	Heart
1.3.6.1.4.1.19376.1.5.3.1.1.9.30	R2	Respiratory System
1.3.6.1.4.1.19376.1.5.3.1.1.9.31	R2	Abdomen
1.3.6.1.4.1.19376.1.5.3.1.1.9.32	R2	Lymphatic System
1.3.6.1.4.1.19376.1.5.3.1.1.9.33	R2	Vessels
1.3.6.1.4.1.19376.1.5.3.1.1.9.34	R2	Musculoskeletal System
1.3.6.1.4.1.19376.1.5.3.1.1.9.35	R2	Neurologic System
1.3.6.1.4.1.19376.1.5.3.1.1.9.36	R2	Genitalia
1.3.6.1.4.1.19376.1.5.3.1.1.9.37	R2	Rectum
1.3.6.1.4.1.19376.1.5.3.1.1.16.2.1	R2	Extremities
1.3.6.1.4.1.19376.1.5.3.1.1.21.2.10	R2	Pelvis

```

2200 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.15' />
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.15.1' />
2205 <id root=' ' extension=' ' />
        <code code='29545-1' displayName='PHYSICAL EXAMINATION'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
2210 <component>
          <section>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.25' />
            <!-- Optional Vital Signs Section content -->
            </section>
          </component>
2215 </section>
      </component>
    </component>

```

Figure 6.3.3.4.30-1 Coded Detailed Physical Examination Section

2220 *Add Section 6.3.3.4.31*

6.3.3.4.31 Pelvis Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.10

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.10
General Description	The Pelvis section shall include a narrative description of any type of exam of the reproductive organs.

LOINC Code	Opt	Description
10204-6	R	PELVIS
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.5	O	Problem Entry

```

2225 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.10' />
        <id root=' ' extension=' ' />
        <code code='10204-6' displayName='PELVIS'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
2230 <text>
          Text as described above
        </text>
        <entry>
          :
2235 <!-- Optional Problem Entry element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5' />
          :
        </entry>
      </section>
    </component>

```

Figure 6.3.3.4.31-1 Pelvis Section

Add Section 6.3.3.4.32

6.3.3.4.32 Admission Physical Exam Section 1.3.6.1.4.1.19376.1.5.3.1.1.22.1.1.2.1

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.22.1.1.2.1	
General Description	The Admission physical exam section shall include a narrative description of the physical exams given during the admission to a hospital or similar type of facility.	
LOINC Code	Opt	Description
XX-AdmissionPhysicalExam	R	Admission physical exam

```

2245 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.22.1.1.2.1' />
        <id root=' ' extension=' ' />
2250 <code code='XX-AdmissionPhysicalExam' displayName='Admission physical exam'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
2255 </section>
    </component>

```

Figure 6.3.3.4.32-1 Admission Physical Exam Section

Add Section 6.3.3.4.33

2260 **6.3.3.4.33 Discharge Status 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.12**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.12	
Parent Template		
General Description	Discharge status should contain a narrative description of the status/condition of the patient at the time of discharge, such as stable, critical, etc.	
LOINC Code	Opt	Description
52523-8	R2	Discharge Status

2265

```
<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.12' />
    <id root=' ' extension=' ' />
    <code code='52323-8' displayName=Discharge status'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>
```

2270

Figure 6.3.3.4.33-1 Discharge Status Section

6.3.3.5 Relevant Studies

2275 *Add Section 6.3.3.3.5.1*

6.3.3.5.1 Results

Add Section 6.3.3.3.5.2

6.3.3.5.2 Coded Results

Add Section 6.3.3.3.5.3

2280 **6.3.3.5.3 Hospital Studies Summary**

Add Section 6.3.3.3.5.4

6.3.3.5.4 Coded Hospital Studies Summary

Add Section 6.3.3.3.5.5

6.3.3.5.5 Consultations 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.8

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.8
General Description	The ED Consultations section shall contain a narrative description of the consultations

	obtained during an encounter of care.	
LOINC Code	Opt	Description
18693-2	R	ED CONSULTANT PRACTITIONER

2285

2290

2295

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.8' />
    <id root=' ' extension=' ' />
    <code code='18693-2' displayName='ED CONSULTANT PRACTITIONER'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

Figure 6.3.3.5.5-1 Specification for ED Consultations Section

Add Section 6.3.3.5.6

2300

6.3.3.5.6 Antenatal Testing and Surveillance Section

1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5	
Parent Template		
General Description	The Antenatal Testing and Surveillance section shall contain a narrative description of reports and data from tests and surveillance performed during the pregnancy (e.g. Ultrasound, Biophysical Profile, Non-Stress Test, Contraction Stress Test)	
LOINC Code	Opt	Description
57078-8	R	Antenatal testing and surveillance

2305

2310

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5' />
    <id root=' ' extension=' ' />
    <code code='57078-8' displayName='ANTENATAL TESTING AND SURVEILLANCE'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

Figure 6.3.3.5.6-1 Specification for and Surveillance Section

2315

Add Section 6.3.3.5.7

6.3.3.5.7 Coded Antenatal Testing and Surveillance Section

1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.1

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.1	
Parent Template	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5	
General Description	The Antenatal Testing and Surveillance section shall contain a narrative and coded description of reports and data from tests and surveillance performed during the pregnancy (e.g. Ultrasound, Biophysical Profile, Non-Stress Test, Contraction Stress Test). It shall contain an Antenatal Testing and Surveillance Battery.	
LOINC Code	Opt	Description
57078-8	R	ANTENATAL TESTING AND SURVEILLANCE
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10	R	Antenatal Testing and Surveillance Battery

2320

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5' />
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.5.1' />
    <id root=' ' extension=' ' />
    <code code='57078-8' displayName='ANTENATAL TESTING AND SURVEILLANCE'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
    <entry>
      :
      <!-- Required Antenatal Testing and Surveillance Battery -->
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10' />
      :
    </entry>
  </component>

```

2325

2330

2335

Figure 6.3.3.5.7-1 Specification for Coded Antenatal Testing and Surveillance Section

Add Section 6.3.3.5.8 (Diagnosis - Removed 2011-09 at the request of QRPH)

6.3.3.5.8 Intentionally blank

2340

Add Section 6.3.3.5.9 (TNM Stage – removed 2011-09 at the request of QRPH)

6.3.3.5.9 Intentionally blank

Add Section 6.3.3.5.10 (Cancer Supporting Documentation - removed 2011-09 at the request of QRPH)

2345

6.3.3.5.10 Intentionally blank

Add Section 6.3.3.5.11. (Added 2011-09 from QRPH EHCP profile)

6.3.3.5.11 Hearing Screening Coded Results

2350 The Hearing Screening Coded Results section SHALL contain the hearing screening results of pass or refer for the right ear and pass or refer for the left ear, expressed as LOINC® codes as well as the coded methodology to complete the screening. Coded methodology includes (LOINC 54106-0) Automated Auditory Brainstem Response, Auditory Brainstem Response, Otoacoustic Emissions, Transient Otoacoustic Emissions, and Distortion Product Otoacoustic Emissions. If the methodology is unknown, the coded result of unknown method SHALL be used. Where the screening results are not available, the reason the results are not available SHALL be present. This could include unsuccessful, technical fail; not performed, not performed, medical exclusion. The Hearing Screening Coded Results section is required.

2355

Template ID	1.3.6.1.4.1.19376.1.7.3.1.1.15.3.2	
Parent Template	Coded Results (1.3.6.1.4.1.19376.1.5.3.1.3.28)	
General Description	The Hearing Screening Code Results section SHALL include at least one observation entry describing the hearing screening results as described in the Entry Content Module. Where there are no hearing screening results performed, then the reason SHALL be indicated	
LOINC Code	Opt	Description
30954-2	R	Relevant diagnostic tests/laboratory data
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.19	R	Procedure Entry
1.3.6.1.4.1.19376.1.5.3.1.4.4	R2	References Entry
1.3.6.1.4.1.19376.1.5.3.1.4.13	R	Simple Observation

2360 6.3.3.5.11.1 Parent Template

The parent of this template is Coded Results.


```
2365 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.28' />
        <id root=' ' extension=' ' />
        <code code='30954-2' displayName='Relevant diagnostic tests/laboratory data'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <entry>
          :
          <!-- Required Procedure Entry element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
          :
        </entry>
        <entry>
          :
          <!-- Required if known References Entry element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.4' />
          :
        </entry>
        <entry>
          :
          <!-- Optional Simple Observation element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
          :
        </entry>
      </section>
2390
```

Figure 6.3.3.5.11-1 Hearing Screening Coded Results Section

Add Section 6.3.3.6

6.3.3.6 Plans of Care

Add Section 6.3.3.6.1

6.3.3.6.1 Care Plan

Add Section 6.3.3.6.2

6.3.3.6.2 Assessment and Plan

Add Section 6.3.3.6.3

6.3.3.6.3 Discharge Disposition

Add Section 6.3.3.6.4

6.3.3.6.4 Discharge Diet

Add Section 6.3.3.6.5

2405 **6.3.3.6.5 Advance Directives**

<i>Add Section 6.3.3.6.6</i>

6.3.3.6.6 Coded Advance Directives

<i>Add Section 6.3.3.6.7</i>

6.3.3.6.7 Transport Mode

2410

<i>Add Section 6.3.3.6.8</i>

6.3.3.6.8 Procedure Care Plan Status Report Section**1.3.6.1.4.1.19376.1.5.3.1.1.9.45**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.45	
Parent Template	1.3.6.1.4.1.19376.1.5.3.1.1.9.40	
General Description	The procedure care plan status report section shall contain a description of the progress towards completing expectations for care including actions completed in fulfillment of proposals, goals, and order requests for monitoring, tracking, or improving the condition of the patient prior to the procedure.	
LOINC Code	Opt	Description
18776-5	R	TREATMENT PLAN

2415

Sample Procedure Care Plan Status Report Section

2420

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.40' />
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.45' />
    <id root=' ' extension=' ' />
    <code code='18776-5' displayName='TREATMENT PLAN'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

2425

2430

<i>Add Section 6.3.3.6.9</i>

6.3.3.6.9 Health Maintenance Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.50

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.50	
Parent Template	1.3.6.1.4.1.19376.1.5.3.1.3.31	
General Description	The health maintenance care plan section shall contain a description of the expectations for wellness care including proposals, goals, and order requests for monitoring, tracking, or improving the lifetime condition of the patient with goals of educating the patient on how to reduce the modifiable risks of the patient's genetic, behavioral, and environmental pre-conditions and otherwise optimizing lifetime outcomes.	
LOINC Code	Opt	Description
18776-5	R	TREATMENT PLAN

2435

Sample Health Maintenance Care Plan Section

2440

2445

2450

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.31' />
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.50' />
    <id root=' ' extension=' ' />
    <code code='18776-5' displayName='TREATMENT PLAN'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

*Add Section 6.3.3.6.10***6.3.3.6.10 Health Maintenance Care Plan Status Report Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.41**

2455

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.41	
Parent Template	1.3.6.1.4.1.19376.1.5.3.1.1.9.50	
General Description	The health maintenance status report section shall contain a description of the progress towards completing expectations for care including actions completed in fulfillment of proposals, goals, and order requests for monitoring, tracking, or improving the condition of the patient.	
LOINC Code	Opt	Description
18776-5	R	TREATMENT PLAN

Sample Health Maintenance Care Plan Status Report Section

```

<component>
  <section>    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.50' />
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.41' />
    <id root=' ' extension=' ' />
    <code code='18776-5' displayName='TREATMENT PLAN'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

Add Section 6.3.3.6.11

6.3.3.6.11 Provider Orders Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1	
General Description	The provider orders shall contain a list of all pertinent orders from healthcare providers.	
LOINC Code	Opt	Description
46209-3	R	PROVIDER ORDERS
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.7	C	Medications Medications entries shall appear for all ordered medications when present. These entries shall be in intent mood.
1.3.6.1.4.1.19376.1.5.3.1.4.19	C	Procedure Procedure entries shall appear for all ordered procedures when present. These entries shall be in intent mood.
1.3.6.1.4.1.19376.1.5.3.1.4.14	O	Encounter Encounter entries should appear for all ordered encounters. These entries shall be in promise or appointment request mood.
1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1	O	Observation Requests Observation request entries should appear for all ordered observations. These entries shall appear in intent mood.

Sample Provider Orders Section

```

2480 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.2.1' />
        <id root=' ' extension=' ' />
        <code code='46209-3' displayName='PROVIDER ORDERS'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
2485 <entry>
      :
      <!-- Required if known Medications element -->
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7' />
      :
2490 </entry>
      <entry>
      :
      <!-- Required if known Procedure element -->
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
2495 :
      </entry>
      <entry>
      :
      <!-- Optional Encounter element -->
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.14' />
2500 :
      </entry>
      <entry>
      :
      <!-- Optional Observation Requests element -->
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1' />
2505 :
      </entry>
2510 </section>
    </component>

```

Add Section 6.3.3.6.12

6.3.3.6.12 Birth Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.21.2.1

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.21.2.1	
Parent Template		
General Description	The Birth Plan section shall contain a narrative description of the patient's requests and expectations with respect to care she is expecting during the labor and delivery process.	
LOINC Code	Opt	Description
57079-6	R	Birth plan

```

2520 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.2.1' />
        <id root=' ' extension=' ' />
        <code code='57079-6' displayName='Birth plan'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
2525 </component>

```

Figure 6.3.3.6.12-1 Specification for Birth Plan Section

Add Section 6.3.3.6.13

6.3.3.6.13 Immunization Recommendations 1.3.6.1.4.1.19376.1.5.3.1.1.18.3.1

Template Id	1.3.6.1.4.1.19376.1.5.3.1.1.18.3.1	
General Description	The Immunization Recommendation section shall be present to document the recommended vaccinations for the patient. It shall include Immunization entries in proposal mood describing the immunization plan to be developed. It may include a reference to a specific guideline in definition mood to indicate the guideline that should be conformed to, and may also include references to patient education information.	
LOINC Code	Opt	Description
18776-5	R	TREATMENT PLAN
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.12.2	R	Immunization Recommendation Entry At least one Immunization Plan Entry shall be present in Proposal mood to indicate what the proposed care is for the patient. Other Immunization Plan entries may appear in intent mood to indicate the current plan.

Add Section 6.3.3.6.14

6.3.3.6.14 Patient Education Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.38

Template Id	1.3.6.1.4.1.19376.1.5.3.1.1.9.38	
General Description	The patient education section shall contain a description of the patient education the patient received as well as the results of the education.	
LOINC Code	Opt	Description
34895-3	R	EDUCATION NOTE
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.12.2	R	Immunization Recommendation Entry At least one Immunization Plan Entry shall be present in Proposal mood to indicate what the proposed care is for the patient. Other Immunization Plan entries may appear in intent mood to indicate the current plan.

```

2535 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.38' />
        <id root=' ' extension=' ' />
        <code code='34895-3' displayName='EDUCATION NOTE'
2540       codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
      </section>
2545 </component>

```

Figure 6.3.3.6.14-1 Specification for Patient Education and Consents Section*Add Section 6.3.3.6.15***6.3.3.6.15 Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.3.31**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.3.31	
Parent Template	2.16.840.1.113883.10.20.1.10	
General Description	The care plan section shall contain a narrative description of the expectations for care including proposals, goals, and order requests for monitoring, tracking, or improving the condition of the patient.	
LOINC Code	Opt	Description
18776-5	R	TREATMENT PLAN
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1	O	Observation Requests The care plan may include observation requests in intent, goal or proposal mood to identify intended observations that are part of the care plan, goals of the plan, or proposed observations (e.g., from clinical decision support).
1.3.6.1.4.1.19376.1.5.3.1.4.7	O	Medication The care plan may include medication entries to identify those medications that are or are proposed to be part of the care plan.
1.3.6.1.4.1.19376.1.5.3.1.4.12	O	Immunization The care plan may include immunization entries to identify those immunizations that are or are proposed to be part of the care plan.
1.3.6.1.4.1.19376.1.5.3.1.4.19	O	Procedure The care plan may include procedure entries to identify those procedures that are or are proposed to be part of the care plan.
1.3.6.1.4.1.19376.1.5.3.1.4.14	O	Encounter The care plan may include encounter entries in to identify those encounters that are or are proposed to be part of the care plan.

```

2550 <component>
      <section>
        <templateId root='2.16.840.1.113883.10.20.1.10' />
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.31' />
2555 <id root=' ' extension=' ' />
        <code code='18776-5' displayName='TREATMENT PLAN'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
2560 </text>
        <entry>
          :
          <!-- Optional Observation Requests element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1' />
2565 :
        </entry>
        <entry>
          :
          <!-- Optional Medication element -->
2570 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7' />
          :
        </entry>
        <entry>
          :
          <!-- Optional Immunization element -->
2575 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.12' />
          :
        </entry>
        <entry>
          :
          <!-- Optional Procedure element -->
2580 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
          :
        </entry>
        <entry>
          :
          <!-- Optional Encounter element -->
2585 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.14' />
          :
        </entry>
2590 </section>
    </component>

```

Figure 6.3.3.6.15-1 Specification for Care Plan Section

2595 6.3.3.6.16 Diet and Nutrition Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.2

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.2	
General Description	This shall contain a narrative description of the diet restrictions necessary due to disease.	
LOINC Code	Opt	Description
XX-DietAndNutrition	R	Diet and nutrition


```

2600 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.2.2' />
        <id root=' ' extension=' ' />
        <code code='XXDiet-Restrictions' displayName='Diet and nutrition'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
2605 </text>
      </section>
    </component>

```

Figure 6.3.3.6.16-1 Specification for Diet Restrictions Section

6.3.3.6.17 Intake and Output Section 1.3.6.1.4.1.19376.1.5.3.1.1.20.2.3

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.20.2.3	
General Description	This section shall contain a narrative description of specific fluid inputs or fluid outputs for the patient.	
LOINC Code	Opt	Description
XX-IntakeAndOutput	R	Intake and output

```

2610 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.2.3' />
        <id root=' ' extension=' ' />
2615 <code code='XX-FluidManagement' displayName='Intake and output'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
2620 </text>
      </section>
    </component>

```

Figure 6.3.3.6.17-1 Specification for Fluid Management Section

Add Section 6.3.3.6.18 (Cancer Course of Treatment – Remove 2011-09 at the request of QRPH)

6.3.3.6.18 Intentionally blank

Add Section 6.3.3.6.19 (Cancer Treatment Plan – removed 2011-09 at the request of QRPH)

6.3.3.6.19 Intentionally blank

Add section 6.3.3.6.20

6.3.3.6.20 Procedure Care Plan Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.40

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.40
-------------	----------------------------------

Parent Template	1.3.6.1.4.1.19376.1.5.3.1.3.31 (1.3.6.1.4.1.19376.1.5.3.1.3.31)	
General Description	The procedure care plan section shall contain a description of the expectations for care including proposals, goals, and order requests for monitoring, tracking, or improving the condition of the patient prior, during and after a procedure with goals of educating the patient, reducing the modifiable risks of the procedure and anesthesia and otherwise optimizing the outcomes. The care plan will often be updated immediately following the addition of new impressions during the course of pre-procedure evaluation.	
LOINC Code	Opt	Description
18776-5	R	TREATMENT PLAN
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1	O	Observation Requests The care plan may include observation requests in intent, goal or proposal mood to identify intended observations that are part of the care plan, goals of the plan, or proposed observations (e.g., from clinical decision support).
1.3.6.1.4.1.19376.1.5.3.1.4.7	O	Medication The care plan may include medication entries to identify those medications that are or are proposed to be part of the care plan.
1.3.6.1.4.1.19376.1.5.3.1.4.12	O	Immunization The care plan may include immunization entries to identify those immunizations that are or are proposed to be part of the care plan.
1.3.6.1.4.1.19376.1.5.3.1.4.19	O	Procedure The care plan may include procedure entries to identify those procedures that are or are proposed to be part of the care plan.
1.3.6.1.4.1.19376.1.5.3.1.4.14	O	Encounter The care plan may include encounter entries in to identify those encounters that are or are proposed to be part of the care plan.

```

2635 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.31' />
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.40' />
        <id root=' ' extension=' ' />
        <code code='18776-5' displayName='TREATMENT PLAN'
2640       codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
      </section>
2645 </component>

```

Figure 6.3.3.6.20-1 Sample Care Plan Section

2650 *Add section 6.3.3.6.21 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

6.3.3.6.21 Protocols Used Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.5

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.5
-------------	------------------------------------

General Description	The Protocols Used section describes the protocol used by EMS personnel to direct the clinical care of the patient.	
LOINC Code	Opt	Description
52019-7	R	DESCRIPTION OF SERVICES PERFORMED TO SUPPORT LEVEL OF SERVICE

2655

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.5' />
    <id root=' ' extension=' ' />
    <code code='52019-7' displayName='DESCRIPTION OF SERVICES PERFORMED TO SUPPORT LEVEL OF SERVICE'
2660      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
2665 </component>

```

Figure 6.3.3.6.21-1 Sample Protocols Used Section

Add section 6.3.3.6.22 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)

6.3.3.6.22 Invasive Airway Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.7

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.7	
General Description	The Invasive Airway section describes if, and what type, of advanced airway used.	
LOINC Code	Opt	Description
NEMESIS EProtocols.01 (1)	R	PROTOCOLS USED AIRWAY

2670

2675

2680

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.7' />
    <id root=' ' extension=' ' />
    <code code='NEMESIS EProtocols.01 (1)' displayName='PROTOCOLS USED AIRWAY'
2675      codeSystem='2.16.840.1.113883.6.1' codeSystemName='NEMESIS' />
    <text>
      Text as described above
    </text>
  </section>
2680 </component>

```

Figure 6.3.3.6.22-1 Sample Invasive Airway Section

Add section 6.3.3.6.23 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)

2685

6.3.3.6.23 Ventilator Usage Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.11

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.11	
General Description	The Ventilator Usage section describes	

LOINC Code	Opt	Description
20124-4	R	VENTILATION MODE

2690	<pre> <component> <section> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.11' /> <id root=' ' extension=' ' /> <code code='2012404' displayName='VENTILATION MODE' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' /> <text> Text as described above </text> </section> </component> </pre>
2695	

Figure 6.3.3.6.23-1 Sample Ventilator Usage Section

2700	<i>Add Section 6.3.3.7</i>
------	----------------------------

6.3.3.7 Administrative and Other Information

<i>Add Section 6.3.3.7.1</i>

6.3.3.7.1 Payers

<i>Add Section 6.3.3.7.2</i>

2705 6.3.3.7.2 Referral Source

<i>Add Section 6.3.3.7.3</i>

6.3.3.7.3 Transport Mode

<i>Add Section 6.3.3.7.4</i>

6.3.3.7.4 ED Disposition

2710	<i>Add Section 6.3.3.7.5 (Cancer Payers – Removed 2011-09 at the request of QRPH)</i>
------	---

6.3.3.7.5 Intentionally blank

<i>Add Section 6.3.3.7.6 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)</i>
--

2715 6.3.3.7.6 Sending Facility Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.1

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.1
General Description	The Sending Facility section contains the name and address of the healthcare facility

	that is sending the patient for transport.	
LOINC Code	Opt	Description
52023-9	R	ORIGINATION SITE NAME AND ADDRESS

```

2720 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.1' />
        <id root=' ' extension=' ' />
        <code code='52023-9' displayName='ORIGINATION SITE NAME AND ADDRESS'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
      </section>
    </component>

```

Figure 6.3.3.7.6-1 Sample Sending Facility Section

2730 *Add Section 6.3.3.7.7 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

6.3.3.7.7 Receiving Facility Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.2

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.2	
General Description	The Receiving Facility section contains the name and address of the healthcare facility that is receiving the transported patient.	
LOINC Code	Opt	Description
52026-2	R	DESTINATION SITE NAME & ADDRESS

```

2735 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.2' />
        <id root=' ' extension=' ' />
        <code code='52026-2' displayName='DESTINATION SITE NAME & ADDRESS'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
      </section>
    </component>

```

Figure 6.3.3.7.7-1 Sample Receiving Facility Section

2740 *Add Section 6.3.3.7.8 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)*

6.3.3.7.8 Mass Casualty Incident Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.3

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.3	
General Description	The Mass Casualty Incident Section indicates if this event would be considered a mass	

	casualty incident overwhelming existing EMS and ED resources.	
LOINC Code	Opt	Description
NA – NEMSIS EScene.07	R2	MASS CASUALTY INCIDENT

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.3' />
    <id root=' ' extension=' ' />
    <code code='NEMSIS EScene.07' displayName='MASS CASUALTY INCIDENT'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='NEMSIS' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

Figure 6.3.3.7.8-1 Sample Mass Casualty Incident Section

Add Section 6.3.3.7.9 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)

6.3.3.7.9 Unit Response Level Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.4

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.4	
General Description	The Unit Response Level section describes the level of service provided for this transport.	
LOINC Code	Opt	Description
51995-9	R	RATIONALE FOR TYPE OF TRANSPORT

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.4' />
    <id root=' ' extension=' ' />
    <code code='51995-9' displayName='RATIONALE FOR TYPE OF TRANSPORT'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
  </section>
</component>

```

Figure 6.3.3.7.9-1 Sample Unit Response Level Section

Add Section 6.3.3.7.10 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)

6.3.3.7.10 Extra Attendants Information Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.6

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.6
-------------	------------------------------------

General Description	The Protocols Used section describes the protocol used by EMS personnel to direct the clinical care of the patient.	
LOINC Code	Opt	Description
52074-2	R2	EXTRA ATTENDANTS INFORMATION

```

2785 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.6' />
        <id root=' ' extension=' ' />
2790 <code code='52074-2' displayName='EXTRA ATTENDANTS INFORMATION'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
      </section>
2795 </component>

```

Figure 6.3.3.7.10-1 Sample Extra Attendants Information Section

Add Section 6.3.3.7.11 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)

2800 6.3.3.7.11 Provider Level Section 1.3.6.1.4.1.19376.1.5.3.1.1.25.2.9

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.25.2.9	
General Description	The Provider Level section describes the certification or licensure level of the healthcare provider.	
LOINC Code	Opt	Description
NEMESIS DConfiguration.02	R	STATE CERTIFICATION LICENSURE LEVELS

```

2805 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.25.2.9' />
        <id root=' ' extension=' ' />
        <code code='NEMESIS DConfiguration.02' displayName='STATE CERTIFICATION LICENSURE LEVELS'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='NEMESIS' />
        <text>
          Text as described above
        </text>
2810 </section>
      </component>

```

Figure 6.3.3.7.11-1 Sample Provider Level Section

2815 *Add Section 6.3.3.8*

6.3.3.8 Interventions

This section contains section content modules that describe interventions, procedures, therapeutic treatments, et cetera, performed on the patient.

2820 *Add Section 6.3.3.8.3***6.3.3.8.3 Procedures and Interventions Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11	
General Description	The Procedures and Interventions section shall contain a narrative description of the actions performed by a clinician.	
LOINC Code	Opt	Description
29544-3	R	PROCEDURES
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.19	R	Procedure This entry provides coded values for procedures performed during the encounter.

```

2825 <component>
      <section>
2830         <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.11' />
         <id root=' ' extension=' ' />
         <code code='X-PROC' displayName='PROCEDURES PERFORMED'
           codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
2830         <text>
           Text as described above
         </text>
         <entry>
           :
2835           <!-- Required Procedure element -->
           <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
           :
         </entry>
2840       </section>
    </component>

```

Figure 6.3.3.8.3-1 Specification for Procedures and Interventions Section

Add Section 6.3.3.8.4 (Added 2011-06 from the PCC Transport Record Summary Profiles supplement)

6.3.3.8.4 Intravenous Fluids Administered Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.6

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.6	
General Description	The intravenous fluids administered section shall contain a narrative description of fluids administered to a patient during the course of an encounter. It may include entries for IV fluid administration as described in the Entry Content Module.	
LOINC Code	Opt	Description
57072-1	R	Intravenous fluids administered
Entries	Opt	Description

1.3.6.1.4.1.19376.1.5.3.1.1.13.3.2	R	Intravenous Fluids
------------------------------------	---	------------------------------------

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.6' />
    <id root=' ' extension=' ' />
    <code code='57072-1' displayName='Intravenous fluids administered'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
    <entry>
      :
      <!-- Required Intravenous Fluids element -->
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.2' />
      :
    </entry>
  </section>
</component>

```

Figure 6.3.3.8.4-1 Specification for Intravenous Fluids Administered Section

Add Section 6.3.3.9

6.3.3.9 Impressions

This section contains section content modules that describe assessments, impressions, diagnoses, or other reporting of clinical opinions or judgement.

Add Section 6.3.3.9.1

6.3.3.9.1 Pre-procedure Impressions Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.42 (Deprecated)

Add Section 6.3.3.9.2

6.3.3.9.2 Pre-procedure Risk Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.9.44

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.9.44	
General Description	The pre-procedure risk section shall contain a description of the risks the patient faces because of the planned procedure and associated anesthesia, especially in the context of modifiable risks identified by patient findings. It shall include entries for patient risks as described in the Entry Content Module.	
LOINC Code	Opt	Description
11450-4	R	PROBLEM LIST
Entries	Opt	Description

1.3.6.1.4.1.19376.1.5.3.1.4.5	R	Problem Entry
-------------------------------	---	---------------

The parent of this template is 1.3.6.1.4.1.19376.1.5.3.1.3.6

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.3.6' />
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.9.44' />
    <id root=' ' extension=' ' />
    <code code='11450-4' displayName='PROBLEM LIST'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
    <entry>
      :
      <!-- Required Problem Entry element -->
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5' />
      :
    </entry>
  </section>
</component>

```

Figure 6.3.3.9.2-1 Specification for Pre-procedure Risk Assessment Section

Add Section 6.3.3.9.3

6.3.3.9.3 Antepartum Visit Summary Flowsheet Section

1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2	
General Description	This section is a running history of the most important elements noted for a pregnant woman.	
LOINC Code	Opt	Description
57059-8	R	Pregnancy visit summary
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.13	R	Simple Observation The flowsheet contains one simple observation to represent the Prepregnancy Weight. This observation SHALL be valued with the LOINC code 8348-5, BODY WEIGHT^PRE PREGNANCY-MASS-PT-QN-MEASURED. The value SHALL be of type PQ. The units may be either "lb_av" or "kg".
1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2	R	Antepartum Flowsheet Panel Other entries on the flowsheet are "batteries" which represent a single visit.

```

2910 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.2.2' />
        <id root=' ' extension=' ' />
        <code code='57059-8' displayName='Pregnancy visit summary'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <entry>
          :
          <!-- Required Simple Observation element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
          :
        </entry>
        <entry>
          :
          <!-- Required Antepartum Flowsheet Panel element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2' />
          :
        </entry>
      </section>
    </component>

```

Figure 6.3.3.9.3-1 Specification for Antepartum Visit Summary Flowsheet Section

Add Section 6.3.3.9.4

2935 6.3.3.9.4 Progress Note Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.7

Template ID		1.3.6.1.4.1.19376.1.5.3.1.1.13.2.7
General Description		The Progress Note section shall contain a narrative description of the sequence of events from initial assessment to discharge for an encounter.
LOINC Code	Opt	Description
18733-6	R	SUBSEQUENT EVALUATION NOTE (ATTENDING PHYSICIAN)

```

2940 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.7' />
        <id root=' ' extension=' ' />
        <code code='18733-6' displayName='SUBSEQUENT EVALUATION NOTE (ATTENDING PHYSICIAN)'
          codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
      </section>
    </component>

```

Figure 6.3.3.9.4-1 Specification for Progress Note Section

2950

*Add Section 6.3.3.9.5***6.3.3.9.5 ED Diagnosis Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.9**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.9	
General Description	The ED diagnosis section shall contain a narrative description of the conditions that were diagnosed or addressed during the ED course, as well as those active conditions that modify the complexity of the patient encounter. It should include entries for patient conditions as described in the Entry Content Module.	
LOINC Code	Opt	Description
11301-9	R	ED DIAGNOSIS
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.4.5	R	Problem Entry

```

<component>
  <section>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.9' />
    <id root=' ' extension=' ' />
    <code code='11301-9' displayName='ED DIAGNOSIS'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text>
      Text as described above
    </text>
    <entry>
      :
      <!-- Required Problem Entry element -->
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5' />
      :
    </entry>
  </section>
</component>

```

Figure 6.3.3.9.5-1 Specification for ED Diagnosis Section*Add Section 6.3.3.9.6***6.3.3.9.6 Acuity Assessment Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.2**

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.2	
General Description	The Acuity Assessment section contains a description of the acuity of the patient upon presentation to the Emergency department.	
LOINC Code	Opt	Description
11283-9	R	ACUITY ASSESSMENT
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1	R	Acuity This entry provides coded values giving the triage acuity.

```

2980 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.2' />
        <id root=' ' extension=' ' />
        <code code='11283-9' displayName='ACUITY ASSESSMENT'
2985       codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <entry>
          :
2990       <!-- Required Acuity element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1' />
          :
        </entry>
2995 </section>
    </component>

```

Figure 6.3.3.9.6-1 Specification for Acuity Assessment Section

Add Section 6.3.3.9.7

3000 6.3.3.9.7 Assessments Section 1.3.6.1.4.1.19376.1.5.3.1.1.13.2.4

Template ID	1.3.6.1.4.1.19376.1.5.3.1.1.13.2.4	
General Description	The assessments section contains narrative assessments of the patient status.	
LOINC Code	Opt	Description
51848-0	R	ASSESSMENT
Entries	Opt	Description
1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4	O	Nursing Assessments Battery

```

3005 <component>
      <section>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.2.4' />
        <id root=' ' extension=' ' />
        <code code='51848-0' displayName='ASSESSMENT'
3010       codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <text>
          Text as described above
        </text>
        <entry>
          :
3015       <!-- Optional Nursing Assessments Battery element -->
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4' />
          :
        </entry>
3020 </section>
    </component>

```

Figure 6.3.3.9.7-1 Specification for Assessments Section

6.3.4 CDA Entry Content Modules

Add Section 6.3.4.25

3025 6.3.4.25 Family History Observation 1.3.6.1.4.19376.1.5.3.1.4.13.3

A family history observation is a [Simple Observation](#) that uses a specific vocabulary, and inherits constraints from CCD. Family history observations are found inside [Family History Organizers](#).

6.3.4.25.1 Standards

CCD [ASTM/HL7 Continuity of Care Document](#)

3030 6.3.4.25.2 Parent Template

The parent of this template is [Simple Observation](#). This template is compatible with the ASTM/HL7 Continuity of Care Document template: 2.16.840.1.113883.10.20.1.22

6.3.4.25.3 Specification

```

3035 <observation typeCode='OBS' moodCode='EVN'>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
    <templateId root='2.16.840.1.113883.10.20.1.22' />
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.3' />
    <id root=' ' extension=' ' />
3040 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' ' />
    <text><reference value='#xxx' /></text>
    <statusCode code='completed' />
    <effectiveTime value=' ' />
    <repeatNumber value=' ' />
3045 <value xsi:type='CD' ... />
    <interpretationCode code=' ' codeSystem=' ' codeSystemName=' ' />
    <methodCode code=' ' codeSystem=' ' codeSystemName=' ' />
    <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />
</observation>

```

Figure 6.3.4.25.3-1 Family History Specification

3050 6.3.4.25.4 <templateId root='2.16.840.1.113883.10.20.1.22' /> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.3' />

The <templateId> elements identify this observation as a family history observation, and shall be present as shown above.

6.3.4.25.5 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' ' />

3055 The <code> indicates the type of observation made (e.g., Diagnosis, et cetera). See the code element in the Problem Entry entry for suggested values.

6.3.4.25.6 <value xsi:type='CD' code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '/>

3060 The <value> element indicates the information (e.g., diagnosis) of the family member. See the value element in the Problem Entry for suggested values.

<i>Add Section 6.3.4.26</i>

<i>Add Section 6.3.4.27</i>

3065 **6.3.4.27 EDD Observation 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1**

3070 The EDD observation reflects the clinicians best judgement about the estimated delivery date of the patient. It can be supported by patient history (eg last menses or quickening), physical examination findings (uterine size), or Ultrasound. The observation is a Simple Observation with a supporting entryRelation of another Observation. The supporting observation may in turn have a entryRelation that gives the original observation as a gestational age or date from which the estimated due date is calculated.

6.3.4.27.1 Specification

```

3075 <observation classCode='OBS' moodCode='EVN'>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1' />
    <statusCode code='completed' />
    <effectiveTime value=' ' />
    <author typeCode='AUT'>
3080     <time value=' ' />
    <assignedAuthor>
        <id root=' ' extension=' ' />
    </assignedAuthor>
    </author>
3085 <id root=' ' extension=' ' />
    <code code='11778-8'
        displayName='DELIVERY DATE-TMSTP-PT-^PATIENT-QN-CLINICAL.ESTIMATED'
        codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <text><reference value='id-foo' /></text>
    <value xsi:type='TS' value=' ' />
3090 <entryRelationship typeCode='SPRT'>
    <observation classCode='OBS' moodCode='EVN'>
        <id root=' ' extension=' ' />
        <statusCode code='completed' />
        <effectiveTime value=' ' />
3095 <author typeCode='AUT'>
            <time value=' ' />
            <assignedAuthor classCode=' '
                <id root=' ' extension=' ' />
            </assignedAuthor>
        </author>
3100 <code code='[11779-6|(xx-EDD-by-PE)|11781-2|(xx-EDD-by-Qck)|(xx-EDD-by-Fund)] '
        codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
    <value type='TS' value=' ' />
    <entryRelationship typeCode='DRIV'>
3105 <observation classCode='OBS' moodCode='EVN'>
        <id root=' ' extension=' ' />
        <statusCode code='completed' />
        <effectiveTime value=' ' />
        <author typeCode='AUT'>
3110 <time value=' ' />
            <assignedAuthor>
                <id root=' ' extension=' ' />
            </assignedAuthor>
        </author>
3115 <informant typeCode='INF'>
            <relatedEntity classCode=' '
                <id root=' ' extension=' ' />
            </relatedEntity>
        </informant>
3120 <code code='[8655-2|(xx-ga-by-pe)|11888-5|(xx-date-of-qck)|(xx-date-of-fund-umb)] '
        codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <value type='[PQ|TS]' value=' ' units='week' />
    </observation>
3125 </entryRelationship>
</observation>
</entryRelationship>
</observation>

```

6.3.4.27.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1' />

3130 The <templateId> identifies the observation as a type of Estimated Delivery Date Observation. The root attribute SHALL be valued with '1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.1'.

6.3.4.27.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13'/>

3135 EDD observation SHALL comply with the restrictions of the Simple Observation entry. The observation SHALL NOT include repeatNumber, interpretationCode, methodCode, or targetSiteCode as listed below.

6.3.4.27.4 <code code='11778-8' codeSystem='2.16.840.1.113883.6.1'/>

3140 The <code> element indicates that this is a "clinically estimated" estimated delivery date (for example, this code is used to represent the field on the last line of the EDD section of the ACOG form). This code SHALL be the LOINC code 11778-8. It is good style to include the displayName and codeSystemName to help debugging.

6.3.4.27.5 <value xsi:type='TS' value=' '>

The value of the EDD SHALL be represented as a point in time.

6.3.4.27.6 <author typeCode='AUT'><assignedAuthor><id root=' ' extension=' '/></assignedAuthor></author>

3145 There may be multiple clinicians following the patient and authoring the overall document, however the EDD observation has an individual author. For CDA based content, this author SHALL be listed in the CDA header and referenced from the entry by including the id element of the assignedAuthor. For HL7 Version 3 Messages based content, the author SHALL be included in full through this element.

3150 **6.3.4.27.7 <author typeCode='AUT'><time value=' '/></author>**

The author.time is used to record the time that the author recorded the observation. It SHALL be included.

6.3.4.27.8 <entryRelationship typeCode='SPRT'>

3155 The <entryRelationship> element binds the clinicians estimated EDD to supporting observations by different methods. Supporting observations SHOULD be included. If included, the typeCode SHALL be 'SPRT'. For HL7 Version 3 Messages based content, the element name is <sourceOf> rather than <entryRelationship>, however the semantics, typeCode, and nested elements remain unchanged.

3160

6.3.4.27.9 <observation>**<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13'/>**

:

3165 **</observation> [1st nesting]**

Observations that support the clinical observation SHALL be included if known. These observations are the supporting calculated dates from various methods such as ultrasound dates or dates calculated from LMP (i.e., the left column of fields on the ACOG form). Supporting observations SHALL also conform to the simple observation template. Supporting observations MAY include a different effectiveTime, author, or informant. Supporting observations SHALL NOT include repeatNumber, interpretationCode, methodCode, or targetSiteCode. (Method is implied by the LOINC code). The templateId SHALL be valued as '1.3.6.1.4.1.19376.1.5.3.1.4.13'

6.3.4.27.10 <code code=' ' codeSystem='2.16.840.1.113883.6.1'/> [1st nesting]

3175 Supporting observations SHALL include one of following LOINC values to indicate the method used to calculate the EDD.

Code	Description
11779-6	Delivery date Estimated from last menstrual period
(xx-EDD-by-PE)	DELIVERY DATE-TMSTP-PT-^PATIENT-QN-ESTIMATED FROM CLINICIANS PHYSICAL EXAM
11781-2	Delivery date composite estimate
57063-0	Delivery date Estimated from quickening date
57064-8	Delivery date Estimated from date fundal height reaches umb

6.3.4.27.11 <entryRelationship typeCode='DRIV'/>

3180 Observations of supporting EDD should provide observations from which they were derived such as the patients last menses, or gestational age value at a point in time.

For HL7 Version 3 Messages based content, the element name is <sourceOf> rather than <entryRelationship>, however the semantics, typeCode, and nested elements remain unchanged.

6.3.4.27.12 <observation>**<templateId root=' '/>**

:

3185 **</observation> [2st nesting]**

3190 Observations that support the calculation of supporting observation SHALL be included if known. These observations are the supporting dates or ages from various methods such as ultrasound gestational age or the date of last Menses (for example, the right column of fields on the ACOG form). Supporting observations SHALL also conform to the simple observation template. Supporting observations MAY include a different effectiveTime, author, or informant.

Supporting observations SHALL NOT include repeatNumber, interpretationCode, methodCode, or targetSiteCode. (Method is implied by the LOINC code)

6.3.4.27.13 <code code=' ' codeSystem='2.16.840.1.113883.6.1'> [2nd nesting]

- 3195 This code is used to represent the either the relevant date, or the gestational age observation from which the EDD is derived. The following table lists the relevant LOINC codes for methods used. For observations that record the gestational age the value is recorded as a physical quantity (PQ) with the units of weeks and the activity time should be recorded to indicate the date at which the gestational age was observed. For observations that simply record a date (e.g., LMP) the
- 3200 observation value is recorded as a point in time (TS).

Code	Description	Type
8655-2	DATE LAST MENSTRUAL PERIOD-TMSTP-PT-^PATIENT-QN-REPORTED	TS
11884-4	GESTATIONAL AGE-TIME-PT-^FETUS-QN-ESTIMATED FROM CLINICIANS PHYSICAL EXAM M	PQ
11888-5	Gestational age composite estimate	PQ
57065-5	Quickening date	TS
57066-3	Date fundal height reaches umbilicus	TS

6.3.4.27.14 <repeatNumber value=' '/> <interpretationCode code=' ' codeSystem=' '/> <targetSiteCode code=' ' codeSystem=' '/>

- 3205 The <repeatNumber> <interpretationCode>, and <targetSiteCode> elements should not be present in an EDD observation.

<i>Add Section 6.3.4.28</i>

6.3.4.28 Antepartum Visit Summary Battery 1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2

- 3210 This entry describes a single row in the Antepartum Visit Summary Flowsheet. The single observation date and provider is applied to all other observations.

6.3.4.28.1 Specification

```

3215 <entry>
      <organizer classCode='BATTERY' moodCode='EVN'>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2' />
        <id root=' ' extension=' ' />
        <code code='57061-4' displayName='Antepartum flowsheet panel'
3220         codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
        <statusCode code='completed' />
        <author>
          <time value=' ' />
          <assignedAuthor>
            <id root=' ' extension=' ' />
3225          </assignedAuthor>
        </author>
        <component>
          <observation classCode='OBS' moodCode='EVN'>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
3230            :
          </observation>
        </component>
        <component>
          <observation classCode='OBS' moodCode='EVN'>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
3235            :
          </observation>
        </component>
        :
      </organizer>
3240 </entry>

```

6.3.4.28.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2' />

The <templateId> element specifies that this organizer entry conforms to the APS profile Antepartum Visit Summary Flowsheet battery. The root attribute SHALL contain the value

3245 "1.3.6.1.4.1.19376.1.5.3.1.1.11.2.3.2"

6.3.4.28.3 <organizer classCode='BATTERY' moodCode='EVN'>

Each row in the visit Summary flowsheet of the Antepartum Summary SHALL be represented by an organizer with the classCode of 'BATTERY' and the moodCode of 'EVN'

6.3.4.28.4 <id root=' ' extension=' ' />

3250 Each battery SHALL have a globally unique identifier.

6.3.4.28.5 <code code='(57061-4)' codeSystem='2.16.840.1.113883.6.1' />

The <code> element specifies the LOINC code that represents the content of the battery. The codeSystem attribute SHALL contain the value '2.16.840.1.113883.6.1'. The code attribute SHALL contain the value='(57061-4)'. It is good practice to include displayName and

3255 codeSystemName for clarity and debugging. The corresponding values are 'ACOG VISIT SUMMARY BATTERY--PT--' and 'LOINC' respectively.

6.3.4.28.6 <author/><time/><assignedAuthor><id/></assignedAuthor></author>

The <author> relation element points at the author that records the visit battery. This assignedAuthor may be different than the author of the document. The time element is used to record when the assigned author recorded the battery.

6.3.4.28.7 <statusCode code='completed'/>

The status code for all batteries SHALL be 'completed'

6.3.4.28.8 <component>

The battery is made of several component simple observations. The following table lists the allowable LOINC codes, displayName, and observation types, and unit of measures for these observations.

LOINC Code	displayName	xsi:type	units	value set
11884-4	Gestational age Clinical.estimate	PQ	week	
57067-1 or 11727-5 (by US)	Fetal Body weight Estimated by palpation or Fetal weight estimated by US	PQ	g, kg, lb_av, or oz_av	
11881-0	Uterus Fundal height Tape measure	PQ	cm	
11876-0 (by PE) or 11877-8 (by US)	Fetal presentation by palpitation or Fetal presentation US	CD		SNOMED CT Vertex (70028003) Breech (6096002) Transverse (73161006) Oblique (63750008) Compound (124736009) Brow (8014007) Face (21882006)
11948-7 or 57068-9	Fetal Heart rate US or Fetal Heart rate Auscultation	PQ	/min	
57088-7	Fetal Movement - Reported	CO		SNOMED CT fetal movement activity (finding) CID 364755008 baby kicks a lot (finding) CID 276368003 baby not moving (finding) CID 276370007 reduced fetal movement (finding) CID 276369006 fetal movements present (finding) CID 289431008 fetal movements felt (finding) CID 268470003 fetal movements seen (finding)

LOINC Code	displayName	xsi:type	units	value set
				CID 169731002
57069-7	Preterm labor symptoms	BL		
11709-7 or 11785-3	DILATION-LEN-PT- CERVICAL CANAL.external os -QN-PALPATION or DILATION-LEN-PT- CERVICAL CANAL.external os- QN-US	PQ	cm	
11867-9	Effacement Cervix by palpitation	PQ	percent	
11961-0	Cervix [Length] US	PQ	cm	
8480-6	Systolic blood pressure	PQ	mmHg	
8462-4	Diastolic blood pressure	PQ	mmHg	
3141-9	Body weight Measured	PQ	g, kg, lb_av, or oz_av	
1753-3	Albumin [Presence] in Urine	CO		SNOMED CT Negative (finding) CID 167273002 Trace (finding) CID 167274008 1+ (finding) CID 167275009 2+ (finding) CID 167276005 3+ (finding) CID 167277001 4+ (finding) CID 167278006
2349-9 or 25428-4(test strip)	Glucose [Presence] in Urine or Glucose [Presence] in Urine by Test strip	CO		SNOMED CT Negative (finding) CID 167261002 Trace (finding) CID 167262009 1+ (finding) CID 167264005 2+ (finding) CID 167265006 3+ (finding) CID 167266007 4+ (finding) CID 167267003
44966-0	Edema	CO		SNOMED CT Trace 44996-0 1+ pitting edema 420829009 2+ pitting edema 421605005 3+ pitting edema 421346005 4+ pitting edema 421129002
38208-5	Pain severity - Reported	CO		0 (no pain) : 10 (worst possible pain) Note: This observation should

LOINC Code	displayName	xsi:type	units	value set
				correspond to the functional status pain score observation
57070-5	Date next clinic visit	PQ	day,week,mo	
48767-8	Annotation comment	ED		

Add Section 6.3.4.29

6.3.4.29 Advance Directive Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.7

3270 An advance directive observation is a simple observation that uses a specific vocabulary, and inherits constraints from CCD.

6.3.4.29.1 Standards

CCD [ASTM/HL7 Continuity of Care Document](#)

6.3.4.29.2 Specification

```

3275 <observation typeCode='OBS' moodCode='EVN'>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
    <templateId root='2.16.840.1.113883.10.20.1.17' />
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.7' />
    <id root=' ' extension=' ' />
3280 <code code=' ' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />
    <text><reference value='#xxx' /></text>
    <statusCode code='completed' />
    <effectiveTime value=' ' />
    <value xsi:type='BL' value='true|false' />
3285 <reference typeCode='REFR'>
    <templateId root='2.16.840.1.113883.10.20.1.36' />
    <externalDocument classCode='DOC' moodCode='EVN'>
        <id root=' ' extension=' ' />
        <text><reference value=' ' /></text>
    </externalDocument>
3290 </reference>
</observation>

```

An advanced directive <observation> shall be represented as shown above. They shall not contain any <repeatNumber>, <interpretationCode>, <methodCode> or <targetSiteCode> elements.

3295 **6.3.4.29.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />**
<templateId root='2.16.840.1.113883.10.20.1.17' />
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.7' />

The <templateId> elements shown above shall be present, and indicated that this is an Advance Directive entry.

3300 **6.3.4.29.4 <code code=' ' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT'/>**

The <code> element records the type of advance directive. It should use one of the following SNOMED codes in the table below.

Code	Description	Data Type
304251008	Resuscitation	BL
52765003	Intubation	
225204009	IV Fluid and Support	
89666000	CPR	
281789004	Antibiotics	
78823007	Life Support	
61420007	Tube Feedings	
116859006	Transfusion of blood product	
71388002	Other Directive	<value> not permitted

3305

6.3.4.29.5 <value xsi:type='BL' value='true|false'/>

The advance directive observation may include a <value> element using the Boolean (xsi:type='BL') data type to indicate simply whether the procedure described is permitted. Absence of the the <value> element indicates that an advance directive of the specified type has been recorded, and must be examined to determine what type of treatment should be performed. The value element is not permitted when the <code> element describes an Other directive.

3310

**6.3.4.29.6 <reference typeCode='REFR'>
<templateId root='2.16.840.1.113883.10.20.1.36'/>
<externalDocument classCode='DOC' moodCode='EVN'>
3315 <id root=' ' extension=' '/>
<text><reference value=' '/></text>**

The advanced directive observation may contain a single reference to an external document. That reference shall be recorded as shown above. The <id> element shall contain the appropriate root and extension attributes to identify the document. The <text> element may be present to provide a URL link to the document in the value attribute of the <reference> element. If the <reference> element is present, the Advance Directive in the narrative shall contain a <linkHTML> element to the same URL found in the value attribute.

3320

3325

Add Section 6.3.4.30**6.3.4.30 Blood Type Observation 1.3.6.1.4.1.19376.1.5.3.1.4.13.6**

3330 The blood type observation is a Simple Observation of the patient's blood type. It conforms to the CCD Result observation template.

6.3.4.30.1 Standards

CCD [ASTM/HL7 Continuity of Care Document](#)

6.3.4.30.2 Specification

```

3335 <observation typeCode='OBS' moodCode='EVN'>
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.6' />
      <templateId root='2.16.840.1.113883.10.20.1.31' />
      <id root=' ' extension=' ' />
3340 <code code='882-1' displayName='ABO+RH GROUP'
      codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
      <text><reference value='#xxx' /></text>
      <statusCode code='completed' />
      <effectiveTime value=' ' />
      <repeatNumber value=' ' />
3345 <value xsi:type='CE' code=' ' displayName=' ' codeSystem=' ' codeSystemName=' ' />
      <interpretationCode code=' ' codeSystem=' ' codeSystemName=' ' />
      <methodCode code=' ' codeSystem=' ' codeSystemName=' ' />
      <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />
      <observation>

```

3350

6.3.4.30.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13.6' />
<templateId root='2.16.840.1.113883.10.20.1.31' />

3355 These <templateId> elements identify this as a blood type observation. They shall be present in the <observation> element as shown above.

6.3.4.30.4 <code code='882-1' displayName='ABO+RH GROUP'
codeSystem='2.16.840.1.113883.6.1'
codeSystemName='LOINC' />

3360 The <code> element shall be present to represent this as a finding of the patient's composite blood type. It shall use the code and codeSystem attributes shown above.

6.3.4.30.5 ~~<repeatNumber value=' ' />~~

The <repeatNumber> element should not be present in a blood type observation.

3365

6.3.4.30.6 <value xsi:type='CE' code=' ' displayName=' ' codeSystem=' ' codeSystemName=' '/>

3370

The <value> element shall be present and shall use the CE data type. The code attribute should be valued using a vocabulary that supports encoding of blood types. The table below shows some coding systems that may be used to encode blood type.

Coding System	OID
ISBT 128	2.16.840.1.113883.6.18
SNOMED CT	2.16.840.1.113883.6.96

3375

~~3.4.30.7 <interpretationCode code=' ' codeSystem=' ' codeSystemName=' '/>
<methodCode code=' ' codeSystem=' '
codeSystemName=' '/>
codeSystem=' ' codeSystemName=' '/>
<targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/>~~

The <interpretationCode>, <methodCode>, and <targetSiteCode> should not be present in a blood type observation.

3380

Add Section 6.3.4.31

6.3.4.31 Encounters 1.3.6.1.4.1.19376.1.5.3.1.4.14

3385

An Encounter is an interaction between a patient and care provider(s) for the purpose of providing healthcare-related service(s). Healthcare services include health assessment. Examples: outpatient visit to multiple departments, home health support (including physical therapy), inpatient hospital stay, emergency room visit, field visit (e.g., traffic accident), office visit, occupational therapy, or telephone call.

6.3.4.31.1 Standards

CCD [ASTM/HL7 Continuity of Care Document](#)

6.3.4.31.2 Specification

3390

```

3395 <encounter classCode='ENC' moodCode='PRMS|ARQ|EVN'>
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.14' />
      <templateId root='2.16.840.1.113883.10.20.1.21' />
      <templateId root='2.16.840.1.113883.10.20.1.25' />
      <id root="" extension="" />
      <code code="" codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActEncounterCode' />
      <text><reference value='#xxx' /></text>
      <effectiveTime>
3400       <low value="" />
       <high value="" />
      </effectiveTime>
      <priorityCode code="" />
      <performer typeCode='PRF'>
3405       <time><low value="" /><high value="" /></time>
       <assignedEntity>...</assignedEntity>
      </performer>
      <author />
      <informant />
3410      <participant typeCode='LOC'>
       <participantRole classCode='SDLOC'>
        <id />
        <code />
        <addr>...</addr>
3415        <telecom value="" use="" />
        <playingEntity classCode='PLC' determinerCode='INST'>
         <name></name>
        </playingEntity>
       </participantRole>
      </participant>
3420 </encounter>

```

6.3.4.31.2.1 <encounter classCode='ENC' moodCode='APT|ARQ|EVN'>

This element is an encounter. The classCode shall be 'ENC'. The moodCode may be PRMS to indicate a scheduled appointment, ARQ to describe a request for an appointment that has been made but not yet scheduled by a provider, or EVN, to describe an encounter that has already occurred.

6.3.4.31.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.14'>

The templateId indicates that this <encounter> entry conforms to the constraints of this content module. NOTE: When the encounter is in event mood (moodCode='EVN'), this entry conforms to the CCD template 2.16.840.1.113883.10.20.1.21, and when in other moods, this entry conforms to the CCD template 2.16.840.1.113883.10.20.1.25.

6.3.4.31.2.3 <id root="" extension="" />

This required element shall contain an identifier for the encounter. More than one encounter identifier may be present.

6.3.4.31.2.4 <code code="" codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActEncounterCode' />

This required element should contain a code from the HL7 ActEncounterCode vocabulary describing the type of encounter (e.g., inpatient, ambulatory, emergency, et cetera). Developers

should take care to check that rational combinations of encounter.code and encounter.moodCode are used , but this Technical Framework does not restrict any combination.

3440 **6.3.4.31.2.5 <text><reference value='#xxx'/></text>**

The <text> element shall contain a reference to the narrative text describing the encounter.

6.3.4.31.2.6 <effectiveTime><low value=''/><high value=''/></effectiveTime>

3445 This element records the time over which the encounter occurred (in EVN mood), or the desired time of the encounter in ARQ or APT mood. In EVN or APT mood, the effectiveTime element should be present. In ARQ mood, the effectiveTime element may be present, and if not, the priorityCode may be present to indicate that a callback is required to schedule the appointment.

6.3.4.31.2.7 <priorityCode code='CS'/>

This element may be present in ARQ mood to indicate a callback is requested to schedule the appointment.

3450 **6.3.4.31.2.8 <performer>**

3455 For encounters in EVN mood, at least one performer should be present that identifies the provider of the service given during the encounter. More than one performer may be present. The <time> element should be used to indicate the duration of the participation of the performer when it is substantially different from that of the effectiveTime of the encounter. In ARQ mood, the performer may be present to indicate a preference for a specific provider. In APT mood, the performer may be present to indicate which provider is scheduled to perform the service.

**6.3.4.31.2.9 <participant typeCode='LOC'>
<participantRole classCode='SDLOC'>**

3460 A <participant> element with typeCode='LOC' may be present to provide information about the location where the encounter is to be or was performed. This element shall have a <participantRole> element with classCode='SDLOC' that describes the service delivery location.

6.3.4.31.2.10 <id/>

The <id> element may be present to identify the service delivery location.

6.3.4.31.2.11 <code/>

3465 The <code> element may be present to classify the service delivery location.

6.3.4.31.2.12 <addr>...</addr>

The <addr> element should be present, and gives the address of the location.

6.3.4.31.2.13 <telecom value="" use=''/>

The <telecom> element should be present, and gives the telephone number of the location.

3470 **6.3.4.31.2.14 <playingEntity classCode='PLC'>**
 <name>...</name>
 </playingEntity>

The <playingEntity> shall be present, and gives the name of the location in the required <name> element.

3475

<i>Add Section 6.3.4.32</i>

6.3.4.32 Update Entry 1.3.6.1.4.1.19376.1.5.3.1.4.16

3480 The update entry shall contain references to the entries or sections which are being replaced or updated. This reference shall not be present when the update entry is adding a new entries or sections.

Entries and sections can be added, updated, or removed from a PHR. An update entry indicates the entry in the original PHR Extract that should be replaced or updated with new information contained within the entry. Only one organizer of this type is allowed in a section, and if present, it must be the first entry in the section.

6.3.4.32.1 Specification

<pre><entry> <organizer classCode='BATTERY' moodCode='EVN'> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.16' /> <reference typeCode='RPLC'> <externalAct classCode='ACT' moodCode='EVN'> <id root='' extension='' /> </externalAct> </reference> </organizer> </entry></pre>

3490

3495

6.3.4.32.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.16' />

3500 This templateId indicates that the organizer is used to update a PHR Extract.

6.3.4.32.3 <reference typeCode='RPLC'>

3505 A reference element shall be present with typeCode RPLC. The reference element lists the acts that are affected by the update. It indicates that any referenced act is being replaced with new information. This element must be present, and may be repeated to replace more than one act at a time.

6.3.4.32.4 <externalAct classCode='ACT' moodCode='EVN'>

- 3510 This element must appear as shown above. It indicates that the reference is to an external act (a section or entry contained in the parent document).

6.3.4.32.5 <id root=' ' extension=' '/>

- 3515 This element identifies the information being replaced or updated. The identifier is of the entry or section being replaced. If the identifier is to a section being replaced, only one reference element is permitted.

<i>Add Section 6.3.4.33</i>

6.3.4.33 Procedure Entry 1.3.6.1.4.1.19376.1.5.3.1.4.19

- 3520 The procedure entry is used to record procedures that have occurred, or which are planned for in the future.

6.3.4.33.1 Standards

CCD [ASTM/HL7 Continuity of Care Document](#)

6.3.4.33.2 Specification

```

3525 <procedure classCode='PROC' moodCode='EVN|INT'>
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19' />
      <templateId root='2.16.840.1.113883.10.20.1.29' /><!-- see text of section 0 -->
      <templateId root='2.16.840.1.113883.10.20.1.25' /><!-- see text of section 0 -->
      <id root="" extension="" />
3530 <code code="" codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActCode' />
      <text><reference value='#xxx' /></text>
      <statusCode code='completed|active|aborted|cancelled' />
      <effectiveTime>
        <low value="" />
        <high value="" />
3535 </effectiveTime>
      <priorityCode code="" />
      <approachSiteCode code="" displayName="" codeSystem="" codeSystemName="" />
      <targetSiteCode code="" displayName="" codeSystem="" codeSystemName="" />
      <author />
3540 <informant />
      <entryRelationship typeCode='COMP' inversionInd='true'>
        <act classCode='ACT' moodCode=''>
          <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.4.1' />
          <id root="" extension="" />
3545 </act>
        </entryRelationship>
        <entryRelationship typeCode='RSON'>
          <act classCode='ACT' moodCode='EVN'>
            <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.4.1' />
            <id root="" extension="" />
3550 </act>
          </entryRelationship>
        </entryRelationship>
      </procedure>

```

6.3.4.33.2.1 <procedure classCode='PROC' moodCode='EVN|INT'>

3555 This element is a procedure. The classCode shall be 'PROC'. The moodCode may be INT to indicated a planned procedure or EVN, to describe a procedure that has already occurred.

6.3.4.33.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.19'>

3560 The templateId indicates that this <procedure> entry conforms to the constraints of this content module. NOTE: When the procedure is in event mood (moodCode='EVN'), this entry conforms to the CCD template 2.16.840.1.113883.10.20.1.29, and when in intent mood, this entry conforms to the CCD template 2.16.840.1.113883.10.20.1.25.

6.3.4.33.2.3 <id root="" extension="" />

This required element shall contain an identifier for the procedure. More than one procedure identifier may be present.

3565 6.3.4.33.2.4 <code code="" displayName="" codeSystem="" codeSystemName="" />

This element shall be present, and should contain a code describing the type of procedure.

6.3.4.33.2.5 <text><reference value='#xxx' /></text>

The <text> element shall contain a reference to the narrative text describing the procedure.

6.3.4.33.2.6 <statusCode code='completed|active|aborted|cancelled'/>

3570 The <statusCode> element shall be present when used to describe a procedure event. It shall have the value 'completed' for procedures that have been completed, and 'active' for procedures that are still in progress. Procedures that were stopped prior to completion shall use the value 'aborted', and procedures that were cancelled before being started shall use the value 'cancelled'.

6.3.4.33.2.7 <effectiveTime><low value=""/><high value=""/></effectiveTime>

3575 This element should be present, and records the time at which the procedure occurred (in EVN mood), or the desired time of the procedure in INT mood.

6.3.4.33.2.8 <priorityCode code=""/>

This element shall be present in INT mood when effectiveTime is not provided, it may be present in other moods. It indicates the priority of the procedure.

3580 **6.3.4.33.2.9 <approachSiteCode code=" displayName=" codeSystem=" codeSystemName=""/>**

This element may be present to indicate the procedure approach.

6.3.4.33.2.10 <targetSiteCode code=" displayName=" codeSystem=" codeSystemName=""/>

3585 This element may be present to indicate the target site of the procedure.

6.3.4.33.2.11 <entryRelationship typeCode='COMP' inversionInd='true'>

This element may be present to point the encounter in which the procedure was performed, and shall contain an internal reference to the encounter. See PCC TF-2: 6.3.4.10 Internal References for more details.

3590 **6.3.4.33.2.12 <entryRelationship typeCode='RSON'>**

A <procedure> act may indicate one or more reasons for the procedure. These reasons identify the concern that was the reason for the procedure via an Internal Reference (see PCC TF-2: 6.3.4.10 Internal References) to the concern. The extension and root of each observation present must match the identifier of a concern entry contained elsewhere within the CDA document.

3595

<i>Add Section 6.3.4.34</i>

6.3.4.34 Transport 1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1

A transport entry indicates the intended or actual mode of transport and time of departure and/or arrival of the patient.

3600 6.3.4.34.1 Specification

3605

3610

```
<entry>
  <act classCode='ACT' moodCode='INT|EVN'>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1' />
    <id root='' extension='' />
    <code code='' displayName=''
      codeSystem='2.16.840.1.113883.6.102.4.2'
      codeSystemName='DEEDS4.02'>
      <originalText><reference value='#(ID of text coded)' /></originalText>
    </code>
    <text><reference value='#text' /></text>
    <high value=/>
    </effectiveTime>
  </act>
</entry>
```

3615 6.3.4.34.1.1 <act classCode='ACT' moodCode='INT|EVN'>

This element indicates that the entry is an act (of transporting the patient, as indicated by the code below). This entry records the mode, and intended or actual ending time of transportation. In intent mood (moodCode='INT') this is how the estimated time of departure or arrival is indicated. In event mood (moodCode='EVN') this is how the actual departure or arrival of the patient is recorded.

3620

6.3.4.34.1.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1' />

The <templateId> element identifies this <act> as about the transportation of the patient. The templateId must have root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1'.

6.3.4.34.1.3 <id root="" extension="" />

3625 The entry must have an identifier.

6.3.4.34.1.4 <code code="" displayName="" codeSystem='2.16.840.1.113883.6.102.4.2' codeSystemName='DEEDS4.02'>

3630

The code describes the intended mode of transport. For transport between facilities, IHE recommends the use of a code system based on the DEEDS Mode of Transportation data element value set. However, the vocabulary used within an affinity domain should be determined by a policy agreement within the domain.

6.3.4.34.1.5 <originalText><reference value='#xxx' /></originalText>

This is a reference to the narrative text within the section that describes the mode of transportation.

3635 6.3.4.34.1.6 <text><reference value='#text' /></text>

This is a reference to the narrative text corresponding to the transport act.

6.3.4.34.1.7 <effectiveTime>

The effectiveTime element shall be sent. It records the interval of time over which transport occurs.

3640 **6.3.4.34.1.8 <low value=""/>**

This element records the time of departure. This element shall be sent using the TS data type, as shown above.

6.3.4.34.1.9 <high value=""/>

This element records the time of arrival. If unknown, it must be recorded using a flavor of null.

3645 This element shall be sent using the TS data type as shown above.

<i>Add Section 6.3.4.35</i>

6.3.4.35 Encounter Disposition 1.3.6.1.4.1.19376.1.5.3.1.1.10.4.2

3650 This element records the intended or actual disposition for the patient (e.g., admit, discharge home after treatment, et cetera).

6.3.4.35.1 Specification

```

3655 <act classCode='ACT' moodCode='INT|EVN'>
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.2' />
    <id root='' extension='' />
    <code code='' displayName='' codeSystem='' codeSystemName='' />
    <text><reference value='#xxx' /></text>
    <statusCode code='normal|completed' />
    <effectiveTime value='' />
3660 <performer typeCode='PRF'>
    <assignedEntity>
        <id root='' extension='' />
        <addr></addr>
        <telecom value='' use='' />
3665 <assignedPerson>
        <name></name>
    </assignedPerson>
    </assignedEntity>
</performer>
3670 <participant typeCode='RCV'>
    <time value='' />
    <participantRole classCode='ROL'>
        <id root='' extension='' />
        <addr></addr>
3675 <telecom value='' use='' />
        <playingEntity>
            <name></name>
        </playingEntity>
    </participantRole>
</participant>
3680 <entryRelationship typeCode='COMP'>
    <act classCode='ACT'>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1' />
        :
    </act>
3685 </entryRelationship>
</act>

```

6.3.4.35.1.1 <act classCode='ACT' moodCode='INT|EVN'>

3690 The disposition is recorded in an act element, to describe the disposition action taken during the encounter¹. In intent mood (moodCode='INT'), this records the expected disposition of the patient. In event mood (moodCode='EVN'), this records the actual disposition.

¹ The HL7 RIM allows this portion of the encounter to be recorded in the dischargeDispositionCode RIM Attribute of the Encounter class, but the Encounter class is constrained within CDA. To record the disposition act therefore requires the use of the Act class.

6.3.4.35.1.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.2' />

The templateId indicates that this <encounter> entry conforms to the constraints of this content module.

6.3.4.35.1.3 <id root="" extension="" />

3695 This required element shall contain an identifier.

6.3.4.35.1.4 <code code="" displayName="" codeSystem="" codeSystemName="" />

3700 This required element indicates the disposition of the patient. The code shall come from a coding system that is able to record common patient dispositions (e.g., Discharged, Transferred, Admitted). The "Administrative Procedure" concept (14734007) of SNOMED CT contains several code values that cover a wide variety of dispositions routinely recorded. Other vocabularies that are commonly in use to describe discharge disposition codes are DEEDS (See section 8.02), and in the US, the Uniform National Billing Code.

6.3.4.35.1.5 <text><reference value='#xxx'/></text>

3705 The <text> element shall contain a reference to the narrative text describing the disposition of the patient. <statusCode code='normal|completed'/> When the disposition act has occurred (moodCode='EVN'), the statusCode element shall be present, and shall contain the value 'completed'. When the disposition act is intended (moodCode='EVN') the statusCode element shall contain the value 'normal'.

6.3.4.35.1.6 <effectiveTime><low value=""/><high value=""/><effectiveTime/>

3710 When the disposition has occurred, this element shall be sent, and indicates the effective time for the disposition process. This element may be sent to record when the disposition act is intended to occur. The <low> element records the time at which the disposition process was started. The <high> value records the time at which the disposition process was completed.

6.3.4.35.1.7 <performer typeCode='PRF'>

3715 The <performer> element provides information about the person that performs the discharge, admission or transfer of the patient. When the disposition is in intent mood, this element describes any expectations with respect to the performer, and is optional. When the disposition is in event mood, this element is required.

6.3.4.35.1.8 <assignedEntity>

3720 The <assignedEntity> element identifies the performer of the disposition.

6.3.4.35.1.9 <id root="" extension=""/>

The <id> element shall be sent when the disposition has occurred, and identifies the performer of the act.

6.3.4.35.1.10 <addr></addr>

3725 The <addr> element may be sent to provide a contact postal address for the performer of the disposition.

6.3.4.35.1.11 <telecom value="" use=""/>

The <telecom> element may be sent to provide a contact postal address for the performer of the disposition.

3730 **6.3.4.35.1.12 <assignedPerson><name/></assignedPerson>**

The <assignedPerson> element shall be sent to identify the person who performed the disposition of the patient.

**6.3.4.35.1.13 <participant typeCode='RCV'>
<time value=''/>**

3735 **<participantRole classCode='ROL'>**

<id root="" extension=''/>

<addr></addr>

<telecom value="" use=''/>

<playingEntity><name/></playingEntity>

3740 This element identifies the person or organization that is receiving the patient. =====

<entryRelationship typeCode='COMP'>

<act classCode='ACT'>

<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.10.4.1'> If the disposition of the patient requires transport to another location, this information shall be recorded in a subordinate act that

3745 conforms to the Transport template described above.

<i>Add Section 6.3.4.36</i>

6.3.4.36 Coverage Entry 1.3.6.1.4.1.19376.1.5.3.1.4.17

Payers shall be recorded as described in CCD: 3.1.2.1.1.

3750 **6.3.4.36.1 Standards**

CCD [ASTM/HL7 Continuity of Care Document](#)

6.3.4.36.2 Specification

Coverage Entry Example

3755	<act classCode='ACT' moodCode='DEF'>
	<templateId root='2.16.840.1.113883.10.20.1.20'>
	<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.17'>
	<id root='' extension=''/>
	<code code='48768-6' displayName='Payment Sources'
	codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'>
3760	<statusCode code='completed'>
	<entryRelationship typeCode='COMP'>
	<sequenceNumber value=''/>
	:
	</entryRelationship>
3765	</act>

6.3.4.36.3 <act classCode='ACT' moodCode='DEF'>

3770 Coverage shall be recorded in an <act> that groups all patient coverage together, and defines (moodCode='DEF') the payers.

**6.3.4.36.4 <templateId root='2.16.840.1.113883.10.20.1.20' />
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.17' />**

3775 The <act> conforms to CCD: 3.1.2.1.1 as well as this specification. This shall be reflected by including the <templateId> elements shown above.

6.3.4.36.5 <id root=' ' extension=' ' />

The <id> element shall be present.

3780 **6.3.4.36.6 <code code='35525-4' displayName='FINANCING AND INSURANCE' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />**

The <code> element shall be recorded exactly as shown above.

6.3.4.36.7 <statusCode code='completed' />

3785 The <statusCode> element shall be present exactly as shown above.

6.3.4.36.8 <entryRelationship typeCode='COMP'>

3790 The coverage <act> shall have one or more <entryRelationship> elements. These elements define the coverage. The entry relationships must contain Payer Entries.

6.3.4.36.9 <sequenceNumber value=' ' />

The <sequenceNumber> element may be present. If present, it shall contain a value attribute that indicates the priority of the payment source.

3795 *Add Section 6.3.4.37*

6.3.4.37 Payer Entry 1.3.6.1.4.1.19376.1.5.3.1.4.18

The payer entry allows information about the patient's sources of payment to be recorded.

6.3.4.37.1 Standards

CCD [ASTM/HL7 Continuity of Care Document](#)

3800 6.3.4.37.2 Specification

Payer Entry Example

```
3805 <act classCode='ACT' moodCode='EVN'>
    <templateId root='2.16.840.1.113883.10.20.1.26' />
    <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.18' />
    <id root='' extension='' />
    <code code='' displayName='' codeSystem='' codeSystemName='' />
    <statusCode code='completed' />
3810 <performer typeCode='PRF'><!-- payer -->
    <assignedEntity classCode='ASSIGNED'>
        <id root='' extension='' />
        <code code='PAYOR|GUAR|PAT' displayName=''
            codeSystem='2.16.840.1.113883.5.110' codeSystemName='RoleClass' />
3815 <addr></addr>
        <telecom value='' use='' />
        <representedOrganization typeCode='ORG'>
            <name></name>
        </representedOrganization>
    </assignedEntity>
3820 </performer>
    <participant typeCode='COV'><!-- member -->
        <participantRole classCode='PAT'>
            <id root='' extension='' />
            <code code='' displayName=''
                codeSystem='2.16.840.1.113883.5.111' codeSystemName='RoleCode' />
3825 <addr></addr>
            <telecom value='' use='' />
            <playingEntity><name></name></playingEntity>
        </participantRole>
3830 </participant>
        <participant typeCode='HLD'><!-- subscriber -->
            <participantRole classCode='PAT'>
                <id root='' extension='' />
                <playingEntity><name></name></playingEntity>
3835 </participantRole>
            </participant>
        <entryRelationship typeCode='REFR'>
            <act classCode='ACT' moodCode='DEF'>
                <id root='' extension='' />
                <code code='' displayName='' codeSystem='' codeSystemName='' />
3840 <text><reference value='' /></text>
            </act>
        </entryRelationship>
3845 </act>
```

6.3.4.37.3 <act classCode='ACT' moodCode='EVN'>

The policy entry <act> describes the policy or program that has agreed to pay (moodCode='EVN') for the patient's treatment.

3850 **6.3.4.37.4 <templateId root='2.16.840.1.113883.10.20.1.26'/>
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.18'/>**

The <act> conforms to CCD: 3.1.2.1.2 and this guide. This shall be reflected by including the <templateId> elements shown above.

3855 **6.3.4.37.5 <id root=' ' extension=' '/>**

The <act> shall contain at least one <id> element that represents the policy or group number of the coverage. That identifier shall appear in the extension attribute.

3860 **6.3.4.37.6 <code code=' ' displayName=' '
codeSystem=' ' codeSystemName=' '/>**

The <code> element should be present, and represents the type of coverage provided by the payer. Potential vocabularies to use include:

Table 6.3.4.37.2-1 Payer Type Vocabularies

Vocabulary	Description	OID
HL7 ActCoverageType	The HL7 ActCoverageType vocabulary describes payers and programs. Note that HL7 does not have a specific code to identify an individual payer, e.g., in the role of a guarantor or patient.	2.16.840.1.113883.5.4
X12 Data Element 1336	The X12N 271 implementation guide includes various types of payers. This code set does include a code to identify individual payers.	2.16.840.1.113883.6.255.1336

3865

6.3.4.37.7 <statusCode code='completed'/>

The <statusCode> element shall be present, and should be recorded exactly as shown above.

3870 **6.3.4.37.8 <performer typeCode='PRF'>
<assignedEntity classCode='ASSIGNED'>**

The <performer> element shall be present to represent the payer of the coverage.

6.3.4.37.9 <id root=' ' extension=' '/>

The identity of the performer should be recorded in the <id> element.

3875 **6.3.4.37.10** `<code code='PAYOR|GUAR|PAT' displayName=' ' codeSystem='2.16.840.1.113883.5.110' codeSystemName='RoleClass'/>`

The `<code>` element describes the role of the payer. It shall contain one of the values listed in the table below.

3880

Payer Role Codes

Coding System	OID
ISBT 128	2.16.840.1.113883.6.18
SNOMED CT	2.16.840.1.113883.6.96

6.3.4.37.11 `<addr></addr>`

The `<addr>` element shall be used to record the address of the payer. This information will usually come from the back of an insurance card.

3885

6.3.4.37.12 `<telecom value=' ' use=' '/>`

The `<telecom>` element shall be used to record the phone number of the payer. This information will usually come from the back of an insurance card.

3890 **6.3.4.37.13** `<representedOrganization typeCode='ORG'>
<name></name>`

The name of the payer organization shall be provided in the `<name>` element contained within the `<representedOrganization>` element.

3895 **6.3.4.37.14** `<participant typeCode='COV'>
<participantRole classCode='PAT'>`

Information about the patient with respect to the policy or program shall be recorded in the `<participantRole>` element shown above. This element shall be present when the patient is a member of a policy or program.

3900

6.3.4.37.15 `<id root=' ' extension=' '/>`

The `<id>` element should contain the identifier of the patient with respect to the payer (the subscriber or member id).

3905 **6.3.4.37.16 <code code= displayName= codeSystem='2.16.840.1.113883.5.111' codeSystemName='RoleCode'/>**

The <code> element shall indicate the covered parties relationship to the subscriber, and should come from the HL7 CoverageRoleType value set.

3910 **6.3.4.37.17 <addr></addr>**

The <addr> element should be used to record the address of the patient as known to the payer when different from that recorded in the <patientRole> element.

6.3.4.37.18 <telecom value=' ' use=' '/>

3915 The <telecom> element should be used to record the phone number of the patient when different from that recorded in the <patientRole> element.

6.3.4.37.19 <playingEntity><name></name></playingEntity>

3920 The <name> element should be used to record the member name when it is different from that recorded in the <patient> element.

**6.3.4.37.20 <participant typeCode='HLD'>
<participantRole classCode='IND'>**

3925 Information about subscriber to the policy or program shall be recorded in the <participantRole> element shown above. This element shall be present when the subscriber is different from the patient.

6.3.4.37.21 <id root=' ' extension=' '/>

3930 The <id> element shall contain the identifier of the subscriber when the subscriber is not the patient.

6.3.4.37.22 <addr></addr>

3935 The <addr> element shall be used to record the address of the subscriber when the subscriber is not the patient.

6.3.4.37.23 <telecom value=' ' use=' '/>

The <telecom> element shall be used to record the phone number of the subscriber when the subscriber is not the patient.

3940 **6.3.4.37.24 <playingEntity><name></name></playingEntity>**

The name of the subscriber shall be recorded in the <name> element of the <playingEntity>.

**6.3.4.37.25 <entryRelationship typeCode='REFR'>
<act classCode='ACT' moodCode='DEF'>**

3945 The plan information may be provided in the elements described above.

6.3.4.37.26 <id root=' ' extension=' '/>

The health plan identifier is recorded in the <id> element.

3950 **6.3.4.37.27 <text><reference value=' '/></text>**

This <reference> element shown above should be present and the value attribute should point to the name of the plan contained in the narrative of the document.

<i>Add Section 6.3.4.38</i>

3955 **6.3.4.38 Pain Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.1**

The pain score observation is a [Simple Observation](#) that records the patient's assessment of their pain on a scale from 0 to 10.

6.3.4.38.1 Parent Template

The parent of this template is [Simple Observation](#).

6.3.4.38.2 Specification

```

<observation typeCode='OBS' moodCode='EVN'>
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
  <id root=' ' extension=' ' />
  <code code='38208-5|38221-8|38214-3' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'>
    <translation code='406127006' displayName='Pain intensity'
      codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />
  </code>
  <text><reference value='#xxx' /></text>
  <statusCode code='completed' />
  <effectiveTime value=' ' />
  <repeatNumber value=' ' />
  <value xsi:type='CO|REAL' />
  <interpretationCode code=' ' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />
  <methodCode code=' ' codeSystem=' ' codeSystemName=' ' />
  <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />
</observation>

```

6.3.4.38.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />

The <templateId> identifies this as a Pain Score Observation, and shall be present as shown above.

6.3.4.38.4 <code code='38208 5' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC'> <translation code='406127006' displayName='Pain intensity' codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT' />

The <code> element indicates what kind of pain observation was made. It shall contain the code and codeSystem attribute values shown above. The <translation> element may be present, and provides a mapping to SNOMED CT of the observation. If present, it shall have the code and codeSystem attribute values shown above.

Code	Data Type	Description
38208-5	CO	A Pain Score made using the Numerical Rating Scale (NRS), where pain is assessed on a scale from 0 to 10. -->>The code system to use for this observation<--

6.3.4.38.5 <value xsi:type='CO' value=' ' />

The <value> element records the assessed pain score. If using the NRS the pain is assessed using coded ordinal values that range from 0 to 10. The use of the coded ordinal type is required because while pain assessments are ordered values, and can be compared, the differences between two pain assessment values cannot be compared, and so these values are not really numbers.

6.3.4.38.6<interpretationCode

4000 `code='301379001|40196000|76948002|67849003'`
 `codeSystem='2.16.840.1.113883.6.96'`
 `codeSystemName='SNOMED CT'/>`

4005 The <interpretationCode> element should be present to provide an interpretation of the pain scale assessment using SNOMED CT. When the <interpretationCode> element is present, the <translation> element described above shall be present. These interpretations are provided to assist decision support systems that are making secondary use of the assessment information, and are not intended to replace the score values.

Pain Score Range	Code	Description
0	301379001	No Present Pain
1-3	40196000	Mild Pain
4-6	50415004	Moderate Pain
7-9	76948002	Severe Pain
10	67849003	Excruciating Pain

6.3.4.38.7 <methodCode code=' ' codeSystem=' ' codeSystemName=' '/>

4010 The <methodCode> should not be present in a Pain Score Observation, as the method is implied by the <code> element.

6.3.4.38.8 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/>

4015 The <targetSiteCode> element should be present, and shall indicate the location of the pain being assessed.

Add Section 6.3.4.39

6.3.4.39 Braden Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.2

Add Section 6.3.4.40

4020 6.3.4.40 Braden Score Component 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.3

Add Section 6.3.4.41

6.3.4.41 Geriatric Depression Score Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.4

4025 *Add Section 6.3.4.42*

6.3.4.42 Geriatric Depression Score Component 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.5

Add Section 6.3.4.43

6.3.4.43 Survey Panel 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7

4030 A survey panel collects related survey observations.

6.3.4.43.1 Parent Template

This template is compatible with the ASTM/HL7 Continuity of Care Document template:
2.16.840.1.113883.10.20.1.32

6.3.4.43.2 Uses

4035 See Templates using [Survey Panel](#)

6.3.4.43.3 Specification

```
<organizer classCode='CLUSTER' moodCode='EVN'>
  <templateId root='2.16.840.1.113883.10.20.1.32' />
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7' />
  <id root='' extension='' />
  <code code=' ' displayName=' '
    codeSystem=' ' codeSystemName=' ' />
  <statusCode code='completed' />
  <effectiveTime value='' />
  <!-- one or more survey observations -->
  <component typeCode='COMP'>
    <observation classCode='OBS' moodCode='EVN'>
      <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6' />
      :
    </observation>
  </component>
</organizer>
```

6.3.4.43.3.1 <organizer classCode='CLUSTER' moodCode='EVN'>

4040 The survey panel is a cluster of related survey observations.

6.3.4.43.3.2 `<templateId root='2.16.840.1.113883.10.20.1.32'/>`
`<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.7'/>`

4045 The survey panel shall have the `<templateId>` elements shown above to indicate that it inherits constraints from the ASTM/HL7 CCD Specification for results organizers, and the constraints of this specification.

6.3.4.43.3.3 `<id root=' ' extension=' '/>`

The organizer shall have an `<id>` element.

4050 **6.3.4.43.3.4** `<code code=' ' displayName=' '`
`codeSystem=' '`
`codeSystemName=' '/>`

The `<code>` element shall be present, and identifies the survey panel.

6.3.4.43.3.5 `<statusCode code='completed'/>`

The observations have all been completed.

4055 **6.3.4.43.3.6** `<effectiveTime value=' '/>`

The effective time element shall be present to indicate when the survey panel was taken.

6.3.4.43.3.7 `<!-- one or more survey observations -->`
`<component typeCode='COMP'>`

4060 The organizer shall have one or more `<component>` elements that are `<observation>` elements using the [Survey Observation](#) template.

<i>Add Section 6.3.4.44</i>

6.3.4.44 Survey Observation 1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6

4065 Survey observations are used to record responses to assessment instruments. They are simple observations conforming to the CCD Result template. The vocabulary and data type constraints on survey observations is specified elsewhere, either in the specializations of the survey observation template, or by the template that makes use of it.

6.3.4.44.1 Parent Template

4070 The parent of this template is [Simple Observation](#). This template is compatible with the ASTM/HL7 Continuity of Care Document template: 2.16.840.1.113883.10.20.1.31

6.3.4.44.2 Uses

See [Templates using Survey Observation](#)

6.3.4.44.3 Specification

```

<observation classCode='OBS' moodCode='EVN'>
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
  <templateId root='2.16.840.1.113883.10.20.1.31' />
  <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6' />
  <id root=' ' extension=' ' />
  <code code=' ' codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
  <text><reference value='#xxx' /></text>
  <statusCode code='completed' />
  <effectiveTime value=' ' />
  <repeatNumber value=' ' />
  <value xsi:type='CO|CD|INT|PQ' />
  <interpretationCode code=' ' codeSystem=' ' codeSystemName=' ' />
  <methodCode code=' ' codeSystem=' ' codeSystemName=' ' />
  <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />
</observation>

```

6.3.4.44.3.1 **<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />**
<templateId root='2.16.840.1.113883.10.20.1.31' />
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.12.3.6' />

A survey observation shall have the <templateId> elements shown above to indicate that it inherits constraints from the ASTM/HL7 CCD Specification for results, and the constraints of this specification.

6.3.4.44.3.2 **<code code=' ' codeSystem='2.16.840.1.113883.6.1'**
codeSystemName='LOINC' />

A survey observation entry shall contain a code identifying the observation made.

6.3.4.44.3.3 **<value xsi:type='CO|CD|INT|PQ' ... />**

The <value> element shall be present, and shall be of the appropriate data type specified for the observation.

6.3.4.44.3.4 **<interpretationCode code=' ' codeSystem=' ' codeSystemName=' ' />**

An interpretation code may be present to provide an interpretation of the observation.

6.3.4.44.3.5 **<methodCode code=' ' codeSystem=' ' codeSystemName=' ' />**
<targetSiteCode code=' ' codeSystem=' ' codeSystemName=' ' />

The <methodCode> and <targetSiteCode> element shall not be present, as these are not relevant to survey responses.

Add Section 6.3.4.45

6.3.4.45 Acuity 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1

4095 A acuity entry indicates the triage acuity entry and the triage time of the patient.

6.3.4.45.1 Specification

```
4100 <entry>
      <!-- Acuity Event -->
      <observation classCode='OBS' moodCode='EVN'>
        <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1' />
        <id root="" extension="" />
        <code code="" displayName=""
4105         <code code='273887006' displayName='Triage index'
          codeSystem='2.16.840.1.113883.6.96'
          codeSystemName='SNOMED CT' /> <!-- Triage index (assessment scale) FullySpecifiedName -
->
          <originalText><reference value='#(ID of text coded)' /></originalText>
        </code>
        <text><reference value='#text' /></text>
4110 <!-- effectiveTime
      <effectiveTime>
        <low value="" /> <!-- start of triage, may be sent -->
        <high value="" /> <!-- end of triage should be sent -->
4115 </effectiveTime>
      </observation>
    </entry>
```

6.3.4.45.1.1 <observation classCode='OBS' moodCode='EVN'>

This element indicates that the entry is an observation regarding the event of triage assessment. This entry records the observation and the time of the observation.

4120 **6.3.4.45.1.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1' />**

The <templateId> element identifies this <act> as about Acuity Assessment of the patient. The templateId must have root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.1'.

6.3.4.45.1.3 <id root="" extension="" />

The entry must have an identifier.

4125 **6.3.4.45.1.4 <code code="" displayName=""
codeSystem='2.16.840.1.113883.6.96' codeSystemName='SNOMED CT'>**

The code describes the triage acuity scale. IHE recommends the use the Emergency Severity Index (ESI). However, the vocabulary used within an affinity domain may be determined by a policy agreement within the domain.

4130 **6.3.4.45.1.5 <originalText><reference value='#xxx' /></originalText>**

This is a reference to the narrative text within the section that describes the acuity description.

6.3.4.45.1.6 <text><reference value='#text' /></text>

This is a reference to the narrative text corresponding to the Observation act.

6.3.4.45.1.7 <effectiveTime>

- 4135 The effectiveTime element shall be sent. It records the interval of time over which triage occurs. The use case for this information requires that the ending time of triage be recorded. However, the <low value=""> element may be sent by systems that capture the beginning and end of the triage process.

6.3.4.45.1.8 <high value=""/>

- 4140 This element records the time of completion of triage, and is required. If unknown, it must be recorded using a flavor of null. This element may be sent using the TS data type, as shown above. If there is uncertainty about the time of completion of triage, the sender may record the time using the IVL_TS data type, as shown below.

- 4145
- ```
<high xsi:type='IVL_TS'>
 <low value=''/>
 <high value=''/>
</high>
```

- 4150 *Add Section 6.3.4.46*

**6.3.4.46 Intravenous Fluids 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.2**

This content module describes the general structure for intravenous fluids. All intravenous fluid administration acts should be derived from this content module.

### 6.3.4.46.1 Specification

```

<substanceAdministration classCode='SBADM' moodCode='INT|EVN'>
 <templateId root='2.16.840.1.113883.10.20.1.24' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.2' />
 <id root='' extension='' />
 <code code='' codeSystem='' displayName='' codeSystemName='' />
 <text><reference value='#med-1' /></text>
 <statusCode code='completed|active' />
 <effectiveTime xsi:type='IVL_TS'>
 <low value='' />
 <high value='' />
 </effectiveTime>
 <effectiveTime operator='A' xsi:type='TS|PIVL_TS|EIVL_TS|PIVL_PPD_TS|SXPR_TS'>
 :
 </effectiveTime>
 <routeCode code='' codeSystem='' displayName='' codeSystemName='' />
 <doseQuantity value='' unit='' />
 <approachSiteCode code='' codeSystem='' displayName='' codeSystemName='' />
 <rateQuantity value='' unit='' />
 <consumable>
 :
 .
 </consumable>
 <!-- 0..* entries describing the components -->
 <entryRelationship typeCode='COMP'>
 <sequenceNumber value='' />
 </entryRelationship>
 <!-- An optional entry relationship that indicates the the reason for use -->
 <entryRelationship typeCode='RSON'>
 <act classCode='ACT' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.4.1' />
 <id root='' extension='' />
 </act>
 </entryRelationship>
 <!-- An optional entry relationship that provides prescription activity -->
 <entryRelationship typeCode='REFR'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7.3' />
 :
 .
 </entryRelationship>
 <precondition>
 <criterion>
 <text><reference value='' /></text>
 </criterion>
 </precondition>
</substanceAdministration>

```

This content module is derived from the Medication content module to specifically and more easily describe the necessary details of intravenous fluid administration. For the purpose of EDER and other profiles employing this content module, the table below identifies and describes the fields and constraints on whether or not they are required to be sent. The fields are listed in the order that they appear in the CDA XML content.

#### 6.3.4.46.1.1 Medication Fields

Field	Opt.	CDA Tag	Description
Start and Stop Date	R2	<effectiveTime>	The date and time when the fluid regimen began and is expected to finish. The first component of the <effectiveTime> encodes the lower and upper bounds over which the <substanceAdministration> occurs,

			and the start time is determined from the lower bound. If the fluid has been known to be stopped, the high value must be present, but expressed as a flavor of null (e.g., Unknown).
Dose	R2	<doseQuantity>	The amount of fluid given. This should be in some known and measurable fluid unit, such as milliliters, or may be measured in "administration" units (such "units" of blood or "packs" of platelets).
Site	O	<approachSiteCode>	The site where the fluid is administered (i.e. "Left Antecubital", or "Central Line").
Rate	R2	<rateQuantity>	The rate is a measurement of how fast the fluid is given to the patient over time (e.g., .5 liter / 1 hr).
Product	R	<consumable> <name> </consumable>	The name of the substance or product. This should be sufficient for a provider to identify the type of fluid. It may be a trade name (Plasmalyte®) or a generic name. This information is required in all fluid entries. The name should not include packaging, strength or dosing information.
Code	R2	<consumable> <code/> </consumable>	A code describing the product from a controlled vocabulary, such as RxNorm, First DataBank, et cetera.

4210 **6.3.4.46.1.2 <substanceAdministration classCode='SBADM' moodCode='INT|EVN'>**

The general model is to record each fluid administered in a <substanceAdministration> intent (moodCode='INT'). Fluids that have been started but not completely administered should be recorded in a <substanceAdministration> intent (moodCode='INT'). Fluids that have been completed should be recorded as an event (moodCode='EVN').

4215 **6.3.4.46.1.3 <templateId root='2.16.840.1.113883.10.20.1.24'>  
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7'>  
<templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1' />**

All intravenous fluid entries use the <templateId> elements specified above to indicate that they are IV fluid administration acts. This element is required.

4220 **6.3.4.46.1.4 <id root="" extension="">**

The <substanceAdministration> element must be uniquely identified. If there is no explicit identifier for this observation in the source EMR system, a GUID may be used for the root attribute, and the extension may be omitted. Although HL7 allows for multiple identifiers, this Technical Framework profile requires that one and only one be used.

4225 **6.3.4.46.1.5 <code code="" displayName="" codeSystem="" codeSystemName="">**

The <code> element is required, and is used to supply a code that describes the act of fluid administration, not the fluid being administered. This may be a procedure code, such as those found in CPT-4 (and often used for billing), or may describe the method of administration, such as by intravenous injection.

**4230 6.3.4.46.1.6 <text><reference value="/></text>**

The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the fluid administration.

**6.3.4.46.1.7 <statusCode code='completed|active'/>**

4235 The status of all <substanceAdministration> elements must be "completed" or "active". If "completed", then the administration has occurred, or the request or order has been placed. If "active", then at the time recorded, the fluid was still being administered.

**6.3.4.1.46.8 <effectiveTime xsi:type='IVL\_TS'>**

4240 The first <effectiveTime> element encodes the start and stop time of the administration. This an interval of time (xsi:type='IVL\_TS'), and must be specified as shown. This is an additional constraint placed upon CDA Release 2.0 by this Technical Framework profile, and simplifies the exchange of start/stop and frequency information between EMR systems.

**6.3.4.46.1.9 <low value="/><high value="/>**

4245 The <low> and <high> values of the first <effectiveTime> element represent the start and stop times for the fluid administration. The <low> value represents the start time, and the <high> value represents the stop time. If either the <low> or the <high> value is unknown, this shall be recorded by setting the nullFlavor attribute to UNK. The <high> value records the end of the fluid administration according to the information provided in the initial fluid order or RN documentation. For example, if the fluid order is for one liter, and the fluid is to be delivered at 250 mL/hr, then the high value should contain a datetime that is 4 hours later than the <low> value. The rationale is that a provider, seeing a discontinued fluid could normally assume that the fluid has been stopped, even if the intent of the treatment plan is to continue the fluid continuously.

**6.3.4.46.1.10 <approachSiteCode code=" codeSystem=">  
originalText><reference value="/></originalText>  
4255 </approachSiteCode>**

The <approachSiteCode> element contains a URI in the value attribute of the <reference> that points to the text in the narrative identifying the site. It may be coded to a controlled vocabulary that lists such sites (e.g., SNOMED-CT).

**4260 6.3.4.46.1.11 <doseQuantity><low value=" unit="/><high value=" unit="/>  
</doseQuantity>**

The dose is specified if the <doseQuantity> element. If a dose range is given (e.g., 125-250 mL/hr [i.e. to replace fluid losses]), then the <low> and <high> bounds are specified in their respective elements, otherwise both <low> and <high> have the same value. The unit attribute should be derived from the HL7 UnitsOfMeasureCaseSensitive vocabulary .

4265 **6.3.4.46.1.12** `<low|high value="" <translation> <originalText><reference value=""/></originalText> </translation></low|high >`

Any `<low>` and `<high>` elements used for `<doseQuantity>` or `<rateQuantity>` should contain a `<translation>` element that provides a `<reference>` to the `<originalText>` found in the narrative body of the document .

4270 **6.3.4.46.1.13** `<rateQuantity><low value="" unit=""/><high value="" unit=""/></rateQuantity>`

The rate is specified in the `<rateQuantity>` element. The rate is given in units that have measure over time. In this case, the units should be specified as a string made up of a unit of measure (see `doseQuantity` above), followed by a slash (/), followed by a time unit (s, min, h or d) (i.e. mL/hr).

4275 Again, if a range is given, then the `<low>` and `<high>` elements contain the lower and upper bound of the range, otherwise, they contain the same value.

**6.3.4.46.1.14** `<consumable>`

The `<consumable>` element shall be present, and shall contain a `<manufacturedProduct>` entry conforming to the Product Entry template (see PCC TF-2: 6.3.4.19).

4280

<i>Add Section 6.3.4.47</i>
-----------------------------

**6.3.4.47 Nursing Assessments Battery 1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4**

This entry describes a single row in the Nursing Assessment flowsheet. The single observation date/time and provider is applied to all other observations.

4285

4290

4295

**6.3.4.47.1 Specification**

```

<entry>
 <organizer classCode='BATTERY' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4' />
 <id root=' ' extension=' ' />
 <code code='XX-ASSESS' displayName='Nursing Assessments Battery'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <statusCode code='completed' />
 <author>
 <time value=' ' />
 <assignedAuthor>
 <id root=' ' extension=' ' />
 </assignedAuthor>
 </author>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 :
 </organizer>
</entry>

```

**6.3.4.47.1.1 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4' />**

The <templateId> element specifies that this organizer entry conforms to the Nursing Interventions battery. The root attribute SHALL contain the value "1.3.6.1.4.1.19376.1.5.3.1.1.13.3.4"

**6.3.4.47.1.2 <organizer classCode='BATTERY' moodCode='EVN'>**

Each row in the Nursing Interventions battery SHALL be represented by an organizer with the classCode of 'BATTERY' and the moodCode of 'EVN'

**6.3.4.47.1.3 <id root=' ' extension=' ' />**

Each battery SHALL have a globally unique identifier.

**6.3.4.47.1.4 <code code='X-ASSESS' codeSystem='2.16.840.1.113883.6.1' />**

The <code> element specifies the Loinc code that represents the content of the battery. The codeSystem attribute SHALL contain the value '2.16.840.1.113883.6.1'. The code attribute SHALL contain the value='X-ASSESS'. It is good practice to include displayName and codeSystemName for clarity and debugging. The corresponding values are 'Nursing Assessments battery' and 'LOINC' respectively.

4340 **6.3.4.47.1.5 <author/><time/><assignedAuthor><id/></assignedAuthor></author>**

The <author> relation element points at the author that records the visit battery. This assignedAuthor may be different than the author of the document. The time element is used to record when the assigned author recorded the battery.

**6.3.4.47.1.6 <statusCode code='completed'/>**

4345 The status code for all batteries SHALL be 'completed'

**6.3.4.47.1.7 <component>**

The battery is made of several component Simple Observations (see PCC TF-2: 6.3.4.20). The following table lists the allowable LOINC codes, displayName, and observation types, and unit of measures for these observations.

4350

LOINC Code	displayName	xsi:type	value set
9269-2	GLASGOW COMA CORE.TOTAL	CO	3..15
9268-4	GLASGOW COMA SCORE.MOTOR	CO	1..6
11454-6	LEVEL OF RESPONSIVENESS	CO	ALERT VERBAL RESPONSE PAINFUL RESPONSE UNRESPONSIVE
38208-5	PAIN SEVERITY	CO	0-10
48767-8	(COMMENT FIELD)	ED	

*Add Section 6.3.4.48*

**6.3.4.48 Antenatal Testing and Surveillance Battery**

**1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10**

4355 This entry describes a single row in the Antenatal Testing and Surveillance Section. The single observation date/time and provider is applied to all other observations.



### 6.3.4.48.1 Specification

```
4360 <entry>
 <organizer classCode='BATTERY' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10' />
 <id root=' ' extension=' ' />
 <code code='XX-ANTENATALTESTINGBATTERY' displayName='ANTENATAL TESTING AND SURVEILLANCE
4365 BATTERY'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <statusCode code='completed' />
 <author>
 <time value=' ' />
 <assignedAuthor>
4370 <id root=' ' extension=' ' />
 </assignedAuthor>
 </author>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
4375 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 <component>
4380 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
4385 :
 </organizer>
 </entry>
```

#### 6.3.4.48.1.1 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10' />

4390 The <templateId> element specifies that this organizer entry conforms to the Antenatal Testing and Surveillance Battery. The root attribute SHALL contain the value "1.3.6.1.4.1.19376.1.5.3.1.1.21.3.10"

#### 6.3.4.48.1.2 <organizer classCode='BATTERY' moodCode='EVN'>

Each row in the Antenatal Testing and Surveillance Battery SHALL be represented by an organizer with the classCode of 'BATTERY' and the moodCode of 'EVN'

#### 4395 6.3.4.48.1.3 <id root=' ' extension=' ' />

Each battery SHALL have a globally unique identifier.

#### 6.3.4.48.1.4 <code code='XX- XX-ANTENATALTESTINGBATTERY' codeSystem='2.16.840.1.113883.6.1' />

4400 The <code> element specifies the Loinc code that represents the content of the battery. The codeSystem attribute SHALL contain the value '2.16.840.1.113883.6.1'. The code attribute SHALL contain the value='XX-ANTENATALTESTINGBATTERY'. It is good practice to include displayName and codeSystemName for clarity and debugging. The corresponding values are 'ANTENATAL TESTING AND SURVEILLANCE BATTERY' and 'LOINC' respectively.

**6.3.4.48.1.5 <author/><time/><assignedAuthor><id/></assignedAuthor></author>**

4405 The <author> relation element points at the author that records the visit battery. This assignedAuthor may be different than the author of the document. The time element is used to record when the assigned author recorded the battery.

**6.3.4.48.1.6 <statusCode code='completed'/>**

The status code for all batteries SHALL be 'completed'

4410 **6.3.4.48.1.7 <component>**

The battery is made of several component Simple Observations (see PCC TF-2: 6.3.4.20). The following table lists the allowable LOINC codes, displayName, and observation types, and unit of measures for these observations.

LOINC Code	displayName	xsi:type
11630-1	Biophysical profile.amniotic fluid volume	ED
11631-9	Biophysical profile.body movement	ED
11632-7	Biophysical profile.breathing movement	ED
11633-5	Biophysical profile.heart rate reactivity	ED
11635-0	Biophysical profile.tone	ED
11634-3	Biophysical profile.sum	ED

4415 *Add Section 6.3.4.49*

**6.3.4.49 Immunization Recommendation 1.3.6.1.4.1.19376.1.5.3.1.4.12.2**

4420 An immunization recommendation entry is used to record intended or proposed immunization activities. Proposed activities are suggestions for care or treatment that are used in decision making (these might appear as an input to, or output from clinical decision support). Intended activities describe the currently accepted plan, and are part of the care activities expected to occur for the patient.

```

4425 <substanceAdministrationIntent typeCode='SBADM' moodCode='INT|PRP' negationInd='true|false'>
 <templateId root='2.16.840.1.113883.10.20.1.25' />
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.12.2' />
 <id root='' extension='' />
 <code code='IMMUNIZ' codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActCode' />
 <text><reference value='#xxx' /></text>
 <statusCode code='completed' />
4430 <effectiveTime><low value='' /><high value='' /></effectiveTime>
 <routeCode code='' codeSystem='' codeSystemName='RouteOfAdministration' />
 <approachSiteCode code='' codeSystem='' codeSystemName='HumanSubstanceAdministrationSite' />
 <doseQuantity value='' units='' />
 <consumable typeCode='CSM'>
 :
 .
4435 </consumable>
 <!-- An optional entry relationship that identifies the immunization series number -->
 <entryRelationship typeCode='SUBJ'>
 <observation classCode='OBS' moodCode='EVN'>
4440 <templateId root='2.16.840.1.113883.10.20.1.46' />
 <code code='30973-2' displayName='Dose Number'
 codeSystem='2.16.840.1.113883.6.1' codeSystemName='LOINC' />
 <statusCode code='completed' />
4445 <value xsi:type='INT' value='' />
 </observation>
 </entryRelationship>
 <!-- Optional <entryRelationship> element containing comments -->
 </substanceAdministrationIntent>

```

4450       Note:     The CCD represents the observation of a series number in EVN mood, as we have shown above. However, when the immunization is “intended” to be the second of a series, we do not believe this is the correct mood code. How should this be addressed?

#### **6.3.4.49.1 <substanceAdministrationIntent typeCode='SBADM' moodCode='INT|PRP' negationInd='true|false'>**

4455     This entry represents the intent or proposal to administer (when negationInd = false), or not administer (when negationInd = true) an immunization to a patient.

#### **6.3.4.49.2 <templateId root='2.16.840.1.113883.10.20.1.25' />**

This element represents a plan of care activity for the patient, and so shall conform to the CCD Plan of Care activity template.

#### **6.3.4.49.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.12.2' />**

4460     This element is an instance of an IHE PCC Immunization Recommendation entry, and shall indicate that conformance by inclusion of the template identifier given above.

#### **6.3.4.49.4 <id root="" extension="" />**

Each plan of care activity shall contain an identifier.

4465 **6.3.4.49.5 <code code='IMMUNIZ' codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActCode'/>**

An immunization care plan entry shall include a code identifying that this is in reference to an immunization. If no coding system is required by the source, simply record as shown above. See PCC TF-2:6.3.4.17 for additional coding systems that may appear in this element.

4470 **6.3.4.49.6 <text><reference value='#xxx'/></text>**

In a CDA document, the URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the immunization activity. In an HL7 message, the content of the text element shall contain the complete text describing the immunization activity.

4475 **6.3.4.49.7 <statusCode code='active'/>**

The status code shall be active for all active proposals or intentions.

**6.3.4.49.8 <effectiveTime><low value=""/><high value=""/></effectiveTime>**

The <effectiveTime> element should be present to indicate time interval over which the suggested activity should take place. Intervals shall be represented using the IVL\_TS data type.

4480 **6.3.4.49.9 <routeCode code="" codeSystem="" codeSystemName='RouteOfAdministration'/>  
<approachSiteCode code="" codeSystem="" codeSystemName='HumanSubstanceAdministrationSite'/>  
<doseQuantity value="" units=""/>**

4485 The <routeCode>, <approachSiteCode> and <doseQuantity> elements are used to represent additional attributes of the proposed care. When present these elements must be consistent with the rules for these elements specified in PCC TF-2:6.3.4.16 Medication Entry and PCC TF-2:6.3.4.17 Immunization Entry.

**6.3.4.49.10 <consumable typeCode='CSM'/>**

4490 The <consumable> element shall be present, and shall contain a <manufacturedProduct> entry conforming to the Product Entry template found in PCC TF-2:6.14.19.

**6.3.4.49.11 <entryRelationship typeCode='SUBJ'>  
<observation classCode='OBS' moodCode='EVN'>  
4495 <templateId root='2.16.840.1.113883.10.20.1.46'/>  
<code code='30973-2'  
displayName='Dose Number'  
codeSystem='2.16.840.1.113883.6.1'  
codeSystemName='LOINC'/>**

4500                   <statusCode code='completed'/>  
                      <value xsi:type='INT' value=''/>  
                      </observation>  
                  </entryRelationship>

4505           The immunization plan of care entry may contain a single entry relationship identifying the immunization series number. This entry shall use the CCD template (2.16.840.1.113883.10.20.1.46) defined for that purpose.

**6.3.4.49.12   <!-- Optional <entryRelationship> element referencing guidelines -->**

4510   Add Section 6.3.4.50

**6.3.4.50 Alert Entry 1.3.6.1.4.1.19376.1.5.3.1.4.12.3**

4515           The alert entry is an observation whose subject is any clinical statement. This entry provides additional information about a clinical statement that may be of relevance to the care being described. For example, some treatments may be contraindicated by other conditions or co-occurring treatment. For example, the use of aspirin and a blood thinning agent at the same time may not be recommended. The alert entry is provided to record these annotations. An example use of this entry is in a clinical decision support service that uses the alert entry to identify vaccinations that are considered to be of reduced effectiveness when making immunization recommendations for the patient. Another example of this use in a similar system would be to  
4520           identify treatments that are contraindicated subsequent to an immunization.

4525   

```
<entryRelationship typeCode='SUBJ' inversionInd='true'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.12.3' />
 <observation classCode='ALRT|OBS' moodCode='EVN'>
 <id root='' id='' />
 <code code='' displayName='' codeSystem='' codeSystemName='' />
 <text><reference value='#ref-1' /></text>
 </observation>
</entryRelationship>
```

4530   **6.3.4.50.1   <entryRelationship typeCode='SUBJ' inversionInd='true'>**

The alert has a preexisting entry as its subject (typeCode=SUBJ).

**6.3.4.50.2   <templateId root='TBD' />**

This alert complies with the rules specified in the PCC technical framework for alerts, and so must include the templateId specified above.

**4535 6.3.4.50.3 <observation classCode='OBS|ALRT' moodCode='EVN'>**

An alert is an observation that has occurred (moodCode=EVN). The HL7 classCode value of ALRT shall be used where permitted (e.g. in an HL7 Care Record message). Where not permitted, the classCode shall be OBS (e.g., in CDA Document).

**6.3.4.50.4 <id root="" extension=""/>**

4540 Each alert observation may have an identifier.

**6.3.4.50.5 <code code="" displayName="" codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActDetectedIssueCode'>**

4545 Each alert observation shall have a code identifying the type of issue detected. The HL7 ActDetectedIssueCode value set (2.16.840.1.113883.1.11.16124) is one possible source of codes for these issues.

**6.3.4.50.6 <text><reference value='#ref-1'></text>**

4550 The text of the observation should provide some human readable explanation for the alert. In a CDA document, this would appear within the narrative of the clinical document, and so would be referenced by the alert. In an HL7 Version 3 message, this text would appear in the **<text>** element of the alert entry.

<i>Add Section 6.3.4.51</i>
-----------------------------

**6.3.4.51 Antigen Dose 1.3.6.1.4.1.19376.1.5.3.1.4.12.1**

4555 An Antigen Dose entry is used to record additional details about the patient's immunization history. These entries may be used to provide dose details about a specific antigen received during an Immunization.

**6.3.4.51.1 Specification**

```

4560 <substanceAdministration typeCode='SBADM' moodCode='EVN' negationInd='false'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.12.1' />
 <id root=' ' extension=' ' />
 <code code='IMMUNIZ' codeSystem='2.16.840.1.113883.5.4' codeSystemName='ActCode' />
 <text><reference value='#xxx' /></text>
 <statusCode code='completed' />
 <effectiveTime value=' ' />
4565 <routeCode code=' ' codeSystem=' ' codeSystemName='RouteOfAdministration' />
 <approachSiteCode code=' ' codeSystem=' '
 codeSystemName='HumanSubstanceAdministrationSite' />
 <doseQuantity value=' ' units=' ' />
 <consumable typeCode='CSM'>
4570 <manufacturedProduct classCode='MANU'>
 <manufacturedLabeledDrug classCode='MMAT' determinerCode='KIND'>
 <code code=' ' codeSystem=' ' codeSystemName=' '
 <originalText><reference value='#yyy' /></originalText>
 </code>
4575 </manufacturedLabeledDrug>
 </manufacturedProduct>
 </consumable>
</substanceAdministration>

```

**Figure 6.3.4.51.1-1 Immunizations Example****6.3.4.51.2 <substanceAdministration typeCode='SBADM' moodCode='EVN' negationInd='false'>**

An antigen dose entry is a substance administration event.

**6.3.4.51.3 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.12.1' />**

4585 The <templateId> element identifies this <substanceAdministration> as an antigen dose, allowing for validation of the content. The templateId must have root='1.3.6.1.4.1.19376.1.5.3.1.4.12.1'.

**6.3.4.51.4 <id root=' ' extension=' ' />**

This shall be the identifier for the antigen dose event.

4590 **6.3.4.51.5 ~~<code /><text /><statusCode /><effectiveTime value=' ' />~~**  
**~~<routeCode code=' ' codeSystem=' ' codeSystemName='RouteOfAdministration' />~~**  
**~~<approachSiteCode code=' ' codeSystem=' '~~**  
**~~codeSystemName='HumanSubstanceAdministrationSite' />~~**

4595 Since the antigen dose entry is subordinate to an immunization entry, the code, text, status code, effective time, route and approach site would all be repetitive and therefore should not be present.

**6.3.4.51.6 <doseQuantity value=' ' units=' ' />**

This element gives the dose quantity of the specific antigen.

**6.3.4.51.7 <consumable typeCode='CSM'>**

4600 The **<consumable>** element shall be present, and shall contain a **<manufacturedProduct>** entry conforming to the Product Entry template found in PCC TF-2:6.3.4.19. This product entry describes the antigen to which the dose is applied.

<i>Add Section 6.3.4.52 (Occupation Observation – removed 2011-09 at the request of QRPH)</i>
-----------------------------------------------------------------------------------------------

**6.3.4.52 Intentionally blank**

4605

<i>Add Section 6.3.4.53 (Industry Observation removed 2011-09 at the request of QRPH)</i>
-------------------------------------------------------------------------------------------

**6.3.4.53 Intentionally blank**

<i>Add Section 6.3.4.54</i>
-----------------------------

4610 **6.3.4.54 Observation Request 1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1**

The observation request entry is used to record goals, plans or intention for an observation to be performed (e.g., assessment, laboratory test, imaging study, et cetera).

**6.3.4.54.1 Uses**

See Templates using Observation Request

4615 **6.3.4.54.2 Specification**

4620

```
<observation classCode='OBS' moodCode='INT|PRP|GOL'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1' />
 <templateId root='2.16.840.1.113883.10.20.1.25' />
 <id root='' extension='' />
 <code code='' displayName='' codeSystem='' codeSystemName='' />
 <!-- for CDA -->
 <text><reference value='#xxx' /></text>
 <!-- For HL7 Version 3 Messages
 <text>text</text>
 -->
 <statusCode code='active' />
 <effectiveTime value='' />
 <repeatNumber value='' />
 <value xsi:type='' ... />
 <interpretationCode code='' codeSystem='' codeSystemName='' />
 <methodCode code='' codeSystem='' codeSystemName='' />
 <targetSiteCode code='' codeSystem='' codeSystemName='' />
 <author typeCode='AUT'>
```

4625

4630



```

4635 <assignedAuthor typeCode='ASSIGNED'><id ... /></assignedAuthor> <!-- for CDA --
>
 <!-- For HL7 Version 3 Messages
 <assignedEntity typeCode='ASSIGNED'>
4640 <Person classCode='PSN'>
 <determinerCode root=''>
 <name>...</name>
 </Person>
 </assignedEntity>
4645 </author>
</observation>

```

Figure 6.3.4.54.1-1 Observation Request Example

#### 6.3.4.54.2.1 <observation classCode='OBS' moodCode='INT|PRP|GOL'>

4650 These acts are observations that form the care plan or which can be used in decision support. In intent mood (moodCode='INT') these are what is intended to be performed as part of the care plan. In proposal mood (moodCode='PRP'), these observations are being proposed, for example, as the output of a clinical decision support system. In goal mood (moodCode='GOL'), these observations described the intended goal of a treatment plan.

#### 6.3.4.54.2.2 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.1.20.3.1'>

4655 The <templateId> element identifies this <observation> as an observation request, allowing for validation of the content. The templateId must appear as shown above.

#### 6.3.4.54.2.3 <templateId root=2.16.840.1.113883.10.20.1.25'>

The IHE Observation Request template conforms to the Plan of care activity defined by the HL7 Continuity of Care Document. This template id must be present to indicate conformance.

#### 4660 6.3.4.54.2.4 <id root=' ' extension=' ' />

Each observation shall have an identifier.

#### 6.3.4.54.2.5 <code code=' ' displayName=' ' codeSystem=' ' codeSystemName=' ' />

4665 Observations shall have a code describing what is to be measured. The code system used is determined by the vocabulary constraints on the types of measurements that might be recorded in a section. Modules that are derived from the this one may restrict the code system and code values used for the observation.

#### 6.3.4.54.2.6 <text><reference value='#xxx' /></text> -OR- <text>text</text>

4670 Each observation request entry may contain a <text> element providing the free text that provides the same information as the observation within the narrative portion of the document with a <text> element. For CDA based uses of Observation Requests, this element SHALL be present, and SHALL contain a <reference> element that points to the related string in the

narrative portion of the document. For HL7 Version 3 based uses, the <text> element MAY be included.

#### **6.3.4.54.2.7 <statusCode code='active'/>**

- 4675 The <statusCode> element shall be present and shall describe the current state of the observation. Goals, intents and proposals that are available for action shall have an 'active' status, but other status values are permitted.

#### **6.3.4.54.2.8 <effectiveTime value=' '/>**

- 4680 The <effectiveTime> element shall be present in observation requests to indicate the date and time when the measurement should be taken.

#### **6.3.4.54.2.9 <value xsi:type=' ' .../>**

The value of the observation may be recorded using a data type appropriate to the observation to indicate the desired value (e.g., in GOL or PRP mood).

#### **6.3.4.54.2.10 <methodCode code=' ' codeSystem=' ' codeSystemName=' '/>**

- 4685 The methodCode element may be used to record the specific method used to make an observation when this information is not already pre-coordinated with the observation code.

#### **6.3.4.54.2.11 <targetSiteCode code=' ' codeSystem=' ' codeSystemName=' '/>**

The targetSiteCode may be used to record the target site where the observation should be made when this information is not already pre-coordinated with the observation code.

- 4690 **6.3.4.54.2.12 <author><assignedAuthor classCode='ASSIGNED'>...<assignedAuthor></author>**

In CDA uses, the observation request is assumed to be authored by the same author as the document through context conduction. However, observation requests would often be used to record orders, and in these cases, the author of the order shall be recorded in the author element.

- 4695 For HL7 Version 3 purposes, the <author> element SHOULD be present unless it can be determined by conduction from organizers or higher level structures. When used for HL7 Version 3 the role element name is <assignedEntity> and the author is represented a <assignedPerson> element.

- 4700 *Add Section 6.3.4.55 (Added 2011-09 from QRPH EHCP profile)*

### **6.3.4.55 Risk Indicators for Hearing Loss Entry 1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1**

This entry describes the Risk Indicators for Hearing Loss.

#### **6.3.4.55.1 Specification**

```
<entry>
 <organizer classCode='BATTERY' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1' />
 <id root=' ' extension=' ' />
 <code code='58232-0' displayName='Hearing Loss Risk
Indicators'
 codeSystem='2.16.840.1.113883.6.1'
codeSystemName='LOINC' />
 <statusCode code='completed' />
 <author>
 <time value=' ' />
 <assignedAuthor>
 <id root=' ' extension=' ' />
 </assignedAuthor>
 </author>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 <component>
 <observation classCode='OBS' moodCode='EVN'>
 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />
 :
 </observation>
 </component>
 :
 </organizer>
</entry>
```

**Figure 6.3.4.93.1-1 Sample Risk Indicators for Hearing Loss Entry**

#### **6.3.4.55.2 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1' />**

The <templateId> element specifies that this organizer entry conforms to the Nursing Interventions battery. The root attribute SHALL contain the value

"1.3.6.1.4.1.19376.1.7.3.1.1.15.5.1"

#### **6.3.4.55.3 <organizer classCode='BATTERY' moodCode='EVN'>**

Each row in the Nursing Interventions battery SHALL be represented by an organizer with the classCode of 'BATTERY' and the moodCode of 'EVN'

#### **6.3.4.55.4 <id root=' ' extension=' ' />**

Each battery SHALL have a globally unique identifier.

**6.3.4.55.5 <code code='58232-0' codeSystem='2.16.840.1.113883.6.1'/>**

4720 The <code> element specifies the LOINC® code that represents the content of the battery. The codeSystem attribute SHALL contain the value '2.16.840.1.113883.6.1'. The code attribute SHALL contain the value='58232-0'. It is good practice to include displayName and codeSystemName for clarity and debugging. The corresponding values are 'Hearing Loss Risk Indicators' and 'LOINC®' respectively.

**6.3.4.55.6 <author/><time/><assignedAuthor><id/></assignedAuthor></author>**

4725 The <author> relation element points at the author that records the visit battery. This assignedAuthor MAY be different than the author of the document. The time element is used to record when the assigned author recorded the battery.

**6.3.4.55.7 <statusCode code='completed'/>**

The status code for all batteries SHALL be 'completed'

**6.4.4.55.8 <component>**

4730 The battery is made of several component Simple Observations. The observation values SHALL be constrained to those coded values and descriptions described by the JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set (1.3.6.1.4.1.19376.1.7.3.1.1.15.2.24).

<i>Add Section 6.3.4.56. (Added 2011-09 from QRPH PRPH-Ca profile)</i>
------------------------------------------------------------------------

**6.3.4.56 Cancer Diagnosis Entry 1.3.6.1.4.1.19376.1.7.3.1.4.14.1**

4735 A Cancer Diagnosis entry collects details of the patient's cancer diagnosis, including histology, behavior, primary site, laterality, diagnosis date, TNM Stage, and Best Method of Confirmation.

**6.3.4.56.1 Parent Template**

The parent of this template is Problem Concern Entry (1.3.6.1.4.1.19376.1.5.3.1.4.5.2).

**6.3.4.56.2 Specification**

```

4740 <section>
 <templateId root="2.16.840.1.113883.10.20.1.11"/>
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.6"/>
 <templateId root="1.3.6.1.4.1.19376.1.7.3.1.3.14.1"/>
4745 <title>"Cancer Diagnosis"</title>
 <text>"Malignant melanoma of the left leg, Stage 1"</text>
 <entry>
 <act classCode='ACT' moodCode='EVN'>
 <templateId root='2.16.840.1.113883.10.20.1.27'>
4750 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5.2'>
 <code nullFlavor='NA'>
 <statusCode code='active'>
 <effectiveTime>
 <low value='20110101'>
4755 <high nullFlavor="NA" />
 </effectiveTime>
 <entryRelationship typeCode="SUBJ" inversionInd="false" >
 <observation classCode='OBS' moodCode='EVN' negationInd="false">
 <templateId root='2.16.840.1.113883.10.20.1.28'>
4760 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5'>
 <templateId root='1.3.6.1.4.1.19376.1.7.3.1.4.14.1'>
 <code code="282291009" codeSystem="2.16.840.1.113883.6.96"
codeSystemName="SNOMED CT" displayName="Diagnosis"/>
 <text><reference value="" ></reference></text>
4765 <statusCode code="completed"/>
 <effectiveTime>
 <low value="20110101"/>
 <high nullFlavor="NI"/>
 </effectiveTime>
 <!--The <value> is the condition that was found.-->
4770 <value xsi:type="CD" code="8742" codeSystem="2.16.840.1.113883.3.520.3.2"
codeSystemName="NAACCR Histologic Type" displayName="Lentigo Maligna" >
 <!--Behavior Qualifier-->
4775 <qualifier>
 <name code="31206-6" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Behavior ICD-O-3"/>
 <value code="2" codeSystem="2.16.840.1.113883.3.520.3.14"
codeSystemName="NAACCR Behavior Code" displayName="In Situ"/>
4780 </qualifier>
 <qualifier>
 <!--Best Method of Diagnosis Qualifier-->
4785 <name code="21861-0" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Diagnostic Confirmation"/>
 <value xsi:type="CD" code="2"
codeSystem="2.16.840.1.113883.3.520.3.3" codeSystemName="NAACCR Diagnostic Confirmation"
displayName="Positive cytology, no positive histology"/>
 </qualifier>
 </value>
4790 <!--Primary Site -->
 <targetSiteCode code="C447" codeSystem="2.16.840.1.113883.6.43.1"
codeSystemName="ICD-O-3 (Topography Section)" displayName="Leg">
4795 <!--Laterality-->
 <qualifier>
 <name code="20228-3" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Anatomic part Laterality"/>
 <value code="1" codeSystem="2.16.840.1.113883.3.520.3.1"
4800 codeSystemName="NAACCR Laterality at Diagnosis" displayName="origin of primary: right"/>
 </qualifier>
 </targetSiteCode>
 <entryRelationship typeCode="SUBJ" inversionInd="true">

```

```

4805 <!--TNM Stage Information-->
 <observation classCode="OBS" moodCode="EVN">
 <templateId
root="1.3.6.1.4.1.19376.1.7.3.1.4.14.2"/>
 <code code="21908-9" displayName="TNM Clinical Stage
4810 Group" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <!-- Narrative TNM Clinical Stage -->
 <text> Stage 0 TisN0M0 </text>
 <statusCode code="completed"/>
 <value xsi:type="CD" code="0"
4815 codeSystem="2.16.840.1.113883.3.520.3.9" codeSystemName="NAACCR TNM Clinical Stage Group"
 displayName="In Situ">
 <qualifier>

 <!--TNM Clinical Stage Descriptor Observation -->
 <name code="21909-7" displayName="TNM
4820 Clinical Stage Descriptor" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <value xsi:type="CD" code="0"
codeSystem="2.16.840.1.113883.3.520.3.10" codeSystemName="NAACCR TNM Clinical Stage Descriptor"
 displayName="None"/>
 </qualifier>
4825 <!--AJCC TNM Edition Number.-->
 <qualifier>
 <name code="21917-0" displayName="TNM
Edition Number" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <value xsi:type="CD" code="7"
4830 codeSystem="2.16.840.1.113883.3.520.3.5" codeSystemName="NAACCR TNM Edition Number"
 displayName="7th Edition"/>
 </qualifier>
 </value>
 <participant typeCode="PPRF">
 <participantRole>
 <code code="21910-5"
4835 codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Stager.clinical Cancer"/>
 <playingEntity nullFlavor="NA">
 <code xsi:type="CE" code="1"
4840 codeSystem="2.16.840.1.113883.3.520.3.4" codeSystemName="TNM Clinical Staged By"
 displayName="Managing Physician"/>
 </playingEntity>
 </participantRole>
 </participant>
 <entryRelationship typeCode="COMP">
4845 <!-- 6.3.4.62 TNM Clinical Tumor Observation-->
 <observation classCode="OBS" moodCode="EVN">
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13"/>
4850 codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <statusCode code="completed"/>
 <value xsi:type="CD" code="Tis"
4855 codeSystem="2.16.840.1.113883.3.520.3.6" codeSystemName="NAACCR TNM Clinical Tumor"
 displayName="In Situ"/>
 </observation>
 </entryRelationship>

 <!--6.3.4.63 TNM Clinical Nodes Observation -->
 <entryRelationship typeCode="COMP">
 <observation classCode="OBS" moodCode="EVN">
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13"/>
 <code code="21906-3" displayName="TNM Clinical N"
4860 codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <statusCode code="completed"/>
 <value xsi:type="CD" code="N0"
4865 codeSystem="2.16.840.1.113883.3.520.3.7" codeSystemName="NAACCR TNM Clinical Nodes"
 displayName="None"/>
 </observation>
 </entryRelationship>
 </observation>
 </observation>

```

```

4870 </entryRelationship>
<!--6.3.4.64 TNM Clinical Metastases Observation-->
 <entryRelationship typeCode="COMP">
4875 <observation classCode="OBS" moodCode="EVN">
 <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.13"/>
 <code code="21907-1" displayName="TNM Clinical M"
4880 codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>
 <statusCode code="completed"/>
 <value xsi:type="CD"
4885 codeSystem="2.16.840.1.113883.3.520.3.8" codeSystemName="NAACCR TNM Clinical Metastases"
 code="M0" displayName="None"/>
 </observation>
 </entryRelationship>
 </observation>
4885 </entryRelationship>
 </observation>
 </entryRelationship>
 </act>
4890 </entry>
</section>

```

Figure 6.3.4.94.1-1 Sample Cancer Diagnosis Entry

**6.3.4.56.3 <act classCode='ACT' moodCode='EVN'>**

All concerns reflect the act of recording (<act classCode='ACT'>) the event (moodCode='EVN') of being concerned about a problem, allergy or other issue about the patient condition.

4895 **6.3.4.56.4 <templateId root='2.16.840.1.113883.10.20.1.27'/> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5.2'/>**

These template identifiers indicates this entry conforms to the concern content module. This content module inherits constraints from the HL7 CCD Template for problem acts, and so also includes that template identifier.

4900 **6.3.4.56.5 <!-- 1..\* entry relationships identifying problems of concern --><entryRelationship type='SUBJ'><observation classCode='OBS' moodCode='EVN'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5'>...</observation >**

4905 This entry shall contain one or more problem entries that conform to the Problem Entry template 1.3.6.1.4.1.19376.1.5.3.1.4.5. The typeCode SHALL be "SUBJ" and inversionInd SHALL be "false".

**6.3.4.56.6 <observation classCode="OBS" moodCode="EVN">**

The <observation> classCode and moodCode SHALL be recorded as shown above.

4910 **6.3.4.56.7 <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.5'> <templateId root='1.3.6.1.4.1.19376.1.7.3.1.4.14.1'>**

These <templateId> elements identify this <entry> as a cancer diagnosis entry and its parent, Problem Entry, allowing for validation of the content. The <templateId> elements shall be recorded as shown above.

**6.3.4.56.8 <code code="282291009" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" displayName="Diagnosis"/>**

4915

The <code> element indicates that this is the Diagnosis information. This code SHALL be the SNOMED CT code “282291009” for “Diagnosis”. It is good style to include the displayName and codeSystemName to help debugging.

**6.3.4.56.9 <statusCode code='completed'/>**

4920

The status code for all Cancer Diagnosis Entries SHALL be ‘completed’.

**6.3.4.56.10 <effectiveTime value="xxx"/>**

This element records the date of initial diagnosis by a recognized medical practitioner for the cancer being reported.

**6.3.4.56.11 <value xsi:type='CD' code=' ' codeSystem=' ' codeSystemName=' ' displayName=' '>**

4925

The <value> records the Histologic Type, which is the cell type of the tumor/cancer (e.g., carcinoma, melanoma, sarcoma, lymphoma, leukemia). This element is required. It is always represented using the CD datatype (xsi:type='CD'), even though the value may be a coded or uncoded string. If coded, it SHALL follow the appropriate realm constraints for vocabulary.

4930

(See Volume 4 in the QRPH PRPH-Ca profile found at <http://www.ihe.net>).

**6.3.4.56.12 <qualifier><name code="31206-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Behavior ICD-O-3 Cancer"/><value code="" codeSystem="" codeSystemName="" displayName="" "/> </qualifier>**

4935

This <qualifier> provides Behavior information, indicating whether the tumor is benign, in situ, malignant or metastatic. The code and codeSystem attributes SHALL be recorded exactly as shown above. If coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca profile found at <http://www.ihe.net>).

**6.3.4.56.13 <qualifier><name code="21861-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Dx confirmed by Cancer"/><value xsi:type="CD" code="" codeSystem="" codeSystemName="" displayName="" "/></qualifier>**

4940

This <qualifier> provides Best Method of Diagnosis information, indicating the best method used to confirm the presence of the cancer being reported. The code and codeSystem attributes SHALL be recorded exactly as shown above. The <value> records the best method of diagnosis, and if coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca profile found at <http://www.ihe.net>).

4945



**6.3.4.56.14 <targetSiteCode code=" " codeSystem="" codeSystemName=" " displayName=" ">**

- 4950 The <targetSiteCode> element SHALL be present and shall indicate the anatomic location where the primary tumor originated. Vocabulary used SHALL follow the appropriate realm constraints. (See Volume 4 in the QRPH PRPH-Ca profile found at <http://www.ihe.net>).

**6.3.4.56.15 <qualifier><name code="20228-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Anatomic part Laterality"/> <value code="" codeSystem="" codeSystemName=" " displayName=" "/></qualifier>**

- 4955 This <qualifier> provides the laterality, which indicates the side of a paired organ or side of the body on which the reportable tumor originated. The code and codeSystem attributes SHALL be recorded exactly as shown above. The <value> records the laterality, if coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca profile found at <http://www.ihe.net>).
- 4960

**6.3.4.56.16 <entryRelationship typeCode="SUBJ" inversionInd="false">**

One <entryRelationship> element should be present providing information on the TNM Clinical Stage.

- 4965 When present, this <entryRelationship> element SHALL contain an observation conforming to the TNM Stage Information (1.3.6.1.4.1.19376.1.7.3.1.4.14.2) template. The typeCode SHALL be “SUBJ” and inversionInd SHALL be “false”.

**6.3.4.56.17 <observation classCode="OBS" moodCode="EVN"> <templateId root="1.3.6.1.4.1.19376.1.7.3.1.4.14.2"/> [1<sup>st</sup> nesting]**

- 4970 Observations that describe the TNM Stage Information SHALL be included if known.

**6.3.4.56.18 <code code="xxxxx-x" displayName="TNM Clinical Stage Information" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/> [1<sup>st</sup> nesting]**

- 4975 The <code> element indicates that this observation is the TNM Clinical Stage Information. This code SHALL be the LOINC code xxxxx-x. It is good style to include the displayName and codeSystemName to help debugging.

**6.3.4.56.19 <statusCode code="completed"/> [1<sup>st</sup> nesting]**

The status code for all TNM Clinical Stage Information observations SHALL be ‘completed’.

**6.3.4.56.20 <value xsi:type="CD" code="" codeSystem="" codeSystemName="" displayName=" "> [1<sup>st</sup> nesting]**

- 4980 The <value> records the TNM Clinical Stage Group, which is a detailed site-specific code for the clinical stage group as defined by AJCC and recorded by the physician. This element is required. It is always represented using the CD datatype (xsi:type='CD'), even though the value

may be a coded or uncoded string. If coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca profile found at <http://www.ihe.net>).

4985 **6.3.4.56.21 <qualifier><name code="21909-7" displayName=" Descriptor.clinical Cancer" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/>  
<value xsi:type="CD" code="" codeSystem="" codeSystemName=" " displayName=" "/></qualifier> [1<sup>st</sup> nesting]**

4990 This <qualifier> provides TNM Clinical Stage Descriptor information, indicating The AJCC clinical stage prefix/suffix recorded by the physician. AJCC stage descriptors identify special cases that require separate analysis. The code and codeSystem attributes SHALL be recorded exactly as shown above. The <value> records the TNM Clinical Stage Descriptor, and if coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca profile found at <http://www.ihe.net>).

4995 **6.3.4.56.22 <qualifier><name code="21917-0" displayName="Version TNM Classification" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/><value xsi:type="CD" code="" codeSystem="" codeSystemName=" " displayName=""/></qualifier> [1<sup>st</sup> nesting]**

5000 This <qualifier> provides TNM Edition Number information, indicating the edition number of the AJCC Staging Manual. The code and codeSystem attributes of <name> SHALL be recorded exactly as shown above. If coded, it SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca profile found at <http://www.ihe.net>).

5005 **6.3.4.56.23 <participant typeCode="PPRF"> <participantRole> <code code="21910-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Stager.clinical Cancer"/><playingEntity nullFlavor="NA"> <code xsi:type="CE" code="" codeSystem="" codeSystemName=" " displayName=" "/> [1<sup>st</sup> nesting]**

5010 This <participant> element should specify the person who recorded the AJCC staging elements and stage group in the patient's medical record. The code and codeSystem attributes for <participantRole> SHALL be recorded exactly as shown above. The <code> attribute of <playingEntity> identifies the person who recorded the staging elements, and SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca profile found at <http://www.ihe.net>).

5015 **6.3.4.56.24 <!-- 0..3 entryRelationships identifying simple observations for TNM Clinic Tumor, TNM Clinical Nodes, and TNM Clinical Metastases--><entryRelationship typeCode="COMP" inversionInd="false"><observation classCode='OBS'moodCode='EVN'><templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.13' />...</observation>[2nd nesting]**

5020 Each <entryRelationship> element should contain a simple observation that specifies the TNM Clinic Tumor, TNM Clinical Nodes, and TNM Clinical Metastases, each of which is a

component of the TNM Stage Group. Simple observations that describe the TNM Clinic Tumor, TNM Clinical Nodes, and TNM Clinical Metastases SHALL be included if known and inversionInd SHALL be “false”.

5025 **6.3.4.56.25** <code code="" displayName=" " codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"/> [2<sup>nd</sup> nesting]

Observations SHALL include one of following LOINC values to indicate the component of TNM Stage Group represented in the Observation.

LOINC Code	Display Name	Description
21905-5	TNM Clinical T	A detailed site-specific code for the clinical tumor (T) as defined by AJCC and recorded by the physician.
21906-3	TNM Clinical N	A detailed site-specific code for the clinical nodes (N) as defined by AJCC and recorded by the physician.
21907-1	TNM Clinical M	A detailed site-specific staging code for the clinical metastases (M) as defined by AJCC and recorded by the physician.

5030 **6.3.4.56.26** <value xsi:type="CD" code="" codeSystem="" codeSystemName=" " displayName=" "/>

The <value> of the observation SHALL be recorded using the vocabulary appropriate to the coded observation according to the table above and SHALL follow the appropriate realm constraints for vocabulary. (See Volume 4 in the QRPH PRPH-Ca profile found at <http://www.ihe.net>).

5035

*Add Section 6.4*

## 6.4 HL7 Version 2.0 Content Modules

This section contains content modules based upon the HL7 Version 2 Standard, and related standards and/or implementation guides.

5040

*Add Section 6.5*

## 6.5 PCC Value Sets

This section contains value sets used by Content Modules.

5045 Note: Although some tables in this section include a column for “Units”, units may not be applicable to all table entries and the cell will remain blank.

*Add Section 6.5.A*

**6.5.A Antepartum History of Past Illness Value Set****1.3.6.1.4.1.19376.1.5.3.1.1.16.5.1**

Name	Opt	Type	Units	SNOMED CT
Diabetes	R2	CD		73211009
Hypertension	R2	CD		38341003
Heart Disease	R2	CD		56265001
Autoimmune Disorder	R2	CD		85828009
Kidney Disease	R2	CD		90708001
UTI	R2	CD		68566005
Neurologic	R2	CD		118940003
Epilepsy	R2	CD		84757009
Psychiatric	R2	CD		74732009
Depression	R2	CD		41006004
Postpartum Depression	R2	CD		58703003
Hepatitis	R2	CD		128241005
Liver Disease	R2	CD		235856003
Varicosities	R2	CD		276504003
Phlebitis	R2	CD		61599003
Thyroid Dysfunction	R2	CD		14304000
Trauma	R2	CD		417746004
Violence	R2	CD		225818009
History of Blood Transfusion	R2	CD		116859006
D(Rh) Sensitized	R2	CD		3885002
Pulmonary	R2	CD		19829001
Seasonal Allergies	R2	CD		367498001
Drug Allergy	R2	CD		416098002
Latex Allergy	R2	CD		300916003
Food Allergy	R2	CD		414285001
Breast	R2	CD		79604008
Hospitalizations	R2	CD		32485007
Anesthetic Complications	R2	CD		33211000
History of Abnormal Pap	R2	CD		274688009
Uterine Anomaly/DES	R2	CD		37849005
DES Exposure	R2	CD		413340008 of fetus
Infertility	R2	CD		8619003
Artificial Reproductive Therapy (ART) Treatment	R2	CD		63487001
History of Gestational Diabetes	R2	CD		
History of Incompetent Cervix	R2	CD		17382005 Code is for

Name	Opt	Type	Units	SNOMED CT
				incompetent cervix rather than history of. Given this condition this should be okay.
History of Infant with Intrauterine Growth Restriction	R2	CD		Need Code for history of.
History of Infant with Macrosomia	R2	CD		Need Code for history of.
History of Pregnancy Induced Hypertension	R2	CD		Need code for history of.
History of Placenta Previa/Abruption	R2	CD		Need Code for history of.
History of Preterm labor	R2	CD		441493008
History of Premature Rupture of Membranes	R2	CD		Need Code for history of.
Previous Cesarean Section	R2	CD		161805006
History of Stillbirth	R2	CD		161743003
History of Neonatal Death	R2	CD		Need code for history of.
History of Postpartum Hemorrhage	R2	CD		161809000

5050 *Add Section 6.5.C*

### 6.5.C Antepartum Family History and Genetic Screening Value Set

#### 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.4

Name	Opt	Type	Units	SNOMED CT	LOINC
Autism	R2	CD		408856003	
Blood Disorders	R2	CD		414022008	
Canavan Disease	R2	CD		80544005	
Chromosomal Disorder Includes any inherited genetic or chromosomal disorders	R2	CD		409709004	
Congenital Heart Defect	R2	CD		13213009	
Cystic Fibrosis	R2	CD		190905008	
Dysmorphism (Birth Defect) Patient or baby's father has a child with birth	R2	CD		276720006	

Name	Opt	Type	Units	SNOMED CT	LOINC
defects					
Down Syndrome	R2	CD		41040004	
Familial Dysautonomia	R2	CD		29159009	
Hemophilia	R2	CD		90935002	
Huntington's Chorea	R2	CD		58756001	
Maternal Metabolic Disorder	R2	CD		75934005	
Mental Retardation	R2	CD		91138005	
Muscular Dystrophy	R2	CD		73297009	
Neural Tube Defect	R2	CD		253098009	
Recurrent pregnancy loss/stillbirth	R2	CD		102878001	
Sickle Cell Disease	R2	CD		417357006	
Sickle Cell Trait	R2	CD		16402000	
Tay-Sachs	R2	CD		111385000	
Thalassemia	R2	CD		40108008	

*Add Section 6.5.D*

5055 **6.5.D Antepartum Review of Systems Menstrual History Value Set**  
**1.3.6.1.4.1.19376.1.5.3.1.1.16.5.5**

Name	Opt	Type	Units	SNOMED CT	LOINC
Date of Last Menstrual Period	R	TS		21840007	
Menses Monthly	R	BL		364307006	
Prior Menses Date	R	TS		21840007	
Duration of Menstrual Flow <del>Frequency</del>	R	PQ	days	364306002	
Frequency of Menstrual Cycles	R	PQ	days	289887006	
On Birth Control Pills at conception	R	BL		10036567	
Menarche	R	PQ		398700009	
hCG+	R	TS		250423000	

*Add Section 6.5.E*

**6.5.E Antepartum History of Infection Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.6**

Name	Opt	Type	Units	SNOMED CT	LOINC
Live with someone with TB or exposed to TB	R2	CD		170464005	
History of Genital Herpes	R2	CD		402888002	
Exposed to Genital Herpes	R2	CD		240480009	
Rash since LMP	R2	CD		49882001	
Viral illness since LMP	R2	CD		34014006	
Rash or viral illness since LMP	R2	CD		49882001	
Hepatitis B	R2	CD		235871004	
Hepatitis C	R2	CD		235872006	
History of STD	R2	CD		8098009	
History of Gonorrhea	R2	CD		15628003	
History of Chlamydia	R2	CD		312099009	
History of HPV	R2	CD		302812006	
History of HIV	R2	CD		165816005	
History of Syphilis	R2	CD		76272004	

5060

*Add Section 6.5.F***6.5.F Antepartum Laboratory Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.7**

Lab	LOINC Code	Comments
Antibody Screen (AB)	890-4 Ab Screen	
Blood Type (ABO Group)	883-9 ABO Group	
Rh	10331-7 Rh	
Hepatitis B virus (HBV) surface Antigen (Ag)	5196-1 HBV surface Ag (EIA) 5195-3 HBV surface Ag 5197-9 HBV surface Ag (RIA) 7905-3 HBV surface Ag (Neut)	
Hemoglobin (Hgb)/Hematocrit (Hct)	718-7 Hgb 4544-3 Hct (Automated count) 30350-3 Hgb	
Hemoglobin (Hgb) Electrophoresis	13514-5 Hemoglobin pattern [interpretation] in Blood by Electrophoresis Narrative	Appropriate code appears to be 13514-5
Aneuploidy Screening (Ultrasound)	XX-ASU Aneuploidy Screening (Ultrasound)	XX-ASU: A LOINC

Lab	LOINC Code	Comments
		profile code will be requested
Pap Test/Human papilloma virus (HPV)	21440-3 HPV I/H Risk DNA Cervix (Probe) 21441-1 HPV Low Risk DNA Cervix (Probe) 10524-7 Cytology Cervix 18500-9 Thin Prep Cervix 19765-7 Cytology Cervix/Vaginal (Nominal) 19766-5 Cytology Cervix/Vaginal (Narrative)	
Rubella Virus (RUBV) Antibody (Ab)	5334-8 RUBV Ab IgG (EIA) 20458-6 RUBV Ab IgG 40667-8 RUBV Ab IgG (EIA) 8014-3 RUBV Ab IgG	
Urine Culture Screen	630-4 Bacteria Urine Culture	
Purified protein derivative (PPD)	1647-7 Purified protein derivative skin test	
Chlamydia	6347-9 Chlamydia Ag 14510-2 Chlamydia trachomatis Ag (Vaginal) 14474-1 Chlamydia trachomatis Ag (Urine) 6349-5 Chlamydia trachomatis (Unspecified specimen)	
Gonorrhea	691-6 Neisseria Gonorrhoeae (genital specimen) 9568-7 Neisseria Gonorrhoeaea Ab	
Chlamydia Trachomatis/ Neisseria Gonorrhoeae	45067-6 Chlamydia Trachomatis Neisseria Gonorrhoeae (Cervix) 45074-2 Chlamydia Trachomatis Neisseria Gonorrhoeae (Urine)	
Ultrasound	35096-7 OB Ultrasound Panel	
Alpha-Feto Protein (Maternal) (Profile)	30525-0 Age 29463-7 Body Weight 18185-9 Gestational Age 20450-3 Alpha-1-Fetoprotein 48803-1 Neural Tube Defect Risk	
Chorionic Villus Sampling (CVS)	33774-1 Karyotype	
Amniotic Fluid (Karyotype)	33773-3 Karyotype (Amniotic Fluid)	



Lab	LOINC Code	Comments
Amniotic Fluid (AFP)	41273-4 Alpha-1-Fetoprotein, Amniotic Fluid Semi-Quantitative 1832-5 Alpha-1-Fetoprotein [Multiple of the median] in Amniotic Fluid 29595-6 Alpha-1-Fetoprotein [Mass/volume] in Amniotic Fluid	
Diabetes Screen	1557-8 Fasting Blood Glucose-Venous 14770-2 Fasting Blood Glucose-Capillary	
Glucose Tolerance Test (GTT)	1507-3 Glucose 1HR post 75 g glucose 14995-5 Glucose 2HR post 75 g glucose 20437-0 Glucose 3HR post 75 g glucose	
Rapid Plasma Reagin (RPR)	31147-2 Reagin Ab 20508-8 Reagin Ab by RPR	
Venereal Disease Research Laboratory (VDRL)	5292-8 Reagin Ab by VDRL	
Group B Strep	48683-7 Beta Strep Group B (PCR) 11267-2 Strep Group B	
Beta Human Chorionic Gonadotropin (HCG)	21198-7 Beta HCG	
Varicella zoster virus Ab.IgG	15410-4 Varicella zoster virus Ab.IgG (EIA) 17763-4 Varicella zoster virus Ab.IgG (IF)	
Maternal Serum Triple Screen	30525-0 Age, Patient Quantitative 20450-3 Alpha-1-Fetoprotein Multiple of the Median, Serum Quantitative Calculated 20465-1 Choriogonadotropin/Choriogonatotropin, Control Serum Quantitative 20466-9 Estriol/Estriol, Control Serum Quantitative	
Urinalysis (Urine Screen)	20406-5 Glucose 20505-4 Bilirubin 5797-6 Ketones 5811-5 Specific Gravity 5803-2 pH 5804-0 Protein 20405-7 Urobilinogen	

Lab	LOINC Code	Comments
	20407-3 Nitrite	
	5794-3 Hemoglobin	
	5799-2 Leukocyte esterase	
	5767-9 Appearance	
	5778-6 Color	
	9842-6 Casts	
	5787-7 Epithelial cells	
	13945-1 Erythrocytes	
	5769-5 Bacteria	
First Trimester Maternal Serum Screening with Nuchal Translucency	49588-7 First trimester maternal screen with nuchal translucency [interpretation] Narrative	
Thyroid Stimulating Hormone (TSH)	11580-8 Thyrotropin (3rd generation) 3016-3 TSH 5385-0 Thyrotropin Receptor Ab 27975-2 TSH (serum)	
Triiodothyronine (T3)	3051-0 T3 Free 3052-8 T3 Reverse 3054-4 T3 True 3050-2 T3 Resin Uptake	

<i>Add Section 6.5.G</i>
--------------------------

5065 **6.5.G Antepartum Education Value Set 1.3.6.1.4.1.19376.1.5.3.1.1.16.5.8**

Name	Opt	Type	units	SNOMED CT	LOINC
<b>First Trimester</b>					
Risk factors identified by prenatal history	R2	CD		440047008	
Anticipated course of prenatal care	R2	CD		17629007	
Special Diet	R2	CD		171054004	
Nutrition and weight gain counseling	R2	CD		171054004	
Toxoplasmosis precautions (cats/raw meat)	R2	CD		439733009	
Sexual activity	R2	CD		162169002	

Name	Opt	Type	units	SNOMED CT	LOINC
Exercise	R2	CD		171056002	
Influenza vaccine	R2	CD		xx-edu-influenza need code closest is vaccine education 171044003	
Smoking/tobacco counseling	R2	CD		171055003	
Environmental/work hazards	R2	CD		385872009	
Travel	R2	CD		439816006	
Alcohol	R2	CD		171057006	
Illicit/recreational drugs	R2	CD		425014005	
Use of any medications	R2	CD		171058001	
Indications for ultrasound	R2	CD		440227005	
Domestic violence	R2	CD		413457006	
Seatbelt use	R2	CD		440638004	
Childbirth classes/hospital facilities	R2	CD		66961001	
<b>Second Trimester</b>					
Childbirth classes/hospital facilities	R2	CD		66961001	
Signs and symptoms of preterm labor	R2	CD		440669000	
Abnormal Lab Values	R2	CD		410299006	
Influenza vaccine	R2	CD		xx-edu-fluvaccine need code. Closest is vaccine education 171044003	
Selecting a newborn care provider	R2	CD		439908001	
Postpartum family planning	R2	CD		54070000	
Tubal sterilization	R2	CD		243064009	

Name	Opt	Type	units	SNOMED CT	LOINC
<b>Third Trimester</b>					
Anesthesia/analgesia plans	R2	CD		243062008	
Intended Facility for Delivery plan				310585007	
Fetal movement monitoring	R2	CD		440309009	
Labor signs	R2	CD		440671000	
VBAC counseling	R2	CD		440073003	
Signs & Symptoms of Pregnancy-induced hypertension	R2	CD		xx-edu-sspreclampsia need to request code	
Postterm counseling	R2	CD		xx-edu-postterm need to request code	
Circumcision	R2	CD		184002001	
Bottle feeding	R2	CD		169644004	
Breast feeding	R2	CD		169643005	
Postpartum depression	R2	CD		439366005	
Newborn education (Newborn screening, jaundice, SIDS, car seat)	R2	CD		75461000	
Family medical leave or disability forms	R2	CD		40791000	
Tubal sterilization consent signed	R2	CD		408835000	

*Add section 6.5.H. (Added 2011-09 from QRPH EHCP profile)*

The value subsets provided in this section are used both to constrain the CDA content, and to assert measure logic. These MAY be supported by the Value Set Repository actor for value set management as defined by the IHE ITI TF Sharing of Value Sets (SVS) profile.

5070

## 6.5.H JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set

### 6.5.H.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.24
Name	name of the value set	JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To Reflect the Risk Indicators for Hearing Loss associated with hearing loss using LOINC® concepts
Definition	A text definition describing how concepts in the value set were selected	<b>Extensional definition:</b> The value set was constructed by enumerating the codes from LOINC®
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://loinc.org">http://loinc.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

5075

**6.5.H.2 JCIH-EHDI Risk Indicators for Hearing Loss (LOINC®) Value Set Value Set***LOINC® 58232-0 Hearing Loss Risk Indicator*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.24</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>
<b>Sequence</b>	<b>LOINC® Code</b>	<b>Description</b>
1	LA137-2	None
2	LA12667-4	Caregiver concern about hearing
3	LA12668-2	Family Hx of hearing loss
4	LA12669-0	NICU stay > 5 days
5	LA12670-8	ECMO
6	LA12671-6	Assisted ventilation
7	LA12672-4	Ototoxic medication use
8	LA12673-2	Exchange transfusion for Hyperbilirubinemia
9	LA12674-0	In utero infection(s)
10	LA12675-7	Craniofacial anomalies
11	LA12681-5	Physical findings of syndromes that include hearing loss
12	LA12676-5	Syndromes associated with hearing loss
13	LA12677-3	Neurodegenerative disorders
14	LA12678-1	Postnatal infections
15	LA12679-9	Head trauma
16	LA6172-6	Chemotherapy

5080

*Add section 6.5.I. (Added 2011-09 from QRPH EHCP profile)*

## 6.5.I JCIH-EHDI Risk Indicators for Hearing Loss Codes

### 6.5.I.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.11
Name	name of the value set	JCIH-EHDI Risk Indicators for Hearing Loss Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the risk indicators for hearing loss associated with hearing loss using SNOMED-CT Finding/Situation concepts
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

5085

**6.5.I.2 JCIH-EHDI Risk Indicators for Hearing Loss Value Set***SNOMED-CT Risk Indicators for Hearing Loss Value Set*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.11</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>Sequence</b>	<b>SNOMED-CT Code</b>	<b>Description</b>
1	439750006	Family history of hearing loss (situation)
2	441899004	History of therapy with ototoxic medication (situation)
3	276687002	Conjugated hyperbilirubinemia in infancy (disorder)
4	281610001	Neonatal hyperbilirubinemia (disorder)
5	281612009	Neonatal conjugated hyperbilirubinemia (disorder)
6	281611002	Neonatal unconjugated hyperbilirubinemia (disorder)
7	206363004	Intra-amniotic fetal infection (disorder) (Deprecated, replaced by 11618000)
8	206331005	Infections specific to perinatal period (disorder)
9	206005002	Fetus or neonate affected by maternal infection (disorder)
10	80690008	Degenerative disease of the central nervous system (disorder)
11	178280004	Postnatal infection (disorder)
12	312972009	Neonatal extracranial head trauma (disorder)
13	161653008	History of - chemotherapy (situation)
14	11618000	Intra-amniotic infection of fetus (disorder) (Replaces 206363004)

5090 **6.5.I.3 Pending Codes for SNOMED-CT Findings/Situation to support Risk Indicators for Hearing Loss**

Note that additional specificity for this value set is under way and will result in an update to this value set. Further coded values are sought to represent the following:

None
Caregiver concern about hearing
Craniofacial anomalies
Physical findings of syndromes that include hearing loss
Syndromes associated with hearing loss

5095

*Add section 6.5.J. (Added 2011-09 from QRPH EHCP profile)*



## 6.5.J JCIH-EHDI Risk Indicators for Hearing Loss - Procedures Codes

### 6.5.J.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.12
Name	name of the value set	JCIH-EHDI Risk Indicators for Hearing Loss - Procedures Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the risk indicators for hearing loss Procedures associated with hearing loss using SNOMED-CT
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.J.2 JCIH-EHDI Risk Indicators for Hearing Loss - Procedures Value

5100

#### *Risk Indicators for Hearing Loss - Procedures Set*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.12</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
Sequence	SNOMED-CT Code	Description
1	266700009	Assisted breathing (procedure)
2	233573008	Extracorporeal membrane oxygenation (procedure)

---

*Add section 6.5.K. (Added 2011-09 from QRPB EHCP profile)*

---

## 6.5.K Newborn Hearing Procedure Codes

### 5105 6.5.K.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.17
Name	name of the value set	JCIH-EHDI Newborn Hearing Procedure Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the type of newborn hearing procedure identified using SNOMED-CT Procedure codes (includes both screening and other tests and examinations)
Definition	A text definition describing how concepts in the value set were selected	<b>Extensional definition:</b> The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

**6.5.K.2 JCIH-EHDI Newborn Hearing Procedure Value Set**

5110

*Newborn Hearing Procedure Value Set:*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.17</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
<b>Sequence</b>	<b>SNOMED-CT Code</b>	<b>Description</b>
3	417491009	Neonatal hearing test (procedure)

*Add section 6.5.L. (Added 2011-09 from QRPH EHCP profile)*

5115

**6.5.L JCIH-EHDI Newborn Hearing Screening Method Codes****6.5.L.1 Metadata**

<b>Metadata Element</b>	<b>Description</b>	<b>Mandatory</b>
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.4
Name	name of the value set	JCIH-EHDI Newborn Hearing Screening Method Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the type of newborn hearing screening procedure identified using LOINC® answer codes
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC®
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://loinc.org">http://loinc.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that	IHE EHDI

Metadata Element	Description	Mandatory
	include this value set. A group MAY also have an OID assigned.	

## 5120 6.5.L.2 JCIH-EHDI Newborn Hearing Screening Method Value Set

*Newborn Hearing Screening Method Value Set:*

*LOINC® 54106-0*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.4</b>	
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>	
Sequence	LOINC® Code	Answer Code	Description
1	LA10387-1	AABR	Automated auditory brainstem response
2	LA10388-9	ABR	Auditory brain stem response
3	LA10389-7	OAE	Otoacoustic emissions
4	LA10390-5	DPOAE	Distortion product otoacoustic emissions
5	LA10391-3	TOAE	Transient otoacoustic emissions
6	LA12406-7		Methodology unknown

*Add section 6.5.M. (Added 2011-09 from QRPH EHCP profile)*

5125

## 6.5.M JCIH-EHDI Hearing Screen Right Codes– Right

### 6.5.M.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.9
Name	name of the value set	JCIH-EHDI Hearing Screen Right Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the right ear EHDI screening using LOINC® in result type
Definition	A text definition describing how concepts in the value set were selected	<b>Extensional definition:</b> The value set was constructed by enumerating the codes from LOINC®
Source URI	Most sources also have a URL or document URI that provides further	<a href="http://loinc.org">http://loinc.org</a>

Metadata Element	Description	Mandatory
	details regarding the value set.	
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.M.2 JCIH-EHDI Hearing Screen Right Value Set

5130 *NB hearing scn –R:Result Type*

*Hearing Screen Right Value Set*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.9</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>
Sequence	LOINC® Code	Description
1	53109-4	Newborn Hearing Screen Right

*Add section 6.5.N. (Added 2011-09 from QRPH EHCP profile)*

### 6.5.N JCIH-EHDI Hearing Screen Left Codes

5135 **6.5.N.1 Metadata**

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.8
Name	name of the value set	JCIH-EHDI Hearing Screen Left Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the left ear EHDI hearing screening result type using LOINC®
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC®

Metadata Element	Description	Mandatory
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://loinc.org">http://loinc.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDl

### 6.5.N.2 JCIH-EHDl Hearing Screen Left Value Set

#### *Hearing Screen Left Value Set*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.8</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>
Sequence	LOINC® Code	Description
1	53108-6	Newborn Hearing Screen Left

5140 *Add section 6.5.O. (Added 2011-09 from QRPH EHCP profile)*

### 6.5.O JCIH-EHDl Reason for no Hearing Loss Diagnosis or Screening Codes(SNOMED)

#### 6.5.O.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.15
Name	name of the value set	JCIH-EHDl Reason for no Hearing Loss Diagnosis or Screening Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To Reflect Reason for no hearing loss diagnosis coded with SNOMED-CT.
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

5145

### 6.5.O.2 JCIH-EHDI Reason for no Hearing Loss Diagnosis or Screening Value Set

#### *Reason for no Hearing Loss Diagnosis*

	Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.15	
	Vocabulary:	2.16.840.1.113883.6.96	
Sequence	SNOMED Code	Description	EHDI Concept
1	397709008	Patient died (finding)	No screening or diagnosis: Infant died
2	360885002	Change of residence status (finding)	No diagnosis: Moved or gone elsewhere
3	184112005	Patient address unknown (finding)	No diagnosis: Unable to Contact Family
4	184118009	Patient telephone number unknown (finding)	No diagnosis: Unable to Contact Family
5	183638004	Follow-up refused	No screening diagnosis: Parents Declined Services - Follow-up refused
6	183946001	Procedure refused-uncooperative	No diagnosis: Parents Declined Services -Procedure refused - uncooperative

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.15</b>	
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>	
<b>Sequence</b>	<b>SNOMED Code</b>	<b>Description</b>	<b>EHDI Concept</b>
7	413319007	Persistent non-attender	No diagnosis: Unresponsive - Persistent non-attender
8	399307001	Loss to follow-up	No diagnosis: Unknown - Loss to follow-up
9	419984006	Inconclusive (qualifier value)	No diagnosis: Audiologic Diagnosis in Process
10	185332005	Appointment cancelled by patient (finding)	No diagnosis: Audiologic Diagnosis in Process - Rescheduled appointment
11	185333000	Appointment cancelled by doctor (finding)	No diagnosis: Audiologic Diagnosis in Process - Rescheduled appointment
12	281399006	Did not attend	No diagnosis: Audiologic Diagnosis in Process - Did not attend

*Add section 6.5.P. (Added 2011-09 from QRPH EHCP profile)*

5150

## 6.5.P JCIH-EHDI Newborn Hearing Loss Referrals Codes

### 6.5.P.1 Metadata

<b>Metadata Element</b>	<b>Description</b>	<b>Mandatory</b>
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.16
Name	name of the value set	JCIH-EHDI Newborn Hearing Loss Referrals Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect EHDI referrals coded with SNOMED-CT and as a response to care plan recommendations (entered on a list of referrals in a medical summary)
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>



Metadata Element	Description	Mandatory
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.P.2 JCIH-EHDI Newborn Hearing Loss Referrals Value Set

5155 *EHDI Newborn Hearing Loss Referrals Value Set*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.16</b>	
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>	
Sequence	SNOMED Code	Description	EHDI Concept
1	306210008	Referral to pediatric diagnostic audiology service (procedure)	Referral to audiologist
2	415271004	Referral to education service (procedure)	Referral to Early Intervention (Part C/non Part C)

*Add section 6.5.Q. (Added 2011-09 from QRPH EHCP profile)*

### 6.5.Q JCIH-EHDI Newborn Hearing Loss Reason for no Follow-up – Patient Reason Codes

5160 **6.5.Q.1 Metadata**

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.7
Name	name of the value set	JCIH-EHDI Newborn Hearing Loss Reason for no Follow-up – Patient Reason Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain

Metadata Element	Description	Mandatory
Purpose	Brief description about the general purpose of the value set	To Reflect the reason that no follow-up is conducted in the case of hearing loss using SNOMED-CT reflected in negation of an intent to order the referral.
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.Q2 JCIH-EHDI Newborn Hearing Loss Reason for no Follow-up – Patient Reason Value Set

5165 *EHDI Newborn Hearing Loss Reason for no Follow-up Value Set*

	Value Set :	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.7	
	Vocabulary:	2.16.840.1.113883.6.96	
Sequence	SNOMED Code	Description	EHDI Concept
1	397709008	Patient died (finding)	Incomplete outpatient screen: Infant died
2	360885002	Change of residence status (finding)	Incomplete outpatient screen: Moved or gone elsewhere
3	184112005	Patient address unknown (finding)	Incomplete outpatient screen: Unable to contact family
4	184118009	Patient telephone number unknown (finding)	Incomplete outpatient screen: Unable to contact family
5	183638004	Follow-up refused	Incomplete outpatient screen: Follow-up refused
6	183946001	Procedure refused-uncooperative	Incomplete outpatient screen:

			Procedure refused-uncooperative
7	413319007	Persistent non-attender	Incomplete outpatient screen: Persistent non-attender
8	399307001	Loss to follow-up	Incomplete outpatient screen: Loss to follow-up
9	185332005	Appointment cancelled by patient (finding)	Incomplete outpatient screen: Rescheduled appointment
10	185333000	Appointment cancelled by doctor (finding)	Incomplete outpatient screen: Rescheduled appointment
11	281399006	Did not attend	Incomplete outpatient screen: Did not attend

*Add section 6.5.R. (Added 2011-09 from QRPH EHCP profile)*

## 6.5.R Joint Commission Medical Reason Codes

### 5170 6.5.R.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.33895.1.3.0.75
Name	name of the value set	Joint Commission Medical Reason Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	The Joint Commission value set is used to reflect medical reason why a test was not performed
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.R.2 Joint Commission Medical Reason Value Set

EHDI specifies the re-use of the existing Medical Reason Value Set used by the Joint Commission measures.

5175

	<b>Value Set :</b>	<b>1.3.6.1.4.1.33895.1.3.0.75</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
Sequence	SNOMED-CT Code	Description
1	397745006	Medical contraindication (finding)
2	397773008	Surgical contraindication (finding)

*Add section 6.5.S. (Added 2011-09 from QRPH EHCP profile)*

## 6.5.S JCIH-EHDI Inpatient Screening Results not Performed Codes

### 6.5.S.1 Metadata

5180

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.10
Name	name of the value set	JCIH-EHDI Inpatient Screening Results not Performed Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect the right ear EHDI results reported using LOINC® answer lists
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC®
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://loinc.org">http://loinc.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.S.2 JCIH-EHDI Inpatient Screening Results not Performed Value Set

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.10</b>		
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>		
<b>Sequence</b>	<b>LOINC®</b>	<b>Description</b>	<b>Global ID</b>	<b>Global ID</b>

	Code			Code System
1	LA12408-3	Attempted, but unsuccessful - technical fail	103709008	SN
2	LA7304-4	Not performed	262008008	SN
3	LA12409-1	Not performed, medical exclusion - not indicated	410534003	SN

*Add section 6.5.T. (Added 2011-09 from QRPH EHCP profile)*

## 5185 6.5.T JCIH-EHDI Evidence of Hearing Screening Performed Codes

### 6.5.T.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.18
Name	name of the value set	JCIH-EHDI Evidence of Hearing Screening Performed Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect Evidence of Hearing Screening Performed through the result values of pass-Left, pass-Right, or Refer. This excludes unsuccessful results.
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from LOINC®
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://loinc.org">http://loinc.org</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A

Metadata Element	Description	Mandatory
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.T.2 JCIH-EHDI Evidence of Hearing Screening Performed Value Set

#### *Evidence of Hearing Screening Performed Value Set*

		<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.18</b>		
		<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.1</b>		
Sequence	LOINC® Code	Answer Code	Description	Global ID	Global ID Code System
1	LA10392-1	164059009	Pass		
2	LA10393-9	183924009	Refer		

5190

*Add section 6.5.U. (Added 2011-09 from QRPB EHCP profile)*

### 6.5.U JCIH-EHDI Procedure Declined Value Set Codes

#### 6.5.U.1 Metadata

5195

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.20
Name	name of the value set	JCIH-EHDI Procedure Declined Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general purpose of the value set	To Reflect that the hearing screening procedure was not performed due to the patient/parent declining the procedure
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>

Metadata Element	Description	Mandatory
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.U.2 JCIH-EHDI JCIH-EHDI Procedure Declined Value Set Value Set

*JCIH-EHDI Procedure Declined Value Set:*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.20</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
Sequence	SNOMED-CT Code	Description
1	183949008	Assessment examination refused (situation)
2	183945002	Procedure refused - religion (situation)
3	183948000	Refused procedure - parent's wish (situation)
4	397709008	Patient died (finding)

5200 *Add section 6.5.V. (Added 2011-09 from QRPH EHCP profile)*

### 6.5.V JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set Codes

#### 6.5.V.1 Metadata

Metadata Element	Description	Mandatory
Identifier	unique identifier of the value set	1.3.6.1.4.1.19376.1.7.3.1.1.15.2.23
Name	name of the value set	JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set
Source	source of the value set, identifying the originator or publisher of the information	IHE Quality Research and Public Health Domain
Purpose	Brief description about the general	To Reflect abnormal results from the



Metadata Element	Description	Mandatory
	purpose of the value set	hearing screening procedure
Definition	A text definition describing how concepts in the value set were selected	Extensional definition: The value set was constructed by enumerating the codes from SNOMED-CT
Source URI	Most sources also have a URL or document URI that provides further details regarding the value set.	<a href="http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html">http://www.nlm.nih.gov/research/umls/Snomed/snomed_main.html</a>
Version	A string identifying the specific version of the value set.	Version 1.0
Status	Active (Current) or Inactive	Active
Effective Date	The date when the value set is expected to be effective	8/1/2010
Expiration Date	The date when the value set is no longer expected to be used	N/A
Creation Date	The date of creation of the value set	8/1/2010
Revision Date	The date of revision of the value set	N/A
Groups	The identifiers of the groups that include this value set. A group MAY also have an OID assigned.	IHE EHDI

### 6.5.V.2 JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set

*JCIH-EHDI Newborn Hearing Screening Abnormal Results Value Set:*

	<b>Value Set :</b>	<b>1.3.6.1.4.1.19376.1.7.3.1.1.15.2.23</b>
	<b>Vocabulary:</b>	<b>2.16.840.1.113883.6.96</b>
Sequence	SNOMED-CT Code	Description
1	313203003	Hearing test abnormal (finding)
2	308409008	Child hearing screening failure (finding)
3	185577006	Child hearing screening first failure (finding)
4	185579009	Child hearing screening second failure (finding)
5	185580007	Child hearing screening failure referred to specialist (finding)

5205

*Add section 6.5.W. (Added 2011-09 from QRPH PRPH-Ca profile)*

### 6.5.W Primary Site Value Set

LOINC = 22035-0	
Code System: ICD-O-3 2.16.840.1.113883.6.43.1	
Code	Meaning
	A code from ICD-O-3 (Topography Section)

5210 *Add section 6.5.X (Added 2011-09 from QRPH PRPH-Ca profile)*

### 6.5.X Histologic Type Value Set

LOINC = 31205-8	
Code System: ICD-O-3 2.16.840.1.113883.6.43.1	
Code	Meaning
	An ICD-O-3 code (Morphology Section)

5215 *Add section 6.5.Y (Added 2011-09 from QRPH PRPH-Ca profile)*

### 6.5.Y Derived AJCC Descriptor (T,N,M) Value Set

LOINC = 21908-9	
Code System: 2.16.840.1.113883.15.6	
Code	Meaning
c	clinical
p	pathologic
a	Autopsy classification
yc or yp	Posttherapy classification “y” prefix to utilize with “c: or “p” for denoting extent of cancer after neoadjuvant or primary systemic and/or radiation therapy
r	Retreatment Classification

*Add section 6.5.Y (Added 2011-09 from QRPH PRPH-Ca profile)*

5220

### 6.5.Z TNM Edition Value Set

LOINC = 21917-0	
Code System: 2.16.840.1.113883.15.6	
Code	Meaning
5	AJCC Staging Manual, 5 <sup>th</sup> Edition
6	AJCC Staging Manual, 6 <sup>th</sup> Edition
7	AJCC Staging Manual, 7 <sup>th</sup> Edition

*Add section 6.5.Z (Added 2011-09 from QRPH PRPH-Ca profile)*

5225

### 6.5.AA TNM Stage Group Value Set

Note: The AJCC Staging Manual TNM system is propriety and its definitions can not be included in other documents without permission.

LOINC = 21908-9	
Code System: TNM 5. Edition: 2.16.840.1.113883.15.8 - tnm5 TNM 6. Edition: 2.16.840.1.113883.15.7 - tnm6 TNM 7. Edition: 2.16.840.1.113883.15.6 - tnm7	
Code	Description: Site specific descriptions prevent listing of text equivalents.
0	Site specific descriptions prevent listing of text equivalents.
0a	“
0is	“
I	“
IA	“
IA1	“
IA2	“
IB	“
IB1	“
IB2	“
IC	“
II	“
IIA	“
IIA1	“
IIA2	“
IIB	“
IIC	“
III	“
IIIA	“
IIIB	“
IIIC	“
IS	“
IV	“
IVA	“
IVB	“
IVC	“

5230

*Add section 6.5.AA (Added 2011-09 from QRPH PRPH-Ca profile)*

### 6.5.BB TNM Stage Descriptor Value Set

5235

Note: The AJCC Staging Manual TNM system is propriety and its definitions cannot be included in other documents without permission.

LOINC = 21909-7	
Code System: TNM 5. Edition: 2.16.840.1.113883.15.8 - tnm5 TNM 6. Edition: 2.16.840.1.113883.15.7 - tnm6 TNM 7. Eidtion: 2.16.840.1.113883.15.6 - tnm7	
Code	Meaning
0	None
1	E (Extranodal, lymphomas only)
2	S (Spleen, lymphomas only)
3	M (Multiple primary tumors in a single site)
4	Y (Classification during or after initial multimodality therapy)—pathologic staging only
5	E & S (Extranodal and spleen, lymphomas only)
6	M & Y (Multiple primary tumors and initial multimodality therapy)

5240

*Add section 6.5.BB (Added 2011-09 from QRPH PRPH-Ca profile)*

### 6.5.CC TNM Tumor Value Set

Note: The AJCC Staging Manual TNM system is propriety and its definitions cannot be included in other documents without permission.

LOINC = 21905-5	
Code System: TNM 5. Edition: 2.16.840.1.113883.15.8 - tnm5 TNM 6. Edition: 2.16.840.1.113883.15.7 - tnm6 TNM 7. Edition: 2.16.840.1.113883.15.6 - tnm7	
Code	Description: Site specific descriptions prevent listing of text equivalents.
Ta	Site specific descriptions prevent listing of text equivalents.
Tis	“
T0	“
T1	“
T1mic	“
T1a	“

T1a1	“
T1a2	“
T1b	“
T1b1	“
T1b2	“
T1c	“
T1d	“
T2	“
T2a	“
T2a1	“
T2a2	“
T2b	“
T2c	“
T2d	“
T3	“
T3a	“
T3b	“
T3c	“
T3d	“
T4	“
T4a	“
T4b	“
T4c	“
T4d	“
T4e	“
Tx	“

5245

*Add section 6.5.CC (Added 2011-09 from QRPH PRPH-Ca profile)*

### 6.5.DD TNM Node Value Set

Note: The AJCC Staging Manual TNM system is propriety and its definitions cannot be included in other documents without permission.

LOINC = 21906-3	
Code System: TNM 5. Edition: 2.16.840.1.113883.15.8 - tnm5 TNM 6. Edition: 2.16.840.1.113883.15.7 - tnm6 TNM 7. Edition: 2.16.840.1.113883.15.6 - tnm7	
Code	Description: Site specific descriptions prevent listing of text equivalents.
N0	Site specific descriptions prevent listing of text equivalents.
N1	“
N1mi	“
N1a	“

N1b	“
N1b1	“
N1b2	“
N1b3	“
N1b4	“
N1c	“
N2	“
N2a	“
N2b	“
N2c	“
N3	“
N3a	“
N3b	“
N3c	“
N	“

5250

*Add section 6.5.DD (Added 2011-09 from QRPH PRPH-Ca profile)*

### 6.5.DD TNM Metastasis Value Set

Note: The AJCC Staging Manual TNM system is propriety and its definitions cannot be included in other documents without permission.

LOINC = 21907-1	
Code System: TNM 5. Edition: 2.16.840.1.113883.15.8 - tnm5 TNM 6. Edition: 2.16.840.1.113883.15.7 - tnm6 TNM 7. Edition: 2.16.840.1.113883.15.6 - tnm7	
Code	Description: Site specific descriptions prevent listing of text equivalents.
M0	Site specific descriptions prevent listing of text equivalents.
M1	“
M1a	“
M1b	“
M1c	“
M1d	“
M1e	“
Mx	“

5255

*Add Appendix Q*

## **APPENDIX Q: Document Construction**

5260 Describe document construction.