



L C I E

BUREAU VERITAS

ZHEJIANG DAHUA VISION TECHNOLOGY CO., LTD.

No.1399, Bin'xing Road, Binjiang District
Hangzhou
China

*LCIE certifies that the Product mentioned below has been evaluated and found to
be in accordance with the following requirements*

ETSI EN 303 645 v2.1.1

Product:

DSS Professional / DSS Express

Model:

DSS Professional / DSS Express

Software version:

Security Baseline Version 3.0

Other informations:

The product has been evaluated according to the ETSI
TS 103 701 v1.1.1 and found in conformity to the ETSI
EN 303 645 v2.1.1 standard.

Trademark:




Type certificate:

LCIE N°CN788980

Relevant document:

Test report(s) n° DHQA-ESH-P22121771

Issue date: 25/05/2023
Fontenay-aux-Roses



Julien GAUTHIER

Certification Officer

This document shall not be reproduced, except in full, without the written
approval of the LCIE.

CERT-TYPE-FORM 01 Rev. 03
Page 1 / 3

LCIE

Laboratoire Central des Industries Electriques
Une société de Bureau Veritas

33, Av du Général Leclerc
92266 Fontenay Aux Roses
FRANCE

Tél : +33 1 40 95 60 60
contact@lcie.fr
www.lcie.fr

Provision	Description	Verdict
<i>Reporting implementation</i>		
4-1-1	ICS reporting implementation	PASS (M)
<i>No universal default passwords</i>		
5.1-1	Unique per device passwords	PASS (MC)
5.1-2	Pre-installed password randomness	N/A (MC)
5.1-3	Authentication mechanism cryptography	PASS (MC)
5.1-4	Ability to change authentication value	PASS (MC)
5.1-5	Network interface brute force protection	PASS (MC)
<i>Implement a means to manage reports of vulnerabilities</i>		
5.2-1	Means to report vulnerabilities	PASS (M)
5.2-2	Acting on disclosed vulnerabilities	N/E
5.2-3	Company monitoring, vulnerability identifying and rectifying	N/E
<i>Keep software update</i>		
5.3-1	Securely updateable	N/E
5.3-2	Secure installation of updates	PASS (MC)
5.3-3	Ease of updating	PASS (MC)
5.3-4	Automatic update	N/A (RC)
5.3-5	Timeliness of security updates	N/A (RC)
5.3-6	Software update mechanism modification	N/A (RC)
5.3-7	Cryptography in update mechanism	PASS (MC)
5.3-8	Security updates shall be timely	PASS (MC)
5.3-9	Authenticity and integrity of updates	N/E
5.3-10	Network cryptography in update mechanism	PASS (M)
5.3-11	Security update information	N/E
5.3-12	Disruption of basic functionality	N/E
5.3-13	Product support	PASS (M)
5.3-14	Period and method of hardware replacement support	N/A (RC)
5.3-15	Hardware isolation and replacement	N/A (RC)
5.3-16	Informing of model number	PASS (M)
<i>Securely store sensitive security parameters</i>		
5.4-1	Sensitive security parameters storage	PASS (MC)
5.4-2	Hard coded unique id tamper protection	N/A (MC)
5.4-3	Hard coded critical security parameters	PASS (M)
5.4-4	Unique resistant critical security parameters	PASS (MC)
<i>Communicate securely</i>		
5.5-1	Cryptography in communication	PASS (M)
5.5-2	Usage of reviewed or evaluated implementations	N/E
5.5-3	Cryptoagility	N/E
5.5-4	Network access in initialized state before authentication	N/E
5.5-5	Security relevant changes through network access before authentication	PASS (MC)
5.5-6	Encryption of critical security parameters in transit	N/E
5.5-7	Confidentiality of critical security parameters in transit	PASS (MC)
5.5-8	Critical security parameters management	PASS (MC)
<i>Minimize exposed attack surface</i>		
5.6-1	Justification concerning interfaces exposure	PASS (M)

Provision	Description	Verdict
5.6-2	Unauthenticated exposure in the initialized state through network	PASS (M)
5.6-3	Exposure of physical interfaces	N/A (RC)
5.6-4	Software setting for debug interfaces	N/A (MC)
5.6-5	Unnecessary software services	N/E
5.6-6	Code attack surface	N/E
5.6-7	Least necessary privilege	N/E
5.6-8	Memory access control	N/E
5.6-9	Secure development training	N/E
<i>Ensure software integrity</i>		
5.7-1	Secure boot implementation	N/E
5.7-2	Unauthorized access alert	N/E
<i>Ensure that personal data is secure</i>		
5.8-1	Cryptography used for personal data communication	N/A (RC)
5.8-2	Cryptography used for sensitive personal communication	N/A (MC)
5.8-3	Data protection and privacy	N/A (MC)
<i>Make system resilient to outages</i>		
5.9-1	Resilience against power/network outages	N/E
5.9-2	Basic function during outage and clean recover	N/E
5.9-3	Stable (re)connection	N/E
<i>Examine system telemetry data</i>		
5.10-1	Telemetry data examination	N/A (RC)
<i>Make it easy for users to delete user data</i>		
5.11-1	Ease of personal data deletion from device	PASS (MC)
5.11-2	Ease of personal data deletion from services	N/E
5.11-3	Instructions on deletion of personal data	N/E
5.11-4	Confirmation of deletion	N/E
<i>Make installation and maintenance of devices easy</i>		
5.12-1	Ease and security of installation and maintenance	N/E
5.12-2	Guidance on securing the device	N/E
5.12-3	Guidance on checking security	N/E
<i>Validate input data</i>		
5.13-1	Input data validation	PASS (MC)
<i>Data protection for consumer IoT</i>		
6-1	Personal data usage	PASS (MC)
6-2	Obtaining consumer consent	PASS (MC)
6-3	Consumer consent withdrawal	PASS (MC)
6-4	Confidentiality of personal data	N/A (RC)
6-5	Confidentiality of sensitive personal data	N/A (MC)
Notes: ▪ <i>M: the provision is a mandatory requirement</i> ▪ <i>R: the provision is a recommendation</i> ▪ <i>MC: the provision is a mandatory requirement and conditional</i> ▪ <i>RC: the provision is a recommendation and conditional</i>		