

FEILIKS PROPOSAL

PORSCHE MOTORS

PDC Shanghai

FEB 2026, Shanghai

www.feiliks.com



愿景 Vision

数据科技驱动的智造供应链管理专家

To be a data & technology-driven supply chain management expert in the field of intelligent manufacturing



使命 Mission

助力智造企业提升供应链管理效率，打造绿色供应链，为客户创造价值

With our customers in the intelligent manufacturing sector and beyond, we provide green supply chain logistics service and create value by improving supply chain efficiencies



价值观

Core Value

诚信 务实 成长 创新 共赢

Integrity, pragmatism, growth, innovation, win-win

服务理念 SERVICE PHILOSOPHY

想的更多，做的更好

Be thoughtful and perform better

企业精神 ENTERPRISE SPIRIT

飞越无限，力求完美

Infinite transcendence toward perfection

员工精神 EMPLOYEE SPIRIT

每天进一步 Keep evolving

30年中国供应链管理领域领先品牌

Leading brand in supply chain management in China for nearly 30 years



海空陆运及多式联运
Air, Sea, Land & Multi-model Transportation



仓储服务
Warehousing Service



供应链解决方案
Supply Chain Solution



6.6 billion
CNY
OF TURNOVER 2024
营业额 2024

> 4,000
Employee 员工数

Total number in 2024
42.47 billion USD
IMPORT & EXPORT
VOLUME OF GOODS
货物进出口总额
1,150,000 m²
OF LOGISTICS SPACE
营运仓储面积

Our Clients

Electronic information												
Automobile												
New energy												
Intelligent manufacturing												
Tourism & FMCG												



Certificate of Registration

质量管理体系 - ISO 9001:2015

兹证明: 江苏飞力达国际物流股份有限公司
91320500608273920M
中国
江苏省
昆山市
经济技术开发区
玫瑰路999号
办公楼310、312、318, 4-7层
邮编: 215300

Jiangsu Feiliks International Logistics
Inc.
Room 310, 312, 318, 4-7 Floors
Office Building, No. 999, Meigui Road
Kunshan Development Zone
Kunshan
Jiangsu
215300
China

持有证书: **FS 59168**

并运行符合 ISO 9001:2015 要求的质量管理体系, 认证范围如下:

提供海运、空运进出口货物国际运输代理服务, 包括: 进出口货物代理、报关、仓储和短驳配送。提供普通货物仓储及配送服务, 包括: 汽车零部件的仓储和配送。

The provision of air freight forwarding and sea freight forwarding services, including import and export cargo agents, customs clearance, warehousing and short barge of distribution. The provision of general cargo warehousing and distribution services, including automotive parts warehousing and distribution.



Michael Lam - Managing Director Assurance, APAC

生效日期: 2024-08-17
有效期至: 2027-08-16

Page: 1 of 7

...making excellence a habit.™



此证书以电子版本方式发放, 所有权属BSI并受合同条款的约束。

可以 [在线](#) 查询电子证书的有效性

证书的证书可以通过网站 <http://www.usi-global.com/ClienDirectory> 或者致电 +86 10 8507 3000 查询。本证书信息亦可在国家认证认可监督管理委员会官方网站 (www.cnca.gov.cn) 上查询。

关于证书范围及 ISO 9001:2015 要

获证组织必须定期接受监督审核并经审核合格此证书方继续有效。
此证书只在报检内容属实有效。

此证, 有八法促其治法, 要法, 用者, 有疑。

信息查詢及联系方式: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. 电话: +44 345 080 9000

BSI 保证英国有限公司, 注册号 7805321, 地址: 389 Chiswick High Road, London W4 4AL, UK
 认证管理体系认证 (北京) 有限公司 北京亦庄国门外大街 24 号主楼中心 2008 室 邮编: 100004 电话: +86 10 85073000

BSI集团公司成员。

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd


ISO 9001: 2015



Road transport License



ISO 45001 :2018



TISAX



C-TPAT



Road transport License (DG class 9)



ISO 14001:2015



AEO Certificate



TAPA

Certificates In Automotive Sector



After-sales Spare
Parts Logistics
KPI Benchmarking
Enterprise



China Warehousing
Services Gold Enterprise



First-level Green Warehouse



Logistics 5A Class
Enterprises



蔚来汽车
最佳保供奖



吉利汽车
优秀承运商



马牌轮胎
卓越合作伙伴



长安民生
协同精进奖

We grow businesses together with our next customers ...

Public Liability Insurance

公众责任险保单Public Liability Insurance

PICC 中国人民财产保险股份有限公司PICC Property and Casualty Company Limited

Heading Office: BeijingEstablished in 1949

公众责任险保险单

保险单号码: PZCZ

鉴于本保险单明细表中列明的被保险人向中国人民财产保险股份有限公司(以下简称“本公司”)提交书面投保申请和相关资料(该投保申请及资料被视为本保险单的有效组成部分),并向本公司缴付了本保险单明细表中列明的保险费,本公司同意按本保险单的规定负责赔偿在本保险单明细表中列明的保险期限内被保险人依法对第三者应承担的经济赔偿责任,特立本保险单为凭。

中国人民财产保险股份有限公司苏州市分公司

保单专用章(3)

签发日期: 2025 年 4 月 30 日

签发地点: 昆山

签发人: 孙新英

复核: 凌青青

中国人保财险苏州市分公司PICC Suzhou

1

公众责任险保单Public Liability Insurance

PZCZ

	18、自动承保新地点条款 (15 天通知期) 19、建筑物改动责任条款 20、放弃代位追偿权利条款 21、指定公估人条款 22、租用财产条款 23、预付赔款条款 (50%) 24、弃权与禁止反言条款 25、保单取消条款 (60 天) 26、消防队与水损条款
赔偿限额	每次事故赔偿限额: RMB 5,000,000.00 累计事故赔偿限额: RMB20,000,000.00
费率	
保费	RMB
保费支付方式	
免赔额	每次事故财产损失绝对免赔额 RMB1,000.00; 人员伤亡无免赔。 备注: 每次事故指不论一次事故还是一个事件引起的一系列事故。
特别约定	1、本保单自动承保新增分支机构,但投保人应在新增分支机构注册后 90 天内通知保险人。 2、本保单承保被保险人或其雇员、代表因从事仓库外包服务时造成受托人的人身损害和财产损失(包括受托人租赁的财产),依照中华人民共和国法律(不含香港、澳门特别行政区和台湾地区法律)应由被保险人承担的经济赔偿责任,保险人按照本合同约定负责赔偿。 3、新增被保险人时,通过飞力达网络信息若能证明所增的被保险人为飞力达的控股公司,则无需提供关系证明。
司法管辖	本保单受中华人民共和国的司法管辖(港澳除外)
备注:	收到保单后立即审核,如有差错请立即通知本公司更正。
Remarks:	Please read this Policy and the Schedule and make certain that they are in accordance with your requirements.

中国人民财产保险股份有限公司苏州市分公司

PICC Suzhou

3

Compensation limit

赔偿限额	每次事故赔偿限额: RMB 5,000,000.00 累计事故赔偿限额: RMB20,000,000.00
------	--

- Feiliks has purchased public liability insurance
- Feiliks will provide insurance that meets Porsche's requirements

FEILIKS PROPOSAL

ABOUT FEILIKS

SUPPLY CHAIN CONCEPT

- Service Scope
- Warehouse Introduction

INBOUND TRANSPORTATION

- Inbound Transportation Solution
- Service Quality Guarantee

WAREHOUSE SOLUTION

- Volume Structure
- Layout Design
- Material Flow
- Labor Force Deployment
- MHE & Device
- Peak Season Solution
- Automation Solution
- Digitalization Solution

SUSTAINABLE LOGISTICS

- FEILIKS Endeavors For Logistics Sustainable Development

PROJECT MANAGEMENT

- Project Management Team
- The Key of Success
- Implementation Timeline
- Contingency Plan

OPERATION INTEGRATION

- Key Account Management Mechanism
- FEILIKS Shopfloor Management Method
- Escalation Plan & Contingency Plan
- Operation Excellence

IMPLEMENTATION SHOWCASE

CHAPTER 1


SUPPLY CHAIN CONCEPT

FEILIKS | Shanghai



SUPPLY CHAIN CONCEPT

Service Scope



Warehouse Introduction

Logistics Park – Main warehouse

Warehouse Status – Main warehouse

Address No. 555, Tongshun Avenue, Pudong District, Shanghai



Item	Description
Warehouse Area (Single layer)	Total Building Area: 32,723m2 Block C3: 26,523m2 Block C2: 5,200m2 Block C5: 1,000m2
Clear Height	9 – 11.4m
Floor load	3t/m2
Fire Protection Level	Class C II
Platform	Two sides

CHAPTER 2


INBOUND TRANSPORTATION

FEILIKS | Shanghai



AI V10

Inbound Transportation



Service scope →

Inbound Transportation - DG

DG - From Seaport to Warehouse



- Our operation team has certificates of all DG Classes, and the delivery of DG will be outsourced to authorized transportation partner.



中华人民共和国交通运输部监制

Vehicle Resources

Vehicle Type	length (m)	width (m)	height (m)	capacity (T)	Self-owned amounts
4.2m	4.2	1.8	1.8	2	38
7.6m	7.6	2.4	2.4	8	65
9.6m	9.6	2.45	2.5	15	195
12.5m	12.5	2.45	2.6	20	73
16.5m	16.5	2.5	2.7	30	63

- 2 wholly-owned transportation subsidiaries, covering van and container trucks
- During peak season, resources can be flexibly coordinated from self-operated fleet and partners to meet customer needs in a timely manner
- This project will use FEILIKS self-operated vehicles as the distribution equipment



600+ Vehicles Under Management



飞力达集团自有车辆清单																	
序号	企业	车辆牌照	车型厂牌	车型	车吨	车厢内部规格 (长*宽*高)/米	LOGO	车身广告									
1	四川西部特务新通信供应链管理有限公司	川AAD887	东风	重型厢式飞翼货车	8T	7.6*2.4*2.4	1	2									
2	四川西部特务新通信供应链管理有限公司	川AAF196	东风	重型厢式飞翼货车	8T	7.6*2.4*2.4	1	2									
3	四川西部特务新通信供应链管理有限公司	川AAK306	东风	重型厢式飞翼货车	8T	7.6*2.4*2.4	1	2									
4	四川西部特务新通信供应链管理有限公司	川AAD620	东风	重型厢式飞翼货车	8T	7.6*2.4*2.4	1	2									
5	成都飞力达供应链管理有限公司	川A745C4	东风	重型厢式飞翼货车	8T	7.6*2.4*2.4	1	2									
6	四川西部特务新通信供应链管理有限公司	川ABM920	东风	重型厢式飞翼货车	8T	7.6*2.4*2.4	1	2									
限公司										川AAD635	东风	重型厢式飞翼货车	8T	7.6*2.4*2.4	1	2	
限公司										川ADD611	东风	重型厢式飞翼货车	8T	7.6*2.4*2.4	1	2	
限公司										川AD0976	东风	重型厢式飞翼货车	8T	7.6*2.4*2.4	1	2	
限公司										川AD0837	东风	重型厢式飞翼货车	8T	7.6*2.4*2.4	1	2	
限公司										川AD0938	东风	重型厢式飞翼货车	8T	7.6*2.4*2.4	1	2	
限公司										川AD0634	江淮	重型厢式货车	20T	12.5*2.35*2.35	1	0	
限公司										川AD0269	江淮	重型厢式货车	20T	12.5*2.35*2.35	1	0	
限公司										川AD0114	东风	重型厢式货车	20T	12.5*2.35*2.35	1	0	
限公司										川AD0189	东风	重型厢式货车	20T	12.5*2.35*2.35	1	0	
限公司										川AD0987	东风	重型厢式货车	20T	12.5*2.35*2.35	1	0	
限公司										川AD0654	东风	重型厢式货车	20T	12.5*2.35*2.35	1	0	
限公司										川AD0934	江淮	重型厢式飞翼货车	10T	9.6*2.4*2.4	1	2	
限公司										川AD0063	江淮	重型厢式飞翼货车	10T	9.6*2.4*2.4	1	2	
限公司										川AD0067	东风	重型厢式货车	20T	12.5*2.35*2.35	1	0	
限公司										川AD0089	东风	重型厢式货车	20T	12.5*2.35*2.35	1	0	
限公司										川AD0065	江淮	重型厢式货车	20T	12.5*2.35*2.35	1	0	
限公司										川AD0076	江淮	重型厢式货车	20T	12.5*2.35*2.35	1	0	
限公司										川AD0098	江淮	重型厢式货车	20T	12.5*2.35*2.35	1	0	
限公司										川AD0095	江淮	重型厢式货车	20T	12.5*2.35*2.35	1	0	

自有车辆清单				
车型	车吨	车厢内部规格 (长*宽*高)/米	LOGO	车身广告
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车	8T	7.6*2.4*2.4	1	2
厢式货车				

FEILIKS self-owned fleet

Service Quality Guarantee - Vehicle & Carrier Management

1

Transportation Fleet Management

Has established a complete and standardized management system for the transportation fleet, and both the fleet or the carrier need to learn and abide by it

2

Driver Database Management

Has a complete database of both own drivers and carrier drivers, which is updated according to the real situation

ID	Plate No	Type	Usage	DOB	Driver	Driver
1	沪A12345	普通	自用	1980-01-01	张三	李四
2	沪A6789	普通	自用	1985-05-15	王五	赵六
3	沪A9876	普通	自用	1990-08-20	孙七	周八
4	沪A5432	普通	自用	1995-11-10	吴九	郑十
5	沪A1111	普通	自用	2000-03-05	陈十一	冯十二
6	沪A2222	普通	自用	2005-07-18	冯十三	陈十四
7	沪A3333	普通	自用	2010-09-22	陈十五	冯十六
8	沪A4444	普通	自用	2015-12-01	冯十七	陈十八
9	沪A5555	普通	自用	2020-04-14	陈十九	冯二十
10	沪A6666	普通	自用	2025-06-27	冯二十一	陈二十二

SAMPLE

3

Driver Management Standards

Provides pre-employment and regular training for each driver, and requires each driver to have the same level of operation and communication

4

Vehicle Maintenance Plan

Builds a complete database of vehicles and regularly performs preventive maintenance based on the number of miles driven and the age of the vehicle

5

Vehicle Inspection Plan

Requires vehicles to be inspected item by item and vehicles that do not meet the departure specifications are forbidden to drive.



CHAPTER 3


WAREHOUSE SOLUTION



Volume Structure

RFQ Input					
	2026	2027	2028	2029	2030
INBOUND processes					
Inbound Lines per year	219,909	213,312	206,912	213,120	219,513
Inbound Lines Express per working day (average)	751	728	706	727	749
Inbound Lines Volume per week (average)	4,229	4,102	3,979	4,098	4,221
OUTBOUND processes					
Outbound Lines (Dealer orders) per year	714,206	692,780	671,996	692,156	712,921
Outbound Lines (Dealer orders) per working day (average)	2,438	2,364	2,294	2,362	2,433
Special processes					
Inventory (Counting lines per year)	117,666	114,136	110,712	114,033	117,454
Warranty and Returns&Scrapping (lines per year)	12,943	12,555	12,178	12,543	12,920
Chinese labeling (pieces per year)	1,976,652	1,917,352	1,859,832	1,915,627	1,973,096
Customs inspection (lines per year)	1,800	1,746	1,693	1,778	1,867
Key cutting(per year)	2,880	2,793	2,598	2,468	2,344


Layout Design - C3



NO.	Area Name	Space (m²)
1	Quality Inspection & Return Area	187
2	Home Charging Area	100
3	Labelling Area	200
4	Cross Docking Area	94
5	Inbound Airfreight Area	163
6	Seafreight Presorting Area	243
7	PDS Locked Room	55
8	Key Cutting Room	65
9	Seafreight Unloading Area	646
10	Meduim Parts Racking Area	2230
11	Large Parts Racking Area	6561
12	Customs Inspection Area	115
13	Floor Storage C302	555
14	Shelves Area	1174
15	VOR Packing	300
16	Stock Packing C303	738
17	Stock Packing C302	800
18	Packaging Storage	159
19	Floor Storage C301	5872
20	Canopy	2470
21	Other Public Area	

Layout Design - C2&C5

C2, 5,200sqm, store slow moving parts, and replenish C3 storage



C5, 1,000sqm, store non critical DG parts



Hardware updates with Digital Twin capabilities



CCTV (≥ 4 Million Pixels): Full coverage of the entire warehouse area, especially at the inbound and outbound ports and customs inspection areas.



T/H Sensor (Temperature and Humidity Sensor): Evenly distributed in the main warehouse and battery temperature control area.



Thermal Camera: Focus on the DG warehouse (especially the battery storage area).

Material Flow - C3

Inbound Flow

IB Process Description

- 1 goods to be unloaded from truck
- 2 inbound visual checking & scanning
- 3 inbound operation for presorting & piece counting
- 4 sorting for Chinese labeling
- 5 Chinese labeling operation by piece
- 6 put-away to rack/ bulk bin locations
- 7 unpacking cartons & return inspection
- 8 if discrepancy, move to abnormal/ block area
- 9 cross-dock handling

Flow Sequence

Goods-in flow


- 1-2-3-4-5-6

Goods-in return goods

- 1-7-3- 4-5-6

If discrepancy

- 1-2-8



Material Flow - C3

Outbound Flow

OB Process Description

- 10 picking VOR order goods waiting to be packed
- 11 sorting VOR order goods from wave to shipping order
- 12 picking STOCK order goods waiting to be packed
- 13 sorting from wave to shipping order
- 14 scanning to verify quantity & packing carton/ pallet goods into transportation package
- 15 shipping channel consolidation
- 16 outbound staging & handover with transportation service providers
- 17 goods to be loaded in truck


Flow Sequence

VOR order goods-out

➤ 10-11-15-16-17

STOCK order goods-out

➤ 12-13-14-15-16-17




Labor Force Deployment

65% Staff with Feiliks Contracted

OFFICE STAFF – 4 PERSON

FLOOR OPERATION – 35 PERSON (24 of 35 are Feiliks’s contracted)

SECURITY and CLEANER – 4 PERSON



Labor Force Deployment

Role	Y1	Y2	Y3	Y4	Y5
Operation Manager	1	1	1	1	1
Business Supervisor	1	1	1	1	1
Team Leader	2	2	2	2	2
IB TEAM	12	12	11	10	10
OB TEAM	21	21	20	18	18
System Operator	2	2	2	2	2
Security & Cleaner	4	4	4	4	4
Total	43	43	41	39	39



	[Y(n+1)/Y(n)]				
	Y1	Y2	Y3	Y4	Y5
IB+OB growth	1.00	0.97	0.97	1.03	1.03
Prod. factor	1.00	1.00	0.98	1.00	1.00
FTE increase	1.00	0.97	0.92	0.95	0.98

- The FTE within the 5-year contract period is the result derived from combining changes in cargo volume and improvements in efficiency.
- Per PCN's strict compliance requirements, all key positions (Warehouse Manager, Supervisors, SAP Specialists, Team Leaders, and Customer Care) are 100% FEILIKS Full-Time (FT) employees, completely dedicated to the Porsche project.

WAREHOUSE SOLUTION

MHE & Device

MHE

OTHER EQUIPMENTS

Photo	Equipment	General purpose	Quantity
	Reach Truck	Put away/pick pallet from selective racking	6
	Counter Balance Truck	Trucking unloading/loading for pallets	6
	Hand Pallet Truck	Internal stock movement (short distance)	4
	Power Pallet Truck	Internal stock movement (Long distance)	5

Photo	Equipment	General purpose	Quantity
	Floor weigher	For Big part weighing	2
	Table Scale	For case weighing	9
	Working station	For labeling, repacking, bundling etc.	9
	Trolley	Putaway/pick to/from shelving	4

Peak Season Solution




FEILIKS Labor Management Matrix

- FEILIKS ensures a flexible staffing combination that guarantees sustainable labor force supplement at any time.
- High productivity of daily operation makes sure that regular volume fluctuation within a reasonable scope could be digested by this site itself.
- FEILIKS local labour partners own trained and skilled full-time employees. With 50 long-term cooperative labor service companies, quickly assist to complete personnel deployment.
- Business coverage of FEILIKS provides the possibility of internal supports from other sites, which gives each site the reserved labor force to handle the emergency such as audit, stock-taking, etc.
- Based on the systematic setup, FEILIKS makes the combination of 'Leagile' – lean together with agile, be possible!




We Offer Possibility

Eastern China Region	Northern China Region
Forklift driver – 167 HC	Forklift driver – 26 HC
WHS operator – 450 HC	WHS operator – 103 HC
Southern China Region	Southwestern China Region
Forklift driver – 52 HC	Forklift driver – 78 HC
WHS operator – 288 HC	WHS operator – 257 HC



Peak Season Solution



Overview of FEILIKS Shanghai Region

- 25 years of operating experience
- Employees: 300+
- Warehouse area: 100,000M2+




Hazardous Chemical Warehouse & Li-Ion Batteries Warehouse

Logistics Park

※ For safety reasons, Class C does not store batteries.

Address: No. 799, North Muhua Road, Fengxian District, Shanghai



Fire Protection Level	Required area	Available area
Class A	100	3,119
Class B	350	6,000
Class C	600	29,096
Subtotal	1,050	38,215



WAREHOUSE SOLUTION


Battery Warehouse

Address: No. 518, Jiangting Road, Pudong New Area, Shanghai


53min to Main Warehouse



Fire Protection Level	Required area	Available area
Class C	600	6,000



Hazardous Chemical Warehouse & Li-Ion Batteries Warehouse



中远海运化工建筑消防验收及备案统计表		
序号	建筑消防验收、备案号(日期)	备注
1	[2004]沪公消(建方)字第005024号 (2004.11.23)	(一期工程消防竣工验收) 101库、201-203库、301-303库、库棚、维修车间、办公楼、消防泵房、配电间、门卫室、卫生间等一期建筑
2	[2005]沪公消(建验)字第0300号 (2005.7.27)	(一期工程消防设计审核) 101库、201-203库、301-303库、库棚、维修车间、办公楼、消防泵房、配电间、门卫室、卫生间等一期建筑
3	[2006]沪公消(建验)字第0026号 (2006.1.24)	仓库堆场A\B 现304/305
4	沪奉公消验[2007]第0169号 (2007.5.21)	102库(原维修车间)
5	备案号: 310000WYS090008408 (2009.9.10)	306库(原库棚改建)
6	备案号: 310000WYS100015259 (2010.9.8)	304库(原仓库堆场B)
7	沪奉公消验[2010]第2014号 (2010.10.31)	103、104、105库
8	备案号: 310000WYS100019331 (2010.11.16)	305库(原仓库堆场A)
9	沪奉公消设备字[2013]第310000WSJ130024010号 (2013.11.4)	304D灌装线消防设计备案凭证
10	沪奉公消竣备字[2013]第310000WYS130025502 (2013.11.20)	304D灌装线消防竣工验收凭证
11	沪奉建消验字[2023]第0029号	101冷藏库特殊装修消防验收
12	LS230827560ZSYS001	301库特殊类装修项目竣工验收合格通知书

Business license
营业执照

Team Qualification
团队资质

Fire acceptance certificate
消防验收备案凭证

Hazardous Chemical Warehouse & Li-Ion Batteries Warehouse Work Safety Management

Supervision

序号	名称	频次	备注
1	总部每年审计及飞检	1次/年	
2	HQ annually Audit and flight inspection	1次/年	
3	安全部每日巡检	1次/日	
4	Safety Department Daily inspections	1次/日	
5	仓库经理每日巡检	1次/日	
6	Warehouse manager Daily inspections	1次/日	
7	仓库主管每日巡检	1次/日	
8	Warehouse supervisor Daily inspections	1次/日	
9	仓库安全专员每日巡检	1次/日	
10	Warehouse Safety Specialist Daily inspections	1次/日	

总部每年审计及飞检

HQ annually Audit and flight inspection



安全部每日巡检

Safety Department Daily inspections



仓库经理每日巡检

Warehouse manager Daily inspections



仓库主管每日巡检


Warehouse supervisor Daily inspections



仓库安全专员每日巡检

Warehouse Safety Specialist Daily inspections

Security



- Entrance and exit control system: vehicle barrier, human gate
出入口管控系统：车辆道闸、人闸
- Logistics Park Video surveillance
园区视频监控



- Perimeter intelligent management and control system
园区智能化管控系统
- Smart fire protection system
智慧消防系统

Battery Goods Solution

Power Battery Storage Control Point @ FEILISK Location

- Storage environment temperature range from -20 °C to 30 °C, humidity 65+-25%. Installation of notice signage at the door of the warehouse
- The floor of the battery storage area is anti-static floor. Spray system, and water based fire extinguisher is equipped in the storage room.
- Separation of good products and defective products needs partition firewall, storage separately, and defective power batteries need to be stored in explosion-proof boxes.
- Non-stacking storage of battery product, so as to avoid short-circuit combustion caused by extrusion.
- Installation of surveillance cameras facing the storage area. And set the battery compartment as a patrol point, check it every 2 hours (including measurement of surface temperature ≤60°C, checking abnormal smoke, etc.)
- For automotive power batteries that need to be recharged, it should be carried out in the designated area (constant temperature and humidity, anti-static ground) and supervised by the designated safety officer.

Spot View @ FEILISK Location


警示标识



F90防爆箱



Explosion-proof boxes
offered by customer



Automation Solution

Function	Receiving	Put away	Picking	Packaging	Shipping	Other
Moving			Follow the picking and delivery robot		AGV	
Physical			CTU	Multifunctional packing station		
Mechanical						
Admin				SOP Online Guidance		
Scanning/ Checking						
Cleaning						
Security						
Transportation						

 FEILIKS will invest in these facilities within the 3-year contract period.

Automation Solution

3-Tiered Automation Integration & Risk-Free Investment Highlight



Highlight: Highly Flexible IT Alignment with No Buy-Out Risk for PCN

❑ Tiered System Integration Options (Tailored to PCN's IT Readiness):

Tier 1 - Full Integration (Preferred): Seamless API data exchange between PCN's SAP EWM and FEILIKS WCS for real-time task execution.

Tier 2 - Partial Integration: Using RPA (Robotic Process Automation) or batch job docking to minimize EWM modification workload.

Tier 3 - Standalone (Zero IT Risk): Automation equipment runs on a closed-loop WCS, while operators use standard RF guns for EWM confirmation.

❑ Contract-Aligned ROI Strategy:

While the hardware ROI is 4-6 years, FEILIKS absorbs the depreciation risk. If the contract is not extended after 3 years, FEILIKS commits to relocating the assets to other East China sites. PCN bears ZERO residual value buy-out risk.

Automation Solution

Application Scenario - Picking

Follow the picking and delivery robot

Upgrade the traditional "people finding goods + pushing carts" to a human-machine collaboration model of "people picking goods + robots transporting goods", achieving an all-round upgrade in efficiency, cost, safety, and experience.

Robot types

Automatic Mode

Following Mode

Assisted Mode



Standard mode




Jacking mode



Bin mode



Traction mode



Autonomous navigation delivers goods to designated locations, and can adjust the map in real-time to change the delivery route according to needs.



Execute material preparation or transfer tasks, and generate an orderly following mechanism among multiple machines through visual recognition technology.



Equipped with an electric assist system, facilitating manual pushing operations to complete temporary tasks.

Remark: Shall not be implemented during the initial three-year contract period.

Automation Solution

Application Scenario - Picking

Container-to-person picking solution

CTU Solution




Advantages

- Low investment
- Quick implementation
- Easy scalability
- Less operational cost and low training requirement
- Easy switch to mezzanine (only if failed)



- Considering of the investment?
- Flexibility of the automation solution?
- Dismantling costs if project does not match our expectation?



FEILIKS recommends applying CTU Robot

- ✓ the **lowest start-up investment**, and adjustable according to the purchasing amount of robot
- ✓ **Lower running costs**, only 1 operator with easy trainings
- ✓ CTU racks can be **switched to mezzanine or shelves** without additional construction works
- ✓ existing using scenarios in **FEILIKS Suzhou**

Remark: Shall not be implemented during the initial three-year contract period.

Automation Solution


Container-to-person picking solution

Payoff of CTU

25 box / hour / robot		CTU put-away efficiency	
25 box / hour / robot		CTU picking efficiency	
CTU Relevant Expense		Unit Price CNY	Amount
One-off Investment			
CTU robot	800,000	200,000	4
Racking renovation – bin label	20,000	1	20,000
Workstation construction	200,000	100,000	2
Cabling and sever per workstation	50,000	25,000	2
Operating system	50,000	50,000	1
Implementation cost	150,000	150,000	1
Running Cost			
Training cost	2,000 /year	2,000 /year	1
Personnel	115,000 /year	~6,500 /month	1
Robot maintenance – 15%	120,000 /year	30,000 /year	4
General maintenance – 3%	9,600 /year	9,600 /year	1
Financial Cost			
Capital funding opportunity cost – 5 yr, 7.5%	110,650 /year	110,650 /year	1
Working capital – 90 day, 3%	1,824 /year	1,824 /year	1

Productivity assumption: 4 CTU Robots ~ 2 Order Picker Trucks

Automation Payoff Simulation



60 box / hour / robot		Order picker put-away	
40 box / hour / robot		Order picker picking	
Conventional Expense		Unit Price CNY	Amount
Running Cost			
Training cost	3,000 /year	1,000 /year	3
Personnel – order picker driver	277,000 /year	~8,000 /month	2
Personnel – sorting support	56,200 /year	~6,500 /month	0.5
Order picker truck	228,000 /year	9,500 /month	2
Forklift maintenance – 10%	22,800 /year	30,000 /year	4
Scanner depreciation & maintenance – 5%	6,000 /year	2,000 /year	3
Financial Cost			
Working capital – 90 day, 3%	4,387 /year	4,387 /year	1

Automation Solution

SOP Online Guidance

Embed SOPs, customer requirements, and operational precautions into the system to provide precise guidance during operations.



WMS ADDON 欢迎进入 WMS ADDON WMS退出

首页 内包

* 周转箱/托: T0225589

* SKU: 90NX0291-R90010

* 外部单号: 2026020901

数量: 1000

出货要求:

品名: 触控面板

配件规则:

批属性18:

型号: C214MA-1A TOUCHPAD MODULE

包装规则: 单PCS包装-原箱/原脆盘包装

确定 单包标签 礼盒标签 转周转箱

Can be applied to packaging operations: job content is clearly and singly divided, employee operations are simple, and tasks are pushed with system guidance

VAS: Special requirement operation **Inclusion:** component-level packaging, selection of fillers **Outsourcing:** Selection of Outer Cartons

Remark: Shall be implemented during the initial three-year contract period.

Automation Solution

Application Scenario – Packaging

Multifunctional packing station


Multifunctional packing station = faster packing + easier for workers + tidier work site + fewer mistakes + lower costs.

Paper roll, bubble pack, air bag

Normal VOR/Rush/Stock Packing table
Envelope/ Sponge/label/sealing tape, etc.



Air nail gun (for paper carton)
Tapper (for 6-8cm wide tape)



Store universal collie in each packing station;
VOR will smaller package collie

选箱原则 (通用箱型)
Sequence of collie selection (regular collie):
0035 -> 0091 -> 0090 -> 0049



Tips: by choosing suitable collie, part can be better protected and
reduce filling material usage

提示: 通过选择适当的箱子, 零件可以得到更好的保护, 并减少填料的使用

范围 / Scope:

通用箱型 Universal collie 0035, 0091, 0090, 0049

Each 2 stations can share table scale/
floor weigher/ label printer/ Tape
machine if required



Remark: Shall be implemented during the initial three-year contract period.

Automation Solution

AGV


Highlight



- No additional supporting equipment is required, and it can be directly connected to the ground rolling line.



- Combining the advantages of unmanned forklifts and latent vehicles, it can carry national standard pallets, non-standard pallets, and industry-specific racks, while also having the flexibility of latent vehicles.



- Supports the ability to pick and place goods in extremely narrow aisles.

Reasons for choosing to apply it to the outbound scenario:

- Shipping pallets are relatively standard
- AGV can perform the function of goods collection according to Shipment

FEILIK Customer Application Cases



Remark: Shall be implemented during the initial three-year contract period.

WAREHOUSE SOLUTION

Automation Solution

AGV

Payoff of AGV

Loading speed 0.3 m/s, 15 s per goods up-/down-lift		AGV transportation efficiency	
AGV Relevant Expense		Unit Price CNY	Amount
One-off Investment			
AGV	320,000	160,000	2
Floor marks and label	5,000	1	5,000
Charging station construction	80,000	40,000	2
Cabling and sever	25,000	25,000	1
Operating system	50,000	50,000	1
Implementation cost	100,000	280,000	1
Running Cost			
AGV maintenance – 10%	30,000 /year	15,000 /year	2
General maintenance – 3%	6,000 /year	6,000 /year	1
Financial Cost			
Capital funding opportunity cost – 5 yr, 7.5%	50,533 /year	52,275 /year	1
Working capital – 90 day, 3%	266 /year	266 /year	1


Automation Payoff Simulation



Loading speed 0.5 m/s, 5 s per goods up-/down-lift		Counter balance transportation efficiency	
Conventional Expense		Unit Price CNY	Amount
Running Cost			
Training cost	1,000 /year	1,000 /year	1
Personnel – counter balance truck driver	138,500 /year	~8,000 /month	1
Counter balance truck	60,000 /year	5,000 /month	1
Forklift maintenance – 10%	6,000 /year	6,000 /year	1
Scanner depreciation & maintenance – 5%	2,000 /year	2,000 /year	1
Financial Cost			
Working capital – 90 day, 3%	1,535 /year	1,535 /year	1

Productivity assumption: 2 AGV Robots ~ 1 Counter Balance Trucks

Digitalization twin - Structure



Possibility For Business Extension

EDI



1. Batch Job docking
2. RPA robot docking



WMS

Inbound

1. Booking Management
2. Receiving
3. Quality Check
4. Put away


Outbound

1. Picking
2. Packing
3. Label Printing
4. Shipping
5. Shipping List

Highlights



✓ Booking management



✓ Packing material management



✓ E-kanban



✓ QC management



✓ Automation Integration

Case study EDI implementation between Client SAP and Feiliks Infor

Total Investment ¥2,590,000 Development Cost



Direct Operational Savings

22.6 Total FTEs Reallocated

Rapid realization timeline spanning Go-Live to Month 3.



Throughput Maximization

+38% Warehouse Efficiency

Achieved via hardware-synergized picking, auto-labeling, and cross-docking capabilities.



Strategic Automation Foundation

Phase 2 Automation Ready

Pre-embedded WCS logic and database architecture for future AGV and VNA deployment.

-13.8 FTEs



Go-Live

Immediate elimination of manual data entry, manual GR, and basic picking inefficiencies.

-2.8 FTEs



Month 1

System stabilization yielding further picking and on-site management efficiency.

-2.5 FTEs



Month 2

Advanced picking route optimization and automated billing integration take effect.

-3.5 FTEs



Month 3

Full operational maturity in packaging workflows and wave planning.


22.6 Total FTEs removed from manual processes, fundamentally lowering the baseline operating cost.

WAREHOUSE SOLUTION

Dashboard



Digital Twin Hardware



To fully meet the requirements of the PCN digital twin, FEILIKS commits to investing in and deploying a complete set of hardware monitoring networks compatible with API integration. All monitoring devices will be calibrated with unique IDs, supporting real-time upload of RTSP video streams and MQTT protocol data, ensuring 100% visualization and immediate alerts for abnormalities.

CHAPTER 4

SUSTAINABLE LOGISTICS



ESG targets

✓ Aligning with PCN's strategy: Striving for Carbon Neutrality in warehouse operations by 2030.



- Annual absolute emission reduction: Committed to a reduction of approximately 4.2% per year.
- Medium-term target:
Scope 1 & 2 (owned fleet and warehouse operations) : Decrease by 30% to 50%.
Scope 3 (Outsourced Transportation and Value Chain) : Decrease by 15% to 25%.
- Resource & Waste Management: Implement routine tracking of water/electricity consumption and promote zero-waste initiatives (e.g., recyclable packaging & paperless operations).



- Zero accidents in work safety.
- Protect the legitimate rights and interests of front-line outsourced personnel and temporary workers (reasonable working hours and compliant payment of social security).
- Gradually increase the proportion of women in management or core business positions to around 20% (Promoting a Discrimination-free working environment).



- 100% of core suppliers are required to sign the "Supplier Code of Business Ethics".
- Establish a sound management system for data security and personal information protection.
- Formulate comprehensive emergency response plans for sudden events such as extreme weather or geopolitical situations.

Applicable Green Warehouse Solution

Characteristics of returnable package

SIZE

	L(mm)	W(mm)	H(mm)
Outer Diameter	1200	1000	Customization
Inner Diameter	1135	935	Customization
After Folding	1200	1000	229

VOLUME & WEIGHT

Max Load	450KG
Max Capacity (Stack)	1000KG
Self-weight	Depending on the height of the coaming


STACKING & STORAGE

Number of stacked layers (Full load)	6(static)
Number of stacked layers (Folding state)	17(static)
Folding Rate	7:1
Operating Temperature	-20°C ~ +50°C



- ✓ IoT chips for all pallets
- ✓ Plastic bottom and top covers, column fence panels

Feiliks way of managing returnable package



Order & Inventory Management

- **Inventory management:** Automatically remote count all inventory at a regular time;
- **Inbound/Outbound Management:** Generate inbound and outbound list by position change.
- **Order management:** Tracing through box number and order binding.

IoT chip

- **IoT Chip:** Integrated different kinds of Modules. GPS/Temperature/Humidity/Gravity/RFID
- **Low power communication technology:** Continuous power supply for autonomous server communication throughout the entire lifecycle
- **Non-contact sensor state capture technology**

Track & Trace

- **Asset Location:** Display the asset location and box empty status information on the map;
- **Order tracking:** Real time tracking of order status and box location;
- **Abnormal warning:** excessive stay time at non safe points.

Applicable Green Warehouse Solution

PP box & electronic fence technology, reducing packaging costs and ensuring the safety of high-value goods



- ✓ **High-quality material selection and durability** - PP hollow boards or collapsible crates are used, which have the characteristics of being waterproof, moisture-proof and impact-resistant. Their service life can reach more than 3 years, and they support stacking and folding.



- ✓ **Green environmental protection** - 100% recyclable materials help enterprises achieve the dual-carbon goals and meet the requirements of increasingly stringent environmental protection policies.




- ✓ **Digital management identifier** - Support "one box, one code" (QR code/RFID), bind cargo information with responsible persons, and realize full-link digital tracking and management.



Electronic fence rules

-  **Warehouse Fence** - Immediate warning for leaving the warehouse without approval.
-  **Route Fence** - Real-time alarm for deviation from the planned route.
-  **Area Fence** - No-Entry Zone / Alarm for Staying in Non-Designated Areas.
-  **Stay overtime** - Unplanned long stay at a point anomaly alert.

Introduction to PP Boxes



Product technology | 产品工艺

PP polypropylene raw material PP聚丙烯原料



Product thickness | 产品厚度

2-12MM customization 2-12MM定制



Inner material | 内材/刀卡

Customized according to requirements 根据需求定制



Product characteristics | 产品特点

Flame-retardant, waterproof and moisture-proof, recyclable
阻燃、防水防潮、可循环使用

Applicable Green Warehouse Solution

Water activated Tape



Before

After



Characteristics

- ✓ Earth friendly
- ✓ Professional looking
- ✓ Minimize the injuries from use of tape gun

Remark: Shall not be implemented during the initial three-year contract period.

Honeycomb paper filling



Before




After
(Less storage area)



Applicable Green Inbound Transportation

From Airport to Warehouse



- Use EV truck for delivery, zero carbon emissions in transportation. **But**
 - 1) The production of an electric vehicle battery with a capacity of 1KWh produces up to 100kgs of CO2 emissions. **(Data by McKinsey & Co.)**
EV Battery capacity is generally 75-100kwh, so the total CO2 emissions of production is **7,500-10,000kgs.**
 - 2) CO2 emissions from charging **EEF(Electricity Emission Factor, 电力排放因子) by government.**
EEF of Shanghai is **0.42(0.42 tCO2/MWh)**, about **42kgs** CO2 emissions to fully charge a 100kwh battery;

INBOUND TRANSPORTATION

EV-TRUCK

From Airport to Warehouse




Dimension	EV-truck
L*W*H (mm)	4200*1800*1800
Max Speed (km/h)	90
Driving Range (km)	220
Approved Volume (m³)	10
Max Load Capacity (kg)	2550
Charging Time (h)	2.5



Applicable Green Inbound Transportation

From Seaport to Warehouse



- About 34%(+5~10%) carbon emissions reduction to use LNG truck for delivery;
- According to the value of **0.546kgCO₂e/km**, about **6.31kgs** of CO₂ emissions can be reduced per truck.

INBOUND TRANSPORTATION

LNG VEHICLE

From Seaport to Warehouse

NEW ENERGY--UPGRADE



Dimension	LNG
L*W*H (mm)	9700*2420*2500
Max Speed (km/h)	90
Displacement (l)	7.8
Approved Volume (m³)	50
Max Load Capacity (kg)	13870
Gas tank capacity (l)	875



More Truck Model Choices

We can provide 9.6m and 7.2m



Favorable Traffic Regulation

* Many city governments have abolished the restrictions on access and license for new energy vehicles



Sustainable Development & Environmental Protection



Our Customer In Using




CHAPTER 5

PROJECT MANAGEMENT



Project Management Team



The Key of Success

- *division of working functions* to support efficient internal cooperation for successful project landing
- *management responsibility overlap* to ensure 100% coverage of customer experience in each aspect



Key Account Manager

Jiajia LI

Working Experience: FEILIKS, FIEGE, Lufthansa Cargo

Project Experience: Bosch Eastern China RDC, Bosch Inbound Warehouse, Husqvarna Production Line Feeding, Mann + Hummel China Central DC, SHEIN Southern Europe Distribution And Return Warehouse, Cybex China Central Export Consolidation Hub, 'Air-bridge' German BMG PPE Inter-continental Logistics

- project involvement since **bidding phase**
- be responsible of succeeding in **customer logistics demand care**
- in charge of coordinating different departments to actively dedicate in allocating resource into project



Operation Manager

Eric GU

Working Experience: FEILIKS, FIEGE

Bosch Automotive: RBCD, RBCW, RBCC, RBHP, RBAC, RBAE

WEIFU Auto Systems: Wuxi int warehouse

CATL: Li-Battery Wuxi ext warehouse

Knowledge of auto supply chain management, over 15 years auto logistics project operation and implementation

Knowledge of OMS, TMS, WMS, ERP, CRM and various system, capability of system optimization and improvement

- project involvement since **bidding phase**
- be responsible of project **smooth running & continuous improvement**
- in charge of project on-site operation



Implementation Manager

Xin FANG

Over 10 years working experience in automotive OEM and spare parts industry

Working Experience: FEILIKS, Anji

2022 till now: Shenyang BMW RDC Project
2021-2022: NIO East China OEM Inbound Project
2021-2022: GWM Jingmen OEM Inbound Project
2018-2021: SAIC VW Production Logistics Project

- project involvement since **implementation phase**
- be responsible of succeeding in **operation capacity ramp up and warehouse realization**
- in charge of productivity ramp-up and routinely management



Dedicated Full-Time Warehouse Manager with authorization to approve up to RMB 50,000 for claim settlements.

Implementation Timeline

2026 Implementation Timeline	M	V.S.	Jun					Jul				Aug				
	CW		CW23	CW24	CW25	CW26	CW27	CW28	CW29	CW30	CW31	CW32	CW33	CW34	CW35	CW36
1. Contract and Compliance 合同及合规																
Tender awarding																
Contract term clarification and sign-off																
Warehousing rental contract effective																
2. Warehouse Reconstruction & Equipment Ready 仓库改造及设备采买																
Solution fine-tuning and layout finalization																
Purchasing order release																
Operation devices leasing/ purchasing																
Network lines																
Access control system & CCTV surveillance																
Office and staff room renovation																
Signage/ floor marking																
3. Project Implementation Plan, Working Instruction & SOP formulation 项目实施计划，工作指导和操作流程拟定																
Implementation team assignment																
Implementation plan and resource demand refine																
Implementation plan execution kick-off																
WI & SOP discussion workshops																
Finalization of WI & SOP																
4. Human Resource, Recruitment and Training 人力资源，招聘与培训																
Staff assignment from exiting operation sites																
Staff recruitment - core team and general																
Core team onboarding																
Training at Porsche existing location																
Operation & system on-job training at FEILIKS Warehouse																
5. Inventory handover 库存交接																
Inventory counting																
6. Trail-run 试运行																
Warehouse operation joint test																
General warehouse operation trail-run																
Warehouse acceptance & opening ceremony																
Go-live 项目正式运营																

Implementation Timeline

- ✓ **Personnel guarantee:** A dual strategy ensures a smooth transition of the project.



Personnel Contact and Retention Strategies



Start time and object

It will start in the first week after winning the bid. Priority will be given to interviewing the core operational staff (forklift operators, pickers) to ensure the continuity of experience.



Salary Equalization Plan

Under the PCN license, we offer highly competitive compensation packages to eliminate employees' worries.



Core Goal

Strive to retain more than **70%** of skilled workers to ensure that their operational muscle memory is not lost.



Emergency Recruitment and Support Plan



Trigger mechanism

If the retention rate of the existing team is lower than expected, immediately activate the "East China Theater Support Mechanism" to ensure that business operations are not interrupted.



Emergency allocation of resources

50 skilled workers and **10** key SAP users will be transferred from the existing automobile projects around Lingang to station at the site.



Final guarantee goal

Ensure the project is successfully launched on **August 1st**, runs smoothly, and never crashes.

- ✓ **Tripartite Joint Stocktaking (Inventory Baseline):** A mandatory joint stocktaking involving FEILIKS, the outgoing 3PL, and a 3rd-party auditor before Go-live to establish a 100% clear liability boundary for the RMB 400 Million inventory.

Handover plan



To ensure a smooth transition and seamless handover of the project, in-depth communication has been prioritized with key personnel in management positions, SAP operation positions and other core roles within the current operation team, laying a solid foundation for the overall takeover and stable implementation of the existing team.

为保障项目平稳过渡与无缝交接，目前已优先与现运营团队中**管理岗位、SAP 操作岗位等核心人员**开展深度沟通，为现有团队的整体承接与稳定落地奠定坚实基础。



Implementation Timeline - Training Course

Training Content Overview				
Training Topic	Time	Training Content	Trainer	Trainee
General Training	1 Days	- Company orientation and staff rules - Site regulation and routines 6S and lean training - Safety rule and contingency plan - Escalation and reporting line	FEILIKS trainer	Project core team
Operation training at Porsche sites	5 Days	- SAP operations skills - Working process knowledge - Working documents knowledge - SKU labelling skills - SKU handling skills - SKU packaging skills - Device operation skills - Defection detection skills - Reports and schedules - Query desk support skills	Porsche trainer	SAP key users Team leaders Query desk staff
Operation training at FEILIKS sites	3 Days	- SAP operations skills - Working process knowledge - Working documents knowledge - SKU labelling skills - SKU handling skills - SKU packaging skills - Device operation skills - Defection detection skills - Safety rule and contingency plan - Equipment daily maintenance - Escalation and reporting line	FEILIKS operation manager and supervisor	Shop-floor staff SAP operator
Stocktaking training	1 Days	- Stocktaking documents - Safety rule and contingency plan - Escalation and reporting line	FEILIKS operation manager	Stocktaking staff

Contingency Plan - Implementation Phase


Contingency Categories And Reaction Time Limitation							
Risk catagory		Immediate solution	Time frame	Level 1 solution	Time frame	Level 2 solution	Time frame
Man power 人力资源	Shortage of workforce 人力缺乏	Overtime working 加班	12 hours	Activate backup recruiting channels 扩大招聘渠道	24 hours	Relocate qualified staff from other sites 其他站点支援	48 hours
	Delay of recruiting 招聘延迟	Escalate with current recruiting channel 反馈现有招聘渠道	1 week	Promote position or offer staff better package 岗位提拔或提供更佳报酬	2 weeks	Relocate qualified staff from other sites 其他站点支援	4 weeks
	Delay of training 培训延迟	Adjust training plan, more content shorter period 调整培训计划	1 day	Change trainer or trainee 更换培训师或培训员	3 days	Look for better scenario for training 培训方式/场景优化	4 days
Handling equipment and system 设备与系统	Shortage of MHE MHE短缺	Overtime working Increase working shift 加班/增加班次	12 hours	Activate backup rental suppliers 启用备用供应商	24 hours	Relocate qualified Feiliks MHE from other sites 其他站点支援	48 hours
	System outage 系统宕机	Manually recording of key information 笔录关键信息	6 hours	Export report from Porsche workstation to support daily business 使用保时捷工站获取信息	12 hours	Export report from workstation in other Porsche location to support daily business 远程使用保时捷其他站点工站	24 hours
Warehouse management 仓库管理	Low stocktaking quality 盘点质量	Overtime working with qualified staff 熟练工加班	12 hours	Replace unqualified staff and enhance training 替换和加强培训	24 hours	Relocate qualified staff from other sites 其他站点增援	48 hours
	High safety risk 安全隐患	Introduce necessary safety measurements or devices 引入安全设备	12 hours	Extra safety training to all staff 安全培训	24 hours	Consult interal or 3rd party safety expert for solution 外部安全专家介入	48 hours

CHAPTER 6

OPERATION INTEGRATION



Key Account Cooperation Mechanism



FEILIKS Shop Floor Management Method

→ What is **Shop Floor Management**?

SFM is a leadership tool for the daily operational process management.

SFM includes 5 elements that are critical for sustainable lean transformation to extend process excellence with leadership excellence.



Sample Warehouse Kanban

SFM 1.0



Discovery

SFM 2.0



Resolution

1. Info Center & Communication

- Visualization on procedures to make information clear, on time, no mismatch
- Effective management meetings with clear agendas and to-do tasks

2. Prioritization (Top Problems)

- Sort problems/ failures according to severity
- Strengthen leadership activity
- Categorize problems and show them on a board to remind

3. Go & See

- Acquire more accurate information on the reality.
- Judge the main problem and what value can be saved/ created if problem solved. Find the critical reason/ root cause

4. Problem Solving


- By gathering information and thoughts, find the root cause of the problem.
- Eliminate the problem and prevent it from happening again.
- Solve the problem from the bottom.

5. Process Confirmation

- Verify if the solution is valid or not. Go & See to check, create Multi-phase checking, use 5S
- Visualization, key figures, quantify your measurements to adjust error

FEILIKS Shop Floor Management Method

→ Enhance **communication** in the work place



- 每天在工作现场的会议帮助我们的员工去认识的大家碰到的问题，同样把管理的目标传达给每一个员工。讨论的内容会通过**CIP展示板**在仓库中陈列。
- **Daily gathering** at the shop floor help our employees to recognize the **problems** encountered, and also convey the **management goals** to each employee. All the content will be displayed in the warehouse through the **CIP board**.



- 在工作中碰到的问题，我们鼓励员工**及时地在现场解决**，并改善作业流程，如果没能顺利的解决，问题将会**尽快并直接传达**到更高一层的管理人员那里去。
- We encourage employees to solve the encountered problems **timely in daily work**, and optimize operation process. If the problem is not resolved smoothly, it will be **directly escalated to the higher-level management** as soon as possible.



- 我们同时对我们的**客户**和自己的**员工**负责。我们希望达到最大程度的**管理透明度**。
- We are responsible to our **customers** and our **employees** at the same time. We hope to achieve the highest degree of **management transparency**.




- 我们的经理会到事件发生的**现场**去处理和协调。这保证达成我们的目标，也即最快的**反应和执行速度**。
- Our manager will go to the **circumstance of the incident** to handle and coordinate. This guarantees us to achieve the goal, which is the **fastest response and execution speed**.



FEILIKS Shop Floor Management Method

➔ Visualization in adapting to warehouse operation



FEILIKS Shop Floor Management Method



'Safety First' Principal
'安全第一' 管理原则

Physical Safety



Operation Safety Mobilization



Product Safety



WHS CCTV Monitoring



Product Packaging Solution



Timely Stocktaking

Asset Safety



AEO Certificate




In- & External Auditing

Facility Safety



WHS Built-in Equipment, i.e. Sprinkler, Hydrant, etc.

Regular Fire Fighting Drill



Traditional onsite OPL track & trace mechanism will not be abandoned

Visualized digital control tower collects information along the whole supply chain, simulates and analyzes the operational data, and supports decision-making



Coverage of Whole Processes
覆盖全业务流程的管控



Last but not least, to sustain the workspace in a clean, orderly environment, especially important for safety equipment.



Fire Spray & Sparkling System



Fence & Locks



Exit Gates



Alarm System




Different color signs in distinguishing handling priorities



5S Standardizes Operation
以5S要求规范仓库运营

OPERATION INTEGRATION

Escalation Plan



**WHS
Contingenci
es
Categories**

- ## Sample contingency plan files



事件类型 Issue type	事件 Detail issue	防疫物资 Material	报表 Report	第一级汇报 1. Escalation limit		第二级汇报 2. Escalation limit		第三级汇报 3. Escalation limit	
				上报时间 Time limit	措施 Actions	上报时间 Time limit	措施 what	上报时间 Time limit	措施 Actions
定时体温检测 Regular Temp Checking	T<37.3℃	口罩、体温计	《体温定时检测结果》 后附	3 mins	1、对所有进场员工、供应商和客户等到场人员做好体温测量记录，查看健康码+行程码。 2、上袖时除了定时测量员工体温，还需观察员工是否有乏力、干咳等表现，如有发现要求其及时就医或居家隔离。 3、对于体温正常但偏高者(<37.3℃),每隔1小时进行及时复测。				
	T=37.3℃	口罩、体温计、消毒水	《体温定时检测结果》 后附	3mins	1、拒绝该员工进入工作场地。 2、做好体温异常情况的记录。 3、建议相关人员及时就医并及时汇报诊断结果。	10 mins	1、排查与高温员工密切接触的人员和场地。 2、对及时场做好消毒处理。 3、判断是否影响当天作业进程，若影响，若影响，须及时上报分公司经理。	30 mins	1、若高温人员去过客户工厂区，须及时通知相关人员。 2、若对当天作业影响较大时，需与客户进行协商或调整资源及计划。
疑似 Suspected	疑似 Suspected	口罩、体温计、消毒水	《体温定时检测结果》 《核酸检测报告》	3mins	1、拒绝该员工进入工作场地并要求其在空旷场地不要再走动状态。 2、呼叫120将疑似人员及时送医并实时跟踪诊断结果。	10 mins	1、排查与疑似员工密切接触的人员和场地。 2、对及时场做好实时管控处理。 3、及时向园区相关部门申报疑似人员案例。 3、判断是否影响当天作业进程，若影响，须及时上报分公司经理。	30 mins	1、若高温人员去过客户工厂区，须及时通知相关人员。 2、若对当天作业影响较大时，需与客户进行协商或调整资源及计划。
确诊 Diagnosed	确诊 Diagnosed	口罩、体温计、消毒水及其他配合物资	《核酸检测报告》 《停工停产说明》	3 mins	1、向属地疫情防控指挥部（疾控中心）汇报。 2、工作场地实行全面封闭，全体员工禁止外出。	30 mins	1、排查与确诊病例的接触史。 如一次性出现多人发热等状况，视情况采取停工停产。 3、配合疾控中心介入调查。	30 mins	1、向客户说明确诊病例及其行径轨迹。 2、若发生停工停产的情况，需向客户提供书面说明，协商后续对策。 3、聘请具有资质的消杀公司对工作场地及活动场地等公共场地进行消毒。 4、等疾控中心确认场地可以重新启动之后，及时通知客户。




- High relevance
- Medium relevance
- Low relevance

[illegible]



Operation Excellence



Business Guidelines
业务指导方针

理解内部与外部的优势与改进阈值
Understand internal and external advantages and improvement thresholds

提升我们应对管理转变和挑战的快速反应意识
Enhance awareness of rapid response to management changes & challenges

标准化运营流程，同时节约人力
Standardize operational processes while saving manpower

设定目标和结果导向的计划以提升我们的运营能力
Set goals and results-oriented plans to improve our operational capabilities



OPERATION INTEGRATION

Operation Excellence

Showcase Digital Process – Digital Order



Online Booking

A portal for making goods pick-up appointment that supports OCR automatic identification (register pick-up time, driver name, pick-up license plate, mobile phone, and upload pick-up authorization form).

1



WeChat Processing

The driver logs in the FEILIKS WeChat app (by phone number reserved when making an appointment), and the app will list all the items that needs to be picked up.

2



WHS Confirmation

When driver arrives at the warehouse, show the QR code in FEILIKS app.


Warehouse staff scan the QR code for pick-up confirmation, print the power of attorney and arrange the loading on truck.

3

Order Track&Trace Platform



System ePOD Display



Showcase Warehouse Automation – Autopilot Forklift



FEILIKS 智慧物流


Cost		Regular One	Autopilot One
Forklift	set	7	7
Power pallet jack	set	2	2
Man power	k/yr	552	184
One-off payment		510	4,470
Yearly cost		1,062	264



Advantage

- Improving the handling efficiency
- Cost saving
- Low operational risks
- Optimize manpower management

COST DEVELOPMENT COMPARISON



Business Guidelines 业务指导方针

对改善类项目的各项流程进行数据分析使之更加透明
Data analysis of various processes to make more transparent

在集团内分享与收集值得借鉴的优秀案例与解决方案
Share and collect excellent learning cases or solutions within the group

利用新技术与大数据，创建一个创新导向型管理团队
Use new technologies and big data to create an innovation-driven team

测试前沿科技，提供智能化的物流解决方案
Test cutting-edge technology and provide intelligent logistics solutions

1

Managerial Solution
管理转变

2

Operation Excellence
卓越运营

3


Digital Process Solution
流程数字化

4

Warehouse Automation
仓储自动化

CHAPTER 7

IMPLEMENTATION SHOWCASE



SHOWCASE

Implementation of A 33,000 SQM Warehouse

Successful Implementation of A Worldwide Famous Automotive Electronic Enterprise

BEFORE

Traditional operation and storage mode 传统的操作及存储模式:

- Manual sorting 人工入库理货
- Manual driving vehicle handling 人工驾驶车辆搬运
- Person-to-goods picking 人找货拣选
- Manual box-by-box code scanning and review 人工逐箱扫码复核
- Traditional pallet rack storage 传统的托盘式货架存储
- Traditional shelves storage 传统的小货架存储

★★★

FEILIKS does not automate for technology's sake — we automate for measurable, shared, and sustainable value.

AFTER

Intelligent operation and intensive storage 智能化作业以及密集存储:

- Assembly line sorting 入库流水线理货
- Forklift AGV & Latent AGV 叉取式AGV&潜伏式AGV
- CTU Robots 料箱机器人拣选
- Batch radio frequency reading and scanning codes 批量射频读取扫码
- VNA storage VNA密集存储
- CTU storage CTU密集存储

Implementation of A 33,000 SQM Warehouse


Receiving Efficiency: **25%**



Picking Efficiency: **30%**



Moving Efficiency: **15%**





Implementation of A 33,000 SQM Warehouse

Productivity ramp-up of a specific project during the first week


+ Safety + Lead-time + Shipping Punctuality + Inventory Accuracy





Safety





Quality



IB Carton




OB Carton



Showcase 1 – After-sales Parts RDC

After-sales Parts RDC Operation of A World 1st Tier Auto OEM

- RDC serving automotive after-sales spare parts with 35,000 sqm warehouse space
- Covering over 30 certified dealers major in Liaoning, Jilin and Heilongjiang provinces
- Onsite operation team 50+ long-term contract employees
- 12,000 pallet bin locations & 33,000 shelf bin locations
- Managing 19,000 SKUs, Annual outbound exceeds 450,000 order line



SUPPLY CHAIN
MODEL OVERVIEW



1st receiving ceremony



Bulk storage area



Mezzanine area



Pallet racks



Shelves

PROJECT HIGHLIGHTS

- ✓ Strictly follow the implementation timeline
- ✓ The roof of the warehouse facility is fully covered by solar panel

Showcase 1 – After-sales Parts RDC

Key Performance Indicators (KPI)

- Monthly average KPI achievement: Excellent

Tier One Key Performance Indicators (Performance Minimums)		
Metric	Acceptable Standard	As defined by:
Quality Standard (Error Rate) <u>Incentive / Penalty Component</u>	≥200 ppm and ≤300 ppm (03/2021 -02/2022) ≥185 ppm and ≤270 ppm (03/2022 -02/2024) ≥180 ppm and ≤250 ppm (03/2024 -02/2027)	= Total number of supplied lines with errors or customer claims caused by the Contractor (e.g. overage, shortage, wrong picks, damages caused by the Contractor) / total number of outbound lines*1,000,000
Stock Accuracy by Line <u>Incentive / Penalty Component</u>	≤99.85% and ≥99.75%	= Number of Bin locations counted in the considered period where computer count matches physical count / the total number of Bin locations counted in the considered period*100% Cycling Location for whole year = Total Bin Location (confirmed during stock take in the previous year)* 4
Stock Accuracy in value	≤0.50%	=Absolute value of all inventory discrepancies / the value of the entire inventory at the time of inventory *100%
Lead Time Goods In (On time bin-ning) <u>Incentive / Penalty Component</u>	≥99.75%	= Total number of inbound lines (to be differentiated into Stock lines and VOR/Rush lines) fulfilled in the agreed lead time from time of arrival at the RDC Chengdu until stocked in the location (physically incl. all confirmations in the system) / Total number of all inbound lines *100%

Metric	Acceptable Standard	As defined by:
Lead Time Goods Out (On time dispatch) <u>Incentive / Penalty Component</u>	≥99.75%	= Total number of outbound lines (to be differentiated into Stock order lines and VOR/Rush order lines) fulfilled in the agreed lead time from time of order receiving or cut-off until starting handover (physically incl. all confirmations in the system) / Total number of all outbound lines *100%
Cross-docking / backorders	≥99.75%	= Total number of cross-docking und Backorder lines fulfilled in the agreed lead-time from time of receiving until starting handover (physically incl. all confirmations in the system) / Total number of all cross-docking und Backorder lines *100%

Tier Two Key Performance Indicators (Operative Process Indicators)		
Metric	Acceptable Standard	As defined by:
New Parts	≤3 days	All new-parts-procedures have to be carried out within three (3) working days after order receipt.
Returned goods	≤3 days	Processing time from physical receipt of returned goods to return order completion.
Claim Feedback Time	≤2 working days	Measured from the receipt of a claim from BBA to the Contractor until the receipt of the Contractor's feedback to BBA. Feedback from Contractor to BBA will only be acknowledged as such if it is given with regarding supporting documents and reasonable description, especially with regard to rejections.
Employee Turnover	≤10%	= Number of employees who left the company over the measurement period, independent of reason / the total number of employees on the payroll of the Contractor for the BBA project at the end of the measurement period. Required to be reported monthly, and display the current month, a rolling three months, a rolling 6 months, a rolling twelve months, year to date, and since inception figure for both white and blue collar positions.

Showcase 1 – After-sales Parts RDC

Automatic labeling solution

- Some of the customer's components are imported from German factories, and these products are labeled using automatic labeling machines.



Efficiency is increased by 3 to 5 times.

Automatic labeling solution

Automatic labeling machine
+ Conveyor line
+ Barcode scanning
+ WMS

Efficiency:

- 1,200 - 2,000 boxes per hour


Manual labeling:

- 300 - 400 boxes per hour

Showcase 2 – After-sales Parts RDC

After-sales Parts DC Operation of A Domestic Auto OEM

- RDC serving automotive after-sales spare parts with 18,000 sqm warehouse space
- Covering Russia, Iran and other countries, 7 DCs and 1,000+ dealers
- Onsite operation team 60+ long-term contract employees
- 2,939 pallet bin locations & 22,375 shelf bin locations
- Managing 14,448 SKUs, Annual outbound exceeds 840,000 order line



SUPPLY CHAIN
MODEL OVERVIEW



Pallet racks



Pallet racks



Packaging Area



Shelves

PROJECT HIGHLIGHTS

- ✓ The relocation of the warehouse was completed within half a month, and the handover was done on time
- ✓ Business operations remained stable even when the volume of incoming and outgoing shipments surged



THANKS FOR WATCHING

节约 (Saving)

节约为荣 浪费可耻

目的：养成降低成本的习惯，加强作业人员减少浪费的教育。

安全 (Safety)

防微杜渐 警钟长鸣

目的：清除隐患，安全生产，关爱生命，以人为本。