OXFORD BROOKES UNIVERSITY
School of Engineering, Computing and Mathematics

COMP6030 Software Engineering
Practical Exercise Instruction Supplementary Documents

How to Use Papyrus
Part 1: Installation and Creation of Projects


1. Introduction

Papyrus is a software modelling tool developed as a plug-in package of the integrated development environment (IDE) ***Eclipse***. It also has an Eclipse's *Resource Complete Product* (RCP), which can be used as a standalone computer desktop product.


This document gives a step-by-step instruction on how to install Papyrus and how create the first project of UML modelling with papyrus. Details documentation of the software can be found on the Papyrus website. The uses of Papyrus for various UML modelling tasks will be provided in following up documents.

2. Download and install Eclipse Papyrus Desktop application


1) Click on the URL link below to open the Web Browser.
   https://eclipse.dev/papyrus/index.html
   The following web page will show.




2) Click on the ***Download*** tab and select ***Papyrus-Desktop***, the webpage for downloading Papyrus will show.



3) Scroll down to the ***Latest RCPs*** section and click on the right version of the product according to your computer's OS. See screen snapshot below for information.




4) The following will show in your web browser.




5) Click ***Download*** button, then the following file will be downloaded to your download folder.

papyrus-desktop-2025-06-7.0.0-win32.win32.x86_64.zip




6) Copy the downloaded file from the download folder to the folder where the software to be installed, for example, on your USB driver E. ***Note***: Do NOT extract the files from the download folder.

7) Extract all files in the zip file to the folder where the software to be installed. This may take a short while. When it finishes, the folder ***Papyrus*** should be created, which contains all files of the software.



8) Open the folder ***Papyrus***, you should be able to see the contents as follows.




9) Double click on the application file ***papyrus-desktop*** with the Papyrus icon, the software should be launched on your computer and should the following software start-up page on your screen.




10) Congratulations. The software is now successfully installed.

3. Start Papyrus and create a new workspace.


1) Once the Papyrus software is launched, the following window will pop-up.




2) Click on the ***Browse..*** button. The following window will show.




3) Create a folder and name it (for example, ***workspace-papyrus***) where the data of your UML models will be stored, say on your USB drive ***E***, and select it and click on the ***Select Folder*** button.



4) Now, click the ***Launch*** button of the following screen.




5) The Papyrus window will open; see screen snapshot below.




4. Create a new Papyrus project.


1) When you use papyrus for the first time, you can create a project simply by a click on the link ***Create a project for a new Papyrus model (UML or other DSML)*** on the left upper panel of the Papyrus window; see screen snapshot below.




An alternative way to create a Papyrus project is to use the file menu then select New and then select Papyrus Project; see screen snapshot below.




2) The following pop-up will show on your screen. Select the right options as shown in the screen snapshot and then click on the ***Next*** button.



3) Enter your ***Project name*** and ***Model file name*** (for example, ***PracticalExercises***) to the following window, then click the ***Finish*** button.





4) A Papyrus software modelling project will be set up and the Papyrus window will be ready for you to work on the project. See screen snapshot below.




5. Get familiar with the Papyrus GUI.


1) The ***Project Explorer*** lists the artefacts of the project. Select an item in the list, then watch the contents in the ***Properties panel***, which shows the properties of the project artefact. See screen snapshots below.






2) The ***Model Explorer*** lists the elements of a UML model. Select a model element, its property will be displayed in the ***Properties panel***. The properties can be edited and changed and entered as you want. See screenshots below.






6. Create a new UML diagram and add it to the project/model.


1) A project may have multiple models, and each model may have many different diagrams. To create a new diagram and add it to a model, we first select the model in the ***Model Explorer*** by a click on the model's name, for example, ***PracticalExercises***, then click on the ***black downward triangle of the Create New Diagram*** button, then a list of different types of diagrams will show; see screen snapshot below.




2) Select the type of diagram to be created, for example, ***Use Case Diagram***, then the following pop-up will show.



3) Enter the name of the diagram, for example, ***Exercise-W2***, into the above pop-up then click on the ***OK*** button. The Papyrus window will show the ***editor panel*** of the created diagram, and its name (i.e. ***Exercise-W2***) will be added to the Model Explorer. See screen snapshot below.




4) You can now use the editor panel to construct the diagram. The following is a simple use case diagram in UML. (***Note***: *We will learn UML Use Case diagram next week. No worries if you do not know what the diagram means and how to construct it.*)



7. Save the project and exit Papyrus.

1) Click on the ***save all*** button of the Papyrus window. All edits will be saved to the workspace.



2) When you start Papyrus next time with the same workspace, it will return to the same screen as you exit the last time.

