

1.在 Linux 中执行以下命令来安装 MongoDB 的 PHP 扩展驱动

```
$ sudo pecl install mongo
```

提示错误信息running: phpize

Can't find PHP headers in /usr/include/php

The php-devel package is required for use of this command.

ERROR: `phpize' failed

解决方案：安装php-devel

2.需要安装 php-devel

```
$yum install php-devel
```

提示Build with Cyrus SASL (MongoDB Enterprise Authentication)

support? [no]:

解决方案：输入no

提示

```
115982  4 drwxr-xr-x 3 root root  4096 Jul 10 16:05 /var/tmp/pear-build-rootE57b
1Q/install-mongo-1.6.16/usr/lib64
115986  4 drwxr-xr-x 3 root root  4096 Jul 10 16:05 /var/tmp/pear-build-rootE57b
1Q/install-mongo-1.6.16/usr/lib64/php
115987  4 drwxr-xr-x 2 root root  4096 Jul 10 16:05 /var/tmp/pear-build-rootE57b
1Q/install-mongo-1.6.16/usr/lib64/php/modules
115980 1968 -rwxr-xr-x 1 root root 2008248 Jul 10 16:05 /var/tmp/pear-build-rootE57b
1Q/install-mongo-1.6.16/usr/lib64/php/modules/mongo.so

Build process completed successfully
Installing '/usr/lib64/php/modules/mongo.so'
install ok: channel://pecl.php.net/mongo-1.6.16
configuration option "php_ini" is not set to php.ini location
You should add "extension=mongo.so" to php.ini
[root@VM_0_10_centos test]#
```

3.php.ini所在路径 /etc/php.ini