

rocr::Addr::V2::Gfx10Lib
::HwlGetPreferredSurfaceSetting

rocr::Addr::V2::Gfx11Lib
::HwlGetPreferredSurfaceSetting

rocr::Addr::V2::Gfx9Lib
::HwlGetPreferredSurfaceSetting

rocr::Addr::V2::Lib
::FilterInvalidEqSwizzleMode

```
graph LR; A[rocr::Addr::V2::Gfx10Lib::HwlGetPreferredSurfaceSetting] --> D[rocr::Addr::V2::Lib::FilterInvalidEqSwizzleMode]; B[rocr::Addr::V2::Gfx11Lib::HwlGetPreferredSurfaceSetting] --> D; C[rocr::Addr::V2::Gfx9Lib::HwlGetPreferredSurfaceSetting] --> D;
```

The diagram illustrates a mapping or inheritance relationship. On the left, three white rectangular boxes are stacked vertically. Each box contains a fully qualified function name: the top box is 'rocr::Addr::V2::Gfx10Lib::HwlGetPreferredSurfaceSetting', the middle box is 'rocr::Addr::V2::Gfx11Lib::HwlGetPreferredSurfaceSetting', and the bottom box is 'rocr::Addr::V2::Gfx9Lib::HwlGetPreferredSurfaceSetting'. On the right, a single gray rectangular box contains the function name 'rocr::Addr::V2::Lib::FilterInvalidEqSwizzleMode'. Three blue arrows originate from the right side of each of the three white boxes and point towards the left side of the gray box, indicating that the three functions on the left are associated with or map to the function on the right.