Table1 The original class Import in ArgoUML

Original Class Import		
Attributes	Methods	
LOG	getInputSourceEncoding()	
srcPath	disposeDialog()	
diagramInterface	getConfigPanel(Import importInstance)	
modules	doFile()	
configPanel	setSrcPath(String path)	
descend	getSrcPath()	
changedOnly	isCreateDiagramsChecked()	
createDiagrams	isDiscendDirectoriesRecursively()	
minimiseFigs	isMinimiseFigsChecked()	
layoutDiagrams	needsSave()	
classOnly		
classAndFeatures		
fullImport		
inputSourceEncoding		
dialog		
iss		
problems		

Table2 The new classes extracted by developers

Class Extracted by the Developers - 1		
Attributes	Methods	
configPanel	getInputSourceEncoding()	
descend	disposeDialog()	
changedOnly	getConfigPanel(Import importInstance)	
createDiagrams	doFile()	
minimiseFigs	isCreateDiagramsChecked()	
layoutDiagrams	isMinimizeFigsChecked()	
classOnly	isDiscendDirectoriesRecursively()	
classAndFeatures		
fullImport		
inputSourceEncoding		
dialog		
iss		
problems		
Class Extracted by the Developers - 2		
Attributes	Methods	
LOG	needsSave()	
modules	setSrcPath(String)	
srcPath	getSrcPath()	
diagramInterface		

Table3 The new classes extracted by our approach

Class Extracted our approach - 1		
Attributes	Methods	
iss	disposeDialog()	
minimiseFigs	getInputSourceEncoding()	
dialog	isCreateDiagramsChecked()	
inputSourceEncoding	isMinimiseFigsChecked()	
classOnly	doFile()	
classAndFeatures	getConfigPanel(Import)	
changedOnly	isDiscendDirectoriesRecursively()	
layoutDiagrams		
descend		
createDiagrams		
fullImport		
configPanel		
problems		
Class Extracted our approach - 2		
Attributes	Methods	
LOG	needsSave()	
modules	getSrcPath()	
srcPath	setSrcPath(String)	
diagramInterface		

Table 4 The new classes extracted by Bavota's approach[14]

Class Extracted Bavota's approach - 1			
Attributes	Methods		
inputSourceEncoding	getConfigPanel(Import)		
iss	isMinimiseFigsChecked()		
layoutDiagrams	needsSave()		
minimiseFigs	doFile()		
modules	isDiscendDirectoriesRecursively()		
problems			
srcPath			
fullImport			
dialog			
diagramInterface			
descend			
createDiagrams			
configPanel			
classOnly			
classAndFeatures			
changedOnly			
LOG			
Class Extracted Bavota	Class Extracted Bavota's approach - 2		

Attributes	Methods
	disposeDialog()
	getInputSourceEncoding()
	setSrcPath(String)
	getSrcPath()
	isCreateDiagramsChecked()

Table 5 The new classes extracted by Fokaefs' approach

Tuble 6 The new classes extracted by Foracts approach		
Class Extracted Fokaefs' approach - 1		
Attributes	Methods	
dialog	getInputSourceEncoding()	
diagramInterface	getConfigPanel(Import)	
descend	doFile()	
fullImport	disposeDialog()	
createDiagrams		
configPanel		
classOnly		
classAndFeatures		
changedOnly		
LOG		
Class Extracted Fokaefs' approach - 2		
Attributes	Methods	
problems	getSrcPath()	
inputSourceEncoding	isCreateDiagramsChecked()	
iss	isDiscendDirectoriesRecursively()	
layoutDiagrams	isMinimiseFigsChecked()	
minimiseFigs	needsSave()	
modules	setSrcPath(String)	
srcPath		