

Table 6 The Move Method/Field refactoring suggestions for HSQLDB

Method/Field	Source Class	Target Class
jdbcConnection.connProperties	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_1
jdbcConnection.getMetaData	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_1
jdbcConnection.createStatement	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.prepareStatement	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.prepareCall	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.addWarning	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.clearWarnings	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.clearWarningsNoCheck	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.rootWarning	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.rootWarning_mutex	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.xlateRSConcurrency	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.prepareStatement	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.prepareCall	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.createStatement	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.xlateRSHoldability	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcConnection.xlateRSType	jdbcConnection	org.hsqldb.jdbc.jdbcDatabaseMetaData_new_2
jdbcSavepoint.connection	jdbcSavepoint	org.hsqldb.jdbc.jdbcConnection_new_1
HsqlDeque.addLast	HsqlDeque	org.hsqldb.lib.HsqlTaskQueue_new_1
CSVWriter.writeData	CSVWriter	org.hsqldb.util.DatabaseManager_new_1
Grid.update	Grid	org.hsqldb.util.DatabaseManager_new_1
Tree.addRow	Tree	org.hsqldb.util.DatabaseManager_new_1

Method/Field	Source Class	Target Class
Tree.update	Tree	org.hsqldb.util.DatabaseManager_new_1
SqlTool.main	SqlTool	org.hsqldb.util.RCData_new_1
SqlTool.bcl	SqlTool	org.hsqldb.util.RCData_new_1
SqlTool.LS	SqlTool	org.hsqldb.util.RCData_new_1
SqlTool.DEFAULT_RCFILE	SqlTool	org.hsqldb.util.RCData_new_1
SqlTool.CMDLINE_ID	SqlTool	org.hsqldb.util.RCData_new_1
SqlTool.revnum	SqlTool	org.hsqldb.util.RCData_new_1
SqlTool.static	SqlTool	org.hsqldb.util.RCData_new_1
SqlTool.objectMain	SqlTool	org.hsqldb.util.RCData_new_1
SqlTool.promptForPassword	SqlTool	org.hsqldb.util.RCData_new_1
SqlTool.rb	SqlTool	org.hsqldb.util.RCData_new_1
SqlTool.varParser	SqlTool	org.hsqldb.util.RCData_new_1
SqlFile.execute	SqlFile	org.hsqldb.util.RCData_new_1
SqlToolError.serialVersionUID	SqlToolError	org.hsqldb.util.SqlFile_new_1
SqlToolError.getMessage	SqlToolError	org.hsqldb.util.SqlFile_new_1
SqlToolError.getCause	SqlToolError	org.hsqldb.util.SqlFile_new_1
HashIndex.newNodePointer	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.elementCount	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.fixedSize	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.reclaimedNodePointer	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.getHashIndex	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.getLookup	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.hashTable	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1

Method/Field	Source Class	Target Class
HashIndex.resetTables	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.removeEmptyNode	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.linkNode	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.clear	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.getNextLookup	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.linkTable	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.reset	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
HashIndex.unlinkNode	HashIndex	org.hsqldb.store.ValuePoolHashMap_new_1
Transaction.SCN	Transaction	org.hsqldb.TransactionManager_new_1
LongKeyIntValueHashMap.clear	LongKeyIntValueHashMap	org.hsqldb.TransactionManager_new_1
LongKeyIntValueHashMap.getLookup	LongKeyIntValueHashMap	org.hsqldb.TransactionManager_new_1
LongKeyIntValueHashMap.put	LongKeyIntValueHashMap	org.hsqldb.TransactionManager_new_1
LongKeyIntValueHashMap.remove	LongKeyIntValueHashMap	org.hsqldb.TransactionManager_new_1
LongKeyIntValueHashMap.size	LongKeyIntValueHashMap	org.hsqldb.TransactionManager_new_1
Transaction.isDelete	Transaction	org.hsqldb.TransactionManager_new_1
Transaction.tTable	Transaction	org.hsqldb.TransactionManager_new_1
Transaction.row	Transaction	org.hsqldb.TransactionManager_new_1
Transaction.logRollback	Transaction	org.hsqldb.TransactionManager_new_1
Transaction.logAction	Transaction	org.hsqldb.TransactionManager_new_1
Transaction.commit	Transaction	org.hsqldb.TransactionManager_new_1
Transaction.rollback	Transaction	org.hsqldb.TransactionManager_new_1
Types.getTypeName	Types	org.hsqldb.jdbc.jdbcParamete

Method/Field	Source Class	Target Class
		rMetaData_new_1
jdbcColumnMetaData.toString	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.toStringImpl	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
Types.acceptsScaleCreateParam	Types	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
Types.acceptsPrecisionCreateParam	Types	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
Types.isNumberType	Types	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
Types.getPrecision	Types	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
Types.getColStClsName	Types	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.tableName	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.schemaName	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.scale	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.precision	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.isWritable	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.isSigned	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.isSearchable	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.isReadOnly	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.isDefinitelyWritable	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.isNullable	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.isCurrency	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.columnName	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.isCaseSensitive	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1
jdbcColumnMetaData.isAutoIncrement	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSet MetaData_new_1

Method/Field	Source Class	Target Class
jdbcColumnMetaData.columnTypeName	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSetMetaData_new_1
jdbcColumnMetaData.columnType	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSetMetaData_new_1
jdbcColumnMetaData.columnDisplaySize	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSetMetaData_new_1
jdbcColumnMetaData.columnLabel	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSetMetaData_new_1
jdbcColumnMetaData.columnClassName	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSetMetaData_new_1
jdbcColumnMetaData.catalogName	jdbcColumnMetaData	org.hsqldb.jdbc.jdbcResultSetMetaData_new_1
Types.isCaseSensitive	Types	org.hsqldb.jdbc.jdbcResultSetMetaData_new_1
Types.isSearchable	Types	org.hsqldb.jdbc.jdbcResultSetMetaData_new_1
Types.isUnsignedAttribute	Types	org.hsqldb.jdbc.jdbcResultSetMetaData_new_1
Index.DISK_INDEX	Index	org.hsqldb.TableFilter_new_1
Index.MEMORY_INDEX	Index	org.hsqldb.TableFilter_new_1
Index.POINTER_INDEX	Index	org.hsqldb.TableFilter_new_1
Index.getRoot	Index	org.hsqldb.TableFilter_new_1
Index.root	Index	org.hsqldb.TableFilter_new_1
Index.compareRows	Index	org.hsqldb.TableFilter_new_1
ArrayUtil.adjustArray	ArrayUtil	org.hsqldb.TableFilter_new_1
Index.compareRowNonUnique	Index	org.hsqldb.TableFilter_new_1
ArrayUtil.clearArray	ArrayUtil	org.hsqldb.TableFilter_new_1
Index.findRow	Index	org.hsqldb.TableFilter_new_1
Index.search	Index	org.hsqldb.TableFilter_new_1
Index.colCheck	Index	org.hsqldb.TableFilter_new_1
ArrayUtil.countStartIntIndexesInBooleanArray	ArrayUtil	org.hsqldb.TableFilter_new_1
ArrayUtil.intIndexesToBooleanArray	ArrayUtil	org.hsqldb.TableFilter_new_1
Index.next	Index	org.hsqldb.TableFilter_new_1
Index.emptyIterator	Index	org.hsqldb.TableFilter_new_1
Index.isConstraint	Index	org.hsqldb.TableFilter_new_1
Index.collation	Index	org.hsqldb.TableFilter_new_1
Index.colTypes	Index	org.hsqldb.TableFilter_new_1
Index.colIndex	Index	org.hsqldb.TableFilter_new_1
Index.useRowId	Index	org.hsqldb.TableFilter_new_1
Index.pkTypes	Index	org.hsqldb.TableFilter_new_1
Index.pkCols	Index	org.hsqldb.TableFilter_new_1

Method/Field	Source Class	Target Class
Index.isConstraint	Index	org.hsqldb.TableFilter_new_1
Index.table	Index	org.hsqldb.TableFilter_new_1
Index.isForward	Index	org.hsqldb.TableFilter_new_1
Index.getIterator	Index	org.hsqldb.TableFilter_new_1
Index.emptyIterator	Index	org.hsqldb.TableFilter_new_1
Index.static	Index	org.hsqldb.TableFilter_new_1
Index.getIndexOrderValue	Index	org.hsqldb.TableFilter_new_1
Index.getColumnTypes	Index	org.hsqldb.TableFilter_new_1
Index.getColumnNamesList	Index	org.hsqldb.TableFilter_new_1
Index.compareRowForInsert	Index	org.hsqldb.TableFilter_new_1
Index.findFirstRow	Index	org.hsqldb.TableFilter_new_1
Index.findFirstRowNotNull	Index	org.hsqldb.TableFilter_new_1
Index.compareRowNonUnique	Index	org.hsqldb.TableFilter_new_1
Index.getColumns	Index	org.hsqldb.TableFilter_new_1
Index.getVisibleColumns	Index	org.hsqldb.TableFilter_new_1
Index.isNull	Index	org.hsqldb.TableFilter_new_1
Index.findFirstRow	Index	org.hsqldb.TableFilter_new_1
Index.isUnique	Index	org.hsqldb.TableFilter_new_1
Index.isUnique	Index	org.hsqldb.TableFilter_new_1
ArrayUtil.find	ArrayUtil	org.hsqldb.TableWorks_new_1
Constraint.checkReferencedRows	Constraint	org.hsqldb.TableWorks_new_1
Constraint.hasReferencedRow	Constraint	org.hsqldb.TableWorks_new_1
ArrayUtil.resizeArray	ArrayUtil	org.hsqldb.Constraint_new_1
ArrayUtil.copyArray	ArrayUtil	org.hsqldb.Constraint_new_1
ArrayUtil.toAdjustedColumnArray	ArrayUtil	org.hsqldb.Constraint_new_1
ArrayUtil.arraySlice	ArrayUtil	org.hsqldb.Constraint_new_1
ArrayUtil.areEqual	ArrayUtil	org.hsqldb.Constraint_new_1
ArrayUtil.haveEqualArrays	ArrayUtil	org.hsqldb.Constraint_new_1
Index.findNotNull	Index	org.hsqldb.Constraint_new_1
Index.findFirstRow	Index	org.hsqldb.Constraint_new_1
ArrayUtil.sortArray	ArrayUtil	org.hsqldb.Constraint_new_1
Index.isNull	Index	org.hsqldb.Constraint_new_1
Index.exists	Index	org.hsqldb.Constraint_new_1
ArrayUtil.haveEqualSets	ArrayUtil	org.hsqldb.Constraint_new_1
ArrayUtil.areEqualSets	ArrayUtil	org.hsqldb.Constraint_new_1
ConstraintCore.checkFilter	ConstraintCore	org.hsqldb.Constraint_new_1
ConstraintCore.check	ConstraintCore	org.hsqldb.Constraint_new_1
ConstraintCore.colLen	ConstraintCore	org.hsqldb.Constraint_new_1
ConstraintCore.deleteAction	ConstraintCore	org.hsqldb.Constraint_new_1
ConstraintCore.fkName	ConstraintCore	org.hsqldb.Constraint_new_1

Method/Field	Source Class	Target Class
ConstraintCore.mainTable	ConstraintCore	org.hsqldb.Constraint_new_1
ConstraintCore.refColArray	ConstraintCore	org.hsqldb.Constraint_new_1
TableWorks.createCheckConstraint	TableWorks	org.hsqldb.Constraint_new_1
ConstraintCore.mainIndex	ConstraintCore	org.hsqldb.Constraint_new_1
ConstraintCore.mainColArray	ConstraintCore	org.hsqldb.Constraint_new_1
ConstraintCore.pkName	ConstraintCore	org.hsqldb.Constraint_new_1
ConstraintCore.refIndex	ConstraintCore	org.hsqldb.Constraint_new_1
ConstraintCore.refTable	ConstraintCore	org.hsqldb.Constraint_new_1
ConstraintCore.updateAction	ConstraintCore	org.hsqldb.Constraint_new_1
ValuePool.getBoolean	ValuePool	org.hsqldb.DITableInfo_new_2
DIProcedureInfo.getOutputParamCount	DIProcedureInfo	org.hsqldb.store.ValuePool_new_2
DITableInfo.getIndexType	DITableInfo	org.hsqldb.store.ValuePool_new_2
DTypeInfo.getNullability	DTypeInfo	org.hsqldb.store.ValuePool_new_2
DTypeInfo.hnd_create_params	DTypeInfo	org.hsqldb.DITableInfo_new_1
DTypeInfo.getLocalName	DTypeInfo	org.hsqldb.DITableInfo_new_1
DTypeInfo.hnd_local_names	DTypeInfo	org.hsqldb.DITableInfo_new_1
DTypeInfo.getRemarks	DTypeInfo	org.hsqldb.DITableInfo_new_1
DTypeInfo.hnd_remarks	DTypeInfo	org.hsqldb.DITableInfo_new_1
DTypeInfo.locale_set	DTypeInfo	org.hsqldb.DITableInfo_new_1
DTypeInfo.setLocale	DTypeInfo	org.hsqldb.DITableInfo_new_1
BitMap.set	BitMap	org.hsqldb.persist.RAShadowFile_new_1
BitMap.isSet	BitMap	org.hsqldb.persist.RAShadowFile_new_1
BitMap.unset	BitMap	org.hsqldb.persist.RAShadowFile_new_1
BitMap.defaultCapacity	BitMap	org.hsqldb.persist.RAShadowFile_new_1
BitMap.capacity	BitMap	org.hsqldb.persist.RAShadowFile_new_1
BitMap.map	BitMap	org.hsqldb.persist.RAShadowFile_new_1

Method/Field	Source Class	Target Class
BitMap.reset	BitMap	org.hsqldb.persist.RAShadow File_new_1
BitMap.get	BitMap	org.hsqldb.persist.RAShadow File_new_1
BitMap.doubleCapacity	BitMap	org.hsqldb.persist.RAShadow File_new_1
BitMap.set	BitMap	org.hsqldb.persist.RAShadow File_new_1
BitMap.unset	BitMap	org.hsqldb.persist.RAShadow File_new_1
StringUtil.arrayToString	StringUtil	org.hsqldb.Like_new_1
StringUtil.toLowerSubset	StringUtil	org.hsqldb.DatabaseComman dInterpreter_new_1
ObjectCacheHashMap.keySet	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.values	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.clear	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.getAccessCo untCeiling	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.getLookup	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.put	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.remove	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.resetAccessC ount	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.setAccessCou ntFloor	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.size	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.iterator	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.accessCount	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.accessTable	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.get	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1
ObjectCacheHashMap.objectValueT able	ObjectCacheHas hMap	org.hsqldb.persist.Cache_new _1

Method/Field	Source Class	Target Class
FileUtil.renameOverwrite	FileUtil	org.hsqldb.persist.TextCache_new_2
FileUtil.createParentDirs	FileUtil	org.hsqldb.persist.TextCache_new_2
FileUtil.getFileSync	FileUtil	org.hsqldb.persist.TextCache_new_2
FileUtil.isStreamElement	FileUtil	org.hsqldb.persist.TextCache_new_2
FileUtil.openInputStreamElement	FileUtil	org.hsqldb.persist.TextCache_new_2
FileUtil.openOutputStreamElement	FileUtil	org.hsqldb.persist.TextCache_new_2
FileUtil.removeElement	FileUtil	org.hsqldb.persist.TextCache_new_2
FileUtil.renameElement	FileUtil	org.hsqldb.persist.TextCache_new_2
FileUtil.delete	FileUtil	org.hsqldb.persist.TextCache_new_2
FileUtil.exists	FileUtil	org.hsqldb.persist.TextCache_new_2
FileUtil.exists	FileUtil	org.hsqldb.persist.TextCache_new_2
PersistentStore.get	PersistentStore	org.hsqldb.persist.TextCache_new_2
TextTable.cache	TextTable	org.hsqldb.persist.TextCache_new_2
TextTable.isConnected	TextTable	org.hsqldb.persist.TextCache_new_2
TextTable.database	TextTable	org.hsqldb.persist.TextCache_new_2
TextTable.openCache	TextTable	org.hsqldb.persist.TextCache_new_2
TextTable.onConnectError	TextTable	org.hsqldb.persist.TextCache_new_2
TextTable.connect	TextTable	org.hsqldb.persist.TextCache_new_2
TextTable.rowStore	TextTable	org.hsqldb.persist.TextCache_new_2
TextCache.isQuoted	TextCache	org.hsqldb.DatabaseInformationFull_new_2
TextCache.vs	TextCache	org.hsqldb.DatabaseInformationFull_new_2
TextCache.lvs	TextCache	org.hsqldb.DatabaseInformationFull_new_2

Method/Field	Source Class	Target Class
		onFull_new_2
TextCache.isAllQuoted	TextCache	org.hsqldb.DatabaseInformati onFull_new_2
TextCache.fs	TextCache	org.hsqldb.DatabaseInformati onFull_new_2
Session.currentSchema	Session	org.hsqldb.SessionManager_n ew_1
Trigger.fire	Trigger	org.hsqldb.TriggerDef_new_1
DINamespace.getMethodSpecificName	DINamespace	org.hsqldb.Session_new_5
DINamespace.getSignature	DINamespace	org.hsqldb.Session_new_5
DINamespace.classForMethodFQN	DINamespace	org.hsqldb.Session_new_5
DINamespace.iterateAllAccessibleMethods	DINamespace	org.hsqldb.Session_new_5
DINamespace.getMethodFQN	DINamespace	org.hsqldb.Session_new_5
DINamespace.iterateRoutineMethods	DINamespace	org.hsqldb.Session_new_5
SessionManager.getVisibleSessions	SessionManager	org.hsqldb.Session_new_5
TriggerDef.indexToRight	TriggerDef	org.hsqldb.Session_new_5
DINamespace.getCatalogName	DINamespace	org.hsqldb.Session_new_5
DINamespace.iterateCatalogNames	DINamespace	org.hsqldb.Session_new_5
DINamespace.iterateAccessibleTriggerClassNames	DINamespace	org.hsqldb.Session_new_5
DINamespace.getSchemaName	DINamespace	org.hsqldb.Session_new_5
DINamespace.catalogName	DINamespace	org.hsqldb.Session_new_5
DINamespace.classForName	DINamespace	org.hsqldb.Session_new_5
DINamespace.database	DINamespace	org.hsqldb.Session_new_5
DINamespace.getInverseAliasMap	DINamespace	org.hsqldb.Session_new_5
DINamespace.isReportCatalogs	DINamespace	org.hsqldb.Session_new_5
DINamespace.listVisibleSessions	DINamespace	org.hsqldb.Session_new_5
SessionManager.getSysSession	SessionManager	org.hsqldb.Session_new_5
SessionManager.getSysSession	SessionManager	org.hsqldb.Session_new_5
SessionManager.getSysSession	SessionManager	org.hsqldb.Session_new_5
jdbcDriver.connect	jdbcDriver	org.hsqldb.jdbc.jdbcDataSou ce_new_1
jdbcDriver.getConnection	jdbcDriver	org.hsqldb.jdbc.jdbcDataSou ce_new_1
Column.compare	Column	org.hsqldb.types.Binary_new _1
Column.compareTo	Column	org.hsqldb.types.Binary_new _1
Column.createSQLString	Column	org.hsqldb.Function_new_1
Column.createSQLString	Column	org.hsqldb.Function_new_1

Method/Field	Source Class	Target Class
Column.createSQLString	Column	org.hsqldb.Function_new_1
ConnectionSetting.getDriver	ConnectionSetting	org.hsqldb.util.ConnectionDialogSwing_new_1
ConnectionDialogCommon.addToRecentConnectionSettings	ConnectionDialogCommon	org.hsqldb.util.ConnectionDialogSwing_new_1
ConnectionDialogCommon.emptySettingName	ConnectionDialogCommon	org.hsqldb.util.ConnectionDialogSwing_new_1
ConnectionDialogCommon.homedir	ConnectionDialogCommon	org.hsqldb.util.ConnectionDialogSwing_new_1
ConnectionDialogCommon.setHomeDir	ConnectionDialogCommon	org.hsqldb.util.ConnectionDialogSwing_new_1
ConnectionDialogCommon.static	ConnectionDialogCommon	org.hsqldb.util.ConnectionDialogSwing_new_1
ConnectionDialogCommon.loadRecentConnectionSettings	ConnectionDialogCommon	org.hsqldb.util.ConnectionDialogSwing_new_1
ConnectionDialogCommon.deleteRecentConnectionSettings	ConnectionDialogCommon	org.hsqldb.util.ConnectionDialogSwing_new_1
ConnectionDialogCommon.recentSettings	ConnectionDialogCommon	org.hsqldb.util.ConnectionDialogSwing_new_1
ConnectionDialogCommon.storeRecentConnectionSettings	ConnectionDialogCommon	org.hsqldb.util.ConnectionDialogSwing_new_1
JavaSystem.createNewFile	JavaSystem	org.hsqldb.util.ConnectionDialogSwing_new_1
JavaSystem.setLogToSystem	JavaSystem	org.hsqldb.util.ScriptTool_new_1
JavaSystem.parseDouble	JavaSystem	org.hsqldb.Tokenizer_new_1
Grantee.hasRole	Grantee	org.hsqldb.GranteeManager_new_2
Grantee.isRole	Grantee	org.hsqldb.GranteeManager_new_2
IntValueHashMap.keySet	IntValueHashMap	org.hsqldb.GranteeManager_new_1
IntValueHashMap.keySet	IntValueHashMap	org.hsqldb.GranteeManager_new_1
UserManager.getRightsArray	UserManager	org.hsqldb.GranteeManager_new_1
IntKeyHashMap.keySet	IntKeyHashMap	org.hsqldb.View_new_1
IntKeyHashMap.keySet	IntKeyHashMap	org.hsqldb.View_new_1
Servlet.log	Servlet	org.hsqldb.ServerConnection_new_1
Servlet.getServletContext	Servlet	org.hsqldb.ServerConnection_new_1
Servlet.getInitParameter	Servlet	org.hsqldb.ServerConnection

Method/Field	Source Class	Target Class
		_new_1
Servlet.dbType	Servlet	org.hsqldb.ServerConnection _new_1
Servlet.dbPath	Servlet	org.hsqldb.ServerConnection _new_1
Servlet.iQueries	Servlet	org.hsqldb.ServerConnection _new_1
Servlet.doPost	Servlet	org.hsqldb.ServerConnection _new_1
Servlet.doGet	Servlet	org.hsqldb.ServerConnection _new_1
Servlet.errorStr	Servlet	org.hsqldb.ServerConnection _new_1
Servlet.init	Servlet	org.hsqldb.ServerConnection _new_1
Servlet.rowIn	Servlet	org.hsqldb.ServerConnection _new_1
Servlet.rowOut	Servlet	org.hsqldb.ServerConnection _new_1
DatabaseURL.parseURL	DatabaseURL	org.hsqldb.ServerConnection _new_1
HsqlDateTime.toJavaDatePattern	HsqlDateTime	org.hsqldb.Library_new_1
CommonSwing.errorMessage	CommonSwing	org.hsqldb.util.DatabaseMana gerSwing_new_1
CommonSwing.getIcon	CommonSwing	org.hsqldb.util.DatabaseMana gerSwing_new_1
CommonSwing.setFramePositon	CommonSwing	org.hsqldb.util.DatabaseMana gerSwing_new_1
CommonSwing.plaf	CommonSwing	org.hsqldb.util.DatabaseMana gerSwing_new_1
CommonSwing.GTK	CommonSwing	org.hsqldb.util.DatabaseMana gerSwing_new_1
CommonSwing.Native	CommonSwing	org.hsqldb.util.DatabaseMana gerSwing_new_1
CommonSwing.Motif	CommonSwing	org.hsqldb.util.DatabaseMana gerSwing_new_1
CommonSwing.Java	CommonSwing	org.hsqldb.util.DatabaseMana gerSwing_new_1
CommonSwing.setSwingLAF	CommonSwing	org.hsqldb.util.DatabaseMana gerSwing_new_1
CommonSwing.static	CommonSwing	org.hsqldb.util.DatabaseMana gerSwing_new_1
CompiledStatement.describeParame	CompiledStatem	org.hsqldb.Result_new_5

Method/Field	Source Class	Target Class
ters	ent	
Select.unionDepth	Select	org.hsqldb.Result_new_6
Select.unionMaxDepth	Select	org.hsqldb.Result_new_6
Select.getResultMain	Select	org.hsqldb.Result_new_6
Select.unionType	Select	org.hsqldb.Result_new_6
Select.mergeResults	Select	org.hsqldb.Result_new_6
Select.getValue	Select	org.hsqldb.Result_new_6
CompiledStatementExecutor.execute	CompiledStatementExecutor	org.hsqldb.Result_new_6
InsertSelectStatement	CompiledStatementExecutor	org.hsqldb.Result_new_7
CompiledStatementExecutor.static	CompiledStatementExecutor	org.hsqldb.Result_new_7
CompiledStatementExecutor.updateOneResult	CompiledStatementExecutor	org.hsqldb.Result_new_7
Result.iterator	Result	org.hsqldb.CompiledStatement_new_1
CompiledStatementExecutor.emptyZeroResult	CompiledStatementExecutor	org.hsqldb.CompiledStatement_new_1
Select.intoType	Select	org.hsqldb.CompiledStatement_new_1
Select.allColumnsAreDefinedIn	Select	org.hsqldb.CompiledStatement_new_1
Select.sIntoTable	Select	org.hsqldb.CompiledStatement_new_1
Select.groupColumnNameNames	Select	org.hsqldb.CompiledStatement_new_1
Select.iOrderLen	Select	org.hsqldb.CompiledStatement_new_1
Select.iHavingLen	Select	org.hsqldb.CompiledStatement_new_1
GroupedResult.groupEnd	GroupedResult	org.hsqldb.CompiledStatement_new_1
GroupedResult.groupBegin	GroupedResult	org.hsqldb.CompiledStatement_new_1
Select.havingCondition	Select	org.hsqldb.CompiledStatement_new_1
Select.sortOrder	Select	org.hsqldb.CompiledStatement_new_1
Select.sortDirection	Select	org.hsqldb.CompiledStatement_new_1
Select.iGroupLen	Select	org.hsqldb.CompiledStatement_new_1
Select.queryCondition	Select	org.hsqldb.CompiledStatement_new_1

Method/Field	Source Class	Target Class
GroupedResult.currGroup	GroupedResult	org.hsqldb.CompiledStatement_new_1
Select.resultMetaData	Select	org.hsqldb.CompiledStatement_new_1
Select.isGrouped	Select	org.hsqldb.CompiledStatement_new_1
Select.prepareUnions	Select	org.hsqldb.CompiledStatement_new_1
Select.isAggregated	Select	org.hsqldb.CompiledStatement_new_1
Select.sortResult	Select	org.hsqldb.CompiledStatement_new_1
CompiledStatementExecutor.executeSelectStatement	CompiledStatementExecutor	org.hsqldb.CompiledStatement_new_1
CompiledStatementExecutor.executeCallStatement	CompiledStatementExecutor	org.hsqldb.CompiledStatement_new_1
CompiledStatementExecutor.executeDeleteStatement	CompiledStatementExecutor	org.hsqldb.CompiledStatement_new_1
CompiledStatementExecutor.executeImpl	CompiledStatementExecutor	org.hsqldb.CompiledStatement_new_1
Select.sortUnion	Select	org.hsqldb.CompiledStatement_new_1
Select.isDistinctSelect	Select	org.hsqldb.CompiledStatement_new_1
Select.resolve	Select	org.hsqldb.CompiledStatement_new_1
Select.getResult	Select	org.hsqldb.CompiledStatement_new_1
GroupedResult.isGrouped	GroupedResult	org.hsqldb.CompiledStatement_new_1
GroupedResult.isAggregated	GroupedResult	org.hsqldb.CompiledStatement_new_1
GroupedResult.groups	GroupedResult	org.hsqldb.CompiledStatement_new_1
GroupedResult.getRow	GroupedResult	org.hsqldb.CompiledStatement_new_1
GroupedResult.addRow	GroupedResult	org.hsqldb.CompiledStatement_new_1
GroupedResult.getResult	GroupedResult	org.hsqldb.CompiledStatement_new_1
GroupedResult.iterator	GroupedResult	org.hsqldb.CompiledStatement_new_1
GroupedResult.result	GroupedResult	org.hsqldb.CompiledStatement_new_1

Method/Field	Source Class	Target Class
		nt_new_1
GroupedResult.size	GroupedResult	org.hsqldb.CompiledStatement_new_1
Select.buildResult	Select	org.hsqldb.CompiledStatement_new_1
Select.getSingleResult	Select	org.hsqldb.CompiledStatement_new_1
Select.inAggregateOrGroupByClause	Select	org.hsqldb.CompiledStatement_new_1
Select.describe	Select	org.hsqldb.CompiledStatement_new_1
Select.getDDL	Select	org.hsqldb.CompiledStatement_new_1
Select.prepareSort	Select	org.hsqldb.CompiledStatement_new_1
Select.prepareResult	Select	org.hsqldb.CompiledStatement_new_1
Select.checkResolved	Select	org.hsqldb.CompiledStatement_new_1
Select.describeResult	Select	org.hsqldb.CompiledStatement_new_1
Select.resolveTables	Select	org.hsqldb.CompiledStatement_new_1
Select.resolveTables	Select	org.hsqldb.CompiledStatement_new_1
Select.resolveTypes	Select	org.hsqldb.CompiledStatement_new_1
Select.checkAggregateOrGroupByColumns	Select	org.hsqldb.CompiledStatement_new_1
Select.exprColumns	Select	org.hsqldb.CompiledStatement_new_1
Select.isSimilarIn	Select	org.hsqldb.CompiledStatement_new_1
Select.resolveAll	Select	org.hsqldb.CompiledStatement_new_1
Select.checkAggregateOrGroupByOrderColumns	Select	org.hsqldb.CompiledStatement_new_1
Select.getColumnAliases	Select	org.hsqldb.CompiledStatement_new_1
Select.iResultLen	Select	org.hsqldb.CompiledStatement_new_1
Select.resolveUnionColumnTypes	Select	org.hsqldb.CompiledStatement_new_1

Method/Field	Source Class	Target Class
Select.setFilterConditions	Select	org.hsqldb.CompiledStatement_new_1
Select.tFilter	Select	org.hsqldb.CompiledStatement_new_1
Select.unionSelect	Select	org.hsqldb.CompiledStatement_new_1
CompiledStatementExecutor.executeInsertValuesStatement	CompiledStatementExecutor	org.hsqldb.CompiledStatement_new_1
CompiledStatementExecutor.executeUpdateStatement	CompiledStatementExecutor	org.hsqldb.CompiledStatement_new_1
CompiledStatementExecutor.executeDDLStatement	CompiledStatementExecutor	org.hsqldb.CompiledStatement_new_1
CompiledStatementExecutor.session	CompiledStatementExecutor	org.hsqldb.CompiledStatement_new_1
CompiledStatementExecutor.updateResult	CompiledStatementExecutor	org.hsqldb.CompiledStatement_new_1
WrapperIterator.it_new_2	WrapperIterator	org.hsqldb.lib.HashMappedList_new_2
WrapperIterator.chained	WrapperIterator	org.hsqldb.lib.HashMappedList_new_2
WrapperIterator.it_new_3	WrapperIterator	org.hsqldb.lib.HashMappedList_new_2
SchemaManager.allTablesIterator	SchemaManager	org.hsqldb.lib.HashMappedList_new_2
SchemaManager.checkCascadeDropViews	SchemaManager	org.hsqldb.lib.HashMappedList_new_2
SchemaManager.getViewsWithSequence	SchemaManager	org.hsqldb.lib.HashMappedList_new_2
SchemaManager.checkCascadeDropViews	SchemaManager	org.hsqldb.Parser_new_1
SchemaManager.checkColumnIsInView	SchemaManager	org.hsqldb.Parser_new_1
SchemaManager.getViewsWithTable	SchemaManager	org.hsqldb.Parser_new_1
SchemaManager.getSequence	SchemaManager	org.hsqldb.Parser_new_1
SchemaManager.getTable	SchemaManager	org.hsqldb.Parser_new_1
SchemaManager.checkUserViewNotExists	SchemaManager	org.hsqldb.Parser_new_1
SchemaManager.clearTempTables	SchemaManager	org.hsqldb.Parser_new_1
SchemaManager.database	SchemaManager	org.hsqldb.Parser_new_1
SchemaManager.recompileViews	SchemaManager	org.hsqldb.Parser_new_1

Method/Field	Source Class	Target Class
SchemaManager.INFORMATION_SCHEMA_HSQLNAME	SchemaManager	org.hsqldb.Parser_new_1
SchemaManager.SYSTEM_SCHEMA_HSQLNAME	SchemaManager	org.hsqldb.Parser_new_1
SchemaManager.isSystemSchema	SchemaManager	org.hsqldb.Parser_new_1
SchemaManager.static	SchemaManager	org.hsqldb.Parser_new_1
HsqlNameManager.newHsqlName	HsqlNameManager	org.hsqldb.Parser_new_1
jdbcResultSet.getBlob	jdbcResultSet	org.hsqldb.jdbc.jdbcBlob_new_1
jdbcResultSet.getBlob	jdbcResultSet	org.hsqldb.jdbc.jdbcBlob_new_1
jdbcBlob.setBytes	jdbcBlob	org.hsqldb.jdbc.jdbcResultSet_new_6
jdbcBlob.setBytes	jdbcBlob	org.hsqldb.jdbc.jdbcResultSet_new_6
jdbcBlob.setBinaryStream	jdbcBlob	org.hsqldb.jdbc.jdbcResultSet_new_6
jdbcClob.setAsciiStream	jdbcClob	org.hsqldb.jdbc.jdbcResultSet_new_6
jdbcClob.setCharacterStream	jdbcClob	org.hsqldb.jdbc.jdbcResultSet_new_6
jdbcClob.setString	jdbcClob	org.hsqldb.jdbc.jdbcResultSet_new_6
jdbcClob.setString	jdbcClob	org.hsqldb.jdbc.jdbcResultSet_new_6
AsciiStringInputStream.available	AsciiStringInputStream	org.hsqldb.jdbc.jdbcClob_new_1
AsciiStringInputStream.available	AsciiStringInputStream	org.hsqldb.jdbc.jdbcClob_new_1
AsciiStringInputStream.read	AsciiStringInputStream	org.hsqldb.jdbc.jdbcClob_new_1
jdbcResultSet.getClob	jdbcResultSet	org.hsqldb.jdbc.jdbcClob_new_1
jdbcResultSet.getClob	jdbcResultSet	org.hsqldb.jdbc.jdbcClob_new_1