Table 7 The Move Method/Field refactoring suggestions for JEdit

Method/Field	Source Class	Target Class
GUIUtilities.loadToolBar	GUIUtilities	org.gjt.sp.jedit.View_new_4
GUIUtilities.requestFocus	GUIUtilities	org.gjt.sp.jedit.gui.CompleteWord_new_1
GUIUtilities.loadMenu	GUIUtilities	org.gjt.sp.jedit.View_new_5
GUIUtilities.loadMenuBar	GUIUtilities	org.gjt.sp.jedit.View_new_5
GUIUtilities.loadMenuItem	GUIUtilities	org.gjt.sp.jedit.View_new_5
GUIUtilities.loadMenuItem	GUIUtilities	org.gjt.sp.jedit.View_new_5
GUIUtilities.saveGeometry	GUIUtilities	org.gjt.sp.jedit.View_new_5
GUIUtilities.showVFSFileDialog	GUIUtilities	org.gjt.sp.jedit.browser.VFSFileChooserDialog_new_1
MiniIOProgress.removeNotify	MiniIOProgress	org.gjt.sp.jedit.io.VFSManager_new_4
MiniIOProgress.addNotify	MiniIOProgress	org.gjt.sp.jedit.io.VFSManager_new_4
DockableWindowContainer.addDockableWindow	DockableWindowContainer	org.gjt.sp.jedit.gui.DockableWindowManager_new_1
DockableWindowContainer.isDockableWindowVisible	DockableWindowContainer	org.gjt.sp.jedit.gui.DockableWindowManager_new_1
DockableWindowContainer.saveDockableWindow	DockableWindowContainer	org.gjt.sp.jedit.gui.DockableWindowManager_new_1
DockableWindowContainer.removeDockableWindow	DockableWindowContainer	org.gjt.sp.jedit.gui.DockableWindowManager_new_1
DockableWindowContainer.showDockableWindow	DockableWindowContainer	org.gjt.sp.jedit.gui.DockableWindowManager_new_1
SearchBar.getToolkit	SearchBar	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS.backup	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS.BACKED_UP_PROPERTY	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS.fsView	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS._createInputStream	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS._createOutputStream	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS._delete	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS._getDirectoryEntry	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS._listDirectory	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2

Method/Field	Source Class	Target Class
FileVFS._mkdir	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS._rename	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS.constructPath	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS.getCapabilities	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS.getFileSeparator	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS.getParentOfPath	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS.insert	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS.load	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
FileVFS.save	FileVFS	org.gjt.sp.jedit.search.SearchDialog_new_2
DirectoryListSet.directory	DirectoryListSet	org.gjt.sp.jedit.search.SearchDialog_new_2
HistoryTextField.setEnabled	HistoryTextField	org.gjt.sp.jedit.search.SearchDialog_new_2
HistoryTextField.getText	HistoryTextField	org.gjt.sp.jedit.search.SearchDialog_new_2
HistoryTextField.addActionListener	HistoryTextField	org.gjt.sp.jedit.search.SearchDialog_new_2
HistoryTextField.setMaximumSize	HistoryTextField	org.gjt.sp.jedit.search.SearchDialog_new_2
HistoryTextField.setFont	HistoryTextField	org.gjt.sp.jedit.search.SearchDialog_new_2
HistoryTextField.getMinimumSize	HistoryTextField	org.gjt.sp.jedit.search.SearchDialog_new_2
HistoryTextField.getDocument	HistoryTextField	org.gjt.sp.jedit.search.SearchDialog_new_2
HistoryTextField.addKeyListener	HistoryTextField	org.gjt.sp.jedit.search.SearchDialog_new_2
SearchBar.regexp	SearchBar	org.gjt.sp.jedit.search.SearchDialog_new_2
SearchBar.ignoreCase	SearchBar	org.gjt.sp.jedit.search.SearchDialog_new_2
SearchBar.hyperSearch	SearchBar	org.gjt.sp.jedit.search.SearchDialog_new_2
SearchBar.find	SearchBar	org.gjt.sp.jedit.search.SearchDial

Method/Field	Source Class	Target Class
		og_new_2
SearchBar.getField	SearchBar	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchBar.setHyperSearch	SearchBar	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchBar.update	SearchBar	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchBar.incrementalSearch	SearchBar	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchBar.view	SearchBar	org.gjt.sp.jedit.search.SearchDial og_new_2
DirectoryListSet.getDirectory	DirectoryListSet	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.showSearchDi alog	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.fileset	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.replaceAll	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.matcher	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.setSearchMatc her	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.setReplaceStri ng	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDialog_new_2
SearchAndReplace.setIgnoreCase	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.setRegexp	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.getSearchMatc her	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDialer og_new_2
SearchAndReplace.load	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.save	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.record	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.hyperSearch	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.replace	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2
SearchAndReplace.replaceAll	SearchAndRepla ce	org.gjt.sp.jedit.search.SearchDial og_new_2

Method/Field	Source Class	Target Class
SearchAndReplace.find	SearchAndReplace	org.gjt.sp.jedit.search.SearchDialog_new_2
SearchAndReplace.find	SearchAndReplace	org.gjt.sp.jedit.search.SearchDialog_new_2
SearchAndReplace.getSearchFileSet	SearchAndReplace	org.gjt.sp.jedit.search.SearchDialog_new_2
SearchAndReplace.setSearchFileSet	SearchAndReplace	org.gjt.sp.jedit.search.SearchDialog_new_2
SearchAndReplace.setSearchString	SearchAndReplace	org.gjt.sp.jedit.search.SearchDialog_new_2
MiscUtilities.globToRE	MiscUtilities	org.gjt.sp.jedit.Mode_new_1
TextUtilities.regionMatches	TextUtilities	org.gjt.sp.jedit.syntax.KeywordMap_new_1
ParserRule.next	ParserRule	org.gjt.sp.jedit.syntax.ParserRuleSet_new_1
Token.COMMENT_new_2	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.COMMENT_new_3	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.DIGIT	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.END	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.FUNCTION	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.ID_COUNT	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.INTERNAL_FIRST	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.INTERNAL_LAST	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.INVALID	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.KEYWORD_new_2	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.KEYWORD_new_3	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.KEYWORD_new_4	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.LABEL	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.LITERAL_new_2	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1

Method/Field	Source Class	Target Class
Token.LITERAL_new_3	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.MARKUP	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.NULL	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.OPERATOR	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
TextUtilities.findMatchingBracket	TextUtilities	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.next	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
ParserRuleSet.defaultToken	ParserRuleSet	org.gjt.sp.jedit.syntax.TokenMarker_new_1
ParserRuleSet.getDefault	ParserRuleSet	org.gjt.sp.jedit.syntax.TokenMarker_new_1
ParserRuleSet.setDefault	ParserRuleSet	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Mode.createTokenMarker	Mode	org.gjt.sp.jedit.syntax.TokenMarker_new_1
ParserRuleSet.escapePattern	ParserRuleSet	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.prev	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
ParserRuleSet.escapeRule	ParserRuleSet	org.gjt.sp.jedit.syntax.TokenMarker_new_1
ParserRule.searchChars	ParserRule	org.gjt.sp.jedit.syntax.TokenMarker_new_1
ParserRule.token	ParserRule	org.gjt.sp.jedit.syntax.TokenMarker_new_1
ParserRule.action	ParserRule	org.gjt.sp.jedit.syntax.TokenMarker_new_1
ParserRule.sequenceLengths	ParserRule	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.id	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
TextUtilities.findMatchingBracket	TextUtilities	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.length	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
Token.toString	Token	org.gjt.sp.jedit.syntax.TokenMarker_new_1
ParserRuleSet.getEscapePattern	ParserRuleSet	org.gjt.sp.jedit.syntax.TokenMar

Method/Field	Source Class	Target Class
		ker_new_1
ParserRuleSet.getEscapeRule	ParserRuleSet	org.gjt.sp.jedit.syntax.TokenMarker_new_1
ParserRuleSet.setEscape	ParserRuleSet	org.gjt.sp.jedit.syntax.TokenMarker_new_1
BshMethod.invokeDeclaredMethod	BshMethod	bsh.BSHMethodDeclaration_new_1
BshMethod.toString	BshMethod	bsh.BSHMethodDeclaration_new_1
BshMethod.declaringNameSpace	BshMethod	bsh.BSHMethodDeclaration_new_1
BshMethod.method	BshMethod	bsh.BSHMethodDeclaration_new_1
BSHUnaryExpression.primitiveWrapperUnaryOperation	BSHUnaryExpression	bsh.BSHBinaryExpression_new_1
ParseException.printStackTrace	ParseException	bsh.InterpreterTokenManager_new_5
Token.kind	Token	bsh.InterpreterTokenManager_new_5
ParseException.getMessage	ParseException	bsh.InterpreterTokenManager_new_5
Token.image	Token	bsh.InterpreterTokenManager_new_5
ParseException.add_escapes	ParseException	bsh.InterpreterTokenManager_new_5
ParseException.expectedTokenSequences	ParseException	bsh.InterpreterTokenManager_new_5
ParseException.currentToken	ParseException	bsh.InterpreterTokenManager_new_5
ParseException.getMessage	ParseException	bsh.InterpreterTokenManager_new_5
ParseException.eol	ParseException	bsh.InterpreterTokenManager_new_5
ParseException.specialConstructor	ParseException	bsh.InterpreterTokenManager_new_5
ParseException.tokenImage	ParseException	bsh.InterpreterTokenManager_new_5
Token.beginColumn	Token	bsh.InterpreterTokenManager_new_5
Token.beginLine	Token	bsh.InterpreterTokenManager_new_5
Token.next	Token	bsh.InterpreterTokenManager_new_5

Method/Field	Source Class	Target Class
Token.toString	Token	bsh.InterpreterTokenManager_new_5
Token.newToken	Token	bsh.InterpreterTokenManager_new_5
Token.specialToken	Token	bsh.InterpreterTokenManager_new_5
Token.endLine	Token	bsh.InterpreterTokenManager_new_5
Token.endColumn	Token	bsh.InterpreterTokenManager_new_5
Reflect.getIndex	Reflect	bsh.LHS_new_1
Reflect.getObjectProperty	Reflect	bsh.LHS_new_1
Reflect.getLHSStaticField	Reflect	bsh.LHS_new_1
Reflect.setIndex	Reflect	bsh.LHS_new_1
Reflect.setObjectProperty	Reflect	bsh.LHS_new_1
Reflect.unwrapPrimitive	Reflect	bsh.LHS_new_1
BSHAllocationExpression.objectAllocation	BSHAllocationExpression	bsh.Reflect_new_1
Name.countParts	Name	bsh.Reflect_new_1
Name.isCompound	Name	bsh.Reflect_new_1
Name.suffix	Name	bsh.Reflect_new_1
Name.prefix	Name	bsh.Reflect_new_1
Name.prefix	Name	bsh.Reflect_new_1
Name.suffix	Name	bsh.Reflect_new_1
BSHAmbiguousName.toLHS	BSHAmbiguousName	bsh.Reflect_new_1
Name.resolveThisFieldReference	Name	bsh.Reflect_new_1
BSHAmbiguousName.toClass	BSHAmbiguousName	bsh.Reflect_new_1
Name.evalName	Name	bsh.Reflect_new_1
Name.evalBaseObject	Name	bsh.Reflect_new_1
BSHAllocationExpression.eval	BSHAllocationExpression	bsh.Reflect_new_1
BSHAllocationExpression.objectArrayAllocation	BSHAllocationExpression	bsh.Reflect_new_1
BSHAllocationExpression.primitiveArrayAllocation	BSHAllocationExpression	bsh.Reflect_new_1
Name.namespace	Name	bsh.Reflect_new_1
Name.consumeNextObjectField	Name	bsh.Reflect_new_1
Name.toLHS	Name	bsh.Reflect_new_1
Name.toObject	Name	bsh.Reflect_new_1
Name.toClass	Name	bsh.Reflect_new_1
Name.invokeMethod	Name	bsh.Reflect_new_1

Method/Field	Source Class	Target Class
Name.invokeLocalMethod	Name	bsh.Reflect_new_1
Name.toLocalMethod	Name	bsh.Reflect_new_1
Name.toString	Name	bsh.Reflect_new_1
Name.value	Name	bsh.Reflect_new_1
Reflect.getArrayDimensions	Reflect	bsh.BSHArrayDimensions_new_1
Reflect.getArrayBaseType	Reflect	bsh.BSHArrayDimensions_new_1
Reflect.normalizeClassName	Reflect	bsh.BSHArrayDimensions_new_1
BrowserView.renderer	BrowserView	org.gjt.sp.jedit.browser.FileCellRenderer_new_1
BrowserView.static	BrowserView	org.gjt.sp.jedit.browser.FileCellRenderer_new_1
BrowserPopupMenu.show	BrowserPopupMenu	org.gjt.sp.jedit.browser.BrowserView_new_1
VFSBrowser.loadDirectory	VFSBrowser	org.gjt.sp.jedit.browser.BrowserView_new_1
VFSBrowser.getMode	VFSBrowser	org.gjt.sp.jedit.browser.BrowserPopupMenu_new_1
VFSBrowser.mode	VFSBrowser	org.gjt.sp.jedit.browser.BrowserPopupMenu_new_1
ViewUpdate.CREATED	ViewUpdate	org.gjt.sp.jedit.browser.VFSBrowser_new_3
ViewUpdate.getView	ViewUpdate	org.gjt.sp.jedit.browser.VFSBrowser_new_3
ViewUpdate.CLOSED	ViewUpdate	org.gjt.sp.jedit.browser.VFSBrowser_new_3
ViewUpdate.static	ViewUpdate	org.gjt.sp.jedit.browser.VFSBrowser_new_3
VFSBrowser.getComponent	VFSBrowser	org.gjt.sp.jedit.msg.BufferUpdate_new_2
VFSBrowser.getName	VFSBrowser	org.gjt.sp.jedit.msg.BufferUpdate_new_2
VFSBrowser.handleMessage	VFSBrowser	org.gjt.sp.jedit.msg.BufferUpdate_new_2
VFSBrowser.getBrowserView	VFSBrowser	org.gjt.sp.jedit.msg.BufferUpdate_new_2
VFSBrowser.getSelectedFiles	VFSBrowser	org.gjt.sp.jedit.msg.BufferUpdate_new_2
VFSBrowser.handleBufferUpdate	VFSBrowser	org.gjt.sp.jedit.msg.BufferUpdate_new_2
EditPane.close	EditPane	org.gjt.sp.jedit.Buffer_new_2

Method/Field	Source Class	Target Class
EditPane.loadBufferSwitcher	EditPane	org.gjt.sp.jedit.gui.BufferSwitcher_new_1
Buffer.getProperty	Buffer	org.gjt.sp.jedit.EditPane_new_1
Buffer.putProperty	Buffer	org.gjt.sp.jedit.EditPane_new_1
Buffer.isClosed	Buffer	org.gjt.sp.jedit.EditPane_new_1
BufferSwitcher.repaint	BufferSwitcher	org.gjt.sp.jedit.EditPane_new_1
BufferSwitcher.setSelectedItem	BufferSwitcher	org.gjt.sp.jedit.EditPane_new_1
BufferSwitcher.getSelectedItem	BufferSwitcher	org.gjt.sp.jedit.EditPane_new_1
BufferIORequest.writeMarkers	BufferIORequest	org.gjt.sp.jedit.Marker_new_2
DefaultInputHandler.parseKeyStroke	DefaultInputHandler	org.gjt.sp.util.Log_new_2
WorkThreadPool.waitForAllLock	WorkThreadPool	org.gjt.sp.util.WorkThread_new_1
WorkThread.start	WorkThread	org.gjt.sp.util.WorkThreadPool_new_1
CharIndexedSegment.m_index	CharIndexedSegment	gnu.regexp.RE_new_2
CharIndexedSegment.charAt	CharIndexedSegment	gnu.regexp.RE_new_2
CharIndexedSegment.isValid	CharIndexedSegment	gnu.regexp.RE_new_2
CharIndexedSegment.move	CharIndexedSegment	gnu.regexp.RE_new_2
CharIndexedSegment.seg	CharIndexedSegment	gnu.regexp.RE_new_2
REMatchEnumeration.NO	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.MAYBE	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.YES	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.m_buffer	REMatchEnumeration	gnu.regexp.REMatch_new_1
RE.substituteAll	RE	gnu.regexp.REMatch_new_1
RE.substitute	RE	gnu.regexp.REMatch_new_1
RE.substitute	RE	gnu.regexp.REMatch_new_1
RE.substituteAll	RE	gnu.regexp.REMatch_new_1
RE.getAllMatches	RE	gnu.regexp.REMatch_new_1
RE.getAllMatches	RE	gnu.regexp.REMatch_new_1
RE.getMatchEnumeration	RE	gnu.regexp.REMatch_new_1
RE.getMatchEnumeration	RE	gnu.regexp.REMatch_new_1
REMatchEnumeration.hasMoreMatches	REMatchEnumeration	gnu.regexp.REMatch_new_1

Method/Field	Source Class	Target Class
RE.getMatchEnumeration	RE	gnu.regexp.REMatch_new_1
RE.getAllMatches	RE	gnu.regexp.REMatch_new_1
RE.substituteAll	RE	gnu.regexp.REMatch_new_1
RE.substitute	RE	gnu.regexp.REMatch_new_1
REMatchEnumeration.m_match	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.hasMoreElements	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.nextElement	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.nextMatch	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.m_more	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.m_input	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.m_index	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.m_eflags	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.m_expr	REMatchEnumeration	gnu.regexp.REMatch_new_1
REMatchEnumeration.hasMoreMatches	REMatchEnumeration	gnu.regexp.REMatch_new_1
RE.getMatchImpl	RE	gnu.regexp.REMatch_new_1
RE.getAllMatchesImpl	RE	gnu.regexp.REMatch_new_1
RE.substituteAllImpl	RE	gnu.regexp.REMatch_new_1
RE.substituteImpl	RE	gnu.regexp.REMatch_new_1
RETokenEnd.newline	RETokenEnd	gnu.regexp.RESyntax_new_1
RETokenEnd.dump	RETokenEnd	gnu.regexp.RESyntax_new_1
RETokenEnd.match	RETokenEnd	gnu.regexp.RESyntax_new_1
RESearchMatcher.re	RESearchMatcher	gnu.regexp.RESyntax_new_1
RESearchMatcher.nextMatch	RESearchMatcher	gnu.regexp.RESyntax_new_1
RESearchMatcher.substitute	RESearchMatcher	gnu.regexp.RESyntax_new_1
RE.getCharUnit	RE	gnu.regexp.RESyntax_new_1
RE.getMinMax	RE	gnu.regexp.RESyntax_new_1
RESearchMatcher.RE_SYNTAX_JEDIT	RESearchMatcher	gnu.regexp.RESyntax_new_1
RESearchMatcher.replace	RESearchMatcher	gnu.regexp.RESyntax_new_1

Method/Field	Source Class	Target Class
RESearchMatcher.static	RESearchMatcher	gnu.regexp.RESyntax_new_1