Web**Assign** 

Hw 33 (10.3): Polar Coordinates (Homework)


Yinglai Wang MA 162 Spring 2012, section 321, Spring 2012 Instructor: Jonathan Montano


Current Score: 20 / 20 Due: Tuesday, April 17 2012 11:55 PM EDT

1. 2.22/2.22 points | Previous Answers SCalcET7 10.3.001.

Find two other pairs of polar coordinates of the given polar coordinate, one with r > 0 and one with r < 0. Then plot the point.

(a) 
$$(4, \pi/2)$$














(b)  $(3, -2\pi/3)$ 



-1.0

-0.8

-0.6

-0.4


-0.2

3

У


-0.5


-1.0




-1.5


(c)  $(-3, \pi/6)$ 









у





Find the Cartesian coordinates of the given polar coordinates. Then plot the point.

(a) 
$$(3, \pi)$$
  
 $(x, y) = ( \checkmark )$ 









3. 2.22/2.22 points | Previous Answers

SCalcET7 10.3.005.

The Cartesian coordinates of a point are given.

(a) 
$$(2, -2)$$

(i) Find polar coordinates  $(r, \theta)$  of the point, where r > 0 and  $0 \le \theta < 2\pi$ .

$$(r, \theta) = ( \checkmark )$$

(ii) Find polar coordinates  $(r, \theta)$  of the point, where r < 0 and  $0 \le \theta < 2\pi$ .

$$(r, \theta) = ( \checkmark )$$

(b) 
$$(-1, \sqrt{3})$$

(i) Find polar coordinates  $(r, \theta)$  of the point, where r > 0 and  $0 \le \theta < 2\pi$ .

$$(r, \theta) = ( \checkmark )$$

(ii) Find polar coordinates  $(r, \theta)$  of the point, where r < 0 and  $0 \le \theta < 2\pi$ .

$$(r, \theta) = ( \checkmark )$$

Need Help? Read It Watch It Chat About It

## 4. 2.22/2.22 points | Previous Answers

SCalcET7 10.3.006.

The Cartesian coordinates of a point are given.

- (a)  $(2\sqrt{3}, 2)$ 
  - (i) Find polar coordinates  $(r, \theta)$  of the point, where r > 0 and  $0 \le \theta < 2\pi$ .

$$(r, \theta) = ( \checkmark )$$

(ii) Find polar coordinates  $(r, \theta)$  of the point, where r < 0 and  $0 \le \theta < 2\pi$ .

$$(r, \theta) = ( \checkmark )$$

(b) (2, -3)

(i) Find polar coordinates  $(r, \theta)$  of the point, where r > 0 and  $0 \le \theta < 2\pi$ .

$$(r, \theta) = ( \checkmark )$$

(ii) Find polar coordinates  $(r, \theta)$  of the point, where r < 0 and  $0 \le \theta < 2\pi$ .

$$(r, \theta) = ( \checkmark )$$

Need Help?


Read It Chat About It

## **5.** 2.22/2.22 points | Previous Answers

SCalcET7 10.3.011.

Sketch the region in the plane consisting of points whose polar coordinates satisfy the given conditions.

$$1 < r < 3$$
,  $11\pi/6 \le \theta \le 13\pi/6$ 




Need Help? Read It Watch It Chat About It


**6.** 2.22/2.22 points | Previous Answers


SCalcET7 10.3.012.


Sketch the region in the plane consisting of points whose polar coordinates satisfy the given conditions.

$$r \ge 4$$
,  $\pi \le \theta \le 2\pi$ 









Need Help? Read It Chat About It

7. 2.22/2.22 points | Previous Answers

SCalcET7 10.3.019.

Find a Cartesian equation for the curve and identify it.

$$r^2 \cos 2\theta = 1$$



- hyperbola
- limaçon
- parabola
- ellipse
- circle

Need Help?

Read It

Chat About It

8. 2.22/2.22 points | Previous Answers

SCalcET7 10.3.020.

Find a Cartesian equation for the curve and identify it.

$$r = 2 \tan \theta \sec \theta$$





line

ellipse

circle

parabola

Need Help?	Read It	Chat About It
------------	---------	---------------

**9.** 2.24/2.24 points | <u>Previous Answers</u> SCalcET7 10.3.025.

Find a polar equation for the curve represented by the given Cartesian equation.

$$x^2 + y^2 = 8cx$$



Need Help? Read It Watch It Chat About It