WebAssign
Hw 3 (12.3): Dot Product (Homework)

Yinglai Wang

MA 162 Spring 2012, section 321, Spring 2012

Instructor: Jonathan Montano

Current Score : 19.43 / 20 **Due :** Tuesday, January 17 2012 11:55 PM EST

The due date for this assignment is past. Your work can be viewed below, but no changes can be made.

Important! Before you view the answer key, decide whether or not you plan to request an extension. Your Instructor may *not* grant you an extension if you have viewed the answer key. Automatic extensions are not granted if you have viewed the answer key.

View Key

1. 2.22/2.22 points | Previous Answers

SCalcET7 12.3.005.

Find **a** · **b**.

$$a = \langle 2, 1, \frac{1}{3} \rangle, \quad b = \langle 6, -5, -6 \rangle$$



Need Help?

Read It

Watch It

Chat About It

2. 2.22/2.22 points | Previous Answers

SCalcET7 12.3.008.

Find **a** · **b**.

$$a = 3i + 4j - k$$
, $b = -5i + 8k$



Need Help?

Read It

Chat About It

3. 2.22/2.22 points | Previous Answers

SCalcET7 12.3.009.

Find **a** · **b**.

 $|\mathbf{a}| = 4$, $|\mathbf{b}| = 9$, the angle between **a** and **b** is $2\pi/3$



Need Help?

Read It

Watch It Chat About It

4. 2.22/2.22 points | Previous Answers


SCalcET7 12.3.020.

Find the angle between the vectors. (First find an exact expression and then approximate to the

nearest degree.)

$$a = i + 2j - 2k$$
, $b = 4i - 3k$

exact



Need Help? Read It Chat About It

5. 1.65/2.22 points | Previous Answers

SCalcET7 12.3.023.

Determine whether the given vectors are orthogonal, parallel, or neither.

(a)
$$\mathbf{a} = \langle -5, 5, 4 \rangle, \quad \mathbf{b} = \langle 9, -9, 2 \rangle$$

- orthogonal
- parallel
- neither




- (b) $\mathbf{a} = \langle 6, 2 \rangle$, $\mathbf{b} = \langle -1, 3 \rangle$ orthogonal
- parallel
- neither

(c)
$$\mathbf{a} = -\mathbf{i} + 2\mathbf{j} + 4\mathbf{k}, \quad \mathbf{b} = 2\mathbf{i} + 3\mathbf{j} - \mathbf{k}$$

- orthogonal
- parallel
- neither

(d) $\mathbf{a} = 8\mathbf{i} + 4\mathbf{j} - 4\mathbf{k}, \quad \mathbf{b} = -12\mathbf{i} - 6\mathbf{j} + 6\mathbf{k}$

Hw 3 (12.3): Dot Product 1/22/12 1:35 AM





6. 2.22/2.22 points | Previous Answers

SCalcET7 12.3.033.

Find the direction cosines and direction angles of the vector. (Give the direction angles correct to the nearest degree.)

$$\langle 2, 1, 4 \rangle$$

 $\cos \alpha =$

 \checkmark

 $\cos \beta =$

 \checkmark

 $\cos \gamma =$

Need Help?

Read It

Watch It

Chat About It

7. 2.22/2.22 points | Previous Answers

SCalcET7 12.3.041.

Find the scalar and vector projections of **b** onto **a**.

$$\mathbf{a} = \langle -3, -6, -2 \rangle, \quad \mathbf{b} = \langle 2, 2, 2 \rangle$$

 $comp_a b = \checkmark$



Hw 3 (12.3): Dot Product 1/22/12 1:35 AM

$$proj_a b =$$

Need Help? Read It Watch It Chat About It

8. 2.22/2.22 points | <u>Previous Answers</u> SCalcET7 12.3.043.

Find the scalar and vector projections of **b** onto **a**.

$$a = 3i - j + 4k$$
, $b = j + \frac{1}{2}k$

 $comp_a b =$

proj_ab = 🥒

Need Help? Read It Chat About It

9. 2.24/2.24 points | Previous Answers

SCalcET7 12.3.052.

A boat sails south with the help of a wind blowing in the direction S36°E with magnitude 500 lb. Find the work done by the wind as the boat moves 150 ft. (Round your answer to the nearest whole number.)



Need Help? Read It Chat About It