

One command starts three lookups away.

ONE command: `az network application-gateway waf-policy managed-rule exclusion add` - six levels deep

1 top groups

PS> az --help

```
Group
  az

Subgroups:
  account      : Manage Azure subscription ...
  acr          : Manage private registries ...
  ad           : Manage Microsoft Entra ID ...
                Azure AD, AAD) entities ne...
                (Azure RBAC) through Micro...
  advisor      : Manage Azure Advisor.
  afd          : Manage Azure Front Door Sta...
  aks          : Azure Kubernetes Service.
  ams          : Manage Azure Media Service.
  apim         : Manage Azure API Managemen...
  appconfig    : Manage App Configurations.
  appservice   : Manage Appservice.
  aro          : Manage Azure Red Hat OpenS...
  artifacts    : Manage Azure Artifacts.
  backup       : Manage Azure Backups.
  batch        : Manage Azure Batch.
  bicep        : Bicep CLI command group.
  billing      : Manage Azure Billing.
  boards       : Manage Azure Boards.
  bot          : Manage Microsoft Azure Bot...
  cache        : Commands to manage CLI obj...
  capacity     : Manage capacity.
  cdn          : Manage Azure Content Deliv...
```

→

2 network

PS> az network --help

```
Group
  az network : Manage Azure Network resources.

Subgroups:
  application-gateway : Manage applica...
                        services.
  asg                 : Manage applica...
  cross-region-lb     : Manage and con...
  custom-ip           : Manage custom ...
  ddos-custom-policy  : Manage Ddos Cu...
  ddos-protection     : Manage DDoS Pr...
  dns                 : Manage DNS dom...
  express-route       : Manage dedicat...
                        Azure.
  front-door          : Manage Classic...
                        Front Door Sta...
                        https://learn...
                        us/cli/azure/a...
  lb                  : Manage and con...
  local-gateway       : Manage local g...
  nat                 : Manage NAT res...
  network-watcher     : Manage network...
  nic                 : Manage network...
  nsg                 : Manage Azure N...
  private-dns         : Manage Private...
  private-endpoint    : Manage private...
  private-endpoint-connection : Manage private...
```

→

3 application-gateway


PS> az network application-gateway --help

```
Group
  az network application-gateway : Manage application...
                                  To learn more about Application Gateway, visit h...
                                  us/azure/application-gateway/quick-create-cli.

Subgroups:
  address-pool      : Manage address pools of an app...
  auth-cert         : Manage authorization certifica...
  client-cert       : Manage trusted client certifica...
  frontend-ip       : Manage frontend IP addresses o...
  frontend-port     : Manage frontend ports of an ap...
  http-listener     : Manage HTTP listeners of an ap...
  http-settings     : Manage HTTP settings of an app...
  identity          : Manage the managed service ide...
  listener          : Manage listeners of an applica...
  private-link      : Manage private link of an appl...
  probe             : Manage probes to gather and ev...
                        gateway.
  redirect-config   : Manage redirect configurations...
  rewrite-rule      : Manage rewrite rules of an app...
  root-cert         : Manage trusted root certificat...
  routing-rule      : Evaluate probe information and...
  rule              : Evaluate probe information and...
  settings          : Manage settings of an applicat...
  ssl-cert          : Manage SSL certificates of an ...
  ssl-policy        : Manage the SSL policy of an ap...
  ssl-profile       : Manage SSL profiles of applica...
```

Actual `az --help` output, captured level by level.

And it is still three more lookups down.



Six round trips to discover one valid command path.

People optimize for accuracy. AI optimizes for relevance.

01

A person navigates

"I know the command. Give me the exact page."

02

An AI retrieves

"Give me everything related enough to plan the next step."

The model reaches for familiar syntax—and the product must recover.

```
> azv2 vm create -g rg-not-exist-12345 -n myvm-err1 --image Ubuntu2204 --admin-username azureuser --generate-ssh-keys
[ERROR] Failed to parse arguments for command 'vm create': Unable to find parameter: g

🤖 agent mode
  triggered by failed command: vm create -g rg-not-exist-12345 -n myvm-err1 --image Ubuntu2204 --admin-username azureuser --generate-ssh-keys
  error: Failed to parse arguments for command 'vm create': Unable to find parameter: g
  type 'exit' or Ctrl+C to leave

✓ LLM turn 3.8s · in 28181 · out 95 · cached 14394
▶ get_command
✓ get_command 172ms
✓ LLM turn 6.6s · in 30275 · out 189 · cached 28179
▶ get_command
✓ get_command 100ms
✓ LLM turn 13.4s · in 31102 · out 995 · cached 30273
▶ propose_plan

Proposed plan


---


What went wrong:
```

Real recovery: classic CLI flags fail against a different command contract.

Collapse the tree into two machine-friendly moves.

1 **List**

Return a compact catalogue of every capability.

2 **Inspect**

Return complete details for fuzzy, related matches.

Expose what the product already knows.

01

Environment

Identity, version, and runtime state

02

Resources

What already exists for this user

03

Capabilities

Supported commands and parameters


04

Availability

Live constraints the model cannot know

ONE SOURCE OF TRUTH

Build the tools once. Serve every AI path.



Same logic. Same output. Far less maintenance.

LIVE DEMO

A model with no product knowledge can still succeed.

```
PS> create a resource group using the prototype CLI
```

```
cache → help → correct command
```

Every product needs two front doors.

FOR PEOPLE

GUI · docs · human help

+

FOR AI

Structured tools · stable contracts

THE ASK

Ship the AI manual with the product.

Not another agent. A reliable interface for every agent.