

MICRO PLUS® DISPERSS 74.5 WDG

kudhibiti powdery mildew kwenye waridi na kutu kwenye carna-

ya kwanza ya ugonjwa kuonekana na kurudia katika kipindi cha siku 10. Kwa ujumla kunyunyiza mara 2-3 ni muhimu kwa ajili ya kudhibiti ugonjwa nzuri.

Nyunyiza MICRO PLUS DISPERSS 74.5 WDG kwa kiwango cha lita 1000 za maji kwa hekta. Dawa hii inafaa inyunyiziwe nyakati za asubuhi au jioni wakati joto liko chini ya 24°C.

MIMEA	MAGONJWA	KIWANGO	GM KWA LITA 20 ZA MAJI	WAKATI WA KURUDIA
Waridi	Powdery mildew	1.5 kg/ha	30	Siku 10
Carnations	Rust			

MUDA SALAMA WA KUINGIA PALIPO NYUNYIZIWA DAWA: muda wa masaa 6 baada ya kunyunyizia.

UCHANGANYAJI: Changanya kiasi kinachohitajika cha MICRO PLUS DISPERSS 74.5 WDG na kuongeza kiasi kidogo cha maji na kukoroga, endelea kukoroga, ongeza kiasi kilichobaki cha maji na endelea kukoroga hata wakati wa kunyunyizia.

TAHADHARI: Huwasha kidogo ikiingia kwenye macho au kugusana na ngozi kwa muda mrefu. Vaa vifaa vya kujikinga

HADHARI UNAPOTUMIA: Vaa nguo za kinga, glavu, kofia, kinga unapotumia dawa hii. Oga na kusafisha nguo kwa sabuni baada ya kunyunyizia. Dawa hii yaweza kuumiza ikimezwa.

UHIFADHI NA UTUPAJI: Dawa hii lazima ihifadhiwe kwenye mfuko wake asili uliofungwa kamili na iwekwe mbali na vyakula, watoto au mifugo. Tupa pakiti tupu mahali palipo salama na paliporuhusiwa, mbali na makao ya watu na vianzo vya maji, kulingana na sheria za utupaji. Usitumie pakiti tupu kwa matumizi mengine yeyote

ADHARI KWA MAZINGIRA: MICRO PLUS DISPERSS 74.5 WDG purpose. yaweza kudhuru samaki kwa hivyo mabaki yake hayafai kuchafua visima au mito. Usilishe mifugo mahali dawa imenyunyiziwa.

MAELEZO YA HUDUMA YA KWANZA: Mvuke wa dawa ukivutwa: Mpeleke mgonjwa kwenye hewa safi na utafute ushauri wa daktari. Ikiingia kwenye macho au kugusana na ngozi: Osha macho na maji mengi yanayo tiririka kwa muda usiopungua dakika kumi na tano. Osha ngozi kwa maji na sabuni. Ikimezwa: Mtapishe mhusika kwa kuguza ndani ya koo kwa kidole safi. Usim-

MAELEZO YA SUMU: Dalili za sumu: Husababisha usumbufu ocular, kuwasha ya utando kwa kukohoa na kupiga chafya. Dalili nyingine ni pamoja na maumivu ya tumbo, kichefuchefu, kutapika na kuharisha.

Tiba: Hakuna dawa inayojulikana ya kuondoa sumu.

Arifa kwa daktari: Inapendekezwa mgonjwa atibiwe kulingana na dalili za maumivu ya kusumika.

Wakati wa dharura malipo-0800720021/0800730030 (masaa 24)

ILANI KWA MTUMIAJI: Dawa hii ni lazima itumiwe kulingana na maagizo valivo kwenye kibandiko. Ni hatia chini va sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyo salama.

THIBITISHO: Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima hali hiyo.

MAELEZO: MICRO PLUS DISPERSS 74.5 WDG ni kiua kuvu cha GENERAL INFORMATION: MICRO PLUS DISPERSS 74.5 WDG is a fungicide for the control of powdery mildew in roses and rust in carnations, which contains 70% Sulphur and 4.5% Tebuconazole JINSI YA KUTUMIA: Matumizi ya kwanza yafanywa punde ishara formulated as water dispersible granules. It offers an easy and safe application on most crops, mainly against powdery mildews and rust. **DIRECTIONS FOR USE:** The first application should be done at the first sign of disease and repeated at 10 days interval. Generally 2-3 applications are necessary for good disease control. Apply MICRO PLUS DISPERSS 74.5 WDG in 1000 litres of water per Hectare. Spray applications for MICRO PLUS DISPERSS 74.5 WDG should always be made in the morning or evening when ambient temperatures are below

CROPS	DISEASE	RATE	GM/20LT WATER	SPRAY INTERVAL
Roses	Roses Powdery mildew		20	10 daya
Carnations	Rust	1.5 kg/ha	30	10 days

RE-ENTRY PERIOD: 6 hours after spraying.

PREPARATION OF SPRAY: Mix required quantity of MICRO PLUS DISPERSS 74.5 WDG with enough water and then dilute to required concentration with water while stirring.

PRECAUTIONS: Slightly irritant to the eyes and may cause skin irritation. Wear safety glassess.

HANDLING: Avoid contact with skin, eyes or clothing. Wear protective clothing, gloves face and dust masks, overalls etc. when ya uso. Usivute mvuke wa dawa. Usinywe, usile wala kuvuta sigara preparing spray mixture, spraying or handling this product. Do not eat, drink or smoke. Avoid breathing vapour or mist, do not spray upwind. This product is harmful if swallowed.

STORAGE & DISPOSAL: MICRO PLUS DISPERSS 74.5 WDG must be stored in its original, tightly closed container, away from children, livestock or foodstuff, in a cool dry, dark, well ventilated place. Dispose empty pouch in a safe and authorised place away from human habitation and water sources, in accordance with national regulations and legislation. Do not re-use the empty packets for any other

ENVIRONMENTAL HAZARDS: MICRO PLUS DISPERSS 74.5 WDG may have toxicity to animals and fish. Avoid feeding livestock on freshly sprayed grounds. Do not contaminate ponds or waterways by direct application, cleaning of equipment or disposal of concentrate or

FIRST AID INSTRUCTIONS: Incase of inhalation: Move patient to fresh air. **If in contact with eyes:** Wash eyes with running water for at least 15 minutes. If in contact with skin: Wash with plenty of water tapishe mgonjwa ikiwa amezirai. Pata ushauri wa daktari mara and soap. If ingested: Induce vomiting by tickling the back of throat. Repeat until the vomit is clear. Do not induce vomiting if the person is unconscious. Obtain medical attention immediately.

TOXICOLOGICAL INFORMATION:

Symptoms of poisoning: Exposure to sulphur dust may cause ocular disturbance, irritation of the mucous membrane leading to coughing and sneezing. Other symptoms include abdominal pain, nausea, vomiting and diarrhea.

Antidote: No known antidote. Note to physcian: Treat symptomatically

In case of Emergency Call Toll free No. 0800720021 / 0800730030 (24 hrs)

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions

SELLER'S GUARANTEE (WARRANTY): Seller's guarantee is limited akubali hatari zozote zinazoweza kutokea kutokana na matumizi ya to the terms set out on the label and subject thereto, the buyer dawa hii, kwa binadamu au mali na lazima aikubali dawa hii katika assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

286mm



MICROPLUS DISPERSS 74.5 WDG

231mm

Fungicide for the control of powdery mildew in roses and rust in carnations.

(Kiua kuvu cha kudhibiti powdery mildew kwenye waridi na kutu kwenye carnations).

Distributed by (Husambazwa na).

OSHO CHEMICAL INDUSTRIES LTD.

P. O. Box 49916 00100 Nbi, Kenya Pilot lines: [+254] 0711 045000 | 0732 167000 0726 880 480 | 0733 880 480 SMS: 20560 | Fax: [+254] 0711 045600 E-mail: oshochem@oshochem.com Web: www.oshochem.com anufactured by: (Imetengenezwa na:)

UPL LIMITED

Uniphos House. Madhu Park, 11th Road, Khar (West), Mumbai-400 052, India

In case of an Emergency call Toll Free (24 hrs (Wakati wa dharura piga Simu bila malipo (inapatikana masaa 24) kwa) No. 0800720021 / 0800730030

MEMBER OF AGROCHEMICAL aak ASSOCIATION OF KENYA AAK REG. NO. 275

COMMERCIAL AND AGRICULTURAL CLASS KUNDI LA BIASHARA NA KILIMO GUARANTEE (DHAMANA):

70% Sulphur +Tebuconazole 4.5% **REGISTRATION NO.**

(NAMBARI YA USAJILI): PCPB (CR) 1275

READ THE LABEL BEFORE USING (SOMA KIBANDIKO KABLA YA KUTUMIA) KEEP LOCKED AND OUT OF REACH OF CHILDREN (FUNGIA MBALI NA WATOTO)



TOXIC TO AQUATIC LIFE

WITH LONG LASTING EFFECTS

Powderv Mildev on Roses

on carnation

Batch No. (Nambari ya fungu): Mfg Date (Tarehe ya kutengenezwa):

Expiry Date (Tumia kabla ya):

Shelf Life: 2 years in original unopened container stored in a cool, dry & dark place (Maisha Rafuni: Miaka miwili toka a cool, dry & dark place (Maisha Rafuni: Miaka miwili toka tarehe ya kutengenezwa ikiwa kwenye vyombo vyake asili (KIASI): visivyofunguliwa kwenye sehemu tulivu na kavu.)

















286mm

