



Herbikill (05)

CONTACT HERBICIDE

Paraquat 20% w/v Guarantee: Classification: **Bipyridylium** Formulation: **Soluble Liquid**

General Description

HERBIKILL is a non-systemic, non-selective, post-emergence herbicide used for the control of a wide variety of grasses and broad-leaved weeds. It kills all green tissues. It can be used in plantation/row crops, minimum tillage for vegetables and cereals, as well as on non-crop land.

This herbicide can be used for the broad-spectrum control of weeds in fruit orchards, plantation crops (bananas, coffee, etc.), tea, sugar cane, ornamental trees and shrubs in forestry, etc.

It is rapidly inactivated by soil thus has no residual hazard.

Mode of Action

Non-selective contact herbicide, absorbed by the foliage, with some translocation in the xylem. During photosynthesis, superoxide is generated which damages cell membranes and cytoplasm.

Recommended Application Rates

Weeds	Rate / Hectare	Rate in 20L
Broad leaved weeds and grasses.	2L/Ha (in 400L of water)	100ml/20L water

NOTE: It is advisable to apply HERBIKILL® when weeds are young (15cm high or less).

Other Suggested Uses

Сгор	Weeds	
Fruit orchards, plantation crops e.g. (bananas, coffee, etc.), tea, sugar cane, ornamental trees and shrubs in forestry.	Broad leaved weeds and grasses	
Maize: Spray the inter-row when the maize is knee-high.		

Compatibility:

Incompatible with alkaline materials, anionic surfactants and clay-containing inert materials.

Paraquat is rapidly degraded in soil where it is strongly bound and inactivated by soil and aquatic sediments and does not leach into ground water.



Black jack (Bidens pilosa)



Sodom Apple



Gallant soldier



Comelina sp.



P.O. BOX 49916 GPO 00100 NAIROBI, KENYA | OSHO COMPLEX PLOT NO. 09 | SASIO RD. OFF LUNGA LUNGA | INDUSTRIAL AREA | SMS: 20560 PILOT LINES: [+254] 0711 045000 | 0732 167000 | 020 3912000 | EMAIL : oshochem











