

## **COMPOSITION:**:

Amitraz 125g/L

ACTRAZ 12.5 EC is a broad-spectrum Acaricide effective against Ticks in Cattle. ONLY FOR SALE AND USE IN AREAS PRESCRIBED BY DVS

# **MODE OF ACTION:**

Non-systemic with contact and respiratory action. Expellent action causes ticks to withdraw mouth parts rapidly and fall off the host animal.

**DIRECTIONS FOR USE:** ACTRAZ 12.5 EC must be diluted with water before use. Mix 40ml of ACTRAZ 12.5 EC in 20 litres of water (1:500). Stir the wash well before commencing spraying. Repeat after 7 days or 4 days if there is high tick load. Ensure thorough wetting of the animals.



Parasite	Spray	Spray interval
Tick	Rate of Mixing for 1000L of water; 2 Litre (40ml/20lt)	Once every 7 days or after 4 days during incidences of high tick load

#### **PRODUCT BENEFITS:**



Calibrated caps provided



Long Residual action



No skin irritation on animals

#### **RECOMMENDATIONS:**

In case of high infestation, weekly use of ACTRAZ 12.5 EC is recommended. Animals should be allowed to drink clean water before spraying. Cattle producing milk for human consumption should be treated immediately after milking, allow at least 6 hours before the next milking. One day should be allowed before slaughter.

### **Packaging:**

20 ml, 40 ml, 100 ml, 250 ml, 500 ml, 1 litre, 5 litres and 20 litres.





ANIMATIC



