

# Python Intermediate day 1 Recap

## 1) Modules – The Big Picture

## 2) Module Coding Basics

## 3) Packages & Relative Imports

## 4) Advanced Module Topics

3

Pretest question on OOP

Coding best practice (LLM as coding assistant)

1. Email \*

---

2. Name

---

3. **Why are modules used in Python?**

1 point

*Mark only one oval.*

- ☐ A. To speed up CPU execution
- ☐ B. To organize code into reusable components
- ☐ C. To replace classes
- ☐ D. To avoid writing functions

**4. What happens FIRST when a module is imported?**

1 point

*Mark only one oval.*

- ☐ A. The module is executed
- ☐ B. Bytecode is loaded
- ☐ C. The module is searched for in sys.path
- ☐ D. The module is cached

**5. Where is compiled bytecode usually stored?**

1 point

*Mark only one oval.*

- ☐ A. Same folder as Python executable
- ☐ B. site-packages
- ☐ C. \_\_pycache\_\_
- ☐ D. /tmp

**6. What is the main risk of using from module import \*?**

1 point

*Mark only one oval.*

- ☐ A. Slower execution
- ☐ B. Namespace pollution
- ☐ C. Syntax errors
- ☐ D. Memory leaks

**7. When is module code executed?**

1 point

*Mark only one oval.*

- ☐ A. Every time a function is called
- ☐ B. Only when imported the first time
- ☐ C. Every time it's imported
- ☐ D. Only in interactive mode

**8. What file makes a directory a traditional Python package?**

1 point

*Mark only one oval.*

- ☐ A. main.py
- ☐ B. package.py
- ☐ C. \_\_init\_\_.py
- ☐ D. setup.cfg

**9. Which import is ABSOLUTE?**

1 point

*Mark only one oval.*

- ☐ A. from .utils import helper
- ☐ B. from ..core import base
- ☐ C. from myapp.utils import helper
- ☐ D. import .utils

10. **Namespace packages allow:**

1 point

*Mark only one oval.*

- ☐ A. Multiple directories for one package
- ☐ B. Faster imports
- ☐ C. Hidden variables
- ☐ D. Automatic reloading

11. **What is the purpose of `__all__` in a Python package?**

1 point

*Mark only one oval.*

- ☐ A. It defines which names are exported when using `from package import *`
- ☐ B. It stores all variables used in the package
- ☐ C. It automatically imports all modules in the package
- ☐ D. It lists all installed Python packages

12. **What is the purpose of `if __name__ == "__main__":`?**

1 point

*Mark only one oval.*

- ☐ A. Speed optimization
- ☐ B. Prevent imports
- ☐ C. Allow script + module behavior
- ☐ D. Define a package

**13. What is a class in Python?**

1 point

*Mark only one oval.*

- ☐ A. A function
- ☐ B. A template for creating objects
- ☐ C. A module
- ☐ D. A variable

**14. What does method overriding mean?**

1 point

*Mark only one oval.*

- ☐ A. Deleting parent methods
- ☐ B. Changing method parameters
- ☐ C. Redefining a parent method in child
- ☐ D. Calling parent methods

**15. What enables polymorphism in Python?**

1 point

*Mark only one oval.*

- ☐ A. Dynamic typing
- ☐ B. Function overloading only
- ☐ C. Compilation
- ☐ D. Bytecode caching

16. What does **context** refer to when interacting with an LLM?

1 point

*Mark only one oval.*

- ☐ A. The programming language used to build the model
- ☐ B. The previous messages and information the model uses to generate a relevant response
- ☐ C. The model's internet connection speed
- ☐ D. The computer's available memory (RAM)

17. How does an LLM generate text?

1 point

*Mark only one oval.*

- ☐ A. By looking up complete answers in a database.
- ☐ B. By copying text directly from websites.
- ☐ C. By predicting the most likely next token (word or subword) based on the context it has seen.
- ☐ D. By randomly selecting words from its training data.

---

This content is neither created nor endorsed by Google.

Google Forms

