KU LEUVEN

ARENBERG DOCTORAL SCHOOL Faculty of Engineering Science

The Title of Your PhD Dissertation

From Artes to Al

DRAFT

To remove, add 'final' to class options

Your Name

Dissertation presented in partial fulfillment of the requirements for the degree of Doctor of Engineering Science (PhD): Computer Science

Supervisors: Prof. dr. ir. F. Leader Prof. dr. ir. S. Leader

January 2024

0110515G111	2020/0/0	- 0	••

THE TITLE OF YOUR PHD DISSERTATION

FROM ARTES TO AI

Your NAME

Supervisors:

Prof. dr. ir. F. Leader Prof. dr. ir. S. Leader

Members of the

 ${\sf Examination}\ {\sf Committee}:$

Prof. dr. ir. The Chairman, chair

Prof. dr. ir. The One Prof. dr. ir. The Other

Prof. dr. External Jurymember

(Far Away)

Dissertation presented in partial fulfillment of the requirements for the degree of Doctor of Engineering Science (PhD): Computer Science

January 2024

Preface

. . .

Instructions by the Arenberg Doctoral School:

Preface- Acknowledgements: The preface should summarise the general aim of the work. People, offices, companies and agencies who have awarded a doctoral scholarship (e.g., FWO, VLAIO, EC) should be thanked for their support. However, the names of these people, offices, companies and agencies may only be mentioned with their explicit consent and after consultation with the supervisor.

i

		, ,	1 0	"
T. Control of the Con				

Popularized Abstract

. . .

Instructions by the Arenberg Doctoral School:

The popularized abstract should be approximately 1 page long with contents and language that's suited to a wider circle of readers (not experts in your field). It should be easy to understand and enjoyable to read. Look at it as an advertisement for your PhD project.

		, ,	1 0	11
į .				

Gepopulariseerde Samenvatting

. . .

Instructions by the Arenberg Doctoral School:

The popularized abstract should be approximately 1 page long with contents and language that's suited to a wider circle of readers (not experts in your field). It should be easy to understand and enjoyable to read. Look at it as an advertisement for your PhD project.

٧

	_	, ,	1 0	**	

Abstract

. . .

Instructions by the Arenberg Doctoral School:

The scientific abstract should present the most important aims and conclusions of the dissertation in a brief text of ca. 2 pages.

	, ,	1 0	"

Beknopte samenvatting

. . .

Instructions by the Arenberg Doctoral School:

The scientific abstract should present the most important aims and conclusions of the dissertation in a brief text of ca. 2 pages.

	, ,	1 0	**	

LIST OF ABBREVIATIONS	xi

_	, ,	1 0	"

Contents

Po	pular	ized Abstract	iii
Ge	epopu	lariseerde Samenvatting	v
Αŀ	ostrac	t	vii
Вє	eknop	te samenvatting	ix
Lis	st of	Abbreviations	хi
Lis	st of	Symbols	xiii
Cd	onten	ts	xiii
Lis	st of	Figures	χV
Lis	st of	Tables	xvii
1	This	is introduction	3
2	Mar 2.1	Tips and Tricks	. 5 . 5 . 6 . 6
	2.2	 2.2.1 Support for TeXstudio structure panel 2.2.2 Custom makeindex and makeglossaries commands 2.2.3 Custom Build&View and Compile meta-commands 	. 7 . 7
	2.3	Full cover page	. 8

xiv	CONTENTS
3 This is conclusion	9
A This is myappendix	11
Bibliography	13
This is curriculum	15

List of Figures

_	, ,	1 0	"	

List of Tables

xvii

	_	, ,	1 0	"
i .				

IST OF TABLES		1

Instructions by the Arenberg Doctoral School:

Report and discussion of the research in different chapters: These chapters, reporting and discussing research results, can be based on text that has already been published or accepted or submitted to journals or conferences. In that case, the bibliographic reference of the publication should be mentioned on the first page of the chapter. If there are multiple authors, the PhD researcher must clarify the own scientific contribution after that bibliographic reference on the first page of the chapter. There is no problem in editing or rewriting a text that has already been published or accepted for publication, for example to reach consistency and coherence in writing style and formatting, to add details that were left out from publication, to meet comments of the Examination Committee, etc; The doctoral candidate must determine whether the publisher allows public availability of the publications and in which form via the webpage Romeo/Sherpa.

Consistency in layout is required for the entire manuscript! References to figures, tables, appendices, and similar structures need to be consistent.

_	, ,	1 0	"	

Chapter 1

This is introduction

Instructions by the Arenberg Doctoral School:

An in-depth introduction outlining the research in a broader context: Starting from a description of the state of the art in the domain, additionally, the research questions and objectives are formulated. Furthermore, this includes the global approach and research methods.

Illustration of how to include citations [2] and [3]. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet.

And yet another citation [1].

Introducing some symbol: Θ .

Introducing an acronym: MD.

There is a small change here.

4 ______ THIS IS INTRODUCTION




Figure 1.1: Illustration of how to include a figure (long text, should not go to Table of Figures).

Chapter 2

Manual

2.1 Tips and Tricks

2.1.1 Joint PhD Dissertation

Add the joint option to the document class, change the PARTNER_LOGO.eps file and fill in the commands such as $\footnote{\mathsf{Nature}}$ thesis.tex.

2.1.2 Image on the cover page

If you want to place an image on the cover of the dissertation, you can add the code underneath to the template (check with your promotor whether this is allowed).

Include image: Search for the \frontcoverheaderXXIV command in the
adsphd.cls file and add the following lines:

```
\begin{textblock*}{56mm}(10mm+#1,15mm)
\includegraphics[width=56mm,height=20mm]{image/filename}
\end{textblock*}
```

Where 56mm is the width, 20mm the height, 10mm the x-location and 15mm the y-location.

6 ______ MANUAL

Change cover font color: Add the command \color{red} to the \frontcoverheaderXXIV command or enclose specific parts. For example, {\color{red}\textbf{\Qauthorf}\Qauthorf}.

2.1.3 Table of contents

To remove list of figures, tables and other preface chapters from the table of contents, search for occurrences of \addcontentsline in the file adsphd.cls and comment them.

2.1.4 Small ebook size

When you add the epub option to the adsphd class the dissertation is printed to a smaller size to read on a device such as Kindle.

Environments such as tables or tikZ pictures are often sized in absolute values and not relative to the size of the output. You can wrap them in a resizebox to enforce scaling:

```
\resizebox{\textwidth}{!}{%
  \begin{tabular}{cc}
    ...
  \end{tabular}
}
```

2.2 Settings for TeXstudio

If you are working with TeXstudio or other windows latex editors you might want to adjust the editor's settings to allow a proper compilation of the table of contents and list of figures/tables.

2.2.1 Support for TeXstudio structure panel

The chapters do not show up in the TeXstudio structure panel because the includechapter is not recognized. You can replace this command with the following two lines in thesis.tex (replace manual with the chapter name):

% \includechapter{manual}

\graphicspath{{chapters/manual/image/}}%
\include{chapters/manual/manual}%

2.2.2 Custom makeindex and makeglossaries commands

According to the README.md the tables are indexed through two custom commands. To edit them in TeXstudio open the Commands settings ($Options \rightarrow Configure\ TeXstudio...,\ Commands\ sheet$), edit the following fields and press OK.

Makeindex:

"C:/Program Files/MiKTeX 2.9/miktex/bin/x64/makeindex.exe" %.nlo -s nomencl.ist -o %.nls

Makeglossaries:

"C:/Program Files/MiKTeX 2.9/miktex/bin/x64/makeindex.exe" %.glo -s %.ist -t %.glg -o %.gls

Now the customized commands can be launched by using $Tools \to Commands \to MakeIndex/Makeglossaries$. If you want to automatize it in the standard $Build \ \ \ View \ (F5)$ and $Compile \ (F6)$ commands look at the following section.

2.2.3 Custom Build&View and Compile meta-commands

Open $Options \rightarrow Configure\ TeXstudio...,\ Build\ sheet,\ edit\ the\ following\ field\ and\ press\ OK.$

Build & View:

```
txs:///pdflatex | txs:///bibtex | txs:///makeglossaries | txs:///makeindex |
txs:///pdflatex | txs:///pdflatex
```

To view the PDF once created you have to press F7 (or $Tool \rightarrow View$) and the PDF will automatically update in the default viewer whan you modify it.

If you prefer to directly view the created PDF from the beginning edit the field as follow:

```
txs:///pdflatex | txs:///bibtex | txs:///makeglossaries | txs:///makeindex |
txs:///pdflatex | txs:///view-pdf
```

8 ______ MANUAL

2.3 Full cover page

Important: most printing services will create their own cover page based on the details you send them (title, name, affiliation, ...) and do not supply you with all necessary parameters (e.g., thickness of the paper) because these differ from machine to machine. Therefore, the generated cover page is only indicative and probably not used by your printing server (or even correct).

A full cover page (combining front cover, spine and back cover) can be generated automatically using the command make cover or python3 run.py cover. This creates a pdf \$(COVERPDF); by default this is cover.pdf.

The width of the spine is set by redefining adsphdspinewidth (9mm by default).

It can be seen in the provided thesis.tex that all information necessary to generate a cover page is contained between two markers

%%% COVER: Settings %%%
...
%%% COVER: End settings %%%

DO NOT REMOVE THESE!! They are used by the Makefile!!

The default front and/or back cover page can be overwritten:

- create a file mycoverpage.tex
- redefine the commands \makefrontcovergeneral and \makebackcovergeneral. For an example and more information, see the provided file mycoverpage.tex.

The cover page in the generated pdf has the following structure:

The default bleed (both lbleed and rbleed) is 7mm. I suggest not changing this value unless you know what you are doing;) The latter can be done by redefining \defaultlbleed and \defaultrbleed respectively.

Chapter 3

This is conclusion

. . .

Instructions by the Arenberg Doctoral School:

An extensive conclusion, including a global discussion of the research results, a discussion of the implications of the PhD research and future perspectives in regards to follow-up research.

		_	, ,	1 0	"
ı					
ı					
Į					
Į					
ı	1				
ı					
ı					
ı					
Į					
Į					
Į					
ı					
ı					
ı					
ı					
ı					
ı					
ı					
ı					
ı					
Į					
Į					
Į					
Į					
Į					
ı					
ı					
ı					
ı					
Į					
Į					
Į					
Į					
Į					
Į					
Į					
ı					
ı					
I					
ı					
ı					
Į					
ı					
ı					
ı					
ı					
ı					
Į					
Ų	·				

Appendix A

This is myappendix

. . .

Instructions by the Arenberg Doctoral School:

Appendices: The appendices should include parts of the research which are essential for the work, but which may hamper the readability of the text, e.g. because of their length (mathematical deductions, experimental data, examples, figures, etc.).

I		
I		
I		
I		
I		
I		

Bibliography

- [1] Frederix, Y., and Roose, D. A drift-filtered approach to diffusion estimation for multiscale processes. In *Coping with complexity: model reduction and data analysis* (2010), vol. 75 of *Lecture Notes in Computational Science and Engineering*, Springer-Verlag.
- [2] MEERT, W. Inference and Learning for Directed Probabilistic Logic Models. PhD thesis, Informatics Section, Department of Computer Science, Faculty of Engineering, Mar. 2011. Blockeel, Hendrik (supervisor).
- [3] VAN DEN BROECK, G., TAGHIPOUR, N., MEERT, W., DAVIS, J., AND DE RAEDT, L. Lifted probabilistic inference by first-order knowledge compilation. In *Proceedings of the 22th International Joint Conference on Artificial Intelligence (IJCAI)* (2011).

Instructions by the Arenberg Doctoral School:

Bibliography: Should be arranged according to the guidelines generally accepted in the relevant research domain.

The thesis needs to be consistent in relation to bibliographic and other references. Either a global list of bibliographic references is provided at the end of the thesis, or each chapter contains bibliographic references at the end, but there cannot be a combination of these two methods of referencing.

Statement on the use of Generative AI

Instructions by the Arenberg Doctoral School:

Read the guidelines in relation to GenAI at KU Leuven and add the 'statement on the use of Generative AI' in your manuscript.

Uncomment the appropriate sentences in the \useOfGenAI command and expand the text where needed to make it more specific and add topics if they are not covered by any of the indicated topics.

The text, code, and images in this thesis are my own (unless otherwise specified). Generative AI has only been used in accordance with the KU Leuven guidelines and appropriate references have been added. I have reviewed and edited the content as needed and I take full responsibility for the content of the thesis.

This is curriculum

. . .

Instructions by the Arenberg Doctoral School:

Curriculum vitae: Short CV of the PhD candidate.

	_	, ,	1 0	
1				

List of publications

Input file diffchapters/publications/publications.tex does not exist. Make sure its starts with "\chapter{List of publications}". To not include this chapter in the table of contents, use the starred version of the \chapter command...

Instructions by the Arenberg Doctoral School:

List of scientific publications with a clear DOI (digital object identifier) number mentioned:(optional): The list of scientific publications by the doctoral researcher should be arranged according to the guidelines generally accepted in the relevant research domain.

	_	, ,	1 0	
1				

I		
I		
I		
I		
I		
I		

FACULTY OF ENGINEERING SCIENCE DEPARTMENT OF COMPUTER SCIENCE Celestijnenlaan 200A box 2402 B-3001 Leuven first.last@cs.kuleuven.be http://www.XXXXX.cs.kuleuven.be	Mary 18800 St. 10 12 15 16 16 16 16 16 16 16 16 16 16 16 16 16