


DERMATOLOGY meets **SKINCARE**



FACERINNA

DERMATOLOGIST CARE





BRAND STORY

Founded in 2025, Facerinna is a professional derma-skincare brand built around one mission: to awaken the skin's natural repair system. By combining dermatological science with advanced formulations, we develop products that strengthen the skin barrier and improve overall skin health.

Our solutions are specially designed for Southeast Asian consumers facing common concerns such as sensitive skin, redness, irritation, acne, and dullness caused by tropical climates and environmental stress. Dermatologist tested and formulated without parabens, alcohol, fragrance, or colorants, Facerinna delivers effective care that remains gentle on sensitive skin.

Facerinna believes that science-backed skincare should be accessible to all. We are committed to providing high-quality, safe, and visible-result derma solutions at an affordable price, making healthier skin achievable for everyone.

OUR MISSION

To empower individuals to achieve healthy, radiant skin through innovative formulations backed by scientific research and proven results.

We believe everyone deserves access to high-quality derma skincare that is safe, effective, and affordable. Sensitive skin should not mean limited choices. Scientific skincare should not come with an unattainable price tag.

Facerinna exists to bring dermatologist-inspired solutions to everyday consumers, making healthier skin accessible to all.



Advanced Formulations

Patented Ingredients: Pure Ceramide

证书号第 5304641 号



发明专利证书

发明名称：一株赤红球菌及其用于烟酸胺生产的方法

发明人：李白云;邵树强

专利号：ZL 2020 1 0249862.3

专利申请日：2020 年 04 月 01 日

专利权人：山东昆达生物科技有限公司

地址：276401 山东省临沂市沂水县经济开发区

授权公告日：2022 年 07 月 12 日

授权公告号：CN 111424061 B

国家知识产权局依照中华人民共和国专利法进行审查，决定授予专利权，颁发发明专利证书并在专利登记簿上予以登记。专利权自授权公告之日起生效。专利权期限为二十年，自申请日起算。

专利证书记载专利权登记时的法律状况。专利权的转移、质押、无效、终止、恢复和专利权人的姓名或者名称、国籍、地址变更等事项记载在专利登记簿上。



局长
申长雨

申长雨





**Scientifically Proven
Dermatology Tested**

SGS

Test Report

No: GZCPCH25003510-07_EN

Date: May 28 2025

TEST UNDER DERMATOLOGICAL CONTROL

Function: Dermatologist
Name and sign

DR.H TIAN

Dermatologist Investigator

The test report shall only be used for client scientific research, teaching, internal quality control, product research and development, etc.

SAMPLE DESCRIPTION: Sample in box


Photo Appendix






Visible Results



VISIA Figures



Before application (D0)



After 28 days of application (D28)





Target User

Age: 21+ years old

Regions: Southeast Asia

Occupation: Undergrads, Office lady

Psychology: Skincare Nerds,
Label Readers, Evidence-Based Consumers

Behavior/Characteristic:

Ingredient-Focused:

looking for scientifically proven Ingredients


Avoid Hype & Marketing Gimmicks:

distrust vague claims like "miracle cure" or
"Natural is better" unless backed by evidence.

Prefer Transparency: favor brands that
disclose full Ingredients list and concentrations.

Evidence-Based Choices: rely on dermatological
studies, clinical trials, and case study expert





**2019 Journal of Dermatology in Asia-Pacific*

Southeast Asia's tropical climate, high humidity, and strong UV exposure contribute to several prevalent skin issues.

Common Skin Concerns in Southeast Asia:



Acne Prone

Dull / Uneven

Large Pores

Sensitive



FACERINNA
DERMATOLOGIST CARE

Product Line

OUR PRODUCT LINE



Ceramide
Balancing Series



Niacinamide
Brightening Series



Salicylic Acid
Acne Series



Retinol
Anti-Aging Series



B5
Series



Body
Series



FACERINNA
DERMATOLOGIST CARE

Product Line

NIACINAMIDE



Known as vitamin B3 or nicotinamide, has skin brightening properties that can help reduce the appearance of dark spots, hyperpigmentation, and uneven skin tone. It can promote a more radiant and even complexion.



FACERINNA
DERMATOLOGIST CARE

TEST CONDUCTED BY

SGS

SGS-CSTC STANDARDS TECHNICAL
SERVICES CO, LTD. GUANGZHOU BRANCH

100% ZERO IRRITATION

CLINICALLY PROVEN ON SENSITIVE SKIN

Single Application Patch Test (24H Occlusion)
| Dermatologically Tested



CLINICALLY PROVEN
NON-IRRITATION
EVEN ON SENSITIVE SKIN

SKIN IRRITATION RESPONSE ACROSS TIME (All Product)



COMBINED STUDY RESULT SUMMARY (All Product)

100% Subject Showed No Irritation (132 / 132 Subjects)	0% Redness (Erythema) 0.5h 24h 48h	0% Dryness (Scaling) 0.5h 24h 48h	0% Swelling (Oedema) 0.5h 24h 48h
--	--	---	---



ALL FOUR PRODUCTS SHOWED
0% IRRITATION AT ALL TIME POINTS
(0.5H, 24H, 48H)
All subjects completed the study.
No reactions observed in test or control areas.



NEGATIVE CONTROL
NO REACTION OBSERVED

STUDY DETAILS (All Product)



Study Type

Single Application Closed
Patch Epicutaneous Test
Under Occlusion



Application

24 Hours Occlusion
Assessment at
0.5h, 24h, 48h



Subject

33 Sensitive Skin Subjects
(18-59 Years) 30 Female,
3 Males



Test Site

Forearm



Control

Sunscreen: Blank
Moisturizer: Blank
Cleanser: Blank
Serum: Blank
(No Reaction)

TESTED PRODUCT



NIACINAMIDE
BRIGHTENING SERUM
SUNSCREEN SPF 50 PA++++



5% NIACINAMIDE
1% TXA BRIGHT DARK SPOT
MOISTURIZER



2% NIACINAMIDE
POWER BRIGHT
CLEANSER



10% NIACINAMIDE
3% TXA BRIGHT DARK
SPOT SERUM



SAFE. GENTLE. TRUSTED.
SUITABLE FOR DAILY USE
EVEN ON SENSITIVE SKIN

DERMATOLOGIST TESTED • CLINICALLY PROVEN



Study conducted in accordance
with COLIPA Guidelines (1997)
and Declaration of Helsinki.

Test Report No.
GZCPCH25005220-01_EN & GZCPCH25004742-01_EN (Sunscreen & Moisturizer) |
GZCPCH25005558-08_EN (Cleanser) | GZCPCH25005558-07_EN (Serum)

Date:
Aug 04 2025



FACERINNA
DERMATOLOGIST CARE



SKINPROOF
science creates speed

NIACINAMIDE BRIGHTENING SERUM SUNSCREEN SPF 50 PA++++

CLINICALLY TESTED IN VIVO SPF EVALUATION

ISO 24444:2019 on Healthy Subject
Under Dermatologist Supervision

SPF VALUE ACHIEVED

63.8

MEAN SPF VALUE

HIGHER THAN SPF 50 TARGET

↑ **+13.8** ↑
HIGHER THAN SPF 50 TARGET

SPF 50 TARGET	50
FACERINNA RESULT	63.8

INDIVIDUAL SPF RESULTS (SPFi*)

No.	Subject ID	Initial	SPFi* Value
1.	S01	JNK	57.5
2.	S02	AKT	66.1
3.	S03	VSA	57.5
4.	S04	RTD	66.1
5.	S05	TSI	50.0
6.	S06	YGA	66.1
7.	S07	LNN	72.7
8.	S08	MLE	66.1
9.	S09	FFH	72.7
10.	S11	OON	63.3

MEAN SPF VALUE

63,8

STUDY DETAILS

- In Vivo SPF Clinical
ISO 24444:2019
- Dermatologist
Supervised
Dr. Indrawati Widjaja, Sp.KK
- Healthy
Subject
- Double Blind
Method
- Total Subject
10 Subject

PROVEN BENEFITS

- High Level
UV Protection
- Meets ISO 24444
Requirements
(CI < 17%)
- Consistent &
Reliable Result
- Safe for Daily Use
on Healthy Skin

*SPFi = Individual Sunscreen Protection Factor



OFFICIAL CONCLUSION

The product achieved an average in vivo SPF value of 63.8 with CI below 17%, complying with ISO 24444 requirements.

SKINPROOF CLINICAL TESTING LABORATORY

Report No.
SPF-PDD-R.590

Date:
Aug 04 2025



FACERINNA
DERMATOLOGIST CARE

5% NIACINAMIDE 1% TXA BRIGHT DARK SPOT MOISTURIZER

CLINICALLY PROVEN FOR SENSITIVE SKIN



Brightens
Skin



Hydrates
Deeply



Refines
Pores



Smooths
Texture



Gentle & Non-
Comedogenic

KEY RESULT (28 DAYS)



Moisturizing Effect
Stratum corneum moisture content
+25.67%



Improvement in Skin Texture
Skin texture roughness (Ra)
-12.02%



Brightening & Dark Spot Fading
Skin melanin content
-10.30%



Pore Minimizing
+Pore count: **-7.27%**
+Pore area %: **-5.85%**

No increase in skin lesions;
no acne or clogged
pores observed



Non-Comedogenic
Clinical skin lesions
-76.92%

All result: $P < 0.01$



STUDY OVERVIEW

• Product Tested

Facerinna 5% Niacinamide 1% TXA
Bright Dark Spot Moisturizer

• Test Duration

14 to 28 days

• Test Location

Guangdong Baohua
Testing Center Co., Ltd

• Test Method

Single application closed
patch epicutaneous test
under occlusion.

• Test Subjects

Total Subjects:
32 (29 females; 3 males)
Age Range: 29 to 50 years
Average Age: 40.4 ± 5.8 years

• Skin Condition

Facial dullness, roughness,
lack of radiance, dryness,
and spots.

CLINICAL DATA OVER TIME


Skin Moisture Content
(A.U.)




Skin Glossiness
(A.U.)



Skin Melanin Content
(Dark Spot Fading)
(A.U.)



Skin Pore Count
(Pore Minimizing)
(Count)



CONCLUSION

Clinically proven safe and effective for sensitive.
The FACERINNA 5% Niacinamide 1% TXA Bright Dark Spot Moisturizer
show significant benefits in skin moisture, brightness, dark spot fading,
pore refining, and skin texture refinement.

Non-Comedogenic: The product does not clog pores or cause acne,
making it suitable for daily use on sensitive skin.
Report No.: E202501278

Subject Self-Evaluation



100%



Satisfaction with the product's
moisturizing effect, skin brightness,
and smoothness.

100%



of subject confirmed the product
does not cause acne or clog pores,
and is mild and non-irritating



FACERINNA
DERMATOLOGIST CARE

2% NIACINAMIDE POWER BRIGHT CLEANSER

A MULTI-ACTION CLEANSER FOR
ACNE-PRONE, OILY & SENSITIVE SKIN

CLINICALLY PROVEN . VISIBLE RESULT.
TRUSTED FOR HEALTHIER, BRIGHTER SKIN.



31 Subject
(3 male, 28 female)



28 Days
Continuous use



>85%

Subjects gave
positive comments on
all tested efficacy areas



0 Adverse Events
Reported

KEY CLINICAL FINDINGS



Brightening & Acne Mark Improvement

Significant reduction in melanin content
related to acne marks and improvement
in skin brightness within 28 days.



Effective Oil Control

Sebum level reduced by 40.29%, helping to
minimize shine and support clearer-looking skin.



Suitable for Sensitive Skin

Improved skin tolerance to irritation with a
43.16% reduction in lactic acid stinging score.
No increase in skin lesion count during the study



High Subject Satisfaction

More than 85% of subjects reported positive effect
on brightness, acne mark improvement, moisturizing,
oil control, and sensitive skin suitability.



Non-Comedogenic

Clinically confirmed non-comedogenic.
Does not clog pores or cause acne.



CLINICAL PERFORMANCE AFTER 28 DAYS



Skin Hydration

(Stratum Corneum Moisture Content)

+30.95%



Skin Oil Content

(Stratum Corneum Moisture Content)

-40.29%



Skin Melanin Content

(Acne Mark Improvement)

-14.57%



Skin Glossiness

(Radiance Improvement)

+26.64%



Lactic Acid Sting Test

(Skin Tolerance to Irritation)

-43.16%

Positive value (+) indicate improvement/increase.
Negative value (-) indicate reduction.

Percentage Change vs. Day 0
Report No: E202501348



STUDY DESIGN

Single-center, 28-day
human efficacy evaluation



SUBJECT PROFILE

31 subjects
3 male, 28 female
Age: 24-50 years



TEST DURATION

August 5, 2025 - September 2,
2025 (28 days)



TEST LOCATION

Guangdong Baohua Testing
Center Co., Ltd.
Efficacy Evaluation Laboratory



EVALUATION ITEMS

Brightening, lightening acne
marks, moisturizing, controlling
oil, sensitive skin suitability and
non-comedogenic



CONCLUSION

The product can be considered to
have the effects of brightening,
lightening acne marks, moisturizing,
controlling oil, sensitive skin suitability
and non-comedogenic



FACERINNA
DERMATOLOGIST CARE

10% NIACINAMIDE 3% TXA BRIGHT DARK SPOT SERUM

CLINICALLY PROVEN
SAFE & EFFECTIVE FOR SENSITIVE SKIN

NO ADVERSE EVENT
REPORTED DURING THE STUDY

VISIBLE TRANSFORMATION IN
14 & 28 DAYS



STUDY OVERVIEW

- Test Location**
Guangdong Baohua
Testing Center Co., Ltd
- Test Method**
Clinical efficacy
evaluation
- Skin Condition**
Dullness, spots, excess
oiliness, dryness, enlarged
pores, sensitive skin
- Test Duration**
14 to 28 days
- Test Subjects**
Total Subjects:
30 (28 females, 2 males)
Age Range: 21 to 49 years
Average Age: 33.6 ± 7.9 years

CLINICALLY PROVEN RESULT




MOISTURIZING
Stratum Corneum
Moisture Content
+49.41%
Increase after 28 Days**



P < 0.01



OIL CONTROL
Skin Oil
Content
-52.25%
Increase after 28 Days**



P < 0.01



DARK SPOT FADING
Skin Melanin
Content
-18.97%
Increase after 28 Days**



P < 0.01




PORE REFINING
Skin Pore
Count
-9.31%
Increase after 28 Days**



P < 0.01



BRIGHTENING
Skin L* Value
(Brightness)
+3.42%
Increase after 28 Days**



P < 0.01



SKIN b* VALUE
(Dullness/ Yellowness)
-7.69%
Reduction after 28 Days**



PORE AREA PERCENTAGE
-9.17%
Reduction after 28 Days**



SKIN ITA* VALUE
(Skin Tone Brightness)
+4.48%
Reduction after 28 Days**



CLINICAL SKIN LESION
(Non-Comedogenic)
-46.15%
Reduction after 28 Days**

Skin Lesion Count (Mean ± SD)



SUBJECT SELF-EVALUATION

100% Of subject agreed the product

- Provides long-lasting hydration
- Improves oil balance
- Refines pores
- Does not cause acne
- Does not clog pores
- Is gentle and non-irritating
- Is suitable for sensitive skin
- Overall satisfaction

96.67% agreed skin looks brighter after 28 days

96.67% agreed dark spots and blemishes look faded after 28 days

100% agreed skin feels smoother and more refined

Multi-Benefit High-Performance Formula



Deeply Hydrates



Controls Oil & Shine



Brightens Skin Tone



Fades Dark Spots



Refines Pores



Smooths Skin Texture



Non-Comedogenic & Sensitive Skin Friendly

Report No.: E202501288

Proven. Powerful. Trusted.
Transform Skin. Restore Confidence.



FACERINNA
DERMATOLOGIST CARE

FACERINNA
DERMATOLOGIST CARE

Clinical Proven Results In 4 Weeks




-18.97%
REDUCE DARK SPOTS

-9.31%
VISIBLY MINIMIZE PORES

Images based on clinical tests, for illustrative purposes only. Individual results may vary.

Hydration Level
+49.41%



Oil Control
-52.25%



Visible Pores
-9.31%




Based on clinical study data from 31 users aged 25-44 years old representing sensitive skin types.



FACERINNA
DERMATOLOGIST CARE

Clinical Proven Results In 4 Weeks



-10.30%
REDUCES DARK SPOTS

+12.02%
SMOOTHS ROUGH SKIN

Images based on clinical tests, for illustrative purposes only. Individual results may vary.

Hydration Level
+25.67%



Brighten Skin Tone
+8.55%



Based on clinical study data from 31 users aged 25-44 years old representing sensitive skin types.





FACERINNA
DERMATOLOGIST CARE

Product Line

CERAMIDE B5



Ceramides are essential components of the skin's barrier function. They help to form a protective layer that locks in moisture and protects the skin from environmental stressors such as pollution and irritants.



FACERINNA
DERMATOLOGIST CARE

TEST CONDUCTED BY

SGS

SGS-CSTC STANDARDS TECHNICAL
SERVICES CO, LTD. GUANGZHOU BRANCH

CLINICALLY TESTED ON SENSITIVE SKIN

Single Application Closed Patch
Epicutaneous Test Under Occlusion

Evaluated at
0.5h, 24h & 48h



100% SAFE
NO SKIN IRRITATION
DEMONSTRATED
Across All 3 Products

FACERINNA LOW pH B5 GEL CLEANSER



**100%
NO REACTION**

33/33 subjects showed
no irritation at 0.5h, 24h
and 48h



Test sample diluted to 1%




Negative control: deionized water

33 sensitive skin subject
30 females
3 males
18-59 age

REACTION (%)

■ Erythema ■ Dryness ■ Oedema



**0%
IRRITATION**



Dermatologist assessed



SGS Report
GZCPCH25005558-01_EN



AUG 04
2025

FACERINNA CERAMIDE B5 BALANCING TONER



**100%
NO REACTION**

33/33 subjects showed no
irritation at 0.5h, 24h and
48h




Negative control: blank

33 sensitive skin subject
30 females
3 males
18-59 age

REACTION (%)

■ Erythema ■ Dryness ■ Oedema



**0%
IRRITATION**



Dermatologist assessed



SGS Report
GZCPCH25005558-02_EN



AUG 04
2025

FACERINNA CERAMIDE B5 BALANCING MOISTURIZER



**96.97%
NO REACTION**

32/33 subjects showed no reaction; 1/33
subjects (3.03%) showed mild grade 1
erythema at 0.5h, 24h and 48h.
Negative control showed no reactions.




Negative control: blank

33 sensitive skin subject
25 females
8 males
25-57 age

REACTION (%)

■ Erythema ■ Dryness ■ Oedema



**3.03%
MILD
ERYTHEMA**

**96.97%
NO
REACTION**



Dermatologist assessed



SGS Report
GZCPCH25004933-01_EN



JUL 14
2025

OVERALL COMPARISON: NO REACTION (%)

Gel Cleanser

100%

Balancing Toner

100%

Balancing Moisturizer

96.97%

0 20 40 60 80 100



OVERALL TAKEAWAY

2 of 3 products achieved 100%
no-reaction results in sensitive
skin subjects, while the moisturizer
showed 96.97% no reaction with
only 3.03% mild erythema in
1 subject



DERMATOLOGIST
ASSESSED



All tests conducted in accordance
with COLIPA Guidelines (1997)
and Declaration of Helsinki.



FACERINNA
DERMATOLOGIST CARE

5.5 LOW PH B5 GEL CLEANSER

CLINICALLY PROVEN FOR
SENSITIVE SKIN

SUBJECT

30 Subjects

28-Day Dermatological Test



STUDY OVERVIEW

• Test Location

Guangdong Baohua
Testing Center Co., Ltd

• Test Duration

28 days

• Test Subjects

Total Subjects:
30 (25 females, 5 males)

HYDRATION INCREASE Skin Moisture (Stratum Corneum)



+25.79%
Improvement (Day 28)
P < 0.001 (Highly Significant)

DEEP HYDRATION BOOST

REDNESS REDUCTION Skin Redness (Hemoglobin Level)



-12.05%
Improvement (Day 28)
P < 0.001 (Highly Significant)

VISIBLE REDNESS RELIEF

REDNESS REDUCTION Skin Redness (a* Value)



-19.52%
Improvement (Day 28)
P < 0.001 (Highly Significant)

EVEN SKIN TONE



NON-COMEDOGENIC
No increase in acne
lesions after 28 days
(P > 0.05)



SENSITIVE SKIN SAFE
Lactic Acid Sting
Score Reduced
6 → 3 (-46.58%) P < 0.001



ZERO ADVERSE REACTIONS
No irritation reported
during study



>90% SUBJECT APPROVAL
Positive feedback on:
• Mildness
• Hydration
• Redness Reduction
• Suitability for Sensitive Skin



Clinically demonstrated to improve skin hydration, reduce redness,
and enhance skin tolerance within 28 days without clogging pores.



Hydrating



Redness
Relief



Strengthens
Skin Tolerance



Mild &
Non-Irritating



Non-
Comedogenic

*P < 0.01 v.s. Baseline (Statistically significant)
Data from Guangdong Baohua Testing Center Co., Ltd.

Test Report No.
E202501350



FACERINNA
DERMATOLOGIST CARE

CERAMIDE B5 BALANCING TONER

CLINICALLY PROVEN EFFICACY



CLINICAL IMPROVEMENT TRENDS OVER 28 DAYS

MOISTURE CONTENT (Stratum Corneum)




TEWL (g/(h·m²))



SKIN OIL CONTENT

(cm²)



STATISTICALLY SIGNIFICANT
IMPROVEMENT (P > 0.001)



30

Subjects
(4 male, 26 female)
Age 23 - 45
(Avg. 36.5 ± 6.2)



28

Days Clinical Study
Rigorous & Controlled
Evaluation



>90%

Positive Subject
Feedback (All Key
Parameters)



Non-Comedogenic
No Significant Increase
in Skin Lesion Count



No Adverse Events
Safe & Well-Tolerated
by All Subjects

KEY BENEFITS



Deep
Hydration



Soothing
& Calming



Oil
Control



Barrier
Repair



Sensitive
Skin Friendly



Non-
Comedogenic



CLINICALLY IMPROVEMENT

Hydrate. Repair. Balance.

For Healthier, Stronger, Balanced Skin

MULTI-ACTION BENEFIT MECHANISM

1

STRENGTHEN SKIN BARRIER

TEWL
↓24.28%



2

BOOST HYDRATION

MOISTURE
↑47.01%



3

BALANCE OIL PRODUCTION

OIL CONTROL
↓59.73%



4

SOOTHE & CALM SENSITIVE SKIN

REDNESS ↓
STING ↓ ↓32.19%



Tested by:
Guangdong Baohua Testing Center Co., Ltd.

Test Report No.
E202501297

Test Period:
July 20 - August 17,
2025



CLINICALLY TESTED FOR SAFETY

In Vitro Eye Irritation Test

EpiOcular™ Eye Irritation Test (OET) – OECD TG 492

Assesses the eye irritation potential using a human cornea-like epithelium model (in vitro, non-animal test).

Result – Facerinna B5 Tissue Viability

85%

NON-IRRITANT

✓ Mean tissue viability > 60%
= Non-irritant
(OECD TG 492 Classification)



**Validated
Tested Method**
OECD TG 492 Compliant



**Test Validity
Criteria Met**
All acceptance criteria
were met



**No Interference
Observed**
No interaction with MTT
and no color interference



**Safe for
Sensitive Eyes**
Suitable for daily use
including delicate eye areas



CONCLUSION
FACERINNA B5 is classified as Non-Irritation to the in vitro eye model.
Source: Analysis Report, In Vitro Eye Irritation Test,
UKM (INB/FITO/2026/04), 2026 (pp. 15-17)

SCIENTIFICALLY IDENTIFIED ACTIVE INGREDIENTS

Key Active Ingredients	Benefits for Skin	Detected (m/z)	RT (min)	Detected In
 D-Panthenol (Vitamin B5 Derivative)	• Deep hydration • Supports skin barrier repair • Promotes cell proliferation & wound healing	240.1007 (Negative) 206-472 (Positive)	2.1 (Negative) 5.6 (Positive)	 Negative Mode  Positive Mode
 Ectoine	• Protects cell membranes • Reduces transepidermal water loss (TEWL) • Provides anti-pollution & anti-stress protection	143.081 (Positive)	1.7 (Positive)	 Positive Mode
 1-Methylnicotinamide / N-Methylnicotinamide (Nicotinamide Derivative)	• Anti-inflammatory • Anti-aging • Reduces oxidative stress • Regulates cell cycle	137, 183, 205 (Positive)	8.9 - 9.0 (Positive)	 Positive Mode
 Isohomovanillic Acid Derivatives (Antioxidant Compounds)	• Antioxidant • Antimicrobial • Anti-inflammatory • Protects against UV damage & premature aging	155, 205 (Positive)	8.9 (Positive)	 Positive Mode



CONCLUSION
LC-MS analysis confirms the presence of multiple bioactive compounds with hydrating, wound-healing, anti-aging, anti-inflammatory, and antioxidant properties in Facerinna B5
Source: Analysis Report, LC-MS QTOF Analysis, UKM (INB/FITO/2026/02), 2026 (pp. 6-9)



In Vitro Skin Irritation Test

CLINICALLY EVALUATED FOR
SKIN IRRITATION SAFETY

KEY FINDING



102.4%
CELL VIABILITY

Classified As Non Irritant

Compared to the irritation threshold of $\leq 50\%$, Facerinna BS maintained exceptionally high epidermal cell viability, demonstrating excellent skin compatibility

CLINICAL IMPACT



Maintains healthy skin cell viability



Did not trigger irritation response



Suitable for sensitive skin positioning



Supports skin barrier compatibility

Skin Viability Result

102.4%

Irritation Threshold
 $\leq 50\%$ = Irritant




More than **2x**
above safety threshold

VALIDATED TESTED SYSTEM

Guideline Reference
OECD Test Guideline
No.439 (Updated 2025)

Laboratory
INBIOSIS,
Universiti Kebangsaan
Malaysia (UKM)



EpiDerm™

Reconstructed Human Epidermis Model


An internationally recognized non-animal skin model that closely mimics the human epidermis

PERFORMANCE COMPARISON

TEST ITEM	MEAN CELL VIABILITY (%)	CLASSIFICATION
FACERINNA BS	102.4%	NON-IRRITANT
Positive Irritant Control (SDS)	8.5%	IRRITANT

The positive irritant control (SDS Solution) showed only 8.5% viability (irritant), while Facerinna BS maintained 102.4% viability, indicating no detectable irritation effect on reconstructed human skin tissues

RELATIVE VIABILITY (%)



REFER TO THE FULL TEST REPORT

Main Conclusion	Page 17
Prediction Model & Classification	Page 17
Blank Corrected Data	Page 19
Final Classification Table	Page 20
Relative Viability Graph	Page 21
Study Summary	Page 22

OFFICIAL CONCLUSION FROM REPORT

"Facerinna BS is classified as Non Irritant to the in vitro skin model EpiDerm™."

-INBIOSIS UKM Report Conclusion (Page 17)

DISCLAIMER:

This in vitro study was conducted under controlled laboratory conditions and is intended to predict the skin irritation potential of the test item. Results may not directly reflect in vivo outcomes.

Sample Description:
Cream (White)
Lot No: A11AH03TY
Neat Concentration

Storage Condition:
Room Temperature

Test Date:
Treatment: 01 April 2026
Viability Test: 03 April 2026


Test Method:
MTT colorimetric assay to determine cell viability after 42 $\pm$ 2 hours post-treatment



FACERINNA
DERMATOLOGIST CARE

FACERINNA
DERMATOLOGIST CARE

Clinical Proven Results In 4 Weeks




-12.05% ↓
REDUCE VISIBLE REDNESS

Image shows reduction in the appearance of skin spots.
Individual results may vary.

Hydration Level
+25.79%



Uneven Skin Tone
-19.5%




Based on clinical study data from 31 users aged 21-44 years old representing sensitive skin type.




FACERINNA
DERMATOLOGIST CARE

Clinical Proven Results In 4 Weeks



-13.52% ↓
REDUCE VISIBLE REDNESS



+57.86% ↑
IMPROVE SKIN MOISTURE BARRIER

Images based on lab tests, is for illustrative purposes only. Individual results may vary.

Skin Redness
-13.52%



Oil Control
-53.41%



Hydration Level
+57.86%



Based on clinical study data from 31 users aged 21-44 years old representing sensitive skin type.





FACERINNA
DERMATOLOGIST CARE

Product Line

SALICYLIC ACID



Salicylic acid is effective in treating acne due to its ability to penetrate oil-filled pores and exfoliate the skin, helping to prevent and treat acne breakouts. It is particularly beneficial for those with acne-prone or oily skin.



FACERINNA
DERMATOLOGIST CARE

TEST CONDUCTED BY

SGS

SGS-CSTC STANDARDS TECHNICAL
SERVICES CO, LTD. GUANGZHOU BRANCH

100% ZERO IRRITATION

CLINICALLY PROVEN ON SENSITIVE SKIN

Single Application Closed Patch
Epicutaneous Test Under Occlusion



SAFE & GENTLE
FOR DAILY USE
EVEN ON SENSITIVE SKIN



100% ZERO IRRITATION
At all time points
(0.5h, 24h, 48h)



DERMATOLOGIST TESTED
Under strict
dermatological
control



33 SENSITIVE SKIN SUBJECTS
Per study (Total 132
subject across
4 studies)



3 TIME POINTS ASSESSED
(0.5h, 24h, 48h)

TESTED PRODUCT	IRRITATION SCORE AT ALL TIME POINTS									OVERALL RESULT
	ERYTHEMA (REDNESS)			DRYNESS (SCALING)			OEDEMA (SWELLING)			
	0.5H	24H	48H	0.5H	24H	48H	0.5H	24H	48H	
Facerinna Salicylic Acid Acne Gel Cleanser (Diluted to 1%)	0%	0%	0%	0%	0%	0%	0%	0%	0%	 100% ZERO IRRITATION
Facerinna Salicylic Acid Acne Toner	0%	0%	0%	0%	0%	0%	0%	0%	0%	 100% ZERO IRRITATION
Facerinna Salicylic Acid Acne Moisturizer	0%	0%	0%	0%	0%	0%	0%	0%	0%	 100% ZERO IRRITATION
Facerinna 2% Salicylic Acid Acne Serum	0%	0%	0%	0%	0%	0%	0%	0%	0%	 100% ZERO IRRITATION

KEY TAKEAWAY



132/132
SUBJECT COMPLETED
THE STUDY

No Erythema (Redness)



No Dryness (Scaling)



No Oedema (Swelling)



CLINICALLY PROVEN NON-IRRITATING
Suitable for daily use
even on sensitive skin

STUDY METHODOLOGY



Study Type

Single Application Closed Patch Epicutaneous Test Under Occlusion



Application

24 Hours Occlusion Assessment at 0.5h, 24h, 48h



Subject

33 Sensitive Skin Subjects (18-59 Years) 30 Female, 3 Males



Test Site

Forearm



Control

Blank / Deionized Water* Used as control for cleanser(1% dilution)

EVALUATION TIME POINT

0.5h

24h

48h

Evaluated by Dermatologist for irritation at all time points



All tests conducted in accordance with COLIPA Guidelines (1997) and Declaration of Helsinki.

Test Report No.
GZCPCH25005558-05_EN (Serum) | GZCPCH25005558-03_EN (Cleanser)
GZCPCH25004964-01_EN (Moisturizer) | GZCPCH25005558-04_EN (Toner)

Date:
Aug 04 2025



FACERINNA
DERMATOLOGIST CARE

SALICYLIC ACID ACNE GEL CLEANSER

CLINICALLY PROVEN FOR SENSITIVE & ACNE-PRONE SKIN

A MULTI-ACTION CLEANSER FOR ACNE-PRONE, OILY & SENSITIVE SKIN



STUDY OVERVIEW

• **Test Location**

Guangdong Baohua Testing Center Co, Ltd

• **Test Duration**

14 to 28 days

• **Test Method**

Clinical evaluation with instrumental analysis, dermatological assessment & self-evaluation

SUBJECT

31 Subject | **9** Males **22** Females

Age Range: **18 - 50 Years**

Average Age: **34.6 ± 9.4 Years**

SUBJECT SELF-EVALUATION

(AFTER 28 DAYS)

✓ **100%**

agreed the cleanser is mild and non-irritating

✓ **100%**

agreed it improves skin hydration and smoothness

✓ **100%**

Satisfied with overall product performance

✓ **100%**

agreed it is suitable for sensitive skin

✓ **100%**

agreed it helps reduce acne symptoms

✓ **>90%**

agreed it improves oil balance, acne marks and dull skin appearance

DERMATOLOGIST ASSESSMENT - CLINICAL SKIN LESIONS (ACNE)

AFTER 14 DAYS

38.71%

of subjects showed cured or significantly improved acne conditions



AFTER 28 DAYS

64.52%

of subjects showed cured or significantly improved acne conditions



BOOSTS SKIN HYDRATION
Stratum Corneum Moisture Content
+22.65%
Increase after 28 Days*



P < 0.01 VS. Baseline




CONTROLS OIL & RESTORES BALANCE
Skin Oil Content
-24.87%
Reduction after 28 Days*



P < 0.01 VS. Baseline



SIGNIFICANT ACNE REMOVAL
Acne Bump Volume
-80.59%
Reduction after 28 Days*



P < 0.01 VS. Baseline



REDUCES ACNE BUMP HEIGHT
Maximum Height of Acne Bumps
-59.62%
Reduction after 28 Days*



P < 0.01 VS. Baseline



LIGHTENS ACNE MARKS & IMPROVES DULLNESS
Skin Melanin Content
-13.65%
Reduction after 28 Days*



P < 0.01 VS. Baseline



IMPROVES SKIN TOLERANCE & REDUCES IRRITATION
Lactic Acid Sting Score
-40.01%
Reduction after 28 Days*



P < 0.01 VS. Baseline



CONCLUSION

Clinically proven safe and effective for control oil, reduce acne, fade acne marks, boosts hydration and strengthen skin tolerance.
A safe, effective and non-irritating cleanser for daily use on sensitive, acne-prone skin.



Oil Control



Acne Removal



Acne Mark Lightening



Moisturizing



Sensitive Skin Suitability

*P < 0.01 v.s. Baseline (Statistically significant)
Data from Guangdong Baohua Testing Center Co., Ltd.

Test Report No.
E202501349

Date:
Aug 04 2025



FACERINNA
DERMATOLOGIST CARE

SALICYLIC ACID ACNE GEL TONER

CLINICALLY PROVEN FOR ACNE-PRONE & SENSITIVE SKIN



OVERALL SATISFACTION

★★★★★
96.77% of subject were satisfied after 28 days of use.



NON-COMEDOGENIC
No Increase in Skin Lesions

Skin lesion count continuously decreased throughout the study



POWERFUL RESULTS IN JUST 14 & 28 DAYS



MOISTURE BOOST
Stratum Corneum Moisture Content
+38.28%
at Day 28*



P < 0.01



BLACKHEAD REDUCTION
Blackhead Count
-38.81%
at Day 28*



P < 0.01



REDUCE SKIN SENSITIVITY
Lactic Acid Sting Score
-45.28%
at Day 28*



P < 0.01



PORE REFINING
Pore Count
-9.38%
at Day 28*



P < 0.01

Pore Area %
-11.76%
at Day 28*



OIL CONTROL
Skin Oil Content
-49.15%
at Day 28*



P < 0.01



SKIN TEXTURE SMOOTHNESS
Texture Roughness (Ra)
-14.90%
at Day 28*



P < 0.01



SKIN BARRIER STRENGTH
TEWL (Water Loss)
-20.10%
at Day 28*



P < 0.01



ACNE IMPROVEMENT
Acne Bulge Volume
-69.61%
at Day 28*



P < 0.01

Max Acne Height
-57.24%
at Day 28*



SUBJECT SELF-EVALUATION*



Agreed it helps control oil



Agreed it reduces acne & blackheads



Agreed it refines pores & smooths skin



Agreed it is mild, non-irritating & suitable for sensitive skin



ACNE CLINIC IMPROVEMENT

(Subjects with Cured or Significant Improvement)

29.03%
at Day 14

61.29%
at Day 28



*Based on dermatologist evaluation, instrumental analysis and subject self-evaluation after 14 -28 days of continuous use.
Data from Guangdong Baohua Testing Center Co., Ltd.

Test Report No.
E202501298



FACERINNA
DERMATOLOGIST CARE

2% SALICYLIC ACID ACNE SERUM

CLINICALLY PROVEN .
VISIBLY TRANSFORMATIVE

NO ADVERSE EVENT
REPORTED DURING THE STUDY

VISIBLE TRANSFORMATION IN
14 & 28 DAYS



STUDY OVERVIEW

- Test Location**
Guangdong Baohua
Testing Center Co, Ltd
Efficacy Evaluation Laboratory
- Test Method**
Commissioned Inspection
Antera 3D, VISIA,
Image-ProPlus
- Specification**
20ml
Batch No./ Prod. Date
23/04/2029
- Test Duration**
14 to 28 days
- Test Subjects**
Total Subjects:
30 (25 females, 5 males)
Age Range: 18 to 45 years
Average Age: 34.2 ± 8.1 years
- Client**
Guangzhou Gold Season
Supply Chain Management Ltd.

CLINICALLY PROVEN RESULT

TRANSEPIDERMAL
WATER LOSS (TEWL)
(g/m²/h)
↓28.36%
Improvement (P < 0.001)



ACNE BUMP
VOLUME
(mm³)
↓76.72%
Improvement (P < 0.001)




SKIN MELANIN
CONTENT (LIGHTENING
ACNE MARKS)
(a.u.)
↓24.87%
Improvement (P < 0.001)



SKIN
GLOSSINESS
(GU)
↑50.61%
Improvement (P < 0.001)



SKIN HEMOGLOBIN
CONTENT (Redness
Reduction) (a.u.)
↓14.06%
Improvement (P < 0.001)



MAXIMUM HEIGHT OF
ACNE BUMPS
(mm)
↓59.58%
Improvement (P < 0.001)




SKIN TEXTURE-
ROUGHNESS Ra
(um)
↓13.73%
Improvement (P < 0.001)



SKIN
CHROMATICITY
(Skin Redness
Reduction-Value)
↓17.43%
Improvement (P < 0.001)



Visible Improvement. Clinically Proven.



CONCLUSION

The FACERINNA 2% Salicylic Acid Acne Serum is clinically proven to be effective in soothing, repairing, reducing redness, improving acne, lightening acne marks, improving skin roughness, and being suitable for sensitive skin. The product demonstrates significant improvement in skin moisture retention, barrier strength, and tolerance to irritation.

SUBJECT SELF-EVALUATION

- ✓ **100%** Satisfaction with the product's ability to improve skin roughness, reduce acne, and lighten acne.
- ✓ **100%** of subjects agreed that the product is mild, non-irritating, and suitable for sensitive skin.
- ✓ **94-100%** of subjects reported improvements across various categories including redness reduction and skin smoothness.



FACERINNA
DERMATOLOGIST CARE

SUBJECT

30 Subject | **8** Males **22** Females

Age Range: **18 - 44** Years

Clinically Tested: **By Guangdong Baohua Testing Center Co.,Ltd.**

SALICYLIC ACID ACNE MOISTURIZER

CLINICALLY PROVEN FOR
SENSITIVE & ACNE-PRONE SKIN

SIGNIFICANT IMPROVEMENT IN MULTIPLE SKIN CONCERNS



STRENGTHENS SKIN BARRIER
Reduces moisture loss & protects skin

TEWL (Skin Water Loss)

-32.92% after 28 days**




Stronger Skin Barrier
Healthier, More Resilient Skin



DEEPLY HYDRATES
Increases skin moisture content

Stratum Corneum Moisture Content

+24.34% after 28 days**




More Hydrated, Plump & Healthy-Looking Skin



REDUCES REDNESS & SOOTHES SENSITIVE SKIN
Calms redness and improves skin tolerance

Skin Hemoglobin Content

-17.45% after 28 days**



Visibly Calmer, Less Red
Comfortable & Stronger Skin

Skin Hemoglobin Content

-15.01% after 28 days**




Visibly Calmer, Less Red
Comfortable & Stronger Skin



FIGHTS ACNE
Reduces acne size & severity

Acne Bump Volume


-80.98% after 28 days**



Fewer Breakouts, Smaller Bumps
Cleaner & Healthier Skin

Maximum Acne Bump Height

-61.98% after 28 days**




Fewer Breakouts, Smaller Bumps
Cleaner & Healthier Skin



FADES ACNE MARKS & BRIGHTENS SKIN
Reduces dark spots & boosts radiance

Skin Melanin Content


-20.45% after 28 days**



Brighter, More Even-Toned
Glowing & Radiant Skin

Skin Glossiness Content

+41.82% after 28 days**



Brighter, More Even-Toned
Glowing & Radiant Skin



IMPROVES SKIN TEXTURE
Smoother, more refined skin

Skin Texture Roughness (Ra)

-15.76% after 28 days**



Smoother, Softer
Refined Skin Texture



Non-Comedogenic
No clogging of pores
No increase in skin lesions



Safe & Gentle
No adverse events during the study



Suitable for Daily Use
Even for sensitive and acne-prone skin

CLINICAL EFFECACY SUMMARY

- ✓ Soothing & repairing
- ✓ Reduces redness
- ✓ Fight acne & prevents new breakouts
- ✓ Fades acne marks & evens skin tone
- ✓ Deeply moisturizes
- ✓ Improves skin roughness
- ✓ Enhances skin barrier & sensitive skin tolerance

**P < 0.001 vs. Baseline
(Statistically Significant)

CLINICAL SKIN LESION IMPROVEMENT (Acne)

76.67%

showed significant improvement or cure after 28 days**
(43.33% after 14 days)

SENSITIVE SKIN TOLERANCE (Lactic Acid Sting Test)

+43.49%

Improvement after 28 days**
Stronger tolerance, less sensitivity healthier skin

SUBJECT SELF-EVALUATION AFTER 28 DAYS

- 100% agreed the product is moisturizing
- 100% agreed the product does not clog pores or cause acne
- 100% agreed skin is brighter & glowing
- 100% agreed the product is mild, non-irritating & suitable for sensitive skin
- 100% agreed skin feels smoother

100% overall satisfaction

Tested by:
Guangdong Baohua
Testing Center Co., Ltd.

Study Period:
July 19, 2025 -
August 16, 2025


Report No:
E202501289




FACERINNA
DERMATOLOGIST CARE

FACERINNA
DERMATOLOGIST CARE

Proven Results In 4 Weeks




-76.72% ↓
Diminish Acne Bumps



-14.06% ↓
Reduces Visible Redness

Diminish Acne Bumps -76.72% Fade Acne Marks -24.87% Reduce Visible Redness -14.06%



Based on clinical study data from 31 users aged 21-44 years old representing sensitive skin types.




FACERINNA
DERMATOLOGIST CARE

Proven Results In 4 Weeks



-80.98% ↓
Diminish Acne Bumps




-61.98% ↓
Shrink The Pimple

Boosts Skin Radiance +41.82% Smooth Rough Skin -15.76%



Based on clinical study data from 31 users aged 21-44 years old representing sensitive skin types.





FACERINNA
DERMATOLOGIST CARE

Product Line

RETINOL



Retinol is a form of vitamin A that is widely used in skincare products for its anti-aging and skin-renewing properties. It can help reduce the appearance of wrinkles, fine lines, and age spots, resulting in a more youthful-looking complexion.



100% ZERO IRRITATION

CLINICALLY PROVEN ON SENSITIVE SKIN

Single Application Closed Patch
Epicutaneous Test Under Occlusion



SAFE & GENTLE
FOR DAILY USE
EVEN ON SENSITIVE SKIN



100% ZERO IRRITATION
At all time points
(0.5h, 24h, 48h)



DERMATOLOGIST TESTED
Under strict
dermatological
control



33 SENSITIVE SKIN SUBJECTS
Per study (Total 66
subject across
2 products)



3 TIME POINTS ASSESSED
(0.5h, 24h, 48h)

TESTED PRODUCT	IRRITATION SCORE AT ALL TIME POINTS									OVERALL RESULT
	ERYTHEMA (REDNESS)			DRYNESS (SCALING)			OEDEMA (SWELLING)			
	0.5H	24H	48H	0.5H	24H	48H	0.5H	24H	48H	
Facerinna Retinol Anti Aging Serum	0%	0%	0%	0%	0%	0%	0%	0%	0%	 100% ZERO IRRITATION
Facerinna Retinol Anti Aging Moisturizer	0%	0%	0%	0%	0%	0%	0%	0%	0%	 100% ZERO IRRITATION

KEY TAKEAWAY



66/66
SUBJECT COMPLETED
THE STUDY

No Erythema (Redness)



No Dryness (Scaling)



No Oedema (Swelling)



CLINICALLY PROVEN NON-IRRITATING
Suitable for daily use
even on sensitive skin

STUDY METHODOLOGY



Study Type

Single Application Closed
Patch Epicutaneous Test
Under Occlusion



Application

24 Hours Occlusion
Assessment at
0.5h, 24h, 48h



Subject

33 Sensitive Skin Subjects
(18-59 Years) 55 Female,
11 Male



Test Site

Forearm



Control

Blank

EVALUATION TIME POINT


0.5h

24h

48h

Evaluated by Dermatologist
for irritation at all time points





RETINOL ANTI AGING SERUM

28-DAYS CLINICAL STUDY SUMMARY



DERMATOLOGIST-SUPERVISED CLINICAL EVALUATION



30 Subject
Completed



Sensitive
Skin Subjects
Included



Multiple
Scientific
Instruments



Zero
Adverse
Event



Statistically
Significant
Result
($P < 0.001$)

After 28 days of continuous use, the product demonstrated significant improvements in anti-wrinkle, repairing, brightening, non-comedogenic and sensitive skin suitability, with high subject satisfaction (>90%).



1. BARRIER REPAIR & SENSITIVE SKIN SUITABILITY



TEWL (G/M²/H)
Skin Barrier
Improvement

41.32%
after 28 days**



21.96% Improvement at 14 Days
41.32% Improvement at 28 Days



Lactic Acid
Sting Test
(Irritation Tolerance)

48.72%
after 28 days**



28.95% Improvement at 14 Days
48.72% Improvement at 28 Days



Redness
Reduction
(28 Days)

Hemoglobin Content
-15.79%
Skin a* Value (Redness)
-12.86%

2. ANTI-WRINKLE PERFORMANCE



Average
Wrinkle Depth

-42.47%
after 28 days**



10.68% Improvement at 14 Days
42.47% Improvement at 28 Days



Wrinkle
Depression Volume

-44.40%
after 28 days**



27.41% Improvement at 14 Days
44.40% Improvement at 28 Days



Skin
Roughness
(Ra)

-15.39%
after 28 days**



11.98% Improvement at 14 Days
15.39% Improvement at 28 Days



Dermatologist
Grading
(28 Days)



Crow's Feet
Significant
Improvement



Under-eye Wrinkles
Significant
Improvement



Nasolabial Folds
Significant
Improvement

3. FIRING & ELASTICITY



Skin
Firmness
(F4)

29.13%
after 28 days**



13.33% Improvement at 14 Days
29.13% Improvement at 28 Days



Skin
Elasticity
(R2)

14.33%
after 28 days**



11.66% Improvement at 14 Days
14.33% Improvement at 28 Days

4. BRIGHTENING & TONE



Skin
Brightness
(L*)

2.93%
Improvement 28 days



Dullness
(b*)

-5.92%
Reduction 28 days



Overall
Tone
(ITA*)

7.85%
Improvement 28 days

5. SAFETY & NON- COMEDOGENIC



Lesion Count
(Non-Comedogenic)

**No Significant
Increase**
After 28 Days



Adverse
Event

0
No adverse events reported
during the entire study period

6. SUBJECT SATISFACTION (28 DAYS)

Overall Satisfaction > 90%



Firming

100%
Positive Satisfaction



Elasticity

100%
Positive Satisfaction



Anti-Wrinkle

100%
Positive Satisfaction



Brightening

100%
Positive Satisfaction



Repairing

100%
Positive Satisfaction



Sensitive
Skin Suitability

100%
Positive Satisfaction



Non-Irritation
Suitability

100%
Positive Satisfaction

7. CONCLUSION

FACERINNA RETINOL
ANTI AGING SERUM
demonstrated excellent
efficacy and safety in a
28-days clinical study
on sensitive skin subjects.

Clinical Proven To Help:

- Reduce wrinkles and improve skin texture
- Improve firmness, elasticity and contour
- Suitable for sensitive skin and non-comedogenic
- Strengthen skin barrier and reduce irritation
- Brighten skin tone and reduce dullness



Study Design:
28-day Single Group,
Dermatologist-Supervised Clinical Study


Sample Size:
30 Subjects

Age Range:
27-50 years

Test Instrument:
Antera 3D, VISIA, TEWL
Probe, Elasticity Probe

Test Report No.
E202501286

Page:
2-32 of 50



FACERINNA
DERMATOLOGIST CARE

RETINOL ANTI AGING MOISTURIZER

CLINICALLY PROVEN IN 31
SUBJECTS | 28 DAYS OF USE

CLINICAL EFFICACY DASHBOARD



VISIBLE TRANSFORMATION IN 28 DAYS



CLINICAL CONFIDENCE SUMMARY

31 Subjects Completed The Study
29 females, 2 males |
Age 26 - 50
(Avg. 38.8 ± 6.5 years)

28-Day Clinical Evaluation
Rigorous, instrument-based & expert-graded assessment

Significant Improvement In 10+ Skin Parameters
Hydration, Wrinkle, Firmness, Elasticity, Brightening, Roughness, Redness & More

No Adverse Events Reported
Safe and well-tolerated by all subjects

95% + Positive Subject Feedback
On Firmness, Wrinkles, Brightness, Hydration & Overall Skin Improvement

SCIENCE BEHIND THE RESULTS RETINOL + MOISTURIZING COMPLEX

Synergistic Action for Visible Anti-Aging Result



RETINOL
Accelerates cell turnover, stimulates skin elasticity, reduces wrinkles



MOISTURIZING COMPLEX
Deep hydration, strengthens skin barrier, prevents moisture loss




SOOTHING ANTIOXIDANTS
Calms irritation, reduces redness, protects against environmental stressors

CLINICALLY PROVEN EFFECTS

- ✓ Hydration
- ✓ Elasticity
- ✓ Firmness
- ✓ Wrinkle Depth
- ✓ Dullness
- ✓ Redness
- ✓ Barrier Health

ADVANCED FORMULA. VISIBLE RESULTS. HEALTHY SKIN.

CLINICAL IMPROVEMENT TRENDS MEASURED OVER 28 DAYS



STATISTICALLY SIGNIFICANT IMPROVEMENT AT DAY 14 & 28 P < 0.001

CLINICALLY PROVEN ANTI-AGING MOISTURIZER

For Hydration, Wrinkle Reduction, Brightening and Redness Reduction

BACKED BY SCIENCE.
PROVEN BY RESULTS.
TRUSTED FOR HEALTHIER SKIN.

Tested By:
Guangdong Baohua Testing
Center Co., Ltd.

Test Period:
July 17 - August 14,
2025


Report No:
E202501279



FACERINNA
DERMATOLOGIST CARE

FACERINNA
DERMATOLOGIST CARE

Proven Results In 4 Weeks



-44.4%


REDUCES FINE LINES UNDER EYES

+15.39%

SMOOTH SKIN TEXTURE

Images based on lab tests, is for illustrative purposes only. Individual results may vary.

Skin Firmness
+14.33%



Brighten Skin Tone
+7.85%



*Based on clinical study data from 30 users aged 27-50 years old representing sensitive skin type.



FACERINNA
DERMATOLOGIST CARE

Proven Results In 4 Weeks



-36.15%

MINIMIZES WRINKLE APPEARANCE

-39.19%

REDUCES UNDER-EYE FINE LINES

Images based on lab tests, is for illustrative purposes only. Individual results may vary.

Hydration Level
+41.27%



Skin Firmness
+14.72%




Brighten Skin Tone
+7.2%



*Based on clinical study data from 31 users aged 23-44 years old representing sensitive skin type.





FACERINNA
DERMATOLOGIST CARE

Product Line

B5 SERIES



Pro-Vitamin B5 (Panthenol) is a commonly used ingredient in skincare products known for its ability to help maintain skin moisture and comfort. Panthenol helps soothe the skin, reduce dryness and discomfort, and support the skin barrier function. With regular use, skin feels more hydrated, smoother, and looks healthier.



FACERINNA
DERMATOLOGIST CARE

5% B5 CENTELLA CALMING GEL CREAM

CLINICALLY TESTED.
EXCELLENT FOR SENSITIVE SKIN.

Dermatologist-supervised
COLIPA 48H Patch Test on sensitive skin subjects.

0%

**IRRITATION
OBSERVED
IN ALL SUBJECTS**

No adverse skin reaction were
observed throughout the study
period.



31 Sensitive Skin Subjects
Male 6 | Female 25
(Age 25-59 Average age
42.06 ± 9.46)



**COLIPA 48H
PATCH TEST**
Internationally recognized
test standard



Dermatologist Supervised
Conducted under dermatological control



0 Adverse
Reaction
100%
No Reaction

NO VISIBLE IRRITATION AT ALL TIME POINTS

All subject remained Grade 0 (No Reaction)
throughout the study

0.5h

Grade 0
No Reaction

48h

Grade 0
No Reaction

72h

Grade 0
No Reaction




PROVEN GENTLE.
TRUSTED FOR SENSITIVE SKIN

Clinical study conducted on 31 sensitive skin subjects under
dermatological supervision.
NO IRRITATION. NO COMPROMISE

Study Report No:
(6626) 014-0790

Date:
Feb 10, 2026



FACERINNA
DERMATOLOGIST CARE

5% B5 NIACINAMIDE BRIGHT BARRIER CREAM

CLINICALLY PROVEN GENTLE
FOR SENSITIVE SKIN



31

Clinically Screened
Sensitive-skin subjects
31 subjects with sensitive
skin, Age 25-59 Average
age 42.06 ± 9.46



100%
Grade 0 Irritation Response
No visible irritation at all
evaluation timepoints



Dermatologist Supervised
Sensitive Skin testing under
dermatological supervision

0%

**0 Adverse
Reaction**
Excellent Skin
tolerability proven



**31 out of 31
Subjects showed**

ZERO IRRITATION

Across 0.5h, 48h, and 72h
evaluation

CLINICAL IRRITATION RESPONSE

Evaluation
Timepoint

Grade 0
(No Irritation)

0.5 Hour

100%

48 Hour

100%

72 Hour

100%




0 ADVERSE REACTION OBSERVED
THROUGHOUT THE STUDY PERIOD



ADVANCED BARRIER CARE
WITH CLINICALLY VALIDATED SKIN
COMPATIBILITY



Tested under COLIPA 48H Patch Test
protocol in accordance with the European
Handbook of Dermatological Treatments.



FACERINNA
DERMATOLOGIST CARE

5% B5 INTENSIVE BARRIER CREAM

CLINICALLY TESTED
EXCELLENT FOR SENSITIVE SKIN

Dermatologist-supervised
COLIPA 48H Patch Test on sensitive skin subjects.

0%

**ADVERSE
OBSERVED
IN ALL SUBJECTS**

No adverse skin reaction were
observed throughout the study
period.

NO VISIBLE IRRITATION AT ALL TIME POINTS

All 31 subject remained Grade 0 (No Reaction)
throughout the study

0.5h

Grade 0
No Reaction

48h

Grade 0
No Reaction

72h

Grade 0
No Reaction



31 Sensitive Skin Subjects
Male 4 | Female 27
(Age 20-57 Average age
44.32 ± 9.88)



**COLIPA 48H
PATCH TEST**
Internationally recognized
test standard



Dermatologist Supervised
Under dermatological control



0 Adverse
Reaction
100%
No Reaction




PROVEN GENTLE.
TRUSTED FOR SENSITIVE SKIN

Clinical study conducted on 31 sensitive skin subjects under
dermatological supervision.
NO IRRITATION. NO COMPROMISE

Study Report No.
(6626) 099-1225

Date:
Apr 18, 2026



FACERINNA
DERMATOLOGIST CARE

FIND YOUR RIGHT BARRIER CREAM



5% B5 CENTELLA CALMING GEL CREAM


- 5%B5
- CICA
- ALLANTOIN



Acne/Oily Skin

Soothe Skin Redness

Support Skin Recovery



Acne-Prone

Oily



5% B5 NIACINAMIDE BRIGHT BARRIER CREAM

- 5%B5
- CICA
- 2%NIACINAMIDE



Dullness/Acne Marks

Fade Acne Marks & Brighten Skin

Strengthen Skin Barrier



Post-Acne

Dullness



5% B5 INTENSIVE BARRIER CREAM

- 5%B5
- CICA
- ZINC PCA



Sensitive/Dry Patch


Long-Lasting & Deep Hydration

Repair Skin Barrier



Dry

Sensitive



TESTIMONIAL




drmalarsanthi_celotehdrmalar 5h



Dulu sy pun guna Eucerin merah tu, tp makin lama makin terlampau mahal, harga naik 2kali ganda. Now i use Facerinna low PH yang biru tu in the morning, and acne prone cleanser yg warna hijau tu at night to prevent acne sbb dia ada salicylic acid. It gives same effect but much cheaper.



531



14



64



31



addeq75



2026-04-27 23:31 | Variation: Buy 4 Get 5

Lightweight: Tekstur yang ringan tidak berminyak dan melekit.

Skin suitability: Kulit tidak melekit, sapuan yg mudah & licin

Terpedaya dengan testimonial pengguna lain.

Kulit berada segar dan 'bernafas'. Selesa walau pun berada di bawah terik mata hari.

Beli masa offer, jimat berbaloi baloi.

Pembungkuan cantik, tiada item rosak.



m**g**




2026-04-04 16:52 | Variation: 2pcs B5 Protect

Absorption: Baik

Skin Suitability: Sangat sesuai

Sangat gentle dengan hypersensitive skin macam saya. Moisturiser dia sangat mudah menyerap pada kulit, cream gel like texture. Sunscreen pun milky texture and both mmg comfortable to wear and takde oily feels pun after that.





REFERENCE

1. FACERINNA 5% B5 NIACINAMIDE BRIGHT BARRIER CREAM. BUREAU VERITAS TEST REPORT (REF: FMS112001), SENSITIVE SKIN / PATCH TEST REPORT, FEBRUARY 2026.
2. FACERINNA 5% B5 CENTELLA CALMING GEL CREAM. BUREAU VERITAS TEST REPORT (REF: FMS113001), SENSITIVE SKIN / PATCH TEST REPORT, FEBRUARY 2026.
3. FACERINNA 2% NIACINAMIDE POWER BRIGHT CLEANSER. SGS TEST REPORT NO. GZCPCH25005558-08_EN (REF: FJM020001), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, AUGUST 2025.
4. FACERINNA 2% SALICYLIC ACID ACNE SERUM. SGS TEST REPORT NO. GZCPCH25005558-05_EN (REF: FJH017001), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, AUGUST 2025.
5. FACERINNA 5% NIACINAMIDE 1% TXA BRIGHT DARK SPOT MOISTURIZER. SGS TEST REPORT NO. GZCPCH25004742-01_EN (REF: FMS013001), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, JULY 2025.
6. FACERINNA 10% NIACINAMIDE 3% TXA BRIGHT DARK SPOT SERUM. SGS TEST REPORT NO. GZCPCH25005558-07_EN (REF: FJH018001), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, AUGUST 2025.
7. FACERINNA CERAMIDE B5 BALANCING MOISTURIZER. SGS TEST REPORT NO. GZCPCH25004933-01_EN (REF: FMS004001), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, JULY 2025.
8. FACERINNA CERAMIDE B5 BALANCING TONER. SGS TEST REPORT NO. GZCPCH25005558-02_EN (REF: FSS003001), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, AUGUST 2025.
9. FACERINNA LOW PH B5 GEL CLEANSER. SGS TEST REPORT NO. GZCPCH25005558-01_EN (REF: FJM002002), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, AUGUST 2025.
10. FACERINNA NIACINAMIDE BRIGHTENING SERUM SUNSCREEN SPF50 PA++++. SGS TEST REPORT NO. GZCPCH25005220-01_EN (REF: FFC001001), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, JULY 2025.
11. FACERINNA RETINOL ANTI AGING SERUM. SGS TEST REPORT NO. GZCPCH25005558-06_EN (REF: FJH019001), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, AUGUST 2025.
12. FACERINNA RETINOL ANTI AGING MOISTURIZER. SGS TEST REPORT NO. GZCPCH25004933-02_EN (REF: FMS011001), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, JULY 2025.
13. FACERINNA SALICYLIC ACID ACNE GEL CLEANSER. SGS TEST REPORT NO. GZCPCH25005558-03_EN (REF: FJM005002), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, AUGUST 2025.
4. FACERINNA SALICYLIC ACID ACNE MOISTURIZER. SGS TEST REPORT NO. GZCPCH25004964-01_EN (REF: FMS008001), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, JULY 2025.
15. FACERINNA SALICYLIC ACID ACNE TONER. SGS TEST REPORT NO. GZCPCH25005558-04_EN (REF: FSS006001), SINGLE APPLICATION CLOSED PATCH EPICUTANEOUS TEST UNDER OCCLUSION, AUGUST 2025.