

FACERINNA

DERMATOLOGIST CARE

DERMATOLOGIST CARE CLINICALLY PROVEN

MEDICAL DETAILING AID



TESTED BY DERMATOLOGIST,
APPROVED WITH SCIENCE.



NIACINAMIDE BRIGHTENING SERIES

FACERINNA NIACINAMIDE
BRIGHTENING SUNSCREEN SPF50 PA++++

Verified SPF 63.8 in vivo + documented brightening in 28 days

63.8

Mean SPF
(ISO 24444:2019)
(SKINPROOF, 2025)


-11.1%

Melanin, 28-day study
(sensitive-skin-screened)
(G. Baohua, 2025)

33/33

Zero reactions,
sensitive-skin patch panel
(SGS, 2025)

28-DAY BRIGHTENING & COMFORT PROFILE
(N=32, SENSITIVE-SKIN-SCREENED)



Source: Sunscreen Efficacy Study, 2025, G. Baohua (E202501295), n=32.

COMPOSITION & SAFETY

5 UV filters independently assayed – 13.71% total organic filter load (ensulizole · octinoxate · bisoctrizole · bemotrizinol · DHHB). Free from heavy metals & 1,4-dioxane. Zero reactions in 33/33 subjects each (SGS & EQUILAB, 2025).

CLAIMS/BENEFITS/USP

- Daily Broad-Spectrum UVA/UVB Defense · Alcohol-Free
- Fragrance-Free · Non-Greasy* · Dermatologically Tested
- Evens Skin Tone* · Brightening* · Non-Comedogenic*
- Infused with 2% Niacinamide + Bisabolol

*Consumer panel (n=32, D28): 100% agreement on non-sticky feel, brightening & non-comedogenic (self-assessed) – G. Baohua, 2025.

KEY MESSAGE

"Measured in vivo at 63.8 vs. a label claim of 50 – under ISO 24444:2019 – plus an 11% drop in melanin after 28 days."



SALICYLIC ACID ACNE SERIES

FACERINNA
2% SALICYLIC ACID ACNE SERUM

Clinically proven, visibly transformative in 28 days

-76.7%

Acne Bump Volume Reduction
28-day study (n=31)
(G. Baohua, 2025)


70%

Graded cured /
markedly effective (ISGA), D28
(G. Baohua, 2025)

33/33

Zero
reactions
(SGS/EQUILAB, 2025)

28-DAY EFFICACY PROFILE
(N=30, SENSITIVE-SKIN-SCREENED)



Source: Acne Serum Efficacy Study, 2025, G. Baohua (E202501287), n=30.

COMPOSITION & SAFETY

Composition verified (CTI, 2025): Free from heavy metals & 1,4-dioxane, zero reactions in 33/33 subjects each (SGS & EQUILAB, 2025). Sting tolerance improved +44.9%.

CLAIMS/BENEFITS/USP

- Unclogs Pores & Blemish Care · Acne Care Treatment
- Reduce Redness · Fades PIH/PIE · Dermatologically Tested · Sensitive Skin · Infused with 2% Niacinamide + Madecassoside

*Consumer panel (n=30, D28): 100% agreement on non-sticky feel, improve redness & lighten acne marks (self-assessed) – G. Baohua, 2025.

KEY MESSAGE

"76.7% fewer acne bumps and 70% graded cured or markedly effective by Day 28 – on a sensitive-skin-screened cohort."



HERO PRODUCTS

BARRIER REPAIR & SOOTHING CARE FOR COMPROMISED, SENSITIVE SKIN




FACERINNA
DERMATOLOGIST CARE


FACERINNA CERAMIDE B5 BALANCING MOISTURIZER

CERAMIDE B5 BALANCING SERIES

Barrier repair and deep hydration



28-DAY BARRIER & HYDRATION PROFILE (N=31, SENSITIVE-SKIN-SCREENED)



Source: Moisturizer Efficacy Study, 2025, G. Baohua (E202501296), n=31

COMPOSITION & SAFETY

Panthenol (B5) + Ceramide. Non-sensitizing base – OECD 2-of-3 Defined Approach; Non-Irritant (EpiDerm/EpiOcular) (INBIOSIS UKM, 2026). Heavy metals & 1,4-dioxane not detected (CTI, 2025). No adverse events across the 28-day study. 48h patch test reviewed under dermatological control by Dr. H. Tian (SGS-CSTC, 2025).

CLAIMS/BENEFITS/USP

· Soothes Skin Redness* · Long Lasting Hydration*
· Repair Skin Barrier · Balance Sebum* · Dermatologically Tested

*Consumer panel (n=31, D28): **100% agreement** on hydration, oil balance, sensitivity & tolerance (self-assessed) – G. Baohua, 2025.

KEY MESSAGE


"Reviewed under dermatological control by Dr. H. Tian (SGS-CSTC), plus zero positive reactions on an independent 25-subject panel – a 58% hydration jump after 28 days."




FACERINNA 5% B5 CENTELLA CALMING GEL CREAM

B5 SERIES

**Infused with SymCalmin® – a patented anti-redness active
(INCI: Hydroxyphenyl Propamidobenzoic Acid)*



IMMEDIATE RELIEF – SINGLE APPLICATION (POST REDNESS-CHALLENGE, N=30)



7-DAY SUSTAINED RESULTS (N=30)



Source: Gel Cream Efficacy Evaluation, 2026, G. Baohua (E202600150), n=30.

COMPOSITION & SAFETY

5% Panthenol (B5) + Cica (Centella Asiatica) + Allantoin + SymCalmin® (anti-redness active, targets histamine release). Safety: 31 subjects (Bureau Veritas, COLIPA) + 25 subjects (Equilab, ICDRG, 48h).

Consumer panel (n=30, D3 & D7): **100% agreement** across all 20 self-assessment items – G. Baohua, 2025.

KEY MESSAGE

"SymCalmin-powered calm within minutes – redness down 18% in just 1 hour – backed by zero irritation across 56 subjects from two independent labs, and a 47% drop in papule volume by Day 7."



SERIES COMPARISON - D0 VS D28


BASELINE AND ENDPOINT ABSOLUTE VALUES,
SHARED INSTRUMENTAL PARAMETERS




FACERINNA
DERMATOLOGIST CARE




TEWL-TRANSEPIDERMAL WATER LOSS $g/(h \cdot m^2)$ · lower = stronger barrier



REDNESS - SKIN HAEMOGLOBIN Mexameter MX18 · lower = less redness




REDNESS - SKIN a^* VALUE VISIA + Image ProPlus · lower = less red




LACTIC ACID STING SCORE

self-scored 0/2.5/5/8 min
· lower = better tolerance



SKIN MELANIN CONTENT

Mexameter MX18 ·
pigmentation / acne marks
· lower = fader marks



Sources: Sunscreen, Acne Serum & Moisturizer Efficacy Studies, 2025, G Baohua Testing Center ·
Gel Cream Efficacy Evaluation, 2026, G Baohua Testing Center

BASELINE, ENDPOINT & STATISTICS



FACERINNA
DERMATOLOGIST CARE

ABSOLUTE VALUES AND SIGNIFICANCE BEHIND
THE PERCENTAGE CHANGES

NIACINAMIDE BRIGHTENING SERIES

Niacinamide Brightening Sunscreen SPF50 PA++++

· n=32 · D0 → D28 · G. Baohua E2025501295, 2025

PARAMETER	BASELINE D0	ENDPOINT D28	Δ %	p-VALUE
Melanin (pigmentation) index	183 ± 51	161 ± 44	-11.1%	p<0.001
Brightness (L*)	65.91 ± 2.77	68.71 ± 2.73	+4.3%	p<0.001
Yellowness (b*)	13.33 ± 1.64	12.50 ± 1.73	-6.4%	p<0.001
Skin tone (ITA*)	49.79 ± 6.00	56.05 ± 5.68	-12.9%	p<0.001
Lactic acid sting score	5 ± 1	2 ± 1	-48.8%	p<0.001

SALICYLIC ACID ACNE SERIES

2% Salicylic Acid Acne Serum

· n=30 · D0 → D28 · G. Baohua E202501287, 2025

PARAMETER	BASELINE D0	ENDPOINT D28	Δ %	p-VALUE
Acne bump volume, mm ²	0.929 ± 0.459	0.229 ± 0.332	-76.7%	p<0.001
Max acne bump height, mm	0.218 ± 0.080	0.079 ± 0.042	-59.6%	p<0.001
Skin glossiness	7.76 ± 1.54	11.36 ± 2.21	+50.6%	p<0.001
Skin melanin (acne marks)	224 ± 33	167 ± 26	-24.9%	p<0.001
Skin haemoglobin	311 ± 61	267 ± 55	-14.1%	p<0.001
Skin a* value	28.68 ± 6.29	23.62 ± 5.83	-17.4%	p<0.001
TEWL, g/(h.m ²)	18.27 ± 3.89	12.91 ± 2.69	-28.4%	p<0.001
Skin roughness Ra, μm	6.755 ± 1.393	5.742 ± 0.954	-13.7%	p<0.001
Lactic acid sting score	6 ± 1	3 ± 1	-44.9%	p<0.001

CERAMIDE B5 BALANCING SERIES

Ceramide B5 Balancing Moisturizer

· n=31 · D0 → D28 · G. Baohua E202501296, 2025

PARAMETER	BASELINE D0	ENDPOINT D28	Δ %	p-VALUE
Stratum corneum moisture, CU	43.6 ± 12.1	63.8 ± 11.2	+57.9%	p<0.001
TEWL, g/(h.m ²)	20.81 ± 3.50	14.63 ± 2.04	-28.8%	p<0.001
Sebum, μg/cm ²	59 ± 19	26 ± 10	-53.4%	p<0.001
Skin haemoglobin (redness)	290 ± 66	246 ± 55	-13.5%	p<0.001
Skin chroma a* (redness)	33.23 ± 7.43	27.56 ± 5.75	-16.1%	p<0.001
Lactic acid sting score	5 ± 1	2 ± 1	-59.6%	p<0.001

B5 SERIES

5% Centella Calming Gel Cream

· n=30 · Challenge + D7 · G. Baohua E202600150, 2026

PARAMETER	BASELINE D0	ENDPOINT D28	Δ %	p-VALUE
Haemoglobin, 15 min	391 ± 52	356 ± 52	-8.8%	p<0.001
Haemoglobin, 1 h	391 ± 52	321 ± 53	-18.1%	p<0.001
TEWL, 1 h	25.05 ± 6.59	18.89 ± 3.74	-22.3%	p<0.001
Elevation volume, D7	0.851 ± 0.475	0.429 ± 0.337	-47.1%	p<0.001
TEWL, D7	22.13 ± 4.41	16.47 ± 2.96	-24.4%	p<0.001
Haemoglobin, D7	299 ± 53	248 ± 51	-17.0%	p<0.001

CLINIC PROTOCOL

PATIENT PROFILE, PRODUCT SELECTION
AND LAYERING ORDER



Dry, tight flaking · compromised barrier

CERAMIDE B5 BALANCING SERIES

SC moisture +57.9% | TEWL -28.8% | Sebum -53.4% at D28

(Moisturizer Efficacy Study, 2025, G. Baohua)

Acne-prone · congested · visible bumps and marks

SALICYLIC ACID ACNE SERIES

Bump volume -76.7% -70% cured or markedly effective (ISGA) at D28

(Acne Serum Efficacy Study, 2025, G. Baohua)

Reaction Skin · Stings easily · visible redness

B5 SERIES

Redness -18.1% at 1 h post-challenge | TEWL -24.4% at D7

(Efficacy Evaluation, 2026, G. Baohua)

Uneven tone · dullness · daily UV exposure

NIACINAMIDE BRIGHTENING SERIES

Melanin -11.1% | ITA° +12.9% | string score -48.8% at D28

(Sunscreen Efficacy Study, 2025, G. Baohua)

LAYERING ORDER

MORNING

- 1

Cleanser
- 2

Serum
- 3

Mosturizer/
Gel Cream
- 4

Sunscreen
- Always Last

EVENING

- 1

Cleanser
- 2

Serum
- 3

Mosturizer/
Gel Cream

TOLERANCE SNAPSHOT- PATCH RESULTS

SUNSCREEN

0/33 REACTIONS, 24 H Occlusive
(Patch Test, 2025, SGS)

MOISTURIZER

33/33 NO REACTIONS, 24 H Occlusive
(Patch Test, 2025, SGS-CSTC)

ACNE SERUM

0/33 REACTIONS, 24 H Occlusive
(Patch Test, 2025, SGS)

CENTELLA GEL

0/33 REACTIONS, 24 H Occlusive
(2026, Bureau Veritas, 2026, Equilab)

REFERENCES & MORE INFORMATION



FACERINNA
DERMATOLOGIST CARE

REFERENCE LIST

- [1] In-vivo efficacy study. Niacinamide Brightening Sunscreen SPF50 PA++++ (FFC001001), n=32, 28 days, method T/ZHCA 001-2018. Guangzhou Baohua Testing. Report No. E202501296, Sep 2025 (samples received Jul 2025).
- [2] SPF determination. ISO 24444:2019. SKINPROOF, 2025.
- [3] Human skin patch test, 24 h occlusive, n=33, read at 0.5/24/48 h, under dermatological control. SGS-CSTC Guangzhou, Report No. GZCPCH25005220-01, Jul 2025.
- [4] In-vivo efficacy study. FACERINNA 2% Salicylic Acid Acne Serum, n=30 (5 M / 25 F), 28 days; methods GDCTC/OT-B008/B009/B011 & T/ZHCA 001-2018. Guangdong Baohua Testing Center, Report No. E202501287 (sample GDHJ006202501287), 30 Sep 2025.
- [5] Human efficacy evaluation — anti-acne & soothing, 7-day use, n=30; T/CNMIA 0012-2020 & T/ZHCA 003-2018. Guangdong You Zhi (YOUZ) Testing Technology, Report No. YDJC2025G815003H04, 15 Aug 2025.
- [6] Human skin patch test, single-application 24 h closed occlusion, n=33 sensitive-skin subjects (30 F / 3 M, 18–59), read at 0.5/24/48 h under dermatological control — no reactions in 33/33. SGS-CSTC Guangzhou, Report No. GZCPCH25005538-05, 04 Aug 2025.
- [7] In-vivo efficacy study. Ceramide B5 Balancing Moisturizer (FMS004001), n=31, 28 days, methods GDCTC/OT-B008 & OT-B009. Guangzhou Baohua Testing, Report No. E202501296, Sep 2025.
- [8] Skin and eye irritation, OECD TG 439 / 492 (reconstructed human epidermis and cornea), 2-of-3 Defined Approach. INBIOSIS UKM, 2026.
- [9] Human skin patch test, 24 h occlusive, n=33 sensitive-skin subjects, read at 0.5/24/48 h, under dermatological control — 32/33 with no reaction. SGS-CSTC Guangzhou, Report No. GZCPCH25004933-01, Jul 2025 (batch DTHA06d).
- [10] Efficacy evaluation. 5% B5 Centella Calming Gel Cream, n=30, redness challenge and 7-day repeat use. Guangdong Baohua Testing Center, Report No. E202600150 (sample GDHJ006202600150), tested 16–23 March 2026; method GDCTC/OT-B009.
- [11] Human skin compatibility. COLIPA 48 h occlusive patch, n=31, under dermatological control. Bureau Veritas Testing Technical Service (Zhejiang), Shanghai Branch, Report No. (6626) 014-0790, 10 February 2026.
- [12] Acute skin tolerance. ICDRG 48 h Finn-chamber patch with saline control, n=25, MCII 0.04. PT Equilab International, Project CR.205E/EQL/2025, April 2026. Ethics FKUI-RSCM KET-1761/UN2.F1/ETIK/PPM.00.02/2025; ICH E6(R3) GCP.
- [13] Consumer self-assessment panels (self-reported, not instrumental), binomial test $p \geq 0.60$. Contained in [1], [4], [5] and [7].
- [14] Composition & safety verification — 5 UV filter assays, heavy metals, 1,4-dioxane, microbiology, pH (19 items). CTI Testing, Report No. A2250881826101002, Dec 2025.



**MORE INFO
SCAN HERE**

Access for verified healthcare
professionals only.

MY VIRTUE RINNA SDN. BHD. COMPANY NO.: 202401036836
22, 03A, 207, JLN TUN RAZAK, 50400 KUALA LUMPUR
AMIRAHMUSA@FACERINNA.COM
+6012-9449134

VERSION 2026/1

FACERINNA

DERMATOLOGIST CARE

