

Results for: <http://www.cma.com.br/>

Dec 13, 2017, 6:00 AM GMT-2 • ▶ Runtime settings



Progressive Web App



Performance



Accessibility



Best Practices

Progressive Web App

These checks validate the aspects of a Progressive Web App, as specified by the baseline [PWA Checklist](#).



8 Failed Audits

▼ Does not register a service worker

✗

The service worker is the technology that enables your app to use many Progressive Web App features, such as offline, add to homescreen, and push notifications. [Learn more](#).

▼ Does not respond with a 200 when offline

✗

If you're building a Progressive Web App, consider using a service worker so that your app can work offline. [Learn more](#).

▼ Does not use HTTPS: 71 insecure requests found

✗

All sites should be protected with HTTPS, even ones that don't handle sensitive data.

HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more](#).

▼ Insecure URLs:

/
...css/layerslider.css?ver=5.6.9
/css?family=...
...css/styles.css?ver=4.4.2
...css/settings.css?ver=5.2.6
...css/normalize.css?ver=2.6.1
...css/bootstrap.min.css?ver=2.6.1
...css/icomoon.css?ver=2.6.1
...css/fontawesome.min.css?ver=2.6.1
...bestbuild/style.css?ver=2.6.1
...css/select2.css?ver=2.6.1
...css/vc.css?ver=2.6.1
...css/mobile.css?ver=2.6.1
...css/skin_custom_color.css?ver=2.6.1
...css/js_composer.min.css?ver=4.12
/css?family=...
...js/greensock.js?ver=1.11.8
...jquery/jquery.js?ver=1.12.4
...jquery/jquery-migrate.min.js?ver=1.4.1
...js/layerslider.kreaturamedia.jquery.js?ver=5.6.9
...js/layerslider.transitions.js?ver=5.6.9
...js/jquery.themepunch.tools.min.js?ver=5.2.6
...js/jquery.themepunch.revolution.min.js?ver=5.2.6
...js/wp-emoji-release.min.js?ver=4.5.6
...images/icon_brasil.png

...images/icon_esp.png
...images/icon_usa.png
...12/logo-cma-1.png
...07/slider.jpg
...07/bgslider.png
...07/button.png
...11/iconenovocma.png
...07/icon2.png
...07/icon3.png
...11/icondatacentercma.png
...css/prettyPhoto.min.css?ver=4.12
...assets/owl.min.css?ver=4.12
...animate-css/animate.min.css?ver=4.12
...js/jquery.form.min.js?ver=3.51.0-2014.06.20
...js/scripts.js?ver=4.4.2
...js/bootstrap.min.js?ver=2.6.1
...js/smoothscroll.js?ver=2.6.1
...js/select2.min.js?ver=2.6.1
...js/imagesloaded.pkgd.min.js?ver=2.6.1
...js/custom.js?ver=2.6.1
...js/wp-embed.min.js?ver=4.5.6
...dist/js_composer_front.min.js?ver=4.12
...js/jquery.prettyPhoto.min.js?ver=4.12
...owl-carousel2-dist/owl.carousel.min.js?ver=4.12
...imagesloaded/imagesloaded.pkgd.min.js?ver=4.5.6
...js/underscore.min.js?ver=1.8.3
...waypoints/waypoints.min.js?ver=4.12
...dist/vc_grid.min.js?ver=4.12
...fonts/fontawesome-webfont.woff2?v=4.6.2
...v15/DXI1ORHCpsQm3Vp6mXoaTRampu5_7CjHW5spxoeN3Vs.woff2
...v18/oMMgfZMQthOryQo9n22dcuvvDin1pK8aKteLpeZ5c0A.woff2
...images/pattern_1@2x.png
...v18/mnppfi9pxYH-Go5UiibESIpBw1xU1rKptJj_0jans920.woff2
...v18/d-6lYplOFocCacKzxwXSOJBw1xU1rKptJj_0jans920.woff2
...v18/RxZJdnzeo3R5zSexge8UUZBw1xU1rKptJj_0jans920.woff2
...v18/2tsd397wLxj96qwHyNlkxHYhjbSpvc47ee6xR_80Hnw.woff2
...extensions/revolution.extension.slideanims.min.js
...extensions/revolution.extension.actions.min.js
...extensions/revolution.extension.layeranimation.min.js
/wp-admin/admin-ajax.php
/css?family=...
...11/conteudos-cma-1024x799.jpg
...08/cma-series4-e1501168525765.jpg
...07/agencia-cma-1024x506.jpg
...assets/coloredbg.png
...assets/loader.gif

▼ Does not redirect HTTP traffic to HTTPS

If you've already set up HTTPS, make sure that you redirect all HTTP traffic to HTTPS. [Learn more.](#)



▼ Page load is not fast enough on 3G

A fast page load over a 3G network ensures a good mobile user experience. [Learn more.](#)
First Interactive was at 14,650 ms. More details in the "Performance" section.



▼ User will not be prompted to Install the Web App

Browsers can proactively prompt users to add your app to their homescreen, which can lead to higher engagement. [Learn more.](#)



Failures: No manifest was fetched, Site does not register a service worker, Service worker does not successfully serve the manifest's start_url.

✗

▼ Is not configured for a custom splash screen

A default splash screen will be constructed for your app, but satisfying these requirements guarantee a high-quality [splash screen](#) that transitions the user from tapping the home screen icon to your app's first paint

Failures: No manifest was fetched.

✗

▼ Address bar does not match brand colors

The browser address bar can be themed to match your site. [Learn more](#).

Failures: No manifest was fetched, No `<meta name="theme-color">` tag found.

▼ 3 Passed Audits

✓

▼ Contains some content when JavaScript is not available

Your app should display some content when JavaScript is disabled, even if it's just a warning to the user that JavaScript is required to use the app. [Learn more](#).

✓

▼ Has a `<meta name="viewport">` tag with width or initial-scale

Add a viewport meta tag to optimize your app for mobile screens. [Learn more](#).

✓

▼ Content is sized correctly for the viewport

If the width of your app's content doesn't match the width of the viewport, your app might not be optimized for mobile screens. [Learn more](#).

▼ Manual checks to verify

These checks are required by the baseline [PWA Checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually.

▼ Site works cross-browser

To reach the most number of users, sites should work across every major browser. [Learn more](#).

▼ Page transitions don't feel like they block on the network

Transitions should feel snappy as you tap around, even on a slow network, a key to perceived performance. [Learn more](#).

▼ Each page has a URL

Ensure individual pages are deep linkable via the URLs and that URLs are unique for the purpose of shareability on social media. [Learn more](#).


26


Performance

These encapsulate your app's current performance and opportunities to improve it.

Metrics

These metrics encapsulate your app's performance across a number of dimensions.





▼ First meaningful paint 10,270 ms

First meaningful paint measures when the primary content of a page is visible. [Learn more.](#)

▼ First Interactive (beta) 14,650 ms

First Interactive marks the time at which the page is minimally interactive. [Learn more.](#)

▼ Consistently Interactive (beta) 14,650 ms

Consistently Interactive marks the time at which the page is fully interactive. [Learn more.](#)

◀ ▶

▼ Perceptual Speed Index: 11,316 15

Speed Index shows how quickly the contents of a page are visibly populated. [Learn more.](#)

▼ Estimated Input Latency: 16 ms 100

The score above is an estimate of how long your app takes to respond to user input, in milliseconds. There is a 90% probability that a user encounters this amount of latency, or less. 10% of the time a user can expect additional latency. If your score is higher than Lighthouse's target score, users may perceive your app as laggy. [Learn more.](#)

Opportunities

These are opportunities to speed up your application by optimizing the following resources.

▼ Reduce render-blocking stylesheets 7,730 ms

External stylesheets are blocking the first paint of your page. Consider delivering critical CSS via `<style>` tags and deferring non-critical styles. [Learn more.](#)

▼ View Details

URL	Size (KB)	Delayed Paint By (ms)
...css/layerslider.css?ver=5.6.9	15.59 KB	913 ms
/css?family=...	1.95 KB	579 ms
...css/styles.css?ver=4.4.2	1.32 KB	604 ms
...css/settings.css?ver=5.2.6	36.11 KB	1,153 ms
...css/normalize.css?ver=2.6.1	8.28 KB	818 ms
...css/bootstrap.min.css?ver=2.6	115.69 KB	2,384 ms
...css/icomoon.css?ver=2.6.1	2.66 KB	787 ms

URL	Size (KB)	Delayed Paint By (ms)
...css/font-awesome.min.css?ve	28.5 KB	1,636 ms
...bestbuild/style.css?ver=2.6.1	97.64 KB	2,940 ms
...css/select2.css?ver=2.6.1	17.49 KB	1,819 ms
...css/vc.css?ver=2.6.1	24.69 KB	2,082 ms
...css/mobile.css?ver=2.6.1	14.97 KB	2,105 ms
...css/skin_custom_color.css?ve	2.36 KB	2,265 ms
...css/js_composer.min.css?ver=	445.75 KB	7,731 ms
/css?family=...	2.92 KB	651 ms
...css/prettyPhoto.min.css?ver=2	20.35 KB	3,083 ms
...assets/owl.min.css?ver=4.12	4.76 KB	2,820 ms
...animate-css/animate.min.css?	51.9 KB	3,981 ms

▼ Enable text compression

7,220 ms

1,339 KB

Text-based responses should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn more](#).

▼ View Details

Uncompressed resource URL	Original	GZIP Savings
...css/js_composer.min.css?ver=	446 KB	403 KB (90%)
...css/bootstrap.min.css?ver=2.6	115 KB	96 KB (83%)
...bestbuild/style.css?ver=2.6.1	97 KB	84 KB (86%)
...js/jquery.themepunch.tools.mir	105 KB	69 KB (66%)
...jquery/jquery.js?ver=1.12.4	95 KB	62 KB (65%)
...animate-css/animate.min.css?	52 KB	48 KB (93%)

Uncompressed resource URL	Original	GZIP Savings
...js/select2.min.js?ver=2.6.1	61 KB	44 KB (71%)
...js/jquery.themepunch.revolutio	55 KB	40 KB (73%)
/	50 KB	39 KB (78%)
...js/layerslider.kreaturamedia.jq	53 KB	35 KB (65%)
...js/greensock.js?ver=1.11.8	58 KB	31 KB (54%)
...owl-carousel2-dist/owl.carousel	40 KB	30 KB (75%)
...css/settings.css?ver=5.2.6	36 KB	28 KB (78%)
...js/bootstrap.min.js?ver=2.6.1	35 KB	26 KB (73%)
...extensions/revolution.extensions	32 KB	23 KB (72%)
...css/font-awesome.min.css?ve	28 KB	22 KB (77%)
...extensions/revolution.extensions	27 KB	21 KB (76%)
...css/vc.css?ver=2.6.1	24 KB	20 KB (84%)
...dist/vc_grid.min.js?ver=4.12	23 KB	19 KB (83%)
...js/layerslider.transitions.js?ver	21 KB	17 KB (85%)
...css/prettyPhoto.min.css?ver=2	20 KB	17 KB (86%)
...js/jquery.prettyPhoto.min.js?ve	23 KB	17 KB (74%)
...css/select2.css?ver=2.6.1	17 KB	15 KB (87%)
...dist/js_composer_front.min.js?	19 KB	13 KB (71%)
...css/layerslider.css?ver=5.6.9	15 KB	12 KB (81%)
...css/mobile.css?ver=2.6.1	15 KB	12 KB (84%)
...js/underscore.min.js?ver=1.8.3	16 KB	10 KB (65%)

Uncompressed resource URL	Original	GZIP Savings
...js/smoothscroll.js?ver=2.6.1	14 KB	10 KB (70%)
...js/jquery.form.min.js?ver=3.51	15 KB	9 KB (62%)
...js/scripts.js?ver=4.4.2	12 KB	8 KB (73%)
/wp-admin/admin-ajax.php	8 KB	6 KB (82%)
...js/wp-emoji-release.min.js?ver	10 KB	6 KB (62%)
...jquery/jquery-migrate.min.js?v	10 KB	6 KB (60%)
...js/custom.js?ver=2.6.1	8 KB	6 KB (73%)
...css/normalize.css?ver=2.6.1	8 KB	5 KB (68%)
...js/imagesloaded.pkgd.min.js?v	8 KB	5 KB (69%)
...extensions/revolution.extensions	8 KB	5 KB (71%)
...waypoints/waypoints.min.js?ve	8 KB	5 KB (67%)
...imagesloaded/imagesloaded.p	7 KB	4 KB (66%)
...assets/owl.min.css?ver=4.12	5 KB	3 KB (75%)
...css/icomoon.css?ver=2.6.1	2 KB	2 KB (75%)
...css/skin_custom_color.css?ve	2 KB	2 KB (78%)

▼ Reduce render-blocking scripts


6,400 ms

Script elements are blocking the first paint of your page. Consider inlining critical scripts and deferring non-critical ones. [Learn more](#).

▼ View Details

URL	Size (KB)	Delayed Paint By (ms)
...js/greensock.js?ver=1.11.8	58.57 KB	4,229 ms
...jquery/jquery.js?ver=1.12.4	95.17 KB	5,604 ms

URL	Size (KB)	Delayed Paint By (ms)
...jquery/jquery-migrate.min.js?v	10.08 KB	3,800 ms
...js/layerslider.kreaturamedia.jq	53.69 KB	4,960 ms
...js/layerslider.transitions.js?ver:	20.86 KB	4,936 ms
...js/jquery.themepunch.tools.mir	104.9 KB	6,399 ms
...js/jquery.themepunch.revolutio	55.36 KB	5,979 ms

▼ Offscreen images  1,680 ms
311 KB

Consider lazy-loading offscreen images to improve page load speed and time to interactive. [Learn more](#).

▼ View Details

URL	Original	Potential Savings
 ...11/conteudos-cma-1024x79	123 KB	123 KB (100%)
 ...07/agencia-cma-1024x506.j	113 KB	113 KB (100%)
 ...08/cma-series4-e150116852	58 KB	58 KB (100%)
 ...11/icondatacentercma.png	20 KB	17 KB (82%)

▼ Serve images as WebP  930 ms
173 KB

WebP provides better lossy and lossless compression than PNG or JPEG, which means faster downloads and less data consumption. [Learn more](#).

▼ View Details

URL	Original	Potential Savings
 ...07/slider.jpg	155 KB	95 KB (61%)
 ...11/conteudos-cma-1024x79	123 KB	22 KB (18%)
 ...11/icondatacentercma.png	20 KB	18 KB (87%)

URL	Original	Potential Savings
...07/agencia-cma-1024x506.j	113 KB	15 KB (14%)
◀ ▶		
...11/iconenovocma.png	17 KB	15 KB (87%)
...08/cma-series4-e150116852	58 KB	8 KB (14%)
◀ ▶		

▼ Properly size images

— 480 ms
89 KB

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn more](#).

▼ View Details

URL	Original	Potential Savings
...07/slider.jpg	155 KB	79 KB (51%)
◀ ▶		
...11/conteudos-cma-1024x79	123 KB	5 KB (4%)
◀ ▶		
...07/agencia-cma-1024x506.j	113 KB	5 KB (4%)
◀ ▶		

▼ Optimize images

— 40 ms
8 KB

Optimized images load faster and consume less cellular data. [Learn more](#).

▼ View Details

URL	Original	Potential Savings
...07/slider.jpg	155 KB	8 KB (5%)

Diagnostics

More information about the performance of your application.

▼ Has enormous network payloads: Total size was 2,663 KB

90

Network transfer size [costs users real money](#) and is [highly correlated](#) with long load times. Try to find ways to reduce the size of required files.

▼ View Details

URL	Total Size	Transfer Time
...css/js_composer.min.css?	446 KB	2,400 ms
◀ ▶		
...07/slider.jpg	155 KB	840 ms

URL	Total Size	Transfer Time
...11/conteudos-cma-1024x7	123 KB	660 ms
...css/bootstrap.min.css?ver=...	116 KB	620 ms
...07/agencia-cma-1024x506	114 KB	610 ms
/plugins/page.php?href=...	108 KB	580 ms
...js/jquery.themepunch.tools	105 KB	570 ms
...bestbuild/style.css?ver=2.6	98 KB	530 ms
...jquery/jquery.js?ver=1.12.4	95 KB	510 ms
...fonts/fontawesome-webfor	70 KB	380 ms

▼ Uses inefficient cache policy on static assets: 72 assets found

24

A long cache lifetime can speed up repeat visits to your page. [Learn more.](#)

▼ View Details

URL	Cache TTL	Size (KB)
...css/js_composer.min.css?	None	446 KB
...07/slider.jpg	None	155 KB
...11/conteudos-cma-1024x7	None	123 KB
...css/bootstrap.min.css?ver=...	None	116 KB
...07/agencia-cma-1024x506	None	114 KB
...js/jquery.themepunch.tools	None	105 KB
...bestbuild/style.css?ver=2.6	None	98 KB
...jquery/jquery.js?ver=1.12.4	None	95 KB

URL	Cache TTL	Size (KB)
...fonts/fontawesome-webfor	None	70 KB
...js/select2.min.js?ver=2.6.1	None	62 KB
...08/cma-series4-e1501168!	None	59 KB
...js/greensock.js?ver=1.11.8	None	59 KB
...js/jquery.themepunch.revo	None	55 KB
...js/layerslider.kreaturamedia	None	54 KB
...animate-css/animate.min.c	None	52 KB
...owl-carousel2-dist/owl.carousel	None	41 KB
...css/settings.css?ver=5.2.6	None	36 KB
...js/bootstrap.min.js?ver=2.6	None	36 KB
...css/font-awesome.min.css	None	29 KB
...css/vc.css?ver=2.6.1	None	25 KB
...dist/vc_grid.min.js?ver=4.1	None	24 KB
...js/jquery.prettyPhoto.min.js	None	23 KB
...js/layerslider.transitions.js?	None	21 KB
...11/iconodatacentercma.png	None	21 KB
...css/prettyPhoto.min.css?v	None	20 KB
...dist/js_composer_front.mir	None	19 KB

URL	Cache TTL	Size (KB)
...css/select2.css?ver=2.6.1	None	17 KB
...11/iconenovocma.png	None	17 KB
...js/underscore.min.js?ver=1.8.3	None	16 KB
...css/layerslider.css?ver=5.6.1	None	16 KB
...js/jquery.form.min.js?ver=3.2.2	None	15 KB
...css/mobile.css?ver=2.6.1	None	15 KB
...js/smoothscroll.js?ver=2.6.1	None	15 KB
...12/logo-cma-1.png	None	14 KB
...js/scripts.js?ver=4.4.2	None	12 KB
...jquery/jquery-migrate.min.js	None	10 KB
...js/wp-emoji-release.min.js	None	10 KB
...css/normalize.css?ver=2.6.1	None	8 KB
...js/imagesloaded.pkgd.min.js	None	8 KB
...waypoints/waypoints.min.js	None	8 KB
...js/custom.js?ver=2.6.1	None	8 KB
...imagesloaded/imagesloaded.js	None	7 KB
...assets/owl.min.css?ver=4.1.1	None	5 KB
...07/icon2.png	None	4 KB
...07/icon3.png	None	3 KB
...css/icomoon.css?ver=2.6.1	None	3 KB

URL	Cache TTL	Size (KB)
...css/skin_custom_color.css	None	2 KB
...assets/loader.gif	None	2 KB
...images/icon_brasil.png	None	2 KB
...07/bgslider.png	None	2 KB
...images/icon_usa.png	None	2 KB
...07/button.png	None	2 KB
...js/wp-embed.min.js?ver=4	None	2 KB
...images/icon_esp.png	None	2 KB
...images/pattern_1@2x.png	None	2 KB
...css/styles.css?ver=4.4.2	None	1 KB
...assets/coloredbg.png	None	0 KB
/analytics.js	2 h	15 KB
/css?family=...	1 d	3 KB
/css?family=...	1 d	3 KB
/css?family=...	1 d	2 KB
...p130x130/311193_436917	14 d	12 KB
...p50x50/13102653_102093	14 d	2 KB
...p50x50/19105875_143306	14 d	2 KB
...s50x50/184846_17156660	14 d	2 KB
...p50x50/18119405_101552	14 d	2 KB
...p50x50/10580197_818132	14 d	2 KB
...p50x50/11329855_660675	14 d	2 KB

URL	Cache TTL	Size (KB)
...p50x50/16299387_165495	14 d	2 KB
...p50x50/13001081_158643	14 d	2 KB
...p50x50/21231094_121641	14 d	2 KB
...p50x50/1379841_1015000	14 d	1 KB


▼ Critical Request Chains: 47

The Critical Request Chains below show you what resources are required for first render of this page. Improve load by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources. [Learn more](#).

Longest chain: **14,790.9ms** over 3 requests, totalling **2.92 KB**

▼ View critical network waterfall:

Initial Navigation



...js/jquery.themepunch.tools.min.js?ver=5.2.6 (www.cma.com.br)	- 6,393.8ms, 104.9 KB
...js/jquery.themepunch.revolution.min.js?ver=5.2.6 (www.cma.com.br)	- 5,972.7ms, 55.36 KB
...css/prettyPhoto.min.css?ver=4.12 (www.cma.com.br)	- 2,951.9ms, 20.35 KB
...assets/owl.min.css?ver=4.12 (www.cma.com.br)	- 2,688.4ms, 4.76 KB
...animate-css/animate.min.css?ver=4.12 (www.cma.com.br)	- 3,848.9ms, 51.9 KB
...js/jquery.form.min.js?ver=3.51.0-2014.06.20 (www.cma.com.br)	- 761.5ms, 15.15 KB
...js/scripts.js?ver=4.4.2 (www.cma.com.br)	- 688.7ms, 11.8 KB
...js/bootstrap.min.js?ver=2.6.1 (www.cma.com.br)	- 1,827.4ms, 35.57 KB
...js/smoothscroll.js?ver=2.6.1 (www.cma.com.br)	- 1,516.8ms, 14.67 KB
...js/select2.min.js?ver=2.6.1 (www.cma.com.br)	- 2,660.4ms, 61.62 KB
...js/imagesloaded.pkgd.min.js?ver=2.6.1 (www.cma.com.br)	- 1,173.8ms, 8.18 KB
...js/custom.js?ver=2.6.1 (www.cma.com.br)	- 1,198.6ms, 7.99 KB
...js/wp-embed.min.js?ver=4.5.6 (www.cma.com.br)	- 2,889.6ms, 1.63 KB
...dist/js_composer_front.min.js?ver=4.12 (www.cma.com.br)	- 1,223.3ms, 18.91 KB
...js/jquery.prettyPhoto.min.js?ver=4.12 (www.cma.com.br)	- 1,056.3ms, 23.28 KB
...owl-carousel2-dist/owl.carousel.min.js?ver=4.12 (www.cma.com.br)	- 1,343.8ms, 40.62 KB
...imagesloaded/imagesloaded.pkgd.min.js?ver=4.5.6 (www.cma.com.br)	- 739ms, 7.04 KB
...js/underscore.min.js?ver=1.8.3 (www.cma.com.br)	- 929.8ms, 16.28 KB
...waypoints/waypoints.min.js?ver=4.12 (www.cma.com.br)	- 746.9ms, 8.11 KB
...dist/vc_grid.min.js?ver=4.12 (www.cma.com.br)	- 874.7ms, 23.58 KB
...fonts/fontawesome-webfont.woff2?v=4.6.2 (www.cma.com.br)	- 2,997.6ms, 70.35 KB
...v15/DXI1ORHCpsQm3Vp6mXoaTRampu5_7CjHW5spxoeN3Vs.woff2 (fonts.gstatic.com)	- 1
...v18/oMMgfZMQthOryQo9n22dcuvvDin1pK8aKteLpeZ5c0A.woff2 (fonts.gstatic.com)	- 1,211.
...v18/mnpfi9pxYH-Go5UiibESlpBw1xU1rKptJj_0jans920.woff2 (fonts.gstatic.com)	- 1,315ms,
...v18/d-6IYplOFocCacKzxwXSOJBw1xU1rKptJj_0jans920.woff2 (fonts.gstatic.com)	- 1,332.7ms
...v18/RxZJdnzeo3R5zSexge8UUZBw1xU1rKptJj_0jans920.woff2 (fonts.gstatic.com)	- 1,338.1

▼ Main thread work breakdown: 1,210 ms

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this.

▼ View Details

Category	Work	Time spent
Style & Layout	Recalculate Style	222 ms
Style & Layout	Layout	177 ms
Script Evaluation	Evaluate Script	272 ms
Script Evaluation	Animation Frame Fired	72 ms
Script Evaluation	XHR Ready State Change	15 ms

Category	Work	Time spent
Script Evaluation	Run Microtasks	4 ms
Script Evaluation	XHR Load	0 ms
Parsing DOM	Parse HTML	137 ms
Parsing DOM	Parse Stylesheet	47 ms
Compositing	Update Layer Tree	69 ms
Compositing	Composite Layers	21 ms
Compositing	Hit Test	2 ms
Script Parsing & Compile	Compile Script	86 ms
Garbage collection	DOM GC	29 ms
Garbage collection	Major GC	13 ms
Garbage collection	Minor GC	13 ms
Paint	Paint	30 ms

▼ 5 Passed Audits

▼ Keep server response times low (TTFB): 570 ms

Time To First Byte identifies the time at which your server sends a response. [Learn more.](#)

▼ Avoids page redirects: 0 ms

Redirects introduce additional delays before the page can be loaded. [Learn more.](#) ✓

▼ Avoids an excessive DOM size: 483 nodes

100

Browser engineers recommend pages contain fewer than ~1,500 DOM nodes. The sweet spot is a tree depth < 32 elements and fewer than 60 children/parent element. A large DOM can increase memory usage, cause longer [style calculations](#), and produce costly [layout reflows](#). [Learn more.](#)

▼ View details

Total DOM Nodes	DOM Depth	Maximum Children
483 target: < 1,500 nodes	32 target: < 32	58 target: < 60 nodes

▼ User Timing marks and measures: 0

Consider instrumenting your app with the User Timing API to create custom, real-world measurements of key user experiences. [Learn more.](#)

▼ JavaScript boot-up time is high (> 4s): 700 ms

✓

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this.

▼ View Details

URL	Script Evaluation	Script Parsing & Compile
/	84 ms	2 ms
..js/jquery.themepunch.tools	76 ms	9 ms
◀ [REDACTED] ▶		
/bubble_compiled.js	28 ms	13 ms
/plugins/page.php?href=...	25 ms	2 ms
...js/greensock.js?ver=1.11.8	25 ms	0 ms
◀ [REDACTED] ▶		
/analytics.js	20 ms	1 ms
..jquery/jquery.js?ver=1.12.4	11 ms	9 ms
◀ [REDACTED] ▶		
...r/r5-hnip4M0U.js	12 ms	7 ms
...r/LWpAFGv_XSa.js	4 ms	13 ms
...js/layerslider.transitions.js?	13 ms	0 ms
◀ [REDACTED] ▶		
...js/layerslider.kreaturamedia.	8 ms	1 ms
◀ [REDACTED] ▶		
...js/select2.min.js?ver=2.6.1	6 ms	1 ms
◀ [REDACTED] ▶		
...js/jquery.form.min.js?ver=3	3 ms	3 ms
◀ [REDACTED] ▶		
...js/underscore.min.js?ver=1	2 ms	4 ms
◀ [REDACTED] ▶		
...js/bootstrap.min.js?ver=2.6	6 ms	0 ms
◀ [REDACTED] ▶		
...js/wp-emoji-release.min.js'	4 ms	1 ms
◀ [REDACTED] ▶		
...en_US/MjDvliV40DR.js	1 ms	4 ms
...jquery/jquery-migrate.min.j	4 ms	1 ms
◀ [REDACTED] ▶		
/wp-admin/admin-ajax.php	4 ms	0 ms
...extensions/revolution.exten	4 ms	0 ms
◀ [REDACTED] ▶		

URL	Script Evaluation	Script Parsing & Compile
...extensions/revolution.exten...	4 ms	0 ms
...js/jquery.themepunch.revo...	0 ms	3 ms
...dist/vc_grid.min.js?ver=4.1	1 ms	2 ms
...dist/js_composer_front.mir...	1 ms	2 ms
...extensions/revolution.exten...	3 ms	0 ms
...owl-carousel2-dist/owl.carousel.js	1 ms	1 ms
...js/scripts.js?ver=4.4.2	0 ms	2 ms
...js/jquery.prettyPhoto.min.js	0 ms	2 ms
...imagesloaded/imagesload...	0 ms	1 ms
...waypoints/waypoints.min.js	1 ms	1 ms
...js/smoothscroll.js?ver=2.6...	0 ms	1 ms
...js/imagesloaded.pkgd.min...	0 ms	1 ms
...js/custom.js?ver=2.6.1	0 ms	0 ms
...js/wp-embed.min.js?ver=4...	0 ms	0 ms

Accessibility

These checks highlight opportunities to [improve the accessibility of your app.](#)

72

Elements Use Attributes Correctly

These are opportunities to improve the configuration of your HTML elements.

▼ **Image elements do not have [alt] attributes.**

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more.](#)

X

▼ **View failing elements**

```




```

Elements Have Discernable Names

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

▼ Buttons do not have an accessible name. ✖

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn more](#).

▼ View failing elements

```
<button>
```

▼ Links do not have a discernable name. ✖

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn more](#).

▼ View failing elements

```
<a href="http://www.cma.com.br/">
<a href="http://www.cma.com.br/esp">
<a href="http://www.cma.com.br/eng">
<a target="_blank" href="https://www.facebook.com/cmamarkets/" style="padding: 32px 15px;color: #FFF;position: relative;top: 10px;">
<a target="_blank" href="https://twitter.com/agenciacma" style="padding: 32px 15px;color: #FFF;position: relative;top: 10px;">
<a target="_blank" href="https://www.youtube.com/CMAMarkets/" style="padding: 32px 15px;color: #FFF;position: relative;top: 10px;">
<a target="_blank" href="https://www.linkedin.com/company-beta/492424/" style="padding: 32px 15px;color: #FFF;position: relative;top: 10px;">
<a style="width:100%;height:100%;display:block" target="_self" href="http://www.cma.com.br/site_cma/?page_id=529">
<a href="http://www.cma.com.br/?page_id=1825">
<a href="http://www.cma.com.br/?page_id=1825">
<a href="http://www.cma.com.br/?page_id=1863">
<a href="http://www.cma.com.br/?page_id=1863">
<a href="http://www.cma.com.br/?page_id=1883">
<a href="http://www.cma.com.br/?page_id=1883">
<a href="http://www.cma.com.br/?page_id=1889">
```

```
<a href="http://www.cma.com.br/?page_id=1889">  
<a href="http://www.cma.com.br/?page_id=1889">
```

Elements Describe Contents Well

These are opportunities to make your content easier to understand for a user of assistive technology, like a screen reader.

▼ <frame> or <iframe> elements do not have a title. ✖

Screen reader users rely on frame titles to describe the contents of frames. [Learn more](#).

▼ View failing elements

```
<iframe src="https://www.facebook.com/plugins/page.php?  
href=https%3A%2F%2Fwww.facebook.com%2Fcmamarkets&tabs&width=340&  
amp;height=214&small_header=false&adapt_container_width=true&  
;hide_cover=false&show_facepile=true&appId" width="340"  
height="214" style="border:none;overflow:hidden" scrolling="no"  
frameborder="0" allowtransparency="true">
```

Elements Are Well Structured

These are opportunities to make sure your HTML is appropriately structured.

▼ Lists do not contain only elements and script supporting elements (<script> and <template>). ✖

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more](#).

▼ View failing elements

```
<ul id="menu-menu-principal-2" class="menu">
```

▼ 7 Passed Audits

▼ Elements Use Attributes Correctly

These are opportunities to improve the configuration of your HTML elements.

▼ [accesskey] values are unique. ✓

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more](#).

▼ <audio> elements contain a <track> element with [kind="captions"]. ✓

Captions make audio elements usable for deaf or hearing-impaired users, providing critical information such as who is talking, what they're saying, and other non-speech information. [Learn more](#).

▼ <input type="image"> elements have [alt] text. ✓

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more](#).

▼ No element has a [tabindex] value greater than 0. ✓

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more](#).

▼ Cells in a <table> element that use the [headers] attribute only refer to other cells of that same table. ✓

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more](#).

- ▼ <th> elements and elements with [role="columnheader"/"rowheader"] have data cells they describe. ✓

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more](#).

▼ ARIA Attributes Follow Best Practices

These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

- ▼ [aria-*] attributes match their roles. ✓

Each ARIA `role` supports a specific subset of `aria-*` attributes. Mismatching these invalidates the `aria-*` attributes. [Learn more](#).

- ▼ [role]s have all required [aria-*] attributes. ✓

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more](#).

- ▼ Elements with [role] that require specific children [role]s, are present. ✓

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more](#).

- ▼ [role]s are contained by their required parent element. ✓

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more](#).

- ▼ [role] values are valid. ✓

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more](#).

- ▼ [aria-*] attributes have valid values. ✓

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more](#).

- ▼ [aria-*] attributes are valid and not misspelled. ✓

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more](#).

▼ Elements Describe Contents Well

These are opportunities to make your content easier to understand for a user of assistive technology, like a screen reader.

- ▼ The page contains a heading, skip link, or landmark region. ✓

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more](#).

- ▼ Document has a <title> element. ✓

Screen reader users use page titles to get an overview of the contents of the page. [Learn more](#).

- ▼ Form elements have associated labels. ✓

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more](#).

- ▼ Presentational `<table>` elements avoid using `<th>`, `<caption>` or the `[summary]` attribute.

A table being used for layout purposes should not include data elements, such as the `th` or `caption` elements or the `summary` attribute, because this can create a confusing experience for screen reader users. [Learn more](#).

- ▼ `<object>` elements have `[alt]` text.

Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. [Learn more](#).

- ▼ `<video>` elements contain a `<track>` element with `[kind="captions"]`.

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more](#).

- ▼ `<video>` elements contain a `<track>` element with `[kind="description"]`.

Audio descriptions provide relevant information for videos that dialogue cannot, such as facial expressions and scenes. [Learn more](#).

▼ Color Contrast Is Satisfactory

These are opportunities to improve the legibility of your content.

- ▼ Background and foreground colors have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn more](#).

▼ Elements Are Well Structured

These are opportunities to make sure your HTML is appropriately structured.

- ▼ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>` or `<template>` elements.

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more](#).

- ▼ Definition list items are wrapped in `<dl>` elements.

Definition list items (``<dt>`` and ``<dd>``) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn more](#).

- ▼ `[id]` attributes on the page are unique.

The value of an id attribute must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more](#).

- ▼ List items (``) are contained within `` or `` parent elements.

Screen readers require list items (````) to be contained within a parent `` or `` to be announced properly. [Learn more](#).

▼ Page Specifies Valid Language

These are opportunities to improve the interpretation of your content by users in different locales.

- ▼ `<html>` element has a `[lang]` attribute.

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more](#).

- ▼ `<html>` element has a valid value for its `[lang]` attribute.

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more](#).

▼ [lang] attributes have a valid value.

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more](#).



▼ Meta Tags Used Properly

These are opportunities to improve the user experience of your site.

▼ The document does not use <meta http-equiv="refresh">.

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more](#).



▼ [user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more](#).



Best Practices

We've compiled some recommendations for modernizing your web app and avoiding performance pitfalls.



63

6 Failed Audits

▼ Does not use HTTPS: 71 insecure requests found



All sites should be protected with HTTPS, even ones that don't handle sensitive data. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more](#).

▼ Insecure URLs:

/
...css/layerslider.css?ver=5.6.9
/css?family=...
...css/styles.css?ver=4.4.2
...css/settings.css?ver=5.2.6
...css/normalize.css?ver=2.6.1
...css/bootstrap.min.css?ver=2.6.1
...css/icomoon.css?ver=2.6.1
...css/font-awesome.min.css?ver=2.6.1
...bestbuild/style.css?ver=2.6.1
...css/select2.css?ver=2.6.1
...css/vc.css?ver=2.6.1
...css/mobile.css?ver=2.6.1
...css/skin_custom_color.css?ver=2.6.1
...css/js_composer.min.css?ver=4.12
/css?family=...
...js/greensock.js?ver=1.11.8
...jquery/jquery.js?ver=1.12.4
...jquery/jquery-migrate.min.js?ver=1.4.1
...js/layerslider.kreaturamedia.jquery.js?ver=5.6.9
...js/layerslider.transitions.js?ver=5.6.9
...js/jquery.themepunch.tools.min.js?ver=5.2.6
...js/jquery.themepunch.revolution.min.js?ver=5.2.6

...js/wp-emoji-release.min.js?ver=4.5.6
...images/icon_brasil.png
...images/icon_esp.png
...images/icon_usa.png
...12/logo-cma-1.png
...07/slider.jpg
...07/bgslider.png
...07/button.png
...11/iconenovocma.png
...07/icon2.png
...07/icon3.png
...11/icondatacentercma.png
...css/prettyPhoto.min.css?ver=4.12
...assets/owl.min.css?ver=4.12
...animate-css/animate.min.css?ver=4.12
...js/jquery.form.min.js?ver=3.51.0-2014.06.20
...js/scripts.js?ver=4.4.2
...js/bootstrap.min.js?ver=2.6.1
...js/smoothscroll.js?ver=2.6.1
...js/select2.min.js?ver=2.6.1
...js/imagesloaded.pkgd.min.js?ver=2.6.1
...js/custom.js?ver=2.6.1
...js/wp-embed.min.js?ver=4.5.6
...dist/js_composer_front.min.js?ver=4.12
...js/jquery.prettyPhoto.min.js?ver=4.12
...owl-carousel2-dist/owl.carousel.min.js?ver=4.12
...imagesloaded/imagesloaded.pkgd.min.js?ver=4.5.6
...js/underscore.min.js?ver=1.8.3
...waypoints/waypoints.min.js?ver=4.12
...dist/vc_grid.min.js?ver=4.12
...fonts/fontawesome-webfont.woff2?v=4.6.2
...v15/DXI1ORHCpsQm3Vp6mXoaTRampu5_7CjHW5spxoeN3Vs.woff2
...v18/oMMgfZMQthOryQo9n22dcuvvDin1pK8aKteLpeZ5c0A.woff2
...images/pattern_1@2x.png
...v18/mnpfi9pxYH-Go5UiibESlpBw1xU1rKptJj_0jans920.woff2
...v18/d-6lYplOFocCacKzxWXS0JBw1xU1rKptJj_0jans920.woff2
...v18/RxZJdnzeo3R5zSexge8UUZBw1xU1rKptJj_0jans920.woff2
...v18/2tsd397wLxj96qwHyNIkxHYhjbSpvc47ee6xR_80Hnw.woff2
...extensions/revolution.extension.slideanims.min.js
...extensions/revolution.extension.actions.min.js
...extensions/revolution.extension.layeranimation.min.js
/wp-admin/admin-ajax.php
/css?family=...
...11/conteudos-cma-1024x799.jpg
...08/cma-series4-e1501168525765.jpg
...07/agencia-cma-1024x506.jpg
...assets/coloredbg.png
...assets/loader.gif

- ▼ Does not use HTTP/2 for all of its resources: 59 requests were not handled over HTTP/2
HTTP/2 offers many benefits over HTTP/1.1, including binary headers, multiplexing, and server push. [Learn more.](#)

✖

▼ View Details

URL	Protocol
-----	----------

URL	Protocol
/	http/1.1
...css/layerslider.css?ver=5.6.9	http/1.1
...css/styles.css?ver=4.4.2	http/1.1
...css/settings.css?ver=5.2.6	http/1.1
...css/normalize.css?ver=2.6.1	http/1.1
...css/bootstrap.min.css?ver=2.6.1	http/1.1
...css/icomoon.css?ver=2.6.1	http/1.1
...css/font-awesome.min.css?ver=2.6.1	http/1.1
...bestbuild/style.css?ver=2.6.1	http/1.1
...css/select2.css?ver=2.6.1	http/1.1
...css/vc.css?ver=2.6.1	http/1.1
...css/mobile.css?ver=2.6.1	http/1.1
...css/skin_custom_color.css?ver=2.6.1	http/1.1
...css/js_composer.min.css?ver=4.12	http/1.1
...js/greensock.js?ver=1.11.8	http/1.1
...jquery/jquery.js?ver=1.12.4	http/1.1
...jquery/jquery-migrate.min.js?ver=1.4.1	http/1.1
...js/layerslider.kreaturamedia.jquery.js?ver=	http/1.1
...js/layerslider.transitions.js?ver=5.6.9	http/1.1
...js/jquery.themepunch.tools.min.js?ver=5.2	http/1.1
...js/jquery.themepunch.revolution.min.js?ve	http/1.1
...js/wp-emoji-release.min.js?ver=4.5.6	http/1.1
...12/logo-cma-1.png	http/1.1
...07/slider.jpg	http/1.1
...07/bgslider.png	http/1.1

URL	Protocol
...07/button.png	http/1.1
...11/iconenovocma.png	http/1.1
...07/icon2.png	http/1.1
...07/icon3.png	http/1.1
...11/icondatcentercma.png	http/1.1
...css/prettyPhoto.min.css?ver=4.12	http/1.1
...assets/owl.min.css?ver=4.12	http/1.1
...animate-css/animate.min.css?ver=4.12	http/1.1
...js/jquery.form.min.js?ver=3.51.0-2014.06..	http/1.1
...js/scripts.js?ver=4.4.2	http/1.1
...js/bootstrap.min.js?ver=2.6.1	http/1.1
...js/smoothscroll.js?ver=2.6.1	http/1.1
...js/select2.min.js?ver=2.6.1	http/1.1
...js/imagesloaded.pkgd.min.js?ver=2.6.1	http/1.1
...js/custom.js?ver=2.6.1	http/1.1
...js/wp-embed.min.js?ver=4.5.6	http/1.1
...dist/js_composer_front.min.js?ver=4.12	http/1.1
...js/jquery.prettyPhoto.min.js?ver=4.12	http/1.1
...owl-carousel2-dist/owl.carousel.min.js?ve	http/1.1
...imagesloaded/imagesloaded.pkgd.min.js?	http/1.1
...js/underscore.min.js?ver=1.8.3	http/1.1
...waypoints/waypoints.min.js?ver=4.12	http/1.1
...dist/vc_grid.min.js?ver=4.12	http/1.1
...fonts/fontawesome-webfont.woff2?v=4.6.2	http/1.1

URL	Protocol
...images/pattern_1@2x.png	http/1.1
...extensions/revolution.extension.slideanim	http/1.1
...extensions/revolution.extension.actions.m	http/1.1
...extensions/revolution.extension.layeranim	http/1.1
/wp-admin/admin-ajax.php	http/1.1
...11/conteudos-cma-1024x799.jpg	http/1.1
...08/cma-series4-e1501168525765.jpg	http/1.1
...07/agencia-cma-1024x506.jpg	http/1.1
...assets/coloredbg.png	http/1.1
...assets/loader.gif	http/1.1

▼ Does not use passive listeners to improve scrolling performance ✖

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more](#).

▼ View Details

URL	Location
...js/smoothscroll.js?ver=2.6.1	line: 435

▼ Does not open external anchors using rel="noopener" ✖

Open new tabs using `rel="noopener"` to improve performance and prevent security vulnerabilities. [Learn more](#).

▼ View Details

URL	Target	Rel
/cmamarkets/	_blank	
/agenciacma	_blank	
/CMAMarkets/	_blank	
/company-beta/492424/	_blank	
/agenciacma/	_blank	
/agenciacma/	_blank	

URL	Target	Rel
/agenciacma/	_blank	

- ▼ Includes front-end JavaScript libraries with known security vulnerabilities: 1 vulnerability was detected. ✖

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers.

▼ View Details

Library Version	Vulnerability Count	Highest Severity
jQuery@1.12.4	1	Medium

- ▼ Manifest's short_name will be truncated when displayed on homescreen ✖
- Make your app's `short_name` fewer than 12 characters to ensure that it's not truncated on homescreens. [Learn more](#).

▼ 10 Passed Audits

- ▼ Avoids Application Cache ✓
- Application Cache is deprecated. [Learn more](#).
- ▼ Avoids WebSQL DB ✓
- Web SQL is deprecated. Consider using IndexedDB instead. [Learn more](#).
- ▼ Avoids Mutation Events in its own scripts ✓
- Mutation Events are deprecated and harm performance. Consider using Mutation Observers instead. [Learn more](#).
- ▼ Avoids document.write() ✓
- For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more](#).
- ▼ Avoids requesting the geolocation permission on page load ✓
- Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to user gestures instead. [Learn more](#).
- ▼ Avoids requesting the notification permission on page load ✓
- Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more](#).
- ▼ Avoids deprecated APIs ✓
- Deprecated APIs will eventually be removed from the browser. [Learn more](#).
- ▼ Allows users to paste into password fields ✓
- Preventing password pasting undermines good security policy. [Learn more](#)
- ▼ No browser errors logged to the console ✓
- Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns.
- ▼ Displays images with correct aspect ratio ✓
- Image display dimensions should match natural aspect ratio.

Generated by **Lighthouse** 2.6.0 on Dec 13, 2017, 6:00 AM GMT-2 | [File an issue](#)