Mathematical Relation:

Total count of characters in power set: power St = (1+1) = 2

$$2^{n} = n_{c_{\frac{1}{2}}} + n_$$

Since there are 2ⁿ terms, and 2 terms togeter gives 'n' char.

So, total number of chars in power set = $((2^n)/2)^n = 2^n(n-1)^n$

Permuation and combination in terms of arranament:

Permuation: Arranging 'r' distinct items at 'n' positions. Eg. Arranging 2 distinct items(a,b) at 3 positions. $3_{\frac{1}{2}} = 6$ Combination: Arranging 'r' identical items at 'n' positions. Eg. Arranging 2(i,i) at 3 positions $3c_2 = 3$

permutation of 2 identical items at 3 positions nCr
$$\frac{\dot{\nu}}{2c_{1}} = \frac{\dot{\nu}}{\dot{\nu}} - \frac{\dot{\nu}}{\dot{\nu}}$$

$$\frac{\dot{\nu}}{\dot{\nu}} = \frac{\dot{\nu}}{\dot{\nu}} + \frac{\dot{\nu}}{\dot{\nu}} = \frac{\dot{\nu}}{\dot{\nu}}$$


Since r = 2, it means against each combination there will be r! copies(2!=2) of permuation.

Default approach for permuation tree formation:

- 1. By fixing the position and taking input elements as options
- 2.By fixing the input elemnt and taking pisitions as options

of posture


2.By fixing the input elemnt and taking pisitions as options



Default approach for Combination tree formation:


- 1. Pascal_Identity based Include_Exclude_Tree tree
- 2. Pascal_Identity_Expansion based Include_Tree

Position fixing using include exclude tree



Question 1: Print permutation using modified default combination strategy i.e. using modified Include Exclude strategy

Target > print mpg using m(8 strategy



Question 2: Print combination using prermuation strategy of fixing input and taking position as options

Note: If we allow only to place the input in lexicographic order, then we will get combinations from permutation strategy.

