

Contacts Management API Documentation

Table of Contents

1. [Overview](#overview)
2. [Base URL](#base-url)
3. [Authentication](#authentication)
4. [Error Handling](#error-handling)
5. [API Endpoints](#api-endpoints)
 - [User Authentication](#user-authentication)
 - [User Management](#user-management)
 - [Contact Management](#contact-management)
 - [Tag Management](#tag-management)
 - [Payment Management](#payment-management)
 - [Admin Management](#admin-management)
 - [Contact Import & Integration](#contact-import--integration)
 - [Scan & QR Code](#scan--qr-code)
 - [Reminders & Tasks](#reminders--tasks)
 - [Email & Communication](#email--communication)
 - [Account Management](#account-management)
 - [Other Endpoints](#other-endpoints)

Overview

The Contacts Management API is a comprehensive REST API for managing contacts, user authentication, and subscription plans. It supports multiple authentication methods including email/password, Google OAuth, Apple Sign-In, and LinkedIn OAuth.

Base URL

****Production:**** `https://100rjobf76.execute-api.eu-north-1.amazonaws.com``
****Local Development:**** `http://localhost:3000``

Authentication

The API uses JWT (JSON Web Token) based authentication. Include the token in the Authorization header:

```

Authorization: Bearer

```

Authentication Levels

1. ****No Authentication Required****: Public endpoints (signup, login, password reset)
2. ****User Authentication Required****: Most endpoints require valid JWT token
3. ****Admin Authentication Required****: Admin-only endpoints require both authentication and admin role

Error Handling

All API responses follow a consistent format:

Success Response

```
```json
{
 "status": "success",
 "message": "Operation completed successfully",

```

```
"data": {
 // Response data
}
}
```

```
Error Response
```json  
{  
  "status": "error",  
  "message": "Error description",  
  "error": "Detailed error message"  
}
```

```
### HTTP Status Codes  
- `200` - Success  
- `201` - Created  
- `400` - Bad Request  
- `401` - Unauthorized  
- `403` - Forbidden  
- `404` - Not Found  
- `409` - Conflict  
- `500` - Internal Server Error
```

```
## API Endpoints
```

```
## User Authentication
```

```
### 1. User Signup with Email
```

```
**Endpoint:** `POST /user/signup/email`
```

```
**Description:** Register a new user with email and password
```

```
**Authentication:** Not required
```

```
**Request Body:**  
```json  
{
 "email": "user@example.com",
 "password": "securePassword123",
 "firstname": "John",
 "lastname": "Doe",
 "referralCode": "abc123def456" // Optional
}
```

```
Response:
```json  
{  
  "status": "success",  
  "message": "Signup started. Please verify your email to activate your account.",  
  "data": {  
    "_id": "user_id",
```

```
"email": "user@example.com",
"registeredWith": "email",
"referUrl": "https://app.contacts.management/register?ref=user_referral_code"
}
}
```

2. User Signup with Phone Number

****Endpoint:**** `POST /user/signup/phoneNumber`

****Description:**** Register a new user with phone number and password

****Authentication:**** Not required

****Request Body:****

```
```json
{
 "countryCode": "91",
 "phoneNumber": "9876543210",
 "password": "securePassword123",
 "firstname": "John",
 "lastname": "Doe",
 "referralCode": "abc123def456", // Optional
 "apiType": "mobile" // "mobile" or "web"
}
```
```

****Response:****

```
```json
{
 "status": "pending",
 "message": "OTP sent to your WhatsApp number"
}
```
```

3. Verify Phone OTP

****Endpoint:**** `POST /user/signup/phoneNumber`

****Description:**** Complete phone number signup by verifying OTP

****Authentication:**** Not required

****Request Body:****

```
```json
{
 "countryCode": "91",
 "phoneNumber": "9876543210",
 "password": "securePassword123",
 "firstname": "John",
 "lastname": "Doe",
 "otp": "123456"
}
```
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Phone signup completed successfully",
 "data": {
 "_id": "user_id",
 "token": "jwt_token",
 "registeredWith": "phoneNumber",
 "referUrl": "https://app.contacts.management/register?ref=user_referral_code"
 }
}
```
```

4. Email Verification

****Endpoint:**** `POST /user/signup/email`

****Description:**** Verify email address using verification token

****Authentication:**** Not required

****Request Body:****

```
```json
{
 "verifyToken": "verification_token_from_email"
}
```
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Email verified successfully. You can now log in.",
 "data": {
 "token": "jwt_token",
 "registeredWith": "email"
 }
}
```
```

5. Resend Verification Email

****Endpoint:**** `POST /user/resendVerificationLink`

****Description:**** Resend email verification link

****Authentication:**** Not required

****Request Body:****

```
```json
{
 "email": "user@example.com"
}
```
```

****Response:****

```
```json
```

```
{
 "status": "success",
 "message": "Verification email resent successfully",
 "verificationLink": "https://app.contacts.management/user-verification?verificationToken=token"
}
...
```

#### ### 6. Unified Login

**\*\*Endpoint:\*\*** `POST /user/login`

**\*\*Description:\*\*** Login with email/password, Google token, or Apple token

**\*\*Authentication:\*\*** Not required

**\*\*Request Body (Email/Password):\*\***

```
```json
{
  "email": "user@example.com",
  "password": "securePassword123"
}
...
```

****Request Body (Phone/Password):****

```
```json
{
 "phonenumber": "9876543210",
 "countryCode": "91",
 "password": "securePassword123",
 "apiType": "mobile"
}
...
```

**\*\*Request Body (Google):\*\***

```
```json
{
  "googleToken": "google_id_token"
}
...
```

****Request Body (Apple):****

```
```json
{
 "appleToken": "apple_id_token"
}
...
```

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "Login successful",
  "data": {
    "token": "jwt_token",
    "hasAccess": true,
    "isTrialActive": true,
    "isPremium": false,

```

```
"trialEndsAt": "2024-01-15T00:00:00.000Z",
"registeredWith": "email",
"role": "user"
}
}
...`
```

7. Google OAuth Login

****Endpoint:**** `GET /user/google/login`

****Description:**** Get Google OAuth URL for login

****Authentication:**** Not required

****Query Parameters:****

- `ref` (optional): Referral code

****Response:****

```
```json
{
 "status": "success",
 "message": "Google OAuth URL generated",
 "url": "https://accounts.google.com/oauth/authorize?..."
}
...`
```

#### ### 8. Google OAuth Callback

**\*\*Endpoint:\*\*** `GET /user/google/callback`

**\*\*Description:\*\*** Handle Google OAuth callback

**\*\*Authentication:\*\*** Not required

**\*\*Query Parameters:\*\***

- `code`: Authorization code from Google

- `state`: State parameter containing referral code

**\*\*Response:\*\*** HTML page that posts message to parent window

#### ### 9. LinkedIn OAuth Login

**\*\*Endpoint:\*\*** `GET /user/linkedin/login`

**\*\*Description:\*\*** Get LinkedIn OAuth URL for login

**\*\*Authentication:\*\*** Not required

**\*\*Query Parameters:\*\***

- `ref` (optional): Referral code

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "LinkedIn OAuth URL generated",

```

```
"url": "https://www.linkedin.com/oauth/v2/authorization?..."
}
```

10. LinkedIn OAuth Callback

Endpoint: `GET /user/linkedin/callback`

Description: Handle LinkedIn OAuth callback

Authentication: Not required

Query Parameters:

- `code`: Authorization code from LinkedIn
- `state`: State parameter containing referral code

Response: HTML page that posts message to parent window

11. Logout

Endpoint: `POST /user/logout`

Description: Logout user and mark as inactive

Authentication: Required

Response:

```
```json
{
 "message": "Logout successful"
}
```

---

### ## User Management

#### ### 12. Get User Data

**Endpoint:** `POST /getUser`

**Description:** Get authenticated user's data

**Authentication:** Required

**Response:**

```
```json
{
  "status": "success",
  "message": "User data retrieved successfully",
  "data": {
    "_id": "user_id",
    "firstname": "John",
    "lastname": "Doe",
    "email": "user@example.com",
    "phonenumbers": [
      {
```

```

"countryCode": "91",
"number": "9876543210"
},
"profileImageUrl": "https://example.com/profile.jpg",
"isPremium": false,
"trialEnd": "2024-01-15T00:00:00.000Z",
"creditBalance": 0,
"referralCode": "abc123def456",
"tags": [
{
"tag_id": "tag_id",
"tag": "Family",
"emoji": "■"
}
],
"whatsappTemplates": [
{
"whatsappTemplate_id": "template_id",
"whatsappTemplateTitle": "Welcome Message",
"whatsappTemplateMessage": "Hey {{firstName}}! ■ Welcome...",
"whatsappTemplateIsFavourite": true
}
],
"emailTemplates": [
{
"emailTemplate_id": "template_id",
"emailTemplateTitle": "Welcome Email",
"emailTemplateSubject": "Welcome to Our Platform!",
"emailTemplateBody": "Hi {{firstName}}...",
"emailTemplateIsFavourite": true
}
]
}
}
...

```

13. Edit User Profile

****Endpoint:**** `POST /editProfile`

****Description:**** Update user profile information

****Authentication:**** Required

****Request Body (Form Data):****
 ...

```

firstname: John
lastname: Doe
designation: Software Engineer
company: Tech Corp
gender: Male
linkedin: https://linkedin.com/in/johndoe
instagram: https://instagram.com/johndoe
telegram: @johndoe
twitter: https://twitter.com/johndoe
facebook: https://facebook.com/johndoe

```


profileImage: [file] // Optional image file

```
***  
  
**Response:**  
```json  
{
 "status": "success",
 "message": "Profile updated successfully",
 "data": {
 "profileImageUrl": "https://s3.amazonaws.com/bucket/profile.jpg"
 }
}
```
```

14. Change Password

Endpoint: `POST /changePassword`

Description: Change user password

Authentication: Required

```
**Request Body:**  
```json  
{
 "currentPassword": "oldPassword123",
 "newPassword": "newPassword123"
}
```
```

```
**Response:**  
```json  
{
 "status": "success",
 "message": "Password changed successfully"
}
```
```

15. Email Password Reset

Endpoint: `POST /email`

Description: Send password reset email

Authentication: Not required

```
**Request Body:**  
```json  
{
 "email": "user@example.com"
}
```
```

```
**Response:**  
```json  
{
 "status": "success",
}
```

```
"message": "Password reset email sent"
}
```

#### ### 16. Phone Number Password Reset

**\*\*Endpoint:\*\*** `POST /phoneNumber`

**\*\*Description:\*\*** Send password reset OTP to phone

**\*\*Authentication:\*\*** Not required

**\*\*Request Body:\*\***

```
```json
{
  "phonenumber": "9876543210",
  "countryCode": "91"
}
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Password reset OTP sent"
}
```

---

### ## Contact Management

#### ### 17. Add/Edit Contact

**\*\*Endpoint:\*\*** `POST /addEditContact`

**\*\*Description:\*\*** Create or update a contact

**\*\*Authentication:\*\*** Required

**\*\*Request Body (Form Data):\*\***

```
contact_id: existing_contact_id // Optional, for updates
firstname: John
lastname: Doe
company: Tech Corp
designation: Software Engineer
emailaddresses: ["john@example.com", "j.doe@company.com"]
phonenumber: [{"countryCode": "91", "number": "9876543210"}]
website: https://johndoe.com
notes: Important client
linkedin: https://linkedin.com/in/johndoe
instagram: https://instagram.com/johndoe
telegram: @johndoe
twitter: https://twitter.com/johndoe
facebook: https://facebook.com/johndoe
contactImage: [file] // Optional image file
```

...

**\*\*Response:\*\***

```json

```
{
  "status": "success",
  "message": "Contact saved successfully",
  "data": {
    "contact_id": "contact_id",
    "contactImageUrl": "https://s3.amazonaws.com/bucket/contact.jpg"
  }
}
```

...

18. Get Contacts

****Endpoint:**** `POST /getContact`

****Description:**** Get user's contacts with pagination and filtering

****Authentication:**** Required

****Request Body:****

```json

```
{
 "page": 1,
 "limit": 10,
 "search": "john", // Optional search term
 "tag": "tag_id", // Optional tag filter
 "isFavourite": true // Optional favorite filter
}
```

...

**\*\*Response:\*\***

```json

```
{
  "status": "success",
  "message": "Contacts retrieved successfully",
  "data": {
    "contacts": [
      {
        "contact_id": "contact_id",
        "firstname": "John",
        "lastname": "Doe",
        "company": "Tech Corp",
        "designation": "Software Engineer",
        "emailaddresses": ["john@example.com"],
        "phonenumbers": [
          {
            "countryCode": "91",
            "number": "9876543210"
          }
        ],
        "website": "https://johndoe.com",
        "notes": "Important client",
        "linkedin": "https://linkedin.com/in/johndoe",
        "instagram": "https://instagram.com/johndoe",

```

```

"telegram": "@johndoe",
"twitter": "https://twitter.com/johndoe",
"facebook": "https://facebook.com/johndoe",
"contactImageUrl": "https://s3.amazonaws.com/bucket/contact.jpg",
"isFavourite": true,
"tags": [
{
"tag_id": "tag_id",
"tag": "Family",
"emoji": "■"
}
],
"tasks": [
{
"task_id": "task_id",
"taskDescription": "Follow up on project",
"taskDueDate": "2024-01-15T00:00:00.000Z",
"taskDueTime": "10:00",
"taskIsCompleted": false
}
],
"meetings": [
{
"meeting_id": "meeting_id",
"meetingTitle": "Project Discussion",
"meetingDescription": "Discuss project requirements",
"meetingStartDate": "2024-01-15T00:00:00.000Z",
"meetingStartTime": "14:00",
"meetingType": "online",
"meetingLink": "https://meet.google.com/abc-def-ghi",
"meetingLocation": ""
}
],
"activities": [
{
"action": "contact_created",
"type": "contact",
"title": "Contact Created",
"description": "New contact added",
"timestamp": "2024-01-01T00:00:00.000Z"
}
],
"createdAt": "2024-01-01T00:00:00.000Z",
"updatedAt": "2024-01-01T00:00:00.000Z"
}
}

```

19. Get Contact by ID

****Endpoint:**** `POST /getContactById`

****Description:**** Get specific contact by ID

****Authentication:**** Required

****Request Body:****

```
```json
{
 "contact_id": "contact_id"
}
```
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Contact retrieved successfully",
 "data": {
 // Same as contact object in getContact response
 }
}
```
```

20. Get All Contacts

****Endpoint:**** `POST /getAllContact`

****Description:**** Get all user's contacts without pagination

****Authentication:**** Required

****Response:****

```
```json
{
 "status": "success",
 "message": "All contacts retrieved successfully",
 "data": {
 "contacts": [
 // Array of contact objects
]
 }
}
```
```

21. Delete Contact

****Endpoint:**** `POST /deleteContact`

****Description:**** Delete a contact

****Authentication:**** Required

****Request Body:****

```
```json
{
 "contact_id": "contact_id"
}
```
```

```
**Response:**
```json
{
 "status": "success",
 "message": "Contact deleted successfully"
}
```
```

22. Delete All Contacts

****Endpoint:**** `POST /deleteAllContacts`

****Description:**** Delete all user's contacts

****Authentication:**** Required

```
**Response:**
```json
{
 "status": "success",
 "message": "All contacts deleted successfully"
}
```
```

23. Save Bulk Contacts

****Endpoint:**** `POST /save-bulk-contacts`

****Description:**** Import multiple contacts at once

****Authentication:**** Required

```
**Request Body:**
```json
{
 "contacts": [
 {
 "firstname": "John",
 "lastname": "Doe",
 "emailaddresses": ["john@example.com"],
 "phonenumbers": [{"countryCode": "91", "number": "9876543210"}]
 },
 {
 "firstname": "Jane",
 "lastname": "Smith",
 "emailaddresses": ["jane@example.com"],
 "phonenumbers": [{"countryCode": "1", "number": "1234567890"}]
 }
]
}
```
```

```
**Response:**
```json
{
 "status": "success",

```

```
"message": "Bulk contacts saved successfully",
"data": {
 "savedCount": 2,
 "failedCount": 0
}
}
...
```

---

## ## Tag Management

### ### 24. Add Tag

**\*\*Endpoint:\*\*** `POST /addTag`

**\*\*Description:\*\*** Create a new tag

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json
{
  "tag": "Important",
  "emoji": "■"
}
...
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Tag added successfully",
 "data": {
 "tag_id": "tag_id",
 "tag": "Important",
 "emoji": "■"
 }
}
...
```

### ### 25. Get Tags

**\*\*Endpoint:\*\*** `POST /getTag`

**\*\*Description:\*\*** Get user's tags

**\*\*Authentication:\*\*** Required

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "Tags retrieved successfully",
  "data": {
    "tags": [
      {
```

```
"tag_id": "tag_id",
"tag": "Family",
"emoji": "■"
},
{
"tag_id": "tag_id",
"tag": "Important",
"emoji": "■"
}
]
}
}
...
```

26. Edit Tag

****Endpoint:**** `POST /editTag`

****Description:**** Update a tag

****Authentication:**** Required

****Request Body:****

```
```json
{
"tag_id": "tag_id",
"tag": "Very Important",
"emoji": "■"
}
...
```

**\*\*Response:\*\***

```
```json
{
"status": "success",
"message": "Tag updated successfully"
}
...
```

27. Delete Tag

****Endpoint:**** `POST /deleteTag`

****Description:**** Delete a tag

****Authentication:**** Required

****Request Body:****

```
```json
{
"tag_id": "tag_id"
}
...
```

**\*\*Response:\*\***

```
```json
{
```



```
"status": "success",
"message": "Tag deleted successfully"
}
```

28. Assign/Unassign Tag to Contact

****Endpoint:**** `POST /assign-unassign-tag`

****Description:**** Assign or unassign a tag to/from a contact

****Authentication:**** Required

****Request Body:****

```
```json
{
 "contact_id": "contact_id",
 "tag_id": "tag_id",
 "action": "assign" // "assign" or "unassign"
}
```

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "Tag assigned to contact successfully"
}
```

29. Get Tags with Contacts

****Endpoint:**** `POST /getTagWithContact`

****Description:**** Get tags with their associated contacts

****Authentication:**** Required

****Response:****

```
```json
{
 "status": "success",
 "message": "Tags with contacts retrieved successfully",
 "data": {
 "tags": [
 {
 "tag_id": "tag_id",
 "tag": "Family",
 "emoji": "■",
 "contacts": [
 {
 "contact_id": "contact_id",
 "firstname": "John",
 "lastname": "Doe"
 }
]
 }
]
 }
}
```

```
]
}
}
...
```

---

## ## Payment Management

### ### 30. Get Payment Status

**\*\*Endpoint:\*\*** `POST /user/payment/status`

**\*\*Description:\*\*** Get user's current payment and plan status

**\*\*Authentication:\*\*** Required

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "Payment status retrieved successfully",
  "data": {
    "currentPlan": {
      "plan_id": "plan_id",
      "name": "Pro",
      "price": 29.99,
      "pricePeriod": "monthly"
    },
    "planActivatedAt": "2024-01-01T00:00:00.000Z",
    "planExpiresAt": "2024-02-01T00:00:00.000Z",
    "isPremium": true,
    "trialEnd": null,
    "creditBalance": 50,
    "autoRenewal": true,
    "remainingDays": []
  }
}
```
```

### ### 31. Create Payment Intent

**\*\*Endpoint:\*\*** `POST /user/payment/create-intent`

**\*\*Description:\*\*** Create payment intent for plan purchase

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json
{
  "planId": "plan_id",
  "autoRenewal": false
}
```
```

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "Payment intent created successfully",
  "data": {
    "paymentMethod": "stripe", // "credits" or "stripe"
    "clientSecret": "pi_stripe_client_secret", // Only if paymentMethod is "stripe"
    "canPayWithCredits": true,
    "creditCost": 29.99
  }
}
```
```

#### ### 32. Purchase with Credits

**\*\*Endpoint:\*\*** `POST /user/payment/purchase-with-credits`

**\*\*Description:\*\*** Purchase plan using user credits only

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json
{
  "planId": "plan_id",
  "autoRenewal": false
}
```
```

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "Plan purchased successfully with credits",
  "data": {
    "newPlan": {
      "plan_id": "plan_id",
      "name": "Pro",
      "price": 29.99
    },
    "remainingCredits": 20.01,
    "planActivatedAt": "2024-01-01T00:00:00.000Z",
    "planExpiresAt": "2024-02-01T00:00:00.000Z"
  }
}
```
```

#### ### 33. Confirm Stripe Payment

**\*\*Endpoint:\*\*** `POST /user/payment/confirm`

**\*\*Description:\*\*** Confirm Stripe payment and activate plan

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json
```

```
{
  "paymentIntentId": "pi_stripe_payment_intent_id"
}
...
```

```
**Response:**
```json
{
 "status": "success",
 "message": "Payment confirmed and plan activated successfully",
 "data": {
 "newPlan": {
 "plan_id": "plan_id",
 "name": "Pro",
 "price": 29.99
 },
 "planActivatedAt": "2024-01-01T00:00:00.000Z",
 "planExpiresAt": "2024-02-01T00:00:00.000Z"
 }
}
...
```

#### ### 34. Toggle Auto-renewal

**\*\*Endpoint:\*\*** `PATCH /user/payment/auto-renewal`

**\*\*Description:\*\*** Enable or disable auto-renewal for current plan

**\*\*Authentication:\*\*** Required

```
Request Body:
```json
{
  "autoRenewal": true
}
...
```

```
**Response:**
```json
{
 "status": "success",
 "message": "Auto-renewal updated successfully",
 "data": {
 "autoRenewal": true
 }
}
...
```

---

### ## Admin Management

#### ### 35. Admin Login

**\*\*Endpoint:\*\*** `POST /admin/login`

**\*\*Description:\*\*** Login as admin

**\*\*Authentication:\*\*** Not required

**\*\*Request Body:\*\***

```
```json
{
  "email": "admin@example.com",
  "password": "adminPassword123"
}
```
```

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "Admin login successful",
  "data": {
    "token": "admin_jwt_token",
    "role": "superadmin"
  }
}
```
```

#### ### 36. Get Admin Users

**\*\*Endpoint:\*\*** `GET /admin/users`

**\*\*Description:\*\*** Get all users (admin only)

**\*\*Authentication:\*\*** Required (Admin)

**\*\*Query Parameters:\*\***

- `page` (optional): Page number
- `limit` (optional): Items per page
- `search` (optional): Search term

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "Users retrieved successfully",
  "data": {
    "users": [
      {
        "_id": "user_id",
        "firstname": "John",
        "lastname": "Doe",
        "email": "user@example.com",
        "role": "user",
        "isPremium": false,
        "createdAt": "2024-01-01T00:00:00.000Z",
        "lastSeen": "2024-01-15T00:00:00.000Z"
      }
    ],
    "totalUsers": 100,
    "currentPage": 1,
    "totalPages": 10
  }
}
```
```

```
}
}
...
```

### ### 37. Get Admin Plans

**\*\*Endpoint:\*\*** `GET /admin/plans`

**\*\*Description:\*\*** Get all subscription plans (admin only)

**\*\*Authentication:\*\*** Required (Admin)

**\*\*Response:\*\***

```
```json  
{  
  "status": "success",  
  "message": "Plans retrieved successfully",  
  "data": {  
    "plans": [  
      {  
        "_id": "plan_id",  
        "name": "Free",  
        "price": 0,  
        "pricePeriod": "monthly",  
        "features": ["Basic contact management"],  
        "isActive": true,  
        "createdAt": "2024-01-01T00:00:00.000Z"  
      },  
      {  
        "_id": "plan_id",  
        "name": "Pro",  
        "price": 29.99,  
        "pricePeriod": "monthly",  
        "features": ["Advanced contact management", "Unlimited contacts"],  
        "isActive": true,  
        "createdAt": "2024-01-01T00:00:00.000Z"  
      }  
    ]  
  }  
}  
```
```

### ### 38. Add/Edit Plan

**\*\*Endpoint:\*\*** `POST /admin/addEditPlan`

**\*\*Description:\*\*** Create or update a subscription plan (admin only)

**\*\*Authentication:\*\*** Required (Admin)

**\*\*Request Body:\*\***

```
```json  
{  
  "plan_id": "plan_id", // Optional, for updates  
  "name": "Premium",  
  "price": 49.99,  
  "pricePeriod": "monthly",  
}
```

```
"features": ["Advanced features", "Priority support"],
"isActive": true
}
...
```

```
**Response:**
```json
{
 "status": "success",
 "message": "Plan saved successfully",
 "data": {
 "plan_id": "plan_id"
 }
}
...
```

---

## ## Contact Import & Integration

### ### 60. Fetch Google Contacts

**Endpoint:** `GET /fetch-google-contacts`

**Description:** Get Google OAuth URL for contact import

**Authentication:** Required

```
Response:
```json
{
  "status": "success",
  "message": "Google OAuth URL generated",
  "url": "https://accounts.google.com/oauth/authorize?..."
}
...
```

61. Google Contacts Callback

Endpoint: `GET /fetch-google-contacts/google/callback`

Description: Handle Google OAuth callback and import contacts

Authentication: Not required

Query Parameters:

- `code`: Authorization code from Google
- `state`: State parameter

Response: HTML page that posts message to parent window

62. Fetch LinkedIn Contacts

Endpoint: `GET /fetch-linkedin-contacts`

Description: Get LinkedIn OAuth URL for contact import

****Authentication:** Required**

****Response:****

```
```json
{
 "status": "success",
 "message": "LinkedIn OAuth URL generated",
 "url": "https://www.linkedin.com/oauth/v2/authorization?..."
}
```
```

63. LinkedIn Contacts Callback

****Endpoint:**** `GET /fetch-linkedin-contacts/linkedin/callback`

****Description:**** Handle LinkedIn OAuth callback and import contacts

****Authentication:**** Not required

****Query Parameters:****

- `code`: Authorization code from LinkedIn
- `state`: State parameter

****Response:**** HTML page that posts message to parent window

64. Fetch HubSpot Contacts

****Endpoint:**** `GET /fetch-hubspot-contacts`

****Description:**** Get HubSpot OAuth URL for contact import

****Authentication:**** Required

****Response:****

```
```json
{
 "status": "success",
 "message": "HubSpot OAuth URL generated",
 "url": "https://app.hubspot.com/oauth/authorize?..."
}
```
```

65. HubSpot Contacts Callback

****Endpoint:**** `GET /fetch-hubspot-contacts/hubspot/callback`

****Description:**** Handle HubSpot OAuth callback and import contacts

****Authentication:**** Not required

****Query Parameters:****

- `code`: Authorization code from HubSpot
- `state`: State parameter

****Response:**** HTML page that posts message to parent window

66. Fetch Zoho Contacts

****Endpoint:**** `GET /fetch-zoho-contacts`

****Description:**** Get Zoho OAuth URL for contact import

****Authentication:**** Required

****Response:****

```
```json
{
 "status": "success",
 "message": "Zoho OAuth URL generated",
 "url": "https://accounts.zoho.com/oauth/v2/auth?..."
}
```
```

67. Zoho Contacts Callback

****Endpoint:**** `GET /fetch-zoho-contacts/zoho/callback`

****Description:**** Handle Zoho OAuth callback and import contacts

****Authentication:**** Not required

****Query Parameters:****

- `code`: Authorization code from Zoho
- `state`: State parameter

****Response:**** HTML page that posts message to parent window

Scan & QR Code

45. Scan User

****Endpoint:**** `POST /scan`

****Description:**** Scan a user using their QR code

****Authentication:**** Not required

****Request Body:****

```
```json
{
 "ScannerID": "67ef95cc9da0a004d4691015",
 "UserID": "67ffbebad9d8d9a32c8b9c5d"
}
```
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Scan successful",
 "data": {
 "iScanned": ["user_id_1", "user_id_2"],

```

```
"scannedMe": ["scanner_id_1", "scanner_id_2"]
}
}
...
```

#### ### 46. Get Scan Data

**\*\*Endpoint:\*\*** `POST /scan/get\_data`

**\*\*Description:\*\*** Get scan data for authenticated user

**\*\*Authentication:\*\*** Required

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "Scan data retrieved successfully",
  "data": {
    "iScanned": [
      {
        "_id": "user_id",
        "firstname": "John",
        "lastname": "Doe",
        "email": "john@example.com",
        "profileImageUrl": "https://example.com/profile.jpg"
      }
    ],
    "scannedMe": [
      {
        "_id": "scanner_id",
        "firstname": "Jane",
        "lastname": "Smith",
        "email": "jane@example.com",
        "profileImageUrl": "https://example.com/profile.jpg"
      }
    ]
  }
}
...
---
```

Reminders & Tasks

47. Get Reminders

****Endpoint:**** `GET /reminders/getReminders`

****Description:**** Get user's reminders

****Authentication:**** Required

****Response:****

```
```json
{
 "status": "success",
```

```
"message": "Reminders retrieved successfully",
"data": {
 "reminders": [
 {
 "_id": "reminder_id",
 "title": "Meeting with client",
 "description": "Discuss project requirements",
 "date": "2024-01-15T10:00:00.000Z"
 }
]
}
...
```

#### ### 48. Add/Edit Reminder

**\*\*Endpoint:\*\*** `POST /reminders/addEditReminder`

**\*\*Description:\*\*** Create or update a reminder

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json
{
  "reminder_id": "reminder_id", // Optional, for updates
  "title": "Follow up call",
  "description": "Call client about project status",
  "date": "2024-01-20T14:00:00.000Z"
}
...
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Reminder saved successfully",
 "data": {
 "reminder_id": "reminder_id"
 }
}
...
```

#### ### 49. Delete Reminder

**\*\*Endpoint:\*\*** `DELETE /reminders/deleteReminder`

**\*\*Description:\*\*** Delete a reminder

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json
{
  "reminder_id": "reminder_id"
}
...
```

```
**Response:**
```json
{
 "status": "success",
 "message": "Reminder deleted successfully"
}
```
```

71. Delete Task

****Endpoint:**** `POST /deleteTask`

****Description:**** Delete a task from a contact

****Authentication:**** Required

```
**Request Body:**
```json
{
 "contact_id": "contact_id",
 "task_id": "task_id"
}
```
```

```
**Response:**
```json
{
 "status": "success",
 "message": "Task deleted successfully"
}
```
```

72. Delete Meeting

****Endpoint:**** `POST /deleteMeeting`

****Description:**** Delete a meeting from a contact

****Authentication:**** Required

```
**Request Body:**
```json
{
 "contact_id": "contact_id",
 "meeting_id": "meeting_id"
}
```
```

```
**Response:**
```json
{
 "status": "success",
 "message": "Meeting deleted successfully"
}
```
```

Email & Communication

50. Send Email

****Endpoint:**** `POST /sendEmail`

****Description:**** Send email to contacts

****Authentication:**** Required

****Request Body:****

```
```json
{
 "contactIds": ["contact_id_1", "contact_id_2"],
 "subject": "Project Update",
 "message": "Here's the latest update on our project...",
 "templateId": "template_id" // Optional
}
```
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Email sent successfully",
 "data": {
 "sentCount": 2,
 "failedCount": 0
 }
}
```
```

51. WhatsApp/Email Activity Log

****Endpoint:**** `POST /whatsapp-email-activity`

****Description:**** Log WhatsApp or email activity

****Authentication:**** Required

****Request Body:****

```
```json
{
 "contactId": "contact_id",
 "type": "whatsapp", // "whatsapp" or "email"
 "message": "Sent follow-up message",
 "timestamp": "2024-01-15T10:00:00.000Z"
}
```
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Activity logged successfully"
}
```

```
}
...
```

#### ### 69. Get Contact Email

**\*\*Endpoint:\*\*** `POST /getContactEmail`

**\*\*Description:\*\*** Get contact's email addresses

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json  
{  
  "contact_id": "contact_id"  
}  
...
```

****Response:****

```
```json  
{
 "status": "success",
 "message": "Contact emails retrieved successfully",
 "data": {
 "emailaddresses": ["john@example.com", "j.doe@company.com"]
 }
}
...
```

---

### ## Account Management

#### ### 54. Connect Google Account

**\*\*Endpoint:\*\*** `POST /connect/google`

**\*\*Description:\*\*** Connect user's Google account for contact import

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json  
{  
  "accessToken": "google_access_token"  
}  
...
```

****Response:****

```
```json  
{
 "status": "success",
 "message": "Google account connected successfully"
}
...
```

#### ### 55. Google Account Callback

**\*\*Endpoint:\*\*** `GET /connect/google-callback`

**\*\*Description:\*\*** Handle Google OAuth callback for account connection

**\*\*Authentication:\*\*** Not required

**\*\*Query Parameters:\*\***

- `code`: Authorization code from Google
- `state`: State parameter

**\*\*Response:\*\*** HTML page that posts message to parent window

#### ### 56. Connect Microsoft Account

**\*\*Endpoint:\*\*** `POST /connect/microsoft`

**\*\*Description:\*\*** Connect user's Microsoft account for contact import

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json
{
  "accessToken": "microsoft_access_token"
}
```
```

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "Microsoft account connected successfully"
}
```
```

#### ### 57. Microsoft Account Callback

**\*\*Endpoint:\*\*** `GET /connect/microsoft-callback`

**\*\*Description:\*\*** Handle Microsoft OAuth callback for account connection

**\*\*Authentication:\*\*** Not required

**\*\*Query Parameters:\*\***

- `code`: Authorization code from Microsoft
- `state`: State parameter

**\*\*Response:\*\*** HTML page that posts message to parent window

#### ### 58. Connect SMTP

**\*\*Endpoint:\*\*** `POST /connect/smtp`

**\*\*Description:\*\*** Connect SMTP server for email sending

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json
{
  "host": "smtp.gmail.com",
  "port": 587,
  "user": "your-email@gmail.com",
  "password": "your-app-password",
  "secure": true
}
```
```

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "SMTP connected successfully"
}
```
```

#### ### 59. Disconnect Account

**\*\*Endpoint:\*\*** `POST /disconnect`

**\*\*Description:\*\*** Disconnect a connected account

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json
{
  "provider": "google" // "google", "microsoft", "smtp"
}
```
```

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "Account disconnected successfully"
}
```
```

---

#### ## Other Endpoints

##### ### 39. Get User Card

**\*\*Endpoint:\*\*** `GET /shareProfile`

**\*\*Description:\*\*** Get user's public profile card

**\*\*Authentication:\*\*** Not required

**\*\*Query Parameters:\*\***

- `user\_id` (optional): User ID to get profile for



```
Response:
```json
{
  "status": "success",
  "message": "User card retrieved successfully",
  "data": {
    "firstname": "John",
    "lastname": "Doe",
    "email": "user@example.com",
    "phonenumbers": [
      {
        "countryCode": "91",
        "number": "9876543210"
      }
    ],
    "linkedin": "https://linkedin.com/in/johndoe",
    "instagram": "https://instagram.com/johndoe",
    "profileImageUrl": "https://s3.amazonaws.com/bucket/profile.jpg"
  }
}
```
```

#### ### 40. Get My Referrals

**\*\*Endpoint:\*\*** `POST /my-referrals`

**\*\*Description:\*\*** Get user's referral information

**\*\*Authentication:\*\*** Required

```
Response:
```json
{
  "status": "success",
  "message": "Referrals retrieved successfully",
  "data": {
    "myReferrals": [
      {
        "_id": "referred_user_id",
        "firstname": "Jane",
        "lastname": "Smith",
        "email": "jane@example.com",
        "phonenumbers": [
          {
            "countryCode": "1",
            "number": "1234567890"
          }
        ],
        "signupDate": "2024-01-01T00:00:00.000Z"
      }
    ],
    "referralCode": "abc123def456",
    "referralUrl": "https://app.contacts.management/register?ref=abc123def456",
    "totalReferrals": 5,
    "totalCreditsEarned": 50
  }
}
```

```
}  
...
```

41. Help and Support

****Endpoint:**** `POST /help-support`

****Description:**** Submit help and support request

****Authentication:**** Required

****Request Body (Form Data):****

...

subject: Technical Issue

message: I'm having trouble with the app

priority: high // low, medium, high

attachments: [file] // Optional file attachment

...

****Response:****

```json

```
{
 "status": "success",
 "message": "Support request submitted successfully",
 "data": {
 "ticket_id": "ticket_id"
 }
}
```

...

#### ### 42. Get Contact Activities

**\*\*Endpoint:\*\*** `POST /getContactActivities`

**\*\*Description:\*\*** Get activities for a specific contact

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```json

```
{  
  "contact_id": "contact_id"  
}
```

...

****Response:****

```json

```
{
 "status": "success",
 "message": "Contact activities retrieved successfully",
 "data": {
 "activities": [
 {
 "action": "contact_created",
 "type": "contact",
 "title": "Contact Created",
 "description": "New contact added",
```

```
"timestamp": "2024-01-01T00:00:00.000Z"
},
{
 "action": "task_created",
 "type": "task",
 "title": "Task Created",
 "description": "Follow up on project",
 "timestamp": "2024-01-02T00:00:00.000Z"
}
]
}
}
...
```

#### ### 43. Check Duplicate User

**\*\*Endpoint:\*\*** `POST /check-duplicate-user`

**\*\*Description:\*\*** Check if email or phone number already exists

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json
{
  "email": "user@example.com",
  "phonenumber": "9876543210",
  "countryCode": "91"
}
...
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Duplicate check completed",
 "data": {
 "emailExists": false,
 "phoneExists": false
 }
}
...
```

#### ### 44. Webhook Endpoint

**\*\*Endpoint:\*\*** `POST /webhooks/stripe`

**\*\*Description:\*\*** Stripe webhook endpoint for payment events

**\*\*Authentication:\*\*** Not required (uses Stripe signature verification)

**\*\*Request Body:\*\*** Stripe webhook payload

**\*\*Response:\*\***

```
```json
{
  "status": "success",

```

```
"message": "Webhook processed successfully"
}
```

52. Get Plans

****Endpoint:**** `GET /plans/get`

****Description:**** Get all available subscription plans

****Authentication:**** Not required

****Response:****

```
```json
{
 "status": "success",
 "message": "Plans retrieved successfully",
 "data": {
 "plans": [
 {
 "_id": "plan_id",
 "name": "Free",
 "price": 0,
 "pricePeriod": "monthly",
 "features": ["Basic contact management"],
 "isActive": true
 },
 {
 "_id": "plan_id",
 "name": "Pro",
 "price": 29.99,
 "pricePeriod": "monthly",
 "features": ["Advanced contact management", "Unlimited contacts"],
 "isActive": true
 }
]
 }
}
```
```

53. Purchase Plan

****Endpoint:**** `POST /plans/purchase`

****Description:**** Purchase a subscription plan

****Authentication:**** Required

****Request Body:****

```
```json
{
 "planId": "plan_id",
 "paymentMethod": "stripe" // "stripe" or "credits"
}
```
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Plan purchased successfully",
 "data": {
 "newPlan": {
 "plan_id": "plan_id",
 "name": "Pro",
 "price": 29.99
 },
 "planActivatedAt": "2024-01-01T00:00:00.000Z",
 "planExpiresAt": "2024-02-01T00:00:00.000Z"
 }
}
```
```

68. Add to Favorites

****Endpoint:**** `POST /addToFavourite`

****Description:**** Add contact to favorites

****Authentication:**** Required

****Request Body:****

```
```json
{
 "contact_id": "contact_id",
 "isFavourite": true
}
```
```

****Response:****

```
```json
{
 "status": "success",
 "message": "Contact added to favorites"
}
```
```

70. Get Profile Events

****Endpoint:**** `POST /getProfileEvent`

****Description:**** Get user's profile events/activities

****Authentication:**** Required

****Response:****

```
```json
{
 "status": "success",
 "message": "Profile events retrieved successfully",
 "data": {
 "events": [
 {
 "action": "profile_updated",

```

```
"description": "Profile information updated",
"timestamp": "2024-01-15T10:00:00.000Z"
}
]
}
}
...

```

#### ### 73. Delete Template

**\*\*Endpoint:\*\*** `POST /deleteTemplate`

**\*\*Description:\*\*** Delete a WhatsApp or email template

**\*\*Authentication:\*\*** Required

**\*\*Request Body:\*\***

```
```json
{
  "template_id": "template_id",
  "template_type": "whatsapp" // "whatsapp" or "email"
}
...

```

****Response:****

```
```json
{
 "status": "success",
 "message": "Template deleted successfully"
}
...

```

#### ### 74. Delete User

**\*\*Endpoint:\*\*** `POST /deleteUser`

**\*\*Description:\*\*** Delete user account

**\*\*Authentication:\*\*** Required

**\*\*Response:\*\***

```
```json
{
  "status": "success",
  "message": "User account deleted successfully"
}
...

```

75. Sign Document

****Endpoint:**** `POST /sign`

****Description:**** Sign a document (if applicable)

****Authentication:**** Required

****Request Body:****

```
```json
{
 "document_id": "document_id",
 "signature": "base64_signature_data"
}
```
```

```
**Response:**
```json
{
 "status": "success",
 "message": "Document signed successfully"
}
```
```

76. Get User Info

****Endpoint:**** `POST /user-info`

****Description:**** Get detailed user information

****Authentication:**** Required

```
**Response:**
```json
{
 "status": "success",
 "message": "User info retrieved successfully",
 "data": {
 "userInfo": {
 "helps": ["Contact management", "Email templates"],
 "goals": "Grow my network",
 "categories": "Business",
 "employeeCount": "1-10",
 "companyName": "Tech Corp"
 }
 }
}
```
```

77. API Health Check

****Endpoint:**** `GET /check`

****Description:**** Check API health status

****Authentication:**** Not required

```
**Response:**
```json
{
 "message": "API checkPage"
}
```
```

78. Homepage

****Endpoint:**** `GET /`

****Description:**** API homepage

****Authentication:**** Not required

****Response:****

```json

```
{
 "message": "API Homepage"
}
```

```

Data Models

User Model

```json

```
{
 "_id": "ObjectId",
 "firstname": "String",
 "lastname": "String",
 "email": "String (unique)",
 "phonenumbers": [
 {
 "countryCode": "String",
 "number": "String"
 }
],
 "password": "String (hashed)",
 "salt": "String",
 "provider": "String (local|google|apple|linkedin)",
 "signupMethod": "String (email|phoneNumber|google|apple|linkedin)",
 "role": "String (user|superadmin)",
 "isVerified": "Boolean",
 "isActive": "Boolean",
 "isPremium": "Boolean",
 "plan": "ObjectId (ref: Plan)",
 "planActivatedAt": "Date",
 "planExpiresAt": "Date",
 "trialStart": "Date",
 "trialEnd": "Date",
 "creditBalance": "Number",
 "referralCode": "String (unique)",
 "referredBy": "ObjectId (ref: User)",
 "profileImageUrl": "String",
 "tags": [
 {
 "tag_id": "ObjectId",
 "tag": "String",
 "emoji": "String"
 }
],
 "whatsappTemplates": [
 {
 "whatsappTemplate_id": "ObjectId",
```



```

"whatsappTemplateTitle": "String",
"whatsappTemplateMessage": "String",
"whatsappTemplateIsFavourite": "Boolean"
},
],
"emailTemplates": [
{
"emailTemplate_id": "ObjectId",
"emailTemplateTitle": "String",
"emailTemplateSubject": "String",
"emailTemplateBody": "String",
"emailTemplateIsFavourite": "Boolean"
}
],
"createdAt": "Date",
"updatedAt": "Date"
}
...

```

### Contact Model

```

```json
{
  "_id": "ObjectId",
  "contact_id": "ObjectId (unique)",
  "firstname": "String",
  "lastname": "String",
  "company": "String",
  "designation": "String",
  "emailaddresses": ["String"],
  "phonenumbers": [
    {
      "countryCode": "String",
      "number": "String"
    }
  ],
  "website": "String",
  "notes": "String",
  "contactImageUrl": "String",
  "isFavourite": "Boolean",
  "tags": [
    {
      "tag_id": "ObjectId",
      "tag": "String",
      "emoji": "String"
    }
  ],
  "linkedin": "String",
  "instagram": "String",
  "telegram": "String",
  "twitter": "String",
  "facebook": "String",
  "tasks": [
    {
      "task_id": "ObjectId",
      "taskDescription": "String",
      "taskDueDate": "Date",
      "taskDueTime": "String",

```

```

    "tasksCompleted": "Boolean"
  },
  "meetings": [
    {
      "meeting_id": "ObjectId",
      "meetingTitle": "String",
      "meetingDescription": "String",
      "meetingStartDate": "Date",
      "meetingStartTime": "String",
      "meetingType": "String (online|offline)",
      "meetingLink": "String",
      "meetingLocation": "String"
    }
  ],
  "activities": [
    {
      "action": "String",
      "type": "String (contact|task|meeting|tag|email|whatsapp)",
      "title": "String",
      "description": "String",
      "timestamp": "Date"
    }
  ],
  "createdBy": "ObjectId (ref: User)",
  "createdAt": "Date",
  "updatedAt": "Date"
}
...

```

Rate Limiting

The API implements rate limiting to prevent abuse:

- **Authentication endpoints**: 10 requests per minute per IP
- **General endpoints**: 100 requests per minute per authenticated user
- **Admin endpoints**: 50 requests per minute per admin user

CORS

The API supports CORS for cross-origin requests from:

- `https://app.contacts.management`
- `http://localhost:3000` (development)

File Upload

File uploads are supported for:

- Profile images (max 5MB)
- Contact images (max 5MB)
- Support attachments (max 10MB)

Supported formats: JPG, PNG, GIF, PDF

Webhooks

The API supports Stripe webhooks for payment processing:

- Payment succeeded
- Payment failed
- Subscription created/updated/cancelled

Support

For API support and questions:

- Email: support@contacts.management
- Documentation: <https://docs.contacts.management>
- Status Page: <https://status.contacts.management>