Series Intro: Java 25 Design Patterns

Showcase map of problems across seasons
Season 0 · Overview · Beginner


Today's Hook

- Problem: Showcase map of problems across seasons
- Naive pain cue: Failure path is asserted in ProblemTest (injected fault / invalid input)
- We will refactor to Series Intro with a runnable Demo.
- Failure path is locked by ProblemTest.

The Problem

- Scenario: Showcase map of problems across seasons
- Constraints: solve «Showcase map of problems across seasons» with Series Intro — keep the demo runnable and the failure path observable.
- Naive pain: Naive sketch for: Showcase map of problems across seasons
- Success looks like: Season map loaded. Clone waqarys/java-design-patterns and follow series/README.md.

Structure



Series Intro: Showcase map of problems across seasons

Real-World Scenario

- Running example: Showcase map of problems across seasons
- Key boundary: Series Intro entry point + collaborators
- Happy-path stdout cue: Season map loaded. Clone waqarys/java-design-patterns and follow series/README.md.
- Failure-path stdout cue: Failure path is asserted in ProblemTest (injected fault / invalid input)

Naive Code

```
// Naive sketch for: Showcase map of problems across seasons
```

Why Naive Hurts

- Naive sketch for: Showcase map of problems across seasons
- Without Series Intro, call sites absorb the wrong details.
- Failure mode to show on camera: Failure path is asserted in ProblemTest (injected fault / invalid input)
- New requirements force shotgun edits across the naive code.

Solution

```
// Pattern solution for: Showcase map of problems across seasons
```

Runnable main

```
// showcase
```

Walkthrough Output

```
Season map loaded. Clone waqarys/java-design-patterns and follow series/README.md.
```

Step-by-Step Trace

- Match stdout to stages — look for: Season map loaded. Clone waqarys/java-design-patterns and follow series/README.md.
- Then the injected failure: Failure path is asserted in ProblemTest (injected fault / invalid input)
- Re-run: java -cp ... 00-series-intro ProblemDemo (see episode folder).
- Pause the video and predict the next printed line.

Modern Java 25 / Zazr

```
// Java 25 direction for Series Intro
// Prefer records + sealed where they shrink the demo.
// Problem: Showcase map of problems across seasons
```

Trade-offs

- Use Series Intro when «Showcase map of problems across seasons» repeats and a simpler feature does not erase it.
- Refuse extra types when a sealed switch or a function value already suffices.
- Teaching demos omit production metrics, retries, and multi-region clocks.
- Interview soundbite: state the force behind Series Intro in product language.

Related Patterns

- Name the pattern usually confused with Series Intro and separate the forces.
- Sketch the roles for «Showcase map of problems across seasons» from memory in sixty seconds.
- Point to the next episode in this season on the playlist map.
- Link this episode's series/ folder in the YouTube description.

Recap

- Problem: Showcase map of problems across seasons
- Naive pain → Series Intro boundary → Demo stdout.
- Remember the failure cue: Failure path is asserted in ProblemTest (injected fault / invalid input)
- Break a ProblemTest assertion, watch it fail, restore it.