The bidi *Package*

Source documentation for version 36.3

to my Master, ***Ferdowsi The Great***

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, or ask any questions about the package, then please use the issue tracker:

`https://github.com/persiantex/bidi/issues`

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

Copyright (c) 2007–2020 Vafa Khalighi
Copyright (c) 2018–2020 bidi-tex GitHub Organization

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the LaTeX Project Public License, either version 1.3c of this license or (at your option) any later version.

The bidi *Package*

Bidirectional typesetting in plain TEX and LATEX, using XeTEX engine

Source documentation for version 36.3

Vafa Khalighi*

May 17, 2020

Contents

1 File amsart-xetex-bidi.def 4
2 File adjmulticol-xetex-bidi.def 6
3 File algorithm2e-xetex-bidi.def 7
4 File amsbook-xetex-bidi.def 8
5 File amsmath-xetex-bidi.def 10
6 File amstext-xetex-bidi.def 11
7 File amsthm-xetex-bidi.def 11
8 File array-xetex-bidi.def 11
9 File article-xetex-bidi.def 12
10 File artikel1-xetex-bidi.def 16
11 File artikel2-xetex-bidi.def 21
12 File artikel3-xetex-bidi.def 26
13 File arydshln-xetex-bidi.def 32
14 File bidi.sty 34
15 File bidi.tex 41
16 File bidi2in1.sty 43
17 File bidicode.sty 45
18 File bidiftnxtra.sty 47
19 File bidimoderncv.cls 51
20 File bidi-perpage.sty 56
21 File biditools.sty 58
22 File bidituftefloat.sty 97
23 File bidituftesidenote.sty 109
24 File bidituftetoc.sty 120
25 File bidituftegeneralstructure.sty 123
26 File bidituftehyperref.sty 125
27 File bidituftetitle.sty 126
28 File biditufte-handout.cls 129

*Thanks to the bidi-tex GitHub organization consisted of David Carlisle and other members of the LATEX team to maintain the package in the period 2018–2020.

29 File biditufte-book.cls 129
30 File bidipoem.sty 130
31 File boek3-xetex-bidi.def 138
32 File boek-xetex-bidi.def 141
33 File bookest-xetex-bidi.def 145
34 File book-xetex-bidi.def 146
35 File breqn-xetex-bidi.def 150
36 File cals-xetex-bidi.def 151
37 File caption-xetex-bidi.def 152
38 File caption3-xetex-bidi.def 152
39 File colortbl-xetex-bidi.def 152
40 File color-xetex-bidi.def 153
41 File combine-xetex-bidi.def 154
42 File crop-xetex-bidi.def 154
43 File cutwin-xetex-bidi.def 156
44 File cuted-xetex-bidi.def 157
45 File cvthemebidicasual.sty 166
46 File cvthemebidiclassic.sty 168
47 File dblfnote-xetex-bidi.def 170
48 File diagbox-xetex-bidi.def 173
49 File draftwatermark-xetex-bidi.def 176
50 File eso-pic-xetex-bidi.def 176
51 File empheq-xetex-bidi.def 177
52 File extarticle-xetex-bidi.def 180
53 File extbook-xetex-bidi.def 183
54 File extletter-xetex-bidi.def 187
55 File extrafootnotefeatures-xetex-bidi.def 188
56 File extreport-xetex-bidi.def 222
57 File fancybox-xetex-bidi.def 226
58 File fancyhdr-xetex-bidi.def 226
59 File fix2col-xetex-bidi.def 227
60 File fleqn-xetex-bidi.def 228
61 File float-xetex-bidi.def 229
62 File floatrow-xetex-bidi.def 229
63 File flowfram-xetex-bidi.def 229
64 File footnote-xetex-bidi.def 232
65 File framed-xetex-bidi.def 239
66 File ftnright-xetex-bidi.def 243
67 File graphicx-xetex-bidi.def 248
68 File geometry-xetex-bidi.def 250
69 File hvfloat-xetex-bidi.def 251
70 File hyperref-xetex-bidi.def 257
71 File imsproc-xetex-bidi.def 270
72 File leqno-xetex-bidi.def 272
73 File letter-xetex-bidi.def 272
74 File lettrine-xetex-bidi.def 273
75 File lineno-xetex-bidi.def 276
76 File listings-xetex-bidi.def 276
77 File loadingorder-xetex-bidi.def 279
78 File longtable-xetex-bidi.def 285
79 File mathtools-xetex-bidi.def 287
80 File mdframed-xetex-bidi.def 287
81 File bidi-media9.sty 289
82 File memoir-xetex-bidi.def 301
83 File midfloat-xetex-bidi.def 304
84 File minitoc-xetex-bidi.def 309

85 File multicol-xetex-bidi.def 310
86 File multienum-xetex-bidi.def 314
87 File natbib-xetex-bidi.def 316
88 File newfloat-xetex-bidi.def 316
89 File ntheorem-xetex-bidi.def 317
90 File ntheorem-hyper-xetex-bidi.def 318
91 File overpic-xetex-bidi.def 318
92 File pdfbase-xetex-bidi.def 319
93 File pdfpages-xetex-bidi.def 319
94 File pgfcorescopes.code-xetex-bidi.def 320
95 File picinpar-xetex-bidi.def 322
96 File plain-xetex-bidi.def 324
97 File pstricks-xetex-bidi.def 326
98 File quotchap-xetex-bidi.def 327
99 File ragged2e-xetex-bidi.def 328
100 File rapport1-xetex-bidi.def 330
101 File rapport3-xetex-bidi.def 335
102 File refrep-xetex-bidi.def 340
103 File report-xetex-bidi.def 344
104 File rotating-xetex-bidi.def 348
105 File scrartcl-xetex-bidi.def 351
106 File scrbook-xetex-bidi.def 362
107 File scrlettr-xetex-bidi.def 374
108 File scrreprt-xetex-bidi.def 376
109 File sidecap-xetex-bidi.def 388
110 File soul-xetex-bidi.def 388
111 File stabular-xetex-bidi.def 389
112 File subfigure-xetex-bidi.def 390
113 File tabls-xetex-bidi.def 390
114 File tabularx-xetex-bidi.def 391
115 File tabulary-xetex-bidi.def 392
116 File tc-xetex-bidi.def 393
117 File tcolorbox-xetex-bidi.def 393
118 File titlesec-xetex-bidi.def 394
119 File titletoc-xetex-bidi.def 394
120 File tocbibind-xetex-bidi.def 395
121 File tocloft-xetex-bidi.def 397
122 File tocbasic-xetex-bidi.def 403
123 File tocstyle-xetex-bidi.def 416
124 File todonotes-xetex-bidi.def 421
125 File wrapfig-xetex-bidi.def 424
126 File xcolor-xetex-bidi.def 426
127 File latex-xetex-bidi.def 428
128 File xltxtra-xetex-bidi.def 447
129 Index 447

1 File amsart-xetex-bidi.def

```
\ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for XeT
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\le
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\part{\@startsection{part}{0}%
  \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
  {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}


\long\def\@footnotetext#1{%
  \insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \reset@font%
    \bidi@@footnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
```

```
  \insert\footins{%
    \@RTLtrue%
    \reset@font%
    \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
    \@RTLfalse%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
    \floatingpenalty\@MM \hsize\columnwidth
    \@parboxrestore \parindent\normalparindent \sloppy
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \@makefntext{%
      \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%

\renewenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
```

```
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
\def\maketitle{\par
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \@setcopyright
  \thispagestyle{firstpage}% this sets first page specifications
  \uppercasenonmath\shorttitle
  \ifx\@empty\shortauthors \let\shortauthors\shorttitle
  \else \andify\shortauthors
  \fi
  \@maketitle@hook
  \begingroup
  \@maketitle
  \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
  \toks4{\def\\{ \ignorespaces}}% defend against questionable usage
  \edef\@tempa{%
    \@nx\markboth{\the\toks4
      \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
  \@tempa
  \endgroup
  \c@footnote\z@
  \@cleartopmattertags
}
```

2 File adjmulticol-xetex-bidi.def

```
\ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol pac
\def\adjmulticols#1#2#3{\col@number#1\relax
  \def\@tempa{#2}%
  \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
  \def\@tempa{#3}%
  \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
  \ifnum\col@number<\@ne
     \PackageWarning{adjmulticol}%
      {Using `\number\col@number'
       columns doesn't seem a good idea.^^J
       I therefore use one columns instead}%
     \col@number\@ne\fi
  \ifnum\col@number>10
     \PackageError{adjmulticol}%
      {Too many columns}%
```

```
      {Current implementation doesn't
       support more than 10 columns.%
       \MessageBreak
       I therefore use 10 columns instead}%
     \col@number10 \fi
     \ifx\@footnotetext\mult@footnotetext\else
       \let\orig@footnotetext\@footnotetext
       \let\@footnotetext\mult@footnotetext
     \fi
     \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
       \let\orig@LTRfootnotetext\@LTRfootnotetext
       \let\@LTRfootnotetext\mult@LTRfootnotetext
     \fi
     \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
       \let\orig@RTLfootnotetext\@RTLfootnotetext
       \let\@RTLfootnotetext\mult@RTLfootnotetext
     \fi
  \@ifnextchar[\adjmult@cols{\adjmult@cols[]}}
\let\adjmc@page@sofar@orig=\page@sofar
```

3 File algorithm2e-xetex-bidi.def

```
\ProvidesFile{algorithm2e-xetex-bidi.def}[2018/09/23 v0.2 bidi adaptations for algorithm2e pac
\expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
\else%                                          else
\renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
\fi
\@ifpackageloaded{color}{}{%
  \bidi@patchcmd{\@algocf@start}{\bgroup}{%
    \bgroup
    \if@RTL
      \beginR
    \else
      \beginL
    \fi
  }{}{}
  \bidi@patchcmd{\@algocf@finish}{\egroup\end{lrbox}}{%
    \if@RTL
      \endR
    \else
      \endL
    \fi
    \egroup
    \end{lrbox}%
  }{}{}
  \bidi@patchcmd{\algocf@makecaption}{\hbox}{%
    \if@RTL
      \hboxR
    \else
      \hboxL
```

```
    \fi
  }{}{}
}
```

4 File amsbook-xetex-bidi.def

```
\ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for X
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\le
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}

\long\def\@footnotetext#1{%
  \insert\footins{%
   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
```

```
  \reset@font%
   \bidi@@footnotetext@font% \normalfont\footnotesize
   \interlinepenalty\interfootnotelinepenalty
   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
   \floatingpenalty\@MM \hsize\columnwidth
   \@parboxrestore \parindent\normalparindent \sloppy
   \protected@edef\@currentlabel{%
     \csname p@footnote\endcsname\@thefnmark}%
   \@makefntext{%
     \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}

\long\def\@RTLfootnotetext#1{%
  \insert\footins{%
   \@RTLtrue%
   \reset@font%
   \bidi@@RTLfootnotetext@font% \normalfont\footnotesize
   \interlinepenalty\interfootnotelinepenalty
   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
   \floatingpenalty\@MM \hsize\columnwidth
   \@parboxrestore \parindent\normalparindent \sloppy
   \protected@edef\@currentlabel{%
     \csname p@footnote\endcsname\@thefnmark}%
   \@makefntext{%
     \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\long\def\@LTRfootnotetext#1{%
  \insert\footins{%
   \@RTLfalse%
   \reset@font%
   \bidi@@LTRfootnotetext@font% \normalfont\footnotesize
   \interlinepenalty\interfootnotelinepenalty
   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
   \floatingpenalty\@MM \hsize\columnwidth
   \@parboxrestore \parindent\normalparindent \sloppy
   \protected@edef\@currentlabel{%
     \csname p@footnote\endcsname\@thefnmark}%
   \@makefntext{%
     \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}


\footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%

\renewenvironment{thebibliography}[1]{%
  \@bibtitlestyle
  \normalfont\bibliofont\labelsep .5em\relax
  \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
```

```
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}
\def\@makechapterhead#1{\global\topskip 7.5pc\relax
  \begingroup
  \fontsize{\@xivpt}{18}\bfseries\centering
    \ifnum\c@secnumdepth>\m@ne
      \leavevmode \hskip-\if@RTL\rightskip\else\leftskip\fi
      \rlap{\vbox to\z@{\vss
          \centerline{\normalsize\mdseries
              \uppercase\@xp{\chaptername}\enspace\thechapter}
          \vskip 3pc}}\hskip\if@RTL\rightskip\else\leftskip\fi\fi
     #1\par \endgroup
  \skip@34\p@ \advance\skip@-\normalbaselineskip
  \vskip\skip@ }
\def\maketitle{\par
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \begingroup
  \@maketitle
  \endgroup
  \c@footnote\z@
  \def\do##1{\let##1\relax}%
  \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
  \do\author \do\@xauthor \do\address \do\@xaddress
  \do\email \do\@xemail \do\curraddr \do\@xcurraddr
  \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
  \do\keywords \do\@keywords \do\subjclass \do\@subjclass
}
```

5 File amsmath-xetex-bidi.def

```
\ProvidesFile{amsmath-xetex-bidi.def}[2020/05/16 v1.2 bidi adaptations for amsmath package for
\let\veqno=\eqno
\iftagsleft@ \let\veqno=\leqno \fi
\renewcommand{\numberwithin}[3][\arabic]{%
  \@ifundefined{c@#2}{\@nocounterr{#2}}{%
    \@ifundefined{c@#3}{\@nocnterr{#3}}{%
      \@addtoreset{#2}{#3}%
      \@xp\xdef\csname the#2\endcsname{%
        \@xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}}%
}
\def\tagform@#1{\maketag@@@{\if@nonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\@@italiccorr
```

```
\bidi@patchcmd\math@cr@@@align\place@tag{%
    \place@tag
  \else
    \place@tag
}{}{}
```

6 File amstext-xetex-bidi.def

```
\ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package for
\def\textdef@#1#2#3{\hbox{{%
                    \everymath{#1}%
                    \let\f@size#2\selectfont
                    \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}
```

7 File amsthm-xetex-bidi.def

```
\ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for X
\def\@thmcountersep{\@SepMark}
```

8 File array-xetex-bidi.def

```
\ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for XeT
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \z@ \@chclass
   \if\@nextchar |\@ne \else
    \if \@nextchar !6 \else
     \if \@nextchar @7 \else
      \if \@nextchar <8 \else
       \if \@nextchar >9 \else
  10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
   \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
   \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}
\def\@tabular{%
```

```
  \leavevmode
  \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                    \let\d@llarend\endgroup
  \@tabarray}
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
\expandafter\let\csname endtabular*\endcsname=\endtabular
\def\@array[#1]#2{%
  \@tempdima \ht \strutbox
  \advance \@tempdima by\extrarowheight
  \setbox \@arstrutbox \hbox{\vrule
             \@height \arraystretch \@tempdima
             \@depth \arraystretch \dp \strutbox
             \@width \z@}%
  \begingroup
  \@mkpream{#2}%
  \xdef\@preamble{\noexpand \ialign \@halignto
                  \bgroup \@arstrut \@preamble
                          \tabskip \z@ \cr}%
  \endgroup
  \@arrayleft
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi \fi
  \bgroup
  \let \@sharp ##\let \protect \relax
  \lineskip \z@
  \baselineskip \z@
  \m@th
  \let\\\@arraycr \let\tabularnewline\\\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\@hboxRco
\def\@tabarray{\@ifnextchar[{\@array}{\@array[c]}}
\def\endarray{\crcr \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@preamb
\def\array{\col@sep\arraycolsep
  \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}%
  \@RTLtabfalse\@tabarray}
```

9 File `article-xetex-bidi.def`

```
\ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article cl
\if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
```

```
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
```

```
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
       \if@compatibility
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\renewcommand*\l@section[2]{%
```

```
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname\nobreakspace\thepart
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
    \vskip 3ex
    \@afterheading}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
      \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
```

```
575           {\settowidth\labelwidth{\@biblabel{#1}}%
576            \leftmargin\labelwidth
577            \advance\leftmargin\labelsep
578            \@openbib@code
579            \usecounter{enumiv}%
580            \let\p@enumiv\@empty
581            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
582      \sloppy
583      \clubpenalty4000
584      \@clubpenalty \clubpenalty
585      \widowpenalty4000%
586      \sfcode`\.\@m}
587     {\def\@noitemerr
588       {\@latex@warning{Empty `thebibliography' environment}}%
589      \endlist}
590 \renewenvironment{theindex}
591                {\if@twocolumn
592                   \@restonecolfalse
593                 \else
594                   \@restonecoltrue
595                 \fi
596                 \columnseprule \z@
597                 \columnsep 35\p@
598                 \twocolumn[\section*{\indexname}]%
599                 \@mkboth{\MakeUppercase\indexname}%
600                         {\MakeUppercase\indexname}%
601                 \thispagestyle{plain}\parindent\z@
602                 \parskip\z@ \@plus .3\p@\relax
603                 \let\item\@idxitem}
604                {\if@restonecol\onecolumn\else\clearpage\fi}
```

10 File artikel1-xetex-bidi.def

```
605 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class fo
606 \renewenvironment{theindex}{%
607   \if@twocolumn
608     \@restonecolfalse
609   \else
610     \@restonecoltrue
611   \fi
612   \columnseprule \z@
613   \columnsep 35\p@
614   \twocolumn[\section*{\indexname}]%
615   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
616   \thispagestyle{plain}\parindent\z@
617   \parskip\z@ \@plus .3\p@\relax
618   \let\item\@idxitem
619   }{%
620   \if@restonecol\onecolumn\else\clearpage\fi}
621 \renewcommand*\head@style{%
```

```
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
```

```
672         \everypar{\global\@nobreakfalse\everypar{}}%
673       \fi
674     \endgroup
675   \fi}
676 \else
677    \renewcommand*\l@part{%
678      \ifnum \c@tocdepth >-2\relax
679      \addpenalty\@secpenalty
680      \addvspace{2.25em \@plus \p@}%
681      \@regtocline{0}%
682    \fi}
683 \fi
684 \if@oldtoc
685 \renewcommand*\l@section[2]{%
686     \addpenalty\@secpenalty
687     \addvspace{1.0em \@plus\p@}%
688     \setlength\@tempdima{1.5em}%
689     \begingroup
690     \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
691     \parfillskip -\@pnumwidth
692     \leavevmode \bfseries
693     \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
694     \hskip -\if@RTL\rightskip\else\leftskip\fi
695     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
696    \endgroup}
697 \else
698    \renewcommand*\l@section{\@regtocline{1}}
699 \fi
700 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
701 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
702 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
703 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
704 \renewenvironment{thebibliography}[1]
705      {\section*{\refname}%
706        \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
707       \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
708       \bidi@@thebibliography@font@hook%
709       \list{\@biblabel{\@arabic\c@enumiv}}%
710            {\settowidth\labelwidth{\@biblabel{#1}}%
711             \leftmargin\labelwidth
712             \advance\leftmargin\labelsep
713             \@openbib@code
714             \usecounter{enumiv}%
715             \let\p@enumiv\@empty
716             \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
717       \sloppy\clubpenalty4000\widowpenalty4000%
718       \sfcode`\.\@m}
719      {\def\@noitemerr
720        {\@latex@warning{Empty `thebibliography' environment}}%
721       \endlist}
```

```
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
```

```
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
```

```
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

11 File artikel2-xetex-bidi.def

```
\ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
```

```
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \advance\@tempdima by \othermargin
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
```

```
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \section*{\hskip\unitindent\small\SectFont\abstractname}%
        \list{}{\setlength\listparindent{\unitindent}%
                \setlength\parindent    {\z@}%
                \setlength\leftmargin   {\unitindent}%
                \setlength\rightmargin  {\unitindent}%
                \setlength\parsep       {\z@}}%
        \item[]%
      \fi}
      {\if@twocolumn\else\par\endlist\fi}
\fi
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \hrule\@width 3\unitindent
  \kern 2.6\p@
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
  \kern 2.6\p@}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
```

```
      \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \bidi@@thebibliography@font@hook%
    \list{\@biblabel{\@arabic\c@enumiv}}%
         {\settowidth\labelwidth{\@biblabel{#1}}%
          \leftmargin\labelwidth
          \advance\leftmargin\labelsep
          \@openbib@code
          \usecounter{enumiv}%
          \let\p@enumiv\@empty
          \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
    \sloppy\clubpenalty4000\widowpenalty4000%
    \sfcode`\.\@m}
   {\def\@noitemerr
     {\@latex@warning{Empty `thebibliography' environment}}%
    \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
```

```
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \long\def\@makefntext##1{\parindent\z@
      \def\labelitemi{\textendash}%
      \leavevmode\hb@xt@.5\unitindent{%
        \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
```

```
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

12 File artikel3-xetex-bidi.def

```
\ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class for
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\section*{\indexname}]%
```

```
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
       \if@compatibility
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty\@secpenalty
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
```

```
\fi

\if@oldtoc
\renewcommand*\l@section[2]{%
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
   \endgroup}
\else
   \renewcommand*\l@section{\@regtocline{1}}
\fi
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
```

```
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\section*{\refname}%
       \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
```

```
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
```

```
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
\if@titlecentered
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
 \else
     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
     {\large \TitleFont \lineskip .5em \tabcolsep\z@
             \def\and{%%% \begin{tabular} has already started
                      \end{tabular}\hskip 1em plus .17fil
                      \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabula
             \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\pa
     \vskip 1em {\large \TitleFont \@date}
 \fi
  \par
  \vskip 1.5em}
\fi
```

13 File arydshln-xetex-bidi.def

```
\ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package ]
\def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup]
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
\expandafter\let\csname endtabular*\endcsname\endtabular
\let\adl@array\@array
\def\@array{\adl@everyvbox\everyvbox
        \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
        \ifadl@inactive \adl@inactivate \else \adl@activate \fi
        \let\adl@noalign\noalign
        \adl@array}
\ifadl@usingarypkg
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \z@ \@chclass
   \if\@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
   \if\@nextchar :\@ne \let\@arrayrule\adl@arraydashrule \else
   \if\@nextchar ;\@ne \let\@arrayrule\adl@argarraydashrule \else
    \if \@nextchar !6 \else
     \if \@nextchar @7 \else
      \if \@nextchar <8 \else
       \if \@nextchar >9 \else
  10
  \@chnum
  \if \@nextchar m\thr@@\else
   \if \@nextchar p4 \else
    \if \@nextchar b5 \else
   \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
   \fi \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}

\def\@classz{\@classx
   \@tempcnta \count@
   \prepnext@tok
   \@addtopreamble{\ifcase \@chnum
      \hfil
      \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
      \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
      \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
   \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
```

```
        \adl@endmbox\or
   \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
   \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi}\prepnext@tok}
\def\adl@class@start{4}
\def\adl@class@iiiorvii{7}

\else
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
        \ifnum \@lastchclass=\thr@@ 5\relax \else
                \z@ \if #1c\@chnum \z@ \else
                    \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                    \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
                \@chclass
                    \if #1|\@ne \let\@arrayrule\adl@arrayrule \else
                    \if #1:\@ne \let\@arrayrule\adl@arraydashrule \else
                    \if #1;\@ne \let\@arrayrule\adl@argarraydashrule \else
                    \if #1@\tw@ \else
                    \if #1p\thr@@ \else \z@ \@preamerr 0\fi
        \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi  \fi}

\def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
                \ifcase \@chnum
                    \hfil\adl@putlrc{$\relax\@sharp$}\hfil
                \or \adl@putlrc{$\relax\@sharp$}\hfil
                \or \hfil\adl@putlrc{$\relax\@sharp$}\fi}}
\def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
                \or \or \@addamp \or
                \@acolampacol \or \@firstampfalse \@acol \fi
        \edef\@preamble{\@preamble
        \ifcase \@chnum
                    \hfil\adl@putlrc{\@sharp\unskip}\hfil
                \or \adl@putlrc{\@sharp\unskip}\hfil
                \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
\def\adl@class@start{6}
\def\adl@class@iiiorvii{3}
\fi
\@ifpackageloaded{colortbl}{%
\def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
\def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
        \let\@endpbox\adl@org@endpbox}
\let\adl@CT@setup\CT@setup
\def\CT@setup{\adl@CT@setup
        \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
        \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
        \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
\let\adl@act@CT@setup\CT@setup
```

```
\def\@classz{\@classx
        \@tempcnta\count@ \prepnext@tok
        \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
        \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
        \expandafter\adl@extract@drsc
                \the\toks\@tempcnta\doublerulesepcolor!\@nil
        \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil
        \@addtopreamble{\if@RTL\beginL\fi%
                \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
                \ifcase \@chnum
                        \hskip\stretch{.5}\kern\z@
                        \d@llarbegin
                        \insert@column
                        \d@llarend\hskip\stretch{.5}%
                \or \d@llarbegin \insert@column \d@llarend \hfill
                \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
                \or  $\vcenter
                        \@startpbox{\@nextchar}\insert@column \@endpbox $%
                \or  \vtop \@startpbox{\@nextchar}\insert@column \@endpbox
                \or  \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
                \fi
                \if@RTL\endR\fi\egroup\egroup
                \begingroup
                        \CT@setup
                        \CT@column@color
                        \CT@row@color
                        \CT@cell@color
                        \CT@do@color
                \endgroup
                \@tempdima\ht\z@
                \advance\@tempdima\minrowclearance
                \vrule\@height\@tempdima\@width\z@
                \unhbox\z@\if@RTL\endL\fi}%
        \prepnext@tok}
\let\adl@act@classz\@classz
\let\adl@org@classz\@classz
}{}
```

14 File `bidi.sty`

```
\NeedsTeXFormat{LaTeX2e}
\def\bididate{2020/05/17}
\def\bidi@version{36.3}
\ProvidesPackage{bidi}[\bididate\space v\bidi@version\space
Bidirectional typesetting in plain TeX and LaTeX]
\edef\@bidi@info{*****************************************************^^J%
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
```

```
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
* ^^J%
* Copyright (c) 2007--2020 Vafa Khalighi^^J%
* Copyright (c) 2018--2020 bidi-tex GitHub organization^^J%
* ^^J%
* v\bidi@version, \bididate^^J%
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://github.com/persiantex/bidi/issues^^J%
* ^^J%
* Primary author of bidi package: Vafa Khalighi.^^J%
* ^^J%
************************************************}
\typeout{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
\everyjob{\bidi@everyjob\typeout{\@bidi@info}}
\newcommand*{\bidiversion}{\ensuremath\bidi@version}
\newcommand*{\IfbidiPackageVersionLater}[1]{%
  \ifdim\bidi@version pt > #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\IfbidiPackageVersionBefore}[1]{%
  \ifdim\bidi@version pt < #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\IfbidiPackageVersion}[1]{%
  \ifdim\bidi@version pt = #1 pt %
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\RequirePackage{iftex}
\RequireXeTeX
\RequirePackage{biditools}
\RequirePackage{zref-abspage}
\RequirePackage{auxhook}
\RequirePackage{ltxcmds}
\RequirePackage{xkeyval}
\eqnewif{\if@RTLmain}{\if@rlmain}
```

```
\eqnewif{\if@RTL}{\if@rl}
\newif\if@nonlatin
\newif\if@bidi@perpage@footnote
\newcommand*{\setlatin}{\@nonlatinfalse}
\newcommand*{\setnonlatin}{\@nonlatintrue}
\eqnewif{\if@RTLtab}{\if@tab@rl}
\newif\if@hboxRconstruct
\newif\if@bidi@pdfencrypt
\newcommand*{\setRTLtable}{\@RTLtabtrue}
\newcommand*{\setLTRtable}{\@RTLtabfalse}
\newif\if@bidi@pdfm@mark
\newif\if@RTLmarginpar
\newif\if@LTRmarginpar
\newif\if@LTRbibitems
\newif\if@RTLbibitems
\newif\if@extrafootnotefeatures
\newif\if@RTLcolumnfootnotes
\eqnewif{\if@RTL@footnote}{\if@rl@footnote}
\newif\if@bidi@list@minipage@parbox
\newif\if@bidi@list@minipage@parbox@not@nob
\newcommand*{\@bidi@pdfcreator}{%
  The bidi package, v\bidi@version, \bididate
}
\newcommand*{\@bidi@pdfproducer}{%
  The bidi package, v\bidi@version, \bididate
}
\newcommand*{\@bidi@pdfcustomproperties}{%
  This is the bidi package, Version \bidi@version,
  Released May 17, 2020.
}
\@RTLmainfalse
\AtBeginDocument{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
    \else\@RTLmainfalse%
    \fi%
  \fi%
}
\let\n@xt=\
\bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\bidi@newrobustcmd*{\RLE}{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\newinsert\@bidi@copyins@
\skip\@bidi@copyins@=12\p@
\dimen\@bidi@copyins@=40pc
\count\@bidi@copyins@=1000
\newcommand*{\@bidi@inslogo@}{\insert\@bidi@copyins@{\@bidi@logo@}}
```

```
\newcommand*{\@bidi@logo@hb@xt@columnwidth}{%
  \if@RTLmain
    \if@twocolumn
      \hboxR to \columnwidth
    \else
      \hboxR to \textwidth
    \fi
  \else
    \if@twocolumn
      \hboxL to \columnwidth
    \else
      \hboxL to \textwidth
    \fi
  \fi
}
\newcommand*{\@bidi@logo}[1]{%
  \toks@{%
    \setbox\z@\hbox{%
      \special{%
        pdf:image width 50pt height 50pt (#1)%
      }
    }%
    \dp\z@\z@
    \ht\z@=50pt
    \wd\z@=50pt
    \beginL
      \lower20pt\box\z@
    \endL
  }%
  \the\toks@
}
\newcommand*{\@bidi@logo@}{%
  \@bidi@logo@hb@xt@columnwidth
    {\hss\LRE{\bfseries Typeset by the \textsf{bidi}
    package\quad\@bidi@logo{bidi-logo.pdf}}}}
\define@key{bidi@pdfencrypt}{userpassword}[]{%
  \def\bidi@pdfencrypt@userpassword{#1}%
}
\define@key{bidi@pdfencrypt}{ownerpassword}[]{%
  \def\bidi@pdfencrypt@ownerpassword{#1}%
}
\define@key{bidi@pdfencrypt}{keylength}[128]{%
  \def\bidi@pdfencrypt@keylength{#1}%
}
\define@key{bidi@pdfencrypt}{permissionflags}[2052]{%
  \def\bidi@pdfencrypt@permissionflags{#1}%
}
\newcommand*{\pdfencryptsetup}{\setkeys{bidi@pdfencrypt}}
\@onlypreamble\pdfencryptsetup
\input{latex-xetex-bidi.def}
```

```
\input{loadingorder-xetex-bidi.def}
\define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}{%
  \ifcase\bidi@tempb\relax
    \@RTLtabtrue
  \or
    \@RTLtabfalse
  \fi}
\define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
  \ifcase\bidi@tempb\relax
    \@nonlatinfalse
  \or
    \@nonlatintrue
  \fi}
\define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@RTLtrue
  \or
    \@RTLfalse
  \fi}
\define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,t
  \ifcase\bidi@tempb\relax
    \autofootnoterule
  \or
    \leftfootnoterule
  \or
    \rightfootnoterule
  \or
    \SplitFootnoteRule
  \or
    \textwidthfootnoterule
  \fi}
\define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright
  \ifcase\bidi@tempb\relax
    \@RTL@footnotetrue
  \or
    \@RTL@footnotefalse
  \fi}
\define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
```

```
  \ifcase\bidi@tempb\relax
    \footdir@debugtrue
  \or
    \footdir@debugfalse
  \fi}
\define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@extrafootnotefeaturestrue
  \or
    \@extrafootnotefeaturesfalse
  \fi}

\define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
  \def\bidi@firstcolumn@status@write{%
         \protected@write\@auxout{}%
              {\string\bidi@column@status
              {1}}}%
  \def\bidi@lastcolumn@status@write{%
         \protected@write\@auxout{}%
              {\string\bidi@column@status{2}}}%
  \or
    \let\bidi@firstcolumn@status@write\relax
    \let\bidi@lastcolumn@status@write\relax
  \fi}

\define@choicekey{bidi.sty}{logo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \AtBeginDocument{\@bidi@inslogo@}%
  \or
    \let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty
  \fi}

\define@choicekey{bidi.sty}{pdfinfo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@bidi@pdfm@marktrue
  \or
    \@bidi@pdfm@markfalse
  \fi}

% The `perpagefootnote' option is documented in UK TeX FAQ at
%  <https://texfaq.org/FAQ-footnpp> (see last paragraph)

\define@choicekey{bidi.sty}{perpagefootnote}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
  \ifcase\bidi@tempb\relax
    \@bidi@perpage@footnotetrue
  \or
    \@bidi@perpage@footnotefalse
  \fi}

```

```
\ExecuteOptionsX{%
    DetectColumn=off%
}

\ProcessOptionsX

\pdfencryptsetup{%
  userpassword,%
  ownerpassword,%
  keylength,%
  permissionflags%
}

\if@extrafootnotefeatures
  \input{extrafootnotefeatures-xetex-bidi.def}
\fi
\newcount\bidi@digits
\XeTeXinterchartokenstate=\@ne
\newXeTeXintercharclass\bidi@digits@charclass
\newXeTeXintercharclass\bidi@sepmark@charclass
\XeTeXcharclass `\. \bidi@sepmark@charclass
\XeTeXcharclass `\- \bidi@sepmark@charclass
\bidi@digits=`\0 \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<
\bidi@digits=`\  \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<
\bidi@digits=`\  \loop \XeTeXcharclass \bidi@digits \bidi@digits@charclass \ifnum\bidi@digits<
\XeTeXinterchartoks \bidi@sepmark@charclass  \bidi@digits@charclass = {\DigitsDotDashInterChar
\newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
\bidi@AtEndPreamble{%
  \if@bidi@perpage@footnote
    \RequirePackage{bidi-perpage}%
    \ResetCounterPerPage{footnote}%
  \fi
  \ifx\bidi@pdfencrypt@ownerpassword\bidi@empty
    \ifx\bidi@pdfencrypt@userpassword\bidi@empty
      \@bidi@pdfencryptfalse
    \else
      \@bidi@pdfencrypttrue
    \fi
  \else
    \@bidi@pdfencrypttrue
  \fi
  \if@bidi@pdfencrypt
    \special{pdf:encrypt
      userpw (\bidi@pdfencrypt@userpassword)
      ownerpw (\bidi@pdfencrypt@ownerpassword)
      length \bidi@pdfencrypt@keylength
      perm \bidi@pdfencrypt@permissionflags
    }%
  \fi
}
```

```
\AtEndDocument{%
  \special{pdf:%
    docinfo<<%
    \if@bidi@pdfm@mark
      /Creator(\@bidi@pdfcreator)%
      /Producer(\@bidi@pdfproducer)%
    \fi
    /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
    \if@bidi@csdef{@xepersian@pdfcustomproperties}{%
      /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
    }{}%
     >>%
   }%
}
```

15 File bidi.tex

```
\def\bididate{2020/05/17}
\catcode`@=11
\def\bidi@version{36.3}
\let \protect \relax
\newlinechar`\^^J
\edef\@bidi@info{**************************************************^^J%
* ^^J%
* bidi package (Bidirectional typesetting in^^J%
* plain TeX and LaTeX, using XeTeX engine)^^J%
* ^^J%
* Description: A convenient interface for^^J%
* typesetting bidirectional texts in plain TeX^^J%
* and LaTeX.  The package includes adaptations^^J%
* for use with many other commonly-used packages.^^J%
* ^^J%
* Copyright (c) 2007--2020 Vafa Khalighi^^J%
* Copyright (c) 2018--2020 bidi-tex GitHub organization^^J%
* ^^J%
* v\bidi@version, \bididate^^J%
* ^^J%
* License: LaTeX Project Public License, version^^J%
* 1.3c or higher (your choice)^^J%
* ^^J%
* Location on CTAN: /macros/xetex/latex/bidi^^J%
* ^^J%
* Issue tracker: https://github.com/persiantex/bidi/issues^^J%
* ^^J%
* Primary author of bidi package: Vafa Khalighi.^^J%
* ^^J%
**************************************************}
\message{\@bidi@info}
\edef\bidi@everyjob{\the\everyjob}
\everyjob{\bidi@everyjob\message{\@bidi@info}}
```

```
\def\bidiversion{%
  \relax
  \ifmmode
    \bidi@version
  \else
    $\bidi@version$
  \fi
}
\input iftex.sty
\RequireXeTeX
\newif\if@bidi@pdfm@mark
\newif\if@RTLmain
\newif\if@RTL
\newif\if@hboxRconstruct
\newif\if@sentdir
\newif\if@RTL@footnote
\@RTLmainfalse
\def\setRTLmain{%
  \if@RTLmain\else
    \if@RTL\@RTLmaintrue%
    \else\@RTLmainfalse%
    \fi%
  \fi%
}
\let\n@xt=\
\protected\def\LRE{\protect\pLRE}%
\def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
\protected\def\RLE{\protect\pRLE}
\def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
\def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
  \errmessage{Missing left brace has been substituted}\fi \bgroup}
\newinsert\@bidi@copyins@
\skip\@bidi@copyins@=12\p@
\dimen\@bidi@copyins@=40pc
\count\@bidi@copyins@=1000
\def\@bidi@inslogo@{\insert\@bidi@copyins@{\@bidi@logo@}}
\def\@bidi@logo@hb@xt@{%
  \if@RTLmain
    \hboxR to
  \else
    \hboxL to
  \fi
}
\def\@bidi@logo#1{%
  \toks@{%
    \setbox\z@\hbox{%
      \special{%
        pdf:image width 50pt height 50pt (#1)%
      }
    }%
```

```
    \dp\z@\z@
    \ht\z@=50pt
    \wd\z@=50pt
    \beginL
      \lower20pt\box\z@
    \endL
  }%
  \the\toks@
}
\def\@bidi@logo@{\@bidi@logo@hb@xt@\hsize{\hss\LRE{\bf Typeset by the bidi package\quad\@bidi@
\def\nobidilogo{\let\@bidi@logo@\@empty \let\@bidi@inslogo@\@empty}
\def\@bidi@pdfcreator{%
  The bidi package, v\bidi@version, \bididate
}
\def\@bidi@pdfproducer{%
  The bidi package, v\bidi@version, \bididate
}
\def\@bidi@pdfcustomproperties{%
  This is the bidi package, Version \bidi@version,
  Released May 17, 2020.
}
\def\bidi@pdfm@mark{%
  \special{pdf:%
    docinfo<<%
    \if@bidi@pdfm@mark
      /Creator(\@bidi@pdfcreator)%
      /Producer(\@bidi@pdfproducer)%
    \fi
    /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
      >>%
    }%
}
\def\bidipdfinfoon{\@bidi@pdfm@marktrue}
\def\bidipdfinfooff{\@bidi@pdfm@markfalse}
\input plain-xetex-bidi.def
\@bidi@inslogo@
\outer\def\bye{\par\vfill\supereject\bidi@pdfm@mark\end}
\catcode`@=12
\bidipdfinfoon
```

16 File bidi2in1.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidi2in1}
\pagestyle{plain}
\newcount\evenpage
\newcount\oddpage
\twocolumn
\def\@oddfoot{\evenpage=\thepage%
\multiply\evenpage by 2%
```

```
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\evenpage\hfil\hfil\the\oddpage\hfil}%
\def\@evenfoot{\evenpage=\thepage%
\multiply\evenpage by 2%
\oddpage=\the\evenpage%
\advance\oddpage by -1%
\hfil\the\oddpage\hfil\hfil\the\evenpage\hfil}%
\textwidth 9.49in
\textheight 6.7in
\columnsep 0.9in
\columnseprule 0.125pt
\headheight 0cm
\topmargin 0in
\marginparwidth 0in
\marginparsep 0in
\hoffset 0.05in % Corrected
\voffset -0.5in %top margin space is 1.0in by default
\oddsidemargin 0in
\evensidemargin 0in
\headsep 0cm
\topskip 0cm
\parskip 0.15in       %
\headsep 0pt
\special{papersize=11.69in,8.26in}
\renewcommand\maketitle{\par
\begingroup
\renewcommand\thefootnote{\@fnsymbol\c@footnote}%
\def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
\long\def\@makefntext##1{\parindent 1em\noindent
\hb@xt@1.8em{%
\hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
\@maketitle
\@thanks
\endgroup
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\maketitle\relax
\global\let\@maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\title\relax
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
```

17 File bidicode.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidicode}
\RequirePackage{xcolor}
\RequirePackage{showexpl}
\definecolor{hellgelb}{rgb}{1,1,0.85}
\definecolor{colKeys}{rgb}{0,0,1}
\definecolor{colIdentifier}{rgb}{0,0,0}
\definecolor{colComments}{rgb}{1,0,0}
\definecolor{colString}{rgb}{0,0.5,0}
\lstset{
    language=[LaTeX]TEX,
    float=hbp,
    basicstyle=\ttfamily\small,
    identifierstyle=\color{colIdentifier},
    keywordstyle=\color{colKeys},
    stringstyle=\color{colString},
    commentstyle=\color{colComments},
    backgroundcolor=\color{hellgelb},
    columns=flexible,
    tabsize=4,
    extendedchars=true,
    showspaces=false,
    showstringspaces=false,
    numbers=left,
    numbersep=0.9em,
    numberstyle=\tiny, %
    frame=single,
    captionpos=b,
    xleftmargin=1em,
    breaklines=true,
    breakautoindent=false,
    breakindent=0pt,
    escapeinside=**,
    pos=r,
    explpreset={%
    xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
    morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
}
\newcommand\HLON{%
  \gdef\lst@alloverstyle##1{%
    \fboxrule=0pt
    \fboxsep=0pt
    \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
}}
\newcommand\HLOFF{%
  \xdef\lst@alloverstyle##1{##1}%
}
\newcommand\Larg [1]{{\normalfont\itshape#1\/}}
```

```
\newcommand\Larga[1]{$\langle$\Larg{#1}$\rangle$}
\newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
\newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
\newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
\newcommand\LBEG[1]{{\normalfont\ttfamily\bs{}begin\lcb#1\rcb}}
\newcommand\LEND[1]{{\normalfont\ttfamily\bs{}end\lcb#1\rcb}}

\DeclareRobustCommand\bs{{\normalfont\ttfamily\symbol{92}}}
\DeclareRobustCommand\lcb{{\normalfont\ttfamily\char`\{}}
\DeclareRobustCommand\rcb{{\normalfont\ttfamily\char`\}}}
\DeclareRobustCommand\lsb{{\normalfont\ttfamily[}}
\DeclareRobustCommand\rsb{{\normalfont\ttfamily]}}
\DeclareRobustCommand\lrb{{\normalfont\ttfamily(}}
\DeclareRobustCommand\rrb{{\normalfont\ttfamily)}}

\def\Lcs#1{\nxLcs{#1}}
\def\LcsStar#1{\nxLcs{#1}\OptArg*{*}}
\def\nxLcs#1{\texttt{\symbol{92}#1}}

\def\Coordx#1{$x_{#1}$}
\def\Coordy#1{$y_{#1}$}
\def\Coordz#1{$z_{#1}$}
\def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
\def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
\def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
\def\CAny{\Coordx{},\kern 1pt\Coordy{}}
\def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
\def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
\def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
\def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
\def\coordx#1{($x_{#1}$)}
\def\coordy#1{($y_{#1}$)}
\def\coordz#1{($z_{#1}$)}
\def\cAny{(\Coordx{},\kern 1pt\Coordy{})}
\def\ciiiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{})}

\newsavebox{\boxdef}
\newenvironment{BDef}
  {\begin{lrbox}\boxdef
      \def\arraystretch{1.0}
      \begin{tabular}{@{}l@{}l@{}l@{}}
  }
  {\end{tabular}\end{lrbox}

   {\BCmd\fbox{\usebox\boxdef}\endBCmd}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }

\newenvironment{BDef*}
  {\begin{lrbox}\boxdef
```

```
      \def\arraystretch{1.0}
      \begin{tabular}{@{}l@{}l@{}l@{}}
  }
  {\end{tabular}\end{lrbox}
   {\begin{BCmd*}\fbox{\usebox\boxdef}\end{BCmd*}}
   \aftergroup\@afterindentfalse\aftergroup\@afterheading
  }
\newenvironment{BCmd}{
  \@beginparpenalty-\@lowpenalty
  \topsep\BDefaboveskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty\@M
  \@topsepadd\BDefbelowskip
  \endflushleft}

\newenvironment{BCmd*}{
  \@beginparpenalty\@M
  \topsep\BDefinlineskip
  \fboxsep3pt
  \flushleft}
 {\@endparpenalty5000
  \endflushleft}

\newskip\BDefaboveskip
\newskip\BDefbelowskip
\newskip\BDefinlineskip
\setlength\BDefaboveskip{10pt plus 4pt}
\setlength\BDefbelowskip{6pt}
\setlength\BDefinlineskip{6pt}

\def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}\kern1pt}
\def\OptArg{\@ifnextchar*\OptArg@i{\OptArg@ii*}}
\def\OptArg@i*#1{\colorbox{black!20}{\texttt{#1}}\kern1pt}
\def\OptArg@ii*#1{\colorbox{black!20}{\texttt{[#1]}}\kern1pt}
```

18 File bidiftnxtra.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidiftnxtra}
\newtoks\bidi@p@ftn
\let\FN@sf@@footnote\footnote
\let\FN@sf@@LTRfootnote\LTRfootnote
\let\FN@sf@@RTLfootnote\RTLfootnote
\def\footnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
```

```
\def\LTRfootnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@LTRfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\def\RTLfootnote{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@RTLfootnote
  \else
    \expandafter\FN@sf@gobble@opt
  \fi
}
\edef\FN@sf@gobble@opt{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
\expandafter\def\csname FN@sf@gobble@opt \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@twobracket
    \@gobble
}
\def\FN@sf@gobble@twobracket[#1]#2{}
\let\FN@sf@@footnotemark\footnotemark
\def\footnotemark{\ifx\protect\@typeset@protect
    \expandafter\FN@sf@@footnotemark
  \else
    \expandafter\FN@sf@gobble@optonly
  \fi
}
\edef\FN@sf@gobble@optonly{\noexpand\protect
  \expandafter\noexpand\csname FN@sf@gobble@optonly \endcsname}
\expandafter\def\csname FN@sf@gobble@optonly \endcsname{%
  \@ifnextchar[%]
    \FN@sf@gobble@bracket
    {}%
}
\def\FN@sf@gobble@bracket[#1]{}
\def\@tabular{%
   \leavevmode \hbox \bgroup
   \let\@footnotetext\bidi@p@ftntext
   \let\@LTRfootnotetext\bidi@p@LTRftntext
   \let\@RTLfootnotetext\bidi@p@RTLftntext
   \let\@xfootnotenext\bidi@p@xftntext
   \let\@xfootnote\bidi@p@xfootnote
   \let\@xLTRfootnotenext\bidi@p@xLTRftntext
   \let\@xLTRfootnote\bidi@p@xLTRfootnote
    \let\@xRTLfootnotenext\bidi@p@xRTLftntext
   \let\@xRTLfootnote\bidi@p@xRTLfootnote
   \if@RTLtab\beginR \fi
   $\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
```

```
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                  \egroup $\if@RTLtab\endR\fi\egroup
                   \ifx\@captype\@undefined
                    \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn\fi}
\long\def\bidi@p@ftntext#1{%
  \edef\@tempy{\the\bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempy{#1}}}%
\long\def\bidi@p@LTRftntext#1{%
  \edef\@tempyi{\the\bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempyi{#1}}}%
\long\def\bidi@p@RTLftntext#1{%
  \edef\@tempyii{\the\bidi@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidi@p@ftn\expandafter{\@tempyii{#1}}}%


\long\def\bidi@p@xftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\footnotetext[#1]{#2}}}

\long\def\bidi@p@xLTRftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\bidi@p@xRTLftntext[#1]#2{%
  \global\bidi@p@ftn\expandafter{\the\bidi@p@ftn\RTLfootnotetext[#1]{#2}}}


\def\bidi@p@xfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidi@p@xftntext[#1]}


\def\bidi@p@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidi@p@xLTRftntext[#1]}


\def\bidi@p@xRTLfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidi@p@xRTLftntext[#1]}

\def\@xfloat #1[#2]{%
  \@nodocument
```

```
\def \@captype {#1}%
 \def \@fps {#2}%
 \@onelevel@sanitize \@fps
 \def \reserved@b {!}%
 \ifx \reserved@b \@fps
   \@fpsadddefault
 \else
   \ifx \@fps \@empty
     \@fpsadddefault
   \fi
 \fi
 \ifhmode
   \@bsphack
   \@floatpenalty -\@Mii
 \else
   \@floatpenalty-\@Miii
 \fi
\ifinner
   \@parmoderr\@floatpenalty\z@
\else
  \@next\@currbox\@freelist
    {%
     \@tempcnta \sixt@@n
     \expandafter \@tfor \expandafter \reserved@a
       \expandafter :\expandafter =\@fps
       \do
        {%
         \if \reserved@a h%
           \ifodd \@tempcnta
           \else
             \advance \@tempcnta \@ne
           \fi
         \fi
         \if \reserved@a t%
           \@setfpsbit \tw@
         \fi
         \if \reserved@a b%
           \@setfpsbit 4%
         \fi
         \if \reserved@a p%
           \@setfpsbit 8%
         \fi
         \if \reserved@a !%
           \ifnum \@tempcnta>15
             \advance\@tempcnta -\sixt@@n\relax
           \fi
         \fi
         }%
     \@tempcntb \csname ftype@\@captype \endcsname
     \multiply \@tempcntb \@xxxii
```

```
      \advance \@tempcnta \@tempcntb
      \global \count\@currbox \@tempcnta
      }%
    \@fltovf
  \fi
  \global \setbox\@currbox
    \color@vbox
      \normalcolor
      \vbox \bgroup
       \let\@footnotetext\bidi@p@ftntext
       \let\@LTRfootnotetext\bidi@p@LTRftntext
       \let\@RTLfootnotetext\bidi@p@RTLftntext
       \let\@xfootnotenext\bidi@p@xftntext
        \let\@xfootnote\bidi@p@xfootnote
        \let\@xLTRfootnotenext\bidi@p@xLTRftntext
        \let\@xLTRfootnote\bidi@p@xLTRfootnote
        \let\@xRTLfootnotenext\bidi@p@xRTLftntext
        \let\@xRTLfootnote\bidi@p@xRTLfootnote
        \hsize\columnwidth
        \@parboxrestore
        \@floatboxreset
}
\def \@endfloatbox{%
      \par\vskip\z@skip      %% \par\vskip\z@ added 15 Dec 87
      \@minipagefalse
      \outer@nobreak
    \egroup                  %% end of vbox
    \global\bidi@p@ftn\expandafter{\expandafter}\the\bidi@p@ftn
  \color@endbox
}
```

19 File bidimoderncv.cls

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesClass{bidimoderncv}
\newif\if@DEBUG\@DEBUGfalse
\DeclareOption{a4paper}{
  \setlength\paperheight{297mm}
  \setlength\paperwidth{210mm}}
\DeclareOption{a5paper}{
  \setlength\paperheight{210mm}
  \setlength\paperwidth{148mm}}
\DeclareOption{b5paper}{
  \setlength\paperheight{250mm}
  \setlength\paperwidth{176mm}}
\DeclareOption{letterpaper}{
  \setlength\paperheight{11in}
  \setlength\paperwidth{8.5in}}
\DeclareOption{legalpaper}{
  \setlength\paperheight{14in}
```

```
  \setlength\paperwidth{8.5in}}
\DeclareOption{executivepaper}{
  \setlength\paperheight{10.5in}
  \setlength\paperwidth{7.25in}}
\DeclareOption{landscape}{
  \setlength\@tempdima{\paperheight}
  \setlength\paperheight{\paperwidth}
  \setlength\paperwidth{\@tempdima}}
\newcommand\@ptsize{}
\DeclareOption{10pt}{\renewcommand\@ptsize{0}}
\DeclareOption{11pt}{\renewcommand\@ptsize{1}}
\DeclareOption{12pt}{\renewcommand\@ptsize{2}}
\DeclareOption{draft}{\setlength\overfullrule{5pt}}
\DeclareOption{final}{\setlength\overfullrule{0pt}}
\newif\if@colour\@colourtrue
\DeclareOption{nocolour}{\@colourfalse}
\ExecuteOptions{a4paper,11pt,colour,final}
\ProcessOptions\relax
\input{size1\@ptsize.clo}
\RequirePackage{color}
\RequirePackage{graphicx}
\RequirePackage{ifthen}
\RequirePackage{marvosym}
\addtolength{\oddsidemargin}{-54pt}
\addtolength{\textwidth}{109pt}
\addtolength{\topmargin}{-70pt}
\addtolength{\textheight}{122pt}
\addtolength{\marginparsep}{-5pt}
\addtolength{\marginparwidth}{-10pt}
\RequirePackage{url}
\RequirePackage{hyperref}
\hypersetup{%
  breaklinks,
  baseurl       = http://,%
  pdfborder     = 0 0 0,%
  pdfpagemode   = UseNone,%
  pdfstartpage  = 1}
\AtEndOfClass{%
  \AtBeginDocument{%
    \hypersetup{%
      pdfauthor     = \@firstname~\@familyname,%
      pdftitle      = \@title,%
      pdfsubject    = \@firstname~\@familyname,%
      pdfkeywords   = \@resumename~\@firstname~\@familyname}}}
\urlstyle{tt}
\RequirePackage{fancyhdr}
\fancypagestyle{plain}{%
  \renewcommand{\headrulewidth}{0pt}
  \renewcommand{\footrulewidth}{0pt}
  \fancyhf{}}
```

```
\pagestyle{plain}
\setlength\lineskip{1\p@}
\setlength\normallineskip{1\p@}
\renewcommand\baselinestretch{}
\setlength{\parindent}{0pt}
\setlength{\parskip}{0pt}
\setlength\columnsep{10\p@}
\setlength\columnseprule{0\p@}
\pagestyle{empty}
\pagenumbering{arabic}
\raggedbottom
\onecolumn
\providecommand*{\listitemsymbol}{\textbullet}
\providecommand*{\addresssymbol}{}
\providecommand*{\mobilesymbol}{\Mobilefone}
\providecommand*{\phonesymbol}{\Telefon}
\providecommand*{\faxsymbol}{\FAX}
\providecommand*{\emailsymbol}{\Letter}
\definecolor{firstnamecolor}{rgb}{0,0,0}
\def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
\def\familynamecolour#1{\gdef\@familynamecolour{\addfontfeature{Color=#1}}}
\def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
\def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
\def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
\def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
\definecolor{sectionrectanglecolor}{rgb}{0,0,0}
\def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
\def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
\providecommand*{\firstnamefont}{}
\providecommand*{\familynamefont}{}
\providecommand*{\titlefont}{}
\providecommand*{\addressfont}{}
\providecommand*{\quotefont}{}
\providecommand*{\sectionfont}{}
\providecommand*{\subsectionfont}{}
\providecommand*{\hintfont}{\small}
\providecommand*{\firstnamestyle}[1]{{\firstnamefont\@firstnamecolour#1}}
\providecommand*{\familynamestyle}[1]{{\familynamefont\@familynamecolour#1}}
\providecommand*{\titlestyle}[1]{{\titlefont\@titlecolour#1}}
\providecommand*{\addresstyle}[1]{{\addressfont\@addresscolour#1}}
\providecommand*{\quotestyle}[1]{{\quotefont\@quotecolour#1}}
\providecommand*{\sectionstyle}[1]{{\sectionfont\@sectiontitlecolour#1}}
\providecommand*{\subsectionstyle}[1]{{\subsectionfont\@subsectioncolour#1}}
\providecommand*{\hintstyle}[1]{{\hintfont\@hintcolour#1}}
\newcommand*{\cvtheme}[2][]{
  \def\@cvtheme{#2}
  \def\@cvthemeoptions{#1}}
\cvtheme{bidi-casual}
\AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
\newcommand*{\resumename}[1]{\def\@resumename{#1}}
```

```
\newcommand*{\firstname}[1]{\def\@firstname{#1}}
\newcommand*{\familyname}[1]{\def\@familyname{#1}}
\renewcommand*{\title}[1]{\def\@title{#1}}
\newcommand*{\address}[1]{\def\@address{#1}}
\newcommand*{\mobile}[1]{\def\@mobile{#1}}
\newcommand*{\phone}[1]{\def\@phone{#1}}
\renewcommand*{\fax}[1]{\def\@fax{#1}}
\newcommand*{\email}[1]{\def\@email{#1}}
\newcommand*{\extrainfo}[1]{\def\@extrainfo{#1}}
\def\@photowidth{0pt}
\newcommand*{\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}
\newcommand*{\quote}[1]{\def\@quote{#1}}
\newlength{\quotewidth}
\newlength{\hintscolumnwidth}
\newlength{\separatorcolumnwidth}
\setlength{\separatorcolumnwidth}{0.025\textwidth}
\newlength{\maincolumnwidth}
\newlength{\doubleitemmaincolumnwidth}
\newlength{\listitemsymbolwidth}
\settowidth{\listitemsymbolwidth}{\listitemsymbol{}~}
\newlength{\listitemmaincolumnwidth}
\newlength{\listdoubleitemmaincolumnwidth}
\newcommand*{\recomputethemelengths}{}
\newcommand*{\recomputelengths}{%
\setlength{\quotewidth}{0.65\textwidth}%
\setlength{\maincolumnwidth}{\textwidth}%
\addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
\addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
\setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
\addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
\setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
\addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
\setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
\renewcommand{\headwidth}{\textwidth}%
\recomputethemelengths}
\setlength{\hintscolumnwidth}{0.15\textwidth}
\recomputelengths
\title{}
\renewcommand*{\maketitle}{}
\newcommand*{\section}[1]{%
\vspace*{2.5ex \@plus 1ex \@minus .2ex}%
  \phantomsection{}%
  \addcontentsline{toc}{part}{#1}%
  \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglec
  \hspace{\separatorcolumnwidth}%
  \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\\[1ex]}
```

```
\newcommand*{\subsection}[1]{%
  \cvline[0.45em]{}{\subsectionstyle{#1}}}
\newcommand*{\cvline}[3][.25em]{%
  \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}@
    \bidi@raggedleft\hintfont{#2} &{#3}%
  \end{tabular}\\[#1]}
\newcommand*{\cvdoubleitem}[4]{%
 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}%
 \hfill%
 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\se
\newcommand*{\cvlistitem}[2][\listitemsymbol{}]{%
  \cvline[0pt]{}{#1~\begin{minipage}[t]{\listitemmaincolumnwidth}#2\end{minipage}}}
\newcommand*{\cvlistdoubleitem}[3][\listitemsymbol{}]{%
  \cvline[0pt]{}{#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#2\end{minipage}%
  \hfill%
  \ifthenelse{\equal{#3}{}}%
    {}%
    {#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}#3\end{minipage}}}}
\newcommand*{\cventry}[6]{%
  \cvline{#1}{%
    {\bfseries#2}%
    \ifx#3\else{, {\slshape#3}}\fi%
    \ifx#4\else{, #4}\fi%
    \ifx#5\else{, #5}\fi%
    .%
    \ifx#6\else{\newline{}\begin{minipage}[t]{\linewidth}\small#6\end{minipage}}\fi
    }}%
\newcommand*{\cvlanguage}[3]{%
  \cvline{#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{#2}\end{minipage}\hfill\begin{m
\newcommand*{\cvcomputer}[4]{%
  \cvdoubleitem{#1}{\small#2}{#3}{\small#4}}
\newcommand*{\link}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{#2}{#2}}%
    {\href{#2}{#1}}}
\newcommand*{\httplink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{http://#2}{#2}}%
    {\href{http://#2}{#1}}}
\newcommand*{\emaillink}[2][]{%
  \ifthenelse{\equal{#1}{}}%
    {\href{mailto:#2}{#2}}%
    {\href{mailto:#2}{#1}}}
\newif\if@displaypagenumbers\@displaypagenumberstrue
\newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
\AtBeginDocument{%
  \if@displaypagenumbers%
    \@ifundefined{r@lastpage}{}{%
      \ifthenelse{\pageref{lastpage} > 1}{%
      \fancypagestyle{plain}{%
```

```
        \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\pager
      \pagestyle{plain}}{}}%
  \AtEndDocument{\label{lastpage}}%
  \fi}
\newlength{\bibindent}
\setlength{\bibindent}{1.5em}
\newcommand*{\bibliographyitemlabel}{\includegraphics{bidi-bibitem.pdf}}
\newenvironment{thebibliography}[1]%
  {%
    \section{\refname}%
    \small%
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \bidi@@thebibliography@font@hook%
    \begin{list}{\bibliographyitemlabel}%
      {%
        \setlength{\topsep}{0pt}%
        \setlength{\labelwidth}{\hintscolumnwidth}%
        \setlength{\labelsep}{\separatorcolumnwidth}%
        \leftmargin\labelwidth%
        \advance\leftmargin\labelsep%
        \@openbib@code%
        \usecounter{enumiv}%
        \let\p@enumiv\@empty%
        \renewcommand\theenumiv{\@arabic\c@enumiv}}%
        \sloppy\clubpenalty4000\widowpenalty4000%
  }%
  {%
    \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
    \end{list}%
  }
\newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
\let\@openbib@code\@empty
```

20 File bidi-perpage.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidi-perpage}[2018/10/04 v0.4 Reset counter(s) on every page]
\newcount\bidi@page@count
\bidi@page@count\@ne
\newcommand*{\ResetCounterPerPage}[2][\z@]{%
  \if@bidi@csundef{bidi@stepcounterhook@@#2}{%
    \expandafter\gdef\csname bidi@stepcounterhook@@#2\endcsname{}%
  }{}%
  \if@bidi@csundef{if@bidi@reset@#2@rerun}{%
    \expandafter\newif\csname if@bidi@reset@#2@rerun\endcsname
  }{}%
  \if@bidi@csundef{bidi@#2@count}{%
    \expandafter\newcount\csname bidi@#2@count\endcsname
  }{}%
  \csname bidi@#2@count\endcsname\z@
```

```
\if@bidi@csundef{bidi@previous@page@@#2@count}{%
  \expandafter\newcount\csname
  bidi@previous@page@@#2@count\endcsname
}{}%
\csname bidi@previous@page@@#2@count\endcsname\z@
\if@bidi@csundef{bidi@reset@#2@perpage}{%
  \bidi@AfterEndDocumentCheckLabelsRerun{%
    \csname if@bidi@reset@#2@rerun\endcsname
      \PackageWarningNoLine{bidi-perpage}{%
        Counter `#2' may not have been reset per page.
        Rerun to reset counter `#2' per page%
      }%
    \fi
  }%
}{}%
\expandafter\gdef\csname bidi@reset@#2@perpage\endcsname{%
  \global\advance\csname bidi@#2@count\endcsname\@ne
  \if@filesw
    \edef\@tempa{%
      \write\@auxout{%
        \string\bidi@counter@page{#2}%
        {\number\csname bidi@#2@count\endcsname}%
        {\noexpand\number\noexpand\bidi@page@count}%
      }%
    }%
    \@tempa
  \fi
\begingroup\expandafter\expandafter\expandafter\endgroup
\expandafter\ifx\csname bidi@#2@@\number\csname
bidi@#2@count\endcsname\endcsname\relax
  \global\csname @bidi@reset@#2@reruntrue\endcsname
\else
  \global\csname @bidi@reset@#2@rerunfalse\endcsname
  \expandafter\@tempcnta\csname bidi@#2@@\number
  \csname bidi@#2@count\endcsname\endcsname\relax
  \ifnum\@tempcnta=\csname
  bidi@previous@page@@#2@count\endcsname
  \else
    \global\csname
    bidi@previous@page@@#2@count\endcsname\@tempcnta
    \global\csname c@#2\endcsname#1\relax
  \fi
\fi
}%
\expandafter\bidi@gappto\csname
bidi@stepcounterhook@@#2\endcsname{%
  \csname bidi@reset@#2@perpage\endcsname
}%
}
\def\bidi@counter@page#1#2#3{\bidi@namegdef{bidi@#1@@#2}{#3}}
```

```
\bidi@AtEndOutputPage{%
  \global\advance\bidi@page@count\@ne
}
```

21 File biditools.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{biditools}[2020/05/13 v2 Programming tools for bidi package]
\providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\\\relax
  \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
  \ifx\@tempa\@tempb \global\let#2#1%
  \else
    \edef\@tempb{\meaning#2}%
    \ifx\@tempa\@tempb
    \else
      \@latex@error{Unable to properly define \string#2; primitive
      \noexpand#1no longer primitive}\@eha
    \fi
  \fi
  \endgroup}
\newtoks\@bidi@envbody
\newtoks\@bidi@emptytoks
\def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
\def\bidi@collect@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
  \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@@body
  \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\def\bidi@push@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@begins\fi
}
\def\bidi@collect@@body#1\end#2{%
  \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}%
  \ifx\@empty\begin@bidi@stack
    \endgroup
    \@checkend{#2}%
    \bidi@addto@envbody{#1}%
  \else
    \bidi@addto@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
\long\def\bidi@collect@long@body#1{%
  \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}%
  \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
```

```
  \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
  \begingroup
  \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
  \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
  \bidi@process@envbody
}
\long\def\bidi@push@long@begins#1\begin#2{%
  \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
}
\long\def\bidi@collect@long@@body#1\end#2{%
  \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@st
  \ifx\@empty\begin@bidi@stack
    \endgroup
    \@checkend{#2}%
    \bidi@addto@long@envbody{#1}%
  \else
    \bidi@addto@long@envbody{#1\end{#2}}%
  \fi
  \bidi@process@envbody % A little tricky! Note the grouping
}
\long\def\bidi@new@ifnextchar#1#2#3{%
  \let\reserved@d= #1%
  \def\reserved@a{#2}\def\reserved@b{#3}%
  \futurelet\@let@token\bidi@new@ifnch
}
\def\bidi@new@ifnch{%
  \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
  \reserved@b
}
\def\bidi@matrix@check#1{%
  \expandafter\ifx\csname\@currenvir\endcsname#1%
  \else\bidi@matrix@error#1%
    \expandafter\@gobble
  \fi
}
\def\bidi@matrix@error#1{%
  \PackageError{biditools}{%
Old form `\string#1' should be \string\begin{\expandafter\@gobble\string#1}%
  }{%
`\string#1{...}' is old bidi package syntax whose use is
ill-advised in the old versions of bidi package.%
  }%
}
\def\@tagsextension{clo}
\def\@definitionfileextension{def}
\def\@texfileextension{tex}
\def\@iftagsloaded{\@ifl@aded\@tagsextension}
\def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
\def\@iftexfileloaded{\@ifl@aded\@texfileextension}
\def\eqnewif#1#2{%
```

```
  \count@\escapechar \escapechar\m@ne
    \let#1\iffalse
    \let#2\iffalse
    \eq@if#1#2\iftrue
    \eq@if#1#2\iffalse
  \escapechar\count@}
\def\eq@if#1#2#3{%
  \expandafter\def\csname\expandafter\@gobbletwo\string#1%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#1#3%
                         \let#2#3}%
  \expandafter\def\csname\expandafter\@gobbletwo\string#2%
                      \expandafter\@gobbletwo\string#3\endcsname
                         {\let#2#3%
                         \let#1#3}}
\newcommand*{\SetBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
      {\csname#1\@tempa\endcsname}}}
\newcommand*{\GlobalSetBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{#1\@tempa}%
      {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
      {\global\csname#1\@tempa\endcsname}}}
\newcommand*{\SetatBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{@#1\@tempa}%
      {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
      {\csname @#1\@tempa\endcsname}}}
\newcommand*{\GlobalSetatBoolean}[2]{%
  \lowercase{\def\@tempa{#2}}%
  \@ifundefined{@tempswa\@tempa}%
    {\PackageError{biditools}%
       {You can only set a boolean to `true' or `false'}\@ehc}%
    {\@ifundefined{@#1\@tempa}%
      {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
      {\global\csname @#1\@tempa\endcsname}}}
\def\@bidi@removefromreset#1#2{{%
  \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
  \def\@elt##1{%
```

```
    \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
    \else
      \noexpand\@elt{##1}%
    \fi}%
  \expandafter\xdef\csname cl@#2\endcsname{%
    \csname cl@#2\endcsname}}}
\newcommand*{\ifRtoL}{%
  \if@RTL
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\ifLtoR}{%
  \if@RTL
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifRtoLtable}{%
  \if@RTLtab
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\ifLtoRtable}{%
  \if@RTLtab
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifRtoLhboxconstruct}{%
  \if@hboxRconstruct
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\ifLtoRhboxconstruct}{%
  \if@hboxRconstruct
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\iflatin}{%
  \if@nonlatin
    \expandafter\@secondoftwo
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand*{\ifnonlatin}{%
  \if@nonlatin
```

```
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}

\newcommand*{\bidi@@convert@dimen@t@unit}[2]{%
    \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}

\newcommand*{\bidi@@convert@dimen@t@pt}[1]{%
    \dimexpr #1*65536/\dimexpr 1pt\relax}

\newcommand*{\if@bidi@csdef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\if@bidi@csundef}[1]{%
  \ifcsname#1\endcsname
    \expandafter\ifx\csname#1\endcsname\relax
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@def}[1]{%
  \ifdefined#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@undef}[1]{%
  \ifdefined#1%
    \ifx#1\relax
      \expandafter\expandafter
      \expandafter\@firstoftwo
    \else
      \expandafter\expandafter
      \expandafter\@secondoftwo
    \fi
  \else
    \expandafter\@firstoftwo
  \fi}
\newcommand{\if@bidi@blank}[1]{% from url.sty
  \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
\long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
```

```
\newcommand{\bidi@notblank}[1]{%
  \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
\newcommand{\if@bidi@defmacro}{}
\long\edef\if@bidi@defmacro#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefmacro
  \noexpand\meaning#1\detokenize{macro}:&}
\edef\bidi@ifdefmacro{%
  \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
\bidi@ifdefmacro{\bidi@notblank{#2}}
\newcommand*{\if@bidi@csmacro}[1]{%
  \if@bidi@csdef{#1}
    {\expandafter\if@bidi@defmacro\csname#1\endcsname}
    {\@secondoftwo}}
\newcommand{\if@bidi@defprimitive}[1]{%
  \ifprimitive#1%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand{\if@bidi@csprimitive}[1]{%
 \begingroup\expandafter\expandafter\expandafter\endgroup%
  \expandafter\ifprimitive\csname#1\endcsname%
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}
\newcommand*{\bidi@csdefcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}
\newcommand*{\bidi@csletcs}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}
\newcommand*{\bidi@cslet}[2]{%
\expandafter\@ifdefinable  \csname#1\endcsname{%
\expandafter\let\csname#1\endcsname#2}}
\newcommand{\bidi@namelongdef}[1]{%
  \long\expandafter\def\csname #1\endcsname}
\def\bidi@ensure@newcommand{\@star@or@long\bidi@ensure@new@command}
\def\bidi@ensure@new@command#1{%
  \begingroup \escapechar\m@ne\xdef\@gtempa{{\string#1}}\endgroup
  \expandafter\if@bidi@csundef\@gtempa
     {\new@command#1}{\relax%
  \let\@ifdefinable\@rc@ifdefinable%
  \new@command#1}}
\def\bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}

\protected\def\bidi@error{\PackageError{bidi}}
\protected\def\bidi@warning{\PackageWarning{bidi}}
\protected\def\bidi@info{\PackageInfo{bidi}}

```

```
\def\bidi@pos#1#2#3#4{\bidi@namegdef{bidi@#1pos@@#2@#3}{#4}}

\newcount\bidi@poscount

\newcommand*{\WriteStartXPostoaux}{%
  \global\advance\bidi@poscount\@ne
    \edef\@tempa{%
      \write\@auxout{%
        \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastxpo
      }%
    }%
    \ifvmode
      \leavevmode
    \fi
  \if@RTL
       \if@filesw
    \@tempa
  \fi
  \pdfsavepos
    \else
  \pdfsavepos
  \if@filesw
    \@tempa
  \fi
  \fi
  \if@bidi@csundef{bidi@xpos@@start@\number\bidi@poscount}{%
        \PackageWarningNoLine{biditools}{%
          The start x position `\number\bidi@poscount' is not known yet.
          Rerun to get this x position%
          }%
  }{}%
}

\newcommand*{\WriteEndXPostoaux}{%
      \edef\@tempa{%
        \write\@auxout{%
          \string\bidi@pos{x}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastxpo
      }%
    }%
  \if@RTL
    \if@filesw
    \@tempa
  \fi
  \pdfsavepos
  \else
  \pdfsavepos
  \if@filesw
    \@tempa
  \fi
  \fi
```

```
  \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{%
          \PackageWarningNoLine{biditools}{%
          The end x position `\number\bidi@poscount' is not known yet.
          Rerun to get this x position%
          }%
  }{}%
}

\newcommand*{\WriteStartYPostoaux}{%
  \global\advance\bidi@poscount\@ne
    \edef\@tempa{%
      \write\@auxout{%
        \string\bidi@pos{y}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastypo
      }%
    }%
    \ifvmode
      \leavevmode
    \fi
  \if@RTL
       \if@filesw
    \@tempa
  \fi
  \pdfsavepos
    \else
  \pdfsavepos
  \if@filesw
    \@tempa
  \fi
  \fi
  \if@bidi@csundef{bidi@ypos@@start@\number\bidi@poscount}{%
        \PackageWarningNoLine{biditools}{%
          The start y position `\number\bidi@poscount' is not known yet.
          Rerun to get this y position%
          }%
  }{}%
}

\newcommand*{\WriteEndYPostoaux}{%
      \edef\@tempa{%
        \write\@auxout{%
          \string\bidi@pos{y}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastypo
      }%
    }%
  \if@RTL
    \if@filesw
    \@tempa
  \fi
  \pdfsavepos
  \else
  \pdfsavepos
```

```
  \if@filesw
    \@tempa
  \fi
  \fi
  \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{%
          \PackageWarningNoLine{biditools}{%
          The end y position `\number\bidi@poscount' is not known yet.
          Rerun to get this y position%
          }%
  }{}%
}

\newcommand*{\WriteStartXYPostoaux}{%
  \global\advance\bidi@poscount\@ne
    \edef\@tempa{%
      \write\@auxout{%
        \string\bidi@pos{x}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastxpo
      }%
      \write\@auxout{%
        \string\bidi@pos{y}{start}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastypo
      }%
    }%
    \ifvmode
      \leavevmode
    \fi
  \if@RTL
       \if@filesw
    \@tempa
  \fi
  \pdfsavepos
    \else
  \pdfsavepos
  \if@filesw
    \@tempa
  \fi
  \fi
  \if@bidi@csundef{bidi@xpos@@start@\number\bidi@poscount}{%
        \PackageWarningNoLine{biditools}{%
          The start x position `\number\bidi@poscount' is not known yet.
          Rerun to get this x position%
          }%
  }{}%
  \if@bidi@csundef{bidi@ypos@@start@\number\bidi@poscount}{%
        \PackageWarningNoLine{biditools}{%
          The start y position `\number\bidi@poscount' is not known yet.
          Rerun to get this y position%
          }%
  }{}%
}

```

```
\newcommand*{\WriteEndXYPostoaux}{%
      \edef\@tempa{%
        \write\@auxout{%
          \string\bidi@pos{x}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastxpo
      }%
        \write\@auxout{%
          \string\bidi@pos{y}{end}{\number\bidi@poscount}{\noexpand\number\noexpand\pdflastypo
      }%
    }%
  \if@RTL
    \if@filesw
    \@tempa
  \fi
  \pdfsavepos
  \else
  \pdfsavepos
  \if@filesw
    \@tempa
  \fi
  \fi
  \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{%
          \PackageWarningNoLine{biditools}{%
          The end x position `\number\bidi@poscount' is not known yet.
          Rerun to get this x position%
          }%
  }{}%
  \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{%
          \PackageWarningNoLine{biditools}{%
          The end y position `\number\bidi@poscount' is not known yet.
          Rerun to get this y position%
          }%
  }{}%
}

\newcommand*{\currentposxwidth}{%
  \if@bidi@csundef{bidi@xpos@@end@\number\bidi@poscount}{\z@}
  {%
    \ifnum\csname bidi@xpos@@start@\number\bidi@poscount
    \endcsname < \csname   bidi@xpos@@end@\number\bidi@poscount
    \endcsname
    \dimexpr \csname bidi@xpos@@end@\number\bidi@poscount
    \endcsname sp - \csname   bidi@xpos@@start@\number\bidi@poscount
    \endcsname sp\relax
  \else
    \dimexpr \csname bidi@xpos@@start@\number\bidi@poscount
    \endcsname sp - \csname   bidi@xpos@@end@\number\bidi@poscount
    \endcsname sp\relax
  \fi
  }%
}
```

```
\newcommand*{\currentposyheight}{%
  \if@bidi@csundef{bidi@ypos@@end@\number\bidi@poscount}{\z@}
  {%
    \dimexpr \csname bidi@ypos@@start@\number\bidi@poscount
    \endcsname sp - \csname   bidi@ypos@@end@\number\bidi@poscount
    \endcsname sp\relax
  }%
}



\newcommand*{\setbaselineskip}[1]{%
    \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax\re
    \selectfont
}


\newcommand*{\bidi@newrobustcmd}{}
\protected\def\bidi@newrobustcmd{\@star@or@long\bidi@new@command}

\def\bidi@new@command#1{\@testopt{\bidi@newcommand#1}0}

\def\bidi@newcommand#1[#2]{%
  \@ifnextchar[%]
    {\bidi@xargdef#1[#2]}
    {\ifx\l@ngrel@x\relax
       \let\l@ngrel@x\protected
     \else
       \protected\def\l@ngrel@x{\protected\long}%
     \fi
     \@argdef#1[#2]}}

\long\def\bidi@xargdef#1[#2][#3]#4{%
  \@ifdefinable#1{%
    \expandafter\protected
    \expandafter\def
    \expandafter#1%
    \expandafter{%
      \expandafter\@testopt
      \csname\string#1\endcsname{#3}}%
    \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}}

\bidi@newrobustcmd*{\bidi@renewrobustcmd}{\@star@or@long\bidi@renew@command}

\def\bidi@renew@command#1{%
  \if@bidi@undef{#1}
     {\bidi@error{\string#1 undefined}\@ehc}
     {}%
  \let\@ifdefinable\@rc@ifdefinable
```

```
  \bidi@new@command#1}


\bidi@newrobustcmd*{\bidi@providerobustcmd}{\@star@or@long\bidi@provide@command}

\def\bidi@provide@command#1{%
  \if@bidi@undef{#1}
    {\def\reserved@a{\bidi@new@command#1}}
    {\def\reserved@a{\bidi@renew@command\reserved@a}}%
  \reserved@a}

\newcommand*{\bidi@csuse}[1]{%
  \ifcsname#1\endcsname
    \csname#1\expandafter\endcsname
  \fi}

\newcommand{\bidi@expandonce}[1]{%
  \unexpanded\expandafter{#1}}

\def\bidi@protected{%
  \let\@@protect\protect
  \let\protect\@unexpandable@protect
  \afterassignment\restore@protect}

\bidi@newrobustcmd{\bidi@appto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{\unexpanded{#2}}}
    {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
\bidi@newrobustcmd{\bidi@eappto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{#2}}
    {\edef#1{\bidi@expandonce#1#2}}}
\bidi@newrobustcmd{\bidi@gappto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{\unexpanded{#2}}}
    {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
\bidi@newrobustcmd{\bidi@xappto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{#2}}
    {\xdef#1{\bidi@expandonce#1#2}}}

\bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
\bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}


\bidi@newrobustcmd{\bidi@preto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{\unexpanded{#2}}}
```

```
    {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@epreto}[2]{%
  \if@bidi@undef{#1}
    {\edef#1{#2}}
    {\edef#1{#2\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@gpreto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{\unexpanded{#2}}}
    {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
\bidi@newrobustcmd{\bidi@xpreto}[2]{%
  \if@bidi@undef{#1}
    {\xdef#1{#2}}
    {\xdef#1{#2\bidi@expandonce#1}}}

\bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
\bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}



\bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
\bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}



\bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
\bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
\bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}



\bidi@newrobustcmd{\if@bidi@patchable}{%
  \bidi@dbg@trce\if@bidi@patchable
  \begingroup
  \@makeother\#%
  \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}

\long\def\bidi@ifpatchable#1#2{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#1}
```

```
      {\bidi@dbg@info{mac}%
       \bidi@ifscanable{#1}
         {\bidi@ifhashcheck{#2}
            {\bidi@dbg@info{tok}%
             \bidi@ifpattern#1{#2}
                {\bidi@dbg@info{pat}%
                 \bidi@dbg@info{pos}\@firstoftwo}
                {\bidi@dbg@fail{pat}\@secondoftwo}}
            {\bidi@dbg@fail{hsh}\@secondoftwo}}
         {\bidi@dbg@fail{tok}\@secondoftwo}}
      {\bidi@dbg@fail{mac}\@secondoftwo}}}

\long\def\bidi@ifpatchable@i#1{%
  \endgroup
  \bidi@dbg@init#1%
  \if@bidi@undef{#1}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#1}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#1}
          {\bidi@dbg@info{prm}%
           \bidi@ifscanable{#1}
             {\bidi@dbg@info{tok}%
              \bidi@dbg@info{pos}\@firstoftwo}
             {\bidi@dbg@fail{tok}\@secondoftwo}}
          {\bidi@dbg@info{prl}%
           \if@bidi@defprotected{#1}
             {\bidi@dbg@info{pro}}
             {}%
           \bidi@dbg@info{pos}\@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\bidi@newrobustcmd*{\bidi@patchcmd}{%
  \bidi@dbg@trce\bidi@patchcmd
  \begingroup
  \@makeother\#%
  \bidi@@patchcmd}

\newcommand{\bidi@@patchcmd}[4][########1]{%
  \bidi@ifpatchable#2{#3}
    {\bidi@dbg@succ{ret}%
     \begingroup
     \edef\bidi@resrvda{%
       \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
         #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
       \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
         ####1\detokenize{#4}####2}%
       \edef\noexpand\bidi@resrvda{%
         \noexpand\bidi@resrvda\meaning#2&}}%
```

```
      \bidi@resrvda
      \bidi@patchcmd@scantoks\bidi@resrvda
      \let#2\bidi@resrvda
      \bidi@undef\bidi@resrvda
      \@firstoftwo}
     {\@secondoftwo}}

\def\bidi@patchcmd@scantoks#1{%
  \edef\bidi@resrvda{\endgroup
    \unexpanded{\makeatletter\scantokens}{#1}%
    \catcode\number`\@=\the\catcode`\@\relax}%
  \bidi@resrvda}

\newcommand\bidi@isloaded[2][]{
  \expandafter\ifx\csname if@bidi@#2loaded@\endcsname\relax
    \expandafter\newif\csname if@bidi@#2loaded@\endcsname
  \fi
  \@ifpackageloaded{#2}
    {\csname @bidi@#2loaded@true\endcsname #1}
    {\csname @bidi@#2loaded@false\endcsname}}

\protected\def\bidi@ifscanable#1{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
      ####1\def\string\bidi@resrvda####2{####3}}%
    \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
  \bidi@resrvda
  \makeatletter
  \scantokens\expandafter{\bidi@resrvda}%
  \expandafter\endgroup\ifx#1\bidi@resrvda
    \expandafter\@firstoftwo
  \else
    \expandafter\@secondoftwo
  \fi}


\protected\long\def\bidi@ifhashcheck#1{%
  \begingroup
  \edef\bidi@resrvda{\detokenize{#1}}%
  \expandafter\endgroup
  \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}

\edef\bidi@ifhashcheck@i#1&{%
  \noexpand\expandafter
  \noexpand\bidi@ifhashcheck@ii
  \noexpand\strip@prefix#1\string#\string#&}

\edef\bidi@ifhashcheck@ii{%
  \def\noexpand\bidi@ifhashcheck@ii##1\string#\string###2&}
```

```
\bidi@ifhashcheck@ii{\if@bidi@blank{#2}}


\protected\long\def\bidi@ifpattern#1#2{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
      \endgroup\noexpand\noexpand\noexpand\if@bidi@blank{####2}}%
    \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
      \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
    \noexpand\bidi@resrvda}
  \bidi@resrvda\@secondoftwo\@firstoftwo}


\newcommand{\if@bidi@defparam}{}
\long\edef\if@bidi@defparam#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefparam
  \noexpand\meaning#1\detokenize{macro}:->&}
\edef\bidi@ifdefparam{%
  \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
\bidi@ifdefparam{\bidi@notblank{#2}}


\newcommand{\if@bidi@defprotected}{}
\long\edef\if@bidi@defprotected#1{%
  \noexpand\expandafter\noexpand\bidi@ifdefprotected
  \noexpand\meaning#1\string\protected&}
\edef\bidi@ifdefprotected{%
  \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
\bidi@ifdefprotected{\bidi@notblank{#2}}


\bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}

\let\bidi@dbg@trce\@gobble
\let\bidi@dbg@init\@gobble
\let\bidi@dbg@info\@gobble
\let\bidi@dbg@succ\@gobble
\let\bidi@dbg@fail\@gobble


\bidi@newrobustcmd*{\bidi@apptocmd}{%
  \bidi@dbg@trce\bidi@apptocmd
  \begingroup
  \@makeother\#%
  \bidi@hooktocmd\bidi@append}


```

```
\bidi@newrobustcmd*{\bidi@pretocmd}{%
  \bidi@dbg@trce\bidi@pretocmd
  \begingroup
  \@makeother\#%
  \bidi@hooktocmd\bidi@prepend}

\long\def\bidi@hooktocmd#1#2#3{%
  \endgroup
  \bidi@dbg@init#2%
  \if@bidi@undef{#2}
    {\bidi@dbg@fail{def}\@secondoftwo}
    {\bidi@dbg@info{def}%
     \if@bidi@defmacro{#2}
       {\bidi@dbg@info{mac}%
        \if@bidi@defparam{#2}
          {\bidi@dbg@info{prm}%
           \bidi@ifscanable{#2}
             {\bidi@ifhashcheck{#3}
                {\bidi@dbg@info{tok}%
                 \bidi@dbg@succ{ret}%
                 \bidi@hooktocmd@i#1#2{#3}%
                 \@firstoftwo}
                {\bidi@dbg@fail{hsh}\@secondoftwo}}
             {\bidi@dbg@fail{tok}\@secondoftwo}}
          {\bidi@dbg@info{prl}%
           \if@bidi@defprotected{#2}
             {\bidi@dbg@info{pro}%
              \bidi@dbg@succ{red}%
              \protected}
             {\bidi@dbg@succ{red}}%
           \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
           \@firstoftwo}}
       {\bidi@dbg@fail{mac}\@secondoftwo}}}

\long\def\bidi@hooktocmd@i#1#2#3{%
  \begingroup
  \edef\bidi@resrvda{%
    \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
      ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}}%
    \edef\noexpand\bidi@resrvda{%
      \noexpand\bidi@resrvda\meaning#2&}}%
  \bidi@resrvda
  \bidi@patchcmd@scantoks\bidi@resrvda
  \let#2\bidi@resrvda
  \bidi@undef\bidi@resrvda}

\long\def\bidi@append#1#2{#1#2}
\long\def\bidi@prepend#1#2{#2#1}

\bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
```

```
\newcommand*{\bidi@endpreamblehook}{}

\bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipouth
\newcommand*{\bidi@beforeoutputpageshipouthook}{}

\bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
\newcommand*{\bidi@beforeheaderhook}{}

\bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutputpa
\newcommand*{\bidi@beforeoutputboxoutputpagehook}{}

\bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpage
\newcommand*{\bidi@afteroutputboxoutputpagehook}{}

\bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
\newcommand*{\bidi@beforefooterhook}{}

\bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
\newcommand*{\bidi@afterfooterhook}{}


\bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook
\newcommand*{\bidi@afteroutputpageshipouthook}{}

\bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
\newcommand*{\bidi@atendoutputpagehook}{}

\bidi@preto\document{%
  \endgroup
  \let\bidi@AtEndPreamble\@firstofone
  \bidi@endpreamblehook
  \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
  \bidi@undef\bidi@endpreamblehook
  \begingroup}

\bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
\bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}

\bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
\newcommand*{\bidi@afterendpreamblehook}{}

\bidi@appto\document{%
  \let\bidi@AfterEndPreamble\@firstofone
  \bidi@afterendpreamblehook
  \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
  \bidi@undef\bidi@afterendpreamblehook
  \ignorespaces}

\bidi@newrobustcmd*{\bidi@AfterEndDocumentCheckLabelsRerun}{\bidi@gappto\bidi@afterenddocument
\newcommand*{\bidi@afterenddocumentchecklabelsrerunhook}{}
```

```
\bidi@patchcmd\enddocument
  {\fi\endgroup}
  {\let\bidi@AfterEndDocumentCheckLabelsRerun\@firstofone
   \bidi@afterenddocumentchecklabelsrerunhook
   \fi\endgroup}
   {}
   {\PackageWarning{biditools}{Patching `\string\enddocument' failed}}

\AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}

\bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
\newcommand*{\bidi@afterlastshipouthook}{}

\bidi@patchcmd\enddocument
  {\clearpage}
  {\clearpage
   \let\bidi@AfterLastShipout\@firstofone
   \bidi@afterlastshipouthook}
  {}
  {\let\bidi@clearpage\clearpage
   \def\clearpage{%
     \bidi@clearpage
     \let\bidi@AfterLastShipout\@firstofone
     \bidi@afterlastshipouthook}}

\bidi@newrobustcmd*{\bidi@AfterEndDocument}{\bidi@gappto\bidi@afterenddocumenthook}
\newcommand*{\bidi@afterenddocumenthook}{}

\bidi@patchcmd\enddocument
  {\deadcycles}
  {\let\bidi@AfterEndDocument\@firstofone
   \bidi@afterenddocumenthook
   \deadcycles}
  {}
  {\let\bidi@@end\@@end
   \def\@@end{%
     \let\bidi@AfterEndDocument\@firstofone
     \bidi@afterenddocumenthook
     \bidi@@end}}

\bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
  \bidi@csgappto{@bidi@begin@#1@hook}}

% Patch \begin<space> and \end<space> in newer LaTeX releases
% \begin and \end in older ones.
\expandafter\bidi@patchcmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
  {\csname #1\endcsname}
  {\bidi@csuse{@bidi@begin@#1@hook}%
   \csname #1\endcsname}
```

```
  {}
  {\bidi@warning{%
     Patching '\string\begin' failed!\MessageBreak
     '\string\bidi@AtBeginEnvironment' will not work\@gobble}}


\bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
  \bidi@csgappto{@bidi@end@#1@hook}}

\expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
  {\csname end#1\endcsname}
  {\bidi@csuse{@bidi@end@#1@hook}%
   \csname end#1\endcsname}
  {}
  {\bidi@warning{%
     Patching '\string\end' failed!\MessageBreak
     '\string\bidi@AtEndEnvironment' will not work\@gobble}}


\bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
  \bidi@csgappto{@bidi@beforebegin@#1@hook}}

\expandafter\bidi@pretocmd\csname begin\ifcsname begin \endcsname\space\fi\endcsname
  {\bidi@csuse{@bidi@beforebegin@#1@hook}}
  {}
  {\bidi@warning{%
     Patching '\string\begin' failed!\MessageBreak
     '\string\bidi@BeforeBeginEnvironment' will not work\@gobble}}

\bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
  \bidi@csgappto{@bidi@afterend@#1@hook}}

\expandafter\bidi@patchcmd\csname end\ifcsname end \endcsname\space\fi\endcsname
  {\if@ignore}
  {\bidi@csuse{@bidi@afterend@#1@hook}%
   \if@ignore}
  {}
  {\bidi@warning{%
     Patching '\string\end' failed!\MessageBreak
     '\string\bidi@AfterEndEnvironment' will not work\@gobble}}

\def\bidi@namedef#1{\expandafter\def\csname #1\endcsname}
\def\bidi@namegdef#1{\expandafter\gdef\csname #1\endcsname}
\def\bidi@nameedef#1{\expandafter\edef\csname #1\endcsname}
\def\bidi@namexdef#1{\expandafter\xdef\csname #1\endcsname}

% From David Carlisle:
% The \@stpelt redefinition below belongs to Heiko Oberdiek
```

```
% See also https://github.com/ho-tex/oberdiek/issues/26

\let\@bidi@stepcounter\stepcounter
\let\@bidi@@stpelt\@stpelt

\def\@stpelt#1{%
  \ifcsname bidi@reset@#1@perpage\endcsname
    \begingroup
      \let\stepcounter\@bidi@stepcounter
      \@bidi@@stpelt{#1}%
    \endgroup
    \expandafter\@gobbletwo
  \fi
  \@bidi@@stpelt{#1}%
}

\bidi@pretocmd\stepcounter
  {%
    \if@bidi@csundef{bidi@stepcounterhook@@#1}{}{%
      \csname bidi@stepcounterhook@@#1\endcsname
    }%
  }{}%
  {\PackageWarning{biditools}{Patching `\string\stepcounter' failed}}

\chardef\bidi@backslash`\\
\def\bidics#1{\texttt{\char\bidi@backslash#1}}

% anonymous control sequences
\newcount\bidi@tempcountb
\newtoks\bidi@temptoksa
\newtoks\bidi@temptoksb

% Catcode (re)storing
%
\def\bidi@storecatcode#1%
   {\escapechar\m@ne
    \bidi@csarg\edef{bidi@restorecatcode\string#1}%
          {\catcode`\string#1=
                \the\catcode\expandafter`\string#1}%
    \catcode\expandafter`\string#1=12\relax
    \escapechar`\\\relax}
\def\bidi@restorecatcode#1%
   {\escapechar\m@ne
    \csname bidi@restorecatcode\string#1\endcsname
    \escapechar`\\\relax}

% Construct a control sequence inside \edef
%
\def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}

```

```
% Construct a control sequence out of #2, and give it to #1
%
\def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}

% Pick an escapecharacter
% this presumes that its argument is a character.
%
\def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}

% Equality of strings.
% the fast approach: does not work in expansion-only environment.
%
\def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
    \ifx\bidi@eqs@a\bidi@eqs@b}

% Test by expansion only
%
\def\bidi@EqualStringX#1#2{00\fi
    \csname if\@bidi@EqualStringX#1&$#2&$\endcsname}
\def\@bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
        \ifx#1&true\else\bidi@hop@ES\@bidi@EqualStringX#2$#4$\fi
    \else false\fi}
\def\bidi@hop@ES#1\fi#2\fi{\fi\fi#1}

% Lexicographic ordering
% note the use of \def
% also note the characters 0,127,255 that are used,
% these are not supposed to appear in the strings
%
{\catcode0=12 \catcode255=12 \catcode127=12
\gdef\bidi@StringBeforeNC#1#2{00\fi
  \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
\gdef\bidi@CharsBeforeNC#1#2^^?#3#4^^?{%
  \ifcat#1\relax\def\bidi@next{\bidi@CharsBefore#2^^@^^?#3#4^^ff^^?}%
  \else\ifcat#3\relax\def\bidi@next{\bidi@CharsBefore#1#2^^@^^?#4^^ff^^?}%
       \else\ifnum\lccode`#1<\lccode`#3
              \def\bidi@next{\csname iftrue\endcsname}%
            \else\ifnum\lccode`#1>\lccode`#3
                   \def\bidi@next{\csname iffalse\endcsname}%
                 \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
  \fi  \fi  \fi  \fi
  \bidi@next}
\gdef\bidi@StringBefore#1#2{00\fi
  \bidi@CharsBefore#1^^@^^?#2^^ff^^?}
\gdef\bidi@CharsBefore#1#2^^?#3#4^^?{%
  \ifnum`#1<`#3
       \def\bidi@next{\csname iftrue\endcsname}%
  \else\ifnum`#1>`#3
       \def\bidi@next{\csname iffalse\endcsname}%
       \else\def\bidi@next{\bidi@CharsBefore#2^^?#4^^?}%
```

```
  \fi\fi
  \bidi@next}
}

% Null argument test
%
\def\bidi@empty{}
\def\bidi@ifempty#1{00\fi\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
\def\bidi@ifEmptyX#1{\expandafter\ifx\csname bidi@#1@null\endcsname\bidi@@null}
%\def\bidi@ifEmpty#1{\def\bidi@cs@a{#1}\ifx\bidi@cs@a\bidi@empty}
\def\bidi@IsEmptyList#1{00\fi\def\bidi@cs@a{#1}\ifx\cs@a\bidi@empty}

% Next character test
%
\def\bidi@NextChar#1#2#3{00\fi
    \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
    \futurelet\bidi@nxt@c\@bidi@ifnxtc}
\def\bidi@ifNextChar#1#2#3{%
    \let\bidi@nxt@ch#1\def\bidi@nxt@a{#2}\def\bidi@nxt@b{#3}%
    \futurelet\bidi@nxt@c\@bidi@ifnxtc}
\def\@bidi@ifnxtc{\ifx\bidi@nxt@ch\bidi@nxt@c \expandafter\bidi@nxt@a
    \else \expandafter\bidi@nxt@b \fi}

% Test for defined-ness of string as control sequence.
% works inside \edef
%
\def\bidi@undefinedcs#1{00\fi\bidi@csarg\ifx{#1}\relax}

% Define uniquely defined dummy macros,
% usually to serve as bumper blocks at the end of a list
%
\newcount\bidi@dummies
\def\DefNewDummy#1{
    \if\bidi@undefinedcs{#1}\bidi@csarg\edef{#1}{bidi@dum\the\bidi@dummies}
        \advance\bidi@dummies\@ne
    \else
        \bidi@error{Attempt at second definition of `#1'}
    \fi}

% string case statement
% use: \bidi@switch \iftest{...} in:
%      item1 action1
%      ...
%      itemn actionn
%      default defaultaction [optional]
%      \endbidi@switch
% inspired by Jonathan Fine: Some Basic Control Macros
% Tugboat 12 #4
%
\let\@bidi@fi\fi \let\endbidi@switch\relax \DefNewDummy{bidi@default}
```

```
\def\bidi@switch@exit #1 \@bidi@fi #2 \endbidi@switch {\fi #1}
\def\bidi@switch #1#2#3{\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@fi
  #1{#2}\bidi@switch@exit #3 \@bidi@fi
  \bidi@switch {#1}
}
% this version puts the test object in {}
\def\bidi@oswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1{#2}\bidi@switch@exit #3 \@bidi@fi
  \bidi@switch #1 in:
}
% this version assumes that the test object is just one character
\def\bidi@cswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1#2\bidi@switch@exit #3 \@bidi@fi
  \bidi@cswitch #1 in:
}
% this version assumes that the test object can have an optional space
\def\bidi@bswitch #1 in: #2 #3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1#2 \bidi@switch@exit #3 \@bidi@fi
  \bidi@bswitch #1 in:
}
% this version can cope with significant spaces at the start of #3;
% #2 is macro argument
\def\bidi@mswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1{#2}\bidi@switch@exit #3 \@bidi@fi
  \bidi@mswitch #1 in:
}
% idem; #2 does not have to be enclosed in braces
\def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@f
  #1#2 \bidi@switch@exit #3 \@bidi@fi
  \bidi@fswitch #1 in:
}

% Routines for taking the value of a string:
% if the string is defined as control sequence
% take the value of that, otherwise take the string itself

% String or value of control sequence
%
\def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}

% String or control sequence
%
\def\@bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}

% String or \noexpand-ed control sequence;
% for use in \edef
%
\newif\ifbidi@in@label
\def\@bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
            \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
```

```
\newtoks\bidi@are@these@correct
\def\bidi@t@w@w#1{%
    \if\bidi@undefinedcs{#1}#1%
        \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1 }\fi
    \else
        \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}

% List Manipulation ................
% this assumes that #1 is a list of tokens, #2 is the name of a list
%
% Names of lists (and of items to pop into) are given as strings;
% not as control sequences.
%
\newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
% basic append/prepend macro
\long\def\@bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@toks@
\long\def\@bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista\
\def\@bidi@append@to@list{\bidi@csarg\@bidi@append@to@cslist}
\def\@bidi@prepend@to@list{\bidi@csarg\@bidi@prepend@to@cslist}
% variations:
\long\def\bidi@append@to@list#1#2{\@bidi@append@to@list{#1}{}{#2}}
\long\def\bidi@prepend@to@list#1#2{\@bidi@prepend@to@list{#1}{}{#2}}
\def\bidi@append@list@to@list#1#2{%
  \@bidi@append@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2\en
\def\bidi@prepend@list@to@list#1#2{%
  \@bidi@prepend@to@list{#1}{\expandafter\expandafter\expandafter}{\expandafter\the\csname#2\e
\def\bidi@append@cslist@to@cslist#1#2{%
  \@bidi@append@to@cslist{#1}\expandafter{\the#2}}
\def\bidi@prepend@cslist@to@cslist#1#2{%
  \@bidi@prepend@to@cslist{#1}\expandafter{\the#2}}
\def\bidi@append@toks@cs@to@list#1#2{\@bidi@append@to@list{#1}\expandafter{\the#2}}
\def\bidi@prepend@toks@cs@to@list#1#2{\@bidi@prepend@to@list{#1}\expandafter{\the#2}}

\let\bidi@willbeunhskip\unhskip

% A few list macros for the user
\def\NewTokenList:#1 {\bidi@csarg\newtoks{#1}\global\csname#1\endcsname{}}
\def\EmptyTokenList:#1 {\global\csname#1\endcsname{}}
\long\def\AppendToTokenList:#1=#2 {\@bidi@append@to@list{#1}{}{#2}}
\long\def\PrependToTokenList:#1=#2 {\@bidi@prepend@to@list{#1}{}{#2}}
\def\TheTokenList:#1 {\let\bidi@oldwbuskip\bidi@willbeunhskip \let\bidi@willbeunhskip\@empty
    \if\bidi@undefinedcs{#1}\bidi@error{Token List <#1> undefined}
    \else\bidi@csarg\the{#1}\fi
    \let\bidi@willbeunhskip\bidi@oldwbuskip}

\def\bidi@del@tok@from@list#1#2{\begingroup
    \long\def\bidi@cs@liste##1#2##2\bidi@tok@SM
       {\bidi@toks@lista{##1}\bidi@toks@listb{##2}%
```

```
        \edef\bidi@cs@listb{\global\bidi@csname{#1}=
                {\the\bidi@toks@lista\the\bidi@toks@listb}}%
        \bidi@cs@listb}%
    \edef\bidi@cs@lista{\noexpand\bidi@cs@liste{}\expandafter\the\csname#1\endcsname\noexpand\
    \bidi@cs@lista \endgroup}
\def\bidi@in@front@of@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
  \bidi@in@front@of@cslist\bidi@cs@lista}
\long\def\bidi@in@front@of@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
  \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista
  \endgroup}
\long\def\bidi@local@in@front@of@list#1#2{\bidi@toks@lista={#2}%
    \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandafte
                {\expandafter\expandafter\expandafter\the\expandafter\expandafter\expandafter\
                 \expandafter\the\csname#1\endcsname}%
    }
\def\bidi@set@list#1{\bidi@csarg{\let\expandafter\bidi@cs@lista}{#1}%
  \bidi@set@cslist\bidi@cs@lista}
\long\def\bidi@set@cslist#1#2{\begingroup\bidi@toks@lista={#2}%
   \global#1=\expandafter{\the\bidi@toks@lista}\endgroup}

%%%%%%%%%%%%%%% Stack macros
%
% push in terms of prepending of lists
\def\bidi@push@cs@onto@cs#1#2{\@bidi@prepend@to@cslist#1\expandafter{\expandafter\\\expandafte
\def\bidi@push@onto#1{\bidi@csarg\bidi@push@onto@cs{#1}}
\def\bidi@push@onto@cs#1#2{\@bidi@prepend@to@cslist#1{}{\\{#2}}}
\def\bidi@local@push@onto#1#2{\let\\=\relax
    \bidi@local@in@front@of@list{#1}{\\{#2}}}
% pop via auxiliary macro: #1 is result, #2 is stack
% two cs arguments
\def\bidi@pop@cs@into#1#2{\edef\bidi@cs@e
   {\noexpand\@@bidi@popinto\noexpand#1\noexpand#2\the#2\noexpand\@@bidi@pop}\bidi@cs@e}
% two string arguments
\def\bidi@pop@into#1#2{\edef\bidi@cs@e
   {\noexpand\@@bidi@popinto\bidi@csname{#1}\bidi@csname{#2}\bidi@csarg\the{#2}\noexpand\@@bid
\long\def\@@bidi@popinto#1#2\\#3#4\@@bidi@pop{#1{#3}#2{#4}}
\def\bidi@copy@stacktop#1#2{%
    \edef\bidi@cs@e{\noexpand\@bidi@copy@stacktop
                    {#1}\bidi@csarg\the{#2}\noexpand\@@bidi@pop}%
    \bidi@cs@e}
\def\@bidi@copy@stacktop#1\\#2#3\@@bidi@pop{\csname#1\endcsname#2\relax}
\newcount\bidi@stack@length \newtoks\bidi@empty@stack \bidi@empty@stack{\\{}}
\def\bidi@length@of@stack#1{\bidi@csarg\bidi@length@of@csstack{#1}}
\def\bidi@length@of@csstack#1{\def\\##1{\advance\bidi@stack@length\@ne}%
  \bidi@stack@length\m@ne \the#1}
% turn a stack upside down
\def\bidi@invert@csstack#1{\bidi@length@of@csstack{#1}%
  \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@stack
  \loop\ifnum\bidi@tempcountb<\bidi@stack@length
    \bidi@pop@cs@into\bidi@temptoksb#1\advance\bidi@stack@length\m@ne
```

```
    \bidi@push@cs@onto@cs\bidi@temptoksa\bidi@temptoksb
%    \bidi@append@cslist@to@cslist\bidi@temptoksb\bidi@temptoksa% append a to b
%    \bidi@temptoksa\bidi@temptoksb
    \repeat% copy b to a
  #1\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}
% invert a stack into a list
\def\bidi@x@stack@to@list#1{\bidi@length@of@stack{#1}%
  \bidi@tempcountb\z@ \bidi@temptoksa\bidi@empty@toks
  \loop\ifnum\bidi@tempcountb<\bidi@stack@length
    \bidi@pop@into{bidi@temptoksb}{#1}\advance\bidi@stack@length\m@ne
    \bidi@append@list@to@list{bidi@temptoksb}{bidi@temptoksa}\repeat
  \csname#1\endcsname\bidi@temptoksa \bidi@temptoksa\bidi@empty@toks}


% General loop macro:
% \looprepeat
%   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>
%               \untilcondition{<cond>} \whilecondition{<cond>}
%   \doloopbody { <loop body> }
% where all control sequences in between \looprepeat and \doloopbody are optional.
%
% var: characters to form a control sequence;
%    after \forvariable{index} you can access the loop counter as \index.
%    This is a count register; to print it use \number\index.
% start,step,end: integers with obvious relations to the loop counter;
%    start and step have a default value of 1
% cond: (sequence of commands ending in) any TeX \if... test.
%
% Count down instead of up with \downtovalue; the increment given in \bystep
% is always positive, and is added or subtracted accordingly.
%
% Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
% at the beginning of the loop body.
%
% Exit from middle of loop: \breaklooprepeat
% use this at any place in the loop; in case of a conditional use
%   \ifsomething ... \expandafter \breaklooprepeat \fi
%
% Note that the line ends do not cause spaces in the output.
%
% Technical details:
% The loop body is not executed in a group: the braces are those
% of a token list.
% The `forvariable' variable is \let to a \count register.


% Auxiliary stuff
\def\bidi@looprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
\def\bidi@looprepeat@csromannumeral#1{\csname #1\romannumeral\bidi@looprepeat@depth\endcsname}
```

```
\def\bidi@looprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidi@looprepea

\newcount\bidi@looprepeat@depth
\let\endlooprepeat\relax \def\bidi@csprotect{}
% Trace switches may later be defined by PAC_utils
\let\bidi@looprepeat@traceinit\relax \let\bidi@looprepeat@traceexit\relax

% Main repeatloop macro
% - go to next level and allocate unique counter/toks if this is the
%   first time we visit this level
% - setup: gather bounds and termination conditions
% - scoop up body in token list; after the assignment define and
%   execute body
\def\looprepeat#1\doloopbody{\bidi@looprepeat@traceinit % exit in \breakrepeatloop
  \advance\bidi@looprepeat@depth\@ne\relax
  \bidi@looprepeat@csargromannumeral\ifx{bidi@looprepeat@count}\relax
    \bidi@looprepeat@csargromannumeral{\csname newcount\expandafter\endcsname}{bidi@looprepeat
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@
    \bidi@looprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{bidi@looprepeat@
  \fi \bidi@looprepeat@zero \def\bidi@looprepeat@sign{}\def\bidi@looprepeat@comp{>}\bidi@loopr
  \edef\bidi@looprepeat@tmp
     {\def\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@looprepeat}{\bidi@loopre
  \afterassignment\bidi@looprepeat@dxbody\bidi@looprepeat@csromannumeral{bidi@looprepeat@toks}

% Define and execute loop body
% This is done with an \edef to construct the actual sequence
\def\bidi@looprepeat@dxbody{\bidi@looprepeat@csargromannumeral\edef{bidi@looprepeat@body}{%
    \bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@wtest}%
      \noexpand\the\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@toks}%
        \bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@utest}%
    \global\bidi@looprepeat@csargromannumeral\advance{bidi@looprepeat@count} by \bidi@looprepe
    \noexpand\endlooprepeat
    \bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@looprepeat}}%
  \bidi@looprepeat@csromannumeral{bidi@looprepeat@body}\ignorespaces}

% Stop test
%% In order to stop, issue a
% \breaklooprepeat which scoops up the rest of the body and exits
\def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumeral\l
  \advance\bidi@looprepeat@depth\m@ne \bidi@looprepeat@traceexit
  }


% Setup
% gather bounds and termination conditions
\def\bidi@looprepeat@setup#1{%
  \begingroup
    \def\forvariable##1{%
      \edef\bidi@looprepeat@tmp{%
```

```
      \global\let\bidi@looprepeat@csarg\noexpand{##1}\bidi@looprepeat@csromannumeral{bidi@lo
    \bidi@looprepeat@tmp}%
  \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global{bidi@looprepeat@count}##1\igno
  \def\tovalue##1{%
    \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loopre
     {\bidi@looprepeat@csargromannumeral\the{bidi@looprepeat@wtest}%
      \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand{bidi@looprepeat@count}\bidi
        \noexpand\expandafter \noexpand\breaklooprepeat
      \noexpand\fi}\ignorespaces}%
    \bidi@looprepeat@tmp}%
  \def\downtovalue##1{%
    \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
  \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}\@
            \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{-##1}\else
            \bidi@looprepeat@csargromannumeral\gdef{bidi@looprepeat@inc}{##1}\fi\ignorespac
  \def\untilcondition##1{%
    \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loopre
       {\noexpand##1\relax
        \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
    \bidi@looprepeat@tmp}%
  \def\whilecondition##1{%
    \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand{bidi@loopre
       {\noexpand##1\relax \noexpand\else
        \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
  \bidi@looprepeat@tmp}%
  \fromvalue{\@ne}\bystep{\@ne}#1%
 \endgroup}
\def\bidi@looprepeat@zero
  {\bidi@looprepeat@csromannumeral{bidi@looprepeat@toks}{}\bidi@looprepeat@csromannumeral{bid
   \bidi@looprepeat@csargromannumeral\def{bidi@looprepeat@body}{}}

%\tracingmacros2
%\newcount\tmpcount % used in some examples below

%\looprepeat \forvariable{i}
%        \bystep{2}
%  \doloopbody {%
%     \ifnum\i=13 \expandafter\breaklooprepeat \fi
%     \number\i{} %
%}%

%\looprepeat \forvariable{iii}
%        \tovalue{8}
%   \doloopbody {}
%After loop: \number\iii%

%\looprepeat \forvariable{i}
%        \fromvalue{10}
%        \bystep{2}
%        \downtovalue{0}
```

```
%   \doloopbody {\number\i{} }

%\looprepeat \forvariable{x} \whilecondition{\ifnum\x<7}
%   \doloopbody {\number\x{} }

%\looprepeat \tovalue{3} \doloopbody {Hello world! }

%\looprepeat \forvariable{j}
%        \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
%  \doloopbody {\number\j{} }

%\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
% {\looprepeat \forvariable{j} \fromvalue{\i} \bystep{3} \tovalue{18}
%  \doloopbody {(\number\i.\number\j) }
% }

% infinite loop
%\looprepeat \doloopbody {}

\renewcommand{\InputIfFileExists}[2]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
    \expandafter\@secondoftwo
  \else
    \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
    \expandafter\@firstoftwo
  \fi
  {%
    \expandafter\InputIfFileExists\expandafter{\csname
      #1-@bidi@alias\endcsname}{#2}%
  }%
  {\IfFileExists{#1}{%
      \bidi@load@hook{before}{#1}%
      #2\@addtofilelist{#1}%
      \@@input \@filef@und
      \bidi@load@hook{after}{#1}%
    }}%
}

\newcommand*{\bidi@@loadwithoptions}{}
\newcommand*{\bidi@loadwithoptions}{}
\let\bidi@loadwithoptions\@loadwithoptions

\renewcommand*{\@loadwithoptions}[3]{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
    \def\bidi@@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
  \else
    \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
    \def\bidi@@loadwithoptions{%
```

```
      \@loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}%
    }%
  \fi
  \bidi@@loadwithoptions
}

\newcommand*{\bidi@onefilewithoptions}{}
\let\bidi@onefilewithoptions\@onefilewithoptions
\def\@onefilewithoptions#1[#2][#3]#4{%
  \begingroup\expandafter\expandafter\expandafter\endgroup
  \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
    \def\bidi@@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
  \else
    \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
    \edef\bidi@@onefilewithoptions{%
      \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
  \fi
  \bidi@@onefilewithoptions[{#2}][{#3}]{#4}%
  \bidi@load@hook{lateafter}{#1.#4}%
}

\newcommand*{\bidi@ReplaceInput}[2]{%
  \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
}

\newcommand*{\bidi@UnReplaceInput}[1]{%
  \ifcsname #1-@bidi@alias\endcsname
    \expandafter\let\csname #1-@bidi@alias\endcsname\relax
  \fi
}

\newcommand*{\@bidi@replacefilewithext}[3]{%
  \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
 }
\newcommand*{\bidi@ReplacePackage}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@pkgextension
}
\newcommand*{\bidi@ReplaceClass}[2]{%
  \@bidi@replacefilewithext{#1}{#2}\@clsextension
}
\newcommand*{\@bidi@unreplacefilewithext}[2]{%
  \ifcsname #1.#2-@bidi@aliasname\endcsname
    \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
  \fi
}
\newcommand*{\bidi@UnReplacePackage}[1]{%
  \@bidi@unreplacefilewithext{#1}\@pkgextension
}
\newcommand*{\bidi@UnReplaceClass}[1]{%
  \@bidi@unreplacefilewithext{#1}\@clsextension
```

```
}
\newcommand*{\bidi@replacefile@msg}[2]{%
  \PackageInfo{biditools}{inputing `#1' instead of `#2'}%
}

\newcommand*{\bidi@load@hook}[2]{%
  \@ifundefined{#2-@#1}{}{%
    \@nameuse{#2-@#1}%
    \expandafter\let\csname #2-@#1\endcsname=\relax}}
\newcommand*{\bidi@set@load@hook}[2]{%
  \@ifundefined{#2-@#1}{\@namedef{#2-@#1}{}}{}%
  \expandafter\g@addto@macro\csname #2-@#1\endcsname}
\newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
\newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
\newcommand*{\bidi@BeforeClass}[1]{%
  \bidi@set@load@hook{before}{#1.\@clsextension}}
\newcommand*{\bidi@AfterClass}{%
  \@ifstar {\@s@bidi@AfterClass}{%
    \@ifnextchar +\@@bidi@AfterClass{%
      \@ifnextchar !\@@@bidi@AfterClass\@bidi@AfterClass
    }%
  }%
}

\newcommand*{\@@@bidi@AfterClass}[2]{%
  \begingroup\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
    \aftergroup\@s@bidi@AfterClass
  \else
    \aftergroup\bidi@AfterAtEndOfClass
  \fi
  \endgroup{#2}%
}

\newcommand*{\bidi@AfterAtEndOfClass}[1]{%
  \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
\newcommand*{\@@bidi@AfterClass}[2]{%
  \begingroup
    \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
      \aftergroup\@s@bidi@AfterClass
    \else
      \aftergroup\@bidi@AfterClass
    \fi
  \endgroup{#2}%
}

\newcommand*{\@bidi@AfterClass}[1]{%
  \bidi@set@load@hook{after}{#1.\@clsextension}}
\newcommand*{\@s@bidi@AfterClass}[1]{%
  \begingroup
    \@ifclassloaded{#1}{%
```

```
      \aftergroup\@secondoftwo
    }{%
      \aftergroup\@bidi@AfterClass
    }%
  \endgroup
  {#1}%
}


\newcommand*{\bidi@BeforePackage}[1]{%
  \bidi@set@load@hook{before}{#1.\@pkgextension}}
\newcommand*{\bidi@AfterPackage}{%
  \@ifstar {\@s@bidi@AfterPackage}{%
    \@ifnextchar +\@@bidi@AfterPackage{%
      \@ifnextchar !\@@@bidi@AfterPackage\@bidi@AfterPackage
    }%
  }%
}
\newcommand*{\@@@bidi@AfterPackage}[2]{%
  \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
    \aftergroup\@s@bidi@AfterPackage
  \else
    \aftergroup\bidi@AfterAtEndOfPackage
  \fi
  \endgroup{#2}%
}
\newcommand*{\bidi@AfterAtEndOfPackage}[1]{%
  \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
\newcommand*{\@@bidi@AfterPackage}[2]{%
  \begingroup
    \expandafter\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
      \aftergroup\@s@bidi@AfterPackage
    \else
      \aftergroup\@bidi@AfterPackage
    \fi
  \endgroup{#2}%
}
\newcommand*{\@bidi@AfterPackage}[1]{%
  \bidi@set@load@hook{after}{#1.\@pkgextension}}
\newcommand*{\@s@bidi@AfterPackage}[1]{%
  \begingroup
    \@ifpackageloaded{#1}{%
      \aftergroup\@secondoftwo
    }{%
      \aftergroup\@bidi@AfterPackage
    }%
  \endgroup
  {#1}%
}

```

```
\newcommand*{\bidi@excludedpackages}{}
\let\bidi@excludedpackages\@empty
\newcommand*{\bidi@saved@RequirePackage}{}
\newcommand*{\bidi@PreventPackageFromLoading}{%
  \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
          {\@bidi@PreventPackageFromLoading\PackageWarning}%
}
\newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
  \@ifnextchar [%]
    {\@@bidi@PreventPackageFromLoading#1}{\@@bidi@PreventPackageFromLoading#1[]}%
}
\newcommand*{\@@bidi@PreventPackageFromLoading}{}

\def\@@bidi@PreventPackageFromLoading#1[#2]#3{%
  \edef\reserved@b{\zap@space#3 \@empty}%
  \ifx \reserved@b\@empty
    #1{biditools}{%
      \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
      argument ignored%
    }%
  \else
    \ifx\bidi@excludedpackages\@empty
      \let\bidi@saved@RequirePackage\RequirePackage
      \let\RequirePackage\bidi@RequirePackage
      \def\reserved@a##1##{%
        \@latex@error
        {\noexpand \usepackage before \string\documentclass}%
        {\noexpand \usepackage may only appear in the document
          preamble, i.e.,\MessageBreak
          between \noexpand\documentclass and
          \string\begin{document}.}%
        \@gobble}%
      \ifx\reserved@a\usepackage\else
        \ifx\usepackage\bidi@saved@RequirePackage\else
          \PackageWarning{biditools}{%
            Maybe serious problem: unexpected definition of\MessageBreak
            \string\usepackage
          }%
        \fi
        \let\usepackage\RequirePackage
      \fi
    \fi
    \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
    \reserved@b\do {%
      \ifx\reserved@a\@empty
        #1{biditools}{%
          empty package argument for
          \string\bidi@PreventPackageFromLoading\MessageBreak
          ignored%
        }%
```

```
      \else
        \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
          #1{biditools}{%
            package `\reserved@a' already loaded.\MessageBreak
            Cannot prevent it from beeing loaded%
          }%
        }{%
          \edef\bidi@excludedpackages{\bidi@excludedpackages,%
            \reserved@a}%
          \if\relax\detokenize{#2}\relax\else
            \@ifundefined{bidi@exclude@package@\reserved@a @do}{%
              \@namedef{bidi@exclude@package@\reserved@a @do}{}%
            }{}%
            \expandafter\def
            \csname bidi@exclude@package@\reserved@a
                    @do\expandafter\expandafter\expandafter\endcsname
            \expandafter\expandafter\expandafter{%
              \csname bidi@exclude@package@\reserved@a @do\endcsname
              #2%
            }%
          \fi
        }%
      \fi
    }%
    \ifx\bidi@excludedpackages\@empty
      \bidi@ResetPreventPackageFromLoading
    \fi
  \fi
}

\@onlypreamble\bidi@PreventPackageFromLoading
\newcommand*{\bidi@ResetPreventPackageFromLoading}{%
  \let\bidi@excludedpackages\@empty
  \ifx\RequirePackage\bidi@RequirePackage
    \ifx\usepackage\RequirePackage
      \let\usepackage\bidi@saved@RequirePackage
    \fi
    \let\RequirePackage\bidi@saved@RequirePackage
  \fi
}
\@onlypreamble\bidi@ResetPreventPackageFromLoading
\newcommand*{\bidi@StorePreventPackageFromLoading}[1]{%
  \let#1\bidi@excludedpackages
}
\@onlypreamble\bidi@StorePreventPackageFromLoading
\newcommand*{\bidi@UnPreventPackageFromLoading}{%
  \@ifstar {\@tempswatrue\@bidi@UnPreventPackageFromLoading}%
           {\@tempswafalse\@bidi@UnPreventPackageFromLoading}%
}

```

```
\newcommand*{\@bidi@UnPreventPackageFromLoading}[1]{%
  \edef\reserved@b{\zap@space#1 \@empty}%
  \if@tempswa
    \@for\reserved@a:=\reserved@b\do {%
      \ifx\reserved@a\@empty \else
        \ifcsname bidi@exclude@package@\reserved@a @do\endcsname
          \expandafter\let
          \csname bidi@exclude@package@\reserved@a @do\endcsname
          \undefined
        \fi
      \fi
    }%
  \fi
  \ifcsname bidi@excludedpackages\endcsname
    \let\reserved@a\bidi@excludedpackages
    \let\bidi@excludedpackages\@empty
    \expandafter\@for\expandafter\reserved@c
    \expandafter:\expandafter=\reserved@a
    \do{%
      \ifx\reserved@c\@empty\else
        \@expandtwoargs\in@{,\reserved@c,}{,\reserved@b,}%
        \ifin@
        \else
          \edef\bidi@excludedpackages{%
            \bidi@excludedpackages,\reserved@c
          }%
        \fi
      \fi
    }%
    \ifx\bidi@excludedpackages\@empty\bidi@ResetPreventPackageFromLoading\fi
  \fi
}


\newcommand*{\bidi@RequirePackage}[2][]{%
  \let\reserved@c\@empty
  \let\reserved@d\@empty
  \edef\reserved@b{\zap@space#2 \@empty}%
  \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
  \do {%
    \begingroup
      \@tempswatrue
      \@for\reserved@a:=\bidi@excludedpackages\do {%
        \ifx\reserved@a\reserved@b
          \@tempswafalse
        \fi
      }%
      \if@tempswa
        \xdef\reserved@c{\reserved@c,\reserved@b}%
      \else
```

```
        \ifx\reserved@b\@empty\else
          \PackageInfo{biditools}{Excluding package `\reserved@b'\MessageBreak
            from loading}%
          \@ifundefined{bidi@exclude@package@\reserved@b @do}{%
          }{%
            \expandafter\g@addto@macro\expandafter\reserved@d
            \csname bidi@exclude@package@\reserved@b @do\endcsname
          }%
        \fi
      \fi
    \endgroup
  }%
  \ifx\reserved@c\@empty
    \let\reserved@a\bidi@gobbleopt
  \else
    \edef\reserved@a{\noexpand\bidi@saved@RequirePackage[#1]{%
        \expandafter\@gobble\reserved@c\@empty}}%
  \fi
  \expandafter\reserved@d
  \reserved@a
}

\newcommand{\bidi@gobbleopt}[1][]{}
\AtEndDocument{%
  \let\bidi@saved@checkend=\@checkend
  \renewcommand*{\@checkend}[1]{%
    \def\reserved@a{#1}\def\reserved@b{document}%
    \bidi@saved@checkend{#1}%
    \ifx\reserved@a\reserved@b
      \let\bidi@saved@clearpage=\clearpage
      \renewcommand*{\clearpage}{\bidi@saved@clearpage
        \bidi@hook@bcma
        \bidi@restore@newpage
        \let\clearpage=\bidi@saved@clearpage}%
    \fi%
    \let\bidi@saved@dofilelist\@dofilelist
    \def\@dofilelist{%
      \bidi@hook@acma
      \let\@dofilelist\bidi@saved@dofilelist
      \bidi@saved@dofilelist
    }%
  }%
}


\newcommand*{\bidi@saved@checkend}{}
\newcommand*{\bidi@saved@dofilelist}{}
\newcommand*{\bidi@redefine@newpage}{%
  \let\bidi@saved@newpage\newpage
  \def\bidi@restore@newpage{%
```

```
    \renewcommand*{\newpage}{%
      \PackageWarningNoLine{%
        biditools%
      }{%
        \string\newpage\space at main aux file!\MessageBreak
        You have output material at the main aux file.\MessageBreak
        Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
        are processed before the output from aux file%
      }%
      \let\newpage\bidi@saved@newpage
      \newpage
    }%
  }%
  \renewcommand*{\newpage}{%
    \PackageError{%
      biditools%
    }{%
      \string\newpage\space at \string\bidi@BeforeClosingMainAux
    }{%
      You should never use \string\newpage\space or
      \string\clear(double)page or other output material at the\MessageBreak
      argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
      If you'll continue, the \string\newpage\space will be ignored to
      avoid corruption of\MessageBreak
      every prior use of \string\bidi@BeforeClosingMainAux.
    }%
  }%
}

\newcommand*{\bidi@restore@newpage}{}
\newcommand*{\bidi@hook@bcma}{}
\newcommand*{\bidi@hook@acma}{}
\newcommand*{\bidi@BeforeClosingMainAux}{%
  \ifx\bidi@hook@bcma\@empty
    \gdef\bidi@hook@bcma{%
      \renewcommand*{\bidi@BeforeClosingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
      \bidi@redefine@newpage
    }%
  \fi
  \g@addto@macro\bidi@hook@bcma%
}

\newcommand*{\bidi@AfterReadingMainAux}{%
  \ifx\bidi@hook@acma\@empty
    \gdef\bidi@hook@acma{%
      \renewcommand*{\bidi@AfterReadingMainAux}[1]{####1}%
      \let\protected@write\bidi@protected@immediate@write
    }%
  \fi
```

```
  \g@addto@macro\bidi@hook@acma%
}

\long\def\bidi@protected@immediate@write#1#2#3{%
  \begingroup
    #2%
    \let\protect\@unexpandable@protect
    \edef\reserved@a{\immediate\write#1{#3}}%
    \reserved@a
  \endgroup
  \if@nobreak\ifvmode\nobreak\fi\fi
}

\def\bidi@patch@counter{0}%
\if@bidi@csundef{numexpr}{%
  \def\bidi@patch@stepcounter{%
    \begingroup
      \count@\bidi@patch@counter\relax
      \advance\count@\@ne\relax
    \edef\x{\endgroup
      \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
    }%
    \x
  }%
}{%
  \def\bidi@patch@stepcounter{%
    \edef\bidi@patch@counter{%
      \the\numexpr\bidi@patch@counter+\@ne\relax
    }%
  }%
}
\def\bidi@patch@list{}
\def\bidi@patch@Add{%
  \bidi@appto\bidi@patch@list
}
\def\bidi@patch@AfterPackage#1{%
  \@ifpackageloaded{#1}{%
    \@firstofone
  }{%
    \@bidi@patch@AfterPackage{#1}%
  }%
}
\def\@bidi@patch@AfterPackage#1{%
  \edef\bidi@patch@temp{#1}%
  \bidi@patch@stepcounter
  \expandafter\bidi@patch@@AfterPackage
  \csname @bidi@patch@\bidi@patch@counter\expandafter\endcsname{%
    \bidi@patch@temp
  }%
}
```

```
\def\bidi@patch@@AfterPackage#1#2#3{%
  \begingroup
    \toks@{#3}%
    \xdef\bidi@patch@gtemp{%
      \noexpand\@ifpackageloaded{#2}{%
        \noexpand\let\noexpand#1\noexpand\relax
        \the\toks@
      }{}%
    }%
  \endgroup
  \let#1\bidi@patch@gtemp
  \bidi@patch@Add#1%
  \bidi@patch@try{bidi@AfterPackage}{#2}#1%
}

\def\bidi@patch@try#1#2#3{%
  \if@bidi@csundef{#1}{}{%
    \csname #1\endcsname{#2}{#3}%
  }%
}

\AtBeginDocument{\bidi@patch@list}

\bidi@AtEndPreamble{\bidi@patch@list}%

\bidi@AfterEndPreamble{%
  \let\bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
  \let\bidi@patch@OrgIfPackageLater\@ifpackagelater
  \let\bidi@patch@OrgIfClassLoaded\@ifclassloaded
  \let\bidi@patch@OrgIfClassLater\@ifclasslater
  \bidi@patch@list
  \let\@ifpackageloaded\bidi@patch@OrgIfPackageLoaded
  \let\@ifpackagelater\bidi@patch@OrgIfPackageLater
  \let\@ifclassloaded\bidi@patch@OrgIfClassLoaded
  \let\@ifclasslater\bidi@patch@OrgIfClassLater
}%
```

22 File bidituftefloat.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftefloat}[2017/05/19 v0.2
bidi implementation of tufte float]
\RequirePackage{xifthen}
\newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
\newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}
\newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{@bidituftefloat@debug}}{\bidit
\newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{\@bidituftefloat@pkgname}{#1\@gobble}}
\newboolean{@bidituftefloat@reversegeometry}
\setboolean{@bidituftefloat@reversegeometry}{false}
\DeclareOption{reversegeometry}{\setboolean{@bidituftefloat@reversegeometry}{true}}
```

```
\newboolean{@bidituftefloat@afourpaper}
\DeclareOption{a4paper}{\setboolean{@bidituftefloat@afourpaper}{true}}
\newboolean{@bidituftefloat@bfivepaper}
\DeclareOption{b5paper}{\setboolean{@bidituftefloat@bfivepaper}{true}}
\newboolean{@bidituftefloat@symmetric}
\newboolean{@bidituftefloat@twoside}
\DeclareOption{twoside}{%
\@twosidetrue  \@mparswitchtrue%
\setboolean{@bidituftefloat@twoside}{true}%
\setboolean{@bidituftefloat@symmetric}{true}%
}
\DeclareOption{oneside}{%
\@twosidefalse  \@mparswitchfalse%
\setboolean{@bidituftefloat@twoside}{false}%
\setboolean{@bidituftefloat@symmetric}{false}%
}
\@ifclassloaded{book}{\ExecuteOptions{twoside}}{}
\newboolean{@bidituftefloat@debug}
\newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodetect
\ProcessOptions
%% Globally sets the length
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}

%% Set the font sizes and baselines to match bidituftefloat's books
\renewcommand\normalsize{%
   \@setfontsize\normalsize\@xpt{14}%
   \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
   \abovedisplayshortskip \z@ \@plus3\p@
   \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
   \belowdisplayskip \abovedisplayskip
   \let\@listi\@listI}
\normalbaselineskip=14pt
\normalsize
\renewcommand\footnotesize{%
   \@setfontsize\footnotesize\@viiipt{10}%
   \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
   \abovedisplayshortskip \z@ \@plus\p@
   \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
   \def\@listi{\leftmargin\leftmargini
               \topsep 3\p@ \@plus\p@ \@minus\p@
               \parsep 2\p@ \@plus\p@ \@minus\p@
               \itemsep \parsep}%
   \belowdisplayskip \abovedisplayskip
}
%% Paragraph indentation and separation for marginal text
\newcommand{\@bidituftefloat@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
```

```
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
\RequirePackage{ragged2e}
\ifthenelse{\boolean{@bidituftefloat@reversegeometry}}{%
\RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpars
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
  {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpars
  {}
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
  {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,m
  {}}{%
\RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginparse
\ifthenelse{\boolean{@bidituftefloat@afourpaper}}
  {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginparse
  {}
\ifthenelse{\boolean{@bidituftefloat@bfivepaper}}
  {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,ma
  {}}
\ifthenelse{\boolean{@bidituftefloat@symmetric}}
  {}
  {\geometry{asymmetric}}% forces internal LaTeX `twoside'
\setlength\marginparpush{10pt}
%% Font for margin items
\newcommand{\@bidituftefloat@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftefloat@caption@font}{\@bidituftefloat@marginfont}
\newcommand*{\setcaptionfont}[1]{\renewcommand*{\@bidituftefloat@caption@font}{#1}}
\newcommand{\@bidituftefloat@justification}{\justifying}%
\setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
\setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
\newboolean{@bidituftefloat@changepage}
\IfFileExists{changepage.sty}{%
  \bidituftefloatDebugInfoNL{Found changepage.sty}
  \RequirePackage[strict]{changepage}
  \setboolean{@bidituftefloat@changepage}{true}
}{%
  \bidituftefloatDebugInfoNL{Found chngpage.sty}
  \RequirePackage[strict]{chngpage}
  \setboolean{@bidituftefloat@changepage}{false}
}
\newboolean{@bidituftefloat@odd@page}
\setboolean{@bidituftefloat@odd@page}{true}
\newcommand*{\@bidituftefloat@checkoddpage}{%
  \checkoddpage%
  \ifthenelse{\boolean{@bidituftefloat@changepage}}{%
    \ifoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
```

```
    \fi%
  }{%
    \ifcpoddpage%
      \setboolean{@bidituftefloat@odd@page}{true}%
    \else%
      \setboolean{@bidituftefloat@odd@page}{false}%
    \fi%
  }%
}
\newlength{\@bidituftefloat@overhang}% used by the fullwidth environment and the running heads
\newlength{\@bidituftefloat@fullwidth}
\newlength{\@bidituftefloat@caption@fill}
\newcommand{\bidituftefloatRecalculate}{%
  \setlength{\@bidituftefloat@overhang}{\marginparwidth}
  \addtolength{\@bidituftefloat@overhang}{\marginparsep}

  \setlength{\@bidituftefloat@fullwidth}{\textwidth}
  \addtolength{\@bidituftefloat@fullwidth}{\marginparsep}
  \addtolength{\@bidituftefloat@fullwidth}{\marginparwidth}

  \setlength{\@bidituftefloat@caption@fill}{\textwidth}
  \addtolength{\@bidituftefloat@caption@fill}{\marginparsep}
}
\AtBeginDocument{\bidituftefloatRecalculate}
\RequirePackage{optparams}%  provides multiple optional arguments for commands
\RequirePackage{placeins}
\newsavebox{\@bidituftefloat@margin@floatbox}
\newenvironment{@bidituftefloat@margin@float}[2][-1.2ex]%
  {\FloatBarrier% process all floats before this point so the figure/table numbers stay in orc
  \begin{lrbox}{\@bidituftefloat@margin@floatbox}%
  \begin{minipage}{\marginparwidth}%
    \@bidituftefloat@caption@font%
    \def\@captype{#2}%
    \hbox{}\vspace*{#1}%
    \@bidituftefloat@caption@justification%
    \@bidituftefloat@margin@par%
    \noindent%
  }
  {\end{minipage}%
  \end{lrbox}%
  \marginpar{\usebox{\@bidituftefloat@margin@floatbox}}%
  }
\newenvironment{marginfigure}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{figure}}
  {\end{@bidituftefloat@margin@float}}
\newenvironment{margintable}[1][-1.2ex]%
  {\begin{@bidituftefloat@margin@float}[#1]{table}}
  {\end{@bidituftefloat@margin@float}}
\newcommand*{\@bidituftefloat@justification@autodetect}{\justifying}%

```

```
\newcommand{\@bidituftefloat@float@debug@info}{}% contains debug info generated as the float i
\newcommand{\@bidituftefloat@float@debug}[1]{% adds debug info to the queue for output
  \ifthenelse{\equal{\@bidituftefloat@float@debug@info}{}}%
    {\def\@bidituftefloat@float@debug@info{#1}}%
    {\g@addto@macro\@bidituftefloat@float@debug@info{\MessageBreak#1}}%
}
\newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
\newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@bidituftefloat@float@debug
\newboolean{@bidituftefloat@float@recto}
\newcommand{\forcerectofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftef
\newcommand{\forceversofloat}{\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituft
\newsavebox{\@bidituftefloat@figure@box}
\newsavebox{\@bidituftefloat@caption@box}
\let\@bidituftefloat@orig@float\@float
\let\@bidituftefloat@orig@endfloat\end@float
\newlength{\@bidituftefloat@caption@vertical@offset}
\setlength{\@bidituftefloat@caption@vertical@offset}{0pt}
\newcommand{\@bidituftefloat@stored@shortcaption}{}
\newcommand{\@bidituftefloat@stored@caption}{}
\newcommand{\@bidituftefloat@stored@label}{}
\long\def\@bidituftefloat@caption[#1][#2]#3{%
  \ifthenelse{\isempty{#1}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#3}}%
    {\gdef\@bidituftefloat@stored@shortcaption{#1}}%
  \gsetlength{\@bidituftefloat@caption@vertical@offset}{-#2}% we want a positive offset to low
  \gdef\@bidituftefloat@stored@caption{#3}%
}
\newcommand{\@bidituftefloat@label}[1]{%
  \gdef\@bidituftefloat@stored@label{#1}%
}
\newcommand{\@bidituftefloat@fps}{}
\newboolean{@bidituftefloat@float@star}
\newlength{\@bidituftefloat@float@contents@width}
\newenvironment{@bidituftefloat@float}[3][htbp]%
  {% begin @bidituftefloat@float
    % Should this float be full-width or just text-width?
    \ifthenelse{\equal{#3}{star}}%
      {\GlobalSetBoolean{@bidituftefloat@float@star}{true}}%
      {\GlobalSetBoolean{@bidituftefloat@float@star}{false}}%
    % Check page side (recto/verso) and store detected value -- can be overriden in environmen
    \@bidituftefloat@checkoddpage%
    \ifthenelse{\boolean{@bidituftefloat@odd@page}}%
      {\GlobalSetBoolean{@bidituftefloat@float@recto}{true}\@bidituftefloat@float@debug{Detect
      {\GlobalSetBoolean{@bidituftefloat@float@recto}{false}\@bidituftefloat@float@debug{Detec
    % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,
    \renewcommand{\@bidituftefloat@fps}{#1}%
    \@bidituftefloat@float@debug{Allowed positions: [#1]}%
    \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}%
      {\renewcommand{\floatalignment}{b}\@bidituftefloat@float@debug{Presumed position: [botto
      {\renewcommand{\floatalignment}{t}\@bidituftefloat@float@debug{Presumed position: [top]]
```

```
  % Capture the contents of the \caption and \label commands to use later
  \global\let\@bidituftefloat@orig@caption\caption%
  \global\let\@bidituftefloat@orig@label\label%
  \renewcommand{\caption}{\optparams{\@bidituftefloat@caption}{[][0pt]}}%
  \renewcommand{\label}[1]{\@bidituftefloat@label{##1}}%
  % Handle subfigure package compatibility
  \ifthenelse{\boolean{@bidituftefloat@packages@subfigure}}{%
    \bidi@patchcmd{\subfigure}{%
    \let\subfig@oldlabel=\label
    }{%
    \let\subfig@oldlabel=\@bidituftefloat@orig@label
    }
    {}
    {}
    \let\subtable=\subfigure
  }{}% subfigure package is not loaded
  \@bidituftefloat@orig@float{#2}[#1]%
  \ifthenelse{\boolean{@bidituftefloat@float@star}}%
    {\setlength{\@bidituftefloat@float@contents@width}{\@bidituftefloat@fullwidth}}%
    {\setlength{\@bidituftefloat@float@contents@width}{\textwidth}}%
  \begin{lrbox}{\@bidituftefloat@figure@box}%
    \begin{minipage}[\floatalignment]{\@bidituftefloat@float@contents@width}\hbox{}%
}{% end @bidituftefloat@float
    \par\hbox{}\vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% ali
    \end{minipage}%
  \end{lrbox}%
  % build the caption box
  \begin{lrbox}{\@bidituftefloat@caption@box}%
    \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
      \ifthenelse{\NOT\equal{\@bidituftefloat@stored@caption}{}}{\@bidituftefloat@orig@capti
      \ifthenelse{\NOT\equal{\@bidituftefloat@stored@label}{}}{\@bidituftefloat@orig@label{\
      \par\vspace{-\prevdepth}%% TODO: DOUBLE-CHECK FOR SAFETY
    \end{minipage}%
  \end{lrbox}%
  % now typeset the stored boxes
  \begin{fullwidth}%
    \begin{minipage}[\floatalignment]{\linewidth}%
      \ifthenelse{\boolean{@bidituftefloat@float@star}}%
        {\@bidituftefloat@float@fullwidth[\@bidituftefloat@caption@vertical@offset]{\@biditu
        {\@bidituftefloat@float@textwidth[\@bidituftefloat@caption@vertical@offset]{\@biditu
    \end{minipage}%
  \end{fullwidth}%
  \@bidituftefloat@orig@endfloat% end original LaTeX float environment
  % output debug info
  \ifthenelse{\boolean{@bidituftefloat@debug}}{%
    \typeout{^^J^^J---------- bidituftefloat package float information ----------}%
    \ifthenelse{\equal{\@bidituftefloat@stored@label}{}}%
      {\typeout{Warning: Float unlabeled!}}%
      {\typeout{Float label: [\@bidituftefloat@stored@label]}}%
    \typeout{Page number: [\thepage]}%
```

```
      \def\MessageBreak{^^J}%
      \typeout{\@bidituftefloat@float@debug@info}%
      \ifthenelse{\boolean{@bidituftefloat@symmetric}}%
        {\typeout{Symmetric: [true]}}%
        {\typeout{Symmetric: [false]}}%
      \typeout{--------------------------------------------------^^J^^J}%
    }{}%
    % reset commands and temp boxes and captions
    \gdef\@bidituftefloat@float@debug@info{}%
    \let\caption\@bidituftefloat@orig@caption%
    \let\label\@bidituftefloat@orig@label%
    \begin{lrbox}{\@bidituftefloat@figure@box}\hbox{}\end{lrbox}%
    \begin{lrbox}{\@bidituftefloat@caption@box}\hbox{}\end{lrbox}%
    \gdef\@bidituftefloat@stored@shortcaption{}%
    \gdef\@bidituftefloat@stored@caption{}%
    \gdef\@bidituftefloat@stored@label{}%
    \gsetlength{\@bidituftefloat@caption@vertical@offset}{0pt}% reset caption offset
  }
\newcommand{\@bidituftefloat@float@textwidth}[3][0pt]{%
  \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@recto}}
    % asymmetric or page is odd, so caption is on the right
    \hbox{%
      \usebox{#2}%
      \hspace{\marginparsep}%
      \smash{\raisebox{#1}{\usebox{#3}}}%
    }
    \@bidituftefloat@float@debug{Caption position: [right]}%
  }{% symmetric pages and page is even, so caption is on the left
    \hbox{%
      \smash{\raisebox{#1}{\usebox{#3}}}%
      \hspace{\marginparsep}%
      \usebox{#2}%
    }
    \@bidituftefloat@float@debug{Caption position: [left]}%
  }%
}
\newcommand{\@bidituftefloat@float@fullwidth}[3][0pt]{%
  \ifthenelse{\equal{\floatalignment}{b}}%
    {% place caption above figure
      \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@rec
        {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@bidituftefloat@float@debug{C
        {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@bidituftefloat@float@debug{C
    }{% place caption below figure
      \ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}\OR\boolean{@bidituftefloat@float@rec
        {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@bidituftefloat@float@debug{C
        {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@bidituftefloat@float@debug{C
    }%
}
\renewenvironment{figure}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{}}
```

```
  {\end{@bidituftefloat@float}}
\renewenvironment{table}[1][htbp]
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{}}
  {\end{@bidituftefloat@float}}
\renewenvironment{figure*}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{figure}{star}}
  {\end{@bidituftefloat@float}}
\renewenvironment{table*}[1][htbp]%
  {\ifvmode\else\unskip\fi\begin{@bidituftefloat@float}[#1]{table}{star}}
  {\end{@bidituftefloat@float}}
\newenvironment{fullwidth}
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
     {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\begin{adjustwidth*}{}{-\@bidituftefl
     {\begin{adjustwidth}{}{-\@bidituftefloat@overhang}}%
  }%
  {\ifthenelse{\boolean{@bidituftefloat@symmetric}}%
    {\ifthenelse{\boolean{@bidituftefloat@changepage}}{\end{adjustwidth*}}{\end{adjustwidth}}
    {\end{adjustwidth}}%
  }
\long\def\@caption#1[#2]#3{%
  \par%
  \addcontentsline{\csname ext@#1\endcsname}{#1}%
    {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
  \begingroup%
    \@parboxrestore%
    \if@minipage%
      \@setminipage%
    \fi%
    \@bidituftefloat@caption@font\@bidituftefloat@caption@justification%
    \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
    %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
  \endgroup}
%%
% Turns newlines into spaces.  Based on code from the `titlesec' package.
\DeclareRobustCommand{\@bidituftefheading@newlinetospace}{%
  \@ifstar{\@bidituftefheading@newlinetospace@i}{\@bidituftefheading@newlinetospace@i}%
}
\def\@bidituftefheading@newlinetospace@i{%
  \ifdim\lastskip>\z@\else\space\fi
  \ignorespaces%
}
\DeclareRobustCommand{\newlinetospace}[1]{%
  \let\@bidituftefheading@orig@cr\\% save the original meaning of \\
  \def\\{\@bidituftefheading@newlinetospace}% turn \\ and \\* into \space
  \let\newline\\% turn \newline into \space
  #1%
  \let\\\@bidituftefheading@orig@cr% revert to original meaning of \\
}
\RequirePackage{fancyhdr}
\pagestyle{fancy}
```

```
\AtBeginDocument{%
  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
    {\fancyhfoffset[LE,RO]{\@bidituftefloat@overhang}}
    {\fancyhfoffset[RE,RO]{\@bidituftefloat@overhang}}
}
% The running heads/feet don't have rules
\renewcommand{\headrulewidth}{0pt}
\renewcommand{\footrulewidth}{0pt}
% The 'fancy' page style is the default style for all pages.
\fancyhf{} % clear header and footer fields
    \ifthenelse{\boolean{@bidituftefloat@symmetric}}
    {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
    \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
    {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
% The `plain' page style is used on chapter opening pages.
% In Tufte's /Beautiful Evidence/ he never puts page numbers at the
% bottom of pages -- the folios are unexpressed.
\fancypagestyle{plain}{
  \fancyhf{} % clear header and footer fields
  % Uncomment the following five lines of code if you want the opening page
  % of the chapter to express the folio in the lower outside corner.
  %  \ifthenelse{\boolean{@bidituftefloat@symmetric}}
  %  {\fancyfoot[LE,RO]{\thepage}}
  %  {\fancyfoot[RE,RO]{\thepage}}
}
% The `empty' page style suppresses all headers and footers.
% It's used on title pages and `intentionally blank' pages.
\fancypagestyle{empty}{
  \fancyhf{} % clear header and footer fields
}
\def\morefloats{% provides a total of 52 floats
  \ifthenelse{\isundefined{\bx@S}}{%
    \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
    \newinsert\bx@S
    \newinsert\bx@T
    \newinsert\bx@U
    \newinsert\bx@V
    \newinsert\bx@W
    \newinsert\bx@X
    \newinsert\bx@Y
    \newinsert\bx@Z
    \newinsert\bx@a
    \newinsert\bx@b
    \newinsert\bx@c
    \newinsert\bx@d
    \newinsert\bx@e
    \newinsert\bx@f
    \newinsert\bx@g
    \newinsert\bx@h
    \newinsert\bx@i
```

```
    \newinsert\bx@j
    \newinsert\bx@k
    \newinsert\bx@l
    \newinsert\bx@m
    \newinsert\bx@n
    \newinsert\bx@o
    \newinsert\bx@p
    \newinsert\bx@q
    \newinsert\bx@r
    \newinsert\bx@s
    \newinsert\bx@t
    \newinsert\bx@u
    \newinsert\bx@v
    \newinsert\bx@w
    \newinsert\bx@x
    \newinsert\bx@y
    \newinsert\bx@z
    \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                    \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                    \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                    \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                    \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                    \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
                    \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                    \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                    \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                    \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                    \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                    \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
}{% we've already added another 34 floats, so we'll add 26 more, but that's it!
  \ifthenelse{\isundefined{\bx@AA}}{%
    \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
    \newinsert\bx@AA
    \newinsert\bx@BB
    \newinsert\bx@CC
    \newinsert\bx@DD
    \newinsert\bx@EE
    \newinsert\bx@FF
    \newinsert\bx@GG
    \newinsert\bx@HH
    \newinsert\bx@II
    \newinsert\bx@JJ
    \newinsert\bx@KK
    \newinsert\bx@LL
    \newinsert\bx@MM
    \newinsert\bx@NN
    \newinsert\bx@OO
    \newinsert\bx@PP
    \newinsert\bx@QQ
    \newinsert\bx@RR
```

```
      \newinsert\bx@SS
      \newinsert\bx@TT
      \newinsert\bx@UU
      \newinsert\bx@VV
      \newinsert\bx@WW
      \newinsert\bx@XX
      \newinsert\bx@YY
      \newinsert\bx@ZZ
      \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
                      \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
                      \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
                      \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
                      \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
                      \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
                      \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
                      \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
                      \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
                      \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
                      \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
                      \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
                      \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
                      \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
                      \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
                      \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
                      \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
                      \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%
    }{%
      \bidituftefloatError{You may only call \string\morefloats\space twice. See the\MessageBr
        {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\M
    }%
  }%
}
\newboolean{@bidituftefloat@packages@subfigure}
\setboolean{@bidituftefloat@packages@subfigure}{false}
\AtBeginDocument{%
  \@ifpackageloaded{subfigure}
    {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{true}}
    {\GlobalSetBoolean{@bidituftefloat@packages@subfigure}{false}}%
}
\AtBeginDocument{%
  \@ifpackageloaded{float}{%
    % Save the redefined float environment (instead of the LaTeX float environment)
    \let\@bidituftefloat@orig@float\@float
    \let\@bidituftefloat@orig@endfloat\end@float

    % Define Tuftian float styles (with the caption in the margin)
    \newcommand{\floatc@bidituftefloatplain}[2]{%
      \begin{lrbox}{\@bidituftefloat@caption@box}%
        \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{}%
          \@bidituftefloat@caption@font{\@fs@cfont #1:} #2\par%
```

```
      \end{minipage}%
    \end{lrbox}%
    \smash{\hspace{\@bidituftefloat@caption@fill}\usebox{\@bidituftefloat@caption@box}}%
  }
  \newcommand{\fs@bidituftefloatplain}{%
    \def\@fs@cfont{\@bidituftefloat@caption@font}%
    \let\@fs@capt\floatc@bidituftefloatplain%
    \def\@fs@pre{}%
    \def\@fs@post{}%
    \def\@fs@mid{}%
    \let\@fs@iftopcapt\iftrue%
  }
  \let\fs@bidituftefloatplaintop=\fs@bidituftefloatplain
  \let\floatc@bidituftefloatplaintop=\floatc@bidituftefloatplain
  \newcommand\floatc@bidituftefloatruled[2]{%
    {\@fs@cfont #1} #2\par%
  }
  \newcommand\fs@bidituftefloatruled{%
    \def\@fs@cfont{\@bidituftefloat@caption@font}%
    \let\@fs@capt\floatc@bidituftefloatplain%
    \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
    \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
    \def\@fs@mid{}%
    \let\@fs@iftopcapt\iftrue%
  }
  \newcommand\fs@bidituftefloatboxed{%
    \def\@fs@cfont{}%
    \let\@fs@capt\floatc@bidituftefloatplain%
    \def\@fs@pre{%
      \setbox\@currbox\vbox{\hbadness10000
      \moveleft3.4pt\vbox{\advance\hsize by6.8pt
        \hrule \hbox to\hsize{\vrule\kern3pt
          \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
    }%
    \def\@fs@mid{\kern2pt}%
    \def\@fs@post{}%
    \let\@fs@iftopcapt\iftrue%
  }
 }{%
  % Nothing to do
 }
}
\AtBeginDocument{%
 \@ifpackageloaded{algorithm}{%
  % Set the float style to the Tuftian version
  \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@
    \bidituftefloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak
    \floatstyle{bidituftefloat\ALG@floatstyle}%
    \restylefloat{algorithm}%
  }{}%
```

```
  }{%
    % Nothing to do
  }
}
\PassOptionsToPackage{caption=false}{subfig}
```

23 File bidituftesidenote.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftesidenote}[2017/08/09 v0.4
bidi implementation of tufte sidenote]
\RequirePackage{xifthen}
\RequirePackage{ragged2e}
\RequirePackage{setspace}
\RequirePackage{biditools}
\def\bidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@bidituftesidenotexmpar\@bidituftesidenoteympar}
\long\def\@bidituftesidenotexmpar[#1]#2{%
  \@bidituftesidenotesavemarbox\@marbox{#1}%
  \@bidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@bidituftesidenoteympar#1{%
  \@bidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@bidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@bidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
```

```
        }%
    \color@endbox
}
\def \@bidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\if@RTL@footnote\beginR\else\beginL\fi}%
}
\def\LTRbidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@LTRbidituftesidenotexmpar\@LTRbidituftesidenoteympar}
\long\def\@LTRbidituftesidenotexmpar[#1]#2{%
  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
  \@LTRbidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@LTRbidituftesidenoteympar#1{%
  \@LTRbidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@LTRbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@LTRbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
```

```
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLbidituftesidenotemarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLbidituftesidenotexmpar\@RTLbidituftesidenoteympar}
\long\def\@RTLbidituftesidenotexmpar[#1]#2{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \@RTLbidituftesidenotesavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@RTLbidituftesidenoteympar#1{%
  \@RTLbidituftesidenotesavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLbidituftesidenotesavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLbidituftesidenotemarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLbidituftesidenotemarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
\newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
```

```
\newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRsidenote@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLsidenote@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
\newcommand*{\@bidituftesidenote@LTRcitation@font}{\@bidituftesidenote@LTRmarginfont}
\newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}
\newcommand*{\setsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
\newcommand*{\setLTRsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRsidenote@font}{#1}}
\newcommand*{\setRTLsidenotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLsidenote@font}{#1}}
\newcommand*{\setmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
\newcommand*{\setLTRmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@LTRmarginnote@font}{
\newcommand*{\setRTLmarginnotefont}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font}{
\newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
\newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidituftesidenote@LTRcitation@font}{#1}}
\newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidituftesidenote@RTLcitation@font}{#1}}
\newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@aut
\newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@a
\newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@aut
\newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
\newcommand{\@bidituftesidenote@margin@par}{%
  \setlength{\RaggedRightParindent}{0.5pc}%
  \setlength{\JustifyingParindent}{0.5pc}%
  \setlength{\parindent}{0.5pc}%
  \setlength{\parskip}{0pt}%
}
%%
% Globally sets the length
\@ifundefined{gsetlength}{%
\newcommand*{\gsetlength}[2]{%
  \setlength{#1}{#2}%
  \global#1=#1\relax%
}%
}{}

%%
% A function that removes leading and trailling spaces from the supplied macro.
% Based on code written by Michael Downes (See ``Around the Bend'', #15.)
% Executing \@bidituftesidenote@trim@spaces\xyzzy will result in the contents of \xyzzy
% being trimmed of leading and trailing white space.
\catcode`\Q=3
\def\@bidituftesidenote@trim@spaces#1{%
  % Use grouping to emulate a multi-token afterassignment queue
  \begingroup%
  % Put `\toks 0 {' into the afterassignment queue
  \aftergroup\toks\aftergroup0\aftergroup{%
  % Apply \trimb to the replacement text of #1, adding a leading
  % \noexpand to prevent brace stripping and to serve another purpose
```

```
  % later.
  \expandafter\@bidituftesidenote@trim@b\expandafter\noexpand#1Q Q}%
  % Transfer the trimmed text back into #1.
  \edef#1{\the\toks0}%
}
% \trimb removes a trailing space if present, then calls \@bidituftesidenote@trim@c to
% clean up any leftover bizarre Qs, and trim a leading space. In
% order for \trimc to work properly we need to put back a Q first.
\def\@bidituftesidenote@trim@b#1 Q{\@bidituftesidenote@trim@c#1Q}
% Execute \vfuzz assignment to remove leading space; the \noexpand
% will now prevent unwanted expansion of a macro or other expandable
% token at the beginning of the trimmed text. The \endgroup will feed
% in the \aftergroup tokens after the \vfuzz assignment is completed.
\def\@bidituftesidenote@trim@c#1Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
\catcode`\Q=11
%%
% Citations should go in the margin as sidenotes

\RequirePackage{natbib}
\RequirePackage{bibentry}        % allows bibitems to be typeset outside thebibliography envi
% Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
\renewcommand\BR@b@bibitem[2][]{%
  \ifthenelse{\isempty{#1}}%
    {\BR@bibitem{#2}}%
    {\BR@bibitem[#1]{#2}}%
  \BR@c@bibitem{#2}%
}
\bidi@AtEndPreamble{\nobibliography*}                % pre-loads the bibliography keys
%%
% Normal \cite behavior
\newcounter{@bidituftesidenote@num@bibkeys}%
\newcommand{\@bidituftesidenote@normal@cite}[2][0pt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \sidenote[][#1]{%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@citation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
```

```
\newcommand{\@bidituftelTRsidenote@normal@cite}[2][0pt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \LTRsidenote[][#1]{%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@LTRcitation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
\newcommand{\@bidituftelRTLsidenote@normal@cite}[2][0pt]{%
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
  \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \RTLsidenote[][#1]{%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \normalsize\normalfont\@bidituftesidenote@citation@font%
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=#2\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
%%
% Macros for holding the list of cite keys until after the \sidenote
\gdef\@bidituftesidenote@citations{}% list of cite keys
\newcommand\@bidituftesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite k
  \ifx\@bidituftesidenote@citations\@empty\else
    \g@addto@macro\@bidituftesidenote@citations{,}% separate by commas
  \fi
  \g@addto@macro\@bidituftesidenote@citations{#1}
}
\newcommand{\@bidituftesidenote@print@citations}[1][0pt]{% puts the citations in a margin note
  % Snag the last bibentry in the list for later comparison
  \let\@temp@last@bibkey\@empty%
```

```
  \@for\@temp@bibkey:=\@bidituftesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
  \marginpar{%
    \hbox{}\vspace*{#1}%
    \@bidituftesidenote@citation@font%
    \@bidituftesidenote@citation@justification%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}%
    % Loop through all the bibentries, separating them with semicolons and spaces
    \setcounter{@bidituftesidenote@num@bibkeys}{0}%
    \@for\@temp@bibkeyx:=\@bidituftesidenote@citations\do{%
      \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
        {\ifthenelse{\equal{\value{@bidituftesidenote@num@bibkeys}}{0}}{}{and\ }%
         \@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx}}%
        {\@bidituftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
         \bibentry{\@temp@bibkeyx};\ }%
      \stepcounter{@bidituftesidenote@num@bibkeys}%
    }%
  }%
}
%%
% \cite behavior when executed within a sidenote
\newcommand{\@bidituftesidenote@sidenote@citations}{}% contains list of \cites in sidenote
\newcommand{\@bidituftesidenote@infootnote@cite}[1]{%
  \@bidituftesidenote@add@citation{#1}
}
%%
% Set the default \cite style.  This is set and reset by the \sidenote command.
\let\cite\@bidituftesidenote@normal@cite
\let\LTRcite\@biditufteLTRsidenote@normal@cite
\let\RTLcite\@biditufteRTLsidenote@normal@cite
%%
% Transform existing \footnotes into \sidenotes
% Sidenote: ``Where God meant footnotes to go.'' ---bidituftesidenote
\RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional argume
\providecommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote
\renewcommand{\footnotelayout}{\@bidituftesidenote@sidenote@font\@bidituftesidenote@sidenote@
% Override footmisc's definition to set the sidenote marks (numbers) inside the
% sidenote's text block.
\bidi@patch@AfterPackage{bidi}{\long\def\@makefntext#1{\@textsuperscript{\@bidituftesidenote@s
% Set the in-text footnote mark in the same typeface as the body text itself.
\bidi@patch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesi
\providecommand*{\multiplefootnotemarker}{3sp}
\providecommand*{\multfootsep}{,}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\@footnotemark}{%
  \leavevmode%
  \ifhmode%
    \edef\@x@sf{\the\spacefactor}%
    \@bidituftesidenote@check@multiple@sidenotes%
```

```
    \nobreak%
  \fi%
  \@makefnmark%
  \ifhmode\spacefactor\@x@sf\fi%
  \relax%
}%
}
\newcommand{\@bidituftesidenote@check@multiple@sidenotes}{%
  \ifdim\lastkern=\multiplefootnotemarker\relax%
    \edef\@x@sf{\the\spacefactor}%
    \unkern%
    \textsuperscript{\multfootsep}%
    \spacefactor\@x@sf\relax%
  \fi
}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand\@footnotetext[2][0pt]{%
  \bidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font%
    \bidi@@footnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
\renewcommand\@LTRfootnotetext[2][0pt]{%
  \LTRbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
```

```
  }%
}%
\renewcommand\@RTLfootnotetext[2][Opt]{%
  \RTLbidituftesidenotemarginpar{%
    \hbox{}\vspace*{#1}%
    \def\baselinestretch {\setspace@singlespace}%
    \reset@font%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize%
    \@bidituftesidenote@margin@par% use parindent and parskip settings for marginal text
    \vspace*{-1\baselineskip}\noindent%
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark%
    }%
    \color@begingroup%
       \@makefntext{%
         \ignorespaces#2%
       }%
    \color@endgroup%
  }%
}%
}
%
% Define \sidenote command.  Can handle \cite.
\newlength{\@bidituftesidenote@sidenote@vertical@offset}
\setlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}
% #1 = footnote num, #2 = vertical offset, #3 = footnote text
\long\def\@bidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@footnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRc
```

```
  \let\RTLcite\@bidituftеRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\long\def\@LTRbidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@LTRfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite commar
  \let\LTRcite\@bidituftеLTRsidenote@normal@cite%       go back to using normal in-text \LTRci
  \let\RTLcite\@bidituftеRTLsidenote@normal@cite%       go back to using normal in-text \RTLci
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\long\def\@RTLbidituftesidenote@sidenote[#1][#2]#3{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \ifthenelse{\NOT\isempty{#2}}{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{#2}%
  }{%
    \gsetlength{\@bidituftesidenote@sidenote@vertical@offset}{0pt}%
  }%
  \ifthenelse{\isempty{#1}}{%
    % no specific footnote number provided
    \stepcounter\@mpfn%
    \protected@xdef\@thefnmark{\thempfn}%
    \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }{%
    % specific footnote number provided
    \begingroup%
```

```
      \csname c@\@mpfn\endcsname #1\relax%
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup%
    \@footnotemark\@RTLfootnotetext[\@bidituftesidenote@sidenote@vertical@offset]{#3}%
  }%
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRc
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLc
  \unskip\ignorespaces%               remove extra white space
  \kern-\multiplefootnotemarker%      remove \kern left behind by sidenote
  \kern\multiplefootnotemarker\relax% add new \kern here to replace the one we yanked
}
\newcommand{\sidenote}{\optparams{\@bidituftesidenote@sidenote}{[][0pt]}}
\newcommand{\LTRsidenote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][0pt]}}
\newcommand{\RTLsidenote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][0pt]}}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\footnote}{\optparams{\@bidituftesidenote@sidenote}{[][0pt]}}%
\renewcommand{\LTRfootnote}{\optparams{\@LTRbidituftesidenote@sidenote}{[][0pt]}}%
\renewcommand{\RTLfootnote}{\optparams{\@RTLbidituftesidenote@sidenote}{[][0pt]}}%
}
%%
% Sidenote without the footnote mark
\newcommand\marginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \bidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@marginnote@font\@bidituft
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRc
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLc
}
\newcommand\LTRmarginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \LTRbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@LTRmarginnote@font\@bi
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRc
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLc
}
\newcommand\RTLmarginnote[2][0pt]{%
  \let\cite\@bidituftesidenote@infootnote@cite%   use the in-sidenote \cite command
  \gdef\@bidituftesidenote@citations{}%           clear out any old citations
  \RTLbidituftesidenotemarginpar{\hbox{}\vspace*{#1}\@bidituftesidenote@RTLmarginnote@font\@bi
  \@bidituftesidenote@print@citations%            print any citations
  \let\cite\@bidituftesidenote@normal@cite%       go back to using normal in-text \cite comma
  \let\LTRcite\@biditufteLTRsidenote@normal@cite%       go back to using normal in-text \LTRc
  \let\RTLcite\@biditufteRTLsidenote@normal@cite%       go back to using normal in-text \RTLc
}
```

24 File bidituftetoc.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftetoc}[2011/06/17 v0.1
bidi implementation of tufte toc]
\RequirePackage{titlesec,titletoc,xifthen,biditools}
\newcommand{\@bidituftetoc@pkgname}{bidituftetoc}
\newcommand{\bidituftetocError}[2]{\PackageError{\@bidituftetoc@pkgname}{#1}{#2}}
%%
% Turn off section numbering
\setcounter{secnumdepth}{-1}
\newboolean{@bidituftetoc@toc}
\setboolean{@bidituftetoc@toc}{true}
\DeclareOption{notoc}{\setboolean{@bidituftetoc@toc}{false}}
\DeclareOption{toc}{\setboolean{@bidituftetoc@toc}{true}}
\ProcessOptions
%%
% Make Tuftian-style section headings and TOC formatting
\bidi@patch@AfterPackage{bidi}{%
\titleformat{\chapter}%
  [display]% shape
  {\relax\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\begin{fullwidth}}{}}% format ap
  {\itshape\huge\thechapter}% label
  {0pt}% horizontal separation between label and title body
  {\huge\rmfamily\itshape}% before the title body
  [\ifthenelse{\NOT\boolean{@bidituftefloat@symmetric}}{\end{fullwidth}}{}]% after the title b
\titleformat{\section}%
  [hang]% shape
  {\normalfont\Large\itshape}% format applied to label+text
  {\thesection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\subsection}%
  [hang]% shape
  {\normalfont\large\itshape}% format applied to label+text
  {\thesubsection}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titleformat{\paragraph}%
  [runin]% shape
  {\normalfont\itshape}% format applied to label+text
  {\theparagraph}% label
  {1em}% horizontal separation between label and title body
  {}% before the title body
  []% after the title body
\titlespacing*{\chapter}{0pt}{50pt}{40pt}
\titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
\titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus.2ex}
```

```
}
% Subsubsection and following section headings shouldn't be used.
% See Bringhurst's _The Elements of Typography_, section 4.2.2.
\renewcommand\subsubsection{%
  \bidituftetocError{\noexpand\subsubsection is undefined by this class.%
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subsubsection was used}
    {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
    \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the mar
    \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
\renewcommand\subparagraph{%
  \bidituftetocError{\noexpand\subparagraph is undefined by this class.%
    \MessageBreak See Robert Bringhurst's _The Elements of
    \MessageBreak Typographic Style_, section 4.2.2.
    \MessageBreak \noexpand\subparagraph was used}
    {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
    \MessageBreak many levels of headings as you need, no more and no fewer.  Also see the mar
    \MessageBreak related threads on Ask E.T. at http://www.edwardbidituftetoc.com/.}
}
% Formatting for main TOC (printed in front matter)
% {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
\ifthenelse{\boolean{@bidituftetoc@toc}}{%
 \bidi@patch@AfterPackage{bidi}{%
 \titlecontents{part}% FIXME
    [0em] % distance from left margin
    {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
    {\contentslabel{2em}} % before w/label (label = ``II'')
    {} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{chapter}%
    [0em] % distance from left margin
    {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
    {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
    {\hspace*{0em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{section}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global formatti
    {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
    {\hspace*{2em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{subsection}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global formatti
    {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
```

```
    {\hspace*{4em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
  \titlecontents{paragraph}% FIXME
    [0em] % distance from left margin
    {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global for
    {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
    {\hspace*{6em}} % before w/o label
    {\rmfamily\upshape\qquad\thecontentspage} % filler + page (leaders and page num)
    [\end{fullwidth}] % after
}%
}{}
%%
% Format lists of figures/tables
\renewcommand\listoffigures{%
  \@ifundefined{chapter}%
    {\section*{\listfigurename}}%
    {\chapter*{\listfigurename}}%
%  \begin{fullwidth}%
    \@starttoc{lof}%
%  \end{fullwidth}%
}
\renewcommand\listoftables{%
  \@ifundefined{chapter}%
    {\section*{\listtablename}}%
    {\chapter*{\listtablename}}%
%  \begin{fullwidth}%
    \@starttoc{lot}%
%  \end{fullwidth}%
}
\newcommand{\@bidituftetoc@lof@line}[2]{%
  % #1 is the figure/table number and its caption text
  % #2 is the page number on which the figure/table appears
  \leftskip 0.0em
  \rightskip 0em
  \parfillskip 0em plus 1fil
  \parindent 0.0em
  \@afterindenttrue
  \interlinepenalty\@M
  \leavevmode
  \@tempdima 2.0em
  \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
  \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
  {#1}\nobreak\qquad\nobreak#2%
  \par%
}
\renewcommand*\l@figure{\@bidituftetoc@lof@line}
\let\l@table\l@figure
```

25 File bidituftegeneralstructure.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftegeneralstructure}[2011/06/18 v0.1
bidi implementation of tufte general structure]
\renewcommand\small{%
   \@setfontsize\small\@ixpt{12}%
   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
   \abovedisplayshortskip \z@ \@plus2\p@
   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
   \def\@listi{\leftmargin\leftmargini
               \topsep 4\p@ \@plus2\p@ \@minus2\p@
               \parsep 2\p@ \@plus\p@ \@minus\p@
               \itemsep \parsep}%
   \belowdisplayskip \abovedisplayskip
}
\renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viiipt}
\renewcommand\tiny{\@setfontsize\tiny\@vpt\@vipt}
\renewcommand\large{\@setfontsize\large\@xipt{15}}
\renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
\renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
\renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
\renewcommand\Huge{\@setfontsize\Huge{24}{36}}
\setlength\leftmargini   {1pc}
\setlength\leftmarginii  {1pc}
\setlength\leftmarginiii {1pc}
\setlength\leftmarginiv  {1pc}
\setlength\leftmarginv   {1pc}
\setlength\leftmarginvi  {1pc}
\setlength\labelsep      {.5pc}
\setlength\labelwidth    {\leftmargini}
\addtolength\labelwidth{-\labelsep}
\setlength{\parindent}{1.0pc}%
\setlength{\parskip}{0pt}%
\RequirePackage{ragged2e}
\setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
% Paragraph indentation and separation for normal text
\newcommand{\@bidituftegeneralstructure@reset@par}{%
  \setlength{\RaggedRightParindent}{1.0pc}%
  \setlength{\JustifyingParindent}{1.0pc}%
  \setlength{\parindent}{1pc}%
  \setlength{\parskip}{0pt}%
}
\@bidituftegeneralstructure@reset@par
% Require paralist package for tighter lists
\RequirePackage{paralist}
% Add rightmargin to compactenum
\def\@compactenum@{%
  \expandafter\list\csname label\@enumctr\endcsname{%
    \usecounter{\@enumctr}%
```

```
    \rightmargin=2em% added this
    \parsep\plparsep
    \itemsep\plitemsep
    \topsep\pltopsep
    \partopsep\plpartopsep
    \def\makelabel##1{\hss\llap{##1}}}}
%%
% An environment for paragraph-style section
\providecommand\newthought[1]{%
   \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
   \noindent\textbf{#1}%
}
%%
% Redefine the display environments (quote, quotation, etc.)
\renewenvironment{verse}
               {\let\\\@centercr
                \list{}{\itemsep      \z@
                        \itemindent   -1pc%
                        \listparindent\itemindent
                        \rightmargin  \leftmargin
                        \advance\leftmargin 1pc}%
                \small%
                \item\relax}
               {\endlist}
\renewenvironment{quotation}
               {\list{}{\listparindent 1pc%
                        \itemindent    \listparindent
                        \rightmargin   \leftmargin
                        \parsep        \z@ \@plus\p@}%
                \small%
                \item\relax\noindent\ignorespaces}
               {\endlist}
\renewenvironment{quote}
               {\list{}{\rightmargin\leftmargin}%
                \small%
                \item\relax}
               {\endlist}
% Italicize description run-in headings (instead of the default bold)
\renewcommand*\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
%%
% Redefine \bibsection to not mark the running heads.
% (Code modified from natbib.sty.)
\@ifundefined{chapter}%
  {\renewcommand\bibsection{\section*{\refname}}}
  {\@ifundefined{NAT@sectionbib}%
    {\renewcommand\bibsection{\chapter{\bibname}}}
    {\renewcommand\bibsection{\section*{\bibname}}}}
\RequirePackage{multicol}
\renewenvironment{theindex}{%
\@ifundefined{chapter}%
```

```
    {\section*{\indexname}}%
    {\chapter{\indexname}}%
  \begin{fullwidth}%
  \small%
  \parskip0pt%
  \parindent0pt%
  \let\item\@idxitem%
  \begin{multicols}{3}%
}{%
  \end{multicols}%
  \end{fullwidth}%
}
\AtBeginDocument{%
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
\renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
\renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}}
\renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
\newcommand{\lettergroup}[1]{}% swallow the letter heading in the index
```

26 File bidituftehyperref.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
bidi implementation of tufte hyperref]
%%
% Color
\RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
\newboolean{@bidituftehyperref@loadhyper}
\setboolean{@bidituftehyperref@loadhyper}{true}
\DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
\DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
\ProcessOptions
%% Loads the hyperref package and sets some default options.
\newcommand{\bidituftehyperrefLoadHyperref}{%
\RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
  \hypersetup{%
    bookmarksdepth = section,
    citecolor = DarkGreen,
    linkcolor = DarkBlue,
%    pagecolor = DarkBlue,
    urlcolor = DarkGreen,
  }%
}
\ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
  \bidituftehyperrefLoadHyperref%
}{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
  \PassOptionsToPackage{hyperfootnotes=false}{hyperref}
}
```

27 File bidituftetitle.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
bidi implementation of tufte title]
\RequirePackage{biditools}
%%
% `titlepage' option -- creates a full title page with \maketitle
\newboolean{@bidituftetitle@titlepage}
\DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
\DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
% Default `book' and `handout' options
\@ifclassloaded{book}{%
\ExecuteOptions{titlepage}}{%
\@ifclassloaded{article}{%
\ExecuteOptions{notitlepage}}%
{}}
\ProcessOptions
%%
% Modified \title, \author, and \date commands.  These store the
% (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
\newcommand{\plaintitle}{}%     plain-text-only title
\newcommand{\plainauthor}{}%    plain-text-only author
\newcommand{\plainpublisher}{}% plain-text-only publisher
\newcommand{\thanklesstitle}{}%     full title text minus \thanks{}
\newcommand{\thanklessauthor}{}%    full author text minus \thanks{}
\newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}
\newcommand{\@publisher}{}% full publisher with \thanks{}
\newcommand{\thedate}{\today}
\bidi@patch@AfterPackage{bidi}{%
\renewcommand{\thanks}[1]{\footnote{#1}}
\renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
\renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
}
\renewcommand{\title}[2][]{%
  \gdef\@title{#2}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesstitle{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
    {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
    {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
    {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
}
```

```
\let\@author\@empty% suppress default latex.ltx ``no author'' warning
\renewcommand{\author}[2][]{%
  \ifthenelse{\isempty{#2}}{}{\gdef\@author{#2}}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklessauthor{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}%
    {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
    {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
  \@ifundefined{hypersetup}%
    {}% hyperref is not loaded; do nothing
    {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
}
\renewcommand{\date}[1]{%
  \gdef\@date{#1}%
  \begingroup%
    % TODO store contents of \thanks command
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thedate{#1}%
  \endgroup%
}
%%
% Provides a \publisher command to set the publisher
\newcommand{\publisher}[2][]{%
  \gdef\@publisher{#2}%
  \begingroup%
    \renewcommand{\thanks}[1]{}% swallow \thanks contents
    \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
    \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
    \protected@xdef\thanklesspublisher{#2}%
  \endgroup%
  \ifthenelse{\isempty{#1}}
    {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
    {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
}
%%
% Produces a full title page
\newcommand{\maketitlepage}[0]{%
  \cleardoublepage%
  {%
  \bfseries%
  \begin{fullwidth}%
  \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
  \vspace{11.5pc}%
```

```
  \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
  \vfill%
  \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
  \end{fullwidth}%
  }
  \thispagestyle{empty}%
  \clearpage%
}
%%
% Title block
\bidi@AfterEndPreamble{%
\renewcommand{\maketitle}{%
  \newpage%
  \global\@topnum\z@% prevent floats from being placed at the top of the page
  \begingroup%
    \setlength{\parindent}{0pt}%
    \setlength{\parskip}{4pt}%
    \let\@@title\@empty%
    \let\@@author\@empty%
    \let\@@date\@empty%
      \gdef\@@title{\LARGE\itshape\@title\par}%
      \gdef\@@author{\Large\itshape\@author\par}%
      \gdef\@@date{\Large\itshape\@date\par}%
    \@@title%
    \@@author%
    \@@date%
  \endgroup%
  \thispagestyle{plain}% suppress the running head
}%
}
%%
% Title page (if the `titlepage' option was passed to the bidituftetitle-handout
% class.)
\bidi@AfterEndPreamble{%
\ifthenelse{\boolean{@bidituftetitle@titlepage}}
  {\renewcommand{\maketitle}{\maketitlepage}}
  {}
}
%%
% When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
% without headers and footers
\def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
  \hbox{}
  %\vspace*{\fill}
  %\begin{center}
  %  This page intentionally contains only this sentence.
  %\end{center}
  %\vspace{\fill}
  \thispagestyle{empty}
  \newpage
```

```
  \if@twocolumn\hbox{}\newpage\fi\fi\fi}
```

28 File biditufte-handout.cls

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{biditufte-handout}[2011/06/18 v0.1 biditufte-handout class]
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
\ProcessOptions\relax
\LoadClass{article}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{bidituftegeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{bidituftetitle}
\renewenvironment{abstract}
  {\begin{quotation}}
  {\end{quotation}}
\AtBeginDocument{%
\IfFileExists{biditufte-handout.cfg}
  {\input{biditufte-handout.cfg}
   \ClassInfo{biditufte-handout}{Loading biditufte-handout configuration file \@gobble}}
  {}%
}
```

29 File biditufte-book.cls

```
\NeedsTeXFormat{LaTeX2e}[1994/06/01]
\ProvidesClass{biditufte-book}[2011/06/18 v0.1 biditufte-book class]
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftefloat}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetoc}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftehyperref}}
\DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidituftetitle}}
\ProcessOptions\relax
\LoadClass{book}
\RequirePackage{bidituftefloat}
\RequirePackage{bidituftesidenote}
\RequirePackage{bidituftetoc}
\RequirePackage{bidituftegeneralstructure}
\RequirePackage{bidituftehyperref}
\RequirePackage{bidituftetitle}
%%
% Set up any book-specific stuff now
%%
% The front matter in Tufte's /Beautiful Evidence/ contains everything up
```

```
% to the opening page of Chapter 1.  The running heads, when they appear,
% contain only the (arabic) page number in the outside corner.
%\newif\if@mainmatter \@mainmattertrue
\renewcommand\frontmatter{%
  \cleardoublepage%
  \@mainmatterfalse%
  \pagenumbering{arabic}%
  %\pagestyle{plain}%
  \fancyhf{}%
    \ifthenelse{\boolean{@bidituftefloat@twoside}}%
    {\fancyhead[LE,RO]{\thepage}}%
    {\fancyhead[RE,RO]{\thepage}}%
}
%%
% The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
% numbering---it continues where it left off in the front matter.
\renewcommand\mainmatter{%
  \cleardoublepage%
  \@mainmattertrue%
  \fancyhf{}%
  \ifthenelse{\boolean{@bidituftefloat@twoside}}%
      {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}%
      \fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
      \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}}% chapter title
      {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
}
%%
% The back matter contains appendices, indices, glossaries, endnotes,
% biliographies, list of contributors, illustration credits, etc.
\renewcommand\backmatter{%
  \if@openright%
    \cleardoublepage%
  \else%
    \clearpage%
  \fi%
  \@mainmatterfalse%
}
%%
% Only show the chapter titles in the table of contents
\setcounter{tocdepth}{0}
\AtBeginDocument{%
\IfFileExists{biditufte-book.cfg}
  {\input{biditufte-book.cfg}
   \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \@gobble}}
  {}%
}
```

30 File bidipoem.sty

```
\NeedsTeXFormat{LaTeX2e}
```

```
\ProvidesPackage{bidipoem}%
[2019/03/03 v1.0 Environments for typesetting Persian traditional and modern poems]

% Usage:
%
% \Setversedim #1#2  % define the layout (within a group):
% #1 = length of both half-verses
% #2 = separation distance = length of a connection, if present
%  Variant:
% \Setversedim #1[#2]#3  % for half-verses of unequal length
% #1 = length of first (=right) half-verse
% #2 = length of second (=left) half-verse
% #3 = separation distance = length of a connection, if present
%
% \traditionalhalfverses #1#2 % typeset two separated half-verses
% #1 = text of first (=right) half-verse
% #2 = text of second (=left) half-verse
%  Variant:
% \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
% #1 = text of first (=right) half-verse
% #2 = text of connection
% #3 = text of second (=left) half-verse
%
% Alternative (if preferred):
%
% \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3


\newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}

% define the layout, verses will be centered

\newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
\newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen

\newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
\bidipoem@hvind \textwidth
\bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
\ifx [#2\def \bidipoem@next {\bidipoem@set@verseI [}\else
\bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@

\def \bidipoem@set@verseI [#1]{% optional parameter
\bidipoem@@hvlen #1\relax \bidipoem@set@@verse }

\newcommand*{\bidipoem@set@@verse}[1]{% separation
\advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
\advance \bidipoem@hvind -\bidipoem@hvsep  \divide \bidipoem@hvind 2 }

\newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
\ifdim 0pt > \bidipoem@hvind %
```

```
\bidipoem@spreadbox \bidipoem@hvlen {#1}\\ \hfill % first block
\else
\noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
\bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
\bidipoem@spreadbox \bidipoem@@hvlen {#3}% second block
\par }

% macro for two half verses
\newcommand*{\traditionalhalfverses}[2]{% optional parameter?
\ifx [#2\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[]%
\else\def\bidipoem@half@verses@next{\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
\bidipoem@half@verses@next}

\def \bidipoem@half@verses #1[#2]#3{% first[mid]second
\traditionalconnverses {#1}{#2}{#3}}


{\catcode`\^^M=\active % these lines must end with %
  \gdef\traditionalpoem@obeylines{\catcode`\^^M\active \let^^M\traditionalpoem@par}%
  \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
{\catcode`\^^M=\active % these lines must end with %
  \gdef\modernpoem@obeylines{\catcode`\^^M\active \let^^M\modernpoem@par}%
  \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
\def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
\def\poemmarginskip{1em plus 1fil minus 1em}
\def\poemextrabaselineskip{0\baselineskip}
\def\poemskip{\medskip}
\newcommand{\bidipoem@openbox}{\leavevmode
  \hbox to.77778em{%
  \hfil\vrule
  \vbox to.675em{\hrule width.6em\vfil\hrule}%
  \vrule\hfil}}
\def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
\newdimen\versewidth
\newtoks\bidipoem@p@ftn
\def\poem@verse#1{%
\ifdim\wd#1>\new@poem@width
\xdef\new@poem@width{\the\wd#1}%
\ifdim\new@poem@width>\poem@width
\xdef\poem@width{\new@poem@width}%
\global\let\poem@needrun\relax
\fi
\fi
\hbox to\poem@width{\unhbox#1}%
\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
}
\def\poem@linebegin{\vadjust{}\hskip\@flushglue\hskip\poemmarginskip\relax}
\def\poem@lineend{\nobreak\hskip\poemmarginskip\hskip\@flushglue\vadjust{}}
\def\poem@lineversesep{%
\nobreak
```

```
\hskip\z@ plus 1filll%
\penalty600%
\hskip\poemcolsepskip
\hskip\z@ plus -2filll%
\vadjust{}%
\nobreak
\hskip\z@ plus 1filll%
}
\def\poem@lineparsebegin{%
\halign\bgroup
\global\setbox\verse@i=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}&&
\global\setbox\verse@ii=\hbox{%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\ignorespaces##\unskip}
\cr
}
\def\poem@lineparseend{%
\crcr\egroup
\vskip-\baselineskip
}
\def\traditionalpoem@cr{%
  \cr\poem@line
}
\newbox\verse@i
\newbox\verse@ii
\newif\ifpoem@started

\def\poem@line{%
\poem@lineparseend
\ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
\ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
\ifpoem@started
```

```
  \ifdim\wd\verse@ii>\z@\else
  \nopagebreak[3]
  \fi
  \leavevmode
  \poem@linebegin
  \poem@verse\verse@i
  \ifdim\wd\verse@ii>\z@
  \poem@lineversesep
  \poem@verse\verse@ii
  \fi
  \poem@lineend
%  \nopagebreak
  \par
  \vskip\poemextrabaselineskip
\fi
\poem@lineparsebegin
}
\def\@traditionalpoem{%
\stepcounter{poem@no}
        \ifnum\max@poem@no<\number\c@poem@no%
\xdef\poem@width{\z@}%
        \else
\xdef\poem@width{\poem@prop{poem@width}}%
\fi
\xdef\new@poem@width{\z@}%
\global\versewidth=\poem@width
\poemskip\par
\begingroup
\tabskip=\z@
\parskip=\z@
\parindent=\z@
\parfillskip=\z@
\rightskip=\z@
\leftskip=\z@
\widowpenalty=10000% No break between verses of the same line.
\clubpenalty=10000% Same as above.  Not really needed.
\def\newblock{\hfil\poemblocksep\hfil\null}%
\def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
\def\\{\global\poem@startedtrue\traditionalpoem@cr}%
\global\poem@startedfalse
\csname poem@obeylines\endcsname
\let\poem@obeylines\relax
\poem@lineparsebegin
}
\def\@endtraditionalpoem{%
\cr
\ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
\noalign{%
\skip0=\poemextrabaselineskip
\vskip-\skip0
```

```
\vskip-\baselineskip
}%
\fi\fi
\poem@lineparseend
\endgroup
\par
\vskip\baselineskip
\poemskip
\ifdim\new@poem@width<\poem@width
\global\let\poem@needrun\relax
\fi
        \poem@write@aux{poem@width@\romannumeral\c@poem@no}{\new@poem@width}%
\ifx\AtEndDocument\undefined\poem@finish\fi
\@endparenv
}


\long\def\bidipoem@p@ftntext#1{%
  \edef\@tempx{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidipoem@p@ftn\expandafter{\@tempx{#1}}}%
\long\def\bidipoem@p@LTRftntext#1{%
  \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
  \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
\long\def\bidipoem@p@RTLftntext#1{%
  \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\@mpfn\endcsname]
  \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%

\long\def\bidipoem@p@xftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}

\long\def\bidipoem@p@xLTRftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\bidipoem@p@xRTLftntext[#1]#2{%
  \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}

\def\bidipoem@p@xfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidipoem@p@xftntext[#1]}

\def\bidipoem@p@xLTRfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidipoem@p@xLTRftntext[#1]}

```

```
\def\bidipoem@p@xRTLfootnote[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \@footnotemark\bidipoem@p@xRTLftntext[#1]}


\newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
\expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyli
\expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
\def\poem@finish{%
\poem@write@aux{max@poem@no}{\number\c@poem@no}%
\ifx\poem@needrun\relax
\PackageWarning{bidipoem}{Unjustified poem.  Rerun XeLaTeX to get poem right}%
\global\let\poem@needrun\undefined
\fi
}
\ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi
\newcounter{poem@no}\setcounter{poem@no}{\z@}
\ifx\max@poem@no\undefined
        \def\max@poem@no{0}%
\fi
\newcommand{\poem@prop}[1]{\@nameuse{#1@\romannumeral\c@poem@no}}
\newcommand{\poem@write@aux}[2]{%
        \def\@x{\immediate\write\@auxout{\global\noexpand\@namedef{#1}{#2}}}%
        \@x
}
\def\@modernpoem{%
\par
\begingroup
\parskip=\z@
\parindent=\z@
\def\[{\@settab\@tabplus\ignorespaces}%
\def\]{\@tabminus\ignorespaces}%
\def\newblock{\poemblocksep}%
\let\newpoem@tabcr\@tabcr
\def\modernpoem@par{% Redefine \par for possible \obeylines
  \ifpoem@started\else
    \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
      \@stopfield
      \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
      \@contfield
    \fi
  \fi
  \ifpoem@started\newpoem@tabcr\fi}%
\def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
\global\poem@startedfalse
\csname poem@obeylines\endcsname
```

```
\let\poem@obeylines\relax
\begin{tabbing}%
}
\def\@endmodernpoem{%
\global\poem@startedfalse
\ifdim\wd\@curline>\z@\global\poem@startedtrue\else
  \@stopfield
  \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
  \@contfield
\fi
\ifpoem@started\else\let\@stopline\@stopfield\fi
\end{tabbing}%
\endgroup
\par
  \if@noparlist \else
    \ifdim\lastskip >\z@
      \@tempskipa\lastskip \vskip -\lastskip
      \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
      \vskip\@tempskipa
    \fi
    \@endparenv
  \fi
}
\newenvironment{modernpoem}{\@modernpoem}{\@endmodernpoem}
\expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\moderr
\expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
\gdef\@startfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup}
\gdef\@stopfield{%
  \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
\gdef\@contfield{%
\global\setbox\@curfield\hbox\bgroup%
\let\@footnotetext\bidipoem@p@ftntext%
\let\@LTRfootnotetext\bidipoem@p@LTRftntext%
\let\@RTLfootnotetext\bidipoem@p@RTLftntext%
\let\@xfootnotenext\bidipoem@p@xftntext%
\let\@xfootnote\bidipoem@p@xfootnote%
\let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
\let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
\let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
```

```
\let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
\color@begingroup\unhbox\@curfield}
```

31 File boek3-xetex-bidi.def

```
\ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeTeX
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
```

```
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
```

```
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
```

```
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
```

32 File boek-xetex-bidi.def

```
\ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX e
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
```

```
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
```

```
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont \abstractname}
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
```

```
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
      \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
```

```
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
```

33 File bookest-xetex-bidi.def

```
\ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for X
\def\@makechapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        {\colorA\huge\scshape \@chapapp\space \thechapter}
        \par\nobreak
        \vskip 10\p@
      \fi
    \fi
    \interlinepenalty\@M
  {\colorB\hrule}
  \vskip 15\p@
   \if@RTL\begin{flushleft}\else\begin{flushright}\fi
     {\colorA\Huge \bfseries #1}\par\nobreak
   \if@RTL\end{flushleft}\else\end{flushright}\fi
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{20\p@}
  {\parindent \z@ \raggedright \normalfont
  {\colorB\hrule}
  \vskip 15\p@
   \begin{center}
     {\colorA\Huge \bfseries #1}\par\nobreak
   \end{center}
  \vskip 5\p@
  {\colorB\hrule}
  \vskip 30\p@
  }}
```

34 File book-xetex-bidi.def

```
\ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class fo
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\@makeschapterhead{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
\@ifclassloaded{bookest}{}{%
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
```

```
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
```

```
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi}
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
```

```
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
      \fi
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\backmatter{%
  \if@openright
    \cleardoublepage
  \else
    \clearpage
  \fi
  \@mainmatterfalse}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
```

```
          {\settowidth\labelwidth{\@biblabel{#1}}%
           \leftmargin\labelwidth
           \advance\leftmargin\labelsep
           \@openbib@code
           \usecounter{enumiv}%
           \let\p@enumiv\@empty
           \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

35 File breqn-xetex-bidi.def

```
\ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for XeT
\def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
  \everydisplay\expandafter{\the\everydisplay \display@setup}%
  \if@noskipsec \leavevmode \fi
  \if@inlabel \leavevmode \global\@inlabelfalse \fi
  \if\eq@group\else\eq@prelim\fi
  \setkeys{breqn}{#1}%
  \the\eqstyle
  \eq@setnumber
  \begingroup
  \eq@setup@a
  \eq@startup
}
\def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
  \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
  \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
  \global\let\GRP@label\@empty
  \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
  \global\grp@linewidth\z@\global\grp@wdNum\z@
  \global\let\grp@eqs@numbered\@False
  \global\let\grp@aligned\@True
  \global\let\grp@shiftnumber\@False
  \eq@prelim
  \setkeys{breqn}{#1}%
  \if\grp@hasNumber \grp@setnumber \fi
}
\def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
  \let\display@setup\dseries@display@setup
  % Question: should this be the default for dseries???
  \global\eq@wdCond\z@
  \@dmath[layout={M},#1]%
  \mathsurround\z@\@@math \penalty\@Mi
```

```
  \let\endmath\ends@math
  \def\premath{%
    \ifdim\lastskip<.3em \unskip
    \else\ifnum\lastpenalty<\@M \dquad\fi\fi
}%
  \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
\ignorespaces
}
\def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@nonlatin\endR\fi}
\renewenvironment{dsuspend}{%
  \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \@parboxrestore
    \parshape 1 \displayindent \displaywidth\relax
    \hsize=\columnwidth \noindent\ignorespaces
}{%
  \par\egroup
  \global\setbox\GRP@box\vbox{%
    \hbox{\copy\EQ@box\vtop{\unvbox\EQ@box}}%
    \unvbox\GRP@box
  }%
  \global\GRP@queue\@xp{\the\GRP@queue
     \@elt{\let\eq@isIntertext\@True}%
  }%
}
```

36 File cals-xetex-bidi.def

```
\ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTeX
\renewcommand\cals@setup@alignment[1]{%
\if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
\if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
\if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
}
\renewcommand\cals@table@alignment{\if@RTLtab r\else l\fi}
\renewenvironment{calstable}[1][\cals@table@alignment]{%
\if@RTLtab\cals@activate@rtl\fi
\let\cals@thead@tokens=\relax
\let\cals@tfoot@tokens=\relax
\let\cals@tbreak@tokens=\relax
\cals@tfoot@height=0pt \relax
\let\cals@last@context=n%
\let\cals@current@context=b%
\parindent=0pt \relax%
\cals@setup@alignment{#1}%
\cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
%% Alignment inside is independent on center/flushright outside
\parfillskip=0pt plus1fil\relax
\let\cals@borderL=\relax
\let\cals@borderR=\relax
\let\cals@borderT=\relax
\let\cals@borderB=\relax
```

```
\setbox\cals@backup@row=\box\voidb@x\relax
\cals@AtBeginTable
}{% End of the table
\cals@tfoot@tokens\lastrule\cals@AtEndTable}
\renewcommand\alignL{%
\if@RTLtab
  \cals@vfillAdd\cals@paddingL
\else
  \cals@vfillDrop\cals@paddingL
\fi
\cals@vfillDrop\cals@paddingR}
\renewcommand\alignR{%
\if@RTLtab
  \cals@vfillDrop\cals@paddingL
\else
  \cals@vfillAdd\cals@paddingL
\fi
\cals@vfillDrop\cals@paddingR}
```

37 File caption-xetex-bidi.def

```
\ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for
\let\@makecaption\caption@makecaption
```

38 File caption3-xetex-bidi.def

```
\ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package f
\renewcommand*\caption@@par{%
  \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%
```

39 File colortbl-xetex-bidi.def

```
\ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package f
\def\CT@setup{%
  \@tempdimb\col@sep
  \@tempdimc\col@sep
  \def\CT@color{%
    \global\let\CT@do@color\CT@@do@color
    \bidicolor}}
\def\@classz{\@classx
   \@tempcnta \count@
   \prepnext@tok
\expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
   \@addtopreamble{\if@RTLtab\beginL\fi%
    \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
      \ifcase \@chnum
      \hskip\stretch{.5}\kern\z@
      \d@llarbegin
      \insert@column
      \d@llarend\hskip\stretch{.5}\or
```

```
      \d@llarbegin \insert@column \d@llarend \hfill \or
      \hfill\kern\z@ \d@llarbegin \insert@column \d@llarend \or
   $\vcenter
   \@startpbox{\@nextchar}\insert@column \@endpbox $\or
   \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
   \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
  \fi
 \if@RTLtab\endR\fi\egroup\egroup
\begingroup
  \CT@setup
  \CT@column@color
  \CT@row@color
  \CT@cell@color
  \CT@do@color
\endgroup
        \@tempdima\ht\z@
        \advance\@tempdima\minrowclearance
        \vrule\@height\@tempdima\@width\z@
        \unhbox\z@\if@RTLtab\endL\fi}%
  \prepnext@tok}
```

40 File color-xetex-bidi.def

```
\ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for XeT
\long\def\color@b@x#1#2#3{%
 \leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
 \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
 \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
 \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
 {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
      \box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\
\DeclareRobustCommand\color{%
  \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
\def\@declaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\def\@undeclaredcolor[#1]#2{%
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
  \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\DeclareRobustCommand\bidicolor{%
  \@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2{%
```

```
  \@ifundefined{color@#1}%
    {\c@lor@error{model `#1'}}%
    {\csname color@#1\endcsname\current@color{#2}%
     \set@color}%
  \ignorespaces}
\def\@bidideclaredcolor#1{%
  \@ifundefined{\string\color @#1}%
    {\c@lor@error{`#1'}}%
    {\expandafter\let\expandafter\current@color
     \csname\string\color @#1\endcsname
     \set@color}%
  \ignorespaces}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3{%
  \color@b@x{\fboxsep\z@\bidicolor#1{#2}\fbox}{\bidicolor#1{#3}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode\
```

41 File combine-xetex-bidi.def

```
\ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for X
\renewcommand{\c@ll@chapsecii}[2]{%
  \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
  \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
  #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
}
\renewcommand{\c@ll@chapseci}{%
  \setlength\@tempdima{0em}%
  \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode
}
\renewenvironment{tocindent}[1]{%
  \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{}
```

42 File crop-xetex-bidi.def

```
\ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTeX
\renewcommand*\CROP@@ulc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-40,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
```

```
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-30,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(0,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@urc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(20,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(-10,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(30,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(0,30){\circle{10}}
        \put(-5,30){\line(1,0){10}}
        \put(0,35){\line(0,-1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@llc{%
   \if@RTLmain%
       \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-40,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
        \put(-35,0){\line(1,0){30}}
        \put(-10,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
   \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(-30,0){\circle{10}}
        \put(-30,-5){\line(0,1){10}}
```

```
        \put(-35,0){\line(1,0){30}}
        \put(0,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \fi%
}
\renewcommand*\CROP@@lrc{%
    \if@RTLmain%
        \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(20,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(-10,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \else%
    \begin{picture}(0,0)
        \unitlength\p@\thinlines
        \put(30,0){\circle{10}}
        \put(30,-5){\line(0,1){10}}
        \put(35,0){\line(-1,0){30}}
        \put(0,-30){\circle{10}}
        \put(-5,-30){\line(1,0){10}}
        \put(0,-35){\line(0,1){30}}
    \end{picture}%
    \fi%
}
\@ifpackagewith{crop}{cam}{%
\CROP@execopt{cam}%
}{}
```

43 File cutwin-xetex-bidi.def

```
\ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for X
\renewcommand*{\c@twcompctr}[2]{%
  \def\c@twfirst{1}
  \loop\advance\c@twwinlines\m@ne
  \setbox\c@twslicea=\vsplit#1 to\baselineskip
  \setbox\c@twsliceb=\vsplit#1 to\baselineskip
  \c@twprune{\c@twslicea}{\c@twlftside}%
  \c@twprune{\c@twsliceb}{\c@twrtside}%
  \ifnum\c@twfirst=\@ne
    \setbox#2=\vbox{\unvbox#2\hbox
    to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twsl
  \else
    \setbox#2=\vbox{\unvbox#2\hbox
    to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box
```

```
  \fi
  \def\c@twfirst{2}
  \ifnum\c@twwinlines>\z@\repeat}
\renewcommand*{\c@twcompoddctr}[2]{%
  \def\c@twrounds{1}
  \def\c@twfirst{1}
  \@for\c@twlspec:=\c@twb\do{%
    \ifnum\c@twrounds=1
      \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
      \c@twprune{\c@twslicea}{\c@twlspec}%
      \def\c@twrounds{2}
    \else
      \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
      \c@twprune{\c@twsliceb}{\c@twlspec}%
      \ifnum\c@twfirst=1
        \setbox#2=\vbox{\unvbox#2\hbox
        to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\bo
        \def\c@twfirst{2}
      \else
        \setbox#2=\vbox{\unvbox#2\hbox
        to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else
      \fi
      \def\c@twrounds{1}
    \fi}}
```

44 File cuted-xetex-bidi.def

```
\ProvidesFile{cuted-xetex-bidi.def}[2017/05/06 v0.6 bidi adaptations for cuted package for XeT

\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
```

```
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}%
       \hskip \columnsep
      \hskip \columnwidth }}%
    \ifvoid\hold@viper
    \else
      \setbox\@outputbox \vbox to\textheight{%
                               \box\hold@viper
                               \box\@outputbox
                               \vss
                               }%
    \fi
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
      \ifvoid\@viper
      \else
        \global\setbox\@viper\vbox{%
                   \vskip-\stripsep
                   \unvbox\@viper
                   }%
        \@viperoutput
      \fi
    \endgroup
  \fi}%

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
```

```
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
    \ifvoid\hold@viper
    \else
      \setbox\@outputbox \vbox to\textheight{%
                              \box\hold@viper
                              \box\@outputbox
                              \vss
                              }%
    \fi
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
      \ifvoid\@viper
      \else
        \global\setbox\@viper\vbox{%
                  \vskip-\stripsep
                  \unvbox\@viper
                  }%
        \@viperoutput
      \fi
    \endgroup
  \fi}%
```

```
7668
7669
7670 \def \@addviper {%
7671   \if@firstcolumn
7672     \@insertfalse
7673     \@reqcolroom .5\@pageht
7674     \ht@viper\@reqcolroom
7675     \advance \@reqcolroom \ht\@viper
7676     \advance \@reqcolroom \stripsep
7677     \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
7678 %%
7679     \@tempdimb \ht@viper
7680     \loop
7681     \setbox\v@aaa\copy\@holdpg
7682     \setbox\v@ccc\vbox to\@tempdimb{%
7683               \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
7684     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
7685     \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
7686     \loop
7687     \setbox\v@aaa\copy\@holdpg
7688     \setbox\v@ccc\vbox to\@tempdimb{%
7689               \vsplit\v@aaa to\@tempdimb\vss}%
7690     \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
7691     \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
7692     \wlog{- LAST -^^JLeft:\the\ht\v@ccc^^JRight:\the\ht\v@aaa^^JOutput:\the\@tempdimb}%
7693     \setbox\v@ccc\vbox to\@tempdimb{%
7694               \vsplit\@holdpg to\@tempdimb\vss}%
7695 %%
7696     \setbox\@tempboxa \vbox {%
7697        \hb@xt@\textwidth {%
7698          \if@RTLmain%
7699          \hskip \columnwidth
7700           \hfil \vrule width\columnseprule \hfil
7701           \hb@xt@\columnwidth {%
7702                   \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7703            \hskip -\textwidth
7704            \hb@xt@\columnwidth {%
7705                   \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7706             \hskip \columnsep
7707             \hskip \columnwidth
7708              \else%
7709               \hb@xt@\columnwidth {%
7710                   \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7711                   \hfil
7712                   \vrule \@width\columnseprule
7713                   \hfil
7714                   \hb@xt@\columnwidth {%
7715                   \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7716                         \fi}%
7717                      }%
```

```
\ifvoid\hold@viper
   \global\setbox\hold@viper \vbox {%
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\else
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\fi
\ifdim \@colroom>\@reqcolroom
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \box\@viper
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
   \@inserttrue
   \advance\@tempdima by-\ht\hold@viper
   \global \advance \@colht \@tempdima
   \ifdim \@colht<2.5\baselineskip
      \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
           too tall on page \thepage (1 stulpelis)}%
      \@emptycol
      \if@firstcolumn
      \else
        \@emptycol
      \fi
      \global\@lastvipertrue
   \else
      \global \vsize \@colht
      \global \@colroom \@colht
      \check@floats
      \ifdim\@tempdima>\z@
              \global\advance\@colroom by-\@tempdima
      \fi
      \ifdim\@colroom<\z@
              \global\@colroom 1pt
              \ifdim\@tempdima>\@colht
                 \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
```

```
                                  netelpa lape \thepage (1 stulpelis)}%
                \fi
                \@emptycol
                \if@firstcolumn
                \else
                  \@emptycol
                \fi
                \global\@lastvipertrue
          \fi
        \fi
    \fi
  \else
    \@insertfalse
    \@reqcolroom\@colht
    \advance\@reqcolroom \@pageht
    \ht@viper.5\@reqcolroom
    \@reqcolroom\ht@viper
    \advance \@reqcolroom \ht\@viper
    \advance \@reqcolroom \stripsep
     \if@flushend@auto@baselineskip
      \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn
        \global\lastskip@d\lastskip
        \global\lastskip@b\lastskip
        \loop
          \global\lastskip@a\lastskip@b
          \unskip\unpenalty
          \global\lastskip@b\lastskip
          \global\advance\lastskip@d by\lastskip
        \ifdim\lastskip@b=-\lastskip@a
          \global\advance\lastskip@d by-\lastskip
        \else
        \repeat
        \ifdim\lastskip@b=-\lastskip@a
          \ifdim\lastskip@b=\z@
            \setbox\lastbox@a\lastbox
            \global\advance\lastskip@d by\ht\lastbox@a
            \global\advance\lastskip@d by\lastskip
            \unskip\unpenalty
            \setbox\lastbox@a\lastbox
            \global\advance\lastskip@d by\dp\lastbox@a
          \else
            \global\lastskip@d\lastskip
            \global\advance\lastskip@d by\topskip
          \fi
        \fi
        \global\advance\lastskip@d by-\topskip
        }%
      \ifdim\ht\@holdpg>\@colht
        \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
          \par\eject
```

```
          \vbox to \@colht{\unvbox\@holdpg\unskip}%
          }%
      \else
        \global\setbox\@holdpg\vbox{%
          \unvbox\@leftcolumn\unskip\unpenalty
          \vskip\lastskip@d
          \the\At@ViperColsBreak
          \unvbox\@holdpg
          \unskip
          }%
      \fi
    \else
      \global\setbox\@holdpg\vbox{%
               \unvbox\@leftcolumn
               \setbox\@tempboxa\lastbox
               \on@stripcols@break
               \the\At@ViperColsBreak
               \unvbox\@holdpg
               }%
    \fi
    \global\At@ViperColsBreak{}%
    \ht@viper .5\ht\@holdpg
    \ifdim \ht@viper>\@colht
       \ht@viper \@colht
    \fi
    \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
%%
    \@tempdimb \ht@viper
    \loop
      \setbox\v@aaa\copy\@holdpg
      \setbox\v@ccc\vbox to\@tempdimb{%
               \vsplit\v@aaa to\@tempdimb
               \vss
               \vsplit\v@aaa to\@tempdimb
               }%
      \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
    \ifvoid\v@aaa
    \else
      \advance\@tempdimb 1\p@
    \repeat
    \loop
      \setbox\v@aaa\copy\@holdpg
      \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
      \wlog{(2)Left:\the\ht\v@ccc\space
              Right:\the\ht\v@aaa\space
             Output:\the\@tempdimb
           }%
    \ifdim\ht\v@ccc<\ht\v@aaa
      \@tempdimb \the\ht\v@aaa
    \repeat
```

```
\wlog{- LAST -^^JLeft:\the\ht\v@ccc
             ^^JRight:\the\ht\v@aaa
            ^^JOutput:\the\@tempdimb
     }%
\setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
\setbox\@tempboxa\vbox{%
   \hb@xt@\textwidth {%
      \if@RTLmain%
      \hskip \columnwidth
      \hfil \vrule width\columnseprule \hfil
      \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
      \hskip -\textwidth
      \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
      \hskip \columnsep
      \hskip \columnwidth
      \else
       \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
       \hfil
       \vrule \@width\columnseprule
       \hfil
       \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
      \fi%
       }%
   }%
\ifvoid\hold@viper
   \global\setbox\hold@viper \vbox {%
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\else
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \unvbox\@tempboxa
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
                   }%
\fi
\ifdim \@colht>\@reqcolroom
   \global\setbox\hold@viper \vbox {%
           \unvbox\hold@viper
           \box\@viper
           \penalty\interlinepenalty
           \vskip\stripsep
           \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
           \outputpenalty \z@
```

```
                    }%
      \@inserttrue
      \global\@firstcolumntrue
      \advance\@tempdima by-\ht\hold@viper
      \global \advance \@colht \@tempdima
      \ifdim \@colht<2.5\baselineskip
          \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
                                   too tall on page \thepage (2 stulpelis)}%
          \@emptycol
          \if@firstcolumn
          \else
              \@emptycol
          \fi
          \global\@lastvipertrue
      \else
          \global \vsize \@colht
          \global \@colroom \@colht
          \check@floats
          \ifdim\@tempdima>\z@
              \global\advance\@colroom by-\@tempdima
          \fi
          \ifdim\@colroom<\z@
              \global\@colroom 1pt
              \ifdim\@tempdima>\@colht
              \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
                                netelpa lape \thepage (2 stulpelis)}%
              \fi
              \@emptycol
              \if@firstcolumn
              \else
                  \@emptycol
              \fi
              \global\@lastvipertrue
          \fi
      \fi
    \fi
\fi
\if@insert
\else
    \advance\@tempdima by-\ht\hold@viper
    \global \advance \@colht \@tempdima
    \global\setbox\hold@viper \vbox {%
                                     \unvbox\hold@viper
                                     \csname viper@top@hook\endcsname
                                     \vsplit\@viper to \@colht
                                     \vss
                                    }%
    \vbox{}%
    \global\@firstcolumnfalse
    \newpage
```

```
  \fi
  }
```

45 File cvthemebidicasual.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidicasual}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidicasual}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
\familynamecolour{808080}
\firstnamecolour{A9A9A9}
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
\sectiontitlecolour{1E90FF}
\subsectioncolour{4682B4}
\definecolor{rulecolour}{gray}{0.6}
\definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
\definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
\if@colourorange
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
  \sectiontitlecolour{FF8C00}
  \subsectioncolour{FF8C00}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
\if@colourgreen
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}
  \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
  \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
\if@colourred
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
```

```
  \subsectioncolour{FF0000}
  \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
  \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
\if@colourgrey
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
  \subsectioncolour{808080}
  \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
  \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\renewcommand*{\maketitle}{%
  {%
    \ifthenelse{\isundefined{\@photo}}%
      {}%
      {{\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}%
    \hfill%
    \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\\[-.35em]}%
   {\color{firstnamecolor}\rule{\textwidth}{.25ex}\\[2.5em]}%
  \ifthenelse{\isundefined{\@quote}}%
    {}%
    {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\[2
  }%
\newif\if@firstfooterelement\@firstfooterelementtrue
\providecommand*{\footersymbol}{}
\renewcommand*{\footersymbol}{%
  \if@firstfooterelement%
  \else%
    { ~~\color{footersymbolcolor}\textbullet~~~}\fi}
\providecommand*{\makefooter}{}
\renewcommand*{\makefooter}{%
  \fancypagestyle{plain}{%
    \fancyfoot[c]{%
      \parbox{0.8\textwidth}{%
      \centering%
      \addressfont\@addresscolour%
      \ifthenelse{\isundefined{\@address}}{}{%
        \addresssymbol~\@address\\%
        \@firstfooterelementfalse}%
      \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
      \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelem
      \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfals
      \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\emaillink{\@email}\@firs
      \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfal
```

```
  }%
  \pagestyle{plain}}
\AtBeginDocument{\makefooter}
```

46 File cvthemebidiclassic.sty

```
\NeedsTeXFormat{LaTeX2e}
\ProvidesPackage{cvthemebidiclassic}
\DeclareOption{blue}{}
\newif\if@colourorange\@colourorangefalse
\DeclareOption{orange}{\@colourorangetrue}
\newif\if@colourgreen\@colourgreenfalse
\DeclareOption{green}{\@colourgreentrue}
\newif\if@colourred\@colourredfalse
\DeclareOption{red}{\@colourredtrue}
\newif\if@colourgrey\@colourgreyfalse
\DeclareOption{grey}{\@colourgreytrue}
\DeclareOption*{
  \PackageWarning{cvthemebidiclassic}{Unknown option `\CurrentOption'}}
\ExecuteOptions{colour}
\ProcessOptions\relax
\renewcommand*{\listitemsymbol}{\textbullet}
\firstnamecolour{}
\familynamecolour{}
\titlecolour{808080}
\quotecolour{696969}
\addresscolour{696969}
\definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
\definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
\sectiontitlecolour{1E90FF}
\subsectioncolour{4682B4}
\if@colourorange
  \addresscolour{FF8C00}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
  \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
  \sectiontitlecolour{FF8C00}
  \subsectioncolour{FF8C00}\fi
\if@colourgreen
  \addresscolour{008000}
  \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
  \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
  \sectiontitlecolour{008000}
  \subsectioncolour{008000}\fi
\if@colourred
  \addresscolour{FF0000}
  \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
  \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
  \sectiontitlecolour{FF0000}
  \subsectioncolour{FF0000}\fi
\if@colourgrey
```

```
  \addresscolour{808080}
  \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
  \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
  \sectiontitlecolour{808080}
  \subsectioncolour{808080}\fi
\renewcommand*{\ttdefault}{pcr}
\renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
\renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
\renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
\renewcommand*{\familynamefont}{\firstnamefont}
\renewcommand*{\quotefont}{\large\slshape}
\renewcommand*{\sectionfont}{\Large\mdseries\upshape}
\renewcommand*{\subsectionfont}{\large\mdseries\upshape}
\newlength{\maketitlenamemaxwidth}
\setlength{\maketitlenamemaxwidth}{.525\textwidth}
\newlength{\maketitlenamefullwidth}
\settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname~}\familynamestyle{\@familynam
\newlength{\maketitlenamewidth}
\ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitle
\newlength{\maketitlepicturewidth}
\setlength{\maketitlepicturewidth}{\@photowidth}
\newlength{\maketitledetailswidth}
\renewcommand*{\recomputethemelengths}{%
  \setlength{\maketitledetailswidth}{\textwidth}%
  \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
  \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
  \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}}
\recomputethemelengths
\newif\if@firstdetailselement\@firstdetailselementtrue
\newcommand*{\maketitledetailsnewline}{
  \if@firstdetailselement%
    \@firstdetailselementfalse%
  \else%
    \\[.2em]\fi}
\renewcommand*{\maketitle}{%
  % name and title
  \begin{minipage}[b]{\maketitlenamewidth}%
    \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
    \ifthenelse{\equal{\@title}{}}{}{\\[1.25em]\titlestyle{\@title}}%
  \end{minipage}%
  % optional data
  \begin{minipage}[b]{\maketitledetailswidth}%
    \bidi@raggedleft\addressfont\@addresscolour%
   \ifthenelse{\isundefined{\@address}}{}{%
      \maketitledetailsnewline%
      \addresssymbol~\\\@address}%
    \ifthenelse{\isundefined{\@mobile}}{}{\maketitledetailsnewline\mobilesymbol~\@mobile}%
    \ifthenelse{\isundefined{\@phone}}{}{\maketitledetailsnewline\phonesymbol~\@phone}%
    \ifthenelse{\isundefined{\@fax}}{}{\maketitledetailsnewline\faxsymbol~\@fax}%
    \ifthenelse{\isundefined{\@email}}{}{\maketitledetailsnewline\emailsymbol~\emaillink{\@ema
```

```
    \ifthenelse{\isundefined{\@extrainfo}}{}{\maketitledetailsnewline\@extrainfo}%
  \end{minipage}%
  % optional photo
  \ifthenelse{\isundefined{\@photo}}%
    {}%
    {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\ma
  % optional quote
  \ifthenelse{\isundefined{\@quote}}%
    {}%
    {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\\[2
  }
```

47 File dblfnote-xetex-bidi.def

```
\ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package f
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width  \DFNcolumnwidth \kern 2.6\p@}%
\AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
\let\@footnotetext\dfn@footnotetext}
\long\def\dfn@LTRfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
                \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                        \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
        \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
        \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
\let\@LTRfootnotetext\dfn@LTRfootnotetext}
\long\def\dfn@RTLfootnotetext#1{{\setbox\dfn@boxa\vbox{
        \let\insert\dfn@gobble
        \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
        \def\@makefnmark{\smash{\dfn@makefnmark}}
        \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
```

```
        \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
        \ifdim\dfn@dima>\z@\else
                \dfn@dima1sp\relax
                \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
        \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
                \ifvoid\dfn@ins\else
                        \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
                \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
        \setbox\dfn@boxa\copy\dfn@ins
        \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
        \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
        \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
        \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
\AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
\let\@RTLfootnotetext\dfn@RTLfootnotetext}
\def\dfn@RTLmakecol{{\ifvoid\footins\else
        \dfn@dima\ht\footins
        \@tempcnta\z@ \dfn@countins
        \@tempdima\z@ \let\@elt\dfn@elt@getht
        \dfn@list\@nil
        \ifdim\@tempdima=\z@\else
        \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
        \global\setbox\dfn@ins\box\dfn@ins
        \@tempswatrue
        \ifdfn@trysingle
                \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
                \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
                \advance\@tempdima-\skip\footins
                \advance\@tempdima-\ht\dfn@boxa
                \ifdim\@tempdima<\z@\else \@tempswafalse
                        \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                                \footnoterule \unvbox\dfn@boxa}\fi\fi
        \if@tempswa
        \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \global\setbox\footins\vbox{\hbox{%
                 \hskip \DFNcolumnwidth
                 \hskip\DFNcolumnsep
                \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                        \unvbox\dfn@boxb\vss}\hss}
                \hskip -\textwidth
                \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                        \vbox to\@tempdima{
                                \setbox\@tempboxa\vbox{\footnoterule}
                                \ifdfn@ruleboth \unvbox\@tempboxa
                                \else \@tempdima\ht\@tempboxa
                                        \advance\@tempdima\dp\@tempboxa
                                        \vskip\@tempdima
                                        \prevdepth\dp\@tempboxa \fi
                                \unvbox\dfn@boxa\vss}\fi\hss}
```

```
                                \hskip \DFNcolumnsep
                                \hskip \DFNcolumnwidth}}\fi\fi
        \global\dfn@fnht\z@
        \ifx\dfn@list\@empty\else
                \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
                \dfn@list \global\advance\dfn@fnht\dfn@dimb
                \let\@elt\relax
                \ifdim\dfn@dimb>\z@
                        \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                        \insert\footins{\floatingpenalty\@MM
                                \vbox to\dfn@dimb{}}\fi
                \ifdim\dfn@fnht>\@tempdima
                        \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                        \global\dfn@fnht\@tempdima
                        \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                        \xdef\dfn@afteroutput{\insert\footins{
                                        \floatingpenalty\@MM
                                        \vbox to\number\@tempdimb sp{}}%
                                \global\let\noexpand\dfn@afteroutput\relax}%
                \fi\fi
        \fi}%
        \let\footnoterule\relax \dfn@latex@makecol
        \let\footnoterule\dfn@footnoterule}
\def\dfn@LTRmakecol{{\ifvoid\footins\else
        \dfn@dima\ht\footins
        \@tempcnta\z@ \dfn@countins
        \@tempdima\z@ \let\@elt\dfn@elt@getht
        \dfn@list\@nil
        \ifdim\@tempdima=\z@\else
        \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
        \global\setbox\dfn@ins\box\dfn@ins
        \@tempswatrue
        \ifdfn@trysingle
                \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
                \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
                \advance\@tempdima-\skip\footins
                \advance\@tempdima-\ht\dfn@boxa
                \ifdim\@tempdima<\z@\else \@tempswafalse
                        \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
                                \footnoterule \unvbox\dfn@boxa}\fi\fi
        \if@tempswa
        \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
        \global\setbox\footins\vbox{\hbox{%
                \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
                        \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
                \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
                        \vbox to\@tempdima{
                                \setbox\@tempboxa\vbox{\footnoterule}
                                \ifdfn@ruleboth \unvbox\@tempboxa
                                \else \@tempdima\ht\@tempboxa
```

```
                                        \advance\@tempdima\dp\@tempboxa
                                        \vskip\@tempdima
                                        \prevdepth\dp\@tempboxa \fi
                                    \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
        \global\dfn@fnht\z@
        \ifx\dfn@list\@empty\else
                \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
                \dfn@list \global\advance\dfn@fnht\dfn@dimb
                \let\@elt\relax
                \ifdim\dfn@dimb>\z@
                        \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
                        \insert\footins{\floatingpenalty\@MM
                                \vbox to\dfn@dimb{}}\fi
                \ifdim\dfn@fnht>\@tempdima
                        \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
                        \global\dfn@fnht\@tempdima
                        \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
                        \xdef\dfn@afteroutput{\insert\footins{
                                        \floatingpenalty\@MM
                                        \vbox to\number\@tempdimb sp{}}%
                                    \global\let\noexpand\dfn@afteroutput\relax}%
                \fi\fi
        \fi}%
        \let\footnoterule\relax \dfn@latex@makecol
        \let\footnoterule\dfn@footnoterule}
\renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
\newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
\newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
\DFNalwaysdouble
```

48 File diagbox-xetex-bidi.def

```
\ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package for
\bidi@patchcmd{\diagbox@double}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@double@ii}{}{}
\bidi@patchcmd{\diagbox@double}{%
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
}{\bidi@@diagbox@double@iii}{}{}
\newcommand*{\bidi@@diagbox@double@ii}{%
  \if@RTL
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
  \fi
}
\newcommand*{\bidi@@diagbox@double@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
  \else
```

```
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
  \fi
}
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@NW}{%
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
}{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{}{}
\newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
  \if@RTL
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}>{\diagbox@font}l@{}}
  \fi}
\newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
  \else
    \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}
  \fi}
\let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@i}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}{}
\bidi@patchcmd{\diagbox@triple@setbox@SE}{%
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
}{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{}{}
\newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@i}{%
  \if@RTL
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepl}}}
  \else
    \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}
  \fi
}
\newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
  \if@RTL
    \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
  \else
    \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}
  \fi
}
\let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
\bidi@patchcmd{\diagbox@double@pict@SE}{%
```

```
  \diagbox@setlinecolor
  \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
}{}{}
\let\diagbox@double@pict@NW\diagbox@double@pict@SE
\bidi@patchcmd{\diagbox@double@pict@NE}{%
  \diagbox@setlinecolor
  \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
}{%
  {\diagbox@setlinecolor
  \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
}{}{}
\let\diagbox@double@pict@SW\diagbox@double@pict@NE
\bidi@patchcmd{\diagbox@triple@pict@NW}{%
  \diagbox@setlinecolor
  \Line(0,\yym)(\x,0)
  \Line(\xm,\y)(\x,0)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\yym)(\x,0)
  \Line(\xm,\y)(\x,0)}%
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@NE}{%
  \diagbox@setlinecolor
  \Line(0,0)(\xxm,\y)
  \Line(0,0)(\x,\yym)%
}{%
  {\diagbox@setlinecolor
  \Line(0,0)(\xxm,\y)
  \Line(0,0)(\x,\yym)}%
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@SW}{%
  \diagbox@setlinecolor
  \Line(0,\ym)(\x,\y)
  \Line(\xm,0)(\x,\y)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\ym)(\x,\y)
  \Line(\xm,0)(\x,\y)}%
}{}{}
\bidi@patchcmd{\diagbox@triple@pict@SE}{%
  \diagbox@setlinecolor
  \Line(0,\y)(\xxm,0)
  \Line(0,\y)(\x,\ym)%
}{%
  {\diagbox@setlinecolor
  \Line(0,\y)(\xxm,0)
  \Line(0,\y)(\x,\ym)}%
```

```
}{}{}
```

49 File draftwatermark-xetex-bidi.def

```
\ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwaterma
\renewcommand\SetWatermarkText[1]{%
  \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}
```

50 File eso-pic-xetex-bidi.def

```
\ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package for
\renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
  \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}}

\ESO@isMEMOIR{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \ifodd\c@page
        \@tempdima=\spinemargin
      \else
        \@tempdima=\paperwidth
        \advance\@tempdima-\textwidth
        \advance\@tempdima-\spinemargin
      \fi
      \@tempdimb=-\uppermargin
      \AtPageUpperLeft{%
        \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
  }
}{%
  \renewcommand\AtTextUpperLeft[1]{%
    \begingroup
      \@tempdima=1in\relax
      \ifodd\c@page
        \advance\@tempdima\oddsidemargin
      \else
        \advance\@tempdima\evensidemargin
      \fi
      \@tempdimb=-1in\relax
      \advance\@tempdimb-\topmargin
      \advance\@tempdimb-\headheight
      \advance\@tempdimb-\headsep
      \AtPageUpperLeft{%
        \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
  }
}
```

51 File empheq-xetex-bidi.def

```
\ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for X
\MHInternalSyntaxOn
\def\EQ_tag_plus_endmark:{%
  \iftagsleft@
    \gdef\maketag@@@##1{%
      \hfuzz\displaywidth
      \if@RTL\makebox[\widthof{##1}][r]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}
      \else\makebox[\widthof{##1}][l]{%
        \hbox to \displaywidth{\m@th\normalfont##1\hss
          \raisebox{-\dp\EQ_mathdisplay_box
                    -\depthof{\EQ_outerbox:{}}}
                   {\PotEndMark{\hss}}}}\fi}%
  \MH_else:
    \gdef\maketag@@@##1{%
      \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{%
        \settoheight{\@tempdima}{\@nameuse{\InTheoType Symbol}}%
        \MH_addtolength:dn \@tempdima
          {\g_EQ_bottomtag_depth_dim+\mintagvsep}
        \setlength{\@tempdimb}
          {\g_EQ_bottomrow_depth_dim+\depthof{\EQ_outerbox:{}}
            +\depthof{\EQ_innerbox:{}}}
        \MH_if_dim:w \@tempdima>\@tempdimb
          \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
            -\@tempdima+\g_EQ_bottomrow_depth_dim}
          \addtolength{\@tempdima}{\depthof{\EQ_innerbox:{}}}%
          \def\EQ_next:{\raisebox{\@tempdima}}%
        \MH_else:
          \def\EQ_next:{
            \raisebox{-\dp\EQ_mathdisplay_box
                      -\depthof{\EQ_outerbox:{}}}}%
        \MH_fi:\EQ_next:}}}}%
  \MH_fi:}
\def\EQ_post_process:{%
  \EQ_initialize:
  \EQ_begin_equation:
  \MH_if_boolean:nT {outer_mult}{
    \setkeys{\MT_options_name:}{
      firstline-afterskip=0pt,
      lastline-preskip=0pt,
      multlined-width=0pt,
    }
    \ifodd \l_EQ_alignmentmode_int
      \setkeys{\MT_options_name:}{multlined-pos=b}
    \MH_else:
```

```
      \setkeys{\MT_options_name:}{multlined-pos=t}
    \MH_fi:
      \g@addto@macro\EQ_complete_mathdisplay:{
        \begin{MTmultlined}\relax}
}
\g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
\MH_if_boolean:nT {outer_mult}{
  \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
}
\EQ_end_equation:
\edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
\savecounters@
\EQ_typeset_tags:
\edef\l_EQ_equation_fint{\number\c@equation}
\restorecounters@
\Hy@linkcounter=\EQ_hyperref_link_fint
\settowidth\l_EQ_totalwidth_dim{%
  $\EQ_left_side:\EQ_innerbox:{}\EQ_right_side:$}%
\MH_if_boolean:nTF {outer_mult}
  { \def\EQ_next:{_mult} }
  { \def\EQ_next:{} }
\@nameuse{EQ_modify_linewidth_
          \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
\EQ_typeset_display:
\@nameuse{EQ_find_displaywidth_
         \romannumeral\l_EQ_equationtype_int\EQ_next: :}
\MH_addtolength:dn
  \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
\savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
  $\EQ_left_side:
  \EQ_innerbox:{%
    \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \MH_or:
      \makebox[\l_EQ_displaywidth_dim][c]
        {\usebox{\EQ_mathdisplay_box}}%
    \MH_or:
      \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
        \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
            \kern-\@mathmargin
          \MH_fi:
        \MH_fi:
        \usebox{\EQ_mathdisplay_box}}%
      \else\makebox[\l_EQ_displaywidth_dim][l]{%
        \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
          \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
            \kern-\@mathmargin
          \MH_fi:
```

```
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}\fi%
      \MH_or:
        \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
          \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
            \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
              \kern-\@mathmargin
            \MH_fi:
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}
        \else\makebox[\l_EQ_displaywidth_dim][l]{%
          \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
            \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
              \kern-\@mathmargin
            \MH_fi:
          \MH_fi:
          \usebox{\EQ_mathdisplay_box}}\fi%
      \MH_fi:}%
    \EQ_right_side:$}%
  \begin{AmSequation*}
  \@nameuse{EQ_place_display_
           \romannumeral\l_EQ_equationtype_int\EQ_next: :}
  \MH_if_dim:w \g_EQ_widesttag_dim>\z@
  \MH_set_boolean_T:n {show_manual_tags}
    \MH_if_case:w \l_EQ_alignmentmode_int
    \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
    \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
    \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
    \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
    \MH_fi:
  \MH_fi:
  \end{AmSequation*}
  \global\c@equation=\l_EQ_equation_fint\relax
}
\AtBeginDocument{%
  \@ifpackageloaded{fancybox}{%
    \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
    {\renewcommand*\textcolor[2]{\normalcolor{#2}}}%
    \renewcommand*\shadowbox{%
      \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}
              {\MH_set_boolean_F:n {shadowbox_star}
               \VerbBox\EQ_shadowbox:n}}
    \def\EQ_shadowbox:n #1{%
      \sbox{\z@}{\fbox{#1}}%
      \MH_if_boolean:nTF {shadowbox_star}{
        \MH_setlength:dn \@tempdima{\z@}%
      }{
        \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
      }
```

```
      \raisebox{\@tempdima}{%
        \if@RTL\makebox[\z@][r]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
        }%
        \else\makebox[\z@][l]{%
          \kern\shadowsize \textcolor{shadowcolor}{%
            \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
        }\fi%
        \usebox\z@\textcolor{shadowcolor}{%
          \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}}%
  }{}%
}
\MHInternalSyntaxOff
```

52 File extarticle-xetex-bidi.def

```
\ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle class
\renewcommand*\l@section[2]{%
  \ifnum \c@tocdepth >\z@
    \addpenalty\@secpenalty
    \addvspace{1.0em \@plus\p@}%
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \endgroup
  \fi}
  \renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty\@secpenalty
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
    \endgroup
  \fi}
  \def\@part[#1]#2{%
    \ifnum \c@secnumdepth >\m@ne
      \refstepcounter{part}%
      \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
    \else
```

```
      \addcontentsline{toc}{part}{#1}%
    \fi
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \ifnum \c@secnumdepth >\m@ne
       \Large\bfseries \partname~\thepart
       \par\nobreak
     \fi
     \huge \bfseries #2%
     \markboth{}{}\par}%
    \nobreak
    \vskip 3ex
    \@afterheading}
 \def\@spart#1{%
    {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
     \interlinepenalty \@M
     \normalfont
     \huge \bfseries #1\par}%
     \nobreak
     \vskip 3ex
     \@afterheading}
\renewenvironment{thebibliography}[1]
     {\section*{\refname
        \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
         \bidi@@thebibliography@font@hook%
         \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
    \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
```

```
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let \footnote \thanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
```

```
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%
```

53 File extbook-xetex-bidi.def

```
\ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for X
  \if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
```

```
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
```

```
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
```

```
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
      \if@mainmatter
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
      \fi
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}

\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\backmatter{%
  \if@openright
    \cleardoublepage
  \else
    \clearpage
  \fi
  \@mainmatterfalse}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
        \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
```

```
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

54 File extletter-xetex-bidi.def

```
\ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class f
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
    {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignoresp
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
  \fi
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
  \stopbreaks
  \noindent
  \ifx\@empty\fromaddress\else
  \hspace*{\longindentation}\fi
  \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
       \ignorespaces #1\\[6\medskipamount]%
       \ifx\@empty\fromsig
           \fromname
       \else \fromsig \fi\strut}%
   \par}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
\renewcommand\right@footnoterule{%
```

```
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

55 File extrafootnotefeatures-xetex-bidi.def

```
\ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2018/10/11 v1.7 bidi extra footnote featur
\newif\if@bidi@void@footins
\newif\if@bidi@void@@mpfootins
\newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
\if@bidi@csundef{ifHy@hyperfootnotes}{}{%
\if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
\ifHy@hyperfootnotes
  \let\@@H@@footnotetext\@footnotetext
  \let\@@HLTR@@LTRfootnotetext\@LTRfootnotetext
  \let\@@HRTL@@RTLfootnotetext\@RTLfootnotetext
  \let\@@H@@mpfootnotetext\@mpfootnotetext
  \let\@@HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
  \let\@@HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
\fi
}%
}%
}
\newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
\if@bidi@csundef{ifHy@hyperfootnotes}{}{%
\if@bidi@csundef{HLTR@@LTRfootnotetext}{}{%
\ifHy@hyperfootnotes
  \let\H@@footnotetext\@footnotetext
  \let\@footnotetext\@@H@@footnotetext
  \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
  \let\@LTRfootnotetext\@@HLTR@@LTRfootnotetext
  \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
  \let\@RTLfootnotetext\@@HRTL@@RTLfootnotetext
  \let\H@@mpfootnotetext\@mpfootnotetext
  \let\@mpfootnotetext\@@H@@mpfootnotetext
  \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
  \let\@mpLTRfootnotetext\@@HLTR@@mpLTRfootnotetext
  \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
  \let\@mpRTLfootnotetext\@@HRTL@@mpRTLfootnotetext
\fi
}%
}%
}
\let\autofootnoterule\relax
\let\rightfootnoterule\relax
\let\leftfootnoterule\relax
\let\textwidthfootnoterule\relax
\let\LRfootnoterule\relax
\def\footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
```

```
\newcommand{\@preamnormalfmt}{%
  \parindent 1em%
  \noindent
}
\newcommand{\@normalfootfmt}[1]{%
  \@preamnormalfmt
  \footfootmark
  \rule\z@\footnotesep\ignorespaces{\foottextfont #1}%
  \@finalstrut\strutbox
}
\newcommand{\@normalRTLfootfmt}[1]{%
  \@preamnormalfmt
  \RTLfootfootmark
  \rule\z@\footnotesep\ignorespaces{\RTLfoottextfont #1}%
  \@finalstrut\strutbox
}
\newcommand{\@normalLTRfootfmt}[1]{%
  \@preamnormalfmt
  \LTRfootfootmark
  \rule\z@\footnotesep\ignorespaces{\LTRfoottextfont #1}%
  \@finalstrut\strutbox
}
\renewcommand{\@footnotetext}[1]{%
    \insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \foottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@normalfootfmt{#1}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@RTLfootnotetext}[1]{%
    \insert\footins{%
    \@RTLtrue%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \RTLfoottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@normalRTLfootfmt{#1}%
    \color@endgroup}%
      \m@mmf@prepare}
```

```
\renewcommand{\@LTRfootnotetext}[1]{%
    \insert\footins{%
    \@RTLfalse%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font
    \LTRfoottextfont
    \@preamfntext
    \hsize\columnwidth
    \protected@edef\@currentlabel{%
      \csname p@footnote\endcsname\@thefnmark}%
    \color@begingroup
      \@normalLTRfootfmt{#1}%
    \color@endgroup}%
      \m@mmf@prepare}
\renewcommand{\@mpfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font%
    \foottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@normalfootfmt{#1}%
  \color@endgroup}}
\renewcommand{\@mpLTRfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\@RTLfalse%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font%
    \LTRfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@normalLTRfootfmt{#1}%
  \color@endgroup}}
\renewcommand{\@mpRTLfootnotetext}[1]{%
  \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font%
    \RTLfoottextfont \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@normalRTLfootfmt{#1}%
  \color@endgroup}}
\let\m@mold@footnotetext\@footnotetext
\let\m@mold@LTRfootnotetext\@LTRfootnotetext
\let\m@mold@RTLfootnotetext\@RTLfootnotetext
```

```
\let\m@mold@mpfootnotetext\@mpfootnotetext
\let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
\let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
\bidi@ensure@newcommand{\normalfootnotes}{%
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\m@mold@footnotetext
  \let\@LTRfootnotetext\m@mold@LTRfootnotetext
  \let\@RTLfootnotetext\m@mold@RTLfootnotetext
  \let\@mpfootnotetext\m@mold@mpfootnotetext
  \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
  \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\@ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{}
\bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestrue}
\bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
\bidi@ensure@newcommand*{\setSingleSpace}[1]{%
  \def\m@m@singlespace{#1}%
  \def\m@m@footnote@spacing{#1}%
  \def\m@m@float@spacing{#1} %
}
\setSingleSpace{1}
\bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
\bidi@ensure@newcommand*{\m@mmf@prepare}{%
  \kern-\multiplefootnotemarker
  \kern\multiplefootnotemarker\relax}
\bidi@ensure@newlength{\footmarkwidth}
\bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
\bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
\bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
\bidi@ensure@newcommand{\footfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\footscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\footscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\LTRfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\LTRfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
```

```
      {\normalfont\LTRfootscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
    \fi
  \fi}
\bidi@ensure@newcommand{\RTLfootfootmark}{%
  \ifdim\footmarkwidth < \z@
    \llap{\hb@xt@ -\footmarkwidth{%
            \hss\normalfont\RTLfootscript{\@thefnmark}}%
          \hspace*{-\footmarkwidth}}%
  \else
    \ifdim\footmarkwidth = \z@
      {\normalfont\RTLfootscript{\@thefnmark}}%
    \else
      \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
    \fi
  \fi}
\footmarkstyle{\textsuperscript{#1}}
\LTRfootmarkstyle{\textsuperscript{#1}}
\RTLfootmarkstyle{\textsuperscript{#1}}
\newcommand*{\bidi@normal@footmarkwidth}{%
  \setlength{\footmarkwidth}{1em plus.4em minus.4em}%
}
\newcommand*{\bidi@star@footmarkwidth}{%
  \setlength{\footmarkwidth}{0em plus.4em minus.4em}%
}
\bidi@normal@footmarkwidth
\bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
\bidi@ensure@newcommand*{\extrafeetins}{%
  \setbox\@outputbox \vbox{%
    \boxmaxdepth \@maxdepth
    \unvbox\@outputbox
    \ifvoid\footinsv@r
      \ifvoid\footinsv@l
      \else
        \@footstartv@l
        \@LTRfootgroupv@l
      \fi
    \else
      \@footstartv@r
      \@footgroupv@r
      \ifvoid\footinsv@l
      \else
        \@@footstart@@v@l
        \@LTRfootgroupv@l
      \fi
    \fi
    \ifvoid\@bidi@copyins@
    \else
      \vskip \skip\@bidi@copyins@
```

```
      \color@begingroup
        \normalcolor
        \unvbox \@bidi@copyins@
      \color@endgroup
    \fi
    \extrafeetinshook}}
\bidi@ensure@newcommand{\extrafeetinshook}{}
\bidi@ensure@newcommand{\foottextfont}{\footnotesize}
\bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
\bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
\bidi@ensure@newlength{\footinsdim}
  \setlength{\footinsdim}{8in}   % standard for \dimen\footins
\bidi@ensure@newcommand{\@preamfntext}{%
  \interlinepenalty\interfootnotelinepenalty
  \floatingpenalty \@MM
  \splittopskip=\footnotesep
  \splitmaxdepth=\dp\strutbox
  \@parboxrestore}
\bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
  \extrafeetminihook}
\bidi@ensure@newcommand{\extrafeetendmini}{%
  \ifvoid\@mpfootinsv@r
    \ifvoid\@mpfootinsv@l
    \else
      \vskip\skip\@mpfootins
      \normalcolor
      \if@bidi@void@@mpfootins
        \footnoterule
      \fi
      \mp@LTRfootgroupv@l
    \fi
  \else
    \vskip\skip\@mpfootins
    \normalcolor
    \if@bidi@void@@mpfootins
      \footnoterule
    \fi
    \mp@footgroupv@r
    \ifvoid\@mpfootinsv@l
    \else
      \vskip\skip\@mpfootins
      \normalcolor\mp@LTRfootgroupv@l
    \fi
  \fi
  \extrafeetendminihook}
\bidi@ensure@newcommand{\extrafeetendminihook}{}
\bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
\def\endminipage{%
  \par
  \unskip
```

```
  \ifvoid\@mpfootins
    \global\@bidi@void@@mpfootinstrue
  \else
    \global\@bidi@void@@mpfootinsfalse
    \vskip\skip\@mpfootins
    \normalcolor
    \footnoterule
    \unvbox\@mpfootins
  \fi
  \m@mdoextrafeetendmini
  \@minipagefalse
  \color@endgroup
  \egroup
  \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\bidi@ensure@newcommand{\m@make@footstart}[1]{%
  \@namedef{@footstart#1}{%
   \bidi@mopfn@bottom
    \leftskip=\z@
    \rightskip=\z@
    \parindent=\z@
    \vskip\skip\footins
    \footnoterule}}
\newinsert\footinsv@r
\skip\footinsv@r\bigskipamount
\count\footinsv@r=1000 % no magnifcation
\dimen\footinsv@r=\footinsdim
\m@make@footstart{v@r}
\newinsert\footinsv@l
\skip\footinsv@l\bigskipamount
\bidi@ensure@newcommand{\@footgroupv@r}{}
\newinsert\@mpfootinsv@r
\newinsert\@mpfootinsv@l
\bidi@ensure@newcommand{\mp@footgroupv@r}{}
\newcount\m@m@k \newdimen\m@m@h
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
  \hsize\textwidth
  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}
}{%
\bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
  \@@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
  \valign{##\vfill\cr\m@mdosplits}\if@RTLcolumnfootnotes\endR\fi}}}
\bidi@ensure@newcommand*{\m@mdosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@msplitoff
  \global\advance\m@m@k-1\cr\m@mdosplits\fi}
\bidi@ensure@newcommand*{\m@msplitoff}{\dimen0=\ht0
  \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
  \setbox2 \vsplit0 to \dimen0
  \unvbox2 }
\bidi@ensure@newcommand{\twocolumnfootnotes}{%
```

```
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@twocolfootnotetext
  \let\@LTRfootnotetext\@twocolLTRfootnotetext
  \let\@RTLfootnotetext\@twocolRTLfootnotetext
  \dimen\footinsv@r=2\footinsdim
  \count\footinsv@r=500\relax
  \m@make@twocol@footgroup{v@r}%
  \let\@footgroupv@r\@twocol@footgroupv@r
  \let\@mpfootnotetext\@mptwocolfootnotetext
  \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mptwocol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mptwocol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamtwofmt}{%
  \hsize .45\hsize
  \parindent=\z@
```

```
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
  \@preamtwofmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
  \@preamtwofmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
  \@preamtwofmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@twocolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
  \@namedef{@twocol@footgroup#1}{{%
```

```
    \def\baselinestretch{\m@m@footnote@spacing}%
     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
      \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
\@namedef{@mptwocol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}}
\bidi@ensure@newcommand{\threecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@threecolfootnotetext
  \let\@LTRfootnotetext\@threecolLTRfootnotetext
  \let\@RTLfootnotetext\@threecolRTLfootnotetext
  \dimen\footinsv@r=3\footinsdim
  \count\footinsv@r=333\relax
  \m@make@threecol@footgroup{v@r}%
  \let\@footgroupv@r\@threecol@footgroupv@r
  \let\@mpfootnotetext\@mpthreecolfootnotetext
  \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpthreecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
```

```
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@preamthreefmt}{%
  \hsize .3\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
  \@preamthreefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
  \@preamthreefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
  \@preamthreefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolLTRfootfmt{#1}%
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@threecolRTLfootfmt{#1}%
```

```
  \color@endgroup}\m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
\@namedef{@threecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
\@namedef{@mpthreecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}}
\bidi@ensure@newcommand{\fourcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@fourcolfootnotetext
  \let\@LTRfootnotetext\@fourcolLTRfootnotetext
  \let\@RTLfootnotetext\@fourcolRTLfootnotetext
  \dimen\footinsv@r=4\footinsdim
  \count\footinsv@r=250\relax
  \m@make@fourcol@footgroup{v@r}%
  \let\@footgroupv@r\@fourcol@footgroupv@r
  \let\@mpfootnotetext\@mpfourcolfootnotetext
  \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpfourcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
```

```
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfourfmt}{%
  \hsize .25\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
  \@preamfourfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
  \@preamfourfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%
  \@preamfourfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
```

```
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fourcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
  \@namedef{@fourcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
\@namedef{@mpfourcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}}
\bidi@ensure@newcommand{\fivecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@fivecolfootnotetext
  \let\@LTRfootnotetext\@fivecolLTRfootnotetext
  \let\@RTLfootnotetext\@fivecolRTLfootnotetext
  \dimen\footinsv@r=5\footinsdim
  \count\footinsv@r=200\relax
  \m@make@fivecol@footgroup{v@r}%
  \let\@footgroupv@r\@fivecol@footgroupv@r
  \let\@mpfootnotetext\@mpfivecolfootnotetext
  \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpfivecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
```

```
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamfivefmt}{%
  \hsize .2\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
  \@preamfivefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
  \@preamfivefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
  \@preamfivefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
```

```
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@fivecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
  \@namedef{@fivecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{5}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
\@namedef{@mpfivecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{5}{\splittopskip}}}
\bidi@ensure@newcommand{\sixcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@sixcolfootnotetext
  \let\@LTRfootnotetext\@sixcolLTRfootnotetext
  \let\@RTLfootnotetext\@sixcolRTLfootnotetext
  \dimen\footinsv@r=6\footinsdim
  \count\footinsv@r=166\relax
  \m@make@sixcol@footgroup{v@r}%
  \let\@footgroupv@r\@sixcol@footgroupv@r
  \let\@mpfootnotetext\@mpsixcolfootnotetext
  \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpsixcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
```

```
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsixfmt}{%
  \hsize .16\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
  \@preamsixfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
  \@preamsixfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
  \@preamsixfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
```

```
    \@sixcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sixcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
  \@namedef{@sixcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
\@namedef{@mpsixcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}}
\bidi@ensure@newcommand{\sevencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@sevencolfootnotetext
  \let\@LTRfootnotetext\@sevencolLTRfootnotetext
  \let\@RTLfootnotetext\@sevencolRTLfootnotetext
  \dimen\footinsv@r=7\footinsdim
  \count\footinsv@r=142\relax
  \m@make@sevencol@footgroup{v@r}%
  \let\@footgroupv@r\@sevencol@footgroupv@r
  \let\@mpfootnotetext\@mpsevencolfootnotetext
  \let\@mpLTRfootnotetext\@mpsevencolLTRfootnotetext
```

```
  \let\@mpRTLfootnotetext\@mpsevencolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpsevencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpsevencol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@sevencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@sevencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamsevenfmt}{%
  \hsize .142\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@sevencolfootfmt}[1]{%
  \@preamsevenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sevencolLTRfootfmt}[1]{%
  \@preamsevenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@sevencolRTLfootfmt}[1]{%
  \@preamsevenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
```

```
\bidi@ensure@newcommand{\@mpsevencolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolLTRfootnotetext}[1]{\@RTLfalse%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpsevencolRTLfootnotetext}[1]{\@RTLtrue%
  \global\setbox\@mpfootinsv@r\vbox{%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@sevencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@sevencol@footgroup}[1]{%
  \@namedef{@sevencol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpsevencol@footgroup}[1]{%
\@namedef{@mpsevencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{7}{\splittopskip}}}}
\bidi@ensure@newcommand{\eightcolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
```

```
  \let\@footnotetext\@eightcolfootnotetext
  \let\@LTRfootnotetext\@eightcolLTRfootnotetext
  \let\@RTLfootnotetext\@eightcolRTLfootnotetext
  \dimen\footinsv@r=8\footinsdim
  \count\footinsv@r=125\relax
  \m@make@eightcol@footgroup{v@r}%
  \let\@footgroupv@r\@eightcol@footgroupv@r
  \let\@mpfootnotetext\@mpeightcolfootnotetext
  \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpeightcol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpeightcol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preameightfmt}{%
  \hsize .125\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
```

```
\bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
  \@preameightfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
  \@preameightfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
  \@preameightfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@eightcolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
  \@namedef{@eightcol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
```

```
      \m@mrigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
\@namedef{@mpeightcol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}}}}
\bidi@ensure@newcommand{\ninecolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@ninecolfootnotetext
  \let\@LTRfootnotetext\@ninecolLTRfootnotetext
  \let\@RTLfootnotetext\@ninecolRTLfootnotetext
  \dimen\footinsv@r=9\footinsdim
  \count\footinsv@r=111\relax
  \m@make@ninecol@footgroup{v@r}%
  \let\@footgroupv@r\@ninecol@footgroupv@r
  \let\@mpfootnotetext\@mpninecolfootnotetext
  \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mpninecol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mpninecol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
```

```
  \color@begingroup
    \@ninecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamninefmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
  \@preamninefmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
  \@preamninefmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
  \@preamninefmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
```

```
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@ninecolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
  \@namedef{@ninecol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
\@namedef{@mpninecol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}}
\bidi@ensure@newcommand{\tencolumnfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@tencolfootnotetext
  \let\@LTRfootnotetext\@tencolLTRfootnotetext
  \let\@RTLfootnotetext\@tencolRTLfootnotetext
  \dimen\footinsv@r=10\footinsdim
  \count\footinsv@r=100\relax
  \m@make@tencol@footgroup{v@r}%
  \let\@footgroupv@r\@tencol@footgroupv@r
  \let\@mpfootnotetext\@mptencolfootnotetext
  \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
  \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mptencol@footgroup{v@r}%
  \let\mp@footgroupv@r\@mptencol@footgroupv@r
  \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes\
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
```

```
    \@tencolLTRfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@preamtenfmt}{%
  \hsize .1\hsize
  \parindent=\z@
  \tolerance=5000\relax
  \leavevmode}
\bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
  \@preamtenfmt
  {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
  \@preamtenfmt
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
  \@preamtenfmt
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
\bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \if@RTLcolumnfootnotes\beginL\fi
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolLTRfootfmt{#1}%
```

```
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
    \unvbox\@mpfootinsv@r
    \def\baselinestretch{\m@m@footnote@spacing}%
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
  \color@begingroup
    \@tencolRTLfootfmt{#1}%
  \color@endgroup}%
  \m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
  \@namedef{@tencol@footgroup#1}{{%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
     \m@mrigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
\@namedef{@mptencol@footgroup#1}{{%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
  \m@mrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}}}
\bidi@ensure@newcommand{\m@munvxh}[1]{%
  \setbox0=\vbox{\unvbox#1%
    \global\setbox1=\lastbox}%
  \unhbox1
  \unskip
  \unskip
  \unpenalty
  \hskip\m@mipn@skip}
\bidi@ensure@newcommand{\m@mungebox}{%
  \setbox0=\hbox{\m@munvxh0}%
  \dp0=\z@
  \ht0=\footfudgefactor\wd0
  \box0
  \penalty0}
\newskip\m@mipn@skip
\bidi@ensure@newcommand*{\m@minterparanoteglue}[1]{%
  {\foottextfont\global\m@mipn@skip=#1\relax}}
\m@minterparanoteglue{1em plus.4em minus.4em}
\@ifpackageloaded{multicol}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \hsize\textwidth%
 \setbox0=\hbox{}%
  \loop
    \unpenalty
    \setbox2=\lastbox
  \ifhbox2
```

```
    \setbox0=\hbox{\box2\unhbox0}
  \repeat}
}{%
\bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
 \setbox0=\hbox{}%
  \loop
    \unpenalty
    \setbox2=\lastbox
  \ifhbox2
    \setbox0=\hbox{\box2\unhbox0}
  \repeat}}
\bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
  \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
\newcommand*\AddExtraParaSkip[1]{%
  \if@bidi@csdef{footfudgefactor}{%
    \PackageError{bidi}{%
      The control sequence `\string\AddExtraParaSkip`
      must be used before the control sequence
      `\string\paragraphfootnotes'  in the preamble%
    }\@ehc
  }{%
    \def\bidi@xparaskip{\advance\@tempdima#1\relax}%
  }%
}
\bidi@ensure@newcommand{\paragraphfootnotes}{%
  \@namedef{foottextfontv@r}{\foottextfont}%  % [RS]
  \@bidi@before@Hy@hyperfootnotes
  \let\@footnotetext\@parafootnotetext
  \let\@LTRfootnotetext\@paraLTRfootnotetext
  \let\@RTLfootnotetext\@paraRTLfootnotetext
  \dimen\footinsv@r=\footinsdim
  \count\footinsv@r=1000\relax
  \m@make@para@footgroup{v@r}%
  \m@make@para@footstart{v@r}%
  \let\@footgroupv@r\@para@footgroupv@r
  \let\@footstartv@r\@para@footstartv@r
  \dimen\footinsv@l=\footinsdim
  \count\footinsv@l=1000\relax
  \bidi@make@para@LTRfootgroup{v@l}%
  \m@make@para@footstart{v@l}%
  \bidi@make@para@footstart@@{v@l}%
  \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
  \let\@footstartv@l\@para@footstartv@l
  \let\@@footstart@@v@l\@@para@footstart@@v@l
  \let\@mpfootnotetext\@mpparafootnotetext
  \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
  \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mppara@footgroup{v@r}%
  \bidi@make@mppara@LTRfootgroup{v@l}%
```

```
  \let\mp@footgroupv@r\@mppara@footgroupv@r
  \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
  \begingroup
  \def\baselinestretch{\m@m@footnote@spacing}%
   \foottextfont
   \@tempdima\footnotesep
   \advance\@tempdima -\ht\strutbox
   \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
   \advance\@tempdima.5\normalbaselineskip
   \bidi@xparaskip
   \xdef\bidi@paraskip{\the\@tempdima\relax}%
   \ifdim\skip\footinsv@r>\bigskipamount
   \else
     \global\advance\skip\footinsv@r\bidi@paraskip
   \fi
   \ifdim\skip\footinsv@l>\bigskipamount
   \else
     \global\advance\skip\footinsv@l\bidi@paraskip
   \fi
   \@tempdima\normalbaselineskip
   \multiply \@tempdima \@cclvi
   \@tempdimb \columnwidth
   \divide \@tempdimb \@cclvi
   \divide \@tempdima \@tempdimb
   \xdef\footfudgefactor{\strip@pt\@tempdima}%
   \endgroup
   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\newcommand{\normalRTLparaLTRfootnotes}{%
   \@namedef{foottextfontv@r}{\foottextfont}%
   \@bidi@before@Hy@hyperfootnotes
   \if@RTL@footnote
     \let\@footnotetext\m@mold@footnotetext
   \else
     \let\@footnotetext\@parafootnotetext
   \fi
   \let\@LTRfootnotetext\@paraLTRfootnotetext
   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
   \dimen\footinsv@r=\footinsdim
   \count\footinsv@r=1000\relax
   \m@make@para@footgroup{v@r}%
   \m@make@para@footstart{v@r}%
   \let\@footgroupv@r\@para@footgroupv@r
   \let\@footstartv@r\@para@footstartv@r
   \dimen\footinsv@l=\footinsdim
   \count\footinsv@l=1000\relax
   \bidi@make@para@LTRfootgroup{v@l}%
   \m@make@para@footstart{v@l}%
   \bidi@make@para@footstart@@{v@l}%
   \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
```

```
  \let\@footstartv@l\@para@footstartv@l
  \let\@@footstart@@v@l\@@para@footstart@@v@l
  \if@RTL@footnote
    \let\@mpfootnotetext\m@mold@mpfootnotetext
  \else
    \let\@mpfootnotetext\@mpparafootnotetext
  \fi
  \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
  \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
  \@bidi@after@Hy@hyperfootnotes
  \m@make@mppara@footgroup{v@r}%
  \bidi@make@mppara@LTRfootgroup{v@l}%
  \let\mp@footgroupv@r\@mppara@footgroupv@r
  \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
  \begingroup
  \def\baselinestretch{\m@m@footnote@spacing}%
   \foottextfont
   \@tempdima\footnotesep
   \advance\@tempdima -\ht\strutbox
   \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
   \advance\@tempdima.5\normalbaselineskip
   \bidi@xparaskip
   \xdef\bidi@paraskip{\the\@tempdima\relax}%
   \ifdim\skip\footinsv@r>\bigskipamount
   \else
     \global\advance\skip\footinsv@r\bidi@paraskip
   \fi
   \ifdim\skip\footinsv@l>\bigskipamount
   \else
     \global\advance\skip\footinsv@l\bidi@paraskip
   \fi
   \@tempdima\normalbaselineskip
   \multiply \@tempdima \@cclvi
   \@tempdimb \columnwidth
   \divide \@tempdimb \@cclvi
   \divide \@tempdima \@tempdimb
   \xdef\footfudgefactor{\strip@pt\@tempdima}%
   \endgroup
   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
}
\let\bidi@xparaskip\relax
\@onlypreamble\AddExtraParaSkip
\bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert
  \if@RTL@footnote
    \footinsv@r
  \else
    \footinsv@l
  \fi
  {%
  \let\bidi@RTL@everypar\@empty%
```

```
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\foottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@parafootfmt{#1}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@l{%
 \let\bidi@RTL@everypar\@empty%
 \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\LTRfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@paraLTRfootfmt{#1}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
  \let\bidi@RTL@everypar\@empty%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \reset@font\RTLfoottextfont
  \@preamfntext
  \protected@edef\@currentlabel{%
    \csname p@footnote\endcsname\@thefnmark}%
  \setbox0=\vbox{\hsize=\maxdimen
    \color@begingroup
      \noindent \@paraRTLfootfmt{#1}%
    \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@parafootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\footfootmark\strut {\foottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
  \parindent=\z@
  \parfillskip=0pt \@plus 1fil
  {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
\bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
  \global\setbox
  \if@RTL@footnote
    \@mpfootinsv@r
```

```
  \else
    \@mpfootinsv@l
  \fi
  \vbox{%
    \let\bidi@RTL@everypar\@empty%
    \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox
    \if@RTL@footnote
      \@mpfootinsv@r
    \else
      \@mpfootinsv@l
    \fi
    \reset@font\foottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@parafootfmt{#1}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@l\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@l
    \reset@font\LTRfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraLTRfootfmt{#1}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
  \global\setbox\@mpfootinsv@r\vbox{%
   \let\bidi@RTL@everypar\@empty%
   \def\baselinestretch{\m@m@footnote@spacing}%
    \unvbox\@mpfootinsv@r
    \reset@font\RTLfoottextfont
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
      \csname p@mpfootnote\endcsname\@thefnmark}%
    \setbox0=\vbox{\hsize=\maxdimen
      \color@begingroup
      \noindent \@paraRTLfootfmt{#1}%
      \color@endgroup}%
  \m@mungebox}\m@mmf@prepare}
\bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
```

```
\@namedef{@para@footgroup#1}{%
  \unvbox\@nameuse{footins#1}
  \@RTLtrue
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \@parboxrestore%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\bidi@make@para@LTRfootgroup}[1]{%
\@namedef{@para@LTRfootgroup#1}{%
  \unvbox\@nameuse{footins#1}
  \@RTLfalse
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \@parboxrestore%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
\@namedef{@mppara@footgroup#1}{%
  \unvbox\@nameuse{@mpfootins#1}
  \@RTLtrue
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\bidi@make@mppara@LTRfootgroup}[1]{%
\@namedef{@mppara@LTRfootgroup#1}{%
  \unvbox\@nameuse{@mpfootins#1}
  \@RTLfalse
  \m@mmakehboxofhboxes
  \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
  \def\baselinestretch{\m@m@footnote@spacing}%
  \@nameuse{foottextfont#1}%
  \noindent\unhbox0\par}}
\bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
\@namedef{@para@footstart#1}{%
  \if@bidi@void@footins
    \bidi@mopfn@bottom
  \fi
  \leftskip=\z@
  \rightskip=\z@
  \parindent=\z@
  \vskip\skip\footins
  \if@bidi@void@footins
    \footnoterule
  \fi}}
\bidi@ensure@newcommand{\bidi@make@para@footstart@@}[1]{%
```

```
\@namedef{@@para@footstart@@#1}{%
  \leftskip=\z@
  \rightskip=\z@
  \parindent=\z@
  \vskip\skip\footins}}
\bidi@ensure@newcommand*{\m@m@makecolfloats}{%
  \xdef\@freelist{\@freelist\@midlist}%
  \global\let\@midlist\@empty
  \@combinefloats}
\bidi@ensure@newcommand*{\m@m@makecoltext}{%
  \ifvbox\@kludgeins
    \@makespecialcolbox
  \else
    \setbox\@outputbox \vbox to\@colht{%
      \@texttop
      \dimen@ \dp\@outputbox
      \unvbox \@outputbox
      \vskip -\dimen@
      \@textbottom}%
  \fi}
\bidi@ensure@newcommand*{\m@m@makecolintro}{}
\bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
  \@tempdima\dp\@cclv
  \unvbox\@cclv
  \vskip-\@tempdima
  \bidi@mopfn@bottom
  \vskip \skip\footins
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup
  }%
}
\newcommand*{\bidi@mopfootnotebf}{%
  \setbox\@outputbox \vbox{%
  \boxmaxdepth\@maxdepth
  \unvbox\@outputbox
  \bidi@mopfn@bottom
  \vskip\skip\footins
  \color@begingroup
    \normalcolor
    \footnoterule
    \unvbox \footins
  \color@endgroup
  }%
}
\gdef\mem@makecol{%
  \m@m@makecolintro
```

```
  \ifvoid\footins
    \global\@bidi@void@footinstrue
    \setbox\@outputbox \box\@cclv
  \else
    \global\@bidi@void@footinsfalse
    \m@mopfootnote
  \fi
  \m@mdoextrafeet
  \m@m@makecolfloats
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\gdef\bidi@makecolbf{%
  \m@m@makecolintro
  \setbox\@outputbox \box\@cclv
  \m@m@makecolfloats
  \ifvoid\footins
    \global\@bidi@void@footinstrue
  \else
    \global\@bidi@void@footinsfalse
    \bidi@mopfootnotebf
  \fi
  \m@mdoextrafeet
  \m@m@makecoltext
  \global \maxdepth \@maxdepth}
\newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
\newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
\newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
\newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
\FeetAboveFloat
\FeetBelowRagged
```

56 File extreport-xetex-bidi.def

```
\ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class f
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
```

```
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
        \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
```

```
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\if@titlepage
\renewcommand\maketitle{\begin{titlepage}%
\let\footnotesize\small
\let\right@footnoterule\relax
\let\left@footnoterule\relax
\let\textwidth@footnoterule\relax
\let \footnote \thanks
\null\vfil
\vskip 60\p@
\begin{center}%
  {\LARGE \@title \par}%
  \vskip 3em%
  {\large
   \lineskip .75em%
    \begin{tabular}[t]{c}%
      \@author
    \end{tabular}\par}%
    \vskip 1.5em%
  {\large \@date \par}%       % Set date in \large size.
\end{center}\par
\@thanks
\vfil\null
\end{titlepage}%
\setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\title\relax
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
\else
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
```

```
    \long\def\@makefntext##1{\parindent 1em\noindent
            \hb@xt@1.8em{%
                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand\thesection      {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
```

```
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand\thefigure{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable{%
  \ifnum \c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
```

57 File fancybox-xetex-bidi.def

```
\ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package f
\def\fancy@@oval#1#2#3{%
  \boxmaxdepth \maxdimen
  \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
  \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
  \@ovxx#1\relax
  \advance\@ovxx-\@wholewidth
  \@ovyy#2\relax
  \advance\@ovyy-\@wholewidth
  \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx\else \@ovyy \fi
  \advance\@tempdimb-2\p@
  \ifdim\@tempdimb>\the@cornersize\relax
    \@tempdimb=\the@cornersize
  \fi
  \@getcirc\@tempdimb
  \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
  \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
  \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
  \@circlefnt
  \setbox\@tempboxa\hbox{\beginL%
    \if@ovr \@ovvert32\kern -\@tempdima \fi
    \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
    \if@ovt \@ovhorz \kern -\@ovxx \fi
    \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
  \advance\@ovdx\@ovro
  \advance\@ovdy\@ovro
  \advance\@ovxx\@wholewidth
  \wd\@tempboxa=\@ovxx
  \dp\@tempboxa=\z@}
```

58 File fancyhdr-xetex-bidi.def

```
\ProvidesFile{fancyhdr-xetex-bidi.def}[2018/02/15 v0.7 bidi adaptations for fancyhdr package f

\let\f@nch@everypar\everypar

\def\f@nch@head#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
    \f@nch@vbox\headheight{\hbox
```

```
      {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
        \parbox[b]{\headwidth}{\centering#3}\hfill
        \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}}#5}

\def\f@nch@foot#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
    \f@nch@vbox\footskip{\footrule
      \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
        \parbox[t]{\headwidth}{\centering#3}\hfill
        \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}}}#5}

```

59 File `fix2col-xetex-bidi.def`

```
\ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package for
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
\else  \global\@firstcolumntrue
\setbox\@outputbox \vbox {\hbox to\textwidth {%
\hskip \columnwidth
\hfil \vrule width\columnseprule \hfil
\hbox to\columnwidth {%
\bidi@firstcolumn@status@write%
\box\@leftcolumn \hss}%
\hskip -\textwidth
\hbox to\columnwidth{%
\bidi@lastcolumn@status@write%
\box\@outputbox \hss}%
\hskip \columnsep
\hskip \columnwidth }}%
\@combinedblfloats \@setmarks \@outputpage
\begingroup \@dblfloatplacement \@startdblcolumn
\@whilesw\if@fcolmade \fi
{\@outputpage \@startdblcolumn }\endgroup
\fi}
```

```
\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
    \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        \vrule \@width\columnseprule
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
    \endgroup
  \fi}
```

60 File `fleqn-xetex-bidi.def`

```
\ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX e
\renewcommand\[{\relax
                \ifmmode\@badmath
                \else
                  \begin{trivlist}%
                    \@beginparpenalty\predisplaypenalty
                    \@endparpenalty\postdisplaypenalty
```

```
                    \item[]\leavevmode
                    \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
                      \hskip\mathindent\bgroup
                \fi}
\renewcommand\]{\relax
                \ifmmode
                      \egroup $\hfil% $
                    \endL\egroup
                  \end{trivlist}%
                \else \@badmath
                \fi}
\renewenvironment{equation}%
    {\@beginparpenalty\predisplaypenalty
     \@endparpenalty\postdisplaypenalty
     \refstepcounter{equation}%
     \trivlist \item[]\leavevmode
       \hb@xt@\linewidth\bgroup\beginL $\m@th% $
         \displaystyle
         \hskip\mathindent}%
        {$\hfil % $
         \displaywidth\linewidth\hbox{\@eqnnum}%
       \endL\egroup
     \endtrivlist}
```

61 File `float-xetex-bidi.def`

```
\ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for XeT
\renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{{\@fs@cfont #1:} #2}%
  \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
    \else\hbox to\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}\fi}
\def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
    \expandafter\edef\csname the#1\endcsname{%
      \expandafter\noexpand\csname
        the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
    {\PackageWarning{float}{Can't redefine counter variable for #1.}}}
```

62 File `floatrow-xetex-bidi.def`

```
\ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package f
\renewcommand\flnew@within[1]{\@addtoreset{\FB@captype}{#1}%
  \expandafter\edef\csname the\FB@captype\endcsname{%
      \expandafter\noexpand\csname
        the#1\endcsname\@SepMark\noexpand\arabic{\FB@captype}}}
```

63 File `flowfram-xetex-bidi.def`

```
\ProvidesFile{flowfram-xetex-bidi.def}[2018/09/29 v0.5 bidi adaptations for flowfram package f
\def\@outputdblcol{%
\@nxtcol=\c@thisframe
\c@curpg=\c@page
```

```
\@g@tnextcol{\@nxtcol}%
\if@ff@nwpg % next flow frame starts on new page
  \global\@firstcolumntrue
  \@setcolbox\c@thisframe
  \if@specialpage
    \global\@specialpagefalse
    \@nameuse{ps@\@specialstyle}\relax
  \fi
  \if@twoside
    \ifodd\count\z@
      \let\@thehead\@oddhead
      \let\@thefoot\@oddfoot
    \else
      \let\@thehead\@evenhead
      \let\@thefoot\@evenfoot
    \fi
  \else
    \let\@thehead\@oddhead
    \let\@thefoot\@oddfoot
  \fi
  \@begindvi
  \@dodynamicthehead\@dodynamicthefoot
  \vbadness=\@M
  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
  \@combinedblfloats
  \@outputpage
\advance\c@curpg by -\c@page\relax
  \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
  \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}%
\@outputpage}
  \begingroup
    \@dblfloatplacement
    \@startdblcolumn
    \@whilesw \if@fcolmade \fi
       {\@outputpage \@startdblcolumn }\endgroup
  \@resetst@tics
  \@resetdyn@mics
\else % still on same page, save contents of box255
  \global\@firstcolumnfalse
  \@setcolbox\c@thisframe
\fi
\global\c@thisframe=\@nxtcol
\@setcol{\c@thisframe}\relax
\global\@colht\vsize
}
\def\@outputpage{%
\begingroup
  \let\protect\noexpand
  \@resetactivechars
  \global\let\@@if@newlist\if@newlist
```

```
  \global\@newlistfalse\@parboxrestore
  \global\let\bidi@BeforeOutputPageShipOut\@firstofone
  \bidi@beforeoutputpageshipouthook
  \shipout\vbox{\set@typeset@protect
    \aftergroup
    \endgroup
    \aftergroup
    \set@typeset@protect
    \reset@font\normalsize
    \bidi@font@@outputpage
    \normalsfcodes
    \let\label\@gobble
    \let\index\@gobble
    \let\glossary\@gobble
    \baselineskip\z@skip
    \lineskip\z@skip
    \lineskiplimit\z@
    \vskip\topmargin\moveright\@themargin
    \vbox{%
      \global\let\bidi@BeforeHeader\@firstofone
      \bidi@beforeheaderhook
      \vskip\headheight
      \vskip\headsep
      \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
      \bidi@beforeoutputboxoutputpagehook
      \box\@outputbox
      \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
      \bidi@afteroutputboxoutputpagehook
    }}%
  \global\let\bidi@AfterOutputPageShipOut\@firstofone
  \bidi@afteroutputpageshipouthook
  \global\let\if@newlist\@@if@newlist
  \stepcounter{page}%
  \setcounter{displayedframe}{0}%
  \let\firstmark\botmark
  \global\let\bidi@AtEndOutputPage\@firstofone
  \bidi@atendoutputpagehook
  }

\newcommand*\bidi@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{}{%
\expandafter\bidicolor\ff@txtcol}}

\newcommand{\bidi@ff@box}[3]{{\@ffbackground{\vbox to#2
{\hb@xt@ #1{\hss{\bidi@s@tfftextcol #3}\hss}\vss\kern\z@}}}}


\renewcommand*{\@docolbox}[1]{%
\edef\ff@frametype{%
\csname @ff@frametype@\romannumeral#1\endcsname}%
```

```
\edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
\edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
\edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
\@ff@setoffset{#1}%
\rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
\ifthenelse{\boolean{columnframe\romannumeral#1}}{%
\@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
\expandafter\box\csname column\romannumeral#1\endcsname}{%
\csname\ff@frametype\endcsname}%
}{%
\bidi@ff@box{\csname colwidth\romannumeral#1\endcsname}%
{\csname colheight\romannumeral#1\endcsname}{%
\expandafter\box\csname column\romannumeral#1\endcsname}%
}}}
\@ifclassloaded{book}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
\@ifclassloaded{report}{%
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}}{}
\renewcommand{\rotateframe}[2]{\if@ttb@rotate
\rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}%
\else
#2\relax
\fi}
```

64 File `footnote-xetex-bidi.def`

```
\ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine]
```

```
\if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
\newif\ifbidi@autofootnoterule
\def\bidi@mpfootnoterule{\footnoterule}
\newcounter{footdir@label}
\renewcommand*{\thefootdir@label}{footdir@\the\value{footdir@label}}
\newcommand*{\footdir@write}{%
  \stepcounter{footdir@label}%
  \zref@labelbyprops{\thefootdir@label}{abspage}%
}
\newif\iffootdir@debug
\newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
\newtoks\footdir@toks
\newcommand*{\footdir@debug}[1]{%
  \iffootdir@debug
    \typeout{[footdir] #1}%
  \fi
}
%\@ifpackagelater{zref-abspage}{2012/10/27}{%
%  \newcommand*{\footdir@LeftRightElse}{%
%    \ltx@ifundefined{footdir@\the\value{zabspage}}{%
%      \footdir@debug{abspage \the\value{zabspage}: else}%
%      \ltx@thirdofthree
%    }{%
%      \if\csname footdir@\the\value{zabspage}\endcsname L%
%        \footdir@debug{abspage \the\value{zabspage}: left}%
%        \expandafter\ltx@firstofthree
%      \else
%        \footdir@debug{abspage \the\value{zabspage}: right}%
%        \expandafter\ltx@secondofthree
%      \fi
%    }%
%  }%
%}{%
  \providecommand*{\c@zabspage}{\c@abspage}%
  \newcommand*{\footdir@LeftRightElse}{%
    \footdir@write
    \zifrefundefined{\thefootdir@label}{%
      \footdir@debug{abspage ??: else}%
      \ltx@thirdofthree
    }{%
      \edef\footdir@abspage{%
        \zref@extractdefault{\thefootdir@label}{abspage}{0}%
      }%
      \ltx@ifundefined{footdir@\footdir@abspage}{%
        \footdir@debug{\footdir@abspage: else}%
        \ltx@thirdofthree
      }{%
        \if\csname footdir@\footdir@abspage\endcsname L%
          \footdir@debug{\footdir@abspage: left}%
          \expandafter\ltx@firstofthree
```

```
        \else
          \footdir@debug{\footdir@abspage: right}%
          \expandafter\ltx@secondofthree
        \fi
      }%
    }%
  }%
%}
\newcommand*{\footdir@fntext}[1]{%
  \zifrefundefined{\thefootdir@label}{%
  }{%
    \edef\footdir@name{%
      footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
    }%
    \@ifundefined{\footdir@name}{%
      \expandafter\gdef\csname\footdir@name\endcsname{#1}%
    }{}%
  }%
}

\newcommand*{\footdir@temp}[3]{%
  \@ifdefinable{#1}{%
    \let#1#2%
    \renewcommand{#2}[1]{%
      \footdir@write
      \footdir@fntext{#3}%
      \stepcounter{footdir@label}%
      \footdir@fntext{#3}%
      \footdir@toks{##1}%
      \footdir@toks\expandafter{%
        \the\expandafter\footdir@toks
        \expandafter
        \zref@labelbyprops\expandafter{\thefootdir@label}{abspage}%
      }%
      \expandafter#1\expandafter{\the\footdir@toks}%
    }%
  }%
}

\def\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\def\left@footnoterule{\kern-3\p@
  \hrule \@width .4\columnwidth \kern 2.6\p@}
\def\textwidth@footnoterule{\kern-3\p@
  \hrule \@width \columnwidth \kern 2.6\p@}
\def\leftfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\left@footnoterule}}
```

```
\let\LRfootnoterule=\leftfootnoterule
\def\rightfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\right@footnoterule}}
\def\textwidthfootnoterule{%
\bidi@autofootnoterulefalse%
\def\footnoterule{\textwidth@footnoterule}}


\def\auto@footnoterule{%
\footdir@LeftRightElse%
\left@footnoterule%
\right@footnoterule%
\left@footnoterule%
}


\def\autofootnoterule{%
\bidi@autofootnoteruletrue%
\def\footnoterule{\auto@footnoterule}%
}

\newcommand*{\SplitFootnoteRule}{%
  \gdef\split@prev{0}
  \let\pagefootnoterule\footnoterule
  \let\mpfootnoterule\footnoterule
  \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
  \def\footnoterule{\relax
    \ifx \@listdepth\@mplistdepth
      \mpfootnoterule
    \else
      \ifnum\split@prev=\z@
        \pagefootnoterule
      \else
        \splitfootnoterule
      \fi
      \xdef\split@prev{\the\insertpenalties}%
    \fi
  }%
}



\def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
     \protected@xdef\@thefnmark{\thempfn}%
     \@footnotemark\@RTLfootnotetext}}
\def\@xRTLfootnote[#1]{%
```

```
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \@footnotemark\@RTLfootnotetext}
\def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
      \protected@xdef\@thefnmark{\thempfn}%
      \@footnotemark\@LTRfootnotetext}}
\def\@xLTRfootnote[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \@footnotemark\@LTRfootnotetext}


\def\setfootnoteRL{\@RTL@footnotetrue}
\def\unsetfootnoteRL{\@RTL@footnotefalse}
\def\setfootnoteLR{\unsetfootnoteRL}

\newcommand*{\bidi@@footnotetext@font}{\footnotesize}
\newcommand*{\bidi@@LTRfootnotetext@font}{\footnotesize}
\newcommand*{\bidi@@RTLfootnotetext@font}{\footnotesize}

\long\def\@footnotetext#1{\insert\footins{%
    \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
    \reset@font%
    \bidi@@footnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%


\long\def\@RTLfootnotetext#1{\insert\footins{%
    \@RTLtrue%
    \reset@font%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
```

```
      \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\long\def\@LTRfootnotetext#1{\insert\footins{%
    \@RTLfalse%
    \reset@font%
    \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
    \interlinepenalty\interfootnotelinepenalty
    \splittopskip\footnotesep
    \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
    \hsize\columnwidth \@parboxrestore
    \protected@edef\@currentlabel{%
       \csname p@footnote\endcsname\@thefnmark
    }%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}%

\AtBeginDocument{%
\if@RTL@footnote
  \newcommand*{\bidi@footdir@footnote}{R}
\else
  \newcommand*{\bidi@footdir@footnote}{L}
\fi%
}

\footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
\footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
\footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%

\long\def\@mpRTLfootnotetext#1{%
  \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnc
  \global\setbox\@mpfootins\vbox{\@RTLtrue%
    \unvbox\@mpfootins
    \reset@font%
    \bidi@@RTLfootnotetext@font% \reset@font\footnotesize
    \hsize\columnwidth
    \@parboxrestore
    \protected@edef\@currentlabel
         {\csname p@mpfootnote\endcsname\@thefnmark}%
    \color@begingroup
      \@makefntext{%
        \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
    \color@endgroup}}
\long\def\@mpLTRfootnotetext#1{%
```

```
\ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnote
 \global\setbox\@mpfootins\vbox{\@RTLfalse%
   \unvbox\@mpfootins
   \reset@font%
   \bidi@@LTRfootnotetext@font% \reset@font\footnotesize
   \hsize\columnwidth
   \@parboxrestore
   \protected@edef\@currentlabel
        {\csname p@mpfootnote\endcsname\@thefnmark}%
   \color@begingroup
     \@makefntext{%
       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
   \color@endgroup}}
\long\def\@mpfootnotetext#1{%
 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoteru
 \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
   \unvbox\@mpfootins
   \reset@font%
   \bidi@@footnotetext@font% \reset@font\footnotesize
   \hsize\columnwidth
   \@parboxrestore
   \protected@edef\@currentlabel
        {\csname p@mpfootnote\endcsname\@thefnmark}%
   \color@begingroup
     \@makefntext{%
       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
   \color@endgroup}}
\def\@iiiminipage#1#2[#3]#4{%
 \leavevmode
 \@pboxswfalse
 \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
 \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
 \setlength\@tempdima{#4}%
 \def\@mpargs{{#1}{#2}[#3]{#4}}%
 \setbox\@tempboxa\vbox\bgroup
   \color@begingroup
     \hsize\@tempdima
     \textwidth\hsize \columnwidth\hsize
     \@parboxrestore
     \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
     \let\@footnotetext\@mpfootnotetext
     \let\@LTRfootnotetext\@mpLTRfootnotetext
     \let\@RTLfootnotetext\@mpRTLfootnotetext
     \let\@listdepth\@mplistdepth \@mplistdepth\z@
     \@minipagerestore
     \@setminipage}
\def\endminipage{%
   \par
   \unskip
   \ifvoid\@mpfootins\else
```

```
      \vskip\skip\@mpfootins
      \normalcolor
      \bidi@mpfootnoterule
      \unvbox\@mpfootins
    \fi
    \@minipagefalse   %% added 24 May 89
  \color@endgroup
  \egroup
  \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
\def\LTRthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
}
\def\LTRfootnotetext{%
     \@ifnextchar [\@xLTRfootnotenext
       {\protected@xdef\@thefnmark{\thempfn}%
    \@LTRfootnotetext}}
\def\@xLTRfootnotenext[#1]{%
  \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@LTRfootnotetext}
\def\RTLthanks#1{\footnotemark
    \protected@xdef\@thanks{\@thanks
        \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
}
\let\@thanks\@empty
\def\RTLfootnotetext{%
     \@ifnextchar [\@xRTLfootnotenext
       {\protected@xdef\@thefnmark{\thempfn}%
    \@RTLfootnotetext}}
\def\@xRTLfootnotenext[#1]{%
  \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
  \endgroup
  \@RTLfootnotetext}
\leftfootnoterule
```

65 File framed-xetex-bidi.def

```
\ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for X
\renewcommand\TitleBarFrame[3][]{\begingroup
  \ifx\delimiter#1\delimiter
    \let\TF@conlab\@empty
  \else
    \def\TF@conlab{% continuation label
     \nointerlineskip
     \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
```

```
  \fi
  %\let\TF@savecolor\current@color
  \textcolor{TFFrameColor}{%
  \CustomFBox
    {\TF@Title{#2}}{\TF@conlab}%
    \fboxrule\fboxrule\fboxrule\fboxrule
    %{\let\current@color\TF@savecolor\set@color #3}%
    {\normalcolor #3}%
  }\endgroup
}
\renewenvironment{titled-frame}[1]{%
  \def\FrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame{\textbf{#1}}}%
  \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
  \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1\ (cont)}}}%
  \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
     \TitleBarFrame{\textbf{#1\ (cont)}}}%
  \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
%  note: 8 + 2 + 8 + 2 = 20.  Don't use \width because the frame title
%  could interfere with the width measurement.
 {\endMakeFramed}
\chardef\FrameRestore=\catcode`\| % for debug
\catcode`\|=\catcode`\% % (debug: insert space after backslash)
\def\fb@put@frame#1#2{\relax
 \ifdim\pagegoal=\maxdimen \pagegoal\vsize \fi
|   \message{=============== Entering putframe ====================^^J
|     \pagegoal=\the\pagegoal,  \pagetotal=\the\pagetotal. }%
 \ifinner
   \fb@putboxa#1%
   \fb@afterframe
 \else
  \dimen@\pagegoal \advance\dimen@-\pagetotal % natural space left on page
  \ifdim\dimen@<2\baselineskip % Too little room on page
|   \message{Page has only \the\dimen@\space room left; eject. }%
    \eject \fb@adjheight \fb@put@frame#1#2%
  \else % there's appreciable room left on the page
     \fb@sizeofframe#1%
|    \message{\string\pagetotal=\the\pagetotal,
|        \string\pagegoal=\the\pagegoal,
|        \string\pagestretch=\the\pagestretch,
|        \string\pageshrink=\the\pageshrink,
|        \string\fb@frh=\the\fb@frh. \space}
|    \message{^^JBox of size \the\ht\@tempboxa\space}%
     \begingroup % temporarily set \dimen@ to be...
     \advance\dimen@.8\pageshrink  % maximum space available on page
     \advance\dimen@-\fb@frh\relax % max space available for frame's contents
%%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
     \expandafter\endgroup
```

```
11655     % expand \ifdim, then restore \dimen@ to real room left on page
11656     \ifdim\dimen@>\ht\@tempboxa % whole box does fit
11657 |      \message{fits in \the\dimen@. }%
11658        % ToDo: Change this to use vsplit anyway to capture the marks
11659        % MERGE THIS WITH THE else CLAUSE!!!
11660        \fb@putboxa#1%
11661        \fb@afterframe
11662     \else % box must be split
11663 |      \message{must be split to fit in \the\dimen@. }%
11664        % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
11665        \fb@sizeofframe#2%
11666        \setbox\@tempboxa\vbox{% simulate frame and flexiblity of the page:
11667           \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
11668           \kern137sp\kern-137sp\penalty-30
11669           \unvbox\@tempboxa}%
11670        \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
11671                           \splittopskip\the\splittopskip}%
11672        \boxmaxdepth\z@ \splittopskip\z@
11673 |      \message{^^JPadded box of size \the\ht\@tempboxa\space split to \the\dimen@}%
11674        % Split box here
11675        \setbox\tw@\vsplit\@tempboxa to\dimen@
11676 |      \toks99\expandafter{\splitfirstmark}%
11677 |      \toks98\expandafter{\splitbotmark}%
11678 |      \message{Marks are: \the\toks99, \the\toks98. }%
11679        \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
11680 |      \message{Natural height of split box is \the\ht\tw@, leaving
11681 |         \the\ht\@tempboxa\space remainder. }%
11682        % If the split-to size > (\vsize-\topskip), then set box to full size.
11683        \begingroup
11684        \advance\dimen@\topskip
11685        \expandafter\endgroup
11686        \ifdim\dimen@>\pagegoal
11687 |        \message{Frame is big -- Use up the full column. }%
11688          \dimen@ii\pagegoal
11689          \advance\dimen@ii -\topskip
11690          \advance\dimen@ii \FrameHeightAdjust\relax
11691        \else  % suspect this is implemented incorrectly:
11692          % If the split-to size > feasible room_on_page, rebox it smaller.
11693          \advance\dimen@.8\pageshrink
11694          \ifdim\ht\tw@>\dimen@
11695 |          \message{Box too tall; rebox it to \the\dimen@. }%
11696            \dimen@ii\dimen@
11697          \else % use natural size
11698            \dimen@ii\ht\tw@
11699          \fi
11700        \fi
11701        % Re-box contents to desired size \dimen@ii
11702        \advance\dimen@ii -\fb@frh
11703        \setbox\tw@\vbox to\dimen@ii \bgroup
11704        % remove simulated frame and page flexibility:
```

```
11705         \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
11706         \unvbox\tw@ \unpenalty\unpenalty
11707         \ifdim\lastkern=-137sp % whole box went to next page
11708 |          \message{box split at beginning! }%
11709            % need work here???
11710            \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
11711            \fb@adjheight
11712            \fb@put@frame#1#2% INSERTED ???
11713         \else % Got material split off at the head
11714            \egroup \fb@resto@set
11715            \ifvoid\@tempboxa % it all fit after all
11716 |             \message{box split at end! }%
11717               \setbox\@tempboxa\box\tw@
11718               \fb@putboxa#1%
11719               \fb@afterframe
11720            \else % it really did split
11721 |             \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
11722               \ifdim\wd\tw@>\z@
11723                 \wd\tw@\wd\@tempboxa
11724                 \centerline{#2{\hboxL{\box\tw@}}}%  ??? \centerline bad idea
11725               \else
11726 |               \message{Zero width means likely blank. Don't frame it (guess)}%
11727                 \box\tw@
11728               \fi
11729               \hrule \@height\z@ \@width\hsize
11730               \eject
11731               \fb@adjheight
11732               \fb@put@frame\LastFrameCommand\MidFrameCommand
11733   \fi\fi\fi\fi\fi
11734 }
11735 \def\fb@putboxa#1{%
11736   \ifvoid\@tempboxa
11737     \PackageWarning{framed}{Boxa is void -- discard it. }%
11738   \else
11739 |   \message{Frame and place boxa. }%
11740 |   %{\showoutput\showbox\@tempboxa}%
11741     \centerline{#1{\hboxL{\box\@tempboxa}}}%
11742   \fi
11743 }
11744 \catcode`\|=\FrameRestore
11745 \def\FrameRestore{%
11746    \let\if@nobreak\iffalse
11747    \let\if@noskipsec\iffalse
11748    \let\-\@dischyph
11749    \let\'\@acci\let\`\@accii\let\=\@acciii
11750    %  \message{FrameRestore:
11751    %    \@totalleftmargin=\the \@totalleftmargin,
11752    %    \rightmargin=\the\rightmargin,
11753    %    \@listdepth=\the\@listdepth.  }%
11754    % Test if we are in a list (or list-like paragraph)
```

```
  \ifnum \ifdim\@totalleftmargin>\z@ 1\fi
         \ifdim\rightmargin>\z@ 1\fi
         \ifnum\@listdepth>\z@ 1\fi 0>\z@
    %     \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftmar
    %       \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
    %       \labelwidth=\the\labelwidth. }%
    \@setminipage % snug fit around the item
    % Now try to propageate changes of width from \hsize to list parameters.
    % This is deficient, but a more advanced way to indicate modification to text
    % dimensions is not (yet) provided; in particular, no separate left/right
    % adjustment.
    \advance\linewidth-\columnwidth \advance\linewidth\hsize
    \parshape\@ne \@totalleftmargin \linewidth
  \else % Not in list
    \linewidth=\hsize
    %\message{No list, set \string\linewidth=\the\hsize. }%
  \fi
  \sloppy
}
```

66 File ftnright-xetex-bidi.def

```
\ProvidesFile{ftnright-xetex-bidi.def}[2018/09/29 v0.6 bidi adaptations for ftnright package f

\def\prepare@bidi@copyins{%
  \global\bidi@rcol@copyinsskip\skip\@bidi@copyins@
  \global\skip\@bidi@copyins@\z@
  \global\count\@bidi@copyins@\z@
  \global\dimen\@bidi@copyins@\textheight}

\newskip\bidi@rcol@copyinsskip

\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \global\count\footins\@m
    \global\skip\footins\rcol@footinsskip
    \global\count\@bidi@copyins@\@m
    \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
```

```
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
   \preparefootins
   \prepare@bidi@copyins
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hfil
        {\normalcolor\vrule \@width\columnseprule}%
        \hfil
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}}}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%

\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \global\count\footins\@m
    \global\skip\footins\rcol@footinsskip
    \global\count\@bidi@copyins@\@m
    \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
```

```
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
   \preparefootins
   \prepare@bidi@copyins
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
       \box\@outputbox \hss}%
       \hskip \columnsep
      \hskip \columnwidth }}%
  \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%

\def\@startcolumn{%
 \ifx\@deferlist\@empty
   \global\@fcolmadefalse
   \global\@colroom\@colht
 \else
   \ifvoid\footins\else
     \ftn@amount\ht\footins
     \advance\ftn@amount\dp\footins
     \advance\ftn@amount\skip\footins
   \fi
   \ifvoid\@bidi@copyins@\else
     \bidi@copyins@amount\ht\@bidi@copyins@
     \advance\bidi@copyins@amount\dp\@bidi@copyins@
     \advance\bidi@copyins@amount\skip\@bidi@copyins@
   \fi
   \global\advance\@colht-\ftn@amount
```

```
  \global\advance\@colht-\bidi@copyins@amount
  \global\@colroom\@colht
  \@xstartcol
  \global\advance\@colht\ftn@amount
  \global\advance\@colroom\ftn@amount
  \global\advance\@colht\bidi@copyins@amount
  \global\advance\@colroom\bidi@copyins@amount
\fi
\if@fcolmade
 \setbox\@cclv\box\@outputbox
 \@makecol
\else
  \ifvoid\footins\else
    \insert\footins{\unvbox\footins}\fi
  \ifvoid\@bidi@copyins@\else
    \insert\@bidi@copyins@{\unvbox\@bidi@copyins@}\fi
\fi}

\newdimen\bidi@copyins@amount

\def\@makecol{\if@firstcolumn
 \setbox\@outputbox\box\@cclv
 \if@twocolumn \else
   \ifvoid\footins \else
     \@latexerr{ftnright package
                used in one-column mode}%
  {The ftnright package was designed to
   work with LaTeX's standard^^Jtwocolumn
   option. It does *not* work with the
   multicol package.^^JSo please specify
   `twocolumn' in the
   \noexpand\documentclass command.}%
     \shipout\box\footins \fi
   \ifvoid\@bidi@copyins@ \else
     \@latexerr{ftnright package
                used in one-column mode}%
  {The ftnright package was designed to
   work with LaTeX's standard^^Jtwocolumn
   option. It does *not* work with the
   multicol package.^^JSo please specify
   `twocolumn' in the
   \noexpand\documentclass command.}%
     \shipout\box\@bidi@copyins@ \fi\fi
 \ifnum\insertpenalties>\z@
     \@latexerr{ftnright package
                scrambled footnotes}%
   {There is too much footnote material in
    the first column  and ftnright^^Jis
    unable to cope with this.^^JYou need
    to reduce the amount to get a properly
```

```
    formatted page.}%
  \fi
\else
  \ifvoid\footins
    \ifvoid\@bidi@copyins@
      \setbox\@outputbox\box\@cclv
    \else
      \setbox\@outputbox\vbox
        {\ifvoid\@cclv \else
           \unvbox\@cclv
           \vskip \skip\@bidi@copyins@
         \fi
          \color@begingroup
          \normalcolor
          \unvbox \@bidi@copyins@
          \color@endgroup}%
    \fi
  \else
    \setbox\@outputbox\vbox
      {\ifvoid\@cclv \else
        \unvbox\@cclv
        \vskip\skip\footins\fi
        \color@begingroup
        \normalcolor
        \footnoterule\unvbox\footins
        \color@endgroup
        \ifvoid\@bidi@copyins@
        \else
          \vskip \skip\@bidi@copyins@
          \color@begingroup
          \normalcolor
          \unvbox \@bidi@copyins@
          \color@endgroup
        \fi
      }%
  \fi
\fi
  \xdef\@freelist{\@freelist\@midlist}%
  \global \let \@midlist \@empty
  \@combinefloats
  \ifvbox\@kludgeins
    \@makespecialcolbox
  \else
   \setbox\@outputbox\vbox to\@colht
     {\boxmaxdepth\maxdepth
      \@texttop
      \@tempdima\dp\@outputbox
      \unvbox\@outputbox
      \vskip-\@tempdima
      \@textbottom}%
```

```
  \fi
  \global\maxdepth\@maxdepth}

\let\leftfootnoterule\@empty
\let\rightfootnoterule\@empty
\let\textwidthfootnoterule\@empty
\let\autofootnoterule\@empty
\let\footnoterule\@empty
\long\def\@makefntext#1{\parindent 1em
   \noindent\hbox to 2em{}%
   \llap{\@thefnmark\hbox{.}\,\,}#1}

\setlength{\skip\@bidi@copyins@}
          {10pt plus 5pt minus 3pt}
\AtBeginDocument{\prepare@bidi@copyins}
```

67 File graphicx-xetex-bidi.def

```
\ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package f
\def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%
  \Grot@setangle{#1}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\e
  \Grot@x\z@
  \Grot@y\z@
  \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
\long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@
    \Grot@x\width \divide\Grot@x\tw@
    \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
    \setkeys{Grot}{#1}%
    \setbox\z@\box\@tempboxa
    \Grot@setangle{#2}%
    \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
  \@end@tempboxa}
\long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \leavevmode
  \def\Gscale@x{#1}\def\Gscale@y{#2}%
  \setbox\z@\hbox{{#3}}%
  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
  \ifdim#2\p@<\z@
    \ht\tw@-#2\dp\z@
    \dp\tw@-#2\ht\z@
  \else
    \ht\tw@#2\ht\z@
    \dp\tw@#2\dp\z@
  \fi
  \ifdim#1\p@<\z@
    \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
  \else
    \wd\tw@#1\wd\z@
```

```
    \box\tw@
  \fi\ifmmode\else\if@RTL\endL\fi\fi}
\def\Gin@iii[#1,#2][#3,#4]#5{%
  \begingroup
  \ifmmode\else\if@RTL\beginL\fi\fi
  \Gin@bboxtrue
  \Gin@defaultbp\Gin@llx{#1}%
  \Gin@defaultbp\Gin@lly{#2}%
  \Gin@defaultbp\Gin@urx{#3}%
  \Gin@defaultbp\Gin@ury{#4}%
  \Ginclude@graphics{#5}%
  \ifmmode\else\if@RTL\endL\fi\fi
  \endgroup}
\def\Gin@ii[#1]#2{%
    \def\@tempa{[}\def\@tempb{#2}%
    \ifx\@tempa\@tempb
      \def\@tempa{\Gin@iii[#1][}%
      \expandafter\@tempa
    \else
     \begingroup
       \ifmmode\else\if@RTL\beginL\fi\fi
       \@tempswafalse
       \toks@{\Ginclude@graphics{#2}}%
       \setkeys{Gin}{#1}%
       \Gin@esetsize
       \the\toks@
       \ifmmode\else\if@RTL\endL\fi\fi
     \endgroup
     \fi}
\def\reflectbox{\bidiGscale@box-1[1]}
\long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
  \leavevmode
  \def\Gscale@x{#1}\def\Gscale@y{#2}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\e
  \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
  \ifdim#2\p@<\z@
    \ht\tw@-#2\dp\z@
    \dp\tw@-#2\ht\z@
  \else
    \ht\tw@#2\ht\z@
    \dp\tw@#2\dp\z@
  \fi
  \ifdim#1\p@<\z@
    \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
  \else
    \wd\tw@#1\wd\z@
    \box\tw@
  \fi\ifmmode\else\if@RTL\endL\fi\fi}
\def\scalebox#1{%
  \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}}
```

```
\def\resizebox{%
  \leavevmode
  \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
\def\bidiGscale@@box#1#2#3{%
  \let\@tempa\Gin@exclamation
  \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
  \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
  \ifx\@tempb\@tempa
    \ifx\@tempc\@tempa
      \toks@{\mbox}%
    \else
      \toks@{\bidiGscale@box@dd{#3}#1}%
    \fi
  \else
    \ifx\@tempc\@tempa
      \toks@{\bidiGscale@box@dd{#2}\width}%
    \else
      \toks@{\bidiGscale@box@dddd{#2}\width{#3}#1}%
    \fi
  \fi
  \the\toks@}
\long\def\bidiGscale@box@dd#1#2#3{%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@
    \setlength\@tempdima{#1}%
    \setlength\@tempdimb{#2}%
    \Gscale@div\@tempa\@tempdima\@tempdimb
    \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
  \@end@tempboxa}
\long\def\bidiGscale@box@dddd#1#2#3#4#5{%
  \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if@
    \setlength\@tempdima{#1}%
    \setlength\@tempdimb{#2}%
    \Gscale@div\@tempa\@tempdima\@tempdimb
    \setlength\@tempdima{#3}%
    \setlength\@tempdimb{#4}%
    \Gscale@div\@tempb\@tempdima\@tempdimb
    \ifGin@iso
      \ifdim\@tempa\p@>\@tempb\p@
        \let\@tempa\@tempb
      \else
        \let\@tempb\@tempa
      \fi
    \fi
    \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
  \@end@tempboxa}
```

68 File geometry-xetex-bidi.def

```
\ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package f
\renewcommand*{\Gm@vrules@mpi}{%
```

```
\if@RTLmain%
        \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
        \llap{\Gm@vrule}\ignorespaces
        \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
        \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
    \else%
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
\renewcommand*{\Gm@vrules@mpii}{%
\if@RTLmain%
  \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
  \hskip \textwidth\Gm@vrule\hskip \marginparsep
  \llap{\Gm@vrule}\hfil\Gm@vrule}%
\else%
  \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
  \llap{\Gm@vrule}\ignorespaces
  \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
  \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
\bidi@patchcmd{\Gm@pageframes}{%
     \ifodd\count\z@
       \let\@themargin\oddsidemargin
     \else
       \let\@themargin\evensidemargin
     \fi
}{%
     \ifodd\count\z@
       \if@RTLmain
         \let\@themargin\evensidemargin
       \else
         \let\@themargin\oddsidemargin
       \fi
     \else
       \if@RTLmain
         \let\@themargin\oddsidemargin
       \else
         \let\@themargin\evensidemargin
       \fi
     \fi
}{}{}
```

69 File hvfloat-xetex-bidi.def

```
\ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package for
\def\do@@hvFloat[#1]#2#3{%
\def\hv@shortCap{#1}
\def\hv@longCap{#2}
\def\hv@label{#3}
%\newcommand*{\hvFloat}[5][]{%
% [#1]: keyvalues
```

```
% #2: type  figure | table | ...
% #3: float contents
% [#4]: short caption
% #5: caption
% #6: label
% \setDefaults%
% \def\@tempa{#1}%
% \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
  \def\@tempa{90}%
  \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
  \else                      \setlength{\hvMaxCapWidth}{\linewidth}
  \fi
%
% First we save the object in \hvObjectBox
%
  \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
    \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
  \else
    \savebox{\hvObjectBox}{%
    \rotatebox{\hvSet@objectAngle}{%
    \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
  \fi
  \setlength{\hvObjectWidth}{\wd\hvObjectBox}
%
% Now we save the caption with its defined \hvCapWidth
%
  \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
  \else
    \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
    \else
      \setlength{\hvCapWidth}{\hvObjectWidth}
      \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
      \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
      \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
\setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
      \else
\setlength{\hvCapWidth}{\hvMaxCapWidth}
      \fi
    \fi
  \fi
%
% now we have the object and the caption with the right
% rotated angles saved in boxes
%
  \def\fps@figure{\hvSet@floatPos}
  \ifhv@nonFloat\begingroup% Start the nonfloat part
  \else         \begin{\hv@floatType}% Start the floating environment
  \fi%
  \saveCaptionSkip% we put this space ourselve
  \ifx\hvSet@capAngle\hv@Width % need rotation?
```

```
    \sbox{\hvCaptionBox}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
        \ifhv@nonFloat%
  \ifhv@onlyText#2%
     \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
\fi%
\label{#3}%
      \end{minipage}%
    }%
  \else%
    \sbox{\hvCaptionBox}{%
      \rotatebox{\hvSet@capAngle}{%
      \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
\ifhv@nonFloat%
     \ifhv@onlyText#2%
     \else%
    \ifx\hv@floatType\hv@figure
      \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
    \else
      \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
    \fi
  \fi
\else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
        \fi%
        \label{#3}%
      \end{minipage}%
      }%
    }%
  \fi%
%%
  \restoreCaptionSkip% save old values
  \ifx\hvSet@objectPos\hv@Right\bidi@raggedleft%
  \else%
    \ifx\hvSet@objectPos\hv@Center
      \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
    \fi%
  \fi%
%
% to rotate object and caption together, we save all in another box
% the caption comes first, if its on the left or the top
%
  \savebox{\@tempboxa}{%
  \ifx\hvSet@capPos\hv@Left  %  caption on left side
```

```
\if@RTL%
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi%
\else% not RTL
    \ifx\hvSet@capVPos\hv@Center%
      \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
  \else%
```

```
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
\fi% end of RTL
  \fi%
  \else
\ifx\hvSet@capPos\hv@Top
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}\\[\hvBelowCaptionSkip]
\fbox{\usebox{\hvObjectBox}}
\else
\usebox{\hvCaptionBox}\\[\hvBelowCaptionSkip]
\usebox{\hvObjectBox}
\fi%
\end{minipage}
\else
\ifx\hvSet@capPos\hv@Bottom
\ifdim\wd\hvCaptionBox>\wd\hvObjectBox
\begin{minipage}{\wd\hvCaptionBox}
\else
\begin{minipage}{\wd\hvObjectBox}
\fi
\centering
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}\\[\hvAboveCaptionSkip]
\fbox{\usebox{\hvCaptionBox}}
\else
\usebox{\hvObjectBox}\\[\hvAboveCaptionSkip]
\usebox{\hvCaptionBox}
\fi%
```

```
\end{minipage}
\else% the last option: put the caption on the right
\if@RTL%
    \ifx\hvSet@capVPos\hv@Center%
      \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
      \else     \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
      \fi%
    \hspace{\hvSet@floatCapSep pt}% capfloatsep
    \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
    \else     \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
    \fi%
  \else%
    \ifx\hvSet@capVPos\hv@Top % caption at top
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvCaptionBox}}%
      \fi
      \hspace{\hvSet@floatCapSep pt}% capfloatsep
      \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
      \else     \raisebox{-\height}{\usebox{\hvObjectBox}}%
      \fi%
    \else% caption on bottom
      \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
                \else\usebox{\hvCaptionBox}
      \fi%
      \hspace{\hvSet@floatCapSep pt}%
      \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
      \else     \usebox{\hvObjectBox}
      \fi%
    \fi%
  \fi%
\else% not RTL
\ifx\hvSet@capVPos\hv@Center%
\ifhv@fbox
\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
\else
\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
\fi%
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
\else
\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
\fi%
\else%
\ifx\hvSet@capVPos\hv@Top
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
\else
\raisebox{-\height}{\usebox{\hvObjectBox}}%
\fi%
```

```
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
\else
\raisebox{-\height}{\usebox{\hvCaptionBox}}%
\fi
\else
\ifhv@fbox
\fbox{\usebox{\hvObjectBox}}%
\else
\usebox{\hvObjectBox}%
\fi
\hspace{\hvSet@floatCapSep pt}%
\ifhv@fbox
\fbox{\usebox{\hvCaptionBox}}%
\else
\usebox{\hvCaptionBox}%
\fi%
\fi%
\fi
\fi% end of RTL
\fi
\fi
\fi
}% End savebox Object and caption
%
% now we rotate the object and caption, if needed
%
\ifx\hvSet@rotAngle\hv@Zero
\usebox{\@tempboxa}
\else
\rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
\fi
\ifhv@nonFloat
\ifx\hvSet@objectPos\hv@Center
\ifhv@nonFloat
\hspace{\fill}
\fi
\fi
\endgroup% End the nonfloat part
\else
\end{\hv@floatType}% End the floating environment
\fi
}
```

70 File hyperref-xetex-bidi.def

```
\ProvidesFile{hyperref-xetex-bidi.def}[2018/11/11 v1.1 bidi adaptations for hyperref package
\AtBeginDocument{%
\def\contentsline#1#2#3#4{%
```

```
  \ifx\\#4\\%
    \csname l@#1\endcsname{#2}{#3}%
  \else
    \ifcase\Hy@linktoc % none
      \csname l@#1\endcsname{#2}{#3}%
    \or % section
      \csname l@#1\endcsname{%
        \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{#3}%
    \or % page
      \csname l@#1\endcsname{{#2}}{%
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \else % all
      \csname l@#1\endcsname{%
        \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
      }{%
        \hyper@linkstart{link}{#4}{#3}\hyper@linkend
      }%
    \fi
  \fi
}
\ifHy@hyperfootnotes
   \let\H@@footnotetext\@footnotetext
   \let\HRTL@@RTLfootnotetext\@RTLfootnotetext
   \let\HLTR@@LTRfootnotetext\@LTRfootnotetext
   \def\@xfootnotenext[#1]{%
   \begingroup
     \csname c@\@mpfn\endcsname #1\relax
     \unrestored@protected@xdef\@thefnmark{\thempfn}%
   \endgroup
   \ifx\@footnotetext\@mpfootnotetext
     \expandafter\H@@mpfootnotetext
   \else
     \expandafter\H@@footnotetext
   \fi
  }%
    \def\@xRTLfootnotenext[#1]{%
    \begingroup
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \ifx\@RTLfootnotetext\@mpRTLfootnotetext
      \expandafter\HRTL@@mpRTLfootnotetext
    \else
      \expandafter\HRTL@@RTLfootnotetext
    \fi
  }%
    \def\@xLTRfootnotenext[#1]{%
    \begingroup
```

```
      \csname c@\@mpfn\endcsname #1\relax
      \unrestored@protected@xdef\@thefnmark{\thempfn}%
    \endgroup
    \ifx\@LTRfootnotetext\@mpLTRfootnotetext
      \expandafter\HLTR@@mpLTRfootnotetext
    \else
      \expandafter\HLTR@@LTRfootnotetext
    \fi
  }%
    \def\@xfootnotemark[#1]{%
    \begingroup
      \c@footnote #1\relax
      \unrestored@protected@xdef\@thefnmark{\thefootnote}%
    \endgroup
    \H@@footnotemark
  }%
  \let\H@@mpfootnotetext\@mpfootnotetext
  \let\HRTL@@mpRTLfootnotetext\@mpRTLfootnotetext
  \let\HLTR@@mpLTRfootnotetext\@mpLTRfootnotetext
    \long\def\@mpfootnotetext#1{%
    \H@@mpfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }#1%
      \fi
    }%
  }%
  \long\def\@mpRTLfootnotetext#1{%
    \HRTL@@mpRTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }#1%
      \fi
    }%
  }%
    \long\def\@mpLTRfootnotetext#1{%
    \HLTR@@mpLTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
        }#1%
      \fi
```

```
  }%
}%
  \long\def\@footnotetext#1{%
  \H@@footnotetext{%
    \ifHy@nesting
      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
    \else
      \Hy@raisedlink{%
        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
      }%
      \let\@currentHlabel\Hy@footnote@currentHlabel
      \let\@currentHref\Hy@footnote@currentHref
      \let\@currentlabelname\@empty
      #1%
    \fi
  }%
}%
  \long\def\@RTLfootnotetext#1{%
  \HRTL@@RTLfootnotetext{%
    \ifHy@nesting
      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
    \else
      \Hy@raisedlink{%
        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
      }%
      \let\@currentHlabel\Hy@footnote@currentHlabel
      \let\@currentHref\Hy@footnote@currentHref
      \let\@currentlabelname\@empty
      #1%
    \fi
  }%
}%
  \long\def\@LTRfootnotetext#1{%
  \HLTR@@LTRfootnotetext{%
    \ifHy@nesting
      \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
    \else
      \Hy@raisedlink{%
        \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
      }%
      \let\@currentHlabel\Hy@footnote@currentHlabel
      \let\@currentHref\Hy@footnote@currentHref
      \let\@currentlabelname\@empty
      #1%
    \fi
  }%
}%
  \@ifpackageloaded{tabularx}{%
  \let\HyOrg@TX@endtabularx\TX@endtabularx
  \def\Hy@tabularx@hook{%
```

```
    \let\@footnotetext\H@@footnotetext
    \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
    \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
    \let\@footnotemark\H@@footnotemark
    \let\@mpfootnotetext\H@@mpfootnotetext
    \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
    \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
  }%
  \begingroup
    \toks@\expandafter{\TX@endtabularx}%
    \xdef\Hy@gtemp{%
      \noexpand\Hy@tabularx@hook
      \the\toks@
    }%
  \endgroup
  \let\TX@endtabularx\Hy@gtemp
}{}%
  \@ifpackageloaded{longtable}{%
  \CheckCommand*{\LT@p@LTRftntext}[1]{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \noexpand\LTRfootnotetext[\the\c@footnote]%
    }%
    \global\LT@p@ftn\expandafter{\@tempa{#1}}%
  }%
  \long\def\LT@p@LTRftntext#1{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \begingroup
        \noexpand\c@footnote=\the\c@footnote\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@LT@LTRfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\LT@p@ftn\expandafter{%
        \@tempa{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@LT@LTRfootnotetext#1#2{%
   \HLTR@@LTRfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
```

```
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
  \CheckCommand*{\LT@p@RTLftntext}[1]{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \noexpand\RTLfootnotetext[\the\c@footnote]%
    }%
    \global\LT@p@ftn\expandafter{\@tempa{#1}}%
  }%
  \long\def\LT@p@RTLftntext#1{%
    \edef\@tempa{%
      \the\LT@p@ftn
      \begingroup
        \noexpand\c@footnote=\the\c@footnote\relax
        \noexpand\protected@xdef\noexpand\@thefnmark{%
          \noexpand\thempfn
        }%
        \noexpand\Hy@LT@RTLfootnotetext{%
          \Hy@footnote@currentHref
        }%
    }%
    \global\LT@p@ftn\expandafter{%
        \@tempa{#1}%
      \endgroup
    }%
  }%
  \long\def\Hy@LT@RTLfootnotetext#1#2{%
   \HRTL@@RTLfootnotetext{%
      \ifHy@nesting
        \hyper@@anchor{#1}{#2}%
      \else
        \Hy@raisedlink{%
          \hyper@@anchor{#1}{\relax}%
        }%
        \def\@currentHref{#1}%
        \let\@currentlabelname\@empty
        #2%
      \fi
    }%
  }%
}{}%
  \@ifpackageloaded{bidipoem}{%
  \long\def\bidipoem@p@ftntext#1{%
    \edef\@tempx{%
      \the\bidipoem@p@ftn
      \begingroup
```

```
12740         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12741         \noexpand\protected@xdef\noexpand\@thefnmark{%
12742           \noexpand\thempfn
12743         }%
12744         \noexpand\Hy@bidipoem@footnotetext{%
12745           \Hy@footnote@currentHref
12746         }%
12747     }%
12748     \global\bidipoem@p@ftn\expandafter{%
12749         \@tempx{#1}%
12750       \endgroup
12751     }%
12752   }%
12753   \long\def\Hy@bidipoem@footnotetext#1#2{%
12754     \H@@footnotetext{%
12755       \ifHy@nesting
12756         \hyper@@anchor{#1}{#2}%
12757       \else
12758         \Hy@raisedlink{%
12759           \hyper@@anchor{#1}{\relax}%
12760         }%
12761         \def\@currentHref{#1}%
12762         \let\@currentlabelname\@empty
12763         #2%
12764       \fi
12765     }%
12766   }%
12767       \long\def\bidipoem@p@LTRftntext#1{%
12768     \edef\@tempxi{%
12769       \the\bidipoem@p@ftn
12770       \begingroup
12771         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12772         \noexpand\protected@xdef\noexpand\@thefnmark{%
12773           \noexpand\thempfn
12774         }%
12775         \noexpand\Hy@bidipoem@LTRfootnotetext{%
12776           \Hy@footnote@currentHref
12777         }%
12778     }%
12779     \global\bidipoem@p@ftn\expandafter{%
12780         \@tempxi{#1}%
12781       \endgroup
12782     }%
12783   }%
12784   \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
12785     \HLTR@@LTRfootnotetext{%
12786       \ifHy@nesting
12787         \hyper@@anchor{#1}{#2}%
12788       \else
12789         \Hy@raisedlink{%
```

```
12790           \hyper@@anchor{#1}{\relax}%
12791         }%
12792         \def\@currentHref{#1}%
12793         \let\@currentlabelname\@empty
12794         #2%
12795       \fi
12796     }%
12797   }%
12798       \long\def\bidipoem@p@RTLftntext#1{%
12799     \edef\@tempxii{%
12800       \the\bidipoem@p@ftn
12801       \begingroup
12802         \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12803         \noexpand\protected@xdef\noexpand\@thefnmark{%
12804           \noexpand\thempfn
12805         }%
12806         \noexpand\Hy@bidipoem@RTLfootnotetext{%
12807           \Hy@footnote@currentHref
12808         }%
12809     }%
12810     \global\bidipoem@p@ftn\expandafter{%
12811         \@tempxii{#1}%
12812       \endgroup
12813     }%
12814   }%
12815   \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
12816     \HRTL@@RTLfootnotetext{%
12817       \ifHy@nesting
12818         \hyper@@anchor{#1}{#2}%
12819       \else
12820         \Hy@raisedlink{%
12821           \hyper@@anchor{#1}{\relax}%
12822         }%
12823         \def\@currentHref{#1}%
12824         \let\@currentlabelname\@empty
12825         #2%
12826       \fi
12827     }%
12828   }%
12829 }{}%
12830 \let\HyOrg@maketitle\maketitle
12831 \def\maketitle{%
12832   \let\Hy@saved@footnotemark\@footnotemark
12833   \let\Hy@saved@footnotetext\@footnotetext
12834   \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
12835   \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
12836   \let\@footnotemark\H@@footnotemark
12837   \let\@footnotetext\H@@footnotetext
12838   \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
12839   \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
```

```
    \@ifnextchar[\Hy@maketitle@optarg{% ]
      \HyOrg@maketitle
      \Hy@maketitle@end
    }%
  }%
  \def\Hy@maketitle@optarg[#1]{%
    \HyOrg@maketitle[{#1}]%
    \Hy@maketitle@end
  }%
  \def\Hy@maketitle@end{%
    \ifx\@footnotemark\H@@footnotemark
      \let\@footnotemark\Hy@saved@footnotemark
    \fi
    \ifx\@footnotetext\H@@footnotetext
      \let\@footnotetext\Hy@saved@footnotetext
    \fi
    \ifx\@RTLfootnotetext\HRTL@@RTLfootnotetext
      \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
    \fi
    \ifx\@LTRfootnotetext\HLTR@@LTRfootnotetext
      \let\@LTRfootnotetext\HyLTR@saved@LTRfootnotetext
    \fi
  }%
  \def\realfootnote{%
    \@ifnextchar[\@xfootnote{%
      \stepcounter{\@mpfn}%
      \protected@xdef\@thefnmark{\thempfn}%
      \H@@footnotemark\H@@footnotetext
    }%
  }%
\fi
\def\Hy@BeginAnnot#1{%
  \ifmmode\else\beginL\fi%
  \global\advance\c@Hy@AnnotLevel\@ne
  \ifnum\c@Hy@AnnotLevel=\@ne
    #1%
  \fi
}
\def\Hy@EndAnnot{%
  \ifnum\c@Hy@AnnotLevel=\@ne
    \Hy@endcolorlink
    \@pdfm@mark{eann}%
  \fi
  \global\advance\c@Hy@AnnotLevel\m@ne
  \ifmmode\else\endL\fi%
}
\def\hyper@link#1#2#3{%
  \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi\H
}
\def\hyper@linkfile#1#2#3{%
```

```
  \leavevmode
  \Hy@BeginAnnot{%
    \def\Hy@pstringF{#2}%
    \Hy@CleanupFile\Hy@pstringF
    \Hy@pstringdef\Hy@pstringF\Hy@pstringF
    \Hy@pstringdef\Hy@pstringD{#3}%
    \Hy@MakeRemoteAction
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@filebordercolor\relax
        \else
          /C[\@filebordercolor]%
        \fi
        /A<<%
          /S/GoToR%
          /F(\Hy@pstringF)%
          /D%
          \ifx\\#3\\%
            [\Hy@href@page\@pdfremotestartview]%
          \else
            (\Hy@pstringD)%
          \fi
          \Hy@SetNewWindow
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@filecolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\@hyper@launch run:#1\\#2#3{% filename, anchor text linkname
  \leavevmode
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringF{#1}%
    \Hy@pstringdef\Hy@pstringP{#3}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@runbordercolor\relax
        \else
          /C[\@runbordercolor]%
```

```
        \fi
        /A<<%
          /F(\Hy@pstringF)%
          /S/Launch%
          \Hy@SetNewWindow
          \ifx\\#3\\%
          \else
            /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
          \fi
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@runcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\hyper@linkurl#1#2{%
  \leavevmode
  \Hy@BeginAnnot{%
    \Hy@pstringdef\Hy@pstringURI{#2}%
    \@pdfm@mark{%
      bann<<%
        /Type/Annot%
        /Subtype/Link%
        \ifHy@pdfa /F 4\fi
        \Hy@setpdfborder
        \ifx\@urlbordercolor\relax
        \else
          /C[\@urlbordercolor]%
        \fi
        /A<<%
          /S/URI%
          /URI(\Hy@pstringURI)%
          \ifHy@href@ismap
            /IsMap true%
          \fi
          \Hy@href@nextactionraw
        >>%
      >>%
    }%
    \Hy@colorlink\@urlcolor
  }%
  \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
  \Hy@EndAnnot
}
\def\Acrobatmenu#1#2{%
  \Hy@Acrobatmenu{#1}{#2}{%
    \Hy@BeginAnnot{%
```

```
      \EdefEscapeName\Hy@temp@menu{#1}%
      \@pdfm@mark{%
        bann<<%
          /Type/Annot%
          /Subtype/Link%
          \ifHy@pdfa /F 4\fi
          \Hy@setpdfborder
          \ifx\@menubordercolor\relax
          \else
            /C[\@menubordercolor]%
          \fi
          /A<<%
            /S/Named%
            /N/\Hy@temp@menu
            \Hy@href@nextactionraw
          >>%
        >>%
      }%
      \Hy@colorlink\@menucolor
    }%
    \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
    \Hy@EndAnnot
  }%
}
\def\hyper@natlinkstart#1{%
  \Hy@backout{#1}%
  \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
  \def\hyper@nat@current{#1}%
}
\def\hyper@natlinkend{%
  \if@RTL\endR\fi\hyper@linkend
}
\def\hyper@natlinkbreak#1#2{%
  \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
}%
}
\pdfstringdefDisableCommands{%
\let\LRE\@firstofone
\let\LR\@firstofone
\let\RLE\@firstofone
\let\RL\@firstofone
\def\XeTeX{Xe\TeX}%
\def\XeLaTeX{Xe\LaTeX}%
}
\@ifpackageloaded{longtable}{%
  \begingroup
    \def\y{\LT@array}%
    \@ifundefined{scr@LT@array}{%
      \@ifundefined{adl@LT@array}{}{\def\y{\adl@LT@array}}%
    }{\def\y{\scr@LT@array}}%
```

```
    \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
      \expandafter\endgroup
      \expandafter\def\y[##1]##2{%
        \H@refstepcounter{#1}%
        \hyper@makecurrent{table}%
        \let\Hy@LT@currentHref\@currentHref
        #2\@sharp#####4%
      }%
    }%
  \expandafter\expandafter\expandafter\x\y[{#1}]{#2}\@nil
  \begingroup
    \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
      \endgroup
      \def\LT@start{%
        #1%
        \ifvoid\LT@foot#2\fi
        \let\@currentHref\Hy@LT@currentHref
        \Hy@raisedlink{%
          \hyper@anchorstart{\@currentHref}\hyper@anchorend
        }%
        #3%
      }%
    }%
  \expandafter\x\LT@start\@nil
}{}
\bidi@patchcmd\@TextField{%
  \@pdfm@mark
}{%
  \if@RTL
    \hskip\Fld@width
  \fi
  \@pdfm@mark
}{}{}
\bidi@patchcmd\@TextField{%
  \unhbox
}{%
  \if@RTL
    \hskip-\Fld@width
  \fi
  \unhbox
}{}{}
\bidi@patchcmd\@@Radio{%
  \@pdfm@mark
}{%
  \if@RTL
    \hskip\Fld@width
  \fi
  \@pdfm@mark
}{}{}
\bidi@patchcmd\@@Radio{%
```

```
    \unhcopy
}{%
    \if@RTL
      \hskip-\Fld@width
    \fi
    \unhcopy
}{}{}
\bidi@patchcmd\@Submit{%
    \@pdfm@mark
}{%
    \if@RTL
      \null
      \hskip\wd\pdfm@box
    \fi
    \@pdfm@mark
}{}{}
\bidi@patchcmd\@Submit{%
    \unhbox
}{%
    \if@RTL
      \hskip-\wd\pdfm@box
    \fi
    \unhbox
}{}{}
\bidi@patchcmd\@Reset{%
    \@pdfm@mark
}{%
    \if@RTL
      \null
      \hskip\wd\pdfm@box
    \fi
    \@pdfm@mark
}{}{}
\bidi@patchcmd\@Reset{%
    \unhbox
}{%
    \if@RTL
      \hskip-\wd\pdfm@box
    \fi
    \unhbox
}{}{}
```

71 File imsproc-xetex-bidi.def

```
\ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsproc class for X
\newenvironment{thebibliography}[1]{%
    \@bibtitlestyle
    \normalfont\bibliofont\labelsep .5em\relax
    \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
```

```
  \bidi@@thebibliography@font@hook
  \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth \advance\leftmargin\labelsep
    \usecounter{enumiv}}%
  \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
  \sfcode`\.=\@m
}{%
  \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
  \endlist
}

\def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
  \columnseprule\z@ \columnsep 35\p@
  \@indextitlestyle
  \thispagestyle{plain}%
  \let\item\@idxitem
  \parindent\z@  \parskip\z@\@plus.3\p@\relax
  \if@RTL\raggedleft\else\raggedright\fi
  \hyphenpenalty\@M
  \footnotesize}
\def\@idxitem{\par\hangindent \if@RTL-\fi2em}
\def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
\def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}

\def\right@footnoterule{%
  \kern-.4\p@
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
  \kern11\p@\kern-\footnotesep}
\def\left@footnoterule{\kern-.4\p@
        \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
\def\@makefnmark{%
  \leavevmode
  \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
}

\def\part{\@startsection{part}{0}%
  \z@{\linespacing\@plus\linespacing}{.5\linespacing}%
  {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
\def\@tocline#1#2#3#4#5#6#7{\relax
  \ifnum #1>\c@tocdepth % then omit
  \else
    \par \addpenalty\@secpenalty\addvspace{#2}%
    \begingroup \hyphenpenalty\@M
    \@ifempty{#4}{%
      \@tempdima\csname r@tocindent\number#1\endcsname\relax
    }{%
      \@tempdima#4\relax
    }%
    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\le
    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
```

```
    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
    \nobreak
    \endgroup
  \fi}
\renewcommand\thesubsection    {\thesection\@SepMark\arabic{subsection}}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\arabic{paragraph}}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\arabic{subparagraph}}
\def\maketitle{\par
  \@topnum\z@ % this prevents figures from falling at the top of page 1
  \@setcopyright
  \thispagestyle{firstpage}% this sets first page specifications
  \uppercasenonmath\shorttitle
  \ifx\@empty\shortauthors \let\shortauthors\shorttitle
  \else \andify\shortauthors
  \fi
  \@maketitle@hook
  \begingroup
  \@maketitle
  \toks@\@xp{\shortauthors}\@temptokena\@xp{\shorttitle}%
  \toks4{\def\\{ \ignorespaces}}% defend against questionable usage
  \edef\@tempa{%
    \@nx\markboth{\the\toks4
      \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
  \@tempa
  \endgroup
  \c@footnote\z@
  \@cleartopmattertags
}
```

72 File leqno-xetex-bidi.def

```
\ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX e
\renewcommand\@eqnnum{\hb@xt@.01\p@{}%
                      \rlap{\hskip -\displaywidth
                        {\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi
```

73 File letter-xetex-bidi.def

```
\ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter clas
\renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
  \thispagestyle{firstpage}%
    {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
  \else  % home address
    \thispagestyle{empty}%
    {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r@{}}\else\begin{tabular}{l@
      \fromaddress \\*[2\parskip]%
      \@date \end{tabular}\par}%
  \fi
```

```
  \vspace{2\parskip}%
  {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
  \vspace{2\parskip}%
  #1\par\nobreak}
\renewcommand\left@footnoterule{%
  \kern-\p@
  \hrule \@width .4\columnwidth
  \kern .6\p@}
\renewcommand\right@footnoterule{%
  \kern-\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
```

74 File lettrine-xetex-bidi.def

```
\ProvidesFile{lettrine-xetex-bidi.def}[2019/05/01 v0.7 bidi adaptations for lettrine package f
\def\@lettrine[#1]#2#3{%
  \def\l@initial{#2}\let\l@refstring\l@initial
  \setcounter{L@lines}{\value{DefaultLines}}%
  \setcounter{L@depth}{\value{DefaultDepth}}%
  \renewcommand*{\L@hang}{\DefaultLhang}%
  \renewcommand*{\L@oversize}{\DefaultLoversize}%
  \renewcommand*{\L@raise}{\DefaultLraise}%
  \renewcommand*{\L@ante}{}%
  \setlength{\L@Findent}{\DefaultFindent}%
  \setlength{\L@Nindent}{\DefaultNindent}%
  \setlength{\L@slope}{\DefaultSlope}%
  \setlength{\L@novskip}{\DiscardVskip}%
  \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
  \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
  \ifLettrineRealHeight\L@realhtrue\else\L@realhfalse\fi
  \ifLettrineSelfRef\L@selfreftrue\else\L@selfreffalse\fi
  \setkeys{L}{#1}%
  \sbox{\L@tbox}{\LettrineTextFont{\LettrineSecondString}}%
  \ifL@realh
    \def\@tempa{#3}%
    \ifx\@tempa\@empty
      \PackageWarning{lettrine.sty}%
        {Empty second argument,\MessageBreak
         ignoring option `realheight';}%
    \else
      \sbox{\L@tbox}{\LettrineTextFont{#3}}%
    \fi
  \fi
  \if\DefaultOptionsFile\relax
  \else
    \begingroup
    \InputIfFileExists{\DefaultOptionsFile}%
      {}%
      {\PackageWarning{lettrine.sty}%
```

```
        {File \DefaultOptionsFile\space not found}%
    }%
  \def\color##1##{\l@color{##1}}%
  \let\l@color\@gobbletwo
  \def\textcolor##1##{\l@textcolor{##1}}%
  \def\l@textcolor##1##2##3{##3}%
  \expandafter\ifx\csname l@#2-keys\endcsname\relax
                \gdef\l@LOKeys{}%
              \else
                \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
              \fi
  \endgroup
  \def\KV@prefix{KV@L@}%
  \let\@tempc\relax
  \expandafter\KV@do\l@LOKeys,\relax,
  \setupL@lbox
  \setlength{\LettrineWidth}{\wd\L@lbox}%
  \def\KV@prefix{KV@L@}%
  \let\@tempc\relax
  \expandafter\KV@do\l@LOKeys,\relax,
  \setkeys{L}{#1}%
\fi
\setupL@lbox
\setlength{\LettrineWidth}{\wd\L@lbox}%
\setlength{\LettrineHeight}{\ht\L@lbox}%
\setlength{\LettrineDepth}{\dp\L@lbox}%
\begingroup
\def\IeC##1{##1}%
\@tempdima=\L@oversize pt\relax
\PackageInfo{lettrine.sty}%
  {Targeted height = \the\L@target@tht\MessageBreak
   (no accent, loversize=0),\MessageBreak
   Lettrine height = \the\LettrineHeight\space (#2)%
   \ifdim\@tempdima=\z@\else\space loversize=\L@oversize\fi;%
   \MessageBreak reported}%
\endgroup
\sbox{\L@tbox}{\LettrineTextFont{#3}}%
\setlength{\L@first}{\LettrineHeight}%
\setlength{\L@lraise}{\L@raise\L@target@tht}%
\addtolength{\L@first}{\L@lraise}%
\ifnum\value{L@lines}=1
  \addtolength{\L@first}{-\ht\L@tbox}%
\else
  \addtolength{\L@first}{-\L@target@tht}%
  \addtolength{\L@lraise}{-\L@target@dp}%
\fi
\par
\ifdim\L@first>\L@novskip
  \ifL@grid
    \@tempdima=\baselineskip
```

```
      \@tempdimb=\@tempdima
      \advance\@tempdimb by \L@novskip
      \@tempcnta=1
      \loop\ifdim\L@first>\@tempdimb
         \advance\@tempcnta by 1
         \advance\L@first by -\@tempdima
      \repeat
      \L@first=\@tempcnta\baselineskip
    \fi
    \vskip\L@first
  \fi
  \setlength{\L@Pindent}{\wd\L@lbox}%
  \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
  \settowidth{\L@first}{\L@ante}%
  \addtolength{\L@Pindent}{\L@first}%
  \addtolength{\L@Pindent}{\L@Findent}%
  \setlength{\L@first}{\linewidth}%
  \addtolength{\L@first}{-\L@Pindent}%
  \addtolength{\L@Nindent}{\L@Pindent}%
  \setlength{\L@next}{\linewidth}%
  \addtolength{\L@next}{-\L@Nindent}%
  \addtolength{\L@Pindent}{\@totalleftmargin}%
  \addtolength{\L@Nindent}{\@totalleftmargin}%
  \addtocounter{L@lines}{1}%
  \addtocounter{L@lines}{\value{L@depth}}%
  \if@RTL
    \def\L@parshape{\c@L@lines \z@ \the\L@first}%
  \else
    \def\L@parshape{\c@L@lines \the\L@Pindent \the\L@first}%
  \fi
  \@tempcnta=\tw@
  \@whilenum \@tempcnta<\c@L@lines\do{%
     \if@RTL
       \edef\L@parshape{\L@parshape \z@ \the\L@next}%
     \else
       \edef\L@parshape{\L@parshape \the\L@Nindent \the\L@next}%
     \fi
     \addtolength{\L@Nindent}{\L@slope}%
     \addtolength{\L@next}{-\L@slope}%
     \advance\@tempcnta\@ne}%
  \if@RTL
    \edef\L@parshape{\L@parshape \z@ \the\linewidth}%
  \else
    \edef\L@parshape{\L@parshape \@totalleftmargin \the\linewidth}%
  \fi
  \noindent
  \parshape=\L@parshape\relax
  \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}%
         \hskip \the\L@Findent}}%
  \usebox{\L@tbox}%
```

```
  \ifnum\@listdepth>0 \Lreset@listparshape \fi
}
```

75 File lineno-xetex-bidi.def

```
\ProvidesFile{lineno-xetex-bidi.def}[2018/01/28 v0.2 bidi adaptations for lineno package for X
\bidi@patchcmd{\MakeLineNo}{%
  \hb@xt@\z@{\makeLineNumber}%
}{%
  \hboxL to \z@{\makeLineNumber}%
}{}{}

\bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
  \if@RTL
    \hb@xt@\linenumberwidth{\LineNumber\hss}%
  \else
    \LineNumber
  \fi
}{}{}

\bidi@patchcmd{\makeLineNumberRight}{%
  \hb@xt@\linenumberwidth{\hss\LineNumber}%
}{%
  \if@RTL
    \LineNumber
  \else
    \hb@xt@\linenumberwidth{\hss\LineNumber}%
  \fi
}{}{}

\bidi@AfterPreamble{%
  \if@RTLmain
    \rightlinenumbers*
  \else
    \leftlinenumbers*
  \fi
  \@ifpackagewith{lineno}{left}{%
    \leftlinenumbers*
  }{}
  \@ifpackagewith{lineno}{right}{%
    \rightlinenumbers*
  }{}
}

```

76 File listings-xetex-bidi.def

```
\ProvidesFile{listings-xetex-bidi.def}[2018/09/15 v1.5 bidi adaptations for listings package f
\lst@Key{captiondirection}{textdirection}{%
    \lstKV@SwitchCases{#1}%
```

```
    {textdirection:\\%
     RTL:\chardef\bidi@lst@caption@direction\@ne\\%
     LTR:\chardef\bidi@lst@caption@direction\z@%
    }{\PackageError{Listings}{direction #1 unknown}\@ehc}}

\lst@Key{captionscript}{textscript}{%
    \lstKV@SwitchCases{#1}%
    {textscript:\\%
     latin:\chardef\bidi@lst@caption@script\@ne\\%
     nonlatin:\chardef\bidi@lst@caption@script\z@%
    }{\PackageError{Listings}{direction #1 unknown}\@ehc}}

\newcommand*{\bidi@lst@ensure@caption@direction}[2]{%
   \@ifundefined{bidi@lst@caption@direction}{}{%
    \ifnum\bidi@lst@caption@direction=\z@%
        #1%
    \else%
         \ifnum\bidi@lst@caption@direction=\@ne%
             #2%
         \fi%
     \fi%
}}

\newcommand*{\bidi@lst@ensure@caption@script}[2]{%
   \@ifundefined{bidi@lst@caption@script}{}{%
    \ifnum\bidi@lst@caption@script=\z@%
        #1%
    \else%
         \ifnum\bidi@lst@caption@script=\@ne%
             #2%
         \fi%
     \fi%
}}

\long\def\@bidi@lst@makecaption#1#2{%
   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
   \vskip\abovecaptionskip
   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
   \sbox\@tempboxa{%
   \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
   #1: #2%
   \bidi@lst@ensure@caption@direction{\endL}{\endR}%
   }%
   \ifdim \wd\@tempboxa >\hsize
     #1: #2\par
   \else
     \global \@minipagefalse
     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
   \fi
   \vskip\belowcaptionskip}%
```

```
\def\lst@makecaption{\@bidi@lst@makecaption}
\def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
\bidi@AtEndPreamble{%
\bidi@patchcmd{\lst@MakeCaption}{%
    \ifx #1t%
        \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
                                  \expandafter\refstepcounter
        \fi {lstlisting}%
}{%
    \ifx #1t%
       \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
        \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
                                  \expandafter\refstepcounter
        \fi {lstlisting}%
        \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
}{}{}%
\bidi@patchcmd{\lst@MakeCaption}{%
                \addcontentsline{lol}{lstlisting}%
                    {\protect\numberline{\thelstlisting}\lst@@caption}%
}{%
\begingroup%
               \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
                \addcontentsline{lol}{lstlisting}%
                    {\protect\numberline{\thelstlisting}\lst@@caption}%
\endgroup%
}{}{}%
}
\@ifpackageloaded{caption}{%
  \AtBeginCaption{%
  \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
  \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
}
  \let\@bidi@lst@makecaption\caption@makecaption%
  \def\lst@makecaption{\caption@starfalse\@bidi@lst@makecaption}%
  \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}%
}{%
\AtBeginDocument{%
\@ifundefined{captionlabelfalse}{}{%
  \def\lst@maketitle{\captionlabelfalse\@bidi@lst@makecaption\@empty}}%
\@ifundefined{caption@startrue}{}{%
  \def\lst@maketitle{\caption@startrue\@bidi@lst@makecaption\@empty}}%
}%
}
\AtBeginDocument{
  \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}
  \lst@ifnumberbychapter
      \gdef\thelstlisting%
           {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
  \else
      \gdef\thelstlisting{\@arabic\c@lstlisting}
```

```
\fi}
```

77 File loadingorder-xetex-bidi.def

```
\ProvidesFile{loadingorder-xetex-bidi.def}[2017/12/29 v0.97 making sure that bidi is the last
\bidi@isloaded{amsmath}
\bidi@isloaded{amstext}
\bidi@isloaded{amsthm}
\bidi@isloaded{animate}
\bidi@isloaded{breqn}
\bidi@isloaded{cals}
\bidi@isloaded{caption}
\bidi@isloaded{crop}
\bidi@isloaded{cuted}
\bidi@isloaded{cutwin}
\bidi@isloaded{color}
\bidi@isloaded{dblfnote}
\bidi@isloaded{diagbox}
\bidi@isloaded{xcolor}
\bidi@isloaded{colortbl}
\bidi@isloaded{float}
\bidi@isloaded{floatrow}
\bidi@isloaded{flowfram}
\bidi@isloaded{framed}
\bidi@isloaded{ftnright}
\bidi@isloaded{xltxtra}
\bidi@isloaded{xunicode}
\bidi@isloaded{wrapfig}
\bidi@isloaded{graphicx}
\bidi@isloaded{geometry}
\bidi@isloaded{hvfloat}
\bidi@isloaded{mdframed}
\bidi@isloaded{midfloat}
\bidi@isloaded{ntheorem}
\bidi@isloaded{ntheorem-hyper}
\bidi@isloaded{hyperref}
\bidi@isloaded{fancybox}
\bidi@isloaded{fancyhdr}
\bidi@isloaded{fix2col}
\bidi@isloaded{draftwatermark}
\bidi@isloaded{empheq}
\bidi@isloaded{overpic}
\bidi@isloaded{pdfpages}
\bidi@isloaded{listings}
\bidi@isloaded{lettrine}
\bidi@isloaded{lineno}
\bidi@isloaded{media9}
\bidi@isloaded{pstricks}
\bidi@isloaded{pgf}
\bidi@isloaded{picinpar}
```

```
\bidi@isloaded{quotchap}
\bidi@isloaded{tikz}
\bidi@isloaded{titlesec}
\bidi@isloaded{titletoc}
\bidi@isloaded{array}
\bidi@isloaded{soul}
\bidi@isloaded{stabular}
\bidi@isloaded{subfig}
\bidi@isloaded{subfigure}
\bidi@isloaded{supertabular}
\bidi@isloaded{xtab}
\bidi@isloaded{longtable}
\bidi@isloaded{arydshln}
\bidi@isloaded{multicol}
\bidi@isloaded{multienum}
\bidi@isloaded{minitoc}
\bidi@isloaded{natbib}
\bidi@isloaded{newfloat}
\bidi@isloaded{ragged2e}
\bidi@isloaded{rotating}
\bidi@isloaded{tabls}
\bidi@isloaded{tabulary}
\bidi@isloaded{tocbasic}
\bidi@isloaded{tocstyle}
\bidi@isloaded{tocbibind}
\bidi@isloaded{fontspec}
\bidi@isloaded{arabxetex}
\bidi@isloaded{polyglossia}
\bidi@isloaded{fancyvrb}
\AtBeginDocument{
  \if@bidi@amsmathloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi packag
  \fi%
    \if@bidi@amstextloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi packag
  \fi%
  \if@bidi@amsthmloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package
  \fi%
  \if@bidi@animateloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi packag
  \fi%
  \if@bidi@breqnloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package.
  \fi%
    \if@bidi@calsloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package.
  \fi%
  \if@bidi@captionloaded@\else
    \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi packag
```

```
\fi%
\if@bidi@croploaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package.
\fi%
\if@bidi@colorloaded@\else
\@ifpackageloaded{hyperref}{}{%
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package.
\fi%
\if@bidi@cutwinloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package
\fi%
  \if@bidi@cutedloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package.
\fi%
\if@bidi@dblfnoteloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi packa
\fi%
\if@bidi@diagboxloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi packag
\fi%
\if@bidi@xcolorloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package
\fi%
\if@bidi@colortblloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi packa
\fi%
\if@bidi@floatloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package.
\fi%
  \if@bidi@floatrowloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi packa
\fi%
\if@bidi@flowframloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi packa
\fi%
\if@bidi@framedloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package
\fi%
  \if@bidi@ftnrightloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi packa
\fi%
\if@bidi@xltxtraloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtra after bidi packag
\fi%
\if@bidi@xunicodeloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi packa
\fi%
\if@bidi@wrapfigloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi packag
\fi%
```

```
\if@bidi@graphicxloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi packa
\fi%
  \if@bidi@geometryloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi packa
\fi%
\if@bidi@hvfloatloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi packag
\fi%
    \if@bidi@mdframedloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi packa
\fi%
      \if@bidi@midfloatloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi packa
\fi%
  \if@bidi@ntheoremloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi packa
\fi%
\if@bidi@hyperrefloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi packa
\fi%
  \if@bidi@fancyboxloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi packa
\fi%
\if@bidi@fancyhdrloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi packa
\fi%
\if@bidi@draftwatermarkloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bidi
\fi%
\if@bidi@empheqloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package
\fi%
  \if@bidi@overpicloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi packag
\fi%
\if@bidi@pdfpagesloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi packa
\fi%
\if@bidi@lettrineloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi packa
\fi%
\if@bidi@linenoloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi package
\fi%
\if@bidi@listingsloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi packa
\fi%
\csname if@bidi@media9loaded@\endcsname\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi package
```

```
\fi%
\if@bidi@pstricksloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi packa
\fi%
\if@bidi@pgfloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package. P
\fi%
\if@bidi@picinparloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi packa
\fi%
\if@bidi@quotchaploaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi packa
\fi%
\if@bidi@tikzloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package.
\fi%
\if@bidi@titlesecloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi packa
\fi%
\if@bidi@titletocloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi packa
\fi%
\if@bidi@arrayloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package.
\fi%
\if@bidi@stabularloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi packa
\fi%
\if@bidi@soulloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package.
\fi%
\if@bidi@subfigloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package
\fi%
\if@bidi@subfigureloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pack
\fi%
\if@bidi@supertabularloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi p
\fi%
\if@bidi@xtabloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package.
\fi%
\if@bidi@longtableloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pack
\fi%
\if@bidi@arydshlnloaded@\else
  \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi packa
\fi%
\if@bidi@multicolloaded@\else
```

```
13769   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi packa
13770 \fi%
13771 \if@bidi@multienumloaded@\else
13772   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pack
13773 \fi%
13774 \if@bidi@minitocloaded@\else
13775   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi packag
13776 \fi%
13777 \if@bidi@natbibloaded@\else
13778   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package
13779 \fi%
13780   \if@bidi@newfloatloaded@\else
13781   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi packa
13782 \fi%
13783 \csname if@bidi@ragged2eloaded@\endcsname\else
13784   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi packa
13785 \fi%
13786   \if@bidi@rotatingloaded@\else
13787   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi packa
13788 \fi%
13789 \if@bidi@tablsloaded@\else
13790   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabls after bidi package.
13791 \fi%
13792 \if@bidi@tabularyloaded@\else
13793   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi packa
13794 \fi%
13795 \if@bidi@tocbasicloaded@\else
13796   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi packa
13797 \fi%
13798 \if@bidi@tocstyleloaded@\else
13799   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi packa
13800 \fi%
13801 \if@bidi@tocbibindloaded@\else
13802   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pack
13803 \fi%
13804 \if@bidi@fontspecloaded@\else
13805   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi packa
13806 \fi%
13807 \if@bidi@arabxetexloaded@\else
13808   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pack
13809 \fi%
13810 \if@bidi@polyglossialoaded@\else
13811   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi pa
13812 \fi%
13813 \if@bidi@fancyvrbloaded@\else
13814   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi packa
13815 \fi%
13816 }
```

78 File longtable-xetex-bidi.def

```
\ProvidesFile{longtable-xetex-bidi.def}[2019/01/19 v0.5 bidi adaptations for longtable package
\def\LT@array[#1]#2{%
  \refstepcounter{table}\stepcounter{LT@tables}%
  \if l#1%
    \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
  \else\if r#1%
    \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
  \else\if c#1%
    \LTleft\fill \LTright\fill
  \fi\fi\fi
  \let\LT@mcol\multicolumn
  \let\LT@@tabarray\@tabarray
  \let\LT@@hl\hline
  \def\@tabarray{%
    \let\hline\LT@@hl
    \LT@@tabarray}%
  \let\\\LT@tabularcr\let\tabularnewline\\%
  \def\newpage{\noalign{\break}}%
  \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
  \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt\LT@no@pgbk4}%
  \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
  \@tempdima\ht\strutbox
  \let\@endpbox\LT@endpbox
  \ifx\extrarowheight\@undefined
    \let\@acol\@tabacol
    \let\@classz\@tabclassz \let\@classiv\@tabclassiv
    \def\@startpbox{\vtop\LT@startpbox}%
    \let\@@startpbox\@startpbox
    \let\@@endpbox\@endpbox
    \let\LT@LL@FM@cr\@tabularcr
  \else
    \advance\@tempdima\extrarowheight
    \col@sep\tabcolsep
    \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
  \fi
  \setbox\@arstrutbox\hbox{\vrule
    \@height \arraystretch \@tempdima
    \@depth \arraystretch \dp \strutbox
    \@width \z@}%
  \let\@sharp##\let\protect\relax
   \begingroup
    \@mkpream{#2}%
    \xdef\LT@bchunk{%
       \global\advance\c@LT@chunks\@ne
       \global\LT@rows\z@\setbox\z@\vbox\bgroup
       \LT@setprevdepth
       \tabskip\LTleft \noexpand\halign to\hsize\bgroup
      \tabskip\z@ \@arstrut \@preamble \tabskip\LTright \cr}%
```

```
  \endgroup
  \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
  \LT@make@row
  \m@th\let\par\@empty
  \everycr{}\lineskip\z@\baselineskip\z@
  \LT@bchunk}
\def\LT@makecaption#1#2#3{%
  \LT@mcol\LT@cols c{\hbox to\z@{\hss\parbox[t]\LTcapwidth{%
    \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
    \ifdim\wd\@tempboxa>\hsize
      #1{#2: }#3%
    \else
      \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
    \fi
    \endgraf\vskip\baselineskip}%
  \hss}}}
\@ifpackageloaded{caption}{%
  \renewcommand\LT@makecaption[3]{%
    \caption@LT@make{%
      \caption@settype*\LTcaptype
      \ifdim\LTcapwidth=4in \else
        \setcaptionwidth\LTcapwidth
      \fi
      \caption@setoptions{longtable}%
      \caption@setoptions{@longtable}%
      \caption@LT@setup
      \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
      \caption@startrue#1\caption@starfalse
      \caption@prepare@stepcounter\LTcaptype{LT}%
      \caption@begin\LTcaptype
        \caption@normalsize
        \vskip-\ht\strutbox
        \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
        \caption@@make{#2}{#3}\endgraf
        \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
      \caption@end}}%
}{}
\def\LT@startpbox#1{%
  \bgroup\color@begingroup
    \let\@footnotetext\LT@p@ftntext
    \let\@LTRfootnotetext\LT@p@LTRftntext
    \let\@RTLfootnotetext\LT@p@RTLftntext
    \setlength\hsize{#1}%
    \@arrayparboxrestore
    \vrule \@height \ht\@arstrutbox \@width \z@}
\def\LT@p@LTRftntext#1{%
  \edef\@tempa{\the\LT@p@ftn\noexpand\LTRfootnotetext[\the\c@footnote]}%
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
\def\LT@p@RTLftntext#1{%
  \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
```

```
  \global\LT@p@ftn\expandafter{\@tempa{#1}}}%


\def\LT@output{%
  \ifnum\outputpenalty <-\@Mi
    \ifnum\outputpenalty > -\LT@end@pen
      \LT@err{floats and marginpars not allowed in a longtable}\@ehc
    \else
      \setbox\z@\vbox{\unvbox\@cclv}%
      \ifdim \ht\LT@lastfoot>\ht\LT@foot
        \dimen@\pagegoal
        \advance\dimen@-\ht\LT@lastfoot
        \ifdim\dimen@<\ht\z@
          \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
          \@makecol
          \@outputpage
          \setbox\z@\vbox{\box\LT@head}%
        \fi
      \fi
      \global\@colroom\@colht
      \global\vsize\@colht
      \vbox
        {\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot
    \fi
  \else
    \setbox\@cclv\vbox{\if@RTLtab\hbox\bgroup\beginR\vbox\bgroup\fi\unvbox\@cclv\copy\LT@foot\
    \@makecol
    \@outputpage
      \global\vsize\@colroom
    \copy\LT@head\nobreak
  \fi}
```

79 File mathtools-xetex-bidi.def

```
\ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools package
\MHInternalSyntaxOn
\def\MT_define_tagform:nwnn #1[#2]#3#4{
  \@namedef{MT_tagform_#1:n}##1
    {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2{##1}\unskip\@@italiccorr#4\if
}
\renewtagform{default}{(}{)}
\MHInternalSyntaxOff
```

80 File mdframed-xetex-bidi.def

```
\ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package f
\newif\if@bidi@mdf@RTL
\def\mdf@lrbox#1{%
  \mdf@patchamsthm%patch amsthm
   \if@RTL\@bidi@mdf@RTLtrue\fi%
```

```
    \@RTLfalse%
  \setbox#1\vbox\bgroup%
    \color@begingroup%
     \if@bidi@mdf@RTL\@RTLtrue\fi%
      \mdf@horizontalmargin@equation%
      \columnwidth=\hsize%
      \textwidth=\hsize%
      \let\if@nobreak\iffalse%
      \let\if@noskipsec\iffalse%
      \let\par\@@par%
      \let\-\@dischyph%
      \let\'\@acci\let\`\@accii\let\=\@acciii%
      \parindent\z@ \parskip\z@skip%
      \linewidth\hsize%
      \@totalleftmargin\z@%
      \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
      \parfillskip\@flushglue \lineskip\normallineskip%
      \baselineskip\normalbaselineskip%
%%    \sloppy%
      \let\\\@normalcr%
      \mdf@par@local%New feature to restore parskip/parindent local in save box
      \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%
      \@afterindentfalse%
     %\@afterheading%
}
\renewrobustcmd\mdfframedtitleenv[1]{%
     \mdf@lrbox{\mdf@frametitlebox}%
      \mdf@frametitlealignment%
        \leavevmode{\color{\mdf@frametitlefontcolor}%
            \normalfont\mdf@frametitlefont{#1}
        \ifbool{mdf@ignorelastdescenders}%
          {%
           \par\strut\par
           \unskip\unskip\setbox0=\lastbox
           \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
          }{}%
     \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%%
     \endmdf@lrbox\relax%
    \mdf@ignorevbadness%
    \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
    \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
    \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
    \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
    \mdfframetitleboxtotalheight=\dimexpr
                                    \ht\mdf@frametitlebox
                                    +\dp\mdf@frametitlebox%
                                    +\mdf@frametitleaboveskip@length
                                    +\mdf@frametitlebelowskip@length
                                  \relax%
}
```

```
14009
14010 \renewrobustcmd*\mdf@footnoteoutput{%
14011      \ifvoid\@mpfootins\else%
14012           \nobreak%
14013           \vskip\mdf@footenotedistance@length%
14014           \normalcolor%
14015           \bidi@mpfootnoterule%
14016           \unvbox\@mpfootins%
14017      \fi%
14018 }
14019
14020
14021 \renewrobustcmd*\mdf@footnoteinput{%
14022    \def\@mpfn{mpfootnote}%
14023    \def\thempfn{\thempfootnote}%
14024    \c@mpfootnote\z@%
14025    \let\@footnotetext\@mpfootnotetext%
14026     \let\@LTRfootnotetext\@mpLTRfootnotetext%
14027     \let\@RTLfootnotetext\@mpRTLfootnotetext%
14028 }
```

81 File bidi-media9.sty

```
14029 \ProvidesExplPackage{bidi-media9}{2017/08/27}{0.3}
14030 {bidi fixes for media9 package for the XeTeX engine}
14031
14032 \keys_define:nn{media9/mbtn}{
14033   draft .code:n = {},
14034   final .code:n = {},
14035
14036   tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
14037   tooltip .value_required:n = {true},
14038
14039   overface .code:n = {
14040     \sbox\l_mix_poster_box{
14041       \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
14042     \mix_pdfxform:n{\l_mix_poster_box}
14043     \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
14044   },
14045   overface .value_required:n = {true},
14046
14047   downface .code:n = {
14048     \sbox\l_mix_poster_box{
14049       \bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
14050     \mix_pdfxform:n{\l_mix_poster_box}
14051     \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
14052   },
14053   downface .value_required:n = {true},
14054
14055   3Dgotoview .code:n = {
```

```
    \tl_set:Nx\l_tmpa_tl{#1}              %extract ref
    \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl
    \tl_trim_spaces:N\l_tmpa_tl
    \tl_if_exist:cTF{ann@\l_tmpa_tl}{
      \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
        \tl_set:Nx\l_tmpb_tl{#1}          %extract idx
        \regex_replace_once:nnN{[^:]+:?}{}\l_tmpb_tl
        \tl_trim_spaces:N\l_tmpb_tl
        \tl_if_blank:VF\l_tmpb_tl{
          \regex_match:nVTF{^[DFLNP]$}\l_tmpb_tl{
            \tl_set:Nx\l_mix_vidx_tl{/\l_tmpb_tl}
          }{
            \regex_match:nVTF{^\d+$}\l_tmpb_tl{
              \tl_set:Nx\l_mix_vidx_tl{~\l_tmpb_tl}
            }{
              \regex_replace_once:nnN{^\(\s*}{}\l_tmpb_tl
              \regex_replace_once:nnN{\s*\)$}{}\l_tmpb_tl
              \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
            }
          }
        }
        \mix_pdfobj:nnn{}{dict}{
          /S/JavaScript/JS~(
            if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
            if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
              annotRM['\l_tmpa_tl']=
                this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
            }
            annotRM['\l_tmpa_tl'].activated=true;
          )
          \tl_if_blank:VF\l_tmpb_tl{
            /Next~<<
              /S/GoTo3DView
              /TA~\tl_use:c{ann@\l_tmpa_tl}
              /V\l_mix_vidx_tl
            >>
          }
        }
        \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
      }
    }{
      \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
      \cs_if_exist:NF\g_mix_refundefwarned_tl{
        \tl_new:N\g_mix_refundefwarned_tl
        \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
      }
    }
  },
  3Dgotoview .value_required:n = {true},

```

```
14106 mediacommand .code:n = {
14107   \tl_set:Nx\l_tmpa_tl{#1}
14108   \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
14109   \tl_trim_spaces:N\l_tmpa_tl
14110   \tl_if_exist:cTF{ann@\l_tmpa_tl}{
14111     \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
14112       \tl_set:Nx\l_tmpb_tl{#1}
14113       \regex_replace_once:nnN{[^:]+\:?}{}\l_tmpb_tl
14114       \tl_trim_spaces:N\l_tmpb_tl
14115       \regex_replace_all:nnN{^\{|\}$}{}\l_tmpb_tl
14116       \tl_set:Nx\l_mix_cmd_tl{
14117         \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
14118       \tl_trim_spaces:N\l_mix_cmd_tl
14119       \tl_set:Nx\l_mix_arg_tl{
14120         \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
14121       \tl_trim_spaces:N\l_mix_arg_tl
14122       \mix_pdfobj:nnn{}{dict}{
14123         /S/JavaScript/JS~(
14124           if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
14125           if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
14126             annotRM['\l_tmpa_tl']=
14127               this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
14128           }
14129           annotRM['\l_tmpa_tl'].activated=true;
14130         )
14131         \tl_if_blank:VF\l_mix_cmd_tl{
14132           /Next~<<
14133             /S/RichMediaExecute
14134             /TA~\tl_use:c{ann@\l_tmpa_tl}
14135             /TI~\tl_use:c{main@\l_tmpa_tl}
14136             /CMD~<<
14137               /C~(\l_mix_cmd_tl)
14138               \tl_if_blank:VF\l_mix_arg_tl{
14139                 /A~[\l_mix_arg_tl]
14140               }
14141             >>
14142           >>
14143         }
14144       }
14145       \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
14146     }
14147   }{
14148     \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
14149     \cs_if_exist:NF\g_mix_refundefwarned_tl{
14150       \tl_new:N\g_mix_refundefwarned_tl
14151       \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
14152     }
14153   }
14154 },
14155 mediacommand .value_required:n = {true},
```

```
14156
14157 jsaction .code:n = {
14158   \tl_set:Nx\l_tmpa_tl{#1}
14159   \regex_match:nVTF{^[^\{:]+:.*$}\l_tmpa_tl{
14160     \regex_replace_once:nnN{([^:]+):??.*}{\1}\l_tmpa_tl %extract ref
14161     \tl_trim_spaces:N\l_tmpa_tl
14162   }{\tl_clear:N\l_tmpa_tl}
14163   \tl_set:Nx\l_tmpb_tl{#1}
14164   \tl_if_blank:VF\l_tmpa_tl{
14165     \tl_if_exist:cF{ann@\l_tmpa_tl}{
14166       \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
14167       \cs_if_exist:NF\g_mix_refundefwarned_tl{
14168         \tl_new:N\g_mix_refundefwarned_tl
14169         \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
14170       }
14171     }
14172     \regex_replace_once:nnN{[^:]+\:}{}\l_tmpb_tl
14173   }
14174   \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
14175   \tl_trim_spaces:N\l_tmpb_tl
14176   \tl_if_blank:VF\l_tmpb_tl{
14177   \mix_pdfobj:nnn{}{dict}{
14178     /S/JavaScript/JS~(
14179       try{\l_tmpb_tl}catch(e){console.show();console.println(e)})}}
14180   \bool_lazy_and:nnT{
14181     \tl_if_exist_p:c{ann@\l_tmpa_tl}
14182   }{
14183     !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
14184   }{
14185     \mix_pdfobj:nnn{}{dict}{
14186       /S/JavaScript/JS~(
14187         if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
14188         if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
14189           annotRM['\l_tmpa_tl']=
14190             this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
14191         }
14192         annotRM['\l_tmpa_tl'].activated=true;
14193       )
14194       \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
14195     }
14196   }
14197   \bool_if:nT{
14198     \bool_lazy_and_p:nn{
14199       \tl_if_exist_p:c{ann@\l_tmpa_tl}
14200     }{
14201       !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
14202     }
14203     || !\tl_if_blank_p:V\l_tmpb_tl
14204   }{
14205     \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
```

```
    }
  },
  jsaction .value_required:n = {true},

  unknown .code:n = {
    \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}
  }
}

\RenewDocumentCommand\includemedia{O{}mm}{%#1 options, #2 text/image #3 media file
  \mix_uriend:
  \group_begin:
  \mix_beginLTR:
  \leavevmode
  %empty stream as appearance dummy
  \cs_if_exist:NF\g_mix_appearance_tl{
    \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}
    \mix_pdfxform:n{\l_mix_poster_box}
    \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
  }
  \mix_reset:
  \mix_uribegin: %treat URI characters correctly
  \keys_set:nn{media9/user}{#1}
  \mix_uriend:
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{&}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
  \tl_greplace_all:Nnn\g_mix_flashvars_tl{=~}{=}
  \tl_gtrim_spaces:N\g_mix_flashvars_tl

  \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}

  %\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
  %\hbox_set:Nn\l_mix_poster_box{#2}
  \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
  \mix_scale:n{\l_mix_poster_box}
  \bool_if:nT{
    \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
    \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
  }{
    \tl_gset:Nn\g_mix_usrpbtn_tl{none}
  }
  \bool_if:NTF\g_mix_usrdraft_bool{
    \tl_if_empty:NF\g_mix_usrlabel_tl{
      \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
    }
    \tl_if_blank:oTF{#2}{
      \mix_uribegin: %treat URI characters correctly
      \mix_draftbox:n{\tl_to_str:n{#3}}
      \mix_uriend:
```

```
  }{
    \hbox_to_wd:nn{\g_mix_wd_tl}{
      \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
      \box_use:N\l_mix_poster_box\hss
    }
  }
}{
  \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
    %attach script that switches off play button overlay upon activation
    \mix_pdfobj:nnn{}{stream}{
      {}{
        var~ocgs=host.getOCGs(host.pageNum);
        for(var~i=0;i<ocgs.length;i++){
          if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
            ocgs[i].state=false;
          }
        }
      }
    }
    \mix_pdfobj:nnn{}{dict}{
      /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)%/UF~(btnoff)
    }
    \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
    \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
    %enforce plain playbutton overlay for XeTeX
    \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
  }
  %embed main asset
  \mix_uribegin:
  \mix_embedasset:n{#3}
  \bool_if:nTF{
    \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
  }{
    \bool_gset_true:N\g_mix_iiid_bool
    \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
  }{
    \str_case_x:nnF{\l_mix_base_tl}{
      {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
      {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
      {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
      {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
      {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
    }{\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
  }
  \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
  \mix_uriend:
  %secondary assets (added by addresource)
  \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
  \seq_map_inline:Nn\g_mix_script_seq{
    \mix_embedasset:n{##1}
```

```
    \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
  }
  %attach 3D calculation script
  \bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{
    \mix_embedasset:n{3Dmenu.js}
    \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
  }
  %create 3D views from file (option 3Dviews)
  \bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
    \tl_set:Nn\l_mix_level_tl{\c_minus_one}
    \int_zero:N\l_mix_viewcnt_int
    \int_zero:N\l_mix_lineno_int

    \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
    \ior_map_inline:Nn\l_mix_vfile_stream{
      \int_incr:N\l_mix_lineno_int
      \keys_set:nn{media9/views}{##1} %process input line
    }
    \ior_close:N\l_mix_vfile_stream
  }
  \bool_if:nT{ %create default 3D view if required
    \g_mix_iiid_bool &&
    (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
  }{
    \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
    \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
    \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
    \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
    \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
    \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
    \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl

    \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
    \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
    \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
    \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp

    \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
    \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
    \tl_clear:N\l_mix_naarray_tl

    \bool_if:NF\l_mix_ciiw_bool{
      \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
      \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
    }

    \tl_clear:N\l_mix_naarray_tl
    \tl_clear:N\l_mix_saarray_tl
    \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl

```

```
    \mix_view:n{Default}
    \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}

  }
  \mix_pdfobj:nnn{}{dict}{
    /Type/RichMediaInstance
    /Subtype/\g_mix_mainassetsub_tl
    /Asset~\g_mix_mainasset_tl
    \bool_if:NF\g_mix_iiid_bool{
      /Params~<<
        /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
          /Foreground
        }{
          /Background
        }
        \tl_if_blank:VF\g_mix_flashvars_tl{
          /FlashVars~(\g_mix_flashvars_tl)
        }
      >>
    }
  }
  \tl_if_empty:NF\g_mix_usrlabel_tl{
    \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
  }
  \mix_pdfobj:nnn{}{dict}{
    /Type/RichMediaConfiguration
    /Subtype/\g_mix_mainassetsub_tl
    /Instances~[\mix_pdflastobj:]
  }
  \mix_pdfobj:nnn{}{dict}{
    /Type/RichMediaContent
    /Assets~<</Names~[\g_mix_assets_tl]>>
    /Configurations~[\mix_pdflastobj:]
    \bool_if:nT{
      \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
    }{
      /Views~[\l_mix_iiidviewarray_tl]
    }
  }
  \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
  \bool_if:nT{
    \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
  }{
    \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
  }
  %determine floating window size
  \bool_if:NT\g_mix_opt_windowed_bool{
    \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
  }
  \mix_pdfobj:nnn{}{dict}{
```

```
    /Activation~<<
      /Condition\g_mix_act_tl
      \bool_if:nT{
        \g_mix_iiid_bool &&
        !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
      }{%seems to work only with 3D content
        /Animation~<<
          /Subtype/\g_mix_playtpe_tl
          /PlayCount~\g_mix_playcnt_tl
          /Speed~\g_mix_playspd_tl
        >>
      }
      \bool_if:nT{
        \g_mix_iiid_bool && (
          \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
        )
      }{/View~\l_mix_dfltview_tl}
      /Presentation~<<
        /Transparent~\g_mix_transp_tl
        \bool_if:NTF\g_mix_opt_windowed_bool{
          /Style/Windowed
          /Window~<<
            /Width~<</Default~\tl_mix_fltwd>>
            /Height~<</Default~\tl_mix_fltht>>
            /Position~<<
              /HOffset~0/VOffset~0
              \str_case_x:nnF{\g_mix_winpos_tl}{
                {tl}{/VAlign/Near/HAlign/Near}
                {cl}{/VAlign/Center/HAlign/Near}
                {bl}{/VAlign/Far/HAlign/Near}
                {bc}{/VAlign/Far/HAlign/Center}
                {br}{/VAlign/Far/HAlign/Far}
                {cr}{/VAlign/Center/HAlign/Far}
                {tr}{/VAlign/Near/HAlign/Far}
                {tc}{/VAlign/Near/HAlign/Center}
              }{/HAlign/Center/VAlign/Center}
            >>
          >>
        }{
          /Style/Embedded
        }
        \bool_if:NTF\g_mix_iiid_bool{
          /Toolbar~\g_mix_tools_tl
          /NavigationPane~\g_mix_nav_tl
        }{
          /PassContextClick~\g_mix_contextclick_tl
        }
      >>
      \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
    >>
```

```
14456       /Deactivation~<</Condition\g_mix_deact_tl>>
14457     }
14458     \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
14459     \tl_if_empty:NF\g_mix_usrlabel_tl{
14460       \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
14461     }
14462     % #1:width, #2:height, #3:depth, #4:content (key-value)
14463     \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
14464       /Subtype/RichMedia
14465       /F~4
14466       /BS~<</W~0/S/S>>
14467       /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
14468       /NM~(\g_mix_label_tl)
14469       /AP~<</N~\g_mix_appearance_tl>>
14470       /RichMediaSettings~\l_mix_settings_tl
14471       /RichMediaContent~\l_mix_content_tl
14472     }
14473     \tl_if_empty:NF\g_mix_usrlabel_tl{
14474       \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
14475       \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
14476         \noexpand\the\g@mix@page@int}
14477     }
14478     \mix_pdfobj:nnn{}{dict}{
14479       /S/JavaScript/JS~(
14480         try{
14481           if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
14482           if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
14483             annotRM['\g_mix_label_tl']=
14484               this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
14485           }
14486           \str_if_eq_x:nnF{\g_mix_usrpbtn_tl}{none}{
14487             if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
14488               var~ocgs=this.getOCGs(this.pageNum);
14489               for(var~i=0;i<ocgs.length;i++){
14490                 if(ocgs[i].name=='MediaPlayButton\int_use:N\g_mix_rmcnt_int'){
14491                    var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
14492                 }
14493               }
14494             }
14495             if(
14496               !annotRM['\g_mix_label_tl'].activated&&(
14497                 app.viewerType=='Reader'||
14498                 app.viewerType=='Exchange'||
14499                 app.viewerType=='Exchange-Pro'
14500               )&&app.viewerVersion>=9
14501             ){
14502               ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
14503             }
14504           }
14505         }catch(e){}
```

```
        this.dirty=false;
      )
    }
    \mix_pdfannot:nnnn{0pt}{0pt}{0pt}{
      /Subtype/Widget
      /FT/Btn/Ff~65537/F~2
      /BS~<</W~0>>
      /T~(fd@\g_mix_label_tl)
      /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
    }
    \mix_appendtofields:n{\mix_pdflastann:}
    \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
    \str_if_eq_x:nnTF{\g_mix_usrpbtn_tl}{none}{
      \hbox_to_wd:nn{\g_mix_wd_tl}{
        \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
      }
    }{%insert play button overlay
      \mix_insert_btnocg: %create OCG
      \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
      \group_begin:
      \cs_if_exist:NT\textdir{\textdir TLT}
        \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
        \box_move_down:nn{\g_mix_dp_tl}{
          \hbox_to_wd:nn{\g_mix_wd_tl}{
            \vbox_to_ht:nn{\g_mix_tt_tl}{
              \vss
              \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
              \box_use:N\l_mix_pbtn_box
              \ocgbase_oc_emc:
            }
          }
        }
      \group_end:
    }
    \int_gincr:N\g_mix_rmcnt_int
  }
  \mix_endLTR:
  \group_end:
}
\tl_set_eq:NN\l_mix_includemedia_tl\includemedia
\tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}

\RenewDocumentCommand\mediabutton{O{}m}{%#1 options, #2 normal button text
  \mix_uriend:
  \group_begin:
  \mix_beginLTR:
  \leavevmode
  %reset various variables
  \tl_gclear:N\g_mix_overbtn_tl
  \tl_gclear:N\g_mix_downbtn_tl
```

```
\tl_gclear:N\g_mix_btnactions_tl
\tl_gclear:N\g_mix_tooltip_tl
%process options
\bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
\mix_uribegin: %treat URI characters correctly
\keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
\bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
\mix_uriend:
%normal button appearance
%\hbox_set:Nn\l_mix_poster_box{#2}
\sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
\tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
\tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
\tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
\bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
  \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_lscape_bool{\rotatebox{90}{
    \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
  \mix_pdfxform:n{\l_mix_poster_box}
  \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
  %insert widget annotation
  \mix_pdfannot:nnnn{\width}{\height}{\depth}{
    /Subtype/Widget
    /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
    \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
    /FT/Btn/Ff~65536
    \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
    /AP~<<
      /N~\g_mix_normalbtn_tl
      \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
      \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
    >>
    /MK~<<
      /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
      /I~\g_mix_normalbtn_tl
      \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
      \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
    >>
    /A~<<
      /S/JavaScript/JS~(app.focusRect=false;)
      %sequence of actions to perform
      \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
    >>
  }
  \mix_appendtofields:n{\mix_pdflastann:}
  \hbox_to_wd:nn{\width}{
    \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
  }
  \int_gincr:N\g_mix_mbtncnt_int
}
\mix_endLTR:
```

```
  \group_end:
}
\tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
\tl_set:Nn\mediabutton{\mix_uribegin:\l_mix_mediabutton_tl}


```

82 File memoir-xetex-bidi.def

```
\ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for XeT
\renewcommand{\keepthetitle}{%
  \@bsmtitlempty
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\and\relax
  \global\let\andnext\relax
  \global\let\@thanks\@empty
  \global\let\@title\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty}
\renewcommand{\maketitle}{\par
  \begingroup
    \@bsmarkseries
    \def\@makefnmark{\@textsuperscript{%
       \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}%
    \long\def\@makefntext##1{\makethanksmark ##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \ifdim\pagetotal>\z@
        \newpage
      \fi
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{title}\@thanks
  \endgroup
  \@bscontmark  %  \setcounter{footnote}{0}%
  }
\renewcommand*{\memRTLleftskip}{\if@RTL\rightskip\else\leftskip\fi}
\renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\rightskip\fi}
\renewcommand*{\memRTLvleftskip}{\if@RTL\vrightskip\else\vleftskip\fi}
\renewcommand*{\memRTLvrightskip}{\if@RTL\vleftskip\else\vrightskip\fi}
\renewcommand*{\memRTLraggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\memRTLraggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
```

```
\renewcommand*{\thesection}{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*{\thesubsection}{%
              \thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
              \thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*{\theparagraph}{%
              \thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
              \theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand{\setthesection}{\thechapter\@SepMark\Alph{section}}
\renewcommand{\theequation}{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
\renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
\ifartopt
  \chapterstyle{article}
  \counterwithout{figure}{chapter}
  \counterwithout{table}{chapter}
  \counterwithout{footnote}{chapter}
  \counterwithout{equation}{chapter}
  \renewcommand{\chaptername}{}
  \renewcommand{\maketitlehookb}{%
    \vskip -1.5\topsep\vskip -1.5\partopsep}
  \renewcommand{\maketitlehookc}{%
    \vskip -1.5\topsep\vskip -1.5\partopsep}
\fi
\long\def\@makecaption#1#2{\let\@memtempa\relax
  \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
  \else \def\@memtempa{\vbox to\topskip{}}\fi
  \let\@contfnote\footnote \renewcommand{\footnote}[2][]{}
  \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1][]{}
  \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
  \let\footnote\@contfnote
  \let\footnotemark\@contfmark
  \ifdim\wd\@tempboxa<\linewidth \centering \fi
  \if@contcw
    \centering
    \parbox{\@contcwidth}{%
    \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
  \fi
  \ifdim\wd\@tempboxa<\linewidth
    \@contpre
    {\@contnfont #1\@contdelim}\@memtempa
    {\@contcshortstyle \@conttfont #2\@contfinal\par}
  \else
    \if@conthang
      \sbox\@tempboxa{\@contnfont #1\@contdelim}
      \@contpre%
      {\@contcstyle\hangindent=\wd\@tempboxa
       \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
```

```
    \else
      \if@contindent
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle\hangindent=\@contindw
                     \hangafter=\@ne\@conttfont #2\@contfinal\par}% <- v1.4
      \else
        \@contpre%
        {\@contnfont #1\@contdelim}\@memtempa
        {\@contcstyle \@conttfont #2\@contfinal\par}
      \fi
    \fi
  \fi
  \@contpost
  \if@contcw
    \par
    }  % end of the \parbox
  \fi
  \vskip\belowcaptionskip}
\@ifpackageloaded{caption}{%
\AtBeginPackage{caption}{
\ClassWarningNoLine{memoir}{%
  You are using the caption package with the memoir \MessageBreak
  class. This may cause unexpected or inconsistent \MessageBreak
  results if you use any of memoir's captioning facilities}

\long\def\@makecaption##1##2{%
  \vskip\abovecaptionskip
  \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
  \ifdim \wd\@tempboxa >\hsize
    \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
  \else
    \global \@minipagefalse
    \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
  \fi
  \vskip\belowcaptionskip}

\def\caption{%
   \ifx\@captype\@undefined
     \@latex@error{\noexpand\caption outside float}\@ehd
     \expandafter\@gobble
   \else
     \refstepcounter\@captype
     \expandafter\@firstofone
   \fi
   {\@dblarg{\@caption\@captype}}%
}

\long\def\@caption##1[##2]##3{%
  \par
```

```
  \addcontentsline{\csname ext@##1\endcsname}{##1}%
    {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
  \begingroup
    \@parboxrestore
    \if@minipage
      \@setminipage
    \fi
    \normalsize
    \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
  \endgroup}
}}{}
\renewenvironment{thebibliography}[1]{%
  \bibsection
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \begin{bibitemlist}{#1}}{\end{bibitemlist}\postbibhook}
```

83 File midfloat-xetex-bidi.def

```
\ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package f
\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
    \global\c@colht\@colht\global\c@addvipersep\z@
    \ifnum\juo@sk>0
        \remove@strip\juo@sar
        \global\@colht\the\juo@pr
        \ifdim\right@cor>\z@
                \global\advance\@colht by\right@cor
        \fi
        \global\advance\@colht by\cor@height
        \global\cor@height=0pt
    \fi
    \global \setbox\@rightcolumn \vbox{}%
```

```
\else
  \ifdim\c@colht>\@colht
          \@tempdima\@colht
          \ifdim\@colht>\z@
          \global\setbox\@rightcolumn \vbox{%
                      \unvbox\@rightcolumn
                      \vbox to\@tempdima{%
                              \vskip\c@addvipersep\unvbox\@outputbox}%
                      \vskip\stripsep
                      \vrule height\the\juo@ht width 0pt depth 0pt
                      \vskip\stripsep
                      }%
          \global\c@addvipersep\m@addvipersep
          \else
          \global\setbox\@rightcolumn \vbox{%
                      \unvbox\@rightcolumn
                      \vrule height\the\juo@ht width 0pt depth 0pt
                      \vskip\stripsep
                      }%
          \fi
          \ifnum\juo@sk>0
              \remove@strip\juo@sar
              \global\@colht\the\juo@pr
              \global\advance\@colht by -\ht\@rightcolumn
              \global\advance\@colht by\cor@height
              \global\cor@height=0pt
          \else
              \global\advance\c@colht by-\ht\@rightcolumn
              \global\@colht\c@colht
          \fi
 \else
 \global\@firstcolumntrue
  \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
                      \unvbox\@rightcolumn
                      \vskip\c@addvipersep
                      \unvbox\@outputbox
                      }%
  \setbox\@outputbox \vbox {%
                       \hb@xt@\textwidth {%
                        \hskip \columnwidth
                        \hfil
                         \vrule \@width\columnseprule
                         \hfil
                         \hb@xt@\columnwidth {%
                           \bidi@firstcolumn@status@write%
                           \box\@leftcolumn \hss}%
                         \hskip-\textwidth
                         \hb@xt@\columnwidth {%
                           \bidi@lastcolumn@status@write%
                           \box\@outputbox \hss}%
```

```
                              \hskip\columnwidth
                              \hskip\columnsep}%
                                 }%
    \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi
        {\@outputpage
         \@startdblcolumn}%
    \endgroup
    \global\juo@sk=0\global\juo@sar={}%
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}


\def\LTR@outputdblcol{%
  \if@firstcolumn
    \global \@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
    \global\c@colht\@colht\global\c@addvipersep\z@
    \ifnum\juo@sk>0
        \remove@strip\juo@sar
        \global\@colht\the\juo@pr
        \ifdim\right@cor>\z@
                \global\advance\@colht by\right@cor
        \fi
        \global\advance\@colht by\cor@height
        \global\cor@height=0pt
    \fi
    \global \setbox\@rightcolumn \vbox{}%
```

```
\else
  \ifdim\c@colht>\@colht
          \@tempdima\@colht
          \ifdim\@colht>\z@
          \global\setbox\@rightcolumn \vbox{%
                      \unvbox\@rightcolumn
                      \vbox to\@tempdima{%
                              \vskip\c@addvipersep\unvbox\@outputbox}%
                      \vskip\stripsep
                      \vrule height\the\juo@ht width 0pt depth 0pt
                      \vskip\stripsep
                      }%
          \global\c@addvipersep\m@addvipersep
          \else
          \global\setbox\@rightcolumn \vbox{%
                      \unvbox\@rightcolumn
                      \vrule height\the\juo@ht width 0pt depth 0pt
                      \vskip\stripsep
                      }%
          \fi
          \ifnum\juo@sk>0
              \remove@strip\juo@sar
              \global\@colht\the\juo@pr
              \global\advance\@colht by -\ht\@rightcolumn
              \global\advance\@colht by\cor@height
              \global\cor@height=0pt
          \else
              \global\advance\c@colht by-\ht\@rightcolumn
              \global\@colht\c@colht
          \fi
\else
 \global\@firstcolumntrue
  \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
                      \unvbox\@rightcolumn
                      \vskip\c@addvipersep
                      \unvbox\@outputbox
                      }%
  \setbox\@outputbox \vbox {%
                       \hb@xt@\textwidth {%
                         \hb@xt@\columnwidth {%
                           \bidi@firstcolumn@status@write%
                           \box\@leftcolumn \hss}%
                         \hfil
                         \vrule \@width\columnseprule
                         \hfil
                         \hb@xt@\columnwidth {%
                           \bidi@lastcolumn@status@write%
                           \box\@outputbox \hss}%
                                          }%
                        }%
```

```
    \@combinedblfloats
    \@setmarks
    \@outputpage
    \begingroup
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi
        {\@outputpage
         \@startdblcolumn}%
    \endgroup
    \global\juo@sk=0\global\juo@sar={}%
    \global\cor@height\z@\global\c@addvipersep\z@
    \fi
  \fi
}


\def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
  \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\v
        \hsize\textwidth
        \@parboxrestore
        \col@number \@ne
        \vrule height\topskip width0pt depth0pt
}

\def\endstrip{%
        \egroup\egroup
        \if@firstcolumn
                \ifdim\pagetotal>\z@
                        \vskip\stripsep
                        \global\ht@strip\pagegoal
                        \global\advance\ht@strip by-\pagetotal
                        \global\advance\ht@strip by-\stripsep
                        \global\advance\ht@strip by-\ht\@viper
                        \global\advance\ht@strip by-\stripsep
                        \global\juo@ht=\ht\@viper
                \else
                        \global\ht@strip\z@
                \fi
                \ifdim\ht@strip>\z@
                  \unvbox\@viper
                  \vskip\stripsep
                  \add@strip{\the\pagetotal}{\the\juo@ht}{\the\@tempdima}{\the\@tempdimb}%
                  \global\advance\juo@sk by1
                \else
                  \@latex@error{Strip needs more place!}\@ehc
                  \if@vihproof
                    \framebox[\columnwidth]{??? Strip ???}%
                  \fi
                \fi
```

```
        \else
          \@latex@error{Strip is used only on left column!}\@ehc
          \if@vihproof
            \framebox[\columnwidth]{??? Strip ???}%
          \fi
        \fi
}
```

84 File minitoc-xetex-bidi.def

```
\ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for
\def\@undottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
  \vskip \z@ plus.2\p@
  {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \
   \parindent #2\relax\@afterindenttrue
   \interlinepenalty\@M
   \leavevmode
   \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}%
   \hskip -\if@RTL\rightskip\else\leftskip\fi
    #4\nobreak\hfill \nobreak
          \null\par}%
  \fi}
\def\@Undottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\coffeefont #4}\nobreak \nobreak\null
    \par}%
  \fi}
\def\@Undottedtoclinep#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth\relax \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {#4}\nobreak \hfill \nobreak\null
     \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
    \par}%
  \fi}
```

85 File multicol-xetex-bidi.def

```
\ProvidesFile{multicol-xetex-bidi.def}[2019/06/14 v1.2 bidi adaptations for multicol package f
\def\page@sofar{%
   \process@cols\mult@rightbox
       {\ifvoid\count@
          \setbox\count@\hbox to\hsize{}%
        \else
          \wd\count@\hsize
        \fi}%
   \count@\col@number \advance\count@\m@ne
   \mult@info\z@
    {Column spec: \the\full@width\space = indent
                  + columns + sep =\MessageBreak
       \the\multicol@leftmargin\space
       + \the\col@number\space
       x \the\hsize\space
       + \the\count@\space
       x \the\columnsep
     }%
\ifvmode\else\errmessage{Multicol Error}\fi
   \nointerlineskip
   \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
   \moveright\multicol@leftmargin
    \hbox to\full@width{%
       \bidi@multicol@align@columns
       \rlap{\phantom p}%
    }%
 \prevdepth\z@
 \kern-\dimen\tw@
 \ifdim\dimen\tw@ > \mc@gridwarn
   \PackageWarning{multicol}%
     {Very deep columns!\MessageBreak
      Grid alignment might be broken}%
 \fi
}
\def\LTR@column@boxes{%
    \process@cols\mult@gfirstbox{%
       \ifdim\dp\count@>\dimen\tw@
         \global\dimen\tw@\dp\count@ \fi
       \mc@col@status@write
       \box\count@
       \hss{\columnseprulecolor\vrule
              \@width\columnseprule}\hss}%
     \ifdim\dp\mult@rightbox>\dimen\tw@
       \global\dimen\tw@\dp\mult@rightbox \fi
     \mc@lastcol@status@write
     \box\mult@rightbox
}

```

```
\def\RTL@column@boxes{%
  \ifnum\col@number<\tw@
     \LTR@column@boxes
  \else
     \process@cols\mult@gfirstbox{%
       \hskip\hsize
       \hss{\columnseprulecolor\vrule
              \@width\columnseprule}\hss
     }%
     \hskip\hsize
     \process@cols\mult@gfirstbox{%
       \ifdim\dp\count@>\dimen\tw@
         \global\dimen\tw@\dp\count@ \fi
       \hskip-\hsize
       \mc@col@status@write
       \box\count@
       \hskip-\hsize
       \hskip-\columnsep
     }%
     \ifdim\dp\mult@rightbox>\dimen\tw@
       \global\dimen\tw@\dp\mult@rightbox \fi
     \hskip-\hsize
     \mc@lastcol@status@write
     \box\mult@rightbox
     \hskip-\hsize
     \hskip\full@width
  \fi
 }
\newcommand\RTLmulticolcolumns
    {\let\bidi@multicol@align@columns
         \RTL@column@boxes}
\newcommand\LTRmulticolcolumns
    {\let\bidi@multicol@align@columns
      \LTR@column@boxes}
\newcommand\bidi@multicol@align@columns
    {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
\bidi@AtEndPreamble{%
  \if@bidi@csdef{footinsv@l}{%
    \def\footnoterule{\kern-3\p@
      \hrule \@width \textwidth \kern 2.6\p@}%
  }{}%
}
\def\multicols#1{\col@number#1\relax
  \ifnum\col@number<\tw@
     \PackageWarning{multicol}%
      {Using `\number\col@number'
       columns doesn't seem a good idea.^^J
       I therefore use two columns instead}%
     \col@number\tw@ \fi
  \ifnum\col@number>10
```

```
      \PackageError{multicol}%
       {Too many columns}%
       {Current implementation doesn't
        support more than 10 columns.%
        \MessageBreak
        I therefore use 10 columns instead}%
      \col@number10 \fi
      \ifx\@footnotetext\mult@footnotetext\else
        \let\orig@footnotetext\@footnotetext
        \let\@footnotetext\mult@footnotetext
      \fi
      \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
        \let\orig@LTRfootnotetext\@LTRfootnotetext
        \let\@LTRfootnotetext\mult@LTRfootnotetext
      \fi
      \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
        \let\orig@RTLfootnotetext\@RTLfootnotetext
        \let\@RTLfootnotetext\mult@RTLfootnotetext
      \fi
    \@ifnextchar[\mult@cols{\mult@cols[]}}
\long\def\mult@footnotetext#1{\begingroup
          \hsize\textwidth
          \columnwidth\textwidth
          \orig@footnotetext{#1}\endgroup}
\long\def\mult@LTRfootnotetext#1{\begingroup
          \hsize\textwidth
          \columnwidth\textwidth
          \orig@LTRfootnotetext{#1}\endgroup}
\long\def\mult@RTLfootnotetext#1{\begingroup
          \hsize\textwidth
          \columnwidth\textwidth
          \orig@RTLfootnotetext{#1}\endgroup}
\def\right@footnoterule{%
  \kern-3\p@
  \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
  \kern2.6\p@}
\def\textwidth@footnoterule{\kern-3\p@
  \hrule \@width \textwidth \kern 2.6\p@}
\def\bidi@leave@mult@copyins{%
   \advance\dimen@-\skip\@bidi@copyins@
   \advance\dimen@-\ht\@bidi@copyins@
}
\bidi@AtEndPreamble{%
  \if@bidi@csdef{footinsv@l}{%
    \def\bidi@leave@mult@footins@vr{%
       \advance\dimen@-\skip\footinsv@r
       \advance\dimen@-\ht\footinsv@r
     }%
    \def\bidi@leave@mult@footins@vl{%
       \advance\dimen@-\skip\footinsv@l
```

```
      \advance\dimen@-\ht\footinsv@l
    }%
  \def\bidi@init@mult@footinsv@r{%
    \multiply\count\footinsv@r\col@number
    \multiply\skip \footinsv@r\col@number
  }%
  \def\bidi@init@mult@footinsv@l{%
    \multiply\count\footinsv@l\col@number
    \multiply\skip \footinsv@l\col@number
  }%
  \def\bidi@reinsert@footnotesv@r{\ifvoid\footinsv@r\else
          \insert\footinsv@r{}\fi}%
  \def\bidi@reinsert@footnotesv@l{\ifvoid\footinsv@l\else
          \insert\footinsv@l{}\fi}%
  \bidi@patchcmd{\prepare@multicols}{%
    \reinsert@footnotes
  }{%
    \reinsert@footnotes
    \bidi@init@mult@footinsv@r
    \bidi@reinsert@footnotesv@r
    \bidi@init@mult@footinsv@l
    \bidi@reinsert@footnotesv@l
  }{}{}%
  \bidi@patchcmd{\multi@column@out}{%
    \ifnum \c@tracingmulticols>\thr@@
  }{%
     \ifvoid\footinsv@r
       \ifvoid\footinsv@l
       \else
         \PackageWarning{multicol}%
          {I moved some lines to
           the next page.\MessageBreak
           Footnotes on page
           \thepage\space might be wrong}%
       \fi
     \else
       \PackageWarning{multicol}%
        {I moved some lines to
         the next page.\MessageBreak
         Footnotes on page
         \thepage\space might be wrong}%
     \fi
  \ifnum \c@tracingmulticols>\thr@@
}{}{}%
\bidi@patchcmd{\endmulticols}{%
  \reinsert@footnotes
}{%
  \reinsert@footnotes
  \bidi@reinsert@footnotesv@r
  \bidi@reinsert@footnotesv@l
```

```
}{}{}%
\bidi@patchcmd{\speci@ls}{%
  \reinsert@footnotes
}{%
  \reinsert@footnotes
  \bidi@reinsert@footnotesv@r
  \bidi@reinsert@footnotesv@l
}{}{}%
\bidi@patchcmd{\speci@ls}{%
  \reinsert@footnotes
}{%
  \reinsert@footnotes
  \bidi@reinsert@footnotesv@r
  \bidi@reinsert@footnotesv@l
}{}{}%
  }{}%
  \bidi@patchcmd{\multi@column@out}{%
     \ifvbox \@kludgeins
  }{%
    \if@bidi@csdef{footinsv@l}{%
      \divide\skip\footinsv@r\col@number
       \ifvoid\footinsv@r \else
          \bidi@leave@mult@footins@vr
       \fi
      \divide\skip\footinsv@l\col@number
       \ifvoid\footinsv@l \else
          \bidi@leave@mult@footins@vl
       \fi
     }{}%
     \ifvoid\@bidi@copyins@ \else
        \bidi@leave@mult@copyins
     \fi
     \ifvbox \@kludgeins
  }{}{}%
}
```

86 File `multienum-xetex-bidi.def`

```
\ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package
\renewcommand{\itemx}[1]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
\renewcommand{\itemxx}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
```

```
{\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
\renewcommand{\itemxxxx}[4]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
\renewcommand{\itemxxxxx}[5]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #5}\smallskip}
\renewcommand{\itemxox}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxxo}[2]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
\renewcommand{\itemxoxx}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxox}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
\renewcommand{\itemxxxo}[3]{\parbox[t]%
{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
```

```
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
\parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
\parbox[t]{\remainxoxx}{\bidi@raggedright #3}\smallskip}
```

87 File natbib-xetex-bidi.def

```
\ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for X
\renewenvironment{thebibliography}[1]{%
 \bibsection
 \parindent\z@
 \bibpreamble
 \bibfont
 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
 \bidi@@thebibliography@font@hook%
 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
 \ifNAT@openbib
   \renewcommand\newblock{\par}%
 \else
   \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
 \fi
 \sloppy\clubpenalty4000\widowpenalty4000
 \sfcode`\.\@m
 \let\NAT@bibitem@first@sw\@firstoftwo
    \let\citeN\cite \let\shortcite\cite
    \let\citeasnoun\cite
}{%
 \bibitem@fin
 \bibpostamble
 \def\@noitemerr{%
  \PackageWarning{natbib}{Empty `thebibliography' environment}%
 }%
 \endlist
 \bibcleanup
}%
```

88 File newfloat-xetex-bidi.def

```
\ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package f
\renewcommand*\newfloat@setwithin[2]{%
  \ifcsname c@chapter\endcsname
    \@removefromreset{#1}{chapter}%
  \fi
  \@removefromreset{#1}{section}%
  \edef\@tempa{#2}%
  \ifx\@tempa\@empty
    \def\@tempa{none}%
  \fi
  \def\@tempb{none}%
```

```
\ifx\@tempa\@tempb
  \ifcsname c@chapter\endcsname
    \@chapterlistsgap@off{#1}%
  \fi
  \newfloat@@setwithin{#1}{}{}%
\else
  \def\@tempb{chapter}%
  \ifx\@tempa\@tempb
    \@addtoreset{#1}{chapter}%
    \@chapterlistsgap@on{#1}%
    \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@Sep
  \else
    \def\@tempb{section}%
    \ifx\@tempa\@tempb
      \@addtoreset{#1}{section}%
      \ifcsname c@chapter\endcsname
        \@addtoreset{#1}{chapter}%
        \@chapterlistsgap@on{#1}%
        \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
      \else
        \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection\
      \fi
    \else
      \newfloat@Error{Invalid value `#2' for option `within'}%
    \fi
  \fi
\fi}
```

89 File ntheorem-xetex-bidi.def

```
\ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package f
\gdef\@thm#1#2#3{%
  \if@thmmarks
    \stepcounter{end\InTheoType ctr}%
  \fi
  \renewcommand{\InTheoType}{#1}%
  \if@thmmarks
    \stepcounter{curr#1ctr}%
    \setcounter{end#1ctr}{0}%
  \fi
  \refstepcounter{#2}%
  \theorem@prework
  \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
  \ifvmode \advance\thm@topsepadd\partopsep\fi
  \trivlist
  \@topsep \theorempreskipamount
  \@topsepadd \thm@topsepadd        % used by \@endparenv
  \advance\linewidth -\theorem@indent
  \advance\@totalleftmargin \theorem@indent
\if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
```

```
    \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

90 File ntheorem-hyper-xetex-bidi.def

```
\ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hyp
\gdef\@thm#1#2#3{%
    \if@thmmarks
      \stepcounter{end\InTheoType ctr}%
    \fi
    \renewcommand{\InTheoType}{#1}%
    \if@thmmarks
      \stepcounter{curr#1ctr}%
      \setcounter{end#1ctr}{0}%
    \fi
    \refstepcounter{#2}%
    \thm@topsepadd \theorempostskipamount   % cf. latex.ltx: \@trivlist
    \ifvmode \advance\thm@topsepadd\partopsep\fi
    \trivlist
    \@topsep \theorempreskipamount
    \@topsepadd \thm@topsepadd        % used by \@endparenv
    \advance\linewidth -\theorem@indent
    \advance\@totalleftmargin \theorem@indent
    \if@RTL\parshape \@ne 0pt \linewidth\else  \parshape \@ne \@totalleftmargin \linewidth\fi
    \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}}
```

91 File overpic-xetex-bidi.def

```
\ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package for
\renewenvironment{overpic}[2][]{%
  \sbox{\z@}{\includegraphics[#1]{#2}}%
  \settodepth{\@tempcnta}{\usebox{\z@}}%
  \settoheight{\@tempcntb}{\usebox{\z@}}%
  \advance\@tempcntb\@tempcnta%
  \settowidth{\@tempcnta}{\usebox{\z@}}%
  \setlength{\@tempdima}{\unitlength}%
  \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
%
  \OVP@calc%
%
  \begin{picture}(\@tempcnta,\@tempcntb)%
    \if@RTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}%
    \ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi\fi%
    % reset the graphics parameter
    \let\Gin@outer@scalex\relax
    \let\Gin@outer@scaley\relax
    \let\Gin@angle\relax
    \let\Gin@ewidth\Gin@exclamation
```

```
    \let\Gin@eheight\Gin@ewidth
    \def\Gin@scalex{1}
    \let\Gin@scaley\Gin@exclamation
}{%
    \if@RTL\ifGin@grid%
      \put(0,0){\normalfont\fontsize\@viipt\@viiipt\selectfont%
        \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
    \fi%
    \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
  \end{picture}%
}%
```

92 File pdfbase-xetex-bidi.def

```
\ProvidesFile{pdfbase-xetex-bidi.def}[2020/05/13 v0.3 bidi adaptations for pdfbase package for
\ExplSyntaxOn
\cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
\cs_set_nopar:Npn\@outputpage{
  \int_gincr:N\g_pbs_page_int
  \iow_now:Nx\@mainaux{
    \token_to_str:N\pbs@newkey{pbs@last@page}{\int_use:N\g_pbs_page_int}
  }
  \box_if_vertical:cTF{@outputbox}{
    \bool_set_true:N\l_pbs_is_vertical_bool
  }{
    \bool_set_false:N\l_pbs_is_vertical_bool
  }
  \hbox_set:Nn\@outputbox{
    %begin of page
    \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
    \box_use_drop:N\@outputbox
    %end of page
    \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
  }
  \bool_if:NT\l_pbs_is_vertical_bool{
    \vbox_set:Nn\@outputbox{\box_use_drop:N\@outputbox}
  }
  \pbs_outputpage_orig:
}
\ExplSyntaxOff
```

93 File pdfpages-xetex-bidi.def

```
\ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package f
\renewcommand*{\includepdf}[2][]{%
  \begingroup
  \@RTLfalse
  \let\AM@threadname\relax
  \AM@split@options{pdfpages}{#1}%
  \edef\AM@temp{{pdfpages}{\the\@temptokena}}%
```

```
  \expandafter\setkeys\AM@temp
  \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
    \let\AM@currentdocname\relax
    \renewcommand\includegraphics[2][]{Survey in draft-mode}%
    \def\AM@pagecount{0}%
  }{%
    \AM@findfile{#2}%
    \if\AM@threadname\relax
      \def\AM@threadname{\AM@currentdocname}%
    \fi
  }%
  \ifAM@survey
    \def\AM@pagestemp{}%
    \@tempcnta=0
    \def\foo{%
      \@ifundefined{r@\AM@xrprefix pdfpages@page\the\@tempcnta}%
         {\let\foo\relax}
         {\expandafter\ifx\expandafter\\\AM@pagestemp\\
             \edef\AM@pagestemp{%
                \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
          \else
            \edef\AM@pagestemp{\AM@pagestemp,%
               \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
          \fi
          \advance\@tempcnta 1\relax
         }%
      \foo
    }%
    \foo
    \expandafter\ifx\expandafter\\\AM@pagestemp\\
      \def\AM@pagestemp{1}%
    \fi
  \fi
  \ifAM@output
    \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
    \AM@output{#1}%
  \fi
  \AM@CheckAtEnd
  \endgroup
  \AM@ClearShipoutPicture
}
```

94 File pgfcorescopes.code-xetex-bidi.def

```
\ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pack
\def\pgfpicture{%
  \begingroup%
   \ifmmode\else\@RTLfalse\beginL\fi%
    \pgfpicturetrue%
    \global\advance\pgf@picture@serial@count by1\relax%
```

```
    \edef\pgfpictureid{pgfid\the\pgf@picture@serial@count}%
    \let\pgf@nodecallback=\pgfutil@gobble%
    \pgf@picmaxx=-16000pt\relax%
    \pgf@picminx=16000pt\relax%
    \pgf@picmaxy=-16000pt\relax%
    \pgf@picminy=16000pt\relax%
    \pgf@relevantforpicturesizetrue%
    \pgf@resetpathsizes%
    \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
\def\endpgfpicture{%
              \ifpgfrememberpicturepositiononpage%
                \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
              \fi%
              % ok, now let's position the box
              \ifdim\pgf@picmaxx=-16000pt\relax%
                % empty picture. make size 0.
                \global\pgf@picmaxx=0pt\relax%
                \global\pgf@picminx=0pt\relax%
                \global\pgf@picmaxy=0pt\relax%
                \global\pgf@picminy=0pt\relax%
              \fi%
              % Shift baseline outside:
              \pgf@relevantforpicturesizefalse%
              \pgf@process{\pgf@baseline}%
              \xdef\pgf@shift@baseline{\the\pgf@y}%
              %
              \pgf@process{\pgf@trimleft}%
              \global\advance\pgf@x by-\pgf@picminx
              % prepare \hskip\pgf@trimleft@final.
              % note that \pgf@trimleft@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimleft@final{-\the\pgf@x}%
              %
              \pgf@process{\pgf@trimright}%
              \global\advance\pgf@x by-\pgf@picmaxx
              % prepare \hskip\pgf@trimright@final.
              % note that \pgf@trimright@final is also queried
              % by the pgf image externalization.
              \xdef\pgf@trimright@final{\the\pgf@x}%
        %
        \pgf@remember@layerlist@globally
            \endgroup%
            \hss%
          \egroup%
      \pgf@restore@layerlist@from@global
          \pgf@insertlayers%
        \endgroup%
        \pgfsys@discardpath%
        \endgroup%
      \pgfsys@endscope%
```

```
    \pgfsys@endpicture%
    \endgroup%
    \hss
  \egroup%
  \pgfsys@typesetpicturebox\pgfpic%
  \ifmmode\else\endL\fi%
  \endgroup%
}
```

95 File picinpar-xetex-bidi.def

```
\ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package f
\long\def\@makewincaption#1#2{%
   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
   \ifdim\wd\@tempboxa>\picwd
      {\footnotesize{\bf #1:\enspace}{#2\par}}
   \else
      \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
   \fi}
\def\endwindow{%
    \global\tcd=\tcdsav
    \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext
    \vbadness=10000
    \splittopskip=0pt
%
% Typeset the lines above the window
%
\ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
\tcn=\tcd
\loop\advance\tcn -1
\setbox\fslice=\vsplit\holder to\baselineskip
\prune\fslice\linewidth
\topheight=0pt
\ifnum\dp\fslice>\dp\wstrutbox
       \advance\topheight-\dp\fslice
       \advance\topheight\dp\wstrutbox
       \advance\topheight\ilg\fi
\hbox to\linewidth{\box\fslice}
\vskip-\topheight
\ifdim\ht\holder>0pt\repeat
\fi
%
% Now we build the boxes beside the window
%
\global\topheight=\tcl\baselineskip
\ifnum\cumpartcl>0\global\tcl=\cumtcl
      \global\topheight=\vpic
\fi
\ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
\ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
```

```
\else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
\tcn=\tcl \na=0 \nb=0
\ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
\ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
\ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
\ifnum\na=0\ifnum\nb=0
      \setbox\waslice=\vbox to\vpic{\vss}
      \setbox\wbslice=\vbox to\vpic{\vss}
      \bl=1\br=1
      \vskip\ilg
\fi\fi
%
% both sides
%
\ifnum\na>0 \ifnum\nb>0
\loop\advance\nb -1
\advance\na -1
\if@RTL%
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\else%
\setbox\aslice=\vsplit\holder to\baselineskip
\prune\aslice\lftside
\setbox\waslice=\vbox{\unvbox\waslice\hbox
to\lftside{\box\aslice\hfil}}
\setbox\bslice=\vsplit\holder to\baselineskip
\prune\bslice\rtside
\setbox\wbslice=\vbox{\unvbox\wbslice\hbox
to\rtside{\box\bslice\hfil}}
\fi%
\ifnum\nb>0\repeat
\fi\fi
%
% only text on the left side
%
\ifnum\na>0
    \loop\advance\na -1
    \setbox\aslice=\vsplit\holder to\baselineskip
    \prune\aslice\lftside
    \setbox\waslice=\vbox{\unvbox\waslice\hbox
    to\lftside{\box\aslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
```

```
% only text on the right side
%
\ifnum\nb>0
    \loop\advance\nb -1
    \setbox\bslice=\vsplit\holder to\baselineskip
    \prune\bslice\rtside
    \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
    to\rtside{\box\bslice\hfil}}
    \ifdim\ht\holder>0pt\repeat
\fi
%
% fixing the dimensions of the window part
%
\ifnum\bl=0\topheight=\ht\wbslice
\else\ifnum\br=0\topheight=\ht\waslice
      \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
            \else\topheight=\ht\wbslice\fi\fi\fi
%
% ship out the window material to the main vertical list
%
\ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
\setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}
\fi\fi\fi
\setbox\windowbox=\vbox{\hbox to\linewidth{%
\ifnum\bl>0\box\waslice\hfill\fi%
\vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
\vfill\unvbox\picbox%
\ifnum\picwd>0\vfill\fi%
\vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
\unvbox\windowbox%
\loop
 \setbox\bslice=\vsplit\rawtext to\baselineskip
 \prune\bslice\linewidth
 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
 \unvbox\wbslice
 \ifdim\ht\rawtext>0pt
\repeat
}% FINITO
```

96 File plain-xetex-bidi.def

```
\def\TeXXeTOn{\TeXXeTstate=1 }
\def\TeXXeTOff{\TeXXeTstate=0 }
\TeXXeTOn
\def\usebox#1{\leavevmode\copy #1\relax}
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
```

```
    \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
  \@hboxRconstructtrue
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \@hboxRconstructfalse
  \bgroup
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLfalse
  \bgroup
  \aftergroup\egroup
 }\vbox}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
\def\endRTL{\par}
\def\setRTL{\@RTLtrue\@RTL@footnotetrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
```

```
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
  \dimen@=\dp\@cclv \unvbox\@cclv % open up \box255
  \ifvoid\footins\else % footnote info is present
    \vskip\skip\footins
    \footnoterule
    \unvbox\footins\fi
  \ifr@ggedbottom \kern-\dimen@ \vfil \fi
  \ifvoid\@bidi@copyins@
  \else
    \vskip\skip\@bidi@copyins@
    \unvbox\@bidi@copyins@
  \fi
}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
  \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\let\setRL=\setRTL
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\let\bidi@saved@eqno=\eqno
\let\bidi@saved@leqno=\leqno
\def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
\def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
\def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
\def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
```

97 File pstricks-xetex-bidi.def

```
\ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package f
\def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
\def\endpspicture{%
  \ifshowgrid\ifnum\showgridp@s>0
    \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
```

```
  \pst@killglue
%  \global\pst@shift=\pst@shift% in fact of the following endgroup
  \endgroup
  \egroup
  \ifdim\wd\pst@hbox=\z@\else
    %\@pstrickserr{Extraneous space in the pspicture environment}%
    %{Type \space <return> \space to proceed.}%
  \fi
  \ht\pst@hbox=\pst@dimd
  \dp\pst@hbox=-\pst@dimb
  \setbox\pst@hbox=\hbox{%
    \kern-\pst@dima
% Orig version ----------
%\ifx\pst@tempa\@empty\else
%\advance\pst@dimd-\pst@dimb
%\pst@dimd=\pst@tempa\pst@dimd
%\advance\pst@dimd\pst@dimb
%\lower\pst@dimd
%\fi
%----- end Orig
    \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}%     shift=*
      \advance\pst@dimd-\pst@dimb
      \pst@dimd=0.5\pst@dimd
    \else\pst@dimd-\pst@shift\fi
    \advance\pst@dimd\pst@dimb
    \lower\pst@dimd
    \box\pst@hbox
    \kern\pst@dimc}%
  \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
  \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
  \fboxsep=0pt
  \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
  \ifmmode\else\endL\fi
  \endgroup%
  \psset[pstricks]{shift=0}% reset value
}
```

98 File quotchap-xetex-bidi.def

```
\ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package f
\renewcommand{\qauthor}[1]{%
  \par\smallskip
  {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qquad\hbox{}\par}\bigskip}
\renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
  {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
      {\chapnumfont
        \ifnum \c@secnumdepth >\m@ne%
        \if@mainmatter\thechapter%
        \fi\fi
        \par\nobreak}%
```

```
      {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10e
    \nobreak\chapterheadendvskip}}
\renewcommand*{\@iprintcites}{%
  \vbox to\z@{\leavevmode\copy\@quotebox\vss}
  \global\let\@printcites\relax}
```

99 File ragged2e-xetex-bidi.def

```
\ProvidesFile{ragged2e-xetex-bidi.def}[2018/10/17 v0.3 bidi adaptations for ragged2e package f
\renewcommand{\Centering}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
   \@rightskip\CenteringRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\CenteringParfillskip
   \parindent\CenteringParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\RaggedLeft}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\RaggedLeftLeftskip
   \@rightskip\RaggedLeftRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\RaggedLeftParfillskip
   \parindent\RaggedLeftParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\RaggedRight}{%
   \ifx\\\@raggedtwoe@savedcr
      \let\\\@centercr
   \fi
   \let\@gnewline\@raggedtwoe@gnewline
   \if@RTL\rightskip\else\leftskip\fi\RaggedRightLeftskip
   \@rightskip\RaggedRightRightskip
   \if@RTL\leftskip\else\rightskip\fi\@rightskip
   \parfillskip\RaggedRightParfillskip
   \parindent\RaggedRightParindent
   \@raggedtwoe@spaceskiptrue
   \@raggedtwoe@everyselectfont
   }
\renewcommand{\justifying}{%
   \let\\\@raggedtwoe@savedcr
```

```
    \let\@gnewline\@raggedtwoe@saved@gnewline
    \if@RTL\rightskip\else\leftskip\fi\z@
    \@rightskip\z@
    \if@RTL\leftskip\else\rightskip\fi\@rightskip
    \parfillskip\JustifyingParfillskip
    \parindent\JustifyingParindent
    \@raggedtwoe@spaceskipfalse
    \@raggedtwoe@everyselectfont
    }
\def\@raggedtwoe@raggedrightboxes@opt{%
  \renewcommand{\@arrayparboxrestore}{%
    \let\if@nobreak\iffalse
    \let\if@noskipsec\iffalse
    \let\par\@@par
    \let\-\@dischyph
    \let\'\@acci\let\`\@accii\let\=\@acciii
    \parskip\z@skip
    \everypar{}%
    \linewidth\hsize
    \@totalleftmargin\z@
    \if@RTL
      \RaggedLeft
    \else
      \RaggedRight
    \fi
    \lineskip\normallineskip
    \baselineskip\normalbaselineskip
    \sloppy}%
  \let\@raggedtwoe@raggedrightboxes@opt\relax
  }
\def\@raggedtwoe@document@opt{%
  \AtBeginDocument{\@raggedtwoe@abdhook}%
  \@raggedtwoe@raggedrightboxes@opt
  \@raggedtwoe@footmisctrue
  \let\@raggedtwoe@document@opt\relax
  }
\def\@raggedtwoe@abdhook{%
  \PackageInfo{ragged2e}{ABD: executing `\string\RaggedLeft' for
    right to left documents and `\string\RaggedRight' for left
    to right documents}%
  \if@RTL
    \RaggedLeft
  \else
    \RaggedRight
  \fi
  \@ifundefined{@tocrmarg}{}{\edef\@tocrmarg{\@tocrmarg plus 2em}}%
  \let\@raggedtwoe@abdhook\relax
  }
\@ifpackagewith{ragged2e}{raggedrightboxes}{%
  \@raggedtwoe@raggedrightboxes@opt
```

```
}{}
\@ifpackagewith{ragged2e}{document}{%
  \@raggedtwoe@document@opt
}{}
\let\origin@RaggedLeft=\RaggedLeft
\let\origin@RaggedRight=\RaggedRight
\def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
\def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}
```

100 File rapport1-xetex-bidi.def

```
\ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class fo
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\@regtocline[3]{%
```

```
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
```

```
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
```

```
16148     \let\right@footnoterule\relax
16149     \let\left@footnoterule\relax
16150     \let\textwidth@footnoterule\relax
16151     \let \footnote \thanks
16152     \long\def\@makefntext##1{\parindent\z@
16153          \def\labelitemi{\textendash}\@revlabeltrue
16154          \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
16155     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16156     \if@compatibility\setcounter{page}{0}\fi
16157     \null\vfil
16158     \vskip 60\p@
16159     \begin{center}%
16160       \TitleFont
16161       {\LARGE \def\\{\penalty -\@M}
16162         \if@allcaps
16163           \expandafter\uc@nothanks\@title\thanks\relax
16164         \else
16165           \@title
16166         \fi\par}%
16167       \vskip 3em%
16168       {\large
16169         \lineskip .75em \parindent\z@
16170         \begin{tabular}[t]{c}%
16171           \if@allcaps
16172             \expandafter\uc@authornothanks\@author\and\relax
16173           \else
16174             \@author
16175           \fi
16176         \end{tabular}\par}%
16177       \vskip 1.5em%
16178       {\large
16179         \if@allcaps
16180           \uppercase\expandafter{\@date}%
16181         \else
16182           \@date
16183         \fi\par}%
16184       \end{center}\par
16185     \@thanks
16186     \vfil\null
16187   \end{titlepage}%
16188   \setcounter{footnote}{0}%
16189   \global\let\thanks\relax
16190   \global\let\maketitle\relax
16191   \global\let\@thanks\@empty
16192   \global\let\@author\@empty
16193   \global\let\@title\@empty
16194   \global\let\@date\@empty
16195   \global\let\title\relax
16196   \global\let\author\relax
16197   \global\let\date\relax
```

```
16198   \global\let\and\relax
16199 }
16200 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
16201 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
16202     \futurelet\@tempa\uc@ax}
16203 \def\uc@ax{%
16204   \ifx\@tempa\relax
16205   \else
16206     \\ \andname \\ \expandafter\uc@authornothanks
16207   \fi}
16208 \def\uc@tx{\ifx\@tempa\relax
16209     \else \expandafter\uc@ty \fi}
16210 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
16211 \else
16212 \renewcommand*\maketitle{\par
16213   \begingroup
16214     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16215     \def\@makefnmark{\rlap{%
16216       \@textsuperscript{\normalfont\@thefnmark}}}%
16217     \long\def\@makefntext{\@xmakefntext{%
16218       \@textsuperscript{\normalfont\@thefnmark}}}%
16219     \if@twocolumn
16220       \ifnum \col@number=\@ne
16221         \@maketitle
16222       \else
16223         \twocolumn[\@maketitle]%
16224       \fi
16225     \else
16226       \newpage
16227       \global\@topnum\z@
16228       \@maketitle
16229     \fi
16230     \thispagestyle{plain}\@thanks
16231   \endgroup
16232   \setcounter{footnote}{0}%
16233   \global\let\thanks\relax
16234   \global\let\maketitle\relax
16235   \global\let\@maketitle\relax
16236   \global\let\@thanks\@empty
16237   \global\let\@author\@empty
16238   \global\let\@title\@empty
16239   \global\let\@date\@empty
16240   \global\let\title\relax
16241   \global\let\author\relax
16242   \global\let\date\relax
16243   \global\let\and\relax
16244   }
16245 \def\@maketitle{%
16246   \newpage
16247   \null
```

```
  \vskip 2em%
  \begin{center}%
    \let \footnote \thanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
```

101 File rapport3-xetex-bidi.def

```
\ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class for
\renewenvironment{theindex}{%
  \if@twocolumn
    \@restonecolfalse
  \else
    \@restonecoltrue
  \fi
  \columnseprule \z@
  \columnsep 35\p@
  \twocolumn[\@makeschapterhead{\indexname}]%
  \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
  \thispagestyle{plain}\parindent\z@
  \parskip\z@ \@plus .3\p@\relax
  \let\item\@idxitem
  }{%
  \if@restonecol\onecolumn\else\clearpage\fi}
\if@titlepage
\renewcommand*\TitleFont{\rmfamily}
\renewcommand*\maketitle{%
  \begin{titlepage}%
    \let\footnotesize\small
    \let\right@footnoterule\relax
    \let\left@footnoterule\relax
    \let\textwidth@footnoterule\relax
    \let \footnote \thanks
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    \long\def\@makefntext##1{\parindent\z@
         \def\labelitemi{\textendash}\@revlabeltrue
         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
```

```
    \if@compatibility\setcounter{page}{0}\fi
    \null\vfil
    \vskip 60\p@
    \begin{center}%
      \TitleFont
      {\LARGE \def\\{\penalty -\@M}
        \if@allcaps
          \expandafter\uc@nothanks\@title\thanks\relax
        \else
          \@title
        \fi\par}%
      \vskip 3em%
      {\large
        \lineskip .75em \parindent\z@
        \begin{tabular}[t]{c}%
          \if@allcaps
            \expandafter\uc@authornothanks\@author\and\relax
          \else
            \@author
          \fi
        \end{tabular}\par}%
      \vskip 1.5em%
      {\large
        \if@allcaps
          \uppercase\expandafter{\@date}%
        \else
          \@date
        \fi\par}%
    \end{center}\par
    \@thanks
    \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
\def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
    \futurelet\@tempa\uc@ax}
\def\uc@ax{%
```

```
  \ifx\@tempa\relax
  \else
    \\ \andname \\ \expandafter\uc@authornothanks
  \fi}
\def\uc@tx{\ifx\@tempa\relax
    \else \expandafter\uc@ty \fi}
\def\uc@ty#1{\thanks{#1}\uc@nothanks}
\else
\renewcommand*\maketitle{\par
  \begingroup
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark{\rlap{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext{\@xmakefntext{%
      \@textsuperscript{\normalfont\@thefnmark}}}%
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@title\@empty
  \global\let\@date\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
\if@titlecentered
  \begin{center}%
    \let \footnote \thanks
```

```
    \let \LTRfootnote \LTRthanks
    \let \RTLfootnote \RTLthanks
    {\LARGE \TitleFont \@title \par}%
    \vskip 1.5em%
    {\large \TitleFont
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \TitleFont \@date}%
  \end{center}%
 \else
     {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
     {\large \TitleFont \lineskip .5em \tabcolsep\z@
              \def\and{%%% \begin{tabular} has already started
                       \end{tabular}\hskip 1em plus .17fil
                       \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}%% \end{tabula
              \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\pa
     \vskip 1em {\large \TitleFont \@date}
 \fi
  \par
  \vskip 1.5em}
\fi
\renewcommand*\@regtocline[3]{%
  \ifnum #1>\c@tocdepth
  \else
    \vskip\z@\@plus.2\p@
    {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
     \if@RTL\rightskip\else\leftskip\fi\unitindent
     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
     \parfillskip\z@
     \@tempdima\unitindent
     \parindent\z@
     \leavevmode
     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
     \hskip 1em \nobreak{\slshape #3}\par
     }%
  \fi}
\if@oldtoc
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \setlength\@tempdima{3em}%
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
        \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
```

```
        \nobreak
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\else
   \renewcommand*\l@part{%
     \ifnum \c@tocdepth >-2\relax
     \addpenalty{-\@highpenalty}%
     \addvspace{2.25em \@plus \p@}%
     \@regtocline{0}%
   \fi}
\fi
\if@oldtoc
\renewcommand*\l@chapter[2]{%
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup}
\else
  \renewcommand*\l@chapter{\@regtocline{0}}
\fi
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
\if@titlepage
  \renewenvironment{abstract}{%
      \titlepage
      \null\vfil
      \section*{\SectFont\abstractname}%
      \noindent\ignorespaces}
     {\par\vfil\null\endtitlepage}
\else
  \renewenvironment{abstract}{%
      \if@twocolumn
        \section*{\abstractname}%
      \else
        \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
        \section*{\small\SectFont\abstractname}%
        \noindent\ignorespaces
      \fi}
```

```
      {\if@twocolumn\else\par\egroup\fi}
\fi
\renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
\renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
\renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewcommand*\thefigure{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
\renewcommand*\thetable{%
  \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
\renewcommand*\theequation{%
  \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
       \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
      \sloppy\clubpenalty4000\widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hrule\@width\unitindent
  \kern.4\baselineskip
}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \kern.5\baselineskip
  \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
  \kern.4\baselineskip}
\renewcommand*\head@style{%
    \interlinepenalty \@M
    \hyphenpenalty=\@M \exhyphenpenalty=\@M
    \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
```

102 File refrep-xetex-bidi.def

```
\ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for XeT
```

```
\if@titlepage
  \renewcommand\maketitle{\begin{titlepage}%
  \let\footnotesize\small
  \let\right@footnoterule\relax
  \let\left@footnoterule\relax
  \let\textwidth@footnoterule\relax
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
  \def\@makefnmark%
      {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
  \long\def\@makefntext##1{%
       \@setpar{\@@par
          \@tempdima = \hsize
          \advance\@tempdima -1em
          \parshape \@ne 1em \@tempdima}%
       \par\parindent 1em \noindent
       \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
  \null\vfil
  \vskip 60\p@
  \begin{center}%
    {\LARGE \@title \par}%
    \vskip 3em%
    {\large
     \lineskip .75em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
      \vskip 1.5em%
    {\large \@date \par}%       % Set date in \large size.
  \end{center}\par
  \@thanks
  \vfil\null
  \end{titlepage}%
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
  }
\else
```

```
\renewcommand\maketitle{\par
  \begingroup
    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
    \def\@makefnmark%
        {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
    \long\def\@makefntext##1{%
       \@setpar{\@@par
          \@tempdima = \hsize
          \advance\@tempdima -1em
          \parshape \@ne 1em \@tempdima}%
       \par\parindent 1em \noindent
       \hb@xt@\z@{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
    \if@twocolumn
      \ifnum \col@number=\@ne
        \@maketitle
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{empty}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
\global\let\thanks\relax
\global\let\LTRthanks\relax
\global\let\RTLthanks\relax
\global\let\maketitle\relax
\global\let\@maketitle\relax
\global\let\@thanks\@empty
\global\let\@author\@empty
\global\let\@date\@empty
\global\let\@title\@empty
\global\let\title\relax
\global\let\author\relax
\global\let\date\relax
\global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \longthickrule\vskip1.5em%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
  {\secshape \parskip\z@ \parindent\z@
  \Large\bfseries \@title \par}%
  \vskip1.5em\longthickrule\vskip1.5em%
```

```
    {\normalsize
      \lineskip .5em%
      \begin{flushright}%
        {\slshape\@author\par}
        \vskip 1em%
        {\@date}%
      \end{flushright}\par}%
    \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
      \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
    \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
    \parfillskip -\@pnumwidth
    \leavevmode \bfseries
    \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
    \hskip -\if@RTL\rightskip\else\leftskip\fi
    #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
    \penalty\@highpenalty
   \endgroup
  \fi}
\renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
                       \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
                       \hyphenpenalty=2000}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
```

```
{\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand\thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand\thetable%
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand\thesection       {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection    {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph     {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph  {\theparagraph\@SepMark\@arabic\c@subparagraph}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname
         \@mkboth{\bibname}{\bibname}}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
            \sloppy
            \clubpenalty4000
            \@clubpenalty \clubpenalty
            \widowpenalty4000%
      \sfcode`\.=\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

103 File report-xetex-bidi.def

```
\ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report clas
\renewenvironment{theindex}
               {\if@twocolumn
                  \@restonecolfalse
                \else
                  \@restonecoltrue
                \fi
                \columnseprule \z@
                \columnsep 35\p@
                \twocolumn[\@makeschapterhead{\indexname}]%
                \@mkboth{\MakeUppercase\indexname}%
                        {\MakeUppercase\indexname}%
                \thispagestyle{plain}\parindent\z@
                \parskip\z@ \@plus .3\p@\relax
                \let\item\@idxitem}
               {\if@restonecol\onecolumn\else\clearpage\fi}
```

```
16739  \if@titlepage
16740  \renewcommand\maketitle{\begin{titlepage}%
16741  \let\footnotesize\small
16742  \let\right@footnoterule\relax
16743  \let\left@footnoterule\relax
16744  \let\textwidth@footnoterule\relax
16745  \let \footnote \thanks
16746  \let \LTRfootnote \LTRthanks
16747  \let \RTLfootnote \RTLthanks
16748  \null\vfil
16749  \vskip 60\p@
16750  \begin{center}%
16751    {\LARGE \@title \par}%
16752    \vskip 3em%
16753    {\large
16754     \lineskip .75em%
16755      \begin{tabular}[t]{c}%
16756        \@author
16757      \end{tabular}\par}%
16758      \vskip 1.5em%
16759    {\large \@date \par}%       % Set date in \large size.
16760  \end{center}\par
16761  \@thanks
16762  \vfil\null
16763  \end{titlepage}%
16764  \setcounter{footnote}{0}%
16765  \global\let\thanks\relax
16766  \global\let\LTRthanks\relax
16767  \global\let\RTLthanks\relax
16768  \global\let\maketitle\relax
16769  \global\let\@thanks\@empty
16770  \global\let\@author\@empty
16771  \global\let\@date\@empty
16772  \global\let\@title\@empty
16773  \global\let\title\relax
16774  \global\let\author\relax
16775  \global\let\date\relax
16776  \global\let\and\relax
16777 }
16778 \else
16779 \renewcommand\maketitle{\par
16780  \begingroup
16781    \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16782    \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16783    \long\def\@makefntext##1{\parindent 1em\noindent
16784            \hb@xt@1.8em{%
16785                \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
16786    \if@twocolumn
16787      \ifnum \col@number=\@ne
16788        \@maketitle
```

```
      \else
        \twocolumn[\@maketitle]%
      \fi
    \else
      \newpage
      \global\@topnum\z@   % Prevents figures from going at top of page.
      \@maketitle
    \fi
    \thispagestyle{plain}\@thanks
  \endgroup
  \setcounter{footnote}{0}%
  \global\let\thanks\relax
  \global\let\LTRthanks\relax
  \global\let\RTLthanks\relax
  \global\let\maketitle\relax
  \global\let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\title\relax
  \global\let\author\relax
  \global\let\date\relax
  \global\let\and\relax
}
\def\@maketitle{%
  \newpage
  \null
  \vskip 2em%
  \begin{center}%
  \let \footnote \thanks
  \let \LTRfootnote \LTRthanks
  \let \RTLfootnote \RTLthanks
    {\LARGE \@title \par}%
    \vskip 1.5em%
    {\large
      \lineskip .5em%
      \begin{tabular}[t]{c}%
        \@author
      \end{tabular}\par}%
    \vskip 1em%
    {\large \@date}%
  \end{center}%
  \par
  \vskip 1.5em}
\fi
\renewcommand*\l@part[2]{%
  \ifnum \c@tocdepth >-2\relax
    \addpenalty{-\@highpenalty}%
    \addvspace{2.25em \@plus\p@}%
```

```
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      {\leavevmode
       \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
       \nobreak
         \global\@nobreaktrue
         \everypar{\global\@nobreakfalse\everypar{}}%
    \endgroup
  \fi}
\renewcommand*\l@chapter[2]{%
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}%
    \vskip 1.0em \@plus\p@
    \setlength\@tempdima{1.5em}%
    \begingroup
      \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode \bfseries
      \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
      \hskip -\if@RTL\rightskip\else\leftskip\fi
      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
      \penalty\@highpenalty
    \endgroup
  \fi}
\renewcommand\left@footnoterule{%
  \kern-3\p@
  \hrule\@width.4\columnwidth
  \kern2.6\p@}
\renewcommand\right@footnoterule{%
  \kern-3\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand\theequation
  {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
\renewcommand \thefigure
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
\renewcommand \thetable
     {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
\renewcommand \thechapter {\@arabic\c@chapter}
\renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
\renewcommand\thesubsection   {\thesection\@SepMark\@arabic\c@subsection}
\renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
\renewcommand\theparagraph    {\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
\def\@makechapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
    \ifnum \c@secnumdepth >\m@ne
```

```
        \huge\bfseries \@chapapp\space \thechapter
        \par\nobreak
        \vskip 20\p@
    \fi
    \interlinepenalty\@M
    \Huge \bfseries #1\par\nobreak
    \vskip 40\p@
  }}
\def\@makeschapterhead#1{%
  \vspace*{50\p@}%
  {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
    \normalfont
    \interlinepenalty\@M
    \Huge \bfseries  #1\par\nobreak
    \vskip 40\p@
  }}
\renewenvironment{thebibliography}[1]
     {\chapter*{\bibname}%
      \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
      \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
      \bidi@@thebibliography@font@hook%
      \list{\@biblabel{\@arabic\c@enumiv}}%
           {\settowidth\labelwidth{\@biblabel{#1}}%
            \leftmargin\labelwidth
            \advance\leftmargin\labelsep
            \@openbib@code
            \usecounter{enumiv}%
            \let\p@enumiv\@empty
            \renewcommand\theenumiv{\@arabic\c@enumiv}}%
      \sloppy
      \clubpenalty4000
      \@clubpenalty \clubpenalty
      \widowpenalty4000%
      \sfcode`\.\@m}
     {\def\@noitemerr
       {\@latex@warning{Empty `thebibliography' environment}}%
      \endlist}
```

104 File rotating-xetex-bidi.def

```
\ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package f
\def\end@rotfloat{%
   \end{minipage}\end{lrbox}%
   \stepcounter{r@tfl@t}%
   \rot@label{RF\ther@tfl@t}%
   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
   \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
   \rot@mess@toks\expandafter{\@tempa}
   \wd\rot@float@box\z@
   \ht\rot@float@box\z@
```

```
16936   \dp\rot@float@box\z@
16937   \vboxL to \textheight{%
16938    \setkeys{Grot}{units=360}%
16939    \if@rot@twoside
16940    \else
16941      \let\R@@page\rot@LR
16942    \fi
16943    \ifthenelse{\isodd{\R@@page}}{%
16944      \if@rot@twoside
16945        \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16946      \fi
16947      \vfill
16948      \@@line{%
16949        \hskip\rotFPtop
16950        \rotatebox{90}{\box\rot@float@box}%
16951        \hskip\rotFPbot
16952      }%
16953    }{%
16954      \if@rot@twoside
16955        \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16956      \fi
16957      \@@line{%
16958        \hskip\rotFPbot
16959        \rotatebox{-90}{\box\rot@float@box}%
16960        \hskip\rotFPtop
16961      }%
16962      \vfill
16963    }%
16964    \rot@message{\the\rot@mess@toks}
16965  }%
16966  \end@float
16967 }
16968 \let\endsidewaysfigure\end@rotfloat
16969 \let\endsidewaystable\end@rotfloat
16970 \def\end@rotdblfloat{%
16971   \end{minipage}\end{lrbox}%
16972   \stepcounter{r@tfl@t}%
16973   \rot@label{RF\ther@tfl@t}%
16974   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16975   \edef\@tempa{Adding sideways \@captype\space on page \R@@page\space}
16976   \rot@mess@toks\expandafter{\@tempa}
16977   \@tempdima\ht\rot@float@box
16978   \advance\@tempdima by \dp\rot@float@box
16979   \wd\rot@float@box\z@
16980   \ht\rot@float@box\z@
16981   \dp\rot@float@box\z@
16982   \vboxL to \textheight{%
16983     \setkeys{Grot}{units=360}%
16984     \if@rot@twoside
16985     \else
```

```
      \let\R@@page\rot@LR
    \fi
    \ifthenelse{\isodd{\R@@page}}{%
      \ifrot@messages
        \if@rot@twoside
  \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
\fi
      \fi
      \vfill
      \@@line{%
        \hskip\rotFPtop
        \rotatebox{90}{\box\rot@float@box}%
        \hskip\rotFPbot
      }%
    }{%
      \ifrot@messages
        \if@rot@twoside
  \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
\fi
      \fi%
      \@@line{%
        \hskip\rotFPbot
        \rotatebox{-90}{\box\rot@float@box}%
        \hskip\rotFPtop
      }%
      \vfill
    }%
    \rot@message{\the\rot@mess@toks}%
  }%
  \end@dblfloat
}
\def\turn#1{%
  \Grot@setangle{#1}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endturn{%
  \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\rotate#1{%
  \Grot@setangle{#1}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endrotate{%
 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \wd0\z@\dp0\z@\ht0\z@
```

```
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\turnbox#1#2{%
  \Grot@setangle{#1}%
  \setbox\z@\hbox{{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi
  \Grot@x\z@\Grot@y\z@
  \wd0\z@\dp0\z@\ht0\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
\def\sideways{%
  \Grot@setangle{90}%
  \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
\def\endsideways{%
 \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
  \unskip\color@endbox
  \Grot@x\z@
  \Grot@y\z@
  \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
}
```

105 File scrartcl-xetex-bidi.def

```
\ProvidesFile{scrartcl-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrartcl class fo
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
```

```
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\lea
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
        \thispagestyle{empty}%
      \fi
```

```
17133       \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17134       \ifx\@titlehead\@empty \else
17135         \begin{minipage}[t]{\textwidth}%
17136         \@titlehead
17137         \end{minipage}\par
17138       \fi
17139       \null\vfill
17140       \begin{center}
17141         \ifx\@subject\@empty \else
17142           {\subject@font \@subject \par}%
17143           \vskip 3em
17144         \fi
17145         {\titlefont\huge \@title\par}%
17146         \vskip 1em
17147         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17148         \vskip 2em
17149         {\Large \lineskip 0.75em
17150           \begin{tabular}[t]{c}
17151             \@author
17152           \end{tabular}\par
17153         }%
17154         \vskip 1.5em
17155         {\Large \@date \par}%
17156         \vskip \z@ \@plus3fill
17157         {\Large \@publishers \par}%
17158         \vskip 3em
17159       \end{center}\par
17160       \@thanks
17161       \vfill\null
17162       \if@twoside\next@tpage
17163         \begin{minipage}[t]{\textwidth}
17164           \@uppertitleback
17165         \end{minipage}\par
17166         \vfill
17167         \begin{minipage}[b]{\textwidth}
17168           \@lowertitleback
17169         \end{minipage}
17170       \fi
17171       \ifx\@dedication\@empty \else
17172         \next@tpage\null\vfill
17173         {\centering \Large \@dedication \par}%
17174         \vskip \z@ \@plus3fill
17175         \if@twoside \next@tpage\cleardoubleemptypage \fi
17176       \fi
17177     \end{titlepage}
17178   \else
17179     \par
17180     \@tempcnta=%
17181     #1%
17182     \relax\ifnum\@tempcnta=1\else
```

```
      \ClassWarning{\KOMAClassName}{%
        Optional argument of \string\maketitle\space ignored
        at\MessageBreak
        notitlepage-mode%
      }%
    \fi
    \begingroup
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
```

```
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
```

```
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \bib@heading
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \noindent\bibpreamble\par\nobreak
    \fi\fi
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
```

```
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
```

```
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
    \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
```

```
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
```

```
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@sectionentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  % F^^fcr die Eintr^^e4ge die Schrift von Element sectionentry verwenden.
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
  \expandafter\renewcommand%
```

```
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{sec
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{subsection}
\TOCEntryStyleStartInitCode{subsection}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{subsection}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\z@,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=0pt,%
  tocnumwidth=1.5em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=subsection,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=subsection,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
```

```
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=subsection,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=subsection,%
  tocindent=10em,%
  tocnumwidth=5em%
]{subparagraph}
```

106 File scrbook-xetex-bidi.def

```
\ProvidesFile{scrbook-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrbook class for X
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
```

```
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\lea
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
      \ifx\@extratitle\@empty \else
        \noindent\@extratitle\next@tpage\cleardoubleemptypage
```

```
      \thispagestyle{empty}%
    \fi
    \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
    \ifx\@titlehead\@empty \else
      \begin{minipage}[t]{\textwidth}%
      \@titlehead
      \end{minipage}\par
    \fi
    \null\vfill
    \begin{center}
      \ifx\@subject\@empty \else
        {\subject@font \@subject \par}%
        \vskip 3em
      \fi
      {\titlefont\huge \@title\par}%
      \vskip 1em
      {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
      \vskip 2em
      {\Large \lineskip 0.75em
        \begin{tabular}[t]{c}
          \@author
        \end{tabular}\par
      }%
      \vskip 1.5em
      {\Large \@date \par}%
      \vskip \z@ \@plus3fill
      {\Large \@publishers \par}%
      \vskip 3em
    \end{center}\par
    \@thanks
    \vfill\null
    \if@twoside\next@tpage
      \begin{minipage}[t]{\textwidth}
        \@uppertitleback
      \end{minipage}\par
      \vfill
      \begin{minipage}[b]{\textwidth}
        \@lowertitleback
      \end{minipage}
    \fi
    \ifx\@dedication\@empty \else
      \next@tpage\null\vfill
      {\centering \Large \@dedication \par}%
      \vskip \z@ \@plus3fill
      \if@twoside \next@tpage\cleardoubleemptypage \fi
    \fi
  \end{titlepage}
\else
  \par
  \@tempcnta=%
```

```
    #1%
    \relax\ifnum\@tempcnta=1\else
      \ClassWarning{\KOMAClassName}{%
        Optional argument of \string\maketitle\space ignored
        at\MessageBreak
        notitlepage-mode%
      }%
    \fi
    \begingroup
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
```

```
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
```

```
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*\thesection{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@table
}
\renewcommand*\theequation{%
  \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
    \if@mainmatter\thechapter\@SepMark\fi
  \else
  \thechapter\@SepMark%
  \fi
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
```

```
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
   \bidi@@thebibliography@font@hook%
  \list{%
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
```

```
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
    \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
```

```
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
```

```
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
  }{}%
  \if@komalongtable
    \renewcommand{\LT@makecaption}[3]{%
      \noalign{%
        \if@captionabove
          \vskip\belowcaptionskip
        \else
          \vskip\abovecaptionskip
        \fi
      }%
      \LT@mcol\LT@cols c{%
        \hbox to\z@{\hss\parbox[t]\linewidth{%
            \@@makecaption{#1}{#2}{#3}%
            \endgraf
            \if@captionabove
              \vskip\abovecaptionskip
            \else
              \vskip\belowcaptionskip
            \fi
          }%
          \hss
        }%
      }%
    }%
    \renewcommand*{\scr@LT@array}{}%
    \let\scr@LT@array=\LT@array
    \renewcommand*{\LT@array}{%
      \let\scr@caption=\LT@caption
      \def\captionabove{\noalign{\global\@captionabovetrue}%
        \scr@caption}%
      \def\captionbelow{\noalign{\global\@captionabovefalse}%
        \scr@caption}%
      \if@tablecaptionabove
        \let\LT@caption=\captionabove
      \else
        \let\LT@caption=\captionbelow
      \fi
      \scr@LT@array
    }%
```

```
    \ClassInfo{\KOMAClassName}{%
      longtable captions redefined%
    }%
  \fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{chapter}
\TOCEntryStyleStartInitCode{chapter}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@chapterentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{section}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\m@ne,%
  pagestyle=plain,%
```

```
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=chapter,%
  level=\z@,%
  pagestyle=plain,%
  tocstyle=chapter,%
  tocindent=\z@,%
  tocnumwidth=1.5em%
]{chapter}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
```

```
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
  tocnumwidth=6em%
]{subparagraph}


```

107 File scrlettr-xetex-bidi.def

```
\ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class for
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \edef\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
    \fi
    \par
    \parindent #3\noindent
    \hbox to \z@{\hss\@@makefnmark}##1}
  \def\@@makefnmark{\hbox{#4}}
}
\deffootnote[1em]{1.5em}{1em}
  {\textsuperscript{\thefootnotemark}}
\def\left@footnoterule{\kern-1\p@
 \hrule width 0.4\columnwidth
 \kern .6\p@}
\def\right@footnoterule{%
  \kern-1\p@
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern .6\p@}
\def\@datefield{\@reffalse
 \ifx\varyourref\@empty \else \@reftrue \fi
```

```
\ifx\varyourmail\@empty \else \@reftrue \fi
\ifx\varmyref\@empty \else \@reftrue \fi
\ifx\varcustomer\@empty \else \@reftrue \fi
\ifx\varinvoice\@empty \else \@reftrue \fi
\ifx\varrefitemi\@empty \else \@reftrue \fi
\ifx\varrefitemii\@empty \else \@reftrue \fi
\ifx\varrefitemiii\@empty \else \@reftrue \fi
\vskip -\parskip
\vskip \refvskip
\if@ref
 \ifx\varyourref\@empty \else
  \settowidth{\sc@temp}{\varyourref}
  \setbox0\hbox{\scriptsize \sf \yourrefname}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourref}\hfill
 \fi
 \ifx\varyourmail\@empty \else
  \settowidth{\sc@temp}{\varyourmail}
  \setbox0\hbox{\scriptsize \sf \yourmailname}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varyourmail}\hfill
 \fi
 \ifx\varmyref\@empty \else
  \settowidth{\sc@temp}{\varmyref}
  \setbox0\hbox{\scriptsize \sf \myrefname}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varmyref}\hfill
 \fi
 \ifx\varcustomer\@empty \else
  \settowidth{\sc@temp}{\varcustomer}
  \setbox0\hbox{\scriptsize \sf \customername}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varcustomer}\hfill
 \fi
 \ifx\varinvoice\@empty \else
  \settowidth{\sc@temp}{\varinvoice}
  \setbox0\hbox{\scriptsize \sf \invoicename}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varinvoice}\hfill
 \fi
 \ifx\varrefitemi\@empty \else
  \settowidth{\sc@temp}{\varrefitemi}
  \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
  \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemi}\hfill
 \fi
 \ifx\varrefitemii\@empty \else
  \settowidth{\sc@temp}{\varrefitemii}
  \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
  \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
```

```
    \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemii}\hfill
  \fi
  \ifx\varrefitemiii\@empty \else
    \settowidth{\sc@temp}{\varrefitemiii}
    \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
    \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
    \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemiii}\hfill
  \fi
  \ifx\@date\@empty \else
    \settowidth{\sc@temp}{\@date}
    \setbox0\hbox{\scriptsize \sf \datename}
    \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
    \parbox[t]{\sc@@temp}{\noindent \box0\par \@date}
  \fi
  \par
  \vspace{2.5\baselineskip}
 \else
  {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
  \vspace{1.5\baselineskip}
 \fi}
\long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by
 -\sigindent \hspace{\sigindent}%
 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\\[\presig@ski
 \fromsig\strut}\par
 \vspace{1.5\baselineskip}}
```

108 File scrreprt-xetex-bidi.def

```
\ProvidesFile{scrreprt-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrreprt class for
\newcommand{\scr@saved@LTRfootnotetext}{}
\newcommand{\scr@saved@RTLfootnotetext}{}
\let\scr@saved@footnotetext\@footnotetext
\let\scr@saved@LTRfootnotetext\@LTRfootnotetext
\let\scr@saved@RTLfootnotetext\@RTLfootnotetext
\renewcommand{\@footnotetext}[1]{%
  \scr@saved@footnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@LTRfootnotetext}[1]{%
  \scr@saved@LTRfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand{\@RTLfootnotetext}[1]{%
  \scr@saved@RTLfootnotetext{#1}%
  \csname FN@mf@prepare\endcsname
}
\renewcommand\deffootnote[4][]{%
  \long\def\@makefntext##1{%
    \setlength{\@tempdimc}{#3}%
```

```
    \def\@tempa{#1}\ifx\@tempa\@empty
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#2}%
        \if@RTL\parshape \@ne 0pt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
    \else
      \addtolength{\@tempdimc}{#2}%
      \addtolength{\@tempdimc}{-#1}%
      \@setpar{\@@par
        \@tempdima = \hsize
        \addtolength{\@tempdima}{-#1}%
        \@tempdimb = \hsize
        \addtolength{\@tempdimb}{-#2}%
        \if@RTL\parshape \tw@ 0pt \@tempdima 0pt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
      }%
    \fi
    \par
    \parindent\@tempdimc\noindent
    \ftn@font\hbox to \z@{\hss\@@makefnmark}##1%
  }%
  \def\@@makefnmark{\hbox{\ftnm@font{#4}}}%
}
\deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
\renewcommand*\left@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
  \kern 2.6\p@}
\renewcommand*\right@footnoterule{%
  \normalsize\ftn@rule@test@values
  \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  {\usekomafont{footnoterule}{%
      \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax  \leavevmode\lea
  \kern 2.6\p@}
\renewcommand*\maketitle[1][1]{%
  \if@titlepage
    \begin{titlepage}
      \setcounter{page}{%
        #1%
      }%
      \let\footnotesize\small
      \let\right@footnoterule\relax
      \let\left@footnoterule\relax
      \let\textwidth@footnoterule\relax
      \let\footnote\thanks
      \let\LTRfootnote\LTRthanks
      \let\RTLfootnote\RTLthanks
```

```
    \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
    \let\@oldmakefnmark\@makefnmark
    \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
    \ifx\@extratitle\@empty \else
      \noindent\@extratitle\next@tpage\cleardoubleemptypage
      \thispagestyle{empty}%
    \fi
    \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
    \ifx\@titlehead\@empty \else
      \begin{minipage}[t]{\textwidth}%
      \@titlehead
      \end{minipage}\par
    \fi
    \null\vfill
    \begin{center}
      \ifx\@subject\@empty \else
        {\subject@font \@subject \par}%
        \vskip 3em
      \fi
      {\titlefont\huge \@title\par}%
      \vskip 1em
      {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
      \vskip 2em
      {\Large \lineskip 0.75em
        \begin{tabular}[t]{c}
          \@author
        \end{tabular}\par
      }%
      \vskip 1.5em
      {\Large \@date \par}%
      \vskip \z@ \@plus3fill
      {\Large \@publishers \par}%
      \vskip 3em
    \end{center}\par
    \@thanks
    \vfill\null
    \if@twoside\next@tpage
      \begin{minipage}[t]{\textwidth}
        \@uppertitleback
      \end{minipage}\par
      \vfill
      \begin{minipage}[b]{\textwidth}
        \@lowertitleback
      \end{minipage}
    \fi
    \ifx\@dedication\@empty \else
      \next@tpage\null\vfill
      {\centering \Large \@dedication \par}%
      \vskip \z@ \@plus3fill
      \if@twoside \next@tpage\cleardoubleemptypage \fi
```

```
      \fi
    \end{titlepage}
  \else
    \par
    \@tempcnta=%
    #1%
    \relax\ifnum\@tempcnta=1\else
      \ClassWarning{\KOMAClassName}{%
        Optional argument of \string\maketitle\space ignored
        at\MessageBreak
        notitlepage-mode%
      }%
    \fi
    \begingroup
      \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
      \let\@oldmakefnmark\@makefnmark
      \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}
      \if@twocolumn
        \ifnum \col@number=\@ne
          \@maketitle
        \else
          \twocolumn[\@maketitle]%
        \fi
      \else
        \newpage
        \global\@topnum\z@
        \@maketitle
      \fi
      \thispagestyle{\titlepagestyle}\@thanks
    \endgroup
  \fi
  \setcounter{footnote}{0}%
  \let\thanks\relax
  \let\LTRthanks\relax
  \let\RTLthanks\relax
  \let\maketitle\relax
  \let\@maketitle\relax
  \global\let\@thanks\@empty
  \global\let\@author\@empty
  \global\let\@date\@empty
  \global\let\@title\@empty
  \global\let\@subtitle\@empty
  \global\let\@extratitle\@empty
  \global\let\@titlehead\@empty
  \global\let\@subject\@empty
  \global\let\@publishers\@empty
  \global\let\@uppertitleback\@empty
  \global\let\@lowertitleback\@empty
  \global\let\@dedication\@empty
  \global\let\author\relax
```

```
  \global\let\title\relax
  \global\let\extratitle\relax
  \global\let\titlehead\relax
  \global\let\subject\relax
  \global\let\publishers\relax
  \global\let\uppertitleback\relax
  \global\let\lowertitleback\relax
  \global\let\dedication\relax
  \global\let\date\relax
  \global\let\and\relax
}%
\renewcommand*{\@maketitle}{%
  \clearpage
  \let\footnote\thanks
  \let\LTRfootnote\LTRthanks
  \let\RTLfootnote\RTLthanks
  \ifx\@extratitle\@empty \else
    \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
  \fi
  \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
  \ifx\@titlehead\@empty \else
    \begin{minipage}[t]{\textwidth}
      \@titlehead
    \end{minipage}\par
  \fi
  \null
  \vskip 2em%
  \begin{center}%
    \ifx\@subject\@empty \else
      {\subject@font \@subject \par}
      \vskip 1.5em
    \fi
    {\titlefont\huge \@title \par}%
    \vskip .5em
    {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
    \vskip 1em
    {\Large
      \lineskip .5em%
      \begin{tabular}[t]{c}
        \@author
      \end{tabular}\par
    }%
    \vskip 1em%
    {\Large \@date \par}%
    \vskip \z@ \@plus 1em
    {\Large \@publishers \par}
    \ifx\@dedication\@empty \else
      \vskip 2em
      {\Large \@dedication \par}
    \fi
```

```
  \end{center}%
  \par
  \vskip 2em
}%
\def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
\renewcommand*\thesection{%
  \thechapter\@SepMark%
  \@arabic\c@section
}
\renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
\renewcommand*{\thesubsubsection}{%
  \thesubsection\@SepMark\@arabic\c@subsubsection
}
\renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
\renewcommand*{\thesubparagraph}{%
  \theparagraph\@SepMark\@arabic\c@subparagraph
}
\renewcommand*\thefigure{%
  \thechapter\@SepMark%
  \@arabic\c@figure
}
\renewcommand*\thetable{%
  \thechapter\@SepMark%
  \@arabic\c@table
}
\renewcommand*\theequation{%
  \thechapter\@SepMark%
  \@arabic\c@equation
}
\renewenvironment{thebibliography}[1]{%
  \if@bib@break@
    \bib@beginhook
  \else
    \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
        \setchapterpreamble{\bibpreamble}%
    \fi\fi
    \bib@heading
    \bib@beginhook
    \bib@before@hook
  \fi
  \renewcommand{\BreakBibliography}[1]{%
    \@bib@break
    \end{thebibliography}%
    \begingroup ##1\endgroup
    \begin{thebibliography}{#1}
  }%
  \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
  \bidi@@thebibliography@font@hook%
  \list{%
```

```
    \@biblabel{\@arabic\c@enumiv}%
  }{%
    \settowidth\labelwidth{\@biblabel{#1}}%
    \leftmargin\labelwidth
    \advance\leftmargin\labelsep
    \@openbib@code
    \if@bib@break@
      \edef\@tempa{%
        \noexpand\usecounter{enumiv}%
        \noexpand\setcounter{enumiv}{\the\c@enumiv}%
      }\@tempa
      \no@bib@break
    \else
      \usecounter{enumiv}%
    \fi
    \let\p@enumiv\@empty
    \renewcommand*\theenumiv{\@arabic\c@enumiv}%
  }%
  \sloppy\clubpenalty4000 \widowpenalty4000
  \sfcode`\.=\@m
}{%
  \if@bib@break@
    \def\@noitemerr{%
      \@latex@warning{%
        \string\BreakBibliography\space at begin of `thebibliography'
        environment\MessageBreak
        or following \string\BreakBibliography}%
    }%
  \else
    \def\@noitemerr{%
      \@latex@warning{%
        Empty `thebibliography' environment or
        \string\BreakBibliography\MessageBreak
        before end of `thebibliography' environment}%
    }%
  \fi
  \endlist
  \if@bib@break@
  \else
    \bib@after@hook
    \let\bib@before@hook\@empty
    \let\bib@after@hook\@empty
  \fi
  \bib@endhook
}
\renewcommand*\left@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hrule\@width.4\columnwidth
  \kern 2.6\p@}
```

```
\renewcommand*\right@footnoterule{%
  \kern-3\p@
  \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
  \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
  \kern2.6\p@}
\renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
\renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
\renewcommand\marginline[1]{%
  \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\f
}
\renewcommand{\@@makecaption}[3]{%
  \cap@margin
  \ifonelinecaptions
    \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
    \let\scr@tmp@footnotetext=\@footnotetext
    \let\@footnotetext=\@gobble
    \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
    \let\@LTRfootnotetext=\@gobble
    \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
    \let\@RTLfootnotetext=\@gobble
    \sbox\@tempboxa{%
      {\capfont{\strut\ignorespaces
        #1{{\caplabelfont{#2\captionformat}}}%
        #3\unskip\strut}}%
    }%
    \let\@footnotetext=\scr@tmp@footnotetext
    \let\scr@tmp@footnotetext=\undefined
    \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
    \let\scr@tmp@LTRfootnotetext=\undefined
   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
    \let\scr@tmp@RTLfootnotetext=\undefined
    \setcounter{footnote}{\@tempcntb}%
    \setcounter{mpfootnote}{\@tempcnta}%
  \else
    \sbox\@tempboxa{\hspace*{2\cap@width}}%
  \fi
  \begingroup%
    \setlength{\@tempdima}{\cap@width}%
    \ifdim \wd\@tempboxa >\@tempdima
      \hb@xt@\hsize{%
        \setbox\@tempboxa\vbox{\hsize=\cap@width
          \ifdofullc@p
            {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat}}}}}%
              {#3\unskip\strut\par}}}%
          \else%
            \ifdim\cap@indent<\z@
              {\capfont{\strut\ignorespaces
                #1{{\caplabelfont{#2\captionformat\par}}}%
```

```
                \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
            \else%
              \if@capbreak
                {\capfont{\strut\ignorespaces
                  #1{{\caplabelfont{#2\captionformat\par}}}%
                  \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
              \else
                {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
                  {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
                    {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
              \fi
            \fi
          \fi
        }%
        \setlength{\@tempdima}{\ht\@tempboxa}%
        \addtolength{\@tempdima}{\dp\@tempboxa}%
        \addtolength{\@tempdima}{-\ht\strutbox}%
        \ht\@tempboxa\ht\strutbox
        \dp\@tempboxa\@tempdima
        \strut\cap@left
        \box\@tempboxa
        \cap@right\strut
      }%
    \else
      \global \@minipagefalse
      \sbox\@tempboxa{%
        {\capfont{\scr@smashdp{\strut\ignorespaces
          #1{{\caplabelfont{#2\captionformat}}}}%
          #3}}%
      }%
      {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\ca
    \fi
  \endgroup
}
\renewcommand{\@makecaption}[2]{%
  \if@captionabove
    \vskip\belowcaptionskip
  \else
    \vskip\abovecaptionskip
  \fi
  \@@makecaption\@firstofone{#1}{#2}%
  \if@captionabove
    \vskip\abovecaptionskip
  \else
    \vskip\belowcaptionskip
  \fi
}
\bidi@AfterFile{longtable-xetex-bidi.def}{%
  \@ifpackageloaded{caption2}{\@komalongtablefalse
    \scr@caption@before@longtable@warning{caption2}%
```

```
}{}%
\if@komalongtable
  \renewcommand{\LT@makecaption}[3]{%
    \noalign{%
      \if@captionabove
        \vskip\belowcaptionskip
      \else
        \vskip\abovecaptionskip
      \fi
    }%
    \LT@mcol\LT@cols c{%
      \hbox to\z@{\hss\parbox[t]\linewidth{%
          \@@makecaption{#1}{#2}{#3}%
          \endgraf
          \if@captionabove
            \vskip\abovecaptionskip
          \else
            \vskip\belowcaptionskip
          \fi
        }%
        \hss
      }%
    }%
  }%
  \renewcommand*{\scr@LT@array}{}%
  \let\scr@LT@array=\LT@array
  \renewcommand*{\LT@array}{%
    \let\scr@caption=\LT@caption
    \def\captionabove{\noalign{\global\@captionabovetrue}%
      \scr@caption}%
    \def\captionbelow{\noalign{\global\@captionabovefalse}%
      \scr@caption}%
    \if@tablecaptionabove
      \let\LT@caption=\captionabove
    \else
      \let\LT@caption=\captionbelow
    \fi
    \scr@LT@array
  }%
  \ClassInfo{\KOMAClassName}{%
    longtable captions redefined%
  }%
\fi
}

\CloneTOCEntryStyle{tocline}{part}
\TOCEntryStyleStartInitCode{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\hfill}%
  \expandafter\renewcommand%
```

```
  \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{chapter}
\TOCEntryStyleStartInitCode{chapter}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{%
    \if@chapterentrywithdots
      \TOCLineLeaderFill\relax
    \else
      \hfill
    \fi
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
    \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
}

\CloneTOCEntryStyle{tocline}{section}
\TOCEntryStyleStartInitCode{section}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
}

\CloneTOCEntryStyle{section}{default}

\DeclareSectionCommand[%
  style=part,%
  level=\m@ne,%
  pagestyle=plain,%
  tocstyle=part,%
  toclevel=\m@ne,%
  tocindent=\z@,%
  tocnumwidth=2em%
]{part}
\DeclareSectionCommand[%
  style=chapter,%
  level=\z@,%
  pagestyle=plain,%
  tocstyle=chapter,%
  tocindent=\z@,%
```

```
  tocnumwidth=1.5em%
]{chapter}
\DeclareSectionCommand[%
  style=section,%
  level=1,%
  indent=\z@,%
  beforeskip=-3.5ex \@plus -1ex \@minus -.2ex,%
  afterskip=2.3ex \@plus.2ex,%
  tocstyle=section,%
  tocindent=1.5em,%
  tocnumwidth=2.3em%
]{section}
\DeclareSectionCommand[%
  style=section,%
  level=2,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=3.8em,%
  tocnumwidth=3.2em%
]{subsection}
\DeclareSectionCommand[%
  style=section,%
  level=3,%
  indent=\z@,%
  beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
  afterskip=1.5ex \@plus .2ex,%
  tocstyle=section,%
  tocindent=7.0em,%
  tocnumwidth=4.1em%
]{subsubsection}
\DeclareSectionCommand[%
  style=section,%
  level=4,%
  indent=\z@,%
  beforeskip=3.25ex \@plus1ex \@minus.2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=10em,%
  tocnumwidth=5em%
]{paragraph}
\DeclareSectionCommand[%
  style=section,%
  level=5,%
  indent=\scr@parindent,%
  beforeskip=3.25ex \@plus1ex \@minus .2ex,%
  afterskip=-1em,%
  tocstyle=section,%
  tocindent=12em,%
```

```
  tocnumwidth=6em%
]{subparagraph}


```

109 File sidecap-xetex-bidi.def

```
\ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package for
\renewcommand*{\SC@FLOAT}[2]{\if@RTL%
    \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}\else%
\isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}\fi}
  \renewcommand*\SC@justify@caption{\if@RTL%
\isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}
```

110 File soul-xetex-bidi.def

```
\ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTeX
\long\def\SOUL@start#1{{%
   \let\bidi@RTL@everypar\@empty
    \let\<\SOUL@lowerthan
    \let\>\empty
    \def\soulomit{\noexpand\soulomit}%
    \gdef\SOUL@eventuallyexhyphen##1{}%
    \let\SOUL@soeventuallyskip\relax
    \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@@\font
        \@minus\fontdimen4\font
    \SOUL@ignorespacesfalse
    \leavevmode
    \SOUL@preamble
    \SOUL@lasttoken={}%
    \SOUL@word={}%
    \SOUL@minus\z@
    \SOUL@comma\z@
    \SOUL@apo\z@
    \SOUL@grave\z@
    \SOUL@do{#1}%
    \SOUL@postamble
}}
\def\SOUL@ulunderline#1{{%
    \setbox\z@\hbox{#1}%
    \dimen@=\wd\z@
    \dimen@i=\SOUL@uloverlap
    \advance\dimen@2\dimen@i
    \if@RTL
    \unhcopy\z@
    \llap{%
        \null
        \kern-\dimen@i
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
```

```
    }%
    \else
    \rlap{%
        \null
        \kern-\dimen@i
        \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
    }%
    \unhcopy\z@
    \fi
}}
\def\bidi@SOUL@ulleaders{%
    \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\rel
}
\def\SOUL@uleveryspace#1{%
       \if@RTL
       #1%
       \bidi@SOUL@ulleaders
       \hskip\spaceskip
       \else
    \SOUL@ulcolor{%
        #1%
        \SOUL@ulleaders
        \hskip\spaceskip
    }%
    \fi
    \null
}
```

111 File stabular-xetex-bidi.def

```
\ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package f
\def\@stabular{%
   \leavevmode \bgroup \if@RTLtab\beginR \fi
   \let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
\def\endstabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup \if@RTLtab\endR\fi\egroup}
\expandafter \let \csname endstabular*\endcsname = \endstabular
\def\@sarray[#1]#2{%
  \bgroup
  \setbox\@arstrutbox\hbox{%
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
```

```
  \let\tabularnewline\\%
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
  \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
    \@preamble}
```

112 File subfigure-xetex-bidi.def

```
\ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package
\AtBeginDocument{%
\let\p@subfigure=\thefigure
\let\p@subtable=\thetable%
}
```

113 File tabls-xetex-bidi.def

```
\ProvidesFile{tabls-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabls package for XeT
\def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}

\expandafter\let\csname endtabular*\endcsname=\endtabular

\def\endarray{\ifvmode\csname crcr\endcsname % just do \crcr if \\ given
  \else \\[\z@ \global\advance\@arstdepth-\@otarlinesep]%
  \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}

\def\@array[#1]#2{%  remember global variables to allow recursion:
 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
     \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
 \else \let\@tarlinesep\tablinesep \fi
 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
 \let\@seesize\relax \let\@rememsize\relax \@mkpream{#2}%
 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
   \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@@size
   \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
    \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
 \let\protect\noexpand
 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
 \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \cr}%
 \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
 \bgroup \let\par\@empty
 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
 \advance\extrarulesep.5\arrayrulewidth
 \let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
```

```
\@preamble}
```

114 File tabularx-xetex-bidi.def

```
\ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package f
\def\TX@endtabularx{%
   \expandafter\expandafter\expandafter
     \TX@find@endtabularxa\csname end\TX@\endcsname
     \endtabularx\TX@\endtabularx\TX@find@endtabularxa
  \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
  \let\verb\TX@verb
  \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
  \edef\TX@ckpt{\cl@@ckpt}%
  \let\@elt\relax
  \TX@old@table\maxdimen
  \TX@col@width\TX@target
  \global\TX@cols\@ne
  \TX@typeout@
    {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
  \TX@trial{\def\NC@rewrite@X{%
          \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
  \loop
    \TX@arith
    \ifTX@
    \TX@trial{}%
  \repeat
  {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
   \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
   \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
    \csname tabular*\expandafter\endcsname\expandafter\TX@target
      \the\toks@
    \csname endtabular*\endcsname}%
  \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
  \ifnum0=`{\fi}%
   \expandafter\expandafter\expandafter
   \TX@find@endtabularxbb
    \expandafter\end\expandafter{\TX@}%
    \endtabularx\TX@\endtabularx\TX@find@endtabularxb
}

\def\TX@trial#1{%
  \setbox\@tempboxa\hbox{%
    #1\relax
  \let\@footnotetext\TX@trial@ftn
  \let\@LTRfootnotetext\TX@trial@ftn
  \let\@RTLfootnotetext\TX@trial@ftn
  \let\TX@vwarn\@empty
   \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
   \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
   \def\write{\begingroup
```

```
     \def\let{\afterassignment\endgroup\toks@}%
        \afterassignment\let\count@}%
    \hbadness\@M
    \hfuzz\maxdimen
    \let\hbadness\@tempcnta
    \let\hfuzz\@tempdima
    \expandafter\tabular\the\toks@
    \endtabular}%
  \TX@ckpt
  \TX@typeout@{\@spaces
     \expandafter\TX@align
        \the\wd\@tempboxa\space\space\space\space\space\@@
     \expandafter\TX@align
        \the\TX@col@width\space\space\space\space\space\@@
     \@spaces\the\TX@cols}}

\long\def\TX@LTRftntext#1{%
  \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
                     [\the\csname c@\@mpfn\endcsname]}%
  \global\TX@ftn\expandafter{\@tempa{#1}}}%
\long\def\TX@xLTRftntext[#1]#2{%
  \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}

\long\def\TX@RTLftntext#1{%
  \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
                     [\the\csname c@\@mpfn\endcsname]}%
  \global\TX@ftn\expandafter{\@tempa{#1}}}%
\long\def\TX@xRTLftntext[#1]#2{%
  \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}
```

115 File tabulary-xetex-bidi.def

```
\ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package f
\def\@testpach{\@chclass
 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
  \ifnum \@lastchclass=7 5 \else
   \ifnum \@lastchclass=8 \tw@ \else
    \ifnum \@lastchclass=9 \thr@@
   \else \z@
   \ifnum \@lastchclass = 10 \else
   \edef\@nextchar{\expandafter\string\@nextchar}%
   \@chnum
   \if \@nextchar c\z@ \else
    \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
     \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
   \if \@nextchar C7 \else
    \if \@nextchar L8 \else
     \if \@nextchar R9 \else
     \if \@nextchar J10 \else
   \z@ \@chclass
```

```
 \if\@nextchar |\@ne \else
  \if \@nextchar !6 \else
   \if \@nextchar @7 \else
    \if \@nextchar <8 \else
     \if \@nextchar >9 \else
10
\@chnum
\if \@nextchar m\thr@@\else
 \if \@nextchar p4 \else
  \if \@nextchar b5 \else
 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi\fi \fi \fi\fi \fi
   \fi  \fi  \fi  \fi  \fi  \fi \fi \fi \fi \fi \fi}
```

116 File tc-xetex-bidi.def

```
\ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeTe
\def\@cliptoboxdim#1{%
    \setbox#1=\hbox{%
        \Gin@defaultbp\WIDTH{\wd#1}%
        \Gin@defaultbp\DEPTH{\dp#1}%
        \@tempdima\ht#1%
        \advance\@tempdima\dp#1%
        \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
        \beginL\special{pdf:bcontent }%
        \special{%
            pdf:literal direct
                0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
        }%
        \special{pdf:literal direct W }%
        \special{pdf:literal direct n }%
            \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
        \special{pdf:econtent }\endL%
    }%
}
```

117 File tcolorbox-xetex-bidi.def

```
\ProvidesFile{tcolorbox-xetex-bidi.def}[2018/11/11 v0.2 bidi adaptations for tcolorbox package
\let\endtcb@lrbox=\endminipage
\let\endtcb@savebox=\endtcb@lrbox

\bidi@patchcmd{\tcb@vbox}{%
  \let\@footnotetext\@mpfootnotetext%
}{%
  \let\@footnotetext\@mpfootnotetext%
  \let\@LTRfootnotetext\@mpLTRfootnotetext%
  \let\@RTLfootnotetext\@mpRTLfootnotetext%
}{}{}

\bidi@patchcmd{\endtcb@vbox}{%
```

```
    \footnoterule%
}{%
    \bidi@mpfootnoterule%
}{}{}
\bidi@apptocmd\tcb@@icolorbox{%
  \@bidi@list@minipage@parboxfalse
}{}{}
```

118 File titlesec-xetex-bidi.def

```
\ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package f
\renewcommand\filright{%
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\def\ttlh@hang#1#2#3#4#5#6#7#8{%
  \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
  \setlength\leftskip{#6}%
  \setlength\rightskip{#7}%
  \interlinepenalty\@M
  \ttl@changecentercr
  \ttl@beginlongest
  #1{\ifhmode\ttl@hmode@error\fi
     \ttl@glcmds
     \parindent\z@
     \leavevmode
     \begingroup
       \ifttl@label
          \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
          \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
          \llap{\box\z@}%
       \fi
       #4{#8}%
       \kern\z@\strut\@@par
     \endgroup
     \nobreak\ttl@midlongest#5\@@par}%
  \ttl@endlongest}
```

119 File titletoc-xetex-bidi.def

```
\ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package f
\renewcommand\filright{%
  \gdef\ttl@filleft##1{\hskip##1}%
  \gdef\ttl@filright##1{\hfill}%
  \let\\\@centercr
  \advance\rightskip\z@ \@plus 1fil
\parfillskip\z@}
\renewcommand\contentspush[1]{%
```

```
  \sbox\z@{#1}%
  \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
  \aftergroup\ttl@b
  \leavevmode\llap{\box\z@}}
\def\ttl@outnoblock#1#2#3{%
  \begingroup
  \ifnum\ttl@b>\ttl@a
    \nobreak
  \else\ifnum\ttl@b<\ttl@a
    \addpenalty{\@secpenalty}%
  \else
    \addpenalty{\z@}%
  \fi\fi
  \ttl@contentsstretch
  \nobreak
  \ifcase#1\relax\else\interlinepenalty\@M\fi
  \parindent\z@
  \ifx\@nil#2%
    \PackageError{titletoc}{Unimplemented}%
    {The optional argument is currently mandatory}%
  \else
    \if@RTL\setlength\rightskip{#2}\else
    \setlength\leftskip{#2}\fi%
  \fi
  \if@RTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
  \let\contentsmargin\ttl@margin
  \def\ttl@makeline##1{##1}%
  #3%
  \addtolength{\parfillskip}{-\ttl@corr}%
  \if@RTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
  \let\ttl@leaders\leaders}
\renewcommand\ttl@margin[2][\z@]{%
  \def\ttl@corr{#1}%
  \advance\if@RTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
  \advance\if@RTL\leftskip\else\rightskip\fi#2\relax
  \def\@pnumwidth{#2}}
\let\ttl@savel@part\l@part
\def\l@part{\ttl@lselect{part}}

\let\ttl@savel@chapter\l@chapter
\def\l@chapter{\ttl@lselect{chapter}}
```

120 File tocbibind-xetex-bidi.def

```
\ProvidesFile{tocbibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind package
\if@dotocbib
  \@ifpackageloaded{natbib}{}{% natbib not loaded
    \renewcommand{\bibsection}{\t@cb@bchapsec}
    \renewenvironment{thebibliography}[1]{%
      \bibsection
```

```
      \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}}
  \renewenvironment{thebibitemlist}[1]{
    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
    \bidi@@thebibliography@font@hook%
    \list{\@biblabel{\@arabic\c@enumiv}}%
         {\settowidth\labelwidth{\@biblabel{#1}}%
          \leftmargin\labelwidth
          \advance\leftmargin\labelsep
          \@openbib@code
          \usecounter{enumiv}%
          \let\p@enumiv\@empty
          \renewcommand\theenumiv{\@arabic\c@enumiv}}%
    \sloppy
    \clubpenalty4000
    \@clubpenalty \clubpenalty
    \widowpenalty4000%
    \sfcode`\.\@m}
   {\def\@noitemerr
     {\@latex@warning{Empty `thebibliography' environment}}%
     \endlist}

  \@ifpackagewith{chapterbib}{sectionbib}%
    {\renewcommand{\sectionbib}[2]{}}%
    {}

\fi
\if@inltxdoc\else
  \renewenvironment{theindex}%
    {\if@twocolumn
       \@restonecolfalse
     \else
       \@restonecoltrue
     \fi
     \if@bibchapter
        \if@donumindex
          \refstepcounter{chapter}
          \twocolumn[\vspace*{2\topskip}%
                     \@makechapterhead{\indexname}]%
          \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
          \chaptermark{\indexname}
        \else
          \if@dotocind
            \twocolumn[\vspace*{2\topskip}%
                       \@makeschapterhead{\indexname}]%
            \prw@mkboth{\indexname}
            \addcontentsline{toc}{chapter}{\indexname}
          \else
            \twocolumn[\vspace*{2\topskip}%
                       \@makeschapterhead{\indexname}]%
            \prw@mkboth{\indexname}
```

```
          \fi
        \fi
      \else
        \if@donumindex
          \twocolumn[\vspace*{-1.5\topskip}%
                     \@nameuse{\@tocextra}{\indexname}]%
          \csname \@tocextra mark\endcsname{\indexname}
        \else
          \if@dotocind
            \twocolumn[\vspace*{-1.5\topskip}%
                       \toc@headstar{\@tocextra}{\indexname}]%
            \prw@mkboth{\indexname}
            \addcontentsline{toc}{\@tocextra}{\indexname}
          \else
            \twocolumn[\vspace*{-1.5\topskip}%
                       \toc@headstar{\@tocextra}{\indexname}]%
            \prw@mkboth{\indexname}
          \fi
        \fi
      \fi
   \thispagestyle{plain}\parindent\z@
   \parskip\z@ \@plus .3\p@\relax
   \let\item\@idxitem}
   {\if@restonecol\onecolumn\else\clearpage\fi}
\fi
```

121 File tocloft-xetex-bidi.def

```
\ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for
\let\cftdot\@SepMark
\if@cfthaspart
\renewcommand*{\l@part}[2]{
  \@cftdopartfalse
  \ifnum \c@tocdepth >-2\relax
    \if@cfthaschapter
      \@cftdoparttrue
    \fi
    \ifnum \c@tocdepth >\m@ne
      \if@cfthaschapter\else
        \@cftdoparttrue
      \fi
    \fi
  \fi
  \if@cftdopart
    \if@cfthaschapter
      \addpenalty{-\@highpenalty}
    \else
      \addpenalty\@secpenalty
    \fi
    \addvspace{\cftbeforepartskip}
```

```
    \begingroup
      {\if@RTL\rightskip\else\leftskip\fi \cftpartindent\relax
       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
       \parindent \cftpartindent\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima \cftpartnumwidth\relax
       \let\@cftbsnum \cftpartpresnum
       \let\@cftasnum \cftpartaftersnum
       \let\@cftasnumb \cftpartaftersnumb
       \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
       {\cftpartfont \cftpartpresnum #1}
       \cftpartfillnum{#2}}
      \nobreak
      \if@cfthaschapter
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}
      \else
        \if@compatibility
          \global\@nobreaktrue
          \everypar{\global\@nobreakfalse\everypar{}}
        \fi
      \fi
    \endgroup
  \fi}
\fi
\if@cfthaschapter
\renewcommand*{\l@chapter}[2]{
  \ifnum \c@tocdepth >\m@ne
    \addpenalty{-\@highpenalty}
    \vskip \cftbeforechapskip
    {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftchapindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftchapnumwidth\relax
     \let\@cftbsnum \cftchappresnum
     \let\@cftasnum \cftchapaftersnum
     \let\@cftasnumb \cftchapaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftchapfont #1}\nobreak
     \cftchapfillnum{#2}}
  \fi}
\fi
\renewcommand*{\l@section}[2]{%
  \ifnum \c@tocdepth >\z@
    \if@cfthaschapter
```

```
      \vskip \cftbeforesecskip
    \else
      \addpenalty\@secpenalty
      \addvspace{\cftbeforesecskip}
    \fi
    {\if@RTL\rightskip\else\leftskip\fi \cftsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsecindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsecnumwidth\relax
     \let\@cftbsnum \cftsecpresnum
     \let\@cftasnum \cftsecaftersnum
     \let\@cftasnumb \cftsecaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftsecfont #1}\nobreak
     \cftsecfillnum{#2}}
  \fi}
\renewcommand*{\l@subsection}[2]{%
  \ifnum \c@tocdepth >\@ne
    \vskip \cftbeforesubsecskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubsecindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubsecnumwidth\relax
     \let\@cftbsnum \cftsubsecpresnum
     \let\@cftasnum \cftsubsecaftersnum
     \let\@cftasnumb \cftsubsecaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftsubsecfont #1}\nobreak
     \cftsubsecfillnum{#2}}
  \fi}
\renewcommand*{\l@subsubsection}[2]{%
  \ifnum \c@tocdepth >\tw@
    \vskip \cftbeforesubsubsecskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubsubsecindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubsubsecindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubsubsecnumwidth\relax
     \let\@cftbsnum \cftsubsubsecpresnum
     \let\@cftasnum \cftsubsubsecaftersnum
     \let\@cftasnumb \cftsubsubsecaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
```

```
    {\cftsubsubsecfont #1}\nobreak
    \cftsubsubsecfillnum{#2}}
  \fi}
\renewcommand*{\l@paragraph}[2]{%
  \ifnum \c@tocdepth >3\relax
    \vskip \cftbeforeparaskip
    {\if@RTL\rightskip\else\leftskip\fi \cftparaindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftparaindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftparanumwidth\relax
     \let\@cftbsnum \cftparapresnum
     \let\@cftasnum \cftparaaftersnum
     \let\@cftasnumb \cftparaaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftparafont #1}\nobreak
     \cftparafillnum{#2}}
  \fi}
\renewcommand*{\l@subparagraph}[2]{%
  \ifnum \c@tocdepth >4\relax
    \vskip \cftbeforesubparaskip
    {\if@RTL\rightskip\else\leftskip\fi \cftsubparaindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftsubparaindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftsubparanumwidth\relax
     \let\@cftbsnum \cftsubparapresnum
     \let\@cftasnum \cftsubparaaftersnum
     \let\@cftasnumb \cftsubparaaftersnumb
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {\cftsubparafont #1}\nobreak
     \cftsubparafillnum{#2}}
  \fi}
\renewcommand*{\l@figure}[2]{%
  \ifnum \c@lofdepth >\z@
    \vskip \cftbeforefigskip
    {\if@RTL\rightskip\else\leftskip\fi \cftfigindent\relax
     \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parfillskip -\if@RTL\leftskip\else\rightskip\fi
     \parindent \cftfigindent\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima \cftfignumwidth\relax
     \let\@cftbsnum \cftfigpresnum
     \let\@cftasnum \cftfigaftersnum
     \let\@cftasnumb \cftfigaftersnumb
```

```
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
    {\cftfigfont #1}\nobreak
    \cftfigfillnum{#2}}
  \fi
 }
\renewcommand*{\l@table}[2]{%
 \ifnum\c@lotdepth >\z@
   \vskip \cftbeforetabskip
   {\if@RTL\rightskip\else\leftskip\fi \cfttabindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cfttabindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cfttabnumwidth\relax
    \let\@cftbsnum \cfttabpresnum
    \let\@cftasnum \cfttabaftersnum
    \let\@cftasnumb \cfttabaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
    {\cfttabfont #1}\nobreak
    \cfttabfillnum{#2}}
  \fi
 }
\renewcommand{\@cftl@subfig}{
\renewcommand*{\l@subfigure}[2]{%
 \ifnum \c@lofdepth > \toclevel@subfigure
   \vskip \cftbeforesubfigskip
   {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
    \parindent \cftsubfigindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftsubfignumwidth\relax
    \let\@cftbsnum \cftsubfigpresnum
    \let\@cftasnum \cftsubfigaftersnum
    \let\@cftasnumb \cftsubfigaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
    {\cftsubfigfont ##1}\nobreak
    \cftsubfigfillnum{##2}}
 \fi
 }
}
\renewcommand{\@cftl@subtab}{
\renewcommand*{\l@subtable}[2]{%
 \ifnum \c@lotdepth > \toclevel@subtable
   \vskip \cftbeforesubtabskip
   {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
    \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
    \parfillskip -\if@RTL\leftskip\else\rightskip\fi
```

```
    \parindent \cftsubtabindent\relax\@afterindenttrue
    \interlinepenalty\@M
    \leavevmode
    \@tempdima \cftsubtabnumwidth\relax
    \let\@cftbsnum \cftsubtabpresnum
    \let\@cftasnum \cftsubtabaftersnum
    \let\@cftasnumb \cftsubtabaftersnumb
    \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
    {\cftsubtabfont ##1}\nobreak
    \cftsubtabfillnum{##2}}
  \fi
  }
}
\renewcommand{\newlistentry}[4][\@empty]{%
  \@ifundefined{c@#2}{%    check & set the counter
    \ifx \@empty#1\relax
      \newcounter{#2}
    \else
      \@ifundefined{c@#1}{\PackageWarning{tocloft}%
                          {#1 has no counter for use as a `within'}
        \newcounter{#2}}%
      {\newcounter{#2}[#1]%
       \expandafter\edef\csname the#2\endcsname{%
         \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}}
    \fi
    \setcounter{#2}{0}
  }
  {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}

  \@namedef{l@#2}##1##2{%
    \ifnum \@nameuse{c@#3depth} > #4\relax
      \vskip \@nameuse{cftbefore#2skip}
      {\if@RTL\rightskip\else\leftskip\fi \@nameuse{cft#2indent}\relax
       \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
       \parfillskip -\if@RTL\leftskip\else\rightskip\fi
       \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
       \interlinepenalty\@M
       \leavevmode
       \@tempdima \@nameuse{cft#2numwidth}\relax
       \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
       \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
       \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\if@RTL\right
       {\@nameuse{cft#2font}##1}\nobreak
       \@nameuse{cft#2fillnum}{##2}}
    \fi
  }  % end of \l@#2

  \expandafter\newlength\csname cftbefore#2skip\endcsname
    \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
```

```
  \expandafter\newlength\csname cft#2indent\endcsname
  \expandafter\newlength\csname cft#2numwidth\endcsname
  \ifcase #4\relax  % 0
    \setlength{\@nameuse{cft#2indent}}{0em}
    \setlength{\@nameuse{cft#2numwidth}}{1.5em}
  \or               % 1
    \setlength{\@nameuse{cft#2indent}}{1.5em}
    \setlength{\@nameuse{cft#2numwidth}}{2.3em}
  \or               % 2
    \setlength{\@nameuse{cft#2indent}}{3.8em}
    \setlength{\@nameuse{cft#2numwidth}}{3.2em}
  \or               % 3
    \setlength{\@nameuse{cft#2indent}}{7.0em}
    \setlength{\@nameuse{cft#2numwidth}}{4.1em}
  \else             % anything else
    \setlength{\@nameuse{cft#2indent}}{10.0em}
    \setlength{\@nameuse{cft#2numwidth}}{5.0em}
  \fi
  \@namedef{cft#2font}{\normalfont}
  \@namedef{cft#2presnum}{}
  \@namedef{cft#2aftersnum}{}
  \@namedef{cft#2aftersnumb}{}
  \@namedef{cft#2dotsep}{\cftdotsep}
  \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}
  \@namedef{cft#2pagefont}{\normalfont}
  \@namedef{cft#2afterpnum}{}
  \@namedef{toclevel@#2}{#4}
  \@namedef{cft#2fillnum}##1{%
    {\@nameuse{cft#2leader}}\nobreak
    \hb@xt@\@pnumwidth{\hfil\@nameuse{cft#2pagefont}##1}\@nameuse{cft#2afterpnum}\par}
} % end \newlistentry
\renewcommand{\cftchapterprecistoc}[1]{\addtocontents{toc}{%
  {\if@RTL\rightskip\else\leftskip\fi \cftchapindent\relax
   \advance\if@RTL\righskip\else\leftskip\fi \cftchapnumwidth\relax
   \if@RTL\leftskip\else\rightskip\fi \@tocrmarg\relax
   \textit{#1}\protect\par}}}
```

122 File tocbasic-xetex-bidi.def

```
\ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for tocbasic package f
\bidi@undef\scr@dte@def@l@undottedtocline
\bidi@undef\scr@dte@undottedtocline@init
\DeclareTOCEntryStyle{undottedtocline}[{%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
  \DefineTOCEntryLengthOption{numwidth}%
    {scr@tso@}{@numwidth}{entry number width}%
  \@ifundefined{#1tocdepth}{%
    \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
      \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
```

```
      \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
        \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
          \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
            \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
              \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                  \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                    \expandafter\let\csname #1tocdepth\expandafter\endcsname
                    \csname #1numdepth\endcsname
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@indent}{%
    \@ifundefined{scr@#1@tocindent}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
          \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
              \scr@ifundefinedorrelax{l@chapter}{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{3.8em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{7em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{10em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }{%
                \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{7.0em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
```

```
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{12em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }{%
    \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
  }%
}{}%
\@ifundefined{scr@tso@#1@numwidth}{%
  \@ifundefined{scr@#1@tocnumwidth}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
          \scr@ifundefinedorrelax{chapter}{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.2em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{4.1em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5m}%
                    }{%
                    }%
                  }%
                }%
              }%
            }%
          }{%
            \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
              \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                \ifstr{#1}{subsubsection}{%
                  \@namedef{scr@tso@#1@numwidth}{3.1em}%
                }{%
                  \ifstr{#1}{paragraph}{%
                    \@namedef{scr@tso@#1@numwidth}{5em}%
                  }{%
                    \ifstr{#1}{subparagraph}{%
```

```
                        \@namedef{scr@tso@#1@numwidth}{6em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }{%
      \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
    }%
  }{}%
}]{%
  \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
    \ifnum \@nameuse{#1tocdepth}<\@ne
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{1.0em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
        \vskip 1.0em \@plus\p@
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{1.0em \@plus\p@}%
    \fi
    \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
    \begingroup
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \bfseries
      \advance\bidi@leftskip\@tempdima
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
      \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
      ##1%
      \nobreak
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \penalty\@highpenalty
    \endgroup
  \fi
}

\bidi@undef\scr@dte@def@l@largetocline
\bidi@undef\scr@dte@largetocline@init
\DeclareTOCEntryStyle{largetocline}[{%
```

```
\DefineTOCEntryLengthOption{indent}%
  {scr@tso@}{@indent}{entry indent}%
\@ifundefined{#1tocdepth}{%
  \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
    \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
      \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
        \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
          \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
            \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
              \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                  \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                    \expandafter\let\csname #1tocdepth\expandafter\endcsname
                    \csname #1numdepth\endcsname
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }%
}{}%
\@ifundefined{scr@tso@#1@indent}{%
  \@ifundefined{scr@#1@tocindent}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \scr@ifundefinedorrelax{l@chapter}{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{3.8em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{7em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
```

```
                    \ifstr{#1}{subsubsection}{%
                      \@namedef{scr@tso@#1@indent}{7.0em}%
                    }{%
                      \ifstr{#1}{paragraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                        \ifstr{#1}{subparagraph}{%
                          \@namedef{scr@tso@#1@indent}{12em}%
                        }{%
                        }%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }{%
        \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
      }%
    }{}%
}]{%
  \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
    \ifnum \@nameuse{#1tocdepth}<\@ne
      \scr@ifundefinedorrelax{chapter}{%
        \addpenalty\@secpenalty
        \addvspace{2.25em \@plus\p@}%
      }{%
        \addpenalty{-\@highpenalty}%
        \addvspace{2.25em \@plus\p@}%
      }%
    \else
      \addpenalty\@secpenalty
      \addvspace{2.25em \@plus\p@}%
    \fi
    \setlength\@tempdima{3em}%
    \begingroup
      \parindent \z@ \bidi@rightskip \@pnumwidth
      \parfillskip -\@pnumwidth
      \leavevmode
      \large
      \bfseries
      \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
      ##1%
      \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
      \par
      \nobreak
      \ifnum 0=
```

```
        \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
        \global\@nobreaktrue
        \everypar{\global\@nobreakfalse\everypar{}}%
      \fi
    \endgroup
  \fi
}

\renewcommand*{\scr@dte@tocline}[3]{%
  \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
  \else
    \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
    \addvspace{\@nameuse{scr@tso@#1@beforeskip}}\relax
    {%
      \bidi@leftskip \@nameuse{scr@tso@#1@indent}\relax
      \bidi@rightskip \@tocrmarg
      \parfillskip -\bidi@rightskip
      \@nameuse{Ifscr@tso@#1@raggedpage}{%
        \addtolength{\parfillskip}{\z@ \@plus 1fil}%
      }{}%
      \parindent \@nameuse{scr@tso@#1@indent}\relax
      \@afterindenttrue
      \interlinepenalty\@M
      \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
        \addtolength\bidi@rightskip\@flushglue
      \else
        \def\reserved@a{\raggedright}%
        \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
          \addtolength\bidi@rightskip\@flushglue
        \else
          \renewcommand\reserved@a{\raggedright}%
          \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
            \addtolength\bidi@rightskip\@flushglue
          \fi
        \fi
      \fi
      \leavevmode
      \@tempdima \@nameuse{scr@tso@#1@numwidth}\relax
      \@nameuse{Ifscr@tso@#1@dynnumwidth}{%
        \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{}{%
          \ifdim \@nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
            \@tempdima\@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
          \fi
        }%
      }{}%
      \advance\bidi@leftskip \@tempdima
      \null\nobreak\hskip -\bidi@leftskip
      {%
        \usetocbasicnumberline
        \let\scr@dte@numberline@box\numberline@box
```

```
      \def\numberline@box##1{%
        \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}{##1}}%
        \global\scr@dte@tocline@numberwidth
        \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
        \ifdim \scr@dte@tocline@numberwidth
              >\@nameuse{scr@dte@#1@maxnumwidth}\relax
          \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
        \fi
        \@nameuse{Ifscr@tso@#1@dynnumwidth}{}{%
          \ifdim \scr@dte@tocline@numberwidth
                >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
                          +\@nameuse{scr@tso@#1@numsep}\relax
            \PackageWarning{tocbasic%
            }{%
              number width of #1 toc entries should be
              increased!\MessageBreak
              Currently used number width =
              \the\wd\scr@dte@tocline@numbox,\MessageBreak
              Wanted number separation
              \space\space\space =
              \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
              Reserved number width \space\space\space\space\space\space =
              \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
            }%
          \fi
        }%
        \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
        \@nameuse{Ifscr@tso@#1@breakafternumber}{%
          {\parfillskip\@flushglue\par}\nobreak\hskip-\bidi@leftskip
        }{}%
      }%
      \@nameuse{scr@tso@#1@entryformat}{%
        #2%
        \nobreak
        {%
          \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
          \nobreak
          \@nameuse{scr@tso@#1@pagenumberbox}{%
            \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
          }%
        }%
        \@par
      }%
    }%
  }%
  \tocbasic@SetPenaltyByTOCLevel{#1}%
 \fi
}

\bidi@undef\scr@dte@def@l@tocline
```

```
\bidi@undef\scr@dte@tocline@init
\DeclareTOCEntryStyle{tocline}[{%
  \DefineTOCEntryLengthOption{beforeskip}%
    {scr@tso@}{@beforeskip}{vertical skip before the entry}%
  \DefineTOCEntryIfOption{breakafternumber}%
    {scr@tso@}{@breakafternumber}{line break after number flag}%
  \DefineTOCEntryIfOption{dynnumwidth}%
    {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
  \DefineTOCEntryCommandOption{entryformat}%
    {scr@tso@}{@entryformat}[1]{entry format}%
  \DefineTOCEntryCommandOption{entrynumberformat}%
    {scr@tso@}{@numberformat}[1]{entry number format}%
  \DefineTOCEntryCommandOption{linefill}[\TOCLineLeaderFill]%
    {scr@tso@}{@linefill}{filling between text and page number}%
  \DefineTOCEntryLengthOption{numsep}%
    {scr@tso@}{@numsep}{entry number separation}%
  \DefineTOCEntryCommandOption{onstarthigherlevel}%
    {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
  \DefineTOCEntryCommandOption{onstartlowerlevel}%
    {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
  \DefineTOCEntryCommandOption{onstartsamelevel}%
    {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%
  \DefineTOCEntryCommandOption{pagenumberbox}%
    {scr@tso@}{@pagenumberbox}[1]{page number box}%
  \DefineTOCEntryCommandOption{pagenumberformat}%
    {scr@tso@}{@pagenumberformat}[1]{page number format}%
  \DefineTOCEntryOption{raggedentrytext}[true]{%
    \FamilySetBool{KOMAarg}{raggedentrytext}{@tempswa}{##1}%
    \ifx\FamilyKeyState\FamilyKeyStateProcessed
      \if@tempswa
        \expandafter\let\csname ragged\scr@dte@current entry\endcsname
        \raggedright
      \else
        \expandafter\let\csname ragged\scr@dte@current entry\endcsname
        \relax
      \fi
    \fi
  }%
  \DefineTOCEntryIfOption{raggedpagenumber}%
    {scr@tso@}{@raggedpage}{page number ragged flag}%
  \DefineTOCEntryLengthOption{indent}%
    {scr@tso@}{@indent}{entry indent}%
  \DefineTOCEntryLengthOption{numwidth}%
    {scr@tso@}{@numwidth}{entry number width}%
  \scr@ifundefinedorrelax{#1tocdepth}{%
    \ifstrstart{#1}{sub}{%
      \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{}{%
        \expandafter\edef\csname #1tocdepth\endcsname{%
          \the\numexpr \noexpand\@nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
        }%
```

```
    }%
  }{}%
}{}%
\@ifundefined{#1tocdepth}{%
  \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
    \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
      \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
        \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
          \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
            \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
              \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
                \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
                  \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
                    \expandafter\let\csname #1tocdepth\expandafter\endcsname
                    \csname #1numdepth\endcsname
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
  }%
}{}%
\scr@ifundefinedorrelax{scr@tso@#1@indent}{%
  \@ifundefined{scr@#1@tocindent}{%
    \ifstrstart{#1}{sub}{%
      \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
        \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
            \relax
          }%
        }%
      }{%
        \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
            \relax
          }%
        }{%
          \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
                      +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
            \relax
          }%
        }%
      }%
    }{}%
```

```
  }{%
    \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
  }%
}{}%
\@ifundefined{scr@tso@#1@indent}{%
    \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
      \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
        \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
            \scr@ifundefinedorrelax{l@chapter}{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{3.8em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{7em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{10em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@indent}{7.0em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@indent}{10em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@indent}{12em}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }%
          }%
        }%
      }%
    }%
}{}%
\scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
```

```
    \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
      \ifstrstart{#1}{sub}{%
        \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}{%
          \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
            \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
                      +.9em%
            \relax
          }%
        }%
      }{}%
    }{%
      \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
    }%
  }{}%
  \@ifundefined{scr@tso@#1@numwidth}{%
      \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
        \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
          \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
            \scr@ifundefinedorrelax{chapter}{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@numwidth}{3.2em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@numwidth}{4.1em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@numwidth}{5m}%
                      }{%
                      }%
                    }%
                  }%
                }%
              }%
            }{%
              \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
                \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
                  \ifstr{#1}{subsubsection}{%
                    \@namedef{scr@tso@#1@numwidth}{3.1em}%
                  }{%
                    \ifstr{#1}{paragraph}{%
                      \@namedef{scr@tso@#1@numwidth}{5em}%
                    }{%
                      \ifstr{#1}{subparagraph}{%
                        \@namedef{scr@tso@#1@numwidth}{6em}%
                      }{%
                      }%
                    }%
                  }%
```

```
              }%
            }%
          }%
        }%
      }%
    }%
}{}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
\expandafter\renewcommand%
\csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
\@ifundefined{scr@tso@#1@beforeskip}{%
  \ifstr{#1}{part}{%
    \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
  }{%
    \ifstr{#1}{chapter}{%
      \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
    }{%
      \ifstr{#1}{section}{%
        \scr@ifundefinedorrelax{l@chapter}{%
          \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
        }{}%
      }{}%
    }%
  }%
  \expandafter\renewcommand\expandafter*%
  \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
}{}%
\@ifundefined{scr@dte@#1@maxnumwidth}{%
  \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
  \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
}{}%
\renewcommand*{\scr@dte@donumwidth}{}%
\g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
\expandafter\renewcommand\expandafter*%
\csname scr@tso@#1@numsep\endcsname{.4em}%
\expandafter\renewcommand%
\csname scr@tso@#1@numberformat\endcsname[1]{##1}%
\ifstr{#1}{part}{%
  \expandafter\renewcommand%
  \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
}{%
  \ifstr{#1}{chapter}{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
  }{%
    \scr@ifundefinedorrelax{l@chapter}{%
      \ifstr{#1}{section}{%
```

```
          \expandafter\renewcommand%
          \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
        }{}%
      }{}%
      \expandafter\renewcommand%
      \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
    }%
  }%
  \expandafter\renewcommand
  \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
  \@ifundefined{scr@tso@#1@linefill}{%
    \ifstr{#1}{part}{%
      \@namedef{scr@tso@#1@linefill}{\hfill}%
    }{%
      \ifstr{#1}{chapter}{%
        \@namedef{scr@tso@#1@linefill}{\hfill}%
      }{%
        \scr@ifundefinedorrelax{l@chapter}{%
          \ifstr{#1}{section}{%
            \@namedef{scr@tso@#1@linefill}{\hfill}%
          }{}
        }{}
        \expandafter\renewcommand%
        \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
      }%
    }%
  }{}%
  \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
  \ifstr{#1}{part}{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
  }{%
    \expandafter\renewcommand%
    \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
      {\normalfont\normalcolor ##1}}%
  }%
  \expandafter\renewcommand%
  \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
    \hb@xt@\@pnumwidth{\hfil ##1}}%
  \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
}]{%
  \scr@dte@tocline{#1}{##1}{##2}%
}
```

123 File tocstyle-xetex-bidi.def

```
\ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package f
\renewcommand*{\tocstyle@dottedtocline}[5]{%
  \let\numberline\tocstyle@numberline
```

```
\ifnum #1>\c@tocdepth \else
  \if@tocstyle@penalties
    \begingroup
      \@tempcnta 20010
      \advance \@tempcnta by -#1
      \ifnum \@tempcnta>\lastpenalty
        \aftergroup\penalty\aftergroup\@lowpenalty
      \fi
    \endgroup
  \fi
  \edef\tocstyledepth{#1}%
  \tocstyle@activate@features
  \ifx\tocstyle@feature@entryvskip\relax
    \vskip \z@ \@plus.2\p@
  \else
    \addvspace{\tocstyle@feature@entryvskip}%
  \fi
  {%
    \parskip \z@ \parindent \z@ \if@RTL\rightskip\else\leftskip\fi \z@ \if@RTL\leftskip\else
    \tocstyle@feature@raggedhook
    \@tempdima #3\relax
    \@tempdimb #2\relax
    \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
    \ifnum #1>\z@\relax
      \@tempcnta #1\relax \advance\@tempcnta \m@ne
      \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
        \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
          \@tempdimb
          \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
          \advance\@tempdimb
          \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
        \fi
      \fi
    \fi
    \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
    \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
      \ifdim \@tempdimb>
      \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
        \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
        @#1\endcsname{\the\@tempdimb}%
      \fi
    \else
      \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
      @#1\endcsname{\the\@tempdimb}%
    \fi
    \iftocstyle@autolength
      \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
        \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
        \relax
      \fi
```

```
    \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
      \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
      \relax
    \fi
    \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
    \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \else
    \@tempdimb #2\relax
    \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \fi
  \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
    \ifdim \@tempdima>
    \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
      \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
      @\endcsname{\the\@tempdima}%
    \fi
  \else
    \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
    @\endcsname{\the\@tempdima}%
  \fi
  \ifcase\tocstyle@indentstyle\relax\else
    \@tempdimb \z@
    \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
      \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
      \relax
    \fi
    \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
    \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
  \fi
  \advance\parindent \@tempdimb\@afterindenttrue
  \advance\if@RTL\rightskip\else\leftskip\fi \parindent
  \advance\if@RTL\leftskip\else\rightskip\fi \@tocrmarg
  \parfillskip -\if@RTL\leftskip\else\rightskip\fi
  \ifx\tocstyle@feature@parfillskip\relax\else
    \advance\parfillskip \tocstyle@feature@parfillskip\relax
  \fi
  \interlinepenalty\@M
  \leavevmode
  \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
  \null\nobreak
  \iftocstyle@indentnotnumbered\else
    \hskip -\if@RTL\rightskip\else\leftskip\fi
  \fi
  \tocstyle@feature@entryhook
  {#4}\nobreak
  \ifx\tocstyle@feature@leaders\relax
    \leaders\hbox{$\m@th
      \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
      \mkern \@dotsep mu$}\hfill
  \else
```

```
      \tocstyle@feature@leaders
    \fi
    \nobreak
    \ifx\tocstyle@feature@pagenumberbox\relax
      \hb@xt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
    \else
      \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
    \fi
    \par
  }%
  \if@tocstyle@penalties
    \bgroup
      \@tempcnta 20009
      \advance\@tempcnta by -#1
      \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
    \reserved@a
  \fi
 \fi}
\renewcommand*{\tocstyle@numberline}[1]{%
 \begingroup
  \ifx\tocstyle@feature@spaceafternumber\relax
    \settowidth\@tempdima{\tocstyle@@numberline{#1}\enskip}%
  \else
    \settowidth\@tempdima{\tocstyle@@numberline{#1}}%
    \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
  \fi
  \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
    \ifdim \@tempdima >
    \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
      \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
      @\tocstyledepth\endcsname{\the\@tempdima}%
    \fi
  \else
    \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
    @\tocstyledepth\endcsname{\the\@tempdima}%
  \fi
 \endgroup
 \iftocstyle@indentnotnumbered
   \hskip -\if@RTL\rightskip\else\leftskip\fi
 \fi
 \ifcase \tocstyle@indentstyle
   \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
 \or
   \hb@xt@\@tempdima{\tocstyle@@numberline{#1}\hfil}%
 \else
   \ifx\tocstyle@feature@spaceafternumber\relax
     \hbox{\tocstyle@@numberline{#1}\enskip}%
   \else
     \hbox{\tocstyle@@numberline{#1}\hskip
       \tocstyle@feature@spaceafternumber\relax}%
```

```
    \fi
  \fi
}
\AtBeginDocument{%
  \ifcsname l@part\endcsname
    \ifcsname l@chapter\endcsname
      \setbox\@tempboxa\vbox{\hsize\maxdimen
        \l@part{\tocstyle@l@define{part}{-1}}{}}%
    \else
      \setbox\@tempboxa\vbox{\hsize\maxdimen
        \l@part{\tocstyle@l@define{part}{0}}{}}%
    \fi
  \fi
  \ifcsname l@chapter\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
  \fi
  \ifcsname l@section\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@section{\tocstyle@l@define{section}{1}}{}}%
  \fi
  \ifcsname l@subsection\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
  \fi
  \ifcsname l@subsubsection\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
  \fi
  \ifcsname l@paragraph\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
  \fi
  \ifcsname l@subparagraph\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
  \fi
  \ifcsname l@table\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@table{\tocstyle@l@define{table}{1}}{}}%
  \fi
  \ifcsname l@figure\endcsname
    \setbox\@tempboxa\vbox{\hsize\maxdimen
      \l@figure{\tocstyle@l@define{figure}{1}}{}}%
  \fi
  \def\@tempa#1#2#3#4#5{%
    \ifnum #1>\c@tocdepth \else
      \vskip \z@ \@plus.2\p@
      {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrma
       \parindent #2\relax\@afterindenttrue
```

```
      \interlinepenalty\@M
      \leavevmode
      \@tempdima #3\relax
      \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
      {#4}\nobreak
      \leaders\hbox{$\m@th
         \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
         mu$}\hfill
      \nobreak
      \hb@xt@\@pnumwidth{{\hfil \normalfont \normalcolor #5}}%
      \par}%
  \fi}%
\ifx\@dottedtocline\@tempa\else
  \tocstyle@macrochangewarning\@dottedtocline
\fi
\let\tocstyle@saved@dottedtocline\@dottedtocline
\def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
\ifx\numberline\@tempa\else
  \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
  \ifx\numberline@tempa\else
    \tocstyle@macrochangewarning\numberline
  \fi
\fi
\let\tocstyle@saved@numberline\numberline
}
\renewcommand*{\tocstyle@l@define}[2]{%
  \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
  \edef\@tempa{%
    \noexpand\global\noexpand\let
    \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
    \expandafter\noexpand\csname l@#1\endcsname
    \noexpand\gdef
    \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
      \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
    \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l{%
      \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
      \expandafter\noexpand\csname tocstyle@l@#1\endcsname
    }%
  }%
  \PackageInfo{tocstyle}{prepare \expandafter\string
    \csname l@#1\endcsname\space for redefinition}%
  \@tempa
}
```

124 File todonotes-xetex-bidi.def

```
\ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes package
\newif\if@bidi@todonotes@textdirection@RTL
\newif\if@bidi@todonotes@figposition@right
\newcommand{\@bidi@todonotes@align}{}%
```

```
\define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
\newcommand{\@bidi@todonotes@textdirection}{}%
\define@choicekey{todonotes}{textdirection}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@textdirection@RTLtrue
    \let\@bidi@todonotes@textdirection\RLE
  \or
    \@bidi@todonotes@textdirection@RTLfalse
    \let\@bidi@todonotes@textdirection\LRE
  \fi}
\define@choicekey{todonotes}{figposition}[\bidi@todonotes@tempa\bidi@todonotes@tempb]{right,le
  \ifcase\bidi@todonotes@tempb\relax
    \@bidi@todonotes@figposition@righttrue
  \or
    \@bidi@todonotes@figposition@rightfalse
  \fi}
\if@todonotes@disabled%
\else % \if@todonotes@disabled
\renewcommand{\@todonotes@drawInlineNote}{%
    \if@todonotes@dviStyle%
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
            \if@todonotes@authorgiven%
                {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
            \else%
                {\noindent \@todonotes@sizecommand \@todonotes@text}%
            \fi
        {\par\noindent\begin{tikzpicture}[remember picture]%
            \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
    \else%
        {\par\noindent\begin{tikzpicture}[remember picture]%
           \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
            \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@ali
                \if@todonotes@authorgiven%
                    {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
                \else%
                    {\noindent \@todonotes@sizecommand \@todonotes@text}%
                \fi};%
            \end{tikzpicture}\par}%
    \fi}%
\renewcommand{\@todonotes@drawMarginNoteWithLine}{%
\begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
    \node [coordinate] (inText) {};%
\end{tikzpicture}%
\marginpar[{% Draw note in left margin
    \@todonotes@drawMarginNote%
    \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
}]{% Draw note in right margin
    \@todonotes@drawMarginNote%
    \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
```

```
}%
}%
\renewcommand{\@todonotes@drawMarginNote}{%
\if@todonotes@dviStyle%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] {};%
    \end{tikzpicture}\\%
    \begin{minipage}{\@todonotes@textwidth}%
    \if@todonotes@authorgiven%
      \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
    \else%
      \@todonotes@sizecommand \@todonotes@text%
    \fi%
    \end{minipage}\\%
    \begin{tikzpicture}[remember picture]%
        \draw node[notestyle] (inNote) {};%
    \end{tikzpicture}%
\else%
    \let\originalHbadness\hbadness%
    \hbadness 100000%
    \begin{tikzpicture}[remember picture,baseline=(X.base)]%
       \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
        \node(X){\vphantom{X}};%
        \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
            {\@todonotes@text};%
        \if@todonotes@authorgiven%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todono
                {\@todonotes@sizecommand\@todonotes@author};%
            \node(Y)[below=of X]{};%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todono
                {\@todonotes@text};%
        \else%
            \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todono
                {\@todonotes@text};%
        \fi%
    \end{tikzpicture}%
    \hbadness \originalHbadness%
\fi}%
\renewcommand{\missingfigure}[2][]{%
\setkeys{todonotes}{#1}%
\addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
\par
\noindent
\begin{tikzpicture}
\draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
    (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
\if@bidi@todonotes@figposition@right%
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw[red, fill=white, rounded corners = 5pt, line width=10pt]
```

```
    (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=-3.8cm]
\fi%
\if@bidi@todonotes@textdirection@RTL\setRTL\fi%
\draw (2, -0.3) node[right, text
    width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
\if@bidi@todonotes@figposition@right%
\end{scope}
\begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
\fi%
\draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
\draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes
\if@bidi@todonotes@figposition@right%
\end{scope}
\fi%
\end{tikzpicture}\hfill
}% Ending \missingfigure command
\fi % Ending \@todonotes@ifdisabled
\presetkeys%
    {todonotes}%
    {align=left,%
    textdirection=lefttoright,%
    figposition=left}{}%
```

125 File wrapfig-xetex-bidi.def

```
\ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for
\let\WF@@everypar\bidi@n@everypar
\def\WF@putfigmaybe{%
\ifinner
  \vskip-\parskip \global\WF@floatfalse
  \let\pagetotal\maxdimen % kludge flag for "not top of page"
\else % outer page
  \@tempdima\pagedepth % save page depth
   {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up
   \penalty\interlinepenalty % update pg. parameters
   \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
   \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
      \global\WF@floatfalse
      \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
   \else
      \ifdim\WF@size>\@tempdimb
         \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
         \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
         \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
         \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
         \advance\dimen@.5\baselineskip
         \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
```

```
            \global\WF@floatfalse \pagebreak
          \fi
       \else % \WF@info{Fits in \the\@tempdimb;}%
          \global\WF@floatfalse
    \fi\fi
    \vskip\@tempdima\relax % (return erased page depth)
\fi
\noindent
\ifWF@float
  \WF@fltmes
\else % putting here;
  \WF@info{Put \WF@wfname here:}%
  {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
    \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
    \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
  \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
   \@tempdima\wd\WF@box \@tempdimb\WF@ovh
   \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
   \@tempdimb\hsize \advance\@tempdimb-\@tempdima
   \xdef\WF@adjlw{\the\@tempdima}%
   \ifnum `l=\WF@place % fig on left
    \if@RTL%
     \kern\@tempdimb \kern\columnsep
    \def\@tempa{\hss}% position to left of the gap
     \else%
    \hss % figure overlaps space to the left
    \def\@tempa{\kern\columnsep}% position to left of the gap
    \fi%
   \else  %  fig on right
    \if@RTL%
     \hss
      \@tempdima\z@
      \def\@tempa{\kern\columnsep}
     \else%
    \@tempdima\z@ % no left indentation
    \kern\@tempdimb \kern\columnsep
    \def\@tempa{\hss}% figure overlaps space to the right
    \fi%
   \fi
   \ifdim\@tempdimb<\hsize
    \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
    \xdef\WF@adjtlm{\the\@tempdima}%
   \else
    \xdef\WF@wrapil{\z@ \the\hsize}%
    \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
   \fi
   \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
    \global\advance\WF@size-\intextsep
   \else % \WF@info{Putting \WF@wfname in middle of page}%
    \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
```

```
   \fi \dp\WF@box\z@ \box\WF@box \@tempa
  }% end \hbox to 0pt
  \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
\fi}
```

126 File xcolor-xetex-bidi.def

```
\ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for X
\long\def\color@b@x#1#2#3%
 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
  \setbox\z@\hbox{\kern\fboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fboxsep}%
  \dimen@\ht\z@\advance\dimen@\fboxsep\ht\z@\dimen@
  \dimen@\dp\z@\advance\dimen@\fboxsep\dp\z@\dimen@
  {#1{#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
\def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\
\DeclareRobustCommand\color
 {\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\@ifnextchar[\@undeclaredcolor\@declaredcolor}
\def\@undeclaredcolor[#1]#2%
 {\begingroup
  \let\@@cls\@empty
  \XC@getmodclr12{#1}{#2}{}%
   {\ifblendcolors
      \ifx\colorblend\@empty\else
        \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
        \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
      \fi
    \fi
    \ifconvertcolorsU
      \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
      \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
    \fi
    \ifmaskcolors
      \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
      \let\@@mod\XC@mmod
      \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
      \expandafter\XC@mul\@@tmp,\@@clr
    \fi
    \edef\@@tmp{\noexpand\XC@undeclaredcolor{\@@mod}{\@@clr}}%
    \expandafter\endgroup\@@tmp}}
\def\@declaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@declaredcolor\else
    \expandafter\XC@declaredc@lor\fi}
\def\XC@undeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
```

```
    {\c@lor@error{model `#1'}}%
    {\@nameuse{color@#1}\current@color{#2}%
     \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
     \XC@display}\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\def\XC@declaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display\ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
\DeclareRobustCommand\bidicolor
 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor}
\def\@bidiundeclaredcolor[#1]#2%
 {\begingroup
  \let\@@cls\@empty
  \XC@getmodclr12{#1}{#2}{}%
   {\ifblendcolors
      \ifx\colorblend\@empty\else
        \edef\@@mix{\expandafter\@gobble\colorblend}\@tempswafalse
        \XC@coremodel\@@mod\@@clr\@xcolor@{}{}\@@mod\@@clr
      \fi
    \fi
    \ifconvertcolorsU
      \edef\@@tmp{\XC@tgt@mod{\@@mod}}%
      \convertcolorspec\@@mod\@@clr\@@tmp\@@clr \let\@@mod\@@tmp
    \fi
    \ifmaskcolors
      \convertcolorspec\@@mod\@@clr\XC@mmod\@@clr
      \let\@@mod\XC@mmod
      \XC@inflate\@@mod\XC@mclr\@@clr\@@tmp
      \expandafter\XC@mul\@@tmp,\@@clr
    \fi
    \edef\@@tmp{\noexpand\XC@bidiundeclaredcolor{\@@mod}{\@@clr}}%
    \expandafter\endgroup\@@tmp}}
\def\XC@bidiundeclaredcolor#1#2%
 {\@ifundefinedmodel{#1}%
   {\c@lor@error{model `#1'}}%
   {\@nameuse{color@#1}\current@color{#2}%
    \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
    \XC@display}}
\def\@bidideclaredcolor#1%
 {\XC@edef\XC@@tmp{#1}\XC@@tstfalse
  \ifcase\XC@type\XC@@tmp\relax \XC@@tsttrue\or \relax\else
    \ifblendcolors\XC@@tsttrue\fi \ifmaskcolors\XC@@tsttrue\fi
    \ifconvertcolorsU\XC@@tsttrue\fi
  \fi
  \ifXC@@tst
    \expandafter\XC@bidideclaredcolor\else
    \expandafter\XC@bidideclaredc@lor\fi}
\def\XC@bidideclaredcolor
 {\XC@split\XC@@tmp
  \edef\@@tmp{\noexpand\@bidiundeclaredcolor[\@@mod]{\@@clr}}%
```

```
  \expandafter\endgroup\@@tmp}
\def\XC@bidideclaredc@lor
 {\XC@let@Nc\XC@current@color{\string\color@\XC@@tmp}%
  \edef\current@color{\XC@current@color}%
  \XC@display}
\def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
\def\color@fbox#1#2#3#{\protect\color@fb@x{#1}{#2}{#3}}
\def\color@fb@x#1#2#3#4%
 {\color@b@x{\fboxsep\z@\bidicolor#1{#2}\XC@fbox}%
   {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
\def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode\
```

127 File latex-xetex-bidi.def

```
\ProvidesFile{latex-xetex-bidi.def}[2019/03/03 v1.3.7 bidi adaptations  for `latex.ltx' for Xe
\newcommand{\TeXXeTOn}{\TeXXeTstate\@ne}
\newcommand{\TeXXeTOff}{\TeXXeTstate\z@}
\TeXXeTOn
\def\bidi@RTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\
   \let\bidi@o@everypar=\everypar
   \newtoks\bidi@n@everypar
   \bidi@n@everypar\expandafter{\the\bidi@o@everypar}
   \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
   \let\everypar=\bidi@n@everypar
\def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
\def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
\protected\def\hboxR{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginR
  \@hboxRconstructtrue
  \bgroup
  \aftergroup\endR
  \aftergroup\egroup
 }\hbox}
\protected\def\hboxL{\hbox\bgroup
 \everyhbox{%
  \aftergroup\egroup
  \everyhbox{}%
  \beginL
  \@hboxRconstructfalse
  \bgroup
  \aftergroup\endL
  \aftergroup\egroup
 }\hbox}
\protected\def\vboxR{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
```

```
  \@RTLtrue
  \@RTLtabtrue
  \bgroup
  \aftergroup\egroup
 }\vbox}
\protected\def\vboxL{\vbox\bgroup
 \everyvbox{%
  \aftergroup\egroup
  \everyvbox{}%
  \@RTLfalse
  \@RTLtabfalse
  \bgroup
  \aftergroup\egroup
 }\vbox}
\newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
\newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
\def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@}
\def\endLTR{\par}
\newenvironment{LTR*}{\LTR
  \everypar{%
    {\setbox\z@\lastbox
      \ifvoid\z@
        \kern-\parindent
    \fi}%
  }%
}{\endLTR\@endpetrue}
\def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@}
\def\endRTL{\par}
\newenvironment{RTL*}{\RTL
  \everypar{%
    {\setbox\z@\lastbox
      \ifvoid\z@
        \kern-\parindent
    \fi}%
  }%
}{\endRTL\@endpetrue}
\def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue}
\def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse}
\let\unsetRTL=\setLTR
\let\unsetLTR=\setRTL
\let\LR=\LRE
\let\RL=\RLE
\def\@ensure@RTL#1{\if@RTL#1\else\RLE{#1}\fi}
\def\@ensure@LTR#1{\if@RTL\LRE{#1}\else#1\fi}
\let\@ensure@RL=\@ensure@RTL
\let\@ensure@LR=\@ensure@LTR
\def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
\let\@ensure@maindir=\@ensure@dir
\def\@@RTL{RTL}
\def\@@LTR{LTR}
```

```
\def\save@dir{\if@RTL\gdef\saved@@dir{RTL}\else\gdef\saved@@dir{LTR}\fi}
\def\reset@dir{\ifx\saved@@dir\@@RTL\setRTL\else\ifx\saved@@dir\@@LTR\setLTR\else\relax\fi\fi
\let\@@TeX\TeX
\def\TeX{\@ensure@LTR{\@@TeX}}
\let\@@LaTeX\LaTeX
\def\LaTeX{\@ensure@LTR{\@@LaTeX}}
\let\@@LaTeXe\LaTeXe
\def\LaTeXe{\@ensure@LTR{\@@LaTeXe}}
\long\def\bidi@reflect@box#1{%
  \leavevmode
  \setbox\z@\hbox{{#1}}%
  \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
  \hb@xt@\wd\z@{\kern\wd\z@\box\tw@\hss}%
}
\bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
\bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
  \hbox{\kern-.125em\bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
\let\setRL=\setRTL
\let\setLR=\setLTR
\let\unsetRL=\setLTR
\def\bidi@tabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
\@ifpackageloaded{array}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
  \leavevmode
  \hbox \bgroup $\left.\col@sep\tabcolsep \let\d@llarbegin\begingroup
                                        \let\d@llarend\endgroup
  \@tabarray}
\def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup}
}{%
\def\@bidi@tabular@RTLcases{\@RTLtabtrue%
   \leavevmode \hbox \bgroup
   $\left.\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}

\def\endbidi@tabular@RTLcases{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                  \egroup\right\rbrace $\egroup}}
\def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
    \ialign{$##\hfil$&\quad{##}\hfil\crcr#1\crcr}}\,\right\}}
\renewenvironment{RTLcases}{%
  \bidi@matrix@check\RTLcases\env@RTLcases
}{%
  \endbidi@tabular@RTLcases%
}
\def\env@RTLcases{%
  \let\@ifnextchar\bidi@new@ifnextchar
  \def\arraystretch{1.2}%
  \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
}
```

```
\def\SepMark#1{\gdef\@SepMark{#1}}
\SepMark{.}
\def\@thmcountersep{\@SepMark}
\def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
\def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
\def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
\newcommand*{\bidi@thebibliography@font@hook}{}
\def\list#1#2{%
  \ifnum \@listdepth >5\relax
    \@toodeep
  \else
    \global\advance\@listdepth\@ne
  \fi
  \rightmargin\z@
  \listparindent\z@
  \itemindent\z@
  \csname @list\romannumeral\the\@listdepth\endcsname
  \def\@itemlabel{#1}%
  \let\makelabel\@mklab
  \@nmbrlistfalse
  #2\relax
  \@trivlist
  \parskip\parsep
  \parindent\listparindent
  \advance\linewidth -\rightmargin
  \advance\linewidth -\leftmargin
  \if@bidi@list@minipage@parbox
  \if@RTL
  \advance\@totalleftmargin \leftmargin
  \else
  \advance\@totalleftmargin \rightmargin
  \fi
  \else
  \if@hboxRconstruct
  \if@bidi@list@minipage@parbox@not@nob
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
    \advance\@totalleftmargin \leftmargin
  \fi
  \else
  \if@RTL
  \advance\@totalleftmargin \leftmargin
  \else
  \advance\@totalleftmargin \rightmargin
  \fi\fi
  \else
  \if@RTL
    \advance\@totalleftmargin \rightmargin
  \else
```

```
    \advance\@totalleftmargin \leftmargin
  \fi\fi\fi
  \parshape \@ne \@totalleftmargin \linewidth
  \ignorespaces}
\long\def\@iiiparbox#1#2[#3]#4#5{%
  \leavevmode
  \@pboxswfalse
  \if@hboxRconstruct
    \@bidi@list@minipage@parbox@not@nobtrue
  \fi
  \if@RTL
    \ifx#1t%
      \@bidi@list@minipage@parboxtrue
    \else
      \ifx#1b%
        \@bidi@list@minipage@parboxtrue
      \fi
    \fi
  \fi
  \setlength\@tempdima{#4}%
  \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@@par}%
    \ifx\relax#2\else
      \setlength\@tempdimb{#2}%
      \edef\@parboxto{to\the\@tempdimb}%
    \fi
    \if#1b\vbox
    \else\if #1t\vtop
    \else\ifmmode\vcenter
    \else\@pboxswtrue $\vcenter
    \fi\fi\fi
    \@parboxto{\let\hss\vss\let\unhbox\unvbox
       \csname bm@#3\endcsname}%
    \if@pboxsw \m@th$\fi
  \@end@tempboxa}
\newenvironment{LTRitems}
                 {\par\@RTLfalse\@RTLtabfalse
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\f
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLitems}
                 {\par\@RTLtrue\@RTLtabtrue
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
```

```
                  \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\f
                  \ignorespaces}{\vskip\z@}
\newenvironment{LTRbibitems}
                 {\par\@RTLfalse\@RTLtabfalse
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\f
                  \ignorespaces}{\vskip\z@}
\newenvironment{RTLbibitems}
                 {\par\@RTLtrue\@RTLtabtrue
                  \if@bidi@list@minipage@parbox
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
                  \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
                  \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
                  \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
                  \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\f
                  \ignorespaces}{\vskip\z@}
\def\raggedright{%
  \let\\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
  \leftskip\z@skip
  \parindent\z@\parfillskip\z@skip}
\let\bidi@orig@raggedleft\raggedleft
\let\bidi@orig@raggedright\raggedright
\renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRcons
\renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRcons
\newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
\newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
\def\centerline#1{%
\if@RTL\@@line{\hss\beginR#1\endR\hss}
\else\@@line{\hss#1\hss}\fi}
\def\leftline#1{%
\if@RTL\@@line{\beginR#1\endR\hss}
\else\@@line{#1\hss}\fi}
\def\rightline#1{%
\if@RTL\@@line{\hss\beginR#1\endR}
\else\@@line{\hss#1}\fi}
\let\bidi@orig@leftline\leftline
\let\bidi@orig@rightline\rightline
\def\leftline#1{\ifhmode\if@RTL\bidi@orig@rightline{#1}\else\bidi@orig@leftline{#1}\fi\else\if
\def\rightline#1{\ifhmode\if@RTL\bidi@orig@leftline{#1}\else\bidi@orig@rightline{#1}\fi\else\i
\def\bidirlap#1{\hb@xt@\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
\def\bidillap#1{\hb@xt@\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
\def\@hangfrom#1{\setbox\@tempboxa\hbox{{#1}}%
      \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
\def\narrower{%
  \advance\if@RTL\rightskip\else\leftskip\fi\parindent
  \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
```

```
\def\underline#1{%
  \relax
  \ifmmode\@@underline{#1}%
  \else
\if@RTL $\@@underline{\hbox{\beginR#1\endR}}\m@th$\relax
\else
$\@@underline{\hbox{#1}}\m@th$\relax\fi\fi}
\if@compatibility
   \let\undertext=\underline
\fi
\def\@tabular{%
   \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
   $\let\@acol\@tabacol
   \let\@classz\@tabclassz
   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
\def\endtabular{\crcr\egroup\if@RTLtab\egroup\endR\egroup\fi
                 \egroup $\if@RTLtab\endR\fi\egroup}
\expandafter \let \csname endtabular*\endcsname = \endtabular
\def\@array[#1]#2{%
  \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
  \bgroup
  \setbox\@arstrutbox\hbox{%
    \vrule \@height\arraystretch\ht\strutbox
           \@depth\arraystretch \dp\strutbox
           \@width\z@}%
  \@mkpream{#2}%
  \edef\@preamble{%
    \ialign \noexpand\@halignto
      \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
  \let\@startpbox\@@startpbox \let\@endpbox\@@endpbox
  \let\tabularnewline\\%
    \let\par\@empty
    \let\@sharp##%
    \set@typeset@protect
    \lineskip\z@skip\baselineskip\z@skip
    \ifhmode \@preamerr\z@ \@@par\fi
  \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
    \@preamble}
\def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
 \let\@classiv\@arrayclassiv
 \let\\\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
\def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
    \ifnum \@lastchclass=3 5 \else
     \z@ \if #1c\@chnum \z@ \else
                               \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
                               \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
          \@chclass \if #1|\@ne \else
                    \if #1@\tw@ \else
                    \if #1p3 \else \z@ \@preamerr 0\fi
  \fi  \fi  \fi  \fi  \fi  \fi
```

```
\fi}
\def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
\def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
\def\bm@t{\unhbox\@tempboxa\hss}
\def\bm@b{\hss\unhbox\@tempboxa}
\def\@dottedtocline#1#2#3#4#5{%
  \ifnum #1>\c@tocdepth \else
    \vskip \z@ \@plus.2\p@
    {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
     \parindent #2\relax\@afterindenttrue
     \interlinepenalty\@M
     \leavevmode
     \@tempdima #3\relax
     \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rights
     {#4}\nobreak
     \leaders\hbox{$\m@th
        \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
        mu$}\hfill
     \nobreak
     \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}%
     \par}%
  \fi}

\newcount\bidi@column@check@number

\def\bidi@column@status#1{\gdef\bidi@current@column@status{#1}}

\def\bidi@set@column@status#1#2{%
   \global\expandafter\let\csname #1\endcsname\bidi@current@column@status}

\if@twocolumn
\newcommand\DetectColumn[3][1]{%
 \ifx\bidi@firstcolumn@status@write\relax
     \PackageError{bidi}%
      {Option 'DetectColumn' not selected}%
      {\string\DetectColumn\space
       requires the use of the 'DetectColumn'
       option on the package}%
 \fi
 \global\advance\bidi@column@check@number\@ne
 \edef\bidi@column@type{\expandafter\ifx
                \csname bidi@column-\the\bidi@column@check@number\endcsname\relax
                   0\else
                   \csname bidi@column-\the\bidi@column@check@number\endcsname
                \fi}%
 \ifcase \bidi@column@type\relax
     \ifcase #1\or #2\or#3\fi   % 0 not known use first column as default
  \or
     #2%  % 1 First column
  \or
```

```
    #3%  % 2 Second (Last column)
  \else
    \ERROR
  \fi
  \edef\next{\write\@auxout
    {\string\bidi@set@column@status{bidi@column-\the\bidi@column@check@number}%
                                   {\bidi@column@type}}}%
  \next
}

\AtEndDocument{\def\bidi@set@column@status#1#2{%
    \ifnum #2=\bidi@current@column@status\else
      \@tempswatrue
    \fi}%
}
\fi

\def\RTL@outputdblcol{%
  \if@firstcolumn
    \global\@firstcolumnfalse
    \global\setbox\@leftcolumn\copy\@outputbox
    \splitmaxdepth\maxdimen
    \vbadness\maxdimen
     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
    \toks@\expandafter{\topmark}%
    \xdef\@firstcoltopmark{\the\toks@}%
    \toks@\expandafter{\splitfirstmark}%
    \xdef\@firstcolfirstmark{\the\toks@}%
    \ifx\@firstcolfirstmark\@empty
      \global\let\@setmarks\relax
    \else
      \gdef\@setmarks{%
        \let\firstmark\@firstcolfirstmark
        \let\topmark\@firstcoltopmark}%
    \fi
  \else
    \global\@firstcolumntrue
    \setbox\@outputbox\vbox{%
     \hb@xt@\textwidth{%
       \hskip \columnwidth
       \hfil
       {\normalcolor\vrule \@width\columnseprule}%
       \hfil
        \hb@xt@\columnwidth{%
        \bidi@firstcolumn@status@write%
        \box\@leftcolumn \hss}%
        \hskip -\textwidth
       \hb@xt@\columnwidth{%
       \bidi@lastcolumn@status@write%
```

```
21267       \box\@outputbox \hss}%
21268       \hskip \columnsep
21269      \hskip \columnwidth }}%
21270   \@combinedblfloats
21271     \@setmarks
21272     \@outputpage
21273     \begingroup
21274       \@dblfloatplacement
21275       \@startdblcolumn
21276       \@whilesw\if@fcolmade \fi{\@outputpage
21277      \@startdblcolumn}%
21278     \endgroup
21279   \fi}%
21280
21281 \def\LTR@outputdblcol{%
21282   \if@firstcolumn
21283     \global\@firstcolumnfalse
21284     \global\setbox\@leftcolumn\copy\@outputbox
21285     \splitmaxdepth\maxdimen
21286     \vbadness\maxdimen
21287      \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
21288      \setbox\@outputbox\vsplit\@outputbox to\maxdimen
21289     \toks@\expandafter{\topmark}%
21290     \xdef\@firstcoltopmark{\the\toks@}%
21291     \toks@\expandafter{\splitfirstmark}%
21292     \xdef\@firstcolfirstmark{\the\toks@}%
21293     \ifx\@firstcolfirstmark\@empty
21294       \global\let\@setmarks\relax
21295     \else
21296       \gdef\@setmarks{%
21297         \let\firstmark\@firstcolfirstmark
21298         \let\topmark\@firstcoltopmark}%
21299     \fi
21300   \else
21301     \global\@firstcolumntrue
21302     \setbox\@outputbox\vbox{%
21303      \hb@xt@\textwidth{%
21304         \hb@xt@\columnwidth{%
21305         \bidi@firstcolumn@status@write%
21306         \box\@leftcolumn \hss}%
21307         \hfil
21308         {\normalcolor\vrule \@width\columnseprule}%
21309         \hfil
21310       \hb@xt@\columnwidth{%
21311       \bidi@lastcolumn@status@write%
21312       \box\@outputbox \hss}}}%
21313   \@combinedblfloats
21314     \@setmarks
21315     \@outputpage
21316     \begingroup
```

```
      \@dblfloatplacement
      \@startdblcolumn
      \@whilesw\if@fcolmade \fi{\@outputpage
     \@startdblcolumn}%
    \endgroup
  \fi}%


\renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
\newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
\newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}

\bidi@patchcmd\@makecol{%
   \ifvoid\footins
     \setbox\@outputbox \box\@cclv
   \else
     \setbox\@outputbox \vbox {%
       \boxmaxdepth \@maxdepth
       \unvbox \@cclv
       \vskip \skip\footins
       \color@begingroup
         \normalcolor
         \footnoterule
         \unvbox \footins
       \color@endgroup
       }%
   \fi
}{%
   \ifvoid\footins
     \ifvoid\@bidi@copyins@
       \setbox\@outputbox \box\@cclv
     \else
       \setbox\@outputbox \vbox {%
         \boxmaxdepth \@maxdepth
         \unvbox \@cclv
         \vskip \skip\@bidi@copyins@
         \color@begingroup
           \normalcolor
           \unvbox \@bidi@copyins@
         \color@endgroup
       }%
    \fi
   \else
     \setbox\@outputbox \vbox {%
       \boxmaxdepth \@maxdepth
       \unvbox \@cclv
       \vskip \skip\footins
       \color@begingroup
         \normalcolor
         \footnoterule
```

```
        \unvbox \footins
      \color@endgroup
      \ifvoid\@bidi@copyins@
      \else
        \vskip \skip\@bidi@copyins@
        \color@begingroup
          \normalcolor
          \unvbox \@bidi@copyins@
        \color@endgroup
      \fi
      }%
  \fi
}{}{}

\def\LTRmarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@LTRxmpar\@LTRympar}
\long\def\@LTRxmpar[#1]#2{%
  \@LTRsavemarbox\@marbox{#1}%
  \@LTRsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@LTRympar#1{%
  \@LTRsavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@LTRsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@LTRmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
```

```
    \color@endbox
}
\def \@LTRmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
        \everypar{\@minipagefalse\everypar{}\beginL}%
}
\def\RTLmarginpar{%
  \ifhmode
    \@bsphack
    \@floatpenalty -\@Mii
  \else
    \@floatpenalty-\@Miii
  \fi
  \ifinner
    \@parmoderr
    \@floatpenalty\z@
  \else
    \@next\@currbox\@freelist{}{}%
    \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
       {\@floatpenalty\z@
        \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
  \fi
  \@ifnextchar [\@RTLxmpar\@RTLympar}
\long\def\@RTLxmpar[#1]#2{%
  \@RTLsavemarbox\@marbox{#1}%
  \@RTLsavemarbox\@currbox{#2}%
  \@xympar}
\long\def\@RTLympar#1{%
  \@RTLsavemarbox\@marbox{#1}%
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\long\def \@RTLsavemarbox #1#2{%
  \global\setbox #1%
    \color@vbox
      \vtop{%
        \hsize\marginparwidth
        \@parboxrestore
        \@RTLmarginparreset
        #2%
        \@minipagefalse
        \outer@nobreak
        }%
    \color@endbox
}
\def \@RTLmarginparreset {%
        \reset@font
        \normalsize
        \@minipagetrue
```

```
        \everypar{\@minipagefalse\everypar{}\beginR}%
}
\def\@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
    \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
    \if@twocolumn
        \if@firstcolumn \@tempcnta\m@ne \fi
    \else
      \if@mparswitch
         \ifodd\c@page \else\@tempcnta\m@ne \fi
      \fi
      \if@reversemargin \@tempcnta -\@tempcnta \fi
    \fi
    \ifnum\@tempcnta <\z@  \global\setbox\@marbox\box\@currbox \fi
    \@tempdima\@mparbottom
    \advance\@tempdima -\@pageht
    \advance\@tempdima\ht\@marbox
    \ifdim\@tempdima >\z@
      \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
    \else
      \@tempdima\z@
    \fi
    \global\@mparbottom\@pageht
    \global\advance\@mparbottom\@tempdima
    \global\advance\@mparbottom\dp\@marbox
    \global\advance\@mparbottom\marginparpush
    \advance\@tempdima -\ht\@marbox
    \global\setbox \@marbox
                   \vbox {\vskip \@tempdima
                          \box \@marbox}%
    \global \ht\@marbox \z@
    \global \dp\@marbox \z@
    \kern -\@pagedp
    \nointerlineskip
    \hb@xt@\columnwidth
      {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\f
          \hskip\columnwidth \hskip\marginparsep
       \else
          \hskip -\marginparsep \hskip -\marginparwidth
       \fi
       \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\el
    \nointerlineskip
    \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
\long\def\@ympar#1{%
  \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar
  \global\setbox\@currbox\copy\@marbox
  \@xympar}
\def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
\def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
\def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
\def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
```

```
21517    \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
21518 \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
21519    \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
21520    \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
21521    \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}%
21522 \fi}
21523
21524 \newcommand*{\bidi@font@@outputpage}{}
21525
21526 \def\@outputpage{%
21527 \begingroup           % the \endgroup is put in by \aftergroup
21528   \let \protect \noexpand
21529   \@resetactivechars
21530   \global\let\@@if@newlist\if@newlist
21531   \global\@newlistfalse
21532   \@parboxrestore
21533   \global\let\bidi@BeforeOutputPageShipOut\@firstofone
21534   \bidi@beforeoutputpageshipouthook
21535   \shipout \vbox{%
21536     \set@typeset@protect
21537     \aftergroup \endgroup
21538     \aftergroup \set@typeset@protect
21539                                 % correct? or just restore by ending
21540                                 % the group?
21541   \if@specialpage
21542     \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
21543   \fi
21544   \if@twoside
21545     \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
21546        \if@RTLmain
21547           \let\@themargin\evensidemargin
21548        \else
21549          \let\@themargin\oddsidemargin
21550        \fi
21551     \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
21552        \if@RTLmain
21553          \let\@themargin\oddsidemargin
21554        \else
21555          \let\@themargin\evensidemargin
21556        \fi
21557     \fi
21558     \ifx\@thehead\@empty \let\@thehead\hfil \fi
21559     \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
21560     \else %% not @twoside
21561     \ifx\@oddhead\@empty \let\@thehead\hfil \fi
21562     \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
21563   \fi
21564   \reset@font
21565   \normalsize
21566   \bidi@font@@outputpage
```

```
21567   \normalsfcodes
21568   \let\label\@gobble
21569   \let\index\@gobble
21570   \let\glossary\@gobble
21571   \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
21572     \@begindvi
21573     \vskip \topmargin
21574     \moveright\@themargin \vbox {%
21575       \global\let\bidi@BeforeHeader\@firstofone
21576       \bidi@beforeheaderhook
21577       \setbox\@tempboxa \vbox to\headheight{%
21578         \vfil
21579         \color@hbox
21580           \normalcolor
21581           \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@R
21582         \color@endbox
21583         }%                          %% 22 Feb 87
21584       \dp\@tempboxa \z@
21585       \box\@tempboxa
21586       \vskip \headsep
21587       \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
21588       \bidi@beforeoutputboxoutputpagehook
21589       \box\@outputbox
21590       \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
21591       \bidi@afteroutputboxoutputpagehook
21592       \global\let\bidi@BeforeFooter\@firstofone
21593       \bidi@beforefooterhook
21594       \baselineskip \footskip
21595       \color@hbox
21596         \normalcolor
21597         \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thefoot\if@RTL
21598       \color@endbox
21599       \global\let\bidi@AfterFooter\@firstofone
21600       \bidi@afterfooterhook
21601       }%
21602     }%
21603   \global\let\bidi@AfterOutputPageShipOut\@firstofone
21604   \bidi@afteroutputpageshipouthook
21605   \global\let\if@newlist\@@if@newlist
21606   \global \@colht \textheight
21607   \stepcounter{page}%
21608   \let\firstmark\botmark
21609   \global\let\bidi@AtEndOutputPage\@firstofone
21610   \bidi@atendoutputpagehook
21611 }
21612 \long\def\@makecaption#1#2{%
21613   \vskip\abovecaptionskip
21614   \sbox\@tempboxa{#1: #2}%
21615   \ifdim \wd\@tempboxa >\hsize
21616     \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
```

```
  \else
    \global \@minipagefalse
    \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
  \fi
  \vskip\belowcaptionskip}
\let\bidi@saved@eqno=\eqno
\let\bidi@saved@leqno=\leqno
\def\eqno{\ifnum\predisplaydirection<\z@ \bidi@saved@leqno \else \bidi@saved@eqno \fi}
\def\leqno{\ifnum\predisplaydirection<\z@ \bidi@saved@eqno \else \bidi@saved@leqno \fi}
\@ifpackageloaded{amsmath}{}{
\def\@eqnnum{{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}
}
\input{footnote-xetex-bidi.def}
\if@twocolumn
  \let\autofootnoterule\relax
  \let\leftfootnoterule\relax
  \let\rightfootnoterule\relax
  \textwidthfootnoterule
\fi
\if@bidi@csundef{@idxitem}{}{%
\renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p@}%
}
\@ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{}
\@ifclassloaded{article}{\@ifclassloaded{svmult}{}{\input{article-xetex-bidi.def}}}{}
\@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{}
\@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{}
\@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{}
\@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{}
\@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{}
\@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{}
\@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{}
\@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{}
\@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{}
\@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{}
\@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{}
\@ifclassloaded{report}{\@ifpackageloaded{flowfram}{}{\input{report-xetex-bidi.def}}}{}
\@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{}
\@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{}
\@ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
\@ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
\@ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
\@ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
\@ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
\@ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
\@ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
\@ifclassloaded{book}{\@ifpackageloaded{flowfram}{}{\input{book-xetex-bidi.def}}}{}
\@ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
\@ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
\@ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
\@ifpackageloaded{amsmath}{}{%
```

```
\@iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
\@iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
}
\@ifpackageloaded{mathtools}{%
  \RequirePackage{graphicx}%
  \input{mathtools-xetex-bidi.def}%
  }{}
\@ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
\@ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
\@ifpackageloaded{floatrow}{\RequirePackage{color}}{}
\@ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
\@ifpackagewith{algorithm2e}{algonl}{%
\renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{Alg
}{}
\@ifpackagewith{algorithm2e}{algopart}{\renewcommand{\algocf@within}{part}}{}
\@ifpackagewith{algorithm2e}{algochapter}{\renewcommand{\algocf@within}{chapter}}{}
\@ifpackagewith{algorithm2e}{algosection}{\renewcommand{\algocf@within}{section}}{}
\@ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
\@ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
\@ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
\@ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
\@ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
\@ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
\@ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
\@ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
\@ifpackageloaded{crop}{\@ifclassloaded{memoir}{}{\input{crop-xetex-bidi.def}}}{}
\@ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
\@ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
\@ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
\@ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
\@ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
\@ifpackageloaded{float}{\@ifpackageloaded{floatrow}{}{\input{float-xetex-bidi.def}}}{}
\@ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
\@ifpackageloaded{xltxtra}{\input{xltxtra-xetex-bidi.def}}{}
\@ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
\@ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
\@ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
\@ifpackageloaded{hvfloat}{\input{hvfloat-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
\@ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
\@ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
\@ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
\@ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
\@ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
\@ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
\@ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
\@ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
\@ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
\@ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
\@ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
```

```
\@ifpackageloaded{diagbox}{\input{diagbox-xetex-bidi.def}}{}
\@ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
\@ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
\@ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
\@ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
\@ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}
\@ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
\@ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
\@ifpackageloaded{lineno}{\input{lineno-xetex-bidi.def}}{}
\@ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
\@ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
\@iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
\@iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
\@ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
\@ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
\@ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
\@ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
\@ifpackagewith{sidecap}{innercaption}{%
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{%
    \isSC@ODD{{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}}
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
  \renewcommand*{\SC@FLOAT}[2]{%
    \isSC@ODD{{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}}
  \renewcommand*\SC@justify@caption{%
    \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
}{}
\@ifpackagewith{sidecap}{rightcaption}{%
  \if@RTL\renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\fi%
}{}
\@ifpackagewith{sidecap}{leftcaption}{%
\if@RTL  \renewcommand*{\SC@FLOAT}[2]{{#2}\hspace{\sidecaptionsep}{#1}}
  \def\SC@justify@caption{\RaggedRight}\else%
  \renewcommand*{\SC@FLOAT}[2]{{#1}\hspace{\sidecaptionsep}{#2}}
  \def\SC@justify@caption{\RaggedLeft}\fi%
}{}
\@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
\@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
\@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
\@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
\@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
\@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
\@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
\@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
\@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
\@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
\@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
```

```
\@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
\@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
\@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
\@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
\@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
\@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
\@ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
\@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
\@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}{}{\input{tocbibind-xetex-bidi.def}}}{}
\@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}{}{\input{tocloft-xetex-bidi.def}}}{}
\@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
\@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}
```

128 File xltxtra-xetex-bidi.def

```
\ProvidesFile{xltxtra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltxtra package fo
\let\@@XeTeX\XeTeX
\def\XeTeX{\@ensure@LTR{\@@XeTeX}}
\let\@@XeLaTeX\XeLaTeX
\def\XeLaTeX{\@ensure@LTR{\@@XeLaTeX}}
```

129 Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\# .. 3279, 3325, 3434, 3442
\% 11629
\' ... 11749, 13970, 15966
\(..... 14071
\) 14072
\, ... 5522, 12012, 16560, 16603, 20549, 20560, 20956
\- 1782, 11748, 13969, 15965
\. 93, 296, 586, 718, 981, 1231, 1781, 6709, 6897, 7209, 8730, 9004, 10838, 13142, 15360, 16128, 16522, 16719, 16922, 17330, 17910, 18593, 19254
\/ 2050
\: 14113, 14172
\< 18888
\= ... 11749, 13970, 15966
\> 18889
\@ 3349
\@@ 19067, 19069
\@@@bidi@AfterClass 4208, 4213
\@@@bidi@AfterPackage 4253, 4257
\@@H@@footnotetext 9048, 9063
\@@H@@mpfootnotetext 9051, 9069
\@@HLTR@@LTRfootnotetext 9049, 9065
\@@HLTR@@mpLTRfootnotetext 9052, 9071
\@@HRTL@@RTLfootnotetext 9050, 9067
\@@HRTL@@mpRTLfootnotetext 9053, 9073
\@@LTR 15816, 15818, 20916, 20918
\@@LaTeX ... 20921, 20922
\@@LaTeXe .. 20923, 20924
\@@RTL 15815, 15818, 20915, 20918
\@@Radio ... 13081, 13089
\@@TeX 15819, 15820, 20919, 20920
\@@XeLaTeX . 21782, 21783
\@@XeTeX ... 21780, 21781
\@@author 6138, 6141, 6144
\@@bidi@AfterClass 4207, 4224
\@@bidi@AfterPackage 4252, 4267
\@@bidi@PreventPackageFromLoading ... 4298, 4300, 4302
\@@bidi@pop 3920, 3923, 3924, 3927, 3929
\@@bidi@popinto ...

. . . 3920, 3923, 3924
\@@clr . . 20744, 20749, 20752, 20754, 20755, 20757, 20787, 20792, 20795, 20797, 20798, 20800, 20819
\@@cls 20739, 20782
\@@date . . 6139, 6142, 6145
\@@end 3574, 3575
\@@endpbox . . . 13845, 18964, 19002, 21146
\@@footstart@@v@l . . 9278, 10428, 10486
\@@if@newlist . 11160, 11192, 21530, 21605
\@@input 4123
\@@italiccorr 336, 7253, 13950
\@@line 9372, 9376, 16948, 16957, 16995, 17006, 21098, 21099, 21101, 21102, 21104, 21105
\@@makecaption 17372, 17451, 17473, 17952, 18031, 18053, 18635, 18714, 18736
\@@makefnmark . 17094, 17096, 17643, 17645, 18213, 18214, 18342, 18344
\@@math 7244
\@@mix 20743, 20786
\@@mod . . 20744, 20748, 20749, 20752, 20753, 20754, 20757, 20787, 20791, 20792, 20795, 20796, 20797, 20800, 20819
\@@par 13968, 15964, 16555, 16598, 17077, 17084, 17626, 17633, 18199, 18204, 18325, 18332, 19179, 19181, 21037, 21152
\@@para@footstart@@v@l 10428, 10486
\@@protect 3210
\@@startpbox . . 13844, 18964, 19002, 21146
\@@title . 6137, 6140, 6143
\@@tmp 20748, 20749, 20754, 20755, 20757, 20758, 20791, 20792, 20797, 20798, 20800, 20801, 20819, 20820
\@@underline 21119, 21121, 21123
\@DEBUGfalse 2330
\@False 7232, 7234
\@LTRbibitemsfalse 20970, 20972
\@LTRbibitemstrue 20971
\@LTRbidituftesidenote@sidetrue . . . 5638, 5697, 5701
\@LTRbidituftesidenotemarginparreset 5273, 5280
\@LTRbidituftesidenotesavemarbox 5260, 5261, 5264, 5267
\@LTRbidituftesidenotexmpar 5258, 5259
\@LTRbidituftesidenoteympar 5258, 5263
\@LTRfootgroupv@l 9271, 9279, 10426, 10484
\@LTRfootnotetext 64, 81, 155, 156, 157, 266, 284, 2186, 2308, 5567, 5650, 5657, 6373, 6384, 6590, 6604, 8202, 8203, 9049, 9064, 9065, 9135, 9183, 9191, 9388, 9497, 9600, 9709, 9818, 9927, 10036, 10145, 10254, 10413, 10471, 11415, 11421, 11465, 11491, 11549, 11574, 11580, 12515, 12543, 12622, 12641, 12835, 12839, 12859, 12860, 13905, 14026, 15154, 15155, 15156, 17059, 17065, 17378, 17379, 17389, 17608, 17614, 17958, 17959, 17969, 18307, 18313, 18641, 18642, 18652, 19033, 19050, 19142
\@LTRmarginparfalse 21513, 21515
\@LTRmarginparreset 21412, 21419
\@LTRmarginpartrue 21514
\@LTRsavemarbox 21399, 21400, 21403, 21406
\@LTRxmpar . 21397, 21398
\@LTRympar . 21397, 21402
\@M . 6, 92, 105, 201, 225, 295, 558, 622, 623, 647, 751, 874, 929, 930, 1003, 1123, 1124, 1130, 1253, 2113, 2118, 5869, 6630, 6631, 6637, 6751, 6807, 6808, 6814, 6928, 6978, 7173, 7181, 7248, 8697, 8710, 8967, 8976, 9372, 9376, 10804, 10812, 11133, 13141, 13155, 13179, 15013, 15025, 15037, 15904, 16026, 16027, 16051, 16161, 16300, 16423, 16476, 16477, 16538, 16539, 16893, 16901,

19058, 19165, 19206, 19340, 19371, 19394, 19411, 19428, 19445, 19462, 19479, 19497, 19516, 19536, 19571, 19904, 20365, 20479, 21177
\@MM . . . 41, 55, 71, 244, 258, 273, 8200, 8221, 8268, 8275, 8320, 8327, 9299, 11438, 11455, 11471
\@Mi 7244, 13919
\@Mii . 2261, 5201, 5245, 5289, 7723, 7732, 7742, 7897, 7906, 7916, 21384, 21428
\@Miii 2263, 5203, 5247, 5291, 21386, 21430
\@RTL@footnotefalse . . . 1708, 11258, 11425, 15799, 15804, 20883, 20904
\@RTL@footnotetrue . . . 1706, 11258, 11424, 15801, 15803, 20893, 20903
\@RTLbibitemsfalse 20971, 20972
\@RTLbibitemstrue 20970
\@RTLbidituftesidenote@sidenote . . . 5667, 5698, 5702
\@RTLbidituftesidenotemarginparreset 5317, 5324
\@RTLbidituftesidenotesavemarbox 5304, 5305, 5308, 5311
\@RTLbidituftesidenotexmpar 5302, 5303
\@RTLbidituftesidenoteympar 5302, 5307
\@RTLcolumnfootnotesfalse 9201
\@RTLcolumnfootnotestrue 9200
\@RTLfalse 36, 66, 87, 239, 268, 290, 572, 707, 970, 1220, 1666, 1672, 1690, 2556, 6698, 6886, 7195, 7214, 7226, 7239, 8719, 8990, 9109, 9137, 9150, 9161, 9402, 9412, 9447, 9459, 9511, 9520, 9553, 9564, 9614, 9624, 9659, 9671, 9723, 9733, 9768, 9780, 9832, 9842, 9876, 9888, 9941, 9951, 9985, 9997, 10050, 10060, 10095, 10107, 10159, 10169, 10204, 10216, 10268, 10278, 10313, 10325, 10647, 10666, 10827, 11433, 11466, 11509, 11523, 13136, 13459, 13482, 13486, 13493, 13502, 13959, 14766, 15351, 15515, 15563, 15761, 15795, 15799, 15804, 15853, 16117, 16511, 16705, 16908, 17308, 17888, 18571, 19240, 20841, 20876, 20883, 20904, 21052, 21070, 21510, 21581, 21597
\@RTLfootnotetext 48, 80, 159, 160, 161, 251, 283, 2187, 2309, 5585, 5679, 5686, 6374, 6385, 6591, 6605, 8223, 8224, 9050, 9066, 9067, 9121, 9184, 9192, 9389, 9498, 9601, 9710, 9819, 9928, 10037, 10146, 10255, 10414, 10472, 11406, 11412, 11449, 11490, 11550, 11589, 11595, 12514, 12532, 12607, 12642, 12834, 12838, 12856, 12857, 13906, 14027, 15158, 15159, 15160, 17060, 17069, 17380, 17381, 17391, 17609, 17618, 17960, 17961, 17971, 18308, 18317, 18643, 18644, 18654, 19034, 19051, 19143
\@RTLmainfalse . 1591, 1595, 1874, 1878
\@RTLmaintrue . 1594, 1877
\@RTLmarginparfalse 21514, 21515
\@RTLmarginparreset 21456, 21463
\@RTLmarginpartrue 21513
\@RTLsavemarbox 21443, 21444, 21447, 21450
\@RTLtabfalse . . 409, 1570, 1678, 20877, 20883, 20904, 21052, 21070, 21157
\@RTLtabtrue 1569, 1676, 20868, 20893, 20903, 20940, 20947, 21061, 21079
\@RTLtrue 36, 50, 87, 239, 253, 290, 572, 707, 970, 1220, 1664, 1670, 1688, 2556, 6698, 6886, 7195, 7253, 7255, 8719, 8990, 9109, 9123, 9150, 9172, 9402, 9422, 9447, 9472, 9511,

9529, 9553, 9576, 9614, 9634, 9659, 9684, 9723, 9743, 9768, 9793, 9832, 9852, 9876, 9901, 9941, 9961, 9985, 10010, 10050, 10070, 10095, 10120, 10159, 10179, 10204, 10229, 10268, 10288, 10313, 10338, 10637, 10657, 10827, 11433, 11450, 11495, 11523, 13136, 13459, 13482, 13493, 13502, 13962, 14766, 15351, 15762, 15787, 15801, 15803, 16117, 16511, 16705, 16908, 17308, 17888, 18571, 19240, 20842, 20867, 20893, 20903, 21061, 21079, 21510, 21581, 21597
\@RTLxmpar . 21441, 21442
\@RTLympar . 21441, 21446
\@Reset 13114, 13123
\@SepMark 19, 20, 21, 22, 168, 214, 215, 216, 217, 334, 350, 546, 547, 548, 549, 700, 701, 702, 703, 954, 955, 956, 957, 1213, 1214, 1215, 1216, 6724, 6725, 6726, 6727, 6728, 6730, 6732, 6734, 6901, 6902, 6903, 6904, 6905, 6907, 6909, 6911, 7152, 7154, 7156, 7158, 7159, 7160, 7161, 7162, 8830, 8831, 8832, 8833, 8946, 8948, 8950, 8952, 8953, 8954, 8955, 8956, 10930, 10931, 10932, 10933, 10934, 10936, 10938, 10940, 11100, 11106, 11228, 11230, 11232, 11234, 11235, 11236, 11237, 11238, 11241, 11243, 11245, 11247, 11248, 11249, 11250, 11251, 13192, 13193, 13194, 13195, 13519, 14653, 14655, 14657, 14659, 14661, 14662, 14664, 14665, 14666, 15394, 15402, 15404, 16132, 16133, 16134, 16135, 16136, 16138, 16140, 16142, 16497, 16498, 16499, 16500, 16501, 16503, 16505, 16507, 16692, 16694, 16696, 16697, 16698, 16699, 16700, 16701, 16874, 16876, 16878, 16880, 16881, 16882, 16883, 16884, 17282, 17283, 17285, 17287, 17289, 17830, 17833, 17835, 17839, 17841, 17843, 17845, 17849, 17851, 17857, 17859, 17865, 17867, 18529, 18531, 18534, 18536, 18538, 18540, 18543, 18547, 18551, 19314, 19558, 20967, 20969, 21679
\@Submit ... 13097, 13106
\@TextField . 13065, 13073
\@True ... 7227, 7233, 7265
\@Undottedtocline 15020
\@Undottedtoclinep 15032
\@acci 11749, 13970, 15966
\@accii 11749, 13970, 15966
\@acciii 11749, 13970, 15966
\@acol 1437, 1445, 2195, 13841, 18948, 20949, 21129, 21155
\@acolampacol .. 1435, 1437, 1443, 1445
\@addamp 1436, 1444
\@addfield 21519
\@addmarginpar ... 21469
\@address 2448, 8057, 8058, 8155, 8157
\@addresscolour 2417, 2434, 8056, 8154
\@addtofilelist ... 4122
\@addtopreamble 1408, 1471, 7326
\@addtoreset 332, 11103, 15392, 15398, 15400
\@addviper 7670
\@afterheading 568, 2096, 2106, 8707, 8715, 13982
\@afterindentfalse .. 2096, 2106, 13981
\@afterindenttrue . .. 647, 874, 1130, 5868, 6637, 6814, 15012, 15024, 15036, 16051, 16423, 19339, 19370, 19393, 19410, 19427, 19444, 19461, 19478, 19496, 19515, 19535,

19570, 19903, 20358, 20478, 21176
\@algocf@finish . . . 179
\@algocf@start 171
\@ampacol 1435, 1443
\@arabic 168, 546, 547, 548, 549, 574, 581, 700, 701, 702, 703, 709, 716, 954, 955, 956, 957, 972, 979, 1213, 1214, 1215, 1216, 1222, 1229, 2568, 6700, 6707, 6724, 6725, 6726, 6727, 6728, 6730, 6732, 6734, 6888, 6895, 6901, 6902, 6903, 6904, 6905, 6907, 6909, 6911, 7152, 7154, 7156, 7157, 7158, 7159, 7160, 7161, 7162, 7197, 7204, 8721, 8728, 8830, 8831, 8832, 8833, 8946, 8948, 8950, 8951, 8952, 8953, 8954, 8955, 8956, 8992, 8999, 10829, 10836, 10930, 10931, 10932, 10933, 10934, 10936, 10938, 10940, 11228, 11230, 11232, 11233, 11234, 11235, 11236, 11237, 11238, 11241, 11243, 11245, 11246, 11247, 11248, 11249, 11250, 11251, 13519, 13521, 14653, 14655, 14657, 14659, 14661, 14664, 14665, 14666, 16119, 16126, 16132, 16133, 16134, 16135, 16136, 16138, 16140, 16142, 16497, 16498, 16499, 16500, 16501, 16503, 16505, 16507, 16513, 16520, 16692, 16694, 16696, 16697, 16698, 16699, 16700, 16701, 16707, 16714, 16874, 16876, 16878, 16879, 16880, 16881, 16882, 16883, 16884, 16910, 16917, 17283, 17285, 17287, 17289, 17311, 17327, 17837, 17839, 17841, 17843, 17845, 17853, 17861, 17869, 17891, 17907, 18532, 18534, 18536, 18538, 18540, 18544, 18548, 18552, 18574, 18590, 19242, 19249
\@argdef 3170
\@array 384, 405, 1370, 1371, 18985, 21135
\@arrayacol 21155
\@arrayclassiv . . . 21156
\@arrayclassz 1435, 18989, 21155
\@arraycr 404, 13850, 21157
\@arrayleft 397
\@arrayparboxrestore 13908, 15961
\@arrayright 406
\@arrayrule 1390, 1391, 1392, 1428, 1429, 1430
\@arstdepth 18982, 18987, 19005
\@arstheight 18987, 19005
\@arstrut 394, 13864, 18963, 21145
\@arstrutbox . . . 387, 13852, 13909, 18956, 18997, 19001, 19005, 21138
\@author 428, 442, 478, 499, 762, 764, 782, 827, 846, 1014, 1016, 1034, 1079, 1098, 1264, 1266, 1284, 1329, 1349, 1360, 1995, 6070, 6072, 6141, 6762, 6764, 6782, 6939, 6941, 6959, 7034, 7048, 7084, 7105, 8757, 8769, 8803, 8822, 8852, 8866, 8902, 8923, 10857, 10869, 10903, 10922, 14622, 16172, 16174, 16192, 16237, 16256, 16311, 16313, 16333, 16380, 16402, 16413, 16569, 16583, 16624, 16645, 16756, 16770, 16806, 16827, 17151, 17214, 17265, 17700, 17763, 17814, 18399, 18462, 18513
\@auxout 1726, 1730, 2611, 2946, 2974, 3000, 3028, 3054, 3057, 3091, 3094, 6537, 21221
\@badmath . . 11065, 11079
\@begin@tempboxa 12025, 12121, 12128, 21037
\@begindvi . 11131, 21572
\@beginparpenalty 2109, 2118, 11068, 11082
\@bib@break . . . . . .

. 17303, 17883, 18566
\@biblabel . . 89, 292, 574, 575, 709, 710, 972, 973, 1222, 1223, 6700, 6701, 6888, 6889, 7197, 7198, 8721, 8722, 8992, 8993, 10829, 10830, 13138, 15353, 16119, 16120, 16513, 16514, 16707, 16708, 16910, 16911, 17311, 17313, 17891, 17893, 18574, 18576, 19242, 19243
\@bibsetup 15353
\@bibtitlestyle 84, 287, 13133
\@bidi@@stpelt 3642, 3648, 3652
\@bidi@AfterClass 4208, 4229, 4234, 4241
\@bidi@AfterPackage 4253, 4272, 4276, 4283
\@bidi@EqualStringX . . . 3707, 3708, 3709
\@bidi@PreventPackageFromLoading . . . 4293, 4294, 4296
\@bidi@UnPreventPackageFromLoading . . . 4385, 4386, 4389
\@bidi@after@Hy@hyperfootnotes 9058, 9196, 9397, 9506, 9609, 9718, 9827, 9936, 10045, 10154, 10263, 10432, 10494
\@bidi@append@to@cslist . . . 3854, 3858, 3868
\@bidi@append@to@list 3858, 3861, 3864, 3871, 3879
\@bidi@before@Hy@hyperfootnotes 9044, 9189, 9386, 9495, 9598, 9707, 9816, 9925, 10034, 10143, 10252, 10411, 10465
\@bidi@copy@stacktop 3926, 3929
\@bidi@copyins@ 1606, 1607, 1608, 1609, 1610, 1889, 1890, 1891, 1892, 1893, 9282, 9284, 9287, 11777, 11778, 11779, 11780, 11790, 11791, 11839, 11840, 11896, 11897, 11898, 11899, 11916, 11917, 11935, 11944, 11956, 11962, 11966, 11978, 11980, 11983, 12014, 15182, 15183, 15272, 15828, 15830, 15831, 21346, 21352, 21355, 21369, 21371, 21374
\@bidi@emptytoks 2660, 2665, 2689
\@bidi@envbody 2659, 2661, 2663, 2664, 2665, 2685, 2687, 2688, 2689
\@bidi@fi 3788, 3789, 3790, 3791, 3795, 3796, 3800, 3801, 3805, 3806, 3811, 3812, 3816, 3817
\@bidi@ifnxtc 3755, 3758, 3759
\@bidi@info 1506, 1531, 1533, 1830, 1855, 1857
\@bidi@insLogo@ 1610, 1739, 1741, 1893, 1918, 1943
\@bidi@list@minipage@parboxfalse 11538, 21025
\@bidi@list@minipage@parboxtrue 19152
\@bidi@list@minipage@parboxtrue@i . 11539, 21029, 21032
\@bidi@logo 1626, 1645, 1901, 1917
\@bidi@logo@ 1610, 1642, 1741, 1893, 1917, 1918
\@bidi@logo@hb@xt@ 1894, 1917
\@bidi@logo@hb@xt@columnwidth 1611, 1643
\@bidi@lst@makecaption 13456, 13472, 13473, 13504, 13505, 13506, 13510, 13512
\@bidi@mdf@RTLtrue 13958
\@bidi@patch@AfterPackage 4578, 4581
\@bidi@pdfcreator 1581, 1815, 1919, 1933
\@bidi@pdfcustomproperties 1587, 1818, 1925, 1936
\@bidi@pdfencryptfalse 1795
\@bidi@pdfencrypttrue 1797, 1800
\@bidi@pdfm@markfalse 1748, 1941
\@bidi@pdfm@marktrue 1746, 1940
\@bidi@pdfproducer 1584, 1816, 1922, 1934
\@bidi@perpage@footnotefalse 1758
\@bidi@perpage@footnotetrue 1756
\@bidi@prepend@to@cslist 3856, 3859, 3870, 3912, 3914
\@bidi@prepend@to@list 3859, 3862, 3866, 3872, 3880
\@bidi@removefromreset . . . 2786, 2787, 2789
\@bidi@replacefilewithext . . . 4170, 4174, 4177
\@bidi@saveprimitive 2647

\@bidi@stepcounter 3641, 3647
\@bidi@tabular@RTLcases . 20938, 20940, 20947
\@bidi@todonotes@align 20525, 20526, 20558, 20599, 20602, 20605, 20608, 20633, 20638, 20639
\@bidi@todonotes@figposition@rightfalse 20540
\@bidi@todonotes@figposition@righttrue 20538
\@bidi@todonotes@textdirection . . 20527, 20531, 20534, 20638, 20639
\@bidi@todonotes@textdirection@RTLfalse 20533
\@bidi@todonotes@textdirection@RTLtrue 20530
\@bidi@unreplacefilewithext . . . 4179, 4185, 4188
\@bidi@void@@mpfootinsfalse 9338
\@bidi@void@@mpfootinstrue 9336
\@bidi@void@footinsfalse 10739, 10753
\@bidi@void@footinstrue 10736, 10751
\@bidi@w@w 3837
\@bidi@ww 3831
\@bidideclaredcolor 7378, 7385, 20779, 20808
\@bidituftelTRsidenote@normal@cite 5433, 5512, 5632, 5661, 5690, 5712, 5721, 5730
\@bidituftelTRsidenote@normal@cite 5452, 5513, 5633, 5662, 5691, 5713, 5722, 5731
\@bidituftefloat@caption 4806, 4839
\@bidituftefloat@caption@box 4798, 4863, 4874, 4875, 4898, 5133, 5138
\@bidituftefloat@caption@fixed 4747, 4756, 4757, 5138
\@bidituftefloat@caption@font 4712, 4713, 4767, 4964, 5135, 5141, 5154
\@bidituftefloat@caption@justification . . . 4654, 4770, 4964
\@bidituftefloat@caption@verticaloffset 4801, 4802, 4874, 4875, 4902
\@bidituftefloat@checkoddpage . . . 4729, 4826
\@bidituftefloat@figure@box 4797, 4856, 4874, 4875, 4897
\@bidituftefloat@float@contents@width . . 4818, 4854, 4855, 4857
\@bidituftefloat@float@debug 4787, 4793, 4795, 4796, 4828, 4829, 4832, 4834, 4835, 4912, 4919, 4926, 4927, 4930, 4931
\@bidituftefloat@float@debug@info 4786, 4788, 4789, 4790, 4887, 4894
\@bidituftefloat@float@fullwidth 4874, 4922
\@bidituftefloat@float@textwidth 4875, 4904
\@bidituftefloat@fps 4816, 4831
\@bidituftefloat@fullwidth 4746, 4752, 4753, 4754, 4854
\@bidituftefloat@justification 4714
\@bidituftefloat@justification@autodetect 4654, 4784
\@bidituftefloat@label 4813, 4840
\@bidituftefloat@margin@floatbox . . . 4762, 4765, 4776
\@bidituftefloat@margin@par 4684, 4771
\@bidituftefloat@marginfont 4711, 4712
\@bidituftefloat@orig@caption . . . 4837, 4865, 4895
\@bidituftefloat@orig@endfloat . . . 4800, 4878, 5129
\@bidituftefloat@orig@float . . . 4799, 4852, 5128
\@bidituftefloat@orig@label 4838, 4866, 4896
\@bidituftefloat@overhang 4745, 4749, 4750, 4948, 4949, 4988, 4989
\@bidituftefloat@pkgname . . . 4629, 4630, 4632
\@bidituftefloat@stored@caption 4804, 4865, 4900
\@bidituftefloat@stored@label 4805, 4814, 4866, 4882, 4884, 4901
\@bidituftefloat@stored@shortcaption 4803, 4808, 4809, 4865, 4899
\@bidituftegeneralstructure@reset@par 5914, 5920
\@bidituftheading@newlinetospace 4970, 4979
\@bidituftheading@newlinetospace@i 4971, 4973
\@bidituftheading@orig@cr 4978, 4982
\@bidituftesidenote@LTRcitation@font . . . 5340, 5349, 5439
\@bidituftesidenote@LTRmarginfont 5331, 5334, 5337, 5340
\@bidituftesidenote@LTRmarginnote@font . . . 5337, 5346, 5718
\@bidituftesidenote@LTRsidenote@font 5334, 5343
\@bidituftesidenote@RTLcitation@font 5341, 5350
\@bidituftesidenote@RTLmarginfont 5332, 5335, 5338, 5341
\@bidituftesidenote@RTLmarginnote@font . . . 5338, 5347, 5727
\@bidituftesidenote@RTLsidenote@font 5335, 5344

\@bidituftesidenote@add@citation 5474, 5507
\@bidituftesidenote@check@multiple@sidenotes 5532, 5540
\@bidituftesidenote@citation@font 5339, 5348, 5420, 5458, 5486
\@bidituftesidenote@citation@justification 5353, 5487
\@bidituftesidenote@citations 5473, 5475, 5476, 5478, 5483, 5492, 5611, 5640, 5669, 5708, 5717, 5726
\@bidituftesidenote@infootbox 5506, 5610, 5639, 5668, 5707, 5716, 5725
\@bidituftesidenote@justification 5351, 5352, 5353, 5354
\@bidituftesidenote@margin@par 5355, 5488, 5555, 5573, 5591, 5709, 5718, 5727
\@bidituftesidenote@marginfont 5330, 5333, 5336, 5339
\@bidituftesidenote@marginnote@font . . . 5336, 5345, 5709
\@bidituftesidenote@marginnote@justification 5352, 5709, 5718, 5727
\@bidituftesidenote@normal@cite 5414, 5511, 5631, 5660, 5689, 5711, 5720, 5729
\@bidituftesidenote@print@captions 5480, 5630, 5659, 5688, 5710, 5719, 5728
\@bidituftesidenote@sidenote . . . 5609, 5696, 5700
\@bidituftesidenote@sidenote@citations 5505
\@bidituftesidenote@sidenote@font 5333, 5342, 5518, 5519, 5522
\@bidituftesidenote@sidenote@justification . . . 5351, 5518, 5519
\@bidituftesidenote@sidenote@vertical@offset 5606, 5607, 5613, 5615, 5621, 5628, 5642, 5644, 5655, 5657, 5671, 5673, 5679, 5686
\@bidituftesidenote@trim@b 5384, 5391
\@bidituftesidenote@trim@c 5388, 5391, 5396
\@bidituftesidenote@trim@sp 5373, 5376, 5425, 5427, 5444, 5446, 5463, 5465, 5495, 5497
\@bidituftesidenotemarginparreset 5229, 5236
\@bidituftesidenotesavemarbox 5216, 5217, 5220, 5223
\@bidituftesidenotexmpar 5214, 5215
\@bidituftesidenoteympar 5214, 5219
\@bidituftetoc@lof@line 5861, 5877
\@bidituftetoc@pkgname 5737, 5738
\@bidiundeclaredcolor 7378, 7379, 20779, 20780, 20819
\@bscontmark 14645
\@bsmanuscriptification 14626
\@bsmtitlempty . . . 14614
\@bsphack 2260, 5200, 5244, 5288, 21383, 21427
\@bsthanksheadpost 14628
\@bsthanksheadpre 14628
\@captions 4955, 14748, 14751
\@captionabovefalse . 17491, 18071, 18754
\@captionabovetrue . 17489, 18069, 18752
\@captype 2200, 2248, 2296, 4768, 14741, 14745, 14748, 16932, 16975
\@cclvi 10455, 10457, 10517, 10519
\@cclvi@offset 10708, 10709, 10737, 11911, 11923, 11957, 11960, 11961, 11971, 11972, 13923, 13928, 13940, 15822, 21331, 21335, 21347, 21351, 21362
\@centercr 5942, 15912, 15925, 15938, 19158, 19187, 21088
\@cftasnum . . . 19344, 19375, 19398, 19415, 19432, 19449, 19466, 19483, 19501, 19520, 19540, 19575
\@cftasnumb . . . 19345, 19376, 19399, 19416, 19433, 19450, 19467, 19484, 19502, 19521, 19541, 19576
\@cftbsnum . . . 19343, 19374, 19397, 19414, 19431, 19448, 19465, 19482, 19500, 19519, 19539, 19574
\@cftdopartfalse . 19317
\@cftdoparttrue 19320, 19324
\@cftl@subfig 19508
\@cftl@subtab 19528
\@chapapp . 6973, 7168, 8962, 10800, 16889
\@chapterlistsgap@off 15386
\@chapterlistsgap@on 15393, 15401
\@chclass . . 352, 364, 375, 1377, 1389, 1402, 1422, 1427, 19086, 19102, 19113, 21158, 21163
\@checkend 2678, 2702, 4463, 4464
\@chnum . 353, 360, 371, 1378, 1385, 1398, 1408, 1424, 1425,

1426, 1439, 1447, 1473, 7328, 19087, 19094, 19109, 21160, 21161, 21162
\@circlefnt 10959
\@classiv 2197, 13842, 18950, 20951, 21131, 21156
\@classx . 1405, 1464, 7322
\@classz 1405, 1464, 1498, 1499, 2196, 7322, 13842, 18949, 18989, 20950, 21130, 21155
\@cleartopmattertags 129, 13215
\@cliptoboxdim . . . 19116
\@clsextension 4177, 4188, 4204, 4214, 4223, 4226, 4235
\@clubpenalty 584, 7207, 9002, 16717, 16920, 19252
\@colht 7747, 7748, 7758, 7759, 7766, 7781, 7815, 7818, 7840, 7841, 7910, 7922, 7923, 7933, 7934, 7941, 7958, 7962, 10698, 11154, 11889, 11901, 11902, 11903, 11905, 11907, 11995, 13934, 13935, 14789, 14792, 14794, 14796, 14801, 14802, 14803, 14822, 14823, 14824, 14828, 14889, 14892, 14894, 14896, 14901, 14902, 14903, 14922, 14923, 14924, 14928, 21606
\@colourfalse 2360
\@colourgreenfalse 7975, 8073
\@colourgreentrue 7976, 8074
\@colourgreyfalse 7979, 8077
\@colourgreytrue 7980, 8078
\@colourorangefalse 7973, 8071
\@colourorangetrue 7974, 8072
\@colourredfalse 7977, 8075
\@colourredtrue 7978, 8076
\@colourtrue 2359
\@colroom 7736, 7759, 7762, 7764, 7765, 7934, 7937, 7939, 7940, 8235, 8292, 11889, 11903, 11906, 11908, 13934, 13943
\@combinedblfloats 7591, 7650, 11018, 11054, 11135, 11822, 11875, 14853, 14950, 21270, 21313
\@combinefloats 10693, 11991
\@compactenum@ 5924
\@cons 21469, 21470
\@contcshortstyle 14696
\@contcstyle 14701, 14707, 14712
\@contcwidth 14690, 14691
\@contdelim 14684, 14695, 14699, 14706, 14711
\@contfield 6554, 6569, 6601
\@contfinal 14684, 14696, 14702, 14708, 14712
\@contfmark . 14683, 14686
\@contfnote . 14682, 14685
\@contindw 14707
\@contnfont 14684, 14695, 14699, 14706, 14711
\@contpost 14716
\@contpre 14694, 14700, 14705, 14710
\@conttfont 14684, 14696, 14702, 14708, 14712
\@curfield 6553, 6568, 6588, 6602, 6612, 21519
\@curline 6551, 6566, 21519, 21521
\@currbox . 2268, 2299, 2303, 5165, 5168, 5209, 5212, 5217, 5221, 5253, 5256, 5261, 5265, 5297, 5300, 5305, 5309, 21392, 21395, 21400, 21404, 21436, 21439, 21444, 21448, 21470, 21479, 21511
\@currentHlabel . . . 12600, 12615, 12630
\@currentHref 12601, 12616, 12631, 12690, 12728, 12761, 12792, 12823, 13045, 13056, 13058
\@currentlabel . . 43, 57, 73, 246, 260, 275, 5557, 5575, 5593, 9115, 9129, 9143, 9155, 9166, 9177, 9406, 9416, 9426, 9452, 9465, 9477, 9515, 9524, 9533, 9558, 9570, 9581, 9618, 9628, 9638, 9664, 9677, 9689, 9727, 9737, 9747, 9773, 9786, 9798, 9836, 9846, 9856, 9882, 9895, 9907, 9945, 9955, 9965, 9991, 10004, 10016, 10054, 10064, 10074, 10100, 10113, 10125, 10163,

10173, 10183, 10209, 10222, 10234, 10272, 10282, 10292, 10318, 10331, 10343, 10538, 10550, 10562, 10599, 10613, 10627, 11440, 11457, 11473, 11501, 11515, 11529
\@currentlabelname 12602, 12617, 12632, 12691, 12729, 12762, 12793, 12824
\@currenvir 2664, 2667, 2668, 2688, 2691, 2692, 2719
\@currlist 21469
\@curtabmar . 21518, 21521
\@cvtheme 2440, 2443
\@cvthemeoptions 2441, 2443
\@date . . 431, 443, 479, 502, 770, 772, 784, 829, 849, 1022, 1024, 1036, 1081, 1101, 1272, 1274, 1286, 1331, 1352, 1361, 1996, 6088, 6142, 6770, 6772, 6784, 6947, 6949, 6961, 7037, 7049, 7085, 7108, 8760, 8770, 8804, 8825, 8855, 8867, 8903, 8926, 9011, 9016, 10860, 10870, 10904, 10925, 13224, 13229, 14623, 16180, 16182, 16194, 16239, 16259, 16319, 16321, 16335, 16382, 16405, 16414, 16572, 16584, 16625, 16647, 16759, 16771, 16807, 16830, 17155, 17215, 17269, 17704, 17764, 17818, 18285, 18286, 18289, 18294, 18403, 18463, 18517
\@datefield 18225
\@dblarg 14748
\@dblfloatplacement 7595, 7654, 11019, 11058, 11142, 11826, 11879, 14857, 14954, 21274, 21317
\@declaredcolor 7363, 7364, 20736, 20759
\@dedication 17171, 17173, 17224, 17272, 17274, 17720, 17722, 17773, 17821, 17823, 18419, 18421, 18472, 18520, 18522
\@dedicatory 323
\@deferlist 11887
\@definitionfileextension 2733, 2736
\@depth . . . 389, 13854, 18929, 18958, 18998, 21140, 21508
\@dgroup 7226
\@dischyph 11748, 13969, 15965
\@displaypagenumbersfalse 2539
\@displaypagenumberstrue 2538
\@dmath 7214, 7243
\@docolbox 11208
\@dodynamicthefoot 11132
\@dodynamicthehead 11132
\@dofilelist 4474, 4475, 4477
\@dotsep 20376, 20377, 20485, 21183
\@dottedtocline 20491, 20492, 20494, 20512, 21172
\@dseries 7239
\@eha 2655, 19562
\@ehc 2758, 2760, 2766, 2768, 2774, 2776, 2782, 2784, 3186, 4051, 10404, 13425, 13432, 13921, 14995, 15001
\@ehd 14742
\@eightcol@footgroupv@r 10041
\@eightcolLTRfootfmt . 10067, 10088, 10116
\@eightcolLTRfootnotetext 10036, 10060
\@eightcolRTLfootfmt . 10077, 10091, 10128
\@eightcolRTLfootnotetext 10037, 10070
\@eightcolfootfmt . . 10057, 10085, 10103
\@eightcolfootnotetext 10035, 10050
\@elt 2788, 2791, 5053, 5054, 5055, 5056, 5057, 5058, 5059, 5060, 5061, 5062, 5063, 5064, 5094, 5095, 5096, 5097, 5098, 5099, 5100, 5101, 5102, 5103, 5104, 5105, 5106, 5107, 5108, 5109, 5110, 5111, 7265, 8201, 8222, 8228, 8263, 8265, 8267, 8273, 8285, 8315, 8317, 8319, 8325, 19017, 19019
\@email . . 2452, 8063, 8161
\@empty 86, 115, 134, 136, 289, 404, 441, 442, 443, 444, 477, 478, 479, 480, 580, 715, 781, 782, 783, 784, 826, 827, 828, 829, 978, 1033, 1034, 1035, 1036, 1078, 1079, 1080, 1081, 1228, 1283, 1284,

1285, 1286, 1328,
1329, 1330, 1331,
1741, 1918, 1994,
1995, 1996, 1997,
2255, 2567, 2576,
2676, 2700, 3881,
4290, 4303, 4304,
4310, 4333, 4363,
4371, 4390, 4393,
4404, 4408, 4418,
4424, 4425, 4426,
4439, 4451, 4455,
4522, 4533, 5416,
5435, 5454, 5475,
5482, 6070, 6137,
6138, 6139, 6706,
6781, 6782, 6783,
6784, 6894, 6958,
6959, 6960, 6961,
7047, 7048, 7049,
7050, 7083, 7084,
7085, 7086, 7203,
7229, 7559, 7622,
8262, 8314, 8727,
8768, 8769, 8770,
8771, 8802, 8803,
8804, 8805, 8865,
8866, 8867, 8868,
8901, 8902, 8903,
8904, 8998, 9009,
9025, 9029, 10534,
10546, 10558,
10589, 10608,
10622, 10692,
10835, 10868,
10869, 10870,
10871, 10902,
10903, 10904,
10905, 10998,
11034, 11585,
11600, 11800,
11849, 11887,
11990, 12005,
12006, 12007,
12008, 12009,
12602, 12617,
12632, 12691,
12729, 12762,
12793, 12824,
13135, 13201,
13222, 13264,
13477, 13483,
13506, 13510,
13512, 13868,
14620, 14621,
14622, 14623,
14782, 14882,
15380, 15870,
16125, 16191,
16192, 16193,
16194, 16236,
16237, 16238,
16239, 16332,
16333, 16334,
16335, 16379,
16380, 16381,
16382, 16519,
16582, 16583,
16584, 16585,
16623, 16624,
16625, 16626,
16713, 16769,
16770, 16771,
16772, 16805,
16806, 16807,
16808, 16916,
17076, 17129,
17134, 17141,
17147, 17171,
17213, 17214,
17215, 17216,
17217, 17218,
17219, 17220,
17221, 17222,
17223, 17224,
17242, 17246,
17254, 17260,
17272, 17296,
17326, 17351,
17352, 17625,
17678, 17683,
17690, 17696,
17720, 17762,
17763, 17764,
17765, 17766,
17767, 17768,
17769, 17770,
17771, 17772,
17773, 17791,
17795, 17803,
17809, 17821,
17875, 17906,
17931, 17932,
18198, 18226,
18227, 18228,
18229, 18230,
18231, 18232,
18233, 18237,
18243, 18249,
18255, 18261,
18267, 18273,
18279, 18285,
18294, 18324,
18377, 18382,
18389, 18395,
18419, 18461,
18462, 18463,
18464, 18465,
18466, 18467,
18468, 18469,
18470, 18471,
18472, 18490,
18494, 18502,
18508, 18520,
18558, 18589,
18614, 18615,
18887, 19004,
19052, 19248,
19548, 19550,
20739, 20742,
20782, 20785,
20938, 21148,
21157, 21246,
21293, 21558,
21559, 21561, 21562
\@emptycol 7751,
7754, 7770, 7773,
7926, 7929, 7945, 7948
\@emptytoks 7228
\@end@tempboxa 12032,
12126, 12143, 21050
\@endfloatbox 2320
\@endmodernpoem 6564, 6584
\@endparenv 6474,
6581, 15427, 15447
\@endparpenalty 2113,
2122, 11069, 11083
\@endpbox .....
1415, 1416, 1457,
1481, 1482, 1483,

7336, 7337, 7338, 13839, 13845, 18964, 19002, 21146
\@endpetrue . 20892, 20902
\@endtraditionalpoem 6455, 6520
\@ensure@LR . 15812, 20912
\@ensure@LTR . . 15810, 15812, 15820, 20910, 20912, 20920, 20922, 20924, 21781, 21783
\@ensure@RL . 15811, 20911
\@ensure@RTL . . 15809, 15811, 20909, 20911
\@ensure@dir . . 15813, 15814, 20913, 20914
\@ensure@maindir 15814, 20914
\@enumctr 5925, 5926
\@eqnnum 11090, 13218, 21627
\@evenfoot 1958, 11125, 21551
\@evenhead . 11124, 21551
\@expandtwoargs . . . 4409
\@extrafootnotefeaturesfalse 1720
\@extrafootnotefeaturestrue 1718
\@extrainfo 2453, 8064, 8162
\@extratitle 17129, 17130, 17218, 17242, 17243, 17678, 17679, 17767, 17791, 17792, 18377, 18378, 18466, 18490, 18491
\@familyname 2385, 2387, 2388, 2446, 8038, 8128, 8149
\@familynamecolour 2415, 2432
\@fax 2451, 8062, 8160
\@fcolmadefalse . . 11888
\@ff@do@allframes 11134, 11139
\@ff@fbox 11217
\@ff@setoffset . . . 11214
\@ffbackground . . . 11204
\@filebordercolor 12903, 12905
\@filecolor 12921
\@filef@und 4123
\@finalstrut . . . 9093, 9099, 9105, 11445, 11462, 11478, 11505, 11519, 11533
\@firstampfalse 1437, 1445
\@firstcolfirstmark 7558, 7559, 7563, 7621, 7622, 7626, 10997, 10998, 11002, 11033, 11034, 11038, 11799, 11800, 11804, 11848, 11849, 11853, 14781, 14782, 14786, 14881, 14882, 14886, 21245, 21246, 21250, 21292, 21293, 21297
\@firstcoltopmark 7556, 7564, 7619, 7627, 10995, 11003, 11031, 11039, 11797, 11805, 11846, 11854, 14779, 14787, 14879, 14887, 21243, 21251, 21290, 21298
\@firstcolumnfalse 7549, 7612, 7966, 10989, 11025, 11149, 11786, 11835, 14772, 14872, 21236, 21283
\@firstcolumntrue . 7567, 7630, 7920, 11005, 11042, 11113, 11810, 11859, 14831, 14931, 21254, 21301
\@firstdetailselementfalse 8143
\@firstdetailselementtrue 8140
\@firstfooterelementfalse 8059, 8060, 8061, 8062, 8063, 8064
\@firstfooterelementtrue 8044
\@firstname 2385, 2387, 2388, 2445, 8038, 8128, 8149
\@firstnamecolour 2414, 2431
\@firstofone . . . 3518, 3525, 3531, 3542, 3556, 3562, 3570, 3576, 4576, 11162, 11180, 11184, 11187, 11190, 11196, 13027, 13028, 13029, 13030, 14746, 17451, 18031, 18714, 21533, 21575, 21587, 21590, 21592, 21599, 21603, 21609
\@firstoftwo . . . 1537, 1543, 1549, 2797, 2805, 2809, 2817, 2821, 2829, 2835, 2839, 2852, 2860, 2866, 2870, 2878, 2884, 2887, 2890, 2904, 2911, 3295, 3313, 3319, 3343, 3370, 3400, 3460, 3470, 4114, 15361
\@fivecol@footgroupv@r 9714
\@fivecolLTRfootfmt . . . 9740, 9761, 9789
\@fivecolLTRfootnotetext 9709, 9733
\@fivecolRTLfootfmt . . . 9750, 9764, 9801
\@fivecolRTLfootnotetext 9710, 9743
\@fivecolfootfmt . . . 9730, 9758, 9776

\@fivecolfootnotetext 9708, 9723
\@float 4799, 5128
\@floatboxreset . . . 2318
\@floatpenalty . 2261, 2263, 2266, 5201, 5203, 5207, 5211, 5245, 5247, 5251, 5255, 5289, 5291, 5295, 5299, 21384, 21386, 21390, 21394, 21428, 21430, 21434, 21438
\@fltovf 2301, 5212, 5256, 5300, 21395, 21439
\@flushglue 6357, 6358, 13975, 16681, 19906, 19910, 19914, 19960, 21088
\@fnsymbol . 453, 745, 804, 997, 1056, 1247, 1306, 1982, 6745, 6922, 7059, 8780, 8877, 10880, 16155, 16214, 16294, 16355, 16551, 16594, 16781, 17126, 17190, 17675, 17739, 18374, 18438
\@footgroupv@r 9275, 9364, 9393, 9502, 9605, 9714, 9823, 9932, 10041, 10150, 10259, 10419, 10477
\@footnote 6019
\@footnotemark . 2228, 2236, 2244, 5528, 5621, 5628, 5650, 5657, 5679, 5686, 6502, 6509, 6516, 11406, 11412, 11415, 11421, 12643, 12832, 12836, 12850, 12851
\@footnotetext 34, 79, 151, 152, 153, 237, 282, 2185, 2307, 5549, 5621, 5628, 6372, 6383, 6589, 6603, 8181, 8182, 9048, 9062, 9063, 9107, 9182, 9190, 9387, 9496, 9599, 9708, 9817, 9926, 10035, 10144, 10253, 10412, 10467, 10469, 11432, 11489, 11548, 12513, 12521, 12592, 12640, 12833, 12837, 12853, 12854, 13904, 14025, 15150, 15151, 15152, 17058, 17061, 17376, 17377, 17387, 17607, 17610, 17956, 17957, 17967, 18306, 18309, 18639, 18640, 18650, 19032, 19049, 19139, 19141
\@footstartv@l 9270, 10427, 10485
\@footstartv@r 9274, 10420, 10478
\@for 4331, 4392, 4405, 4427, 4431, 5417, 5422, 5436, 5441, 5455, 5460, 5483, 5492, 7527
\@fourcol@footgroupv@r 9605
\@fourcolLTRfootfmt . . . 9631, 9652, 9680
\@fourcolLTRfootnotetext 9600, 9624
\@fourcolRTLfootfmt . . . 9641, 9655, 9692
\@fourcolRTLfootnotetext 9601, 9634
\@fourcolfootfmt 9621, 9649, 9667
\@fourcolfootnotetext 9599, 9614
\@fps 2249, 2250, 2252, 2255, 2272
\@fpsadddefault 2253, 2256
\@freelist 2268, 5053, 5094, 5209, 5210, 5253, 5254, 5297, 5298, 10691, 11989, 21392, 21393, 21436, 21437, 21469, 21470
\@fs@capt 5142, 5155, 5163
\@fs@cfont 5135, 5141, 5151, 5154, 5162, 11094, 11095
\@fs@iftopcapt 5146, 5159, 5172
\@fs@mid . 5145, 5158, 5170
\@fs@post 5144, 5157, 5171
\@fs@pre . 5143, 5156, 5164
\@g@tnextcol 11111
\@getcirc 10955
\@gnewline . . . 15914, 15927, 15940, 15951
\@gobble . . 2165, 2675, 2699, 2721, 2726, 3423, 3424, 3425, 3426, 3427, 3520, 3533, 3548, 3592, 3606, 3618, 3630, 4320, 4455, 4632, 6192, 6257, 11172, 11173, 11174, 14743, 17377, 17379, 17381, 17957, 17959, 17961, 18640, 18642, 18644, 20743, 20786, 21568, 21569, 21570
\@gobbletwo 2746, 2747, 2750, 2751, 3650, 13281
\@gtempa 2928, 2929
\@halignto 393, 408, 18962, 19000, 20938, 21144, 21157
\@hangfrom . . . 17404, 17416, 17418, 17984, 17996,

17998, 18667, 18679, 18681, 21112
\@hboxRconstructfalse 15778, 20858
\@hboxRconstructtrue 404, 15768, 18969, 19008, 20848, 21153
\@height 388, 1495, 7350, 11729, 13853, 13909, 13995, 17104, 17111, 17653, 17660, 18352, 18359, 18929, 18957, 18998, 21139, 21508
\@highpenalty . . 6651, 6667, 6674, 6684, 6828, 6844, 6851, 6861, 7115, 7130, 7140, 8933, 10768, 10783, 10793, 16065, 16081, 16088, 16098, 16437, 16453, 16460, 16470, 16653, 16667, 16677, 16837, 16852, 16862, 19330, 19365, 19754, 19774, 19862
\@hintcolour . . 2422, 2438
\@holdpg . . 7681, 7687, 7694, 7705, 7715, 7815, 7816, 7818, 7821, 7825, 7830, 7835, 7839, 7847, 7859, 7872, 7880, 7888
\@hyper@launch . . . 12926
\@idxitem 102, 107, 222, 227, 603, 618, 867, 1119, 5983, 5990, 6626, 6803, 7014, 13152, 13157, 16022, 16277, 16737, 19310, 21637
\@ifclasslater 4618, 4623
\@ifclassloaded 4238, 4617, 4622, 4652, 6032, 6034, 7016, 9199, 11226, 11239, 21640, 21641, 21642, 21643, 21644, 21645, 21646, 21647, 21648, 21649, 21650, 21651, 21652, 21653, 21654, 21655, 21656, 21657, 21658, 21659, 21660, 21661, 21662, 21663, 21664, 21665, 21692, 21775, 21776
\@ifdefinable . . 2916, 2919, 2922, 2931, 3173, 3188, 11329
\@ifdefinitionfileloaded 2736, 21777
\@ifempty . . 7, 202, 13180
\@ifl@aded 2735, 2736, 2737
\@ifnextchar . . . 163, 405, 2133, 2163, 2178, 3163, 4207, 4208, 4252, 4253, 4297, 5214, 5258, 5302, 7363, 7378, 11404, 11413, 11572, 11587, 12098, 12840, 12864, 15162, 15431, 15451, 20736, 20779, 20963, 21397, 21441
\@ifpackagelater 4616, 4621, 11275
\@ifpackageloaded 170, 1454, 3356, 4280, 4340, 4575, 4593, 4615, 4620, 5121, 5126, 5179, 8632, 8633, 9369, 10377, 12637, 12657, 12735, 13034, 13499, 13624, 13881, 14722, 17459, 18039, 18722, 19234, 20939, 21626, 21639, 21652, 21662, 21666, 21670, 21674, 21675, 21676, 21677, 21684, 21685, 21686, 21687, 21688, 21689, 21690, 21691, 21692, 21693, 21694, 21695, 21696, 21697, 21698, 21699, 21700, 21701, 21702, 21703, 21704, 21705, 21706, 21707, 21708, 21709, 21710, 21711, 21712, 21713, 21714, 21715, 21716, 21717, 21718, 21719, 21720, 21721, 21722, 21723, 21724, 21725, 21726, 21727, 21730, 21731, 21732, 21733, 21756, 21757, 21758, 21759, 21760, 21761, 21762, 21763, 21764, 21765, 21766, 21767, 21768, 21769, 21770, 21771, 21772, 21773, 21774, 21775, 21776, 21778
\@ifpackagewith 7504, 13411, 13414, 15999, 16002, 19259, 21678, 21681, 21682, 21683, 21734, 21744, 21750
\@ifstar 3280, 4206, 4251, 4293, 4385, 4971, 8636,

9197, 9400, 9509, 9612, 9721, 9830, 9939, 10048, 10157, 10266, 10461, 10523, 12101
\@iftagsloaded 2735, 21667, 21668
\@iftexfileloaded . . . 2737, 21728, 21729
\@ifundefined . . 330, 331, 2542, 2756, 2759, 2764, 2767, 2772, 2775, 2780, 2783, 4195, 4199, 4349, 4442, 5363, 5846, 5854, 5969, 5971, 5976, 6066, 6083, 7365, 7372, 7380, 7386, 11097, 11322, 13037, 13038, 13435, 13446, 13509, 13511, 13516, 15534, 15996, 19549, 19553, 19629, 19651, 19652, 19700, 19701, 19784, 19806, 19807, 20035, 20058, 20086, 20146, 20195, 20212, 20242
\@ifundefinedmodel 20769, 20803
\@ifxempty 20829
\@ignoretrue 7250
\@iiiminipage 11535
\@iiiparbox 9348, 11566, 21021
\@indextitlestyle 100, 220, 13150
\@inlabelfalse 7217
\@insertfalse . 7672, 7780
\@inserttrue . . 7745, 7919
\@iprintcites 15906
\@itemfudge . 21518, 21520
\@itemlabel 20984
\@ixpt 5883
\@keywords 324
\@kludgeins . . . 10695, 11992, 15260, 15275
\@komalongtablefalse . 17459, 18039, 18722
\@lastchclass . . 353, 354, 355, 356, 358, 1378, 1379, 1380, 1381, 1383, 1422, 1423, 1435, 1443, 19087, 19088, 19089, 19090, 19092, 21158, 21159
\@lastvipertrue 7756, 7775, 7931, 7950
\@latex@error 2654, 4314, 14742, 14995, 15001
\@latex@warning 95, 298, 588, 720, 983, 1233, 2572, 6711, 6899, 7211, 8732, 9006, 10840, 13144, 16130, 16524, 16721, 16924, 17334, 17341, 17914, 17921, 18597, 18604, 19256
\@latex@warning@no@line 7749, 7767, 7924, 7942, 21484
\@latexbug 21470
\@latexerr 11926, 11936, 11946
\@leftcolumn . . . 7550, 7576, 7613, 7635, 7788, 7816, 7822, 7831, 10990, 11011, 11026, 11047, 11787, 11815, 11836, 11868, 14773, 14832, 14845, 14873, 14932, 14941, 21237, 21263, 21284, 21306
\@let@token . . . 2712, 2715
\@lettrine 13244
\@listI 4669
\@listdepth . . . 11388, 11551, 11753, 11757, 13378, 20975, 20978, 20983
\@listi . . 4669, 4677, 5887
\@loadwithoptions 4130, 4132, 4139
\@lowertitleback 17168, 17223, 17717, 17772, 18416, 18471
\@lowpenalty . 2109, 20285
\@m 93, 296, 586, 718, 981, 1231, 6709, 6897, 7209, 8730, 9004, 10838, 11788, 11790, 11837, 11839, 13142, 15360, 16128, 16522, 16719, 16922, 17330, 17910, 18593, 19254
\@mainaux 15491
\@mainmatterfalse 6219, 6249, 7191, 8986
\@mainmattertrue 6216, 6232
\@makecaption 4966, 7311, 14679, 14729, 14761, 17445, 18025, 18708, 21612
\@makechapterhead 301, 6968, 7163, 8957, 10796, 15897, 16885, 19275
\@makecol 10759, 10760, 11912, 11922, 13929, 13941, 21329
\@makefnmark . . . 454, 805, 1307, 1983, 5524, 5535, 7060, 8186, 8207, 8781, 8878, 10881, 13167, 14627, 16215, 16356, 16552, 16595, 16782, 17127, 17128, 17191,

17192, 17676, 17677, 17740, 17741, 18375, 18376, 18439, 18440
\@makefntext 45, 59, 75, 248, 262, 277, 455, 742, 807, 994, 1057, 1244, 1309, 1984, 5522, 5561, 5579, 5597, 6742, 6919, 7061, 8782, 8879, 10882, 11444, 11461, 11477, 11504, 11518, 11532, 12010, 14629, 16152, 16217, 16291, 16358, 16554, 16597, 16783, 17074, 17623, 18197, 18322
\@makeother 3279, 3325, 3434, 3442
\@makeschapterhead 6622, 6799, 6988, 7009, 7177, 8972, 10808, 16018, 16273, 16732, 16897, 19281, 19286
\@makespecialcolbox 10696, 11993
\@maketitle 120, 316, 320, 460, 462, 467, 476, 486, 811, 813, 818, 825, 835, 1063, 1065, 1070, 1077, 1087, 1313, 1315, 1320, 1327, 1337, 1987, 1993, 7066, 7068, 7073, 7082, 7092, 8787, 8789, 8794, 8801, 8811, 8884, 8886, 8891, 8900, 8910, 10887, 10889, 10894, 10901, 10911, 13206, 14632, 14634, 14641, 16221, 16223, 16228, 16235, 16245, 16362, 16364, 16369, 16378, 16388, 16606, 16608, 16613, 16622, 16632, 16788, 16790, 16795, 16804, 16814, 17195, 17197, 17202, 17212, 17237, 17744, 17746, 17751, 17761, 17786, 18443, 18445, 18450, 18460, 18485
\@maketitle@hook 118, 13204
\@makewincaption . 15625
\@marbox 5210, 5212, 5216, 5220, 5221, 5254, 5256, 5260, 5264, 5265, 5298, 5300, 5304, 5308, 5309, 21393, 21395, 21399, 21403, 21404, 21437, 21439, 21443, 21447, 21448, 21469, 21479, 21482, 21490, 21492, 21493, 21495, 21496, 21497, 21506, 21510, 21511
\@mathmargin ... 8588, 8595, 8603, 8610
\@maxdepth 9265, 10707, 10722, 10745, 10758, 12003, 21334, 21350, 21361
\@memtempa ... 14679, 14681, 14695, 14702, 14706, 14711
\@menubordercolor 12997, 12999
\@menucolor 13008
\@midlist 10691, 10692, 11989, 11990
\@minipagefalse 2322, 5231, 5240, 5275, 5284, 5319, 5328, 9345, 11563, 13468, 14735, 17435, 18015, 18698, 21414, 21423, 21458, 21467, 21618
\@minipagerestore 11552
\@minipagetrue 5239, 5283, 5327, 21422, 21466
\@minus 2489, 2575, 4665, 4667, 4674, 4676, 4678, 4679, 5884, 5886, 5888, 5889, 11667, 11705, 15357, 17558, 17568, 17578, 17588, 17598, 18147, 18157, 18167, 18177, 18187, 18830, 18840, 18850, 18860, 18870, 18894
\@mkboth 571, 599, 615, 706, 864, 969, 1116, 1219, 6623, 6697, 6800, 6885, 7010, 7194, 8718, 8989, 10826, 16019, 16116, 16274, 16510, 16704, 16733, 16907
\@mklab 20985
\@mkpream . 392, 13858, 18960, 18992, 21142
\@mobile . 2449, 8060, 8158
\@modernpoem .. 6540, 6584
\@mpLTRfootnotetext 9052, 9070, 9071, 9160, 9186, 9194, 9395, 9504, 9607, 9716, 9825, 9934, 10043, 10152, 10261, 10430, 10492, 11507, 11549, 12543, 12558, 12581, 12645, 14026, 19142

\@mpRTLfootnotetext 9053, 9072, 9073, 9171, 9187, 9195, 9396, 9505, 9608, 9717, 9826, 9935, 10044, 10153, 10262, 10431, 10493, 11493, 11550, 12532, 12557, 12570, 12646, 14027, 19143
\@mparbottom 21480, 21488, 21489, 21490, 21491
\@mpargs 9348, 11541, 11566
\@mparswitchfalse . 4648
\@mparswitchtrue . . 4643
\@mpeightcol@footgroupv@r 10047
\@mpeightcolLTRfootnotetext 10043, 10106
\@mpeightcolRTLfootnotetext 10044, 10119
\@mpeightcolfootnotetext 10042, 10094
\@mpfivecol@footgroupv@r 9720
\@mpfivecolLTRfootnotetext 9716, 9779
\@mpfivecolRTLfootnotetext 9717, 9792
\@mpfivecolfootnotetext 9715, 9767
\@mpfn 2203, 2206, 2209, 2225, 2233, 2241, 5619, 5625, 5648, 5654, 5677, 5683, 6479, 6482, 6485, 6499, 6506, 6513, 11404, 11409, 11413, 11418, 11547, 11577, 11592, 12518, 12529, 12540, 12740, 12771, 12802, 12865, 14022, 19074, 19081
\@mpfootins 9150, 9151, 9161, 9162, 9172, 9173, 9309, 9317, 9325, 9335, 9339, 9342, 11495, 11496, 11509, 11510, 11523, 11524, 11557, 11558, 11561, 14011, 14016
\@mpfootinsv@l . 9307, 9323, 9366, 10586, 10595, 10607, 10610
\@mpfootinsv@r . 9306, 9365, 9447, 9448, 9459, 9460, 9472, 9473, 9553, 9554, 9564, 9565, 9576, 9577, 9659, 9660, 9671, 9672, 9684, 9685, 9768, 9769, 9780, 9781, 9793, 9794, 9877, 9878, 9889, 9890, 9902, 9903, 9986, 9987, 9998, 9999, 10011, 10012, 10095, 10096, 10107, 10108, 10120, 10121, 10204, 10205, 10216, 10217, 10229, 10230, 10313, 10314, 10325, 10326, 10338, 10339, 10584, 10593, 10621, 10624
\@mpfootnotetext . . 9051, 9068, 9069, 9149, 9185, 9193, 9394, 9503, 9606, 9715, 9824, 9933, 10042, 10151, 10260, 10429, 10488, 10490, 11521, 11548, 12521, 12556, 12559, 12644, 14025, 19139, 19141
\@mpfourcol@footgroupv@r 9611
\@mpfourcolLTRfootnotetext 9607, 9670
\@mpfourcolRTLfootnotetext 9608, 9683
\@mpfourcolfootnotetext 9606, 9658
\@mplistdepth 11388, 11551
\@mpninecol@footgroupv@r 10156
\@mpninecolLTRfootnotetext 10152, 10215
\@mpninecolRTLfootnotetext 10153, 10228
\@mpninecolfootnotetext 10151, 10203
\@mppara@LTRfootgroupv@l 10436, 10498
\@mppara@footgroupv@r 10435, 10497
\@mpparaLTRfootnotetext . 10430, 10492, 10606
\@mpparaRTLfootnotetext 10431, 10620
\@mpparafootnotetext . 10429, 10490, 10581
\@mpsevencol@footgroupv@r 9938
\@mpsevencolLTRfootnotetext 9934, 9997
\@mpsevencolRTLfootnotetext 9935, 10010
\@mpsevencolfootnotetext 9933, 9985
\@mpsixcol@footgroupv@r 9829
\@mpsixcolLTRfootnotetext 9825, 9888
\@mpsixcolRTLfootnotetext 9826, 9901
\@mpsixcolfootnotetext 9824, 9876
\@mptencol@footgroupv@r 10265
\@mptencolLTRfootnotetext 10261, 10324
\@mptencolRTLfootnotetext 10262, 10337
\@mptencolfootnotetext 10260, 10312
\@mpthreecol@footgroupv@r 9508

\@mpthreecolLTRfootnotetext 9504, 9563
\@mpthreecolRTLfootnotetext 9505, 9575
\@mpthreecolfootnotetext 9503, 9552
\@mptwocol@footgroupv@r 9399
\@mptwocolLTRfootnotetext 9395, 9458
\@mptwocolRTLfootnotetext 9396, 9471
\@mptwocolfootnotetext 9394, 9446
\@namedef . 4199, 4350, 6537, 9350, 9385, 9484, 9489, 9494, 9587, 9592, 9597, 9696, 9701, 9706, 9805, 9810, 9815, 9914, 9919, 9924, 10023, 10028, 10033, 10132, 10137, 10142, 10241, 10246, 10251, 10350, 10355, 10410, 10464, 10635, 10645, 10655, 10664, 10673, 10685, 13949, 19564, 19603, 19604, 19605, 19606, 19607, 19608, 19609, 19610, 19611, 19612, 19630, 19631, 19632, 19633, 19634, 19635, 19636, 19637, 19638, 19653, 19654, 19655, 19656, 19658, 19659, 19661, 19664, 19667, 19675, 19676, 19678, 19681, 19684, 19697, 19702, 19703, 19704, 19706, 19707, 19709, 19712, 19715, 19723, 19724, 19726, 19729, 19732, 19744, 19785, 19786, 19787, 19788, 19789, 19790, 19791, 19792, 19793, 19808, 19809, 19810, 19811, 19813, 19814, 19816, 19819, 19822, 19830, 19831, 19833, 19836, 19839, 19852, 20036, 20037, 20038, 20039, 20040, 20041, 20042, 20043, 20044, 20083, 20087, 20088, 20089, 20090, 20092, 20093, 20095, 20098, 20101, 20109, 20110, 20112, 20115, 20118, 20143, 20147, 20148, 20149, 20151, 20152, 20154, 20157, 20160, 20168, 20169, 20171, 20174, 20177, 20197, 20200, 20204, 20244, 20247, 20251
\@nameuse 4196, 6535, 8518, 8568, 8571, 8617, 9486, 9487, 9491, 9492, 9589, 9590, 9594, 9595, 9698, 9699, 9703, 9704, 9807, 9808, 9812, 9813, 9916, 9917, 9921, 9922, 10025, 10026, 10030, 10031, 10134, 10135, 10139, 10140, 10243, 10244, 10248, 10249, 10352, 10353, 10357, 10358, 10636, 10642, 10646, 10652, 10656, 10661, 10665, 10670, 11117, 17832, 17848, 17856, 17864, 19293, 19565, 19566, 19567, 19570, 19573, 19578, 19579, 19584, 19588, 19589, 19591, 19592, 19594, 19595, 19597, 19598, 19600, 19601, 19608, 19613, 19614, 19697, 19744, 19748, 19749, 19761, 19768, 19769, 19852, 19856, 19857, 19876, 19891, 19894, 19896, 19899, 19902, 19919, 19920, 19922, 19923, 19933, 19935, 19937, 19938, 19940, 19942, 19943, 19952, 19954, 19958, 19959, 19963, 19967, 19969, 19970, 20030, 20063, 20070, 20075, 20076, 20083, 20136, 20143, 20214, 20771, 20805, 21542
\@ne 137, 142, 353, 362, 365, 459, 810, 1062, 1312,

1378, 1387, 1390, 1391, 1392, 1425, 1428, 1429, 1430, 1778, 1783, 1784, 1785, 2278, 2580, 2608, 2643, 2944, 2998, 3052, 3773, 3932, 4003, 4064, 4557, 4566, 7065, 7515, 8786, 8883, 10886, 11494, 11508, 11522, 11767, 12873, 12874, 12879, 13367, 13423, 13430, 13439, 13450, 13860, 14631, 14708, 14971, 15430, 15450, 16220, 16361, 16558, 16601, 16605, 16787, 17080, 17194, 17629, 17743, 18202, 18328, 18442, 19022, 19026, 19087, 19096, 19103, 19405, 19748, 19749, 19856, 19857, 20030, 20685, 20832, 20978, 21019, 21054, 21056, 21057, 21058, 21063, 21065, 21066, 21067, 21072, 21074, 21075, 21076, 21081, 21083, 21084, 21085, 21161, 21163, 21206, 21470

\@newlistfalse 11161, 21531

\@next 2268, 5209, 5210, 5253, 5254, 5297, 5298, 21392, 21393, 21436, 21437, 21469

\@nextchar 359, 361, 362, 363, 365, 366, 367, 368, 369, 372, 373, 374, 1384, 1386, 1387, 1388, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1399, 1400, 1401, 1413, 1415, 1416, 1481, 1482, 1483, 7336, 7337, 7338, 19093, 19095, 19096, 19097, 19098, 19099, 19100, 19101, 19103, 19104, 19105, 19106, 19107, 19110, 19111, 19112

\@nil 1466, 1467, 1469, 1470, 7325, 8229, 8286, 13040, 13049, 13051, 13063, 19208

\@ninecol@footgroupv@r 10150

\@ninecolLTRfootfmt . 10176, 10197, 10225

\@ninecolLTRfootnotetext 10145, 10169

\@ninecolRTLfootfmt . 10186, 10200, 10237

\@ninecolRTLfootnotetext 10146, 10179

\@ninecolfootfmt .. . 10166, 10194, 10212

\@ninecolfootnotetext 10144, 10159

\@nmbrlistfalse .. 20986

\@nobreakfalse . 520, 672, 916, 1155, 6661, 6838, 7125, 8942, 10778, 16075, 16447, 16662, 16847, 19352, 19356, 19884

\@nobreaktrue .. 519, 671, 915, 1154, 6660, 6837, 7124, 8941, 10777, 16074, 16446, 16661, 16846, 19351, 19355, 19883

\@nocnterr 331

\@nocounterr 330

\@nodocument 2247

\@noitemerr 95, 298, 587, 719, 982, 1232, 2572, 6710, 6898, 7210, 8731, 9005, 10839, 13144, 15367, 16129, 16523, 16720, 16923, 17333, 17340, 17913, 17920, 18596, 18603, 19255

\@nonlatinfalse 1564, 1682, 13457, 13501

\@nonlatintrue . 1565, 1684, 13457, 13501

\@normalLTRfootfmt ... 9101, 9146, 9169

\@normalRTLfootfmt ... 9095, 9132, 9180

\@normalcr 13978

\@normalfootfmt 9089, 9118, 9158

\@notprerr ... 3520, 3533

\@nx 124, 125, 334, 13210, 13211

\@nxtcol 11109, 11111, 11152

\@oddfoot 1953, 11122, 11129, 21545, 21562

\@oddhead 11121, 11128, 21545, 21561

\@oldmakefnmark 17127, 17128, 17191, 17192, 17676, 17677, 17740, 17741, 18375, 18376, 18439, 18440

\@onefilewithoptions ... 4146, 4147, 4154

\@onelevel@sanitize 2250

\@onlypreamble 1659, 4369, 4379, 4383, 10526

\@openbib@code 578, 713, 976, 1226, 2565, 2576, 6704, 6892, 7201, 8725, 8996, 10833, 16123, 16517, 16711, 16914, 17316, 17896, 18579, 19246
\@otarlinesep 18982, 18988
\@outerparskip 6578
\@outputbox 7550, 7553, 7554, 7568, 7580, 7585, 7587, 7613, 7616, 7617, 7631, 7641, 7644, 7646, 9264, 9266, 10698, 10700, 10701, 10706, 10721, 10723, 10737, 10748, 10990, 10993, 11006, 11015, 11026, 11029, 11043, 11053, 11134, 11139, 11186, 11787, 11794, 11795, 11811, 11821, 11836, 11843, 11844, 11860, 11872, 11911, 11923, 11957, 11959, 11970, 11995, 11998, 11999, 14773, 14776, 14777, 14807, 14832, 14835, 14837, 14849, 14873, 14876, 14877, 14907, 14932, 14935, 14937, 14947, 15499, 15502, 15507, 21237, 21240, 21241, 21255, 21267, 21284, 21287, 21288, 21302, 21312, 21331, 21333, 21347, 21349, 21360, 21589
\@outputdblcol 11108, 21325, 21326, 21327
\@outputpage . . . 7593, 7597, 7652, 7656, 11018, 11021, 11056, 11060, 11136, 11140, 11145, 11156, 11824, 11828, 11877, 11881, 13930, 13942, 14855, 14860, 14952, 14957, 15488, 15489, 21272, 21276, 21315, 21319, 21526
\@ovbtrue 10944
\@ovdx 10957, 10965
\@ovdy 10958, 10966
\@ovhorz . . . 10963, 10964
\@ovltrue 10944
\@ovri 10956
\@ovro 10956, 10965, 10966
\@ovrtrue 10944
\@ovttrue 10944
\@ovvert . . . 10961, 10962
\@ovxx 10946, 10947, 10950, 10957, 10962, 10963, 10967, 10968
\@ovyy . . 10948, 10949, 10950, 10958, 10964
\@pagedp . . . 21498, 21508
\@pageht 7673, 7782, 21481, 21488
\@par 19973
\@para@LTRfootgroupv@l 10426, 10484
\@para@footgroupv@r 10419, 10477
\@para@footstartv@l 10427, 10485
\@para@footstartv@r 10420, 10478
\@paraLTRfootfmt . . . 10554, 10573, 10617
\@paraLTRfootnotetext . 10413, 10471, 10545
\@paraRTLfootfmt . . . 10566, 10577, 10631
\@paraRTLfootnotetext 10414, 10557
\@parafootfmt 10542, 10569, 10603
\@parafootnotetext . 10412, 10469, 10527
\@parboxrestore 42, 56, 72, 245, 259, 274, 2317, 4960, 5228, 5272, 5316, 7255, 9154, 9165, 9176, 9302, 9451, 9463, 9476, 9557, 9568, 9580, 9663, 9675, 9688, 9772, 9784, 9797, 9881, 9893, 9906, 9990, 10002, 10015, 10099, 10111, 10124, 10208, 10220, 10233, 10317, 10329, 10342, 10598, 10612, 10626, 10640, 10650, 11161, 11439, 11456, 11472, 11500, 11514, 11528, 11546, 14756, 14970, 21037, 21411, 21455, 21532
\@parboxto . 21040, 21047
\@parmoderr 2266, 5206, 5250, 5294, 21389, 21433
\@part 550, 8689
\@pboxswfalse 11537, 21023
\@pboxswtrue 21045
\@pdfm@mark 12881, 12897, 12931, 12962, 12991, 13066, 13071, 13082, 13087, 13098, 13104, 13115, 13121
\@pdfremotestartview 12912
\@phone . . 2450, 8061, 8159

\@photo 2455, 8034, 8036, 8165, 8167
\@photowidth . . . 2454, 2455, 8036, 8132
\@pkgextension 4174, 4185, 4249, 4258, 4266, 4269, 4277
\@plus 24, 103, 223, 510, 527, 602, 617, 646, 649, 662, 680, 687, 866, 873, 876, 889, 906, 924, 1118, 1129, 1132, 1145, 1163, 1171, 2489, 2575, 4665, 4666, 4667, 4674, 4675, 4676, 4678, 4679, 5884, 5885, 5886, 5888, 5889, 5955, 6625, 6636, 6639, 6652, 6668, 6675, 6802, 6813, 6816, 6829, 6845, 6852, 7013, 7116, 7131, 8665, 8679, 8934, 10571, 10575, 10579, 10769, 10784, 11667, 11705, 13153, 13173, 15022, 15034, 15357, 16021, 16050, 16053, 16066, 16082, 16089, 16276, 16422, 16425, 16438, 16454, 16461, 16654, 16668, 16736, 16838, 16853, 17102, 17109, 17133, 17156, 17174, 17245, 17270, 17358, 17363, 17516, 17535, 17558, 17559, 17568, 17569, 17578, 17579, 17588, 17598, 17651, 17658, 17682, 17705, 17723, 17794, 17819, 17938, 17943, 18096, 18115, 18147, 18148, 18157, 18158, 18167, 18168, 18177, 18187, 18350, 18357, 18381, 18404, 18422, 18493, 18518, 18621, 18626, 18779, 18798, 18830, 18831, 18840, 18841, 18850, 18851, 18860, 18870, 18893, 19159, 19188, 19309, 19584, 19752, 19755, 19759, 19860, 19863, 19867, 19900, 20197, 20200, 20204, 20292, 20476, 21174
\@pnumwidth . . . 13, 15, 208, 210, 513, 514, 516, 530, 531, 535, 665, 666, 668, 690, 691, 695, 892, 893, 897, 909, 910, 912, 1148, 1149, 1151, 1174, 1175, 1179, 6655, 6656, 6658, 6678, 6679, 6683, 6832, 6833, 6835, 6855, 6856, 6860, 7119, 7120, 7122, 7134, 7135, 7139, 7400, 7405, 7406, 8668, 8669, 8673, 8682, 8683, 8685, 8936, 8937, 8939, 10772, 10773, 10775, 10787, 10788, 10792, 13186, 13188, 15042, 16069, 16070, 16072, 16092, 16093, 16097, 16441, 16442, 16444, 16464, 16465, 16469, 16656, 16657, 16659, 16671, 16672, 16676, 16841, 16842, 16844, 16856, 16857, 16861, 19215, 19224, 19226, 19614, 19763, 19764, 19772, 19871, 19872, 19878, 20270, 20383, 20488, 21186
\@preamble 393, 394, 404, 406, 1438, 1446, 13864, 18961, 18963, 18970, 19000, 19001, 19009, 21143, 21145, 21154
\@preameightfmt 10080, 10086, 10089, 10092
\@preamerr 375, 1402, 1432, 19113, 21152, 21165
\@preamfivefmt . 9753, 9759, 9762, 9765
\@preamfntext 9113, 9127, 9141, 9297, 9405, 9415, 9425, 9514, 9523, 9532, 9617, 9627, 9637, 9726, 9736, 9746, 9835, 9845, 9855, 9944, 9954, 9964, 10053, 10063, 10073, 10162, 10172, 10182, 10271, 10281, 10291, 10537, 10549, 10561
\@preamfourfmt . 9644, 9650, 9653, 9656
\@preamninefmt 10189, 10195, 10198, 10201

\@preamnormalfmt 9085, 9090, 9096, 9102
\@preamsevenfmt 9971, 9977, 9980, 9983
\@preamsixfmt . . 9862, 9868, 9871, 9874
\@preamtenfmt . 10298, 10304, 10307, 10310
\@preamthreefmt 9538, 9544, 9547, 9550
\@preamtwofmt . . 9432, 9438, 9441, 9444
\@printcites 15908
\@pstrickserr 15862
\@ptsize 2353, 2354, 2355, 2356, 2363
\@publisher . . . 6047, 6100
\@publishers 17157, 17221, 17271, 17706, 17770, 17820, 18405, 18469, 18519
\@quote 2456, 8040, 8042, 8169, 8171
\@quotebox 15907
\@quotecolour 2418, 2435, 2545
\@r@m@msize 18995
\@raggedtwoe@abdhook . 15982, 15987, 15997
\@raggedtwoe@document@opt . 15981, 15985, 16003
\@raggedtwoe@everyselectfont 15921, 15934, 15947, 15958
\@raggedtwoe@footmisctrue 15984
\@raggedtwoe@gnewline . 15914, 15927, 15940
\@raggedtwoe@raggedrightboxes@opt 15960, 15979, 15983, 16000
\@raggedtwoe@saved@gnewline 15951
\@raggedtwoe@savedcr 15911, 15924, 15937, 15950
\@raggedtwoe@spaceskipfalse 15957
\@raggedtwoe@spaceskiptrue . 15920, 15933, 15946
\@rc@ifdefinable 2931, 3188
\@reffalse 18225
\@reftrue 18226, 18227, 18228, 18229, 18230, 18231, 18232, 18233
\@regtocline . . . 643, 681, 698, 870, 900, 925, 1126, 1164, 1182, 6633, 6669, 6687, 6810, 6846, 6864, 16047, 16083, 16101, 16419, 16455, 16473
\@rememsize . 18992, 18995
\@removefromreset 15376, 15378
\@reqcolroom 7673, 7674, 7675, 7676, 7736, 7781, 7782, 7783, 7784, 7785, 7786, 7910
\@resetactivechars 11159, 21529
\@resetdyn@mics . . 11147
\@resetst@tics . . . 11146
\@restonecolfalse 98, 218, 592, 608, 857, 1109, 6616, 6793, 7003, 13148, 16012, 16267, 16726, 19267
\@restonecoltrue 98, 218, 594, 610, 859, 1111, 6618, 6795, 7005, 13148, 16014, 16269, 16728, 19269
\@resumename . . 2388, 2444
\@revlabeltrue . 743, 995, 1245, 6743, 6920, 16153, 16292
\@rightcolumn . 14799, 14804, 14805, 14814, 14815, 14823, 14827, 14833, 14899, 14904, 14905, 14914, 14915, 14923, 14927, 14933
\@rightskip . . . 13974, 15916, 15917, 15929, 15930, 15942, 15943, 15953, 15954, 21088
\@rjfieldfalse . . . 21516
\@runbordercolor 12937, 12939
\@runcolor 12953
\@s@@size 18995
\@s@bidi@AfterClass 4206, 4215, 4227, 4236
\@s@bidi@AfterPackage 4251, 4259, 4270, 4278
\@sarray 18954
\@savemarbox 21510
\@secondoftwo . . 1539, 1545, 1551, 2799, 2803, 2811, 2815, 2823, 2827, 2833, 2841, 2854, 2863, 2872, 2881, 2887, 2890, 2901, 2906, 2913, 3286, 3296, 3297, 3298, 3299, 3305, 3314, 3320, 3344, 3372, 3400, 3449, 3461, 3462, 3471, 4111, 4239, 4281
\@secpenalty . . 5, 200, 509, 526, 661, 679, 686, 888, 905, 923, 1144, 1162, 1170, 8664, 8678, 13178, 19200, 19332, 19387, 19751, 19758, 19859, 19866
\@sectiontitlecolour 2419, 2436
\@seesize . . 18992, 18995
\@setcol 11153
\@setcolbox . 11114, 11150
\@setcopyright 112, 13198
\@setfontsize 4664, 4673, 5883,

5893, 5894, 5895, 5896, 5897, 5898, 5899
\@setfpsbit 2282, 2285, 2288
\@setmarks 7560, 7562, 7592, 7623, 7625, 7651, 10999, 11001, 11018, 11035, 11037, 11055, 11801, 11803, 11823, 11850, 11852, 11876, 14783, 14785, 14854, 14883, 14885, 14951, 21247, 21249, 21271, 21294, 21296, 21314
\@setminipage . . 4962, 11553, 11761, 14758
\@setpar 16555, 16598, 17077, 17084, 17626, 17633, 18199, 18204, 18325, 18332
\@settab 6545
\@sevencol@footgroupv@r 9932
\@sevencolLTRfootfmt . . 9958, 9979, 10007
\@sevencolLTRfootnotetext 9927, 9951
\@sevencolRTLfootfmt . . 9968, 9982, 10019
\@sevencolRTLfootnotetext 9928, 9961
\@sevencolfootfmt . . . 9948, 9976, 9994
\@sevencolfootnotetext 9926, 9941
\@sharp 400, 1440, 1441, 1442, 1448, 1449, 1450, 13040, 13046, 13856, 18966, 19001, 19007, 21149
\@sixcol@footgroupv@r 9823
\@sixcolLTRfootfmt . . . 9849, 9870, 9898
\@sixcolLTRfootnotetext 9818, 9842
\@sixcolRTLfootfmt . . . 9859, 9873, 9910
\@sixcolRTLfootnotetext 9819, 9852
\@sixcolfootfmt 9839, 9867, 9885
\@sixcolfootnotetext 9817, 9832
\@skip@bove . 18986, 18988
\@spaces 19024, 19065, 19070
\@spart 8708
\@specialpagefalse 11116, 21542
\@specialstyle 11117, 21542
\@stabarray 18950
\@stabular 18946
\@star@or@long . 2926, 3158, 3182, 3193
\@startcolumn 11886
\@startdblcolumn 7596, 7598, 7655, 7657, 11019, 11021, 11059, 11060, 11143, 11145, 11827, 11829, 11880, 11882, 14858, 14861, 14955, 14958, 21275, 21277, 21318, 21320
\@startfield 6587
\@startpbox 1415, 1416, 1481, 1482, 1483, 7336, 7337, 7338, 13843, 13844, 13850, 18964, 19002, 21146
\@startsection 23, 13172
\@starttoc . . . 5850, 5858
\@stopfield 6552, 6567, 6571, 6599, 21516
\@stopline . . 6571, 21516
\@stpelt . 3638, 3642, 3644
\@strip 14967
\@subjclass 324
\@subject 17141, 17142, 17220, 17254, 17255, 17690, 17691, 17769, 17803, 17804, 18389, 18390, 18468, 18502, 18503
\@subsectioncolour 2421, 2437
\@subtitle 17147, 17217, 17260, 17696, 17766, 17809, 18395, 18465, 18508
\@tabacol 2195, 13841, 18948, 20949, 21129
\@tabarray . 381, 405, 409, 2197, 13828, 13830, 20944, 20951, 21131, 21157
\@tabclassiv 2197, 13842, 18950, 20951, 21131
\@tabclassz 1443, 2196, 13842, 18949, 20950, 21130
\@tabcr 6548, 6558
\@tabminus 6546
\@tabplus 6545
\@tabular 377, 2183, 21127
\@tabularcr 2197, 13846, 18950, 20951, 21131
\@tagsextension 2732, 2735
\@tarlinesep . . 18988, 18989, 18990, 18991, 18994, 18996
\@temp@bibkey . . 5417, 5436, 5455, 5483
\@temp@bibkeyx 5422, 5423, 5425, 5426, 5427, 5428, 5441, 5442, 5444, 5445, 5446, 5447, 5460, 5461, 5463, 5464, 5465, 5466, 5492, 5493, 5495, 5496, 5497, 5498
\@temp@last@bibkey 5416, 5417,

5423, 5435, 5436, 5442, 5454, 5455, 5461, 5482, 5483, 5493
\@tempa 123, 126, 133, 134, 135, 136, 790, 792, 794, 798, 1042, 1044, 1046, 1050, 1292, 1294, 1296, 1300, 2610, 2617, 2648, 2649, 2652, 2755, 2756, 2759, 2761, 2763, 2764, 2767, 2769, 2771, 2772, 2775, 2777, 2779, 2780, 2783, 2785, 2945, 2955, 2961, 2973, 2980, 2986, 2999, 3009, 3015, 3027, 3034, 3040, 3053, 3066, 3072, 3090, 3100, 3106, 10945, 12063, 12064, 12065, 12066, 12103, 12106, 12107, 12113, 12124, 12125, 12131, 12136, 12137, 12139, 12142, 12199, 12200, 12201, 12202, 12659, 12663, 12666, 12678, 12697, 12701, 12704, 12716, 13209, 13212, 13263, 13264, 13911, 13912, 13914, 13915, 15379, 15380, 15381, 15384, 15391, 15397, 16200, 16202, 16204, 16208, 16341, 16343, 16345, 16349, 16932, 16933, 16975, 16976, 17076, 17318, 17321, 17625, 17898, 17901, 18198, 18324, 18581, 18584, 19073, 19075, 19080, 19082, 20474, 20491, 20495, 20496, 20497, 20506, 20520, 20696, 20699, 20705, 20709, 20723
\@tempb 2648, 2649, 2651, 2652, 12063, 12064, 12104, 12106, 12134, 12136, 12137, 12139, 12142, 15383, 15384, 15390, 15391, 15396, 15397
\@tempboxa 5212, 5256, 5300, 7696, 7720, 7729, 7788, 7832, 7873, 7894, 7903, 8252, 8253, 8254, 8255, 8257, 8306, 8307, 8308, 8309, 8311, 9348, 10956, 10960, 10968, 10969, 11094, 11095, 11096, 11542, 11566, 11604, 11649, 11656, 11666, 11669, 11673, 11675, 11681, 11715, 11717, 11723, 11736, 11740, 11741, 12029, 12125, 12142, 12291, 12472, 12474, 13460, 13465, 13469, 13873, 13874, 13877, 14684, 14687, 14691, 14693, 14699, 14701, 14702, 14731, 14732, 14736, 15626, 15627, 15630, 17382, 17396, 17400, 17402, 17425, 17426, 17428, 17429, 17431, 17436, 17441, 17962, 17976, 17980, 17982, 18005, 18006, 18008, 18009, 18011, 18016, 18021, 18645, 18659, 18663, 18665, 18688, 18689, 18691, 18692, 18694, 18699, 18704, 19047, 19067, 20435, 20438, 20443, 20447, 20451, 20455, 20459, 20463, 20467, 20471, 21112, 21113, 21168, 21169, 21170, 21171, 21395, 21439, 21577, 21584, 21585, 21614, 21615, 21619
\@tempc . 12105, 12107, 12113, 13291, 13296
\@tempcnta 1406, 1465, 1466, 1467, 1469, 1470, 2270, 2276, 2278, 2291, 2292, 2298, 2299, 2625, 2627, 2631, 7323, 7325, 8227, 8284, 13330, 13332, 13335, 13358, 13359, 13367, 15455, 15457, 15458, 15464, 15468, 15481, 15532, 15534, 15538, 15541, 15543, 17180, 17182, 17375,

17394, 17729, 17731, 17955, 17974, 18428, 18430, 18638, 18657, 19060, 20282, 20283, 20284, 20303, 20304, 20305, 20307, 20309, 20391, 20392, 20393, 21470, 21472, 21475, 21477, 21479, 21501
\@tempcntb 2296, 2297, 2298, 15456, 15457, 15464, 15468, 15481, 17375, 17393, 17955, 17973, 18638, 18656
\@tempdima 8, 10, 12, 14, 203, 205, 207, 209, 385, 386, 388, 511, 528, 533, 651, 664, 688, 693, 878, 879, 890, 895, 908, 1134, 1147, 1172, 1177, 1460, 1461, 1493, 1494, 1495, 2350, 2352, 5871, 5872, 6641, 6654, 6676, 6681, 6818, 6831, 6853, 6858, 7117, 7132, 7137, 7348, 7349, 7350, 7398, 7403, 7677, 7746, 7747, 7761, 7762, 7766, 7843, 7921, 7922, 7936, 7937, 7941, 7957, 7958, 8198, 8199, 8200, 8201, 8219, 8220, 8221, 8222, 8228, 8230, 8231, 8235, 8236, 8237, 8238, 8239, 8247, 8251, 8254, 8255, 8256, 8270, 8271, 8272, 8285, 8287, 8288, 8292, 8293, 8294, 8295, 8296, 8302, 8305, 8308, 8309, 8310, 8322, 8323, 8324, 8468, 8470, 8471, 8472, 8476, 8483, 8485, 8487, 8494, 8518, 8519, 8524, 8525, 8526, 8527, 8528, 8643, 8645, 8647, 8666, 8671, 8681, 10406, 10440, 10441, 10442, 10443, 10445, 10454, 10455, 10458, 10459, 10502, 10503, 10504, 10505, 10507, 10516, 10517, 10520, 10521, 10708, 10710, 10771, 10785, 10790, 10957, 10958, 10961, 10962, 11540, 11544, 11998, 12000, 12122, 12124, 12129, 12131, 12132, 12134, 12147, 12152, 12157, 12161, 13181, 13183, 13185, 13187, 13306, 13311, 13327, 13328, 13333, 13838, 13848, 13853, 14802, 14806, 14902, 14906, 14967, 14992, 15015, 15027, 15028, 15039, 15040, 15459, 16055, 16068, 16090, 16095, 16427, 16440, 16462, 16467, 16556, 16557, 16558, 16599, 16600, 16601, 16669, 16674, 16839, 16854, 16859, 16977, 16978, 17078, 17079, 17080, 17085, 17086, 17089, 17399, 17400, 17425, 17426, 17427, 17429, 17627, 17628, 17629, 17634, 17635, 17638, 17979, 17980, 18005, 18006, 18007, 18009, 18200, 18201, 18202, 18205, 18206, 18209, 18326, 18327, 18328, 18333, 18334, 18337, 18662, 18663, 18688, 18689, 18690, 18692, 18993, 18996, 18998, 19061, 19120, 19121, 19122, 19342, 19346, 19373, 19377, 19396, 19400, 19413, 19417, 19430, 19434, 19447, 19451, 19464, 19468, 19481, 19485, 19499, 19503, 19518, 19522, 19538, 19542, 19573, 19577, 19761, 19767, 19869, 19919, 19922, 19923, 19927, 20299, 20301, 20330, 20333, 20340, 20343, 20347, 20352, 20355, 20367,

20400, 20402, 20403, 20406, 20409, 20413, 20420, 20422, 20481, 20482, 20495, 20497, 20505, 20512, 20658, 20659, 20678, 20689, 20690, 20691, 20692, 20704, 20707, 20713, 20714, 21036, 21037, 21179, 21180, 21480, 21481, 21482, 21483, 21486, 21489, 21492, 21494, 21517, 21518
\@tempdimb 7317, 7679, 7682, 7683, 7684, 7685, 7688, 7689, 7690, 7691, 7692, 7693, 7694, 7845, 7848, 7849, 7851, 7853, 7856, 7860, 7863, 7866, 7870, 7872, 8198, 8199, 8219, 8220, 8271, 8273, 8276, 8323, 8325, 8328, 8474, 8476, 8489, 8490, 8491, 8492, 8494, 8521, 8524, 10456, 10457, 10458, 10518, 10519, 10520, 10950, 10951, 10952, 10953, 10955, 12123, 12124, 12130, 12131, 12133, 12134, 13328, 13329, 13331, 14967, 14992, 17087, 17088, 17089, 17636, 17637, 17638, 18207, 18208, 18209, 18335, 18336, 18337, 18993, 18996, 18998, 20300, 20306, 20308, 20313, 20315, 20318, 20322, 20326, 20334, 20336, 20337, 20350, 20356, 20358, 20661, 20662, 20664, 20666, 20669, 20670, 20672, 20675, 20689, 20690, 20691, 20695, 20708, 20712, 20713, 21039, 21040
\@tempdimc 7318, 17075, 17082, 17083, 17093, 17624, 17631, 17632, 17642, 18323, 18330, 18331, 18341
\@tempskipa 6577, 6578, 6579
\@tempswafalse . 4386, 4433, 8239, 8296, 12070, 20743, 20786
\@tempswatrue 4385, 4430, 8233, 8290, 21229
\@temptokena 121, 125, 13207, 13211, 15518
\@tempx 6479, 6480, 12737, 12749
\@tempxi 6482, 6483, 12768, 12780
\@tempxii 6485, 6486, 12799, 12811
\@tempy 2203, 2204
\@tempyi 2206, 2207
\@tempyii 2209, 2210
\@tencol@footgroupv@r 10259
\@tencolLTRfootfmt . 10285, 10306, 10334
\@tencolLTRfootnotetext 10254, 10278
\@tencolRTLfootfmt . 10295, 10309, 10346
\@tencolRTLfootnotetext 10255, 10288
\@tencolfootfmt 10275, 10303, 10321
\@tencolfootnotetext 10253, 10268
\@testopt 3160, 3178, 13835, 13836
\@testpach 352, 1377, 1422, 19086, 21158
\@texfileextension 2734, 2737
\@textbottom . . 10703, 12001, 17102, 17109, 17358, 17363, 17651, 17658, 17938, 17943, 18350, 18357, 18621, 18626
\@textsuperscript . 454, 457, 744, 806, 808, 996, 1060, 1246, 1308, 1310, 1983, 1986, 5522, 5524, 6744, 6921, 7060, 7063, 8781, 8784, 8878, 8881, 10881, 10884, 14627, 16154, 16216, 16218, 16293, 16357, 16359, 16553, 16560, 16596, 16603, 16782, 16785
\@texttop . . 10699, 11997
\@tfor 2271, 10945
\@thanks 433, 441, 469, 477, 775, 781, 820, 826, 1027, 1033, 1072, 1078, 1277, 1283, 1322, 1328, 1988, 1994, 6775, 6781, 6952, 6958, 7039, 7047, 7075, 7083, 8762, 8768, 8796, 8802, 8857, 8865, 8893, 8901, 10862, 10868, 10896, 10902, 11568,

11582, 11585, 14620, 14643, 16185, 16191, 16230, 16236, 16324, 16332, 16371, 16379, 16574, 16582, 16615, 16623, 16761, 16769, 16797, 16805, 17160, 17204, 17213, 17709, 17753, 17762, 18408, 18452, 18461
\@thefnmark 44, 58, 74, 247, 261, 276, 454, 457, 744, 806, 808, 996, 1060, 1246, 1308, 1310, 1983, 1986, 2226, 2234, 2242, 5522, 5524, 5558, 5576, 5594, 5620, 5626, 5649, 5655, 5678, 5684, 6500, 6507, 6514, 6744, 6921, 7060, 7063, 8781, 8784, 8878, 8881, 9116, 9130, 9144, 9156, 9167, 9178, 9219, 9223, 9225, 9231, 9235, 9237, 9243, 9247, 9249, 9407, 9417, 9427, 9453, 9466, 9478, 9516, 9525, 9534, 9559, 9571, 9582, 9619, 9629, 9639, 9665, 9678, 9690, 9728, 9738, 9748, 9774, 9787, 9799, 9837, 9847, 9857, 9883, 9896, 9908, 9946, 9956, 9966, 9992, 10005, 10017, 10055, 10065, 10075, 10101, 10114, 10126, 10164, 10174, 10184, 10210, 10223, 10235, 10273, 10283, 10293, 10319, 10332, 10344, 10539, 10551, 10563, 10600, 10614, 10628, 10881, 10884, 11405, 11410, 11414, 11419, 11441, 11458, 11474, 11502, 11516, 11530, 11573, 11578, 11588, 11593, 12012, 12519, 12530, 12541, 12552, 12670, 12708, 12741, 12772, 12803, 12866, 13169, 16154, 16216, 16218, 16293, 16357, 16359, 16553, 16560, 16596, 16603, 16782, 16785
\@thefoot 11122, 11125, 11129, 21545, 21551, 21559, 21562, 21597
\@thehead 11121, 11124, 11128, 21545, 21551, 21558, 21561, 21581
\@themargin . . . 11178, 12167, 12169, 12174, 12176, 12180, 12182, 21547, 21549, 21553, 21555, 21574
\@thm 15412, 15433
\@thmcountersep 350, 20969
\@threecol@footgroupv@r 9502
\@threecolLTRfootfmt . . . 9527, 9546, 9573
\@threecolLTRfootnotetext 9497, 9520
\@threecolRTLfootfmt . . . 9536, 9549, 9584
\@threecolRTLfootnotetext 9498, 9529
\@threecolfootfmt . . . 9518, 9543, 9561
\@threecolfootnotetext 9496, 9511
\@title 320, 423, 444, 480, 494, 753, 755, 783, 828, 841, 1005, 1007, 1035, 1080, 1093, 1255, 1257, 1285, 1330, 1344, 1355, 1997, 2386, 2447, 6055, 6140, 6753, 6755, 6783, 6930, 6932, 6960, 7029, 7050, 7086, 7100, 8150, 8752, 8771, 8805, 8817, 8847, 8868, 8904, 8918, 10852, 10871, 10905, 10917, 14621, 16163, 16165, 16193, 16238, 16251, 16302, 16304, 16334, 16381, 16397, 16408, 16564, 16585, 16626, 16640, 16751, 16772, 16808, 16822, 17145, 17216, 17258, 17694, 17765, 17807, 18393, 18464, 18506
\@titlecolour . 2416, 2433
\@titlehead 17134, 17136, 17219, 17246, 17248, 17683, 17685, 17768, 17795, 17797, 18382, 18384, 18467, 18494, 18496
\@tocextra 19293, 19294, 19298, 19300, 19303

\@tocline . . 2, 197, 13175
\@tocpagenum 15, 210, 13188
\@tocrmarg 15011, 15023, 15035, 15996, 19337, 19368, 19391, 19408, 19425, 19442, 19459, 19476, 19494, 19513, 19533, 19568, 19619, 19897, 20360, 20477, 21175
\@todonotes@MissingFigureDown 20639
\@todonotes@MissingFigureText 20616
\@todonotes@MissingFigureUp 20638
\@todonotes@author 20549, 20560, 20585, 20603
\@todonotes@currentfigcolor 20620
\@todonotes@currentfigheight 20621
\@todonotes@currentfigwidth 20621, 20623, 20633, 20636
\@todonotes@drawInlineNote 20544
\@todonotes@drawLineToLeftMargin 20572, 20575
\@todonotes@drawLineToRightMargin 20572, 20575
\@todonotes@drawMarginNote . 20571, 20574, 20578
\@todonotes@drawMarginNoteWithLine 20566
\@todonotes@ifdisabled 20645
\@todonotes@sizecommand 20549, 20551, 20558, 20560, 20562, 20585, 20587, 20599, 20602, 20603, 20605, 20608
\@todonotes@text 20549, 20551, 20560, 20562, 20585, 20587, 20600, 20606, 20609
\@todonotes@textwidth 20583
\@toodeep 20976
\@topnum . . . 111, 314, 466, 817, 1069, 1319, 6133, 7072, 8793, 8890, 10893, 13197, 14640, 16227, 16368, 16612, 16794, 17201, 17750, 18449
\@topsep . . . 15426, 15446
\@topsepadd 2114, 15427, 15447
\@totalleftmargin 11751, 11755, 11758, 11767, 13349, 13350, 13371, 13973, 15429, 15430, 15449, 15450, 15970, 20995, 20997, 21003, 21005, 21009, 21011, 21015, 21017, 21019, 21054, 21056, 21057, 21058, 21063, 21065, 21066, 21067, 21072, 21074, 21075, 21076, 21081, 21083, 21084, 21085, 21517
\@traditionalpoem 6428, 6520
\@trivlist 15423, 15443, 20988
\@twocol@footgroupv@r 9393
\@twocolLTRfootfmt . . . 9419, 9440, 9468
\@twocolLTRfootnotetext 9388, 9412
\@twocolRTLfootfmt . . . 9429, 9443, 9480
\@twocolRTLfootnotetext 9389, 9422
\@twocolfootfmt 9409, 9437, 9455
\@twocolfootnotetext 9387, 9402
\@twosidefalse 4648
\@twosidetrue 4643
\@typeset@protect 2142, 2148, 2154, 2169
\@undeclaredcolor 7363, 7371, 20736, 20737
\@undefined 2200, 13840, 14741
\@undottedtocline 15008
\@unexpandable@protect 3211, 4545
\@unrecurse . 18983, 18986
\@uppertitleback 17164, 17222, 17713, 17771, 18412, 18470
\@urlbordercolor 12968, 12970
\@urlcolor 12982
\@viiipt 4673, 5893, 15467, 15480
\@viipt 5893, 15467, 15480
\@viper 7599, 7601, 7603, 7658, 7660, 7662, 7675, 7739, 7785, 7913, 7962, 14968, 14983, 14985, 14990
\@viperoutput . 7605, 7664
\@vipt 5894
\@vpt 5894
\@whilenum 13359
\@whilesw . 7597, 7656, 11020, 11060, 11144, 11828, 11881, 14859, 14956, 21276, 21319
\@wholewidth 10947, 10949, 10967
\@width 31, 235, 390, 540, 725, 960, 1205, 1495, 6716, 6869, 7145, 7350,

7572, 7637, 7712, 7886, 8180, 8736, 9035, 9084, 10818, 11049, 11352, 11354, 11729, 11817, 11864, 13166, 13237, 13855, 13909, 13995, 14841, 14943, 15086, 15100, 15132, 15180, 16106, 16529, 16685, 16867, 17104, 17359, 17653, 17939, 18352, 18622, 18959, 18998, 21141, 21259, 21308, 21508
\@x 6537, 6538
\@x@sf 5531, 5536, 5542, 5545
\@xLTRfootnote 2191, 2313, 6378, 6389, 6595, 6609, 11413, 11416
\@xLTRfootnotenext 2190, 2312, 6377, 6388, 6594, 6608, 11572, 11575, 12538, 19033
\@xRTLfootnote 2193, 2315, 6380, 6391, 6597, 6611, 11404, 11407
\@xRTLfootnotenext 2192, 2314, 6379, 6390, 6596, 6610, 11587, 11590, 12527, 19034
\@xaddress 321
\@xauthor 321
\@xcolor@ . . 20744, 20787
\@xcurraddr 322
\@xemail 322
\@xepersian@pdfcustomproperties 1820
\@xfloat 2246
\@xfootnote 2189, 2311, 6376, 6387, 6593, 6607, 12864
\@xfootnotemark . . 12549
\@xfootnotenext 2188, 2310, 6375, 6386, 6592, 6606, 12516, 19032
\@xiipt 5896
\@xipt 5895
\@xivpt 303, 5897
\@xmakefntext . . 807, 1309, 16217, 16358
\@xp 121, 308, 333, 334, 7264, 13207
\@xpt 4664
\@xstartcol 11904
\@xthm 15431, 15451
\@xtitle 320
\@xxpt 5898
\@xxxii 2297
\@xympar 5218, 5222, 5262, 5266, 5306, 5310, 21401, 21405, 21445, 21449, 21512
\@yargdef 3180
\@ympar 21509
\@ythm 15431, 15451
\[. 6545, 11064
\\ 122, 404, 751, 796, 1003, 1048, 1253, 1298, 2197, 2494, 2500, 2647, 3663, 3679, 3683, 3912, 3914, 3915, 3916, 3924, 3929, 3930, 3932, 4978, 4979, 4980, 4982, 5942, 6311, 6449, 6751, 6928, 8038, 8039, 8042, 8058, 8145, 8150, 8157, 8167, 8171, 9015, 9019, 9028, 12371, 12374, 12387, 12390, 12490, 12911, 12926, 12945, 13208, 13228, 13232, 13422, 13423, 13429, 13430, 13833, 13978, 15536, 15548, 15911, 15912, 15924, 15925, 15937, 15938, 15950, 16161, 16206, 16300, 16347, 18300, 18950, 18965, 18981, 18982, 19158, 19187, 20582, 20589, 20951, 21088, 21131, 21147, 21157
\{ 2059, 14115, 14159
\} 2060, 14115, 20956
\] 6546, 11074
\^ 1829, 6328, 6329, 6331, 6332
\` . . . 11749, 13970, 15966
\| . . . 11628, 11629, 11744

Numbers

\0 1783
\1 . . . 14057, 14108, 14160
\9 1783

\␣ 1599, 1882, 5424, 5428, 5443, 5447, 5462, 5466, 5494, 5498, 11621, 11623, 18294

A

\abovecaptionskip 13458, 13897, 13899, 14680, 14730, 17449, 17453, 17468, 17476, 18029, 18033, 18048, 18056, 18712, 18716, 18731, 18739, 21613
\abovedisplayshortskip . . . 4666, 4675, 5885
\abovedisplayskip . 4665, 4668, 4674, 4681, 4715, 5884, 5891
\abstractname 629, 635, 638, 936, 942, 944,

1188, 1194, 1197, 6692, 6880, 16033, 16039, 16042, 16483, 16489, 16492
\Acrobatmenu 12987
\active 6328, 6329, 6331, 6332
\add@strip 14992
\addcontentsline 553, 555, 2491, 4957, 8692, 8694, 13489, 13494, 14753, 19276, 19283, 19300, 20616
\AddExtraParaSkip 10398, 10401, 10526
\addfontfeature 2414, 2415, 2416, 2417, 2418, 2419, 2421, 2422
\addpenalty 5, 200, 509, 526, 661, 679, 686, 888, 905, 923, 1144, 1162, 1170, 6651, 6667, 6674, 6828, 6844, 6851, 7115, 7130, 8664, 8678, 8933, 10768, 10783, 13178, 16065, 16081, 16088, 16437, 16453, 16460, 16653, 16667, 16837, 16852, 19200, 19202, 19330, 19332, 19365, 19387, 19751, 19754, 19758, 19859, 19862, 19866
\address 321, 2448
\addresscolour 2417, 7990, 8088, 8094, 8100, 8106, 8112
\addressfont 2426, 2434, 2545, 8028, 8056, 8120, 8154
\addresssymbol 2408, 8058, 8157
\addresstyle 2434
\addtocontents . . . 19616
\addtocounter 13351, 13352
\addtolength . . . 2368, 2369, 2370, 2371, 2372, 2373, 2471, 2472, 2474, 2476, 2477, 2480, 4750, 4753, 4754, 4757, 5908, 8136, 8137, 8138, 8527, 12224, 12225, 13317, 13319, 13321, 13322, 13340, 13342, 13343, 13345, 13346, 13348, 13349, 13350, 13365, 13366, 17079, 17082, 17083, 17086, 17088, 17426, 17427, 17628, 17631, 17632, 17635, 17637, 18006, 18007, 18201, 18206, 18208, 18327, 18330, 18331, 18334, 18336, 18689, 18690, 19219, 19220, 19900, 19906, 19910, 19914
\addvspace 5, 200, 510, 527, 662, 680, 687, 889, 906, 924, 1145, 1163, 1171, 5936, 5993, 6652, 6668, 6829, 6845, 7116, 8665, 8679, 8934, 10769, 13178, 16066, 16082, 16438, 16454, 16654, 16838, 19334, 19388, 19752, 19759, 19860, 19863, 19867, 19894, 20294
\adjmc@inner 134
\adjmc@outer 136
\adjmc@page@sofar@orig 164
\adjmult@cols 163
\adjmulticols 132
\adl@act@classz . . . 1498
\adl@act@CT@setup 1456, 1463
\adl@activate . 1373, 1456
\adl@argarraydashrule 1392, 1430
\adl@array . . . 1370, 1375
\adl@arraydashrule 1391, 1429
\adl@arrayinit 1372
\adl@arrayrestore . 1367
\adl@arrayrule 1390, 1428
\adl@box . 1413, 1415, 1416
\adl@class@iiiorvii 1419, 1452
\adl@class@start 1418, 1451
\adl@CT@setup 1455, 1458, 1459
\adl@depth 1462
\adl@endarray 1367
\adl@endmbox 1414
\adl@everyvbox 1371, 1372
\adl@extract@arc . . 1467
\adl@extract@dgc . . 1470
\adl@extract@drsc . 1468
\adl@height 1461
\adl@inactivate 1373, 1455
\adl@LT@array 13038
\adl@noalign 1374
\adl@org@activate . 1456
\adl@org@classz . . . 1499
\adl@org@endpbox . . 1457
\adl@org@inactivate 1455
\adl@putlrc 1410, 1411, 1412, 1440, 1441, 1442, 1448, 1449, 1450
\adl@startmbox 1413
\advance 12, 90, 207, 293, 311, 386, 533, 577, 693, 712, 879, 895, 975, 1177, 1225, 1460, 1494, 1783, 1784, 1785, 1956, 1961, 2278, 2292, 2298, 2564, 2608, 2643,

2944, 2998, 3052,
3773, 3932, 3938,
3948, 4003, 4020,
4029, 4557, 5166,
5872, 5947, 6298,
6306, 6307, 6578,
6681, 6703, 6858,
6891, 7137, 7200,
7349, 7357, 7358,
7398, 7510, 7675,
7676, 7685, 7746,
7747, 7762, 7782,
7785, 7786, 7795,
7797, 7803, 7804,
7807, 7810, 7813,
7856, 7921, 7922,
7937, 7957, 7958,
8188, 8198, 8199,
8209, 8219, 8220,
8236, 8237, 8238,
8255, 8264, 8271,
8293, 8294, 8295,
8309, 8316, 8323,
8471, 8472, 8485,
8487, 8490, 8491,
8492, 8671, 8724,
8995, 9379, 9381,
10406, 10441,
10443, 10448,
10452, 10503,
10505, 10510,
10514, 10790,
10832, 10947,
10949, 10951,
10957, 10958,
10965, 10966,
10967, 11137,
11138, 11624,
11638, 11651,
11652, 11684,
11689, 11690,
11693, 11702,
11766, 11893,
11894, 11898,
11899, 11901,
11902, 11905,
11906, 11907,
11908, 12027,
12873, 12883,
13139, 13185,
13329, 13332,
13333, 13367,
13848, 13860,
13926, 14794,
14796, 14823,
14824, 14827,
14894, 14896,
14923, 14924,
14927, 14981,
14982, 14983,
14984, 14993,
15015, 15028,
15040, 15053,
15182, 15183,
15188, 15189,
15192, 15193,
15424, 15428,
15429, 15444,
15448, 15449,
15457, 15543,
15565, 15593,
15600, 15642,
15647, 15648,
15649, 15678,
15679, 15705,
15716, 15871,
15873, 15878,
15881, 15904,
16095, 16122,
16467, 16516,
16557, 16600,
16674, 16710,
16859, 16913,
16978, 17315,
17895, 18298,
18578, 18911,
18982, 18996,
19006, 19026,
19121, 19159,
19175, 19188,
19192, 19224,
19225, 19245,
19346, 19377,
19400, 19417,
19434, 19451,
19468, 19485,
19503, 19522,
19542, 19577,
19618, 19767,
19768, 19876,
19927, 20283,
20303, 20308,
20358, 20359,
20360, 20363,
20367, 20392,
20403, 20482,
20505, 20659,
20661, 20671,
20690, 20691,
20720, 20731,
20732, 20978,
20991, 20992,
20995, 20997,
21003, 21005,
21009, 21011,
21015, 21017,
21115, 21116,
21180, 21206,
21481, 21482,
21489, 21490,
21491, 21492, 21517
\afterassignment . .
1601, 1603, 1884,
1886, 3212, 4012,
5396, 19056, 19057
\aftergroup . . . . . .
2096, 2106, 4215,
4217, 4227, 4229,
4239, 4241, 4259,
4261, 4270, 4272,
4281, 4283, 5380,
5395, 7361, 7363,
7370, 7376, 7395,
11165, 11167,
15761, 15762,
15765, 15770,
15771, 15775,
15780, 15781,
15785, 15789,
15793, 15797,
19193, 20285,
20725, 20734,
20736, 20773,
20777, 20830,
20841, 20842,
20845, 20850,
20851, 20855,
20860, 20861,
20865, 20870,
20874, 20879,

21527, 21537, 21538
\ALG@floatstyle 5181, 5182, 5183
\algocf@float 21679
\algocf@makecaption 188
\algocf@within 166, 168, 21681, 21682, 21683
\alignL 7296
\alignR 7303
\allowbreak 8194, 8215, 9439, 9442, 9445, 9545, 9548, 9551, 9651, 9654, 9657, 9760, 9763, 9766, 9869, 9872, 9875, 9978, 9981, 9984, 10087, 10090, 10093, 10196, 10199, 10202, 10305, 10308, 10311
\Alph 14662
\AM@CheckAtEnd . . . 15556
\AM@ClearShipoutPicture 15558
\AM@currentdocname 15521, 15527
\AM@findfile 15525
\AM@output 15554
\AM@pagecount 15523
\AM@pageref . 15538, 15541
\AM@pagestemp 15531, 15536, 15537, 15540, 15548, 15549, 15553
\AM@readlist 15553
\AM@split@options 15517
\AM@temp . . . 15518, 15519
\AM@threadname 15516, 15526, 15527
\AM@xrprefix 15534, 15538, 15541
\and 448, 484, 762, 788, 791, 833, 1014, 1040, 1043, 1085, 1264, 1290, 1293, 1335, 1357, 2001, 6762, 6788, 6939, 6965, 7054, 7090, 8775, 8809, 8872, 8908, 10875, 10909, 14618, 15520, 16172, 16198, 16201, 16243, 16311, 16339, 16342, 16386, 16410, 16589, 16630, 16776, 16812, 17235, 17784, 18483
\andify 116, 13202
\andname . . 796, 1048, 1298, 16206, 16347
\andnext 14619
\AppendToTokenList 3879
\arabic 19, 20, 21, 22, 86, 214, 215, 216, 217, 289, 329, 11100, 11106, 13135, 13192, 13193, 13194, 13195, 19558, 21679
\array 407, 21155
\arraycolsep 407
\arraylinesep 18989
\arrayrulecolor . . . 1467
\arrayrulewidth . . 19006
\arraystretch 388, 389, 2090, 2101, 13853, 13854, 18957, 18958, 18993, 20964, 21139, 21140
\aslice . 15685, 15686, 15688, 15690, 15691, 15693, 15706, 15707, 15709
\At@ViperColsBreak . . . 7824, 7834, 7838
\AtBeginCaption . . 13500
\AtBeginDocument 1592, 1739, 2383, 2443, 2540, 3524, 4610, 4759, 4986, 5120, 5125, 5178, 5989, 6189, 6254, 8067, 8181, 8202, 8223, 8631, 11481, 12016, 12488, 13508, 13515, 13598, 15982, 18972, 20432
\AtBeginPackage . . 14723
\AtEndDocument . 1811, 2547, 3548, 4462, 6473, 6530, 14100, 14151, 14169, 21227
\AtEndOfClass 2382
\AtPageLowerLeft . . 8461
\AtPageUpperLeft 8461, 8475, 8493
\AtTextUpperLeft 8465, 8481
\author 321, 446, 482, 786, 831, 1038, 1083, 1288, 1333, 1999, 6039, 6071, 6786, 6963, 7052, 7088, 8773, 8807, 8870, 8906, 10873, 10907, 16196, 16241, 16337, 16384, 16587, 16628, 16774, 16810, 17225, 17774, 18473
\auto@footnoterule 11368, 11379
\autodot 17282, 17830, 18529, 20495
\autofootnoterule . 1694, 8174, 9078, 11377, 12008, 21631

B

\backmatter 6243, 7185, 8980
\baselineskip . . 402, 724, 726, 730, 732, 1204, 1206, 1210, 1212, 3152, 4692, 4694, 4697, 4699, 4701, 4704, 4859, 5489, 5556, 5574, 5592, 5709, 5718, 5727, 5808, 5815, 5822, 5829, 5836, 5936, 5993, 6336, 6397, 6461, 6467, 6715, 6717,

6721, 6723, 6868, 6870, 6874, 6876, 7511, 7512, 7529, 7533, 7748, 7923, 11175, 11639, 13327, 13335, 13869, 13879, 13976, 13993, 15640, 15643, 15657, 15681, 15685, 15690, 15694, 15706, 15717, 15744, 15977, 16105, 16107, 16111, 16113, 16528, 16530, 16534, 16536, 18292, 18295, 18297, 18302, 18968, 19007, 20659, 20667, 20671, 21151, 21571, 21594
\baselinestretch 2398, 5552, 5570, 5588, 9110, 9124, 9138, 9152, 9163, 9174, 9403, 9413, 9423, 9449, 9461, 9474, 9485, 9490, 9512, 9521, 9530, 9555, 9566, 9578, 9588, 9593, 9615, 9625, 9635, 9661, 9673, 9686, 9697, 9702, 9724, 9734, 9744, 9770, 9782, 9795, 9806, 9811, 9833, 9843, 9853, 9879, 9891, 9904, 9915, 9920, 9942, 9952, 9962, 9988, 10000, 10013, 10024, 10029, 10051, 10061, 10071, 10097, 10109, 10122, 10133, 10138, 10160, 10170, 10180, 10206, 10218, 10231, 10242, 10247, 10269, 10279, 10289, 10315, 10327, 10340, 10351, 10356, 10438, 10500, 10535, 10547, 10559, 10590, 10609, 10623, 10641, 10651, 10660, 10669
\BCmd 2095
\BDefaboveskip 2110, 2125, 2128
\BDefbelowskip 2114, 2126, 2129
\BDefinlineskip 2119, 2127, 2130
\begin 412, 422, 427, 490, 498, 736, 749, 760, 839, 845, 988, 1001, 1012, 1091, 1097, 1238, 1251, 1262, 1342, 1348, 1357, 1359, 1360, 2089, 2091, 2100, 2102, 2105, 2498, 2502, 2504, 2506, 2508, 2512, 2520, 2523, 2558, 2671, 2675, 2695, 2699, 2726, 3583, 3584, 3591, 3617, 4319, 4765, 4766, 4779, 4782, 4856, 4857, 4863, 4864, 4871, 4872, 4897, 4898, 4935, 4938, 4941, 4944, 4948, 4949, 5133, 5134, 5752, 5808, 5815, 5822, 5829, 5836, 5849, 5857, 5979, 5984, 6117, 6164, 6187, 6562, 6736, 6749, 6760, 6913, 6926, 6937, 6981, 6993, 7018, 7028, 7033, 7096, 7104, 7414, 7424, 7437, 7447, 7460, 7470, 7483, 7493, 8042, 8148, 8153, 8171, 8340, 8343, 8347, 8349, 8354, 8356, 8360, 8363, 8366, 8370, 8372, 8376, 8378, 8382, 8385, 8388, 8392, 8394, 8399, 8401, 8550, 8616, 8743, 8751, 8756, 8815, 8821, 8836, 8846, 8851, 8914, 8922, 9014, 10843, 10851, 10856, 10915, 10921, 11067, 12239, 12244, 12262, 12365, 12367, 12381, 12383, 13227, 14768, 15464, 16146, 16159, 16170, 16249, 16255, 16283, 16298, 16309, 16393, 16401, 16410, 16412, 16413, 16543, 16563, 16568, 16644, 16740, 16750, 16755, 16818, 16826, 17115, 17135, 17140, 17150, 17163, 17167, 17247, 17253, 17264, 17306, 17664, 17684, 17689, 17699, 17712, 17716, 17796, 17802, 17813, 17886, 18363, 18383, 18388, 18398, 18411, 18415, 18495, 18501, 18512, 18569, 19238, 20546, 20553, 20556,

20567, 20580, 20583, 20590, 20596, 20619, 20623, 20629, 20636
\begin@bidi@stack 2665, 2675, 2676, 2689, 2699, 2700
\begingroup . . . 6, 119, 201, 302, 315, 379, 391, 452, 512, 529, 663, 689, 803, 891, 907, 1055, 1146, 1173, 1305, 1486, 1981, 2224, 2232, 2240, 2619, 2647, 2666, 2690, 2909, 2928, 3278, 3324, 3331, 3361, 3377, 3393, 3433, 3441, 3474, 3522, 3646, 3854, 3856, 3886, 3896, 3906, 4036, 4109, 4133, 4148, 4214, 4225, 4237, 4258, 4268, 4279, 4429, 4543, 4555, 4590, 4959, 5378, 5624, 5653, 5682, 6056, 6073, 6089, 6101, 6134, 6438, 6498, 6505, 6512, 6542, 6653, 6677, 6830, 6854, 7058, 7118, 7133, 7222, 7341, 7395, 7404, 7594, 7653, 8466, 8482, 8667, 8680, 8779, 8876, 8935, 10437, 10499, 10770, 10786, 10879, 11019, 11057, 11141, 11157, 11408, 11417, 11576, 11591, 11598, 11650, 11683, 11825, 11878, 12052, 12068, 12238, 12517, 12528, 12539, 12550, 12648, 12668, 12706, 12739, 12770, 12801, 13035, 13050, 13179, 13205, 13274, 13304, 13492, 13857, 14625, 14755, 14856, 14953, 15163, 15167, 15171, 15514, 15562, 15853, 16067, 16091, 16213, 16354, 16439, 16463, 16593, 16655, 16670, 16780, 16840, 16855, 17189, 17305, 17398, 17738, 17885, 17978, 18437, 18568, 18661, 19055, 19172, 19196, 19335, 19762, 19870, 20281, 20398, 20738, 20781, 20830, 20942, 21273, 21316, 21527
\beginL 176, 1471, 1636, 1911, 2545, 5240, 5284, 7326, 7355, 7361, 7363, 7395, 9412, 9464, 9520, 9569, 9624, 9676, 9733, 9785, 9842, 9894, 9951, 10003, 10060, 10112, 10169, 10221, 10278, 10330, 10960, 11071, 11086, 11253, 12018, 12024, 12033, 12053, 12069, 12079, 12872, 13461, 15563, 15755, 15761, 15777, 15853, 17025, 17036, 17043, 17053, 19123, 20729, 20734, 20736, 20830, 20835, 20841, 20857, 21423, 21501, 21581, 21597
\beginR 174, 336, 348, 379, 404, 1472, 2194, 5240, 5328, 7253, 7327, 7356, 7361, 7370, 7376, 7395, 8459, 9372, 9376, 11096, 12020, 12025, 12082, 12121, 12128, 12497, 12505, 12887, 12923, 12955, 12984, 13010, 13016, 13023, 13220, 13461, 13873, 13937, 13940, 13950, 14041, 14049, 14240, 14566, 14731, 14733, 15630, 15755, 15762, 15767, 15849, 15850, 15851, 17019, 17029, 17040, 17047, 17441, 18021, 18704, 18947, 18969, 19008, 19130, 20730, 20734, 20773, 20777, 20830, 20835, 20842, 20847, 21098, 21101, 21104, 21121, 21128, 21153, 21467, 21501, 21518, 21520, 21581, 21597, 21616, 21619, 21627
\belowcaptionskip 13471, 13897, 13899,

14721, 14738, 17447, 17455, 17466, 17478, 18027, 18035, 18046, 18058, 18710, 18718, 18729, 18741, 21621
\belowdisplayshortskip . . . 4667, 4676, 5886
\belowdisplayskip 4668, 4681, 4716, 5891
\bf 1917, 15626, 15628
\bfseries . . . 25, 303, 516, 532, 561, 564, 668, 692, 894, 912, 1151, 1176, 1644, 2045, 2515, 6116, 6658, 6680, 6835, 6857, 6982, 6994, 7122, 7136, 7168, 7174, 7182, 8670, 8685, 8700, 8703, 8712, 8939, 8962, 8968, 8977, 10775, 10789, 10800, 10805, 10813, 13174, 16072, 16094, 16444, 16466, 16640, 16659, 16673, 16844, 16858, 16889, 16894, 16902, 19766, 19875, 20224, 20228, 20233, 20262
\bgroup 171, 172, 379, 394, 399, 404, 637, 1196, 1472, 1605, 1888, 2184, 2306, 6370, 6588, 6602, 7255, 7327, 11071, 11072, 11086, 11542, 11703, 13861, 13863, 13903, 13937, 13940, 13960, 14968, 15574, 15763, 15769, 15773, 15779, 15783, 15788, 15791, 15796, 16041, 16491, 18947, 18955, 18963, 18969, 19000, 19004, 19008, 20390, 20843, 20849, 20853, 20859, 20863, 20869, 20872, 20878, 20942, 20948, 21128, 21137, 21145, 21153
\bib@after@hook 17350, 17352, 17930, 17932, 18613, 18615
\bib@before@hook 17300, 17351, 17880, 17931, 18563, 18614
\bib@beginhook 17293, 17299, 17873, 17879, 18556, 18562
\bib@endhook 17354, 17934, 18617
\bib@heading 17295, 17878, 18561
\bibcleanup 15371
\bibentry 5426, 5428, 5445, 5447, 5464, 5466, 5496, 5498
\bibfont 15350
\bibindent . . . 2549, 2550
\bibitem@fin 15365
\bibliofont 85, 288, 13134
\bibliographyitemlabel 2551, 2558
\bibname . . 5972, 5973, 6696, 6697, 6884, 6885, 7193, 7194, 8988, 8989, 10825, 10826, 16115, 16116, 16509, 16510, 16703, 16704, 16906, 16907
\bibpostamble 15366
\bibpreamble 15349, 17296, 17297, 17875, 17876, 18558, 18559
\bibsection 5967, 5970, 5972, 5973, 14765, 15347, 19235, 19237
\bidi@@convert@dimen@t@pt 2847
\bidi@@convert@dimen@t@unit 2844
\bidi@@diagbox@double@ii 8341, 8345
\bidi@@diagbox@double@iii 8344, 8352
\bidi@@diagbox@triple@setbox@NW@tabular@i@ii . . . 8361, 8364, 8368
\bidi@@diagbox@triple@setbox@NW@tabular@iii 8367, 8374
\bidi@@diagbox@triple@setbox@SE@tabular@i 8383, 8390
\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii . . . 8386, 8389, 8397
\bidi@@end . . . 3574, 3578
\bidi@@footnotetext@font . . 38, 241, 5554, 11428, 11435, 11526
\bidi@@loadwithoptions 4128, 4135, 4138, 4142
\bidi@@LTRfootnotetext@font . . 68, 270, 5572, 11429, 11468, 11512
\bidi@@null . . . 3746, 3747
\bidi@@onefilewithoptions . . . 4150, 4153, 4156
\bidi@@patchcmd 3326, 3328
\bidi@@RTLfootnotetext@font . . 52, 255, 5590, 11430, 11452, 11498
\bidi@@thebibliography@font@hook . . . 88, 291, 573, 708, 971, 1221, 2557, 6699, 6887, 7196, 8720, 8991, 10828, 13137, 14767, 15352, 16118, 16512, 16706, 16909, 17309, 17889, 18572, 19241, 20973

\bidi@addto@envbody . . . 2661, 2679, 2681
\bidi@addto@long@envbody . . . 2685, 2703, 2705
\bidi@AfterAtEndOfClass 4217, 4222
\bidi@AfterAtEndOfPackage 4261, 4265
\bidi@AfterClass . . 4205
\bidi@AfterEndDocument . . . 3565, 3570, 3576
\bidi@AfterEndDocumentCheckLabelsRerun . . . 2598, 3537, 3542
\bidi@afterenddocumentcheckLabelsrerunhook . . . 3537, 3538, 3543
\bidi@afterenddocumenthook 3565, 3566, 3571, 3577
\bidi@AfterEndEnvironment 3620, 3630
\bidi@AfterEndPreamble 3527, 3531, 3533, 3548, 4614, 6130, 6153
\bidi@afterendpreamblehook 3527, 3528, 3532, 3534
\bidi@AfterFile 4202, 17458, 18038, 18721
\bidi@AfterFooter 3506, 21599
\bidi@afterfooterhook . . 3506, 3507, 21600
\bidi@AfterLastShipout . . . 3550, 3556, 3562
\bidi@afterlastshipouthook 3550, 3551, 3557, 3563
\bidi@AfterOutputBoxOutputPage . 3500, 11187, 21590
\bidi@afteroutputboxoutputpagehook 3500, 3501, 11188, 21591
\bidi@AfterOutputPageShipOut . 3510, 11190, 21603
\bidi@afteroutputpageshipouthook 3510, 3511, 11191, 21604
\bidi@AfterPackage 4250
\bidi@AfterPreamble . . 3524, 3525, 13405
\bidi@AfterReadingMainAux 4532, 4535
\bidi@append . . 3435, 3485
\bidi@append@cslist@to@cslist 3867, 3940
\bidi@append@list@to@list 3863, 3949
\bidi@append@to@list 3842, 3861
\bidi@append@toks@cs@to@list 3871
\bidi@approxrun . . . 3214, 3258, 3530, 4572
\bidi@approxrunhook 3431, 3432, 19151
\bidi@are@these@correct 3839, 3842
\bidi@AtBeginEnvironment 3580, 3592
\bidi@AtEndEnvironment 3596, 3606
\bidi@AtEndOutputPage 2642, 3513, 11196, 21609
\bidi@atendoutputpagehook 3513, 3514, 11197, 21610
\bidi@AtEndPreamble 1788, 3488, 3518, 3520, 3525, 4612, 5410, 13474, 15129, 15185
\bidi@autofootnoterulefalse . 11356, 11360, 11363
\bidi@autofootnoteruletrue 11378
\bidi@backslash 3663, 3664
\bidi@BeforeBeginEnvironment 3610, 3618
\bidi@BeforeClass . 4203
\bidi@BeforeClosingMainAux 4495, 4506, 4510, 4513, 4521, 4524
\bidi@BeforeFile . . 4201
\bidi@BeforeFooter 3503, 21592
\bidi@beforefooterhook . . 3503, 3504, 21593
\bidi@BeforeHeader . 3494, 11180, 21575
\bidi@beforeheaderhook 3494, 3495, 11181, 21576
\bidi@BeforeOutputBoxOutputPage . 3497, 11184, 21587
\bidi@beforeoutputboxoutputpagehook 3497, 3498, 11185, 21588
\bidi@BeforeOutputPageShipOut . 3491, 11162, 21533
\bidi@beforeoutputpageshipouthook 3491, 3492, 11163, 21534
\bidi@BeforePackage 4248
\bidi@bswitch . 3805, 3807
\bidi@CharsBefore . 3720, 3722, 3723, 3728, 3732, 3733, 3738
\bidi@CharsBeforeNC 3721
\bidi@clearpage 3559, 3561
\bidi@collect@@body 2667, 2674
\bidi@collect@body 2662
\bidi@collect@long@@body 2691, 2698
\bidi@collect@long@body 2686
\bidi@column@check@number . . 21190, 21206, 21208, 21210, 21222
\bidi@column@status . . 1727, 1731, 21192
\bidi@column@type . . 21207, 21212, 21223
\bidi@copy@stacktop 3925
\bidi@copyins@amount . . 11897, 11898, 11899, 11902, 11907, 11908, 11920
\bidi@counter@page 2612, 2641
\bidi@cs@a . . . 3748, 3749
\bidi@cs@e 3919, 3920, 3922, 3923, 3926, 3928
\bidi@cs@lista 3892, 3893, 3894, 3895, 3904, 3905
\bidi@cs@listb 3889, 3891
\bidi@cs@liste 3887, 3892
\bidi@csappto 3258

\bidi@csarg 3675, 3691, 3765, 3772, 3790, 3795, 3800, 3805, 3811, 3816, 3858, 3859, 3877, 3883, 3894, 3904, 3913, 3923, 3927, 3931
\bidi@csdefcs 2915
\bidi@cseappto 3259, 3262
\bidi@csepreto 3268, 3271
\bidi@csgappto . 3260, 3581, 3597, 3611, 3621
\bidi@csgpreto 3269
\bidi@cslet 2921
\bidi@csletcs 2918
\bidi@csname . . . 3687, 3838, 3844, 3889, 3923
\bidi@cspreto 3267
\bidi@csprotect . . . 3992
\bidi@csuse 3201, 3587, 3601, 3614, 3625
\bidi@cswitch . 3800, 3802
\bidi@csxappto 3261, 3263
\bidi@csxpreto 3270, 3272
\bidi@current@column@status . 21192, 21195, 21228
\bidi@dbg@fail 3286, 3296, 3297, 3298, 3299, 3305, 3314, 3320, 3427, 3449, 3461, 3462, 3471
\bidi@dbg@info . 3287, 3289, 3292, 3294, 3295, 3306, 3308, 3310, 3312, 3313, 3315, 3317, 3319, 3425, 3450, 3452, 3454, 3457, 3463, 3465
\bidi@dbg@init . 3284, 3303, 3424, 3447
\bidi@dbg@succ . 3330, 3426, 3458, 3466, 3468
\bidi@dbg@trce . 3277, 3323, 3423, 3432, 3440
\bidi@default 3790, 3795, 3800, 3805, 3811, 3816
\bidi@del@tok@from@list 3886
\bidi@digits . . . 1777, 1783, 1784, 1785
\bidi@digits@charclass 1779, 1783, 1784, 1785, 1786
\bidi@dummies 3770, 3772, 3773
\bidi@eappto 3218, 3231, 3259
\bidi@empty 1793, 1794, 3745, 3748, 3749
\bidi@empty@stack 3930, 3936
\bidi@empty@toks . . 3943, 3946, 3950
\bidi@endpreamblehook 3488, 3489, 3519, 3521
\bidi@ensure@new@command 2926, 2927
\bidi@ensure@newcommand 2926, 9188, 9200, 9201, 9202, 9208, 9209, 9213, 9214, 9215, 9216, 9228, 9240, 9262, 9263, 9291, 9292, 9293, 9294, 9297, 9303, 9305, 9330, 9331, 9349, 9364, 9367, 9370, 9375, 9378, 9380, 9384, 9402, 9412, 9422, 9432, 9437, 9440, 9443, 9446, 9458, 9471, 9483, 9488, 9493, 9511, 9520, 9529, 9538, 9543, 9546, 9549, 9552, 9563, 9575, 9586, 9591, 9596, 9614, 9624, 9634, 9644, 9649, 9652, 9655, 9658, 9670, 9683, 9695, 9700, 9705, 9723, 9733, 9743, 9753, 9758, 9761, 9764, 9767, 9779, 9792, 9804, 9809, 9814, 9832, 9842, 9852, 9862, 9867, 9870, 9873, 9876, 9888, 9901, 9913, 9918, 9923, 9941, 9951, 9961, 9971, 9976, 9979, 9982, 9985, 9997, 10010, 10022, 10027, 10032, 10050, 10060, 10070, 10080, 10085, 10088, 10091, 10094, 10106, 10119, 10131, 10136, 10141, 10159, 10169, 10179, 10189, 10194, 10197, 10200, 10203, 10215, 10228, 10240, 10245, 10250, 10268, 10278, 10288, 10298, 10303, 10306, 10309, 10312, 10324, 10337, 10349, 10354, 10359, 10367, 10374, 10378, 10388, 10396, 10409, 10527, 10545, 10557, 10569, 10573, 10577, 10581, 10606, 10620, 10634, 10644, 10654, 10663, 10672, 10684, 10690, 10694, 10705, 10706
\bidi@ensure@newlength . . . 2933, 9212, 9295
\bidi@epreto 3240, 3253, 3268
\bidi@eqs@a . . . 3701, 3702
\bidi@eqs@b . . . 3701, 3702
\bidi@EqualString . 3701
\bidi@EqualStringX 3706
\bidi@error 2935, 3186, 3775, 3882, 4051

\bidi@everyjob . 1532, 1533, 1856, 1857
\bidi@excludedpackages 4289, 4290, 4310, 4346, 4363, 4371, 4381, 4403, 4404, 4412, 4413, 4418, 4431
\bidi@expandonce .. 3206, 3217, 3221, 3225, 3229, 3239, 3243, 3247, 3251, 3469
\bidi@ff@box 11204, 11222
\bidi@firstcolumn@status@write 1725, 1733, 7575, 7634, 11010, 11046, 11814, 11867, 14844, 14940, 21199, 21262, 21305
\bidi@font@@outputpage . 11170, 21524, 21566
\bidi@footdir@footnote 79, 282, 11483, 11485, 11489
\bidi@fswitch . 3816, 3818
\bidi@gappto 2636, 3222, 3260, 3488, 3491, 3494, 3497, 3500, 3503, 3506, 3510, 3513, 3527, 3537, 3550, 3565
\bidi@gobbleopt 4452, 4461
\bidi@gpreto .. 3244, 3269
\bidi@hook@acma 4476, 4520, 4533, 4534, 4539
\bidi@hook@bcma 4470, 4519, 4522, 4523, 4529
\bidi@hooktocmd 3435, 3443, 3445
\bidi@hooktocmd@i 3459, 3473
\bidi@hop@ES .. 3709, 3711
\bidi@ifblank@i 2887, 2888, 2890
\bidi@ifdefmacro 2893, 2895, 2896, 2897
\bidi@ifdefparam 3405, 3407, 3408, 3409
\bidi@ifdefprotected 3414, 3416, 3417, 3418
\bidi@ifEmpty 3748
\bidi@ifempty 3746
\bidi@ifEmptyX 3747
\bidi@ifhashcheck 3291, 3376, 3456
\bidi@ifhashcheck@i 3380, 3382
\bidi@ifhashcheck@ii 3384, 3387, 3388, 3389
\bidi@ifNextChar .. 3756
\bidi@ifpatchable 3280, 3282, 3329
\bidi@ifpatchable@i 3280, 3301
\bidi@ifpattern 3293, 3392
\bidi@ifscanable 3290, 3311, 3360, 3455
\bidi@in@front@of@cslist 3895, 3896
\bidi@in@front@of@list 3894
\bidi@info 2937
\bidi@init@mult@footinsv@l 15199, 15213
\bidi@init@mult@footinsv@r 15195, 15211
\bidi@invert@csstack 3935
\bidi@IsEmptyList . 3749
\bidi@isloaded 3352, 13524, 13525, 13526, 13527, 13528, 13529, 13530, 13531, 13532, 13533, 13534, 13535, 13536, 13537, 13538, 13539, 13540, 13541, 13542, 13543, 13544, 13545, 13546, 13547, 13548, 13549, 13550, 13551, 13552, 13553, 13554, 13555, 13556, 13557, 13558, 13559, 13560, 13561, 13562, 13563, 13564, 13565, 13566, 13567, 13568, 13569, 13570, 13571, 13572, 13573, 13574, 13575, 13576, 13577, 13578, 13579, 13580, 13581, 13582, 13583, 13584, 13585, 13586, 13587, 13588, 13589, 13590, 13591, 13592, 13593, 13594, 13595, 13596, 13597, 13600, 13603, 13606, 13609, 13612, 13615, 13618, 13621, 13625, 13628, 13631, 13634, 13637, 13640, 13643, 13646, 13649, 13652, 13655, 13658, 13661, 13664, 13667, 13670, 13673, 13676, 13679, 13682, 13685, 13688, 13691, 13694, 13697, 13700, 13703, 13706, 13709, 13712, 13715, 13718, 13721, 13724, 13727, 13730, 13733, 13736, 13739, 13742, 13745, 13748, 13751, 13754, 13757, 13760, 13763, 13766, 13769, 13772, 13775, 13778, 13781,

13784, 13787, 13790, 13793, 13796, 13799, 13802, 13805, 13808, 13811, 13814
\bidi@lastcolumn@status@write 1729, 1734, 7579, 7640, 11014, 11052, 11820, 11871, 14848, 14946, 21266, 21311
\bidi@leave@mult@copyins 15181, 15273
\bidi@leave@mult@footins@v 15191, 15269
\bidi@leave@mult@footins@vv 15187, 15265
\bidi@leftskip 19767, 19768, 19769, 19876, 19896, 19927, 19928, 19960, 20881
\bidi@length@of@csstack . . . 3931, 3932, 3935
\bidi@length@of@stack 3931, 3945
\bidi@load@hook 4121, 4124, 4157, 4194
\bidi@loadwithoptions . . . 4129, 4130, 4135
\bidi@local@in@front@of@list 3899, 3916
\bidi@local@push@onto 3915
\bidi@looprepeat@comp . . . 4009, 4045, 4050
\bidi@looprepeat@csarg 3987, 4039
\bidi@looprepeat@csargromannumeral 3989, 4004, 4005, 4006, 4007, 4008, 4011, 4016, 4017, 4018, 4019, 4020, 4022, 4028, 4041, 4043, 4044, 4045, 4052, 4053, 4055, 4060, 4068
\bidi@looprepeat@csromannumeral 3988, 4012, 4020, 4023, 4039, 4067
\bidi@looprepeat@depth 3988, 3989, 3991, 4003, 4029
\bidi@looprepeat@dxbody 4012, 4016
\bidi@looprepeat@setup 4009, 4035
\bidi@looprepeat@sign . . . 4009, 4020, 4050
\bidi@looprepeat@tmp 4010, 4011, 4038, 4040, 4043, 4048, 4055, 4058, 4060, 4063
\bidi@looprepeat@traceexit 3994, 4029
\bidi@looprepeat@traceinit 3994, 4002
\bidi@looprepeat@zero . . . 4009, 4028, 4066
\bidi@lst@caption@direction 13423, 13424, 13436, 13439
\bidi@lst@caption@script 13430, 13431, 13447, 13450
\bidi@lst@ensure@caption@direction 13434, 13459, 13461, 13463, 13482, 13486, 13493, 13502
\bidi@lst@ensure@caption@script . 13445, 13457, 13501
\bidi@make@mppara@LTRfootgroup . 10434, 10496, 10663
\bidi@make@para@footstart@@ . 10425, 10483, 10684
\bidi@make@para@LTRfootgroup . 10423, 10481, 10644
\bidi@makecolbf 10746, 10760
\bidi@matrix@check 2718, 20958
\bidi@matrix@error 2720, 2724
\bidi@mopfn@bottom 9351, 10675, 10711, 10724, 10761, 10762
\bidi@mopfootnotebf 10720, 10754
\bidi@mpfootnoterule . . 11260, 11494, 11508, 11522, 11560, 14015, 19149
\bidi@mswitch . 3811, 3813
\bidi@multicol@align@columns 15068, 15122, 15125, 15127
\bidi@n@everypar 15757, 15758, 15759, 15760, 20652, 20837, 20838, 20839, 20840
\bidi@namedef 3632
\bidi@nameedef 3634
\bidi@namegdef 2641, 2939, 3633
\bidi@namelongdef . 2924
\bidi@namexdef 3635
\bidi@new@command 3158, 3160, 3189, 3197
\bidi@new@ifnch 2712, 2714
\bidi@new@ifnextchar 2709, 20963
\bidi@newcommand 3160, 3162
\bidi@newrobustcmd 1600, 1602, 3157, 3158, 3182, 3193, 3214, 3218, 3222, 3226, 3231, 3232, 3236, 3240, 3244, 3248, 3253, 3254, 3258, 3259, 3260, 3261, 3262, 3263, 3267, 3268, 3269, 3270, 3271, 3272, 3276, 3322, 3421, 3431, 3439, 3488, 3491, 3494, 3497, 3500, 3503, 3506, 3510, 3513, 3524, 3527, 3537, 3550, 3565, 3580, 3596, 3610, 3620, 20931, 20933
\bidi@next 3722, 3723, 3725,

3727, 3728, 3730, 3735, 3737, 3738, 3740
\bidi@NextChar 3753
\bidi@normal@footmarkwidth 9197, 9255, 9261, 9400, 9509, 9612, 9721, 9830, 9939, 10048, 10157, 10266, 10461, 10523
\bidi@notblank . 2889, 2897, 3409, 3418
\bidi@nxt@a 3754, 3757, 3759
\bidi@nxt@b 3754, 3757, 3760
\bidi@nxt@c 3755, 3758, 3759
\bidi@nxt@ch 3754, 3757, 3759
\bidi@o@everypar 15756, 15758, 15759, 20836, 20838, 20839
\bidi@oldwbuskip 3881, 3884
\bidi@onefilewithoptions . . . 4145, 4146, 4150
\bidi@orig@leftline . 21106, 21108, 21109
\bidi@orig@raggedleft . 21091, 21093, 21094
\bidi@orig@raggedright . 21092, 21093, 21094
\bidi@orig@rightline . 21107, 21108, 21109
\bidi@oswitch 3795
\bidi@p@ftn 2138, 2201, 2203, 2204, 2206, 2207, 2209, 2210, 2214, 2217, 2220, 2325
\bidi@p@ftntext 2185, 2202, 2307
\bidi@p@LTRftntext . . . 2186, 2205, 2308
\bidi@p@RTLftntext . . . 2187, 2208, 2309
\bidi@p@xfootnote . . . 2189, 2223, 2311
\bidi@p@xftntext 2188, 2213, 2228, 2310
\bidi@p@xLTRfootnote . . . 2191, 2231, 2313
\bidi@p@xLTRftntext 2190, 2216, 2236, 2312
\bidi@p@xRTLfootnote . . . 2193, 2239, 2315
\bidi@p@xRTLftntext 2192, 2219, 2244, 2314
\bidi@page@count 2579, 2580, 2614, 2643
\bidi@paraskip 10445, 10448, 10452, 10507, 10510, 10514
\bidi@patch@@AfterPackage 4584, 4589
\bidi@patch@Add 4571, 4600
\bidi@patch@AfterPackage 4574, 5522, 5524, 5527, 5548, 5699, 5749, 5805, 6049
\bidi@patch@counter 4552, 4556, 4559, 4565, 4566, 4585
\bidi@patch@gtemp 4592, 4599
\bidi@patch@list 4570, 4572, 4610, 4612, 4619
\bidi@patch@OrgIfClassLater 4618, 4623
\bidi@patch@OrgIfClassLoaded 4617, 4622
\bidi@patch@OrgIfPackageLater 4616, 4621
\bidi@patch@OrgIfPackageLoaded 4615, 4620
\bidi@patch@stepcounter . . . 4554, 4564, 4583
\bidi@patch@temp 4582, 4586
\bidi@patch@try 4601, 4604
\bidi@patchcmd 171, 179, 188, 338, 3322, 3323, 3540, 3553, 3568, 3585, 3599, 3623, 4843, 8339, 8342, 8359, 8362, 8365, 8381, 8384, 8387, 8405, 8413, 8421, 8430, 8439, 8448, 12165, 13065, 13073, 13081, 13089, 13097, 13106, 13114, 13123, 13381, 13387, 13395, 13475, 13488, 15207, 15216, 15237, 15244, 15251, 15259, 19138, 19146, 21329
\bidi@patchcmd@scantoks . . . 3340, 3346, 3481
\bidi@pdfencrypt@keylength 1653, 1806
\bidi@pdfencrypt@ownerpassword . . . 1650, 1793, 1805
\bidi@pdfencrypt@permissionflags 1656, 1807
\bidi@pdfencrypt@userpassword . . . 1647, 1794, 1804
\bidi@pdfm@mark 1929, 1944
\bidi@pickescape . . 3696
\bidi@pop@cs@into 3919, 3938
\bidi@pop@into 3922, 3948
\bidi@pos . 2939, 2947, 2975, 3001, 3029, 3055, 3058, 3092, 3095
\bidi@poscount . 2941, 2944, 2947, 2964, 2966, 2975, 2989, 2991, 2998, 3001, 3018, 3020, 3029, 3043, 3045, 3052, 3055, 3058, 3075, 3077, 3081, 3083, 3092, 3095, 3109, 3111, 3115, 3117, 3124, 3126, 3127, 3129, 3130, 3133, 3134, 3141, 3143, 3144
\bidi@prepend . 3443, 3486
\bidi@prepend@cslist@to@cslist 3869
\bidi@prepend@list@to@list 3865

\bidi@prepend@to@list 3862
\bidi@prepend@toks@cs@to@list 3872
\bidi@preto 3236, 3267, 3516
\bidi@pretocmd . 3439, 3440, 3613, 3655
\bidi@PreventPackageFromLoading 4292, 4306, 4336, 4369
\bidi@process@envbody 2664, 2668, 2669, 2683, 2688, 2692, 2693, 2707
\bidi@protected 3209, 3231, 3232, 3253, 3254, 3262, 3263, 3271, 3272
\bidi@protected@cseappto 3262
\bidi@protected@csepreto 3271
\bidi@protected@csxappto 3263
\bidi@protected@csxpreto 3272
\bidi@protected@eappto 3231
\bidi@protected@epreto 3253
\bidi@protected@immediate@write . . . 4525, 4536, 4542
\bidi@protected@xappto 3232
\bidi@protected@xpreto 3254
\bidi@provide@command 3193, 3195
\bidi@providerobustcmd 3193
\bidi@push@begins . . . 2671, 2672, 2675
\bidi@push@cs@onto@cs 3912, 3939
\bidi@push@long@begins . . . 2695, 2696, 2699
\bidi@push@onto . . . 3913
\bidi@push@onto@cs 3913, 3914
\bidi@raggedleft 2492, 2499, 2504, 2523, 8038, 8154, 10978, 10984, 12281, 21096
\bidi@raggedright . . . 10976, 10982, 15281, 15284, 15286, 15289, 15291, 15293, 15296, 15298, 15300, 15302, 15305, 15307, 15309, 15311, 15313, 15316, 15318, 15321, 15323, 15326, 15328, 15330, 15333, 15335, 15337, 15340, 15342, 15344, 21095
\bidi@rcol@copyinsskip 11777, 11782, 11791, 11840
\bidi@redefine@newpage 4486, 4526
\bidi@reflect@box . . 15834, 15841, 20925, 20932, 20934
\bidi@reinsert@footnotesv@l . . 15205, 15214, 15242, 15249, 15256
\bidi@reinsert@footnotesv@r . . 15203, 15212, 15241, 15248, 15255
\bidi@renew@command . . . 3182, 3184, 3198
\bidi@renewrobustcmd 3182
\bidi@ReplaceClass 4176
\bidi@replacefile@msg 4113, 4137, 4152, 4190
\bidi@ReplaceInput 4160
\bidi@ReplacePackage 4173
\bidi@RequirePackage . . . 4312, 4372, 4423
\bidi@ResetPreventPackageFromLoading 4364, 4370, 4379, 4418
\bidi@resrvda 3332, 3333, 3334, 3337, 3338, 3339, 3340, 3341, 3342, 3347, 3350, 3362, 3363, 3364, 3365, 3366, 3368, 3369, 3378, 3380, 3394, 3395, 3397, 3399, 3400, 3475, 3476, 3477, 3478, 3479, 3480, 3481, 3482, 3483
\bidi@resrvdb . 3334, 3335
\bidi@restore@newpage . . . 4471, 4488, 4518
\bidi@restorecatcode 3680
\bidi@rightskip 19763, 19871, 19897, 19898, 19906, 19910, 19914, 20882
\bidi@RTL@everypar . . 10534, 10546, 10558, 10589, 10608, 10622, 15755, 15759, 18887, 20835, 20839
\bidi@s@tfftextcol 11201, 11205
\bidi@saved@checkend . . . 4463, 4466, 4484
\bidi@saved@clearpage . . . 4468, 4469, 4472
\bidi@saved@dofilelist 4474, 4477, 4478, 4485
\bidi@saved@eqno 15845, 15847, 15848, 21622, 21624, 21625
\bidi@saved@leqno 15846, 15847, 15848, 21623, 21624, 21625
\bidi@saved@newpage 4487, 4498
\bidi@saved@RequirePackage 4291, 4311, 4322, 4374, 4376, 4454

\bidi@sepmark@charclass 1780, 1781, 1782, 1786
\bidi@set@column@status . 21194, 21222, 21227
\bidi@set@cslist 3905, 3906
\bidi@set@list 3904
\bidi@set@load@hook 4198, 4201, 4202, 4204, 4223, 4235, 4249, 4266, 4277
\bidi@SOUL@ulleaders 18928, 18934
\bidi@stack@length 3930, 3932, 3933, 3937, 3938, 3947, 3948
\bidi@star@footmarkwidth 9197, 9258, 9400, 9509, 9612, 9721, 9830, 9939, 10048, 10157, 10266, 10461, 10523
\bidi@storecatcode 3673
\bidi@StorePreventPackageFromLoading 4380, 4383
\bidi@StringBefore 3731
\bidi@StringBeforeNC 3719
\bidi@switch . . . 3779, 3790, 3792, 3797
\bidi@switch@exit . 3789, 3790, 3791, 3795, 3796, 3800, 3801, 3805, 3806, 3811, 3812, 3816, 3817
\bidi@t@w@w 3840
\bidi@tabular@RTLcases 20938, 20965
\bidi@tempa 1662, 1668, 1674, 1680, 1686, 1692, 1704, 1710, 1716, 1723, 1737, 1744, 1754
\bidi@tempb 1662, 1663, 1668, 1669, 1674, 1675, 1680, 1681, 1686, 1687, 1692, 1693, 1704, 1705, 1710, 1711, 1716, 1717, 1723, 1724, 1737, 1738, 1744, 1745, 1754, 1755
\bidi@tempcountb 3667, 3936, 3937, 3946, 3947
\bidi@temptoksa 3668, 3936, 3939, 3940, 3941, 3943, 3946, 3950
\bidi@temptoksb 3669, 3938, 3939, 3940, 3941
\bidi@todonotes@tempa 20528, 20536
\bidi@todonotes@tempb 20528, 20529, 20536, 20537
\bidi@tok@SM . . 3887, 3892
\bidi@toks@lista . . 3852, 3854, 3855, 3856, 3857, 3888, 3890, 3896, 3897, 3899, 3901, 3906, 3907
\bidi@toks@listb 3852, 3888, 3890
\bidi@undef 3342, 3421, 3483, 3521, 3534, 19622, 19623, 19779, 19780, 19981, 19982
\bidi@undefined . . . 3421
\bidi@undefinedcs . 3765, 3772, 3827, 3831, 3837, 3841, 3882
\bidi@UnPreventPackageFromLoading 4384
\bidi@UnReplaceClass 4187
\bidi@UnReplaceInput 4164
\bidi@UnReplacePackage 4184
\bidi@version . . 1503, 1504, 1519, 1534, 1536, 1542, 1548, 1582, 1585, 1588, 1827, 1843, 1861, 1863, 1920, 1923, 1926
\bidi@w@w 3827
\bidi@warning . . 2936, 3590, 3604, 3616, 3628
\bidi@willbeunhskip . . . 3874, 3881, 3884
\bidi@x@stack@to@list 3945
\bidi@xappto 3226, 3232, 3261
\bidi@xargdef . 3164, 3172
\bidi@xparaskip 10406, 10444, 10506, 10525
\bidi@xpreto 3248, 3254, 3270
\bidicolor 7321, 7377, 7392, 7394, 11202, 20778, 20825, 20828, 20829
\bidics 3664
\bididate . 1502, 1504, 1519, 1582, 1585, 1825, 1843, 1920, 1923
\bidiGscale@@box 12101, 12102
\bidiGscale@box 12078, 12079, 12098
\bidiGscale@box@dd . 12110, 12114, 12120
\bidiGscale@box@dddd 12116, 12127
\bidillap 21111
\bidipdfinfooff . . . 1941
\bidipdfinfoon 1940, 1946
\bidipoem@@hvlen 6294, 6300, 6303, 6306, 6315
\bidipoem@half@verses . . 6320, 6321, 6324
\bidipoem@half@verses@next . . . 6320, 6321, 6322
\bidipoem@hvind . . . 6294, 6297, 6298, 6306, 6307, 6310, 6313
\bidipoem@hvlen 6293, 6298, 6300, 6311, 6313
\bidipoem@hvsep 6293, 6306, 6307, 6314
\bidipoem@next 6299, 6300
\bidipoem@openbox 6338, 6343
\bidipoem@p@ftn 6345, 6355, 6479, 6480, 6482, 6483, 6485, 6486, 6489, 6492,

6495, 6600, 12738, 12748, 12769, 12779, 12800, 12810
\bidipoem@p@ftntext 6372, 6383, 6478, 6589, 6603, 12736
\bidipoem@p@LTRftntext 6373, 6384, 6481, 6590, 6604, 12767
\bidipoem@p@RTLftntext 6374, 6385, 6484, 6591, 6605, 12798
\bidipoem@p@xfootnote 6376, 6387, 6497, 6593, 6607
\bidipoem@p@xftntext 6375, 6386, 6488, 6502, 6592, 6606
\bidipoem@p@xLTRfootnote 6378, 6389, 6504, 6595, 6609
\bidipoem@p@xLTRftntext 6377, 6388, 6491, 6509, 6594, 6608
\bidipoem@p@xRTLfootnote 6380, 6391, 6511, 6597, 6611
\bidipoem@p@xRTLftntext 6379, 6390, 6494, 6516, 6596, 6610
\bidipoem@set@@verse . . . 6300, 6303, 6305
\bidipoem@set@verseI 6299, 6302
\bidipoem@spreadbox 6289, 6311, 6313, 6314, 6315
\bidirlap 21110
\biditufteﬂoatDebugInfoNL 4631, 4719, 4723, 5018, 5067
\biditufteﬂoatError 4630, 5113
\biditufteﬂoatInfoNL . . . 4631, 4632, 5182
\biditufteﬂoatRecalculate 4748, 4759
\biditufthyperrefLoadHyperref 6007, 6018
\bidituftesidenotemarginparbox . . . 5198, 5550, 5709
\bidituftetocError . . . 5738, 5785, 5794
\bidiversion . . 1534, 1858
\bigskip 15896
\bigskipamount 9358, 9363, 10446, 10450, 10508, 10512
\bl 15661, 15662, 15665, 15666, 15667, 15671, 15726, 15733, 15737
\blacktriangleleft 11619, 11621
\blacktriangleright 11619, 11621
\bm@b 21171
\bm@l 21168
\bm@r 21169
\bm@t 21170
\bool . . . 14041, 14049, 14180, 14197, 14198, 14242, 14248, 14263, 14286, 14289, 14309, 14314, 14326, 14343, 14344, 14347, 14364, 14389, 14396, 14402, 14408, 14418, 14425, 14447, 14559, 14562, 14570, 14571, 15495, 15497, 15506
\boolean 4631, 4691, 4693, 4696, 4700, 4703, 4706, 4731, 4827, 4842, 4853, 4873, 4880, 4888, 4905, 4925, 4929, 4947, 4948, 4951, 4952, 4987, 4996, 5007, 5752, 5756, 5804, 6017, 6154, 6223, 6234, 11216, 15520
\botmark . . . 11195, 21608
\box 1637, 1912, 5168, 7228, 7292, 7360, 7517, 7520, 7537, 7541, 7576, 7580, 7586, 7587, 7635, 7641, 7645, 7646, 7702, 7705, 7710, 7715, 7739, 7878, 7880, 7884, 7888, 7913, 8195, 8216, 8232, 8289, 9370, 9375, 10371, 10385, 10394, 10737, 10748, 11011, 11015, 11047, 11053, 11096, 11186, 11219, 11224, 11717, 11724, 11727, 11741, 11815, 11821, 11868, 11872, 11911, 11923, 11934, 11944, 11957, 12029, 12046, 12049, 12092, 12095, 12125, 12142, 13469, 13877, 13931, 13937, 14259, 14517, 14528, 14533, 14567, 14568, 14569, 14570, 14572, 14702, 14736, 14845, 14849, 14941, 14947, 15084, 15090, 15108, 15116, 15494, 15502, 15507, 15630, 15634, 15650, 15684, 15688, 15693, 15697, 15709, 15720, 15734, 15737, 15741, 15746, 15822, 15838, 15883, 15886,

16950, 16959, 16997, 17008, 17431, 17441, 18011, 18021, 18241, 18247, 18253, 18259, 18265, 18271, 18277, 18283, 18289, 18694, 18704, 19130, 19176, 19194, 20722, 20723, 20733, 20929, 21113, 21263, 21267, 21306, 21312, 21331, 21347, 21479, 21495, 21506, 21519, 21521, 21585, 21589, 21619
\boxdef 2087, 2089, 2095, 2100, 2105
\boxmaxdepth . . . 8187, 8192, 8208, 8213, 8240, 8297, 9265, 10707, 10722, 10943, 11670, 11672, 11996, 21334, 21350, 21361
\br 15661, 15663, 15665, 15666, 15667, 15671, 15727, 15733, 15741
\BR@b@bibitem . 5403, 5404
\BR@bibitem . . . 5406, 5407
\BR@c@bibitem 5408
\bracetext 1604, 1887, 15761, 15762, 20841, 20842
\break 13834
\BreakBibliography 17302, 17335, 17337, 17343, 17882, 17915, 17917, 17923, 18565, 18598, 18600, 18606
\breaklooprepeat 3973, 3975, 4027, 4028, 4046, 4057, 4062, 4076
\breakrepeatloop . . 4002
\bs 2055, 2056, 2058
\bslice 15681, 15682, 15684, 15694, 15695, 15697, 15717, 15718, 15720, 15744, 15745, 15746
\bx@A 5053, 5094
\bx@a 5027, 5059, 5100
\bx@AA . . . 5066, 5068, 5106
\bx@B 5053, 5094
\bx@b 5028, 5059, 5100
\bx@BB 5069, 5106
\bx@C 5053, 5094
\bx@c 5029, 5059, 5100
\bx@CC 5070, 5106
\bx@D 5053, 5094
\bx@d 5030, 5059, 5100
\bx@DD 5071, 5106
\bx@E 5053, 5094
\bx@e 5031, 5059, 5100
\bx@EE 5072, 5106
\bx@F 5054, 5095
\bx@f 5032, 5060, 5101
\bx@FF 5073, 5107
\bx@G 5054, 5095
\bx@g 5033, 5060, 5101
\bx@GG 5074, 5107
\bx@H 5054, 5095
\bx@h 5034, 5060, 5101
\bx@HH 5075, 5107
\bx@I 5054, 5095
\bx@i 5035, 5060, 5101
\bx@II 5076, 5107
\bx@J 5054, 5095
\bx@j 5036, 5060, 5101
\bx@JJ 5077, 5107
\bx@K 5055, 5096
\bx@k 5037, 5061, 5102
\bx@KK 5078, 5108
\bx@L 5055, 5096
\bx@l 5038, 5061, 5102
\bx@LL 5079, 5108
\bx@M 5055, 5096
\bx@m 5039, 5061, 5102
\bx@MM 5080, 5108
\bx@N 5055, 5096
\bx@n 5040, 5061, 5102
\bx@NN 5081, 5108
\bx@O 5056, 5097
\bx@o 5041, 5062, 5103
\bx@OO 5082, 5109
\bx@P 5056, 5097
\bx@p 5042, 5062, 5103
\bx@PP 5083, 5109
\bx@Q 5056, 5097
\bx@q 5043, 5062, 5103
\bx@QQ 5084, 5109
\bx@R 5056, 5097
\bx@r 5044, 5062, 5103
\bx@RR 5085, 5109
\bx@S 5017, 5019, 5057, 5098
\bx@s 5045, 5063, 5104
\bx@SS 5086, 5110
\bx@T 5020, 5057, 5098
\bx@t 5046, 5063, 5104
\bx@TT 5087, 5110
\bx@U 5021, 5057, 5098
\bx@u 5047, 5063, 5104
\bx@UU 5088, 5110
\bx@V 5022, 5057, 5098
\bx@v 5048, 5063, 5104
\bx@VV 5089, 5110
\bx@W 5023, 5058, 5099
\bx@w 5049, 5064, 5105
\bx@WW 5090, 5111
\bx@X 5024, 5058, 5099
\bx@x 5050, 5064, 5105
\bx@XX 5091, 5111
\bx@Y 5025, 5058, 5099
\bx@y 5051, 5064, 5105
\bx@YY 5092, 5111
\bx@Z 5026, 5058, 5099
\bx@z 5052, 5064, 5105
\bx@ZZ 5093, 5111
\bye 1944
\bystep 3955, 3967, 4051, 4064, 4074, 4087, 4100, 4101

C

\c 14243, 14244, 14258, 14315, 14520, 14601
\c@abspage 11291
\c@addvipersep 14789, 14807, 14812, 14834, 14864, 14889, 14907, 14912, 14934, 14961

\c@algocf 168
\c@chapter 6730, 6732, 6734, 6907, 6909, 6911, 7152, 7154, 7156, 7157, 8946, 8948, 8950, 8951, 10936, 10938, 10940, 11228, 11230, 11232, 11233, 11241, 11243, 11245, 11246, 13519, 14664, 15394, 16138, 16140, 16142, 16503, 16505, 16507, 16692, 16694, 16696, 16874, 16876, 16878, 16879
\c@colht 14789, 14801, 14827, 14828, 14889, 14901, 14927, 14928
\c@curpg 11110, 11137, 11138
\c@DFNsloppiness 8185, 8206
\c@enumiv 574, 581, 709, 716, 972, 979, 1222, 1229, 2568, 6700, 6707, 6888, 6895, 7197, 7204, 8721, 8728, 8992, 8999, 10829, 10836, 16119, 16126, 16513, 16520, 16707, 16714, 16910, 16917, 17311, 17320, 17327, 17891, 17900, 17907, 18574, 18583, 18590, 19242, 19249
\c@equation 6730, 6907, 7152, 8560, 8629, 8946, 10936, 11228, 11241, 14664, 16138, 16507, 16692, 16874, 17869, 18552
\c@figure . 6732, 6909, 7154, 8948, 10938, 11230, 11243, 14665, 16140, 16503, 16694, 16876, 17853, 18544
\c@footnote 128, 318, 453, 745, 804, 997, 1056, 1247, 1306, 1982, 6745, 6922, 7059, 8780, 8877, 10880, 11569, 11583, 12551, 12661, 12669, 12699, 12707, 13214, 13911, 13914, 16155, 16214, 16294, 16355, 16551, 16594, 16781, 17126, 17190, 17675, 17739, 18374, 18438
\c@Hy@AnnotLevel 12873, 12874, 12879, 12883
\c@L@lines 13354, 13356, 13359
\c@ll@chapseci 7402
\c@ll@chapsecii . . . 7397
\c@lofdepth . 19473, 19510
\c@lor@error 7366, 7373, 7381, 7387, 20770, 20804
\c@lotdepth . 19491, 19530
\c@lstlisting 13519, 13521
\c@LT@chunks 13860
\c@mpfootnote 11494, 11508, 11522, 11547, 14024
\c@NAT@ctr 15353
\c@page 6161, 8467, 8484, 11110, 11137, 20685, 21475
\c@paragraph 548, 702, 956, 1215, 6727, 6904, 7161, 8832, 8955, 10933, 11237, 11250, 14659, 16135, 16500, 16700, 16883, 17287, 17843, 18538
\c@poem@no 6430, 6472, 6524, 6535
\c@secnumdepth 304, 551, 560, 6971, 7166, 8690, 8699, 8960, 10799, 15900, 16888
\c@section 6724, 6901, 7158, 8952, 10930, 11234, 11247, 14653, 15404, 16132, 16497, 16697, 16880, 17837, 18532
\c@subparagraph 549, 703, 957, 1216, 6728, 6905, 7162, 8833, 8956, 10934, 11238, 11251, 14661, 16136, 16501, 16701, 16884, 17289, 17845, 18540
\c@subsection 546, 700, 954, 1213, 6725, 6902, 7159, 8830, 8953, 10931, 11235, 11248, 14655, 16133, 16498, 16698, 16881, 17283, 17839, 18534
\c@subsubsection 547, 701, 955, 1214, 6726, 6903, 7160, 8831, 8954, 10932, 11236, 11249, 14657, 16134, 16499, 16699, 16882, 17285, 17841, 18536
\c@table . . 6734, 6911, 7156, 8950, 10940, 11232, 11245, 14666, 16142, 16505, 16696,

16878, 17861, 18548
\c@thisframe 11109, 11114, 11150, 11152, 11153
\c@tocdepth . . . 3, 198, 508, 525, 644, 660, 678, 871, 904, 922, 1127, 1143, 1161, 6634, 6650, 6666, 6811, 6827, 6843, 7114, 7129, 8663, 8677, 8932, 10767, 10782, 13176, 15009, 15021, 15033, 16048, 16064, 16080, 16420, 16436, 16452, 16652, 16666, 16836, 16851, 19318, 19322, 19364, 19383, 19405, 19422, 19439, 19456, 19748, 19856, 19891, 20279, 20475, 21173
\c@tracingmulticols 15217, 15235
\c@twb 7527
\c@twcompctr 7508
\c@twcompoddctr . . . 7524
\c@twfirst 7509, 7515, 7522, 7526, 7535, 7538
\c@twlftside 7513
\c@twlspec 7527, 7530, 7534
\c@twprune 7513, 7514, 7530, 7534
\c@twrounds 7525, 7528, 7531, 7543
\c@twrtside 7514
\c@twslicea 7511, 7513, 7517, 7520, 7529, 7530, 7537, 7541
\c@twsliceb 7512, 7514, 7517, 7520, 7533, 7534, 7537, 7541
\c@twwinlines . 7510, 7523
\c@zabspage 11291
\cals@activate@rtl 7276
\cals@AtBeginTable 7293
\cals@AtEndTable . . 7295
\cals@backup@row . . 7292
\cals@borderB 7291
\cals@borderL 7288
\cals@borderR 7289
\cals@borderT 7290
\cals@current@context 7282
\cals@last@context 7281
\cals@paddingL . 7298, 7300, 7305, 7307
\cals@paddingR 7302, 7309
\cals@set@tohsize . 7285
\cals@setcellprevdepth 7285
\cals@setpadding . . 7285
\cals@setup@alignment 7269, 7284
\cals@table@alignment 7274, 7275
\cals@tbreak@tokens 7279
\cals@tfoot@height 7280
\cals@tfoot@tokens 7278, 7295
\cals@thead@tokens 7277
\cals@vfillAdd . 7270, 7272, 7298, 7307
\cals@vfillDrop 7271, 7272, 7300, 7302, 7305, 7309
\CAny 2076
\cAny 2084
\cap@indent 17408, 17411, 17416, 17418, 17419, 17988, 17991, 17996, 17998, 17999, 18671, 18674, 18679, 18681, 18682
\cap@left 17430, 17441, 18010, 18021, 18693, 18704
\cap@margin 17373, 17953, 18636
\cap@right . . . 17432, 17441, 18012, 18021, 18695, 18704
\cap@width 17396, 17399, 17402, 17976, 17979, 17982, 18659, 18662, 18665
\capfont 17383, 17404, 17409, 17414, 17418, 17437, 17441, 17963, 17984, 17989, 17994, 17998, 18017, 18021, 18646, 18667, 18672, 18677, 18681, 18700, 18704
\caplabelfont . 17384, 17405, 17410, 17415, 17420, 17438, 17964, 17985, 17990, 17995, 18000, 18018, 18647, 18668, 18673, 18678, 18683, 18701
\caption 4836, 4837, 4839, 4895, 12254, 12272, 13837, 14740, 14742
\caption@@make . . . 13898
\caption@@par 7313
\caption@begin . . . 13894
\caption@end 13900
\caption@hangindent 7314
\caption@iftop 13897, 13899
\caption@LT@make . 13883
\caption@LT@setup 13890
\caption@makecaption 7311, 13504
\caption@normalsize 13895
\caption@parindent 7314
\caption@prepare@stepcounter 13893
\caption@setautoposition 13891
\caption@setoptions 13888, 13889
\caption@settype . 13884
\caption@starfalse 13505, 13892

\caption@startrue . . 13506, 13512, 13892
\captionabove . 17489, 17494, 18069, 18074, 18752, 18757
\captionbelow . 17491, 17496, 18071, 18076, 18754, 18759
\captionformat 17384, 17405, 17410, 17415, 17420, 17438, 17964, 17985, 17990, 17995, 18000, 18018, 18647, 18668, 18673, 18678, 18683, 18701
\captionlabelfalse 13510
\catcode 1826, 1945, 3349, 3676, 3677, 3678, 3718, 5375, 5397, 6328, 6329, 6331, 6332, 11628, 11629, 11744
\Centering 15910
\centering 303, 8042, 8055, 8171, 10977, 10983, 12284, 12369, 12385, 14687, 14689, 14691, 17173, 17722, 18421
\CenteringLeftskip 15915
\CenteringParfillskip 15918
\CenteringParindent 15919
\CenteringRightskip 15916
\centerline 307, 11724, 11741, 15849, 21097
\cftbeforechapskip 19366
\cftbeforefigskip 19474
\cftbeforeparaskip 19440
\cftbeforepartskip 19334
\cftbeforesecskip 19385, 19388
\cftbeforesubfigskip 19511
\cftbeforesubparaskip 19457
\cftbeforesubsecskip 19406
\cftbeforesubsubsecskip 19423
\cftbeforesubtabskip 19531
\cftbeforetabskip 19492
\cftchapaftersnum 19375
\cftchapaftersnumb 19376
\cftchapfillnum . . 19379
\cftchapfont 19378
\cftchapindent 19367, 19370, 19617
\cftchapnumwidth 19373, 19618
\cftchappresnum . . 19374
\cftchapterprecistoc 19616
\cftdot 19314
\cftdotfill 19608
\cftdotsep 19607
\cftfigaftersnum . 19483
\cftfigaftersnumb 19484
\cftfigfillnum . . . 19487
\cftfigfont 19486
\cftfigindent 19475, 19478
\cftfignumwidth . . 19481
\cftfigpresnum . . . 19482
\cftparaaftersnum 19449
\cftparaaftersnumb 19450
\cftparafillnum . . 19453
\cftparafont 19452
\cftparaindent 19441, 19444
\cftparanumwidth . 19447
\cftparapresnum . . 19448
\cftpartaftersnum 19344
\cftpartaftersnumb 19345
\cftpartfillnum . . 19348
\cftpartfont 19347
\cftpartindent 19336, 19339
\cftpartnumwidth . 19342
\cftpartpresnum 19343, 19347
\cftsecaftersnum . 19398
\cftsecaftersnumb 19399
\cftsecfillnum . . . 19402
\cftsecfont 19401
\cftsecindent 19390, 19393
\cftsecnumwidth . . 19396
\cftsecpresnum . . . 19397
\cftsubfigaftersnum 19520
\cftsubfigaftersnumb 19521
\cftsubfigfillnum 19524
\cftsubfigfont . . . 19523
\cftsubfigindent 19512, 19515
\cftsubfignumwidth 19518
\cftsubfigpresnum 19519
\cftsubparaaftersnum 19466
\cftsubparaaftersnumb 19467
\cftsubparafillnum 19470
\cftsubparafont . . 19469
\cftsubparaindent 19458, 19461
\cftsubparanumwidth 19464
\cftsubparapresnum 19465
\cftsubsecaftersnum 19415
\cftsubsecaftersnumb 19416
\cftsubsecfillnum 19419
\cftsubsecfont . . . 19418
\cftsubsecindent 19407, 19410
\cftsubsecnumwidth 19413
\cftsubsecpresnum 19414
\cftsubsubsecaftersnum 19432
\cftsubsubsecaftersnumb 19433
\cftsubsubsecfillnum 19436
\cftsubsubsecfont 19435
\cftsubsubsecindent 19424, 19427
\cftsubsubsecnumwidth 19430
\cftsubsubsecpresnum 19431
\cftsubtabaftersnum 19540

\cftsubtabaftersnumb 19541
\cftsubtabfillnum 19544
\cftsubtabfont . . . 19543
\cftsubtabindent 19532, 19535
\cftsubtabnumwidth 19538
\cftsubtabpresnum 19539
\cfttabaftersnum . 19501
\cfttabaftersnumb 19502
\cfttabfillnum . . . 19505
\cfttabfont 19504
\cfttabindent 19493, 19496
\cfttabnumwidth . . 19499
\cfttabpresnum . . . 19500
\chapnumfont 15899
\chapter 5750, 5778, 5848, 5856, 5972, 5978, 6696, 6884, 7193, 8988, 10825, 16115, 16509, 16703, 16906
\chapterheadendvskip 15905
\chapterheadstartvskip 15897
\chaptermark . 6235, 19277
\chaptername . . 308, 14673
\chapterstyle 14668
\char 1787, 2059, 2060, 3664
\chardef 3663, 11628, 13423, 13424, 13430, 13431
\check@floats . 7760, 7935
\CheckCommand 12658, 12696
\checkoddpage 4730
\CIIIAny 2077
\ciiiAny 2085
\circle 7416, 7419, 7426, 7429, 7439, 7442, 7449, 7452, 7462, 7465, 7472, 7475, 7485, 7488, 7495, 7498
\cite 5412, 5504, 5510, 5511, 5605, 5610, 5631, 5639, 5660, 5668, 5689, 5707, 5711, 5716, 5720, 5725, 5729, 15362, 15363
\citeasnoun 15363
\citeN 15362
\cites 5505
\cl@@ckpt 19018
\ClassInfo 6192, 6257, 17500, 18080, 18763
\ClassWarning 17183, 17732, 18431
\ClassWarningNoLine 14724
\clear 4509
\cleardoubleemptypage 17130, 17175, 17679, 17724, 18378, 18423
\cleardoublepage 6114, 6159, 6161, 6218, 6231, 6245, 7187, 8982
\clearpage . 604, 620, 869, 1121, 3554, 3555, 3559, 3560, 4468, 4469, 4472, 5114, 6126, 6161, 6247, 6628, 6805, 7015, 7189, 8984, 16024, 16279, 16738, 17238, 17787, 18486, 19311
\clipbox@@ 15885
\CloneTOCEntryStyle 17506, 17519, 17538, 17544, 18086, 18099, 18118, 18124, 18769, 18782, 18801, 18807
\closing 9022, 18297
\clubpenalty 92, 295, 583, 584, 717, 980, 1230, 2569, 6446, 6708, 6896, 7206, 7207, 8729, 9001, 9002, 10837, 13141, 15359, 16127, 16521, 16716, 16717, 16919, 16920, 17329, 17909, 18592, 19251, 19252
\coffeefont 15029
\col@number 132, 137, 139, 142, 143, 150, 459, 810, 1062, 1312, 7065, 8786, 8883, 10886, 14631, 14971, 15053, 15058, 15094, 15135, 15136, 15138, 15141, 15142, 15149, 15196, 15197, 15200, 15201, 15263, 15267, 16220, 16361, 16605, 16787, 17194, 17743, 18442
\col@sep 379, 407, 7317, 7318, 13849, 20942
\color 2016, 2017, 2018, 2019, 2020, 2492, 7362, 7365, 7368, 7386, 7389, 8036, 8039, 8049, 8167, 13280, 13987, 20735
\color@ 20775, 20822
\color@b@x 7354, 7392, 7394, 20728, 20825, 20828
\color@begingroup 5560, 5578, 5596, 6598, 6612, 9117, 9131, 9145, 9157, 9168, 9179, 9285, 9408, 9418, 9428, 9454, 9467, 9479, 9517, 9526, 9535, 9560, 9572, 9583, 9620, 9630, 9640, 9666, 9679, 9691, 9729, 9739, 9749, 9775, 9788, 9800, 9838, 9848, 9858, 9884, 9897, 9909, 9947, 9957, 9967, 9993, 10006, 10018, 10056, 10066, 10076, 10102, 10115, 10127, 10165,

10175, 10185, 10211, 10224, 10236, 10274, 10284, 10294, 10320, 10333, 10345, 10541, 10553, 10565, 10602, 10616, 10630, 10713, 10726, 11443, 11460, 11476, 11503, 11517, 11531, 11543, 11964, 11974, 11981, 13903, 13961, 21337, 21353, 21364, 21372
\color@block . 7359, 20733
\color@box .. 7392, 20825
\color@endbox .. 2326, 5234, 5278, 5322, 17022, 17032, 17050, 21417, 21461, 21582, 21598
\color@endgroup 5564, 5582, 5600, 6600, 9119, 9133, 9147, 9159, 9170, 9181, 9288, 9346, 9410, 9420, 9430, 9456, 9469, 9481, 9519, 9528, 9537, 9562, 9574, 9585, 9622, 9632, 9642, 9668, 9681, 9693, 9731, 9741, 9751, 9777, 9790, 9802, 9840, 9850, 9860, 9886, 9899, 9911, 9949, 9959, 9969, 9995, 10008, 10020, 10058, 10068, 10078, 10104, 10117, 10129, 10167, 10177, 10187, 10213, 10226, 10238, 10276, 10286, 10296, 10322, 10335, 10347, 10543, 10555, 10567, 10604, 10618, 10632, 10717, 10730, 11446, 11463, 11479, 11506, 11520, 11534, 11564, 11967, 11977, 11984, 21341, 21356, 21368, 21375
\color@fb@x . 20826, 20827
\color@fbox .. 7393, 20826
\color@hbox 17019, 17029, 17047, 21579, 21595
\color@setgroup 7395, 20830
\color@vbox 2304, 5225, 5269, 5313, 21408, 21452
\colorA .. 6973, 6982, 6994
\colorB 6979, 6985, 6991, 6997
\colorblend ... 20742, 20743, 20785, 20786
\colorbox 2132, 2134, 2135
\columncolor .. 1466, 7325
\columnsep 99, 219, 597, 613, 862, 1114, 1965, 2401, 6621, 6798, 7008, 7581, 7706, 7881, 11016, 11873, 13149, 14851, 14968, 15061, 15110, 16017, 16272, 16731, 20690, 20695, 20699, 20705, 20708, 21268
\columnseprule 99, 219, 596, 612, 861, 1113, 1966, 2402, 6620, 6797, 7007, 7572, 7637, 7700, 7712, 7877, 7886, 11008, 11049, 11817, 11864, 13149, 14841, 14943, 15086, 15100, 16016, 16271, 16730, 21259, 21308
\columnseprulecolor 15085, 15099
\columnwidth 28, 41, 55, 71, 232, 244, 258, 273, 540, 544, 731, 965, 1211, 1614, 1620, 2316, 6722, 6875, 7145, 7149, 7257, 7570, 7574, 7578, 7582, 7633, 7639, 7699, 7701, 7704, 7707, 7709, 7714, 7876, 7878, 7880, 7882, 7884, 7888, 8185, 8206, 8736, 8740, 9035, 9039, 9084, 9114, 9128, 9142, 9154, 9165, 9176, 9451, 9463, 9476, 9557, 9568, 9580, 9663, 9675, 9688, 9772, 9784, 9797, 9881, 9893, 9906, 9990, 10002, 10015, 10099, 10111, 10124, 10208, 10220, 10233, 10317, 10329, 10342, 10456, 10518, 10598, 10612, 10626, 10818, 10822, 11007, 11009, 11013, 11017, 11045, 11051, 11349, 11352, 11354, 11439, 11456, 11472, 11499, 11513, 11527, 11545, 11759, 11766, 11813, 11819, 11862, 11866, 11870, 11874, 12226, 12227, 13163,

13237, 13241, 13964, 14839, 14843, 14847, 14850, 14939, 14945, 14968, 14997, 15003, 15165, 15169, 15173, 15177, 16112, 16535, 16685, 16689, 16867, 16871, 17111, 17359, 17364, 17660, 17939, 17944, 18219, 18223, 18359, 18622, 18627, 21257, 21261, 21265, 21269, 21304, 21310, 21500, 21502
\contentslabel . 5809, 5816, 5823, 5830, 5837
\contentsline 12489
\contentsmargin .. 19216
\contentspush 19190
\convertcolorspec 20749, 20752, 20792, 20795
\Coord 2073
\coord 2078
\CoordIII 2075
\coordiii 2080
\Coordn 2074
\coordn 2079
\Coordx 2070, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2084, 2085
\coordx 2081
\Coordy 2071, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2084, 2085
\coordy 2082
\Coordz 2072, 2075, 2077, 2080, 2085
\coordz 2083
\copy 5221, 5265, 5309, 7261, 7550, 7613, 7681, 7687, 7847, 7859, 8196, 8217, 10990, 11026, 11787, 11836, 12037, 12083, 13928, 13940, 13944, 14773, 14873, 15754, 15837, 15907, 20928, 21237, 21284, 21404, 21448, 21511
\cor@height ... 14796, 14797, 14824, 14825, 14864, 14896, 14897, 14924, 14925, 14961
\count 1609, 1892, 2299, 3982, 5210, 5254, 5298, 9359, 9391, 9500, 9603, 9712, 9821, 9930, 10039, 10148, 10257, 10416, 10422, 10474, 10480, 11120, 11779, 11788, 11790, 11837, 11839, 12166, 12172, 15196, 15200, 21393, 21437, 21545
\count@ ... 1406, 1465, 2739, 2744, 4556, 4557, 4559, 7323, 15048, 15049, 15051, 15053, 15060, 15081, 15082, 15084, 15104, 15105, 15108, 15460, 15468, 15481, 19057
\counterwithout 14669, 14670, 14671, 14672
\cr 395, 6393, 6400, 6456, 9373, 9377, 9379, 13864, 18963, 19001, 21145
\crcr . 406, 2198, 6396, 18951, 18981, 20953, 20956, 21132
\CROP@@llc 7458
\CROP@@lrc 7481
\CROP@@ulc 7412
\CROP@@urc 7435
\CROP@execopt 7505
\cs 14098, 14149, 14167, 14221, 14236, 14524, 14526, 15488, 15489
\cs@a 3749
\csname 8, 44, 58, 74, 166, 168, 203, 247, 261, 276, 333, 334, 383, 1369, 2161, 2162, 2176, 2177, 2203, 2206, 2209, 2225, 2233, 2241, 2296, 2583, 2586, 2589, 2591, 2593, 2596, 2599, 2607, 2608, 2613, 2620, 2622, 2624, 2625, 2626, 2627, 2630, 2632, 2636, 2638, 2667, 2668, 2691, 2692, 2719, 2746, 2750, 2761, 2769, 2777, 2785, 2787, 2789, 2793, 2794, 2858, 2900, 2910, 2916, 2917, 2919, 2920, 2922, 2923, 2925, 3126, 3127, 3129, 3130, 3133, 3134, 3143, 3144, 3179, 3180, 3203, 3258, 3259, 3260, 3261, 3267, 3268, 3269, 3270, 3353, 3354, 3357, 3358, 3585, 3586, 3588, 3599, 3600, 3602, 3613, 3623, 3632, 3633, 3634, 3635, 3658, 3682, 3687, 3691, 3707, 3725, 3727, 3735, 3737, 3746, 3747, 3827, 3831, 3864, 3866, 3877, 3878, 3892, 3900, 3902,

3929, 3950, 3987, 3988, 3989, 4005, 4006, 4007, 4008, 4110, 4113, 4117, 4134, 4137, 4139, 4149, 4152, 4154, 4161, 4166, 4171, 4181, 4197, 4200, 4214, 4226, 4258, 4269, 4353, 4356, 4396, 4445, 4585, 4606, 4957, 4958, 4965, 4966, 5558, 5576, 5594, 5625, 5654, 5683, 5925, 6451, 6479, 6482, 6485, 6499, 6506, 6513, 6521, 6522, 6560, 6585, 6586, 7368, 7374, 7382, 7389, 7961, 9116, 9130, 9144, 9156, 9167, 9178, 9407, 9417, 9427, 9453, 9466, 9478, 9516, 9525, 9534, 9559, 9571, 9582, 9619, 9629, 9639, 9665, 9678, 9690, 9728, 9738, 9748, 9774, 9787, 9799, 9837, 9847, 9857, 9883, 9896, 9908, 9946, 9956, 9966, 9992, 10005, 10017, 10055, 10065, 10075, 10101, 10114, 10126, 10164, 10174, 10184, 10210, 10223, 10235, 10273, 10283, 10293, 10319, 10332, 10344, 10539, 10551, 10563, 10600, 10614, 10628, 10945, 11098, 11099, 11104, 11105, 11210, 11211, 11212, 11213, 11215, 11217, 11218, 11219, 11220, 11222, 11223, 11224, 11281, 11305, 11323, 11409, 11418, 11441, 11458, 11474, 11502, 11516, 11530, 11577, 11592, 12491, 12494, 12496, 12500, 12504, 12518, 12529, 12540, 12740, 12771, 12802, 13181, 13284, 13287, 13717, 13783, 14753, 14754, 14761, 17063, 17067, 17071, 17509, 17511, 17513, 17516, 17522, 17531, 17533, 17535, 17541, 17612, 17616, 17620, 18089, 18091, 18093, 18096, 18102, 18110, 18112, 18115, 18121, 18311, 18315, 18319, 18772, 18774, 18776, 18779, 18785, 18793, 18795, 18798, 18804, 18953, 18979, 18981, 19013, 19035, 19037, 19053, 19054, 19074, 19081, 19294, 19557, 19558, 19574, 19575, 19576, 19583, 19585, 19586, 19639, 19640, 19794, 19795, 19905, 19909, 19913, 20012, 20015, 20029, 20045, 20046, 20062, 20069, 20074, 20135, 20190, 20192, 20194, 20210, 20213, 20219, 20221, 20224, 20228, 20233, 20237, 20241, 20255, 20259, 20262, 20265, 20269, 20271, 20307, 20309, 20316, 20317, 20321, 20326, 20330, 20341, 20342, 20346, 20352, 20407, 20408, 20412, 20508, 20509, 20511, 20514, 20515, 20519, 20983, 21048, 21134, 21195, 21208, 21210, 21679

\CT@@do@color 7320

\CT@cell@color 1490, 7345

\CT@color 7319

\CT@column@color 1488, 7343

\CT@do@color 1491, 7320, 7346

\CT@extract . . . 1466, 7325

\CT@row@color . 1489, 7344

\CT@setup 1455, 1456, 1458, 1459, 1463, 1487, 7316, 7342

\cumpartcl 15658

\cumtcl 15658

\curraddr 322

\current@color 7361, 7367, 7374, 7382, 7388, 11606, 11611, 20734, 20771,

20772, 20776, 20805, 20806, 20823
\CurrentOption 6173, 6174, 6175, 6176, 6177, 6197, 6198, 6199, 6200, 6201, 7982, 8080
\currentposxwidth . 3123
\currentposyheight 3140
\customername 18257
\CustomFBox 11608
\cvcomputer 2524
\cvdoubleitem . 2501, 2525
\cventry 2513
\cvlanguage 2522
\cvline 2496, 2497, 2502, 2506, 2508, 2514, 2523
\cvlistdoubleitem . 2507
\cvlistitem 2505
\cvtheme 2439, 2442

D

\d 14068
\d@llarbegin 379, 408, 1410, 1411, 1412, 1475, 1478, 1479, 7330, 7333, 7334, 20942
\d@llarend 380, 408, 1410, 1411, 1412, 1477, 1478, 1479, 7332, 7333, 7334, 20943
\dashgapcolor 1470
\date 447, 483, 787, 832, 1039, 1084, 1289, 1334, 2000, 6039, 6087, 6787, 6964, 7053, 7089, 8774, 8808, 8871, 8907, 10874, 10908, 16197, 16242, 16338, 16385, 16588, 16629, 16775, 16811, 17234, 17783, 18482
\datename 18287
\deadcycles ... 3569, 3572
\debugfootnotedirection 11268
\DeclareOption 2331, 2334, 2337, 2340, 2343, 2346, 2349, 2354, 2355, 2356, 2357, 2358, 2360, 4635, 4637, 4639, 4642, 4647, 5744, 5745, 6003, 6004, 6029, 6030, 6173, 6174, 6175, 6176, 6177, 6197, 6198, 6199, 6200, 6201, 7972, 7974, 7976, 7978, 7980, 7981, 8070, 8072, 8074, 8076, 8078, 8079
\DeclareRobustCommand 2058, 2059, 2060, 2061, 2062, 2063, 2064, 4970, 4977, 7362, 7377, 20735, 20778
\DeclareSectionCommand 17546, 17554, 17564, 17574, 17584, 17594, 18126, 18135, 18143, 18153, 18163, 18173, 18183, 18809, 18818, 18826, 18836, 18846, 18856, 18866
\DeclareTOCEntryStyle . 19624, 19781, 19983
\dedication 17233, 17782, 18481
\dedicatory 323
\def ... 2, 23, 26, 30, 34, 48, 64, 95, 98, 107, 108, 109, 110, 122, 132, 133, 135, 197, 218, 227, 228, 229, 230, 234, 237, 251, 266, 298, 301, 313, 319, 336, 345, 350, 352, 377, 382, 384, 405, 406, 407, 408, 454, 455, 486, 550, 587, 719, 742, 743, 751, 790, 791, 793, 798, 800, 805, 807, 835, 982, 994, 995, 1003, 1042, 1043, 1045, 1050, 1052, 1057, 1058, 1087, 1232, 1244, 1245, 1253, 1292, 1293, 1295, 1300, 1302, 1307, 1309, 1337, 1357, 1367, 1368, 1371, 1377, 1405, 1418, 1419, 1422, 1435, 1443, 1451, 1452, 1455, 1456, 1459, 1464, 1502, 1503, 1601, 1603, 1604, 1647, 1650, 1653, 1656, 1725, 1729, 1825, 1827, 1858, 1875, 1883, 1884, 1885, 1886, 1887, 1893, 1894, 1901, 1917, 1918, 1919, 1922, 1925, 1929, 1940, 1941, 1944, 1953, 1958, 1983, 1984, 2066, 2067, 2068, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2090, 2101, 2132, 2133, 2134, 2135, 2142, 2148, 2154, 2162, 2167, 2169, 2177, 2182, 2183, 2198, 2202, 2205, 2208, 2213, 2216, 2219, 2223, 2231, 2239, 2246, 2248, 2249, 2251, 2320, 2414, 2415, 2416, 2417, 2418, 2419, 2421, 2422, 2440, 2441, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451,

2452, 2453, 2454,
2455, 2456, 2572,
2641, 2661, 2662,
2665, 2671, 2674,
2685, 2686, 2689,
2695, 2698, 2709,
2711, 2714, 2718,
2724, 2732, 2733,
2734, 2735, 2736,
2737, 2738, 2745,
2746, 2750, 2755,
2763, 2771, 2779,
2786, 2788, 2888,
2896, 2917, 2925,
2926, 2927, 2933,
2935, 2936, 2937,
2939, 3158, 3160,
3162, 3168, 3172,
3175, 3184, 3195,
3197, 3198, 3209,
3282, 3301, 3333,
3334, 3335, 3346,
3360, 3363, 3364,
3376, 3388, 3392,
3395, 3408, 3417,
3445, 3473, 3476,
3477, 3485, 3486,
3520, 3533, 3560,
3575, 3632, 3633,
3634, 3635, 3644,
3664, 3673, 3680,
3687, 3691, 3696,
3701, 3706, 3708,
3711, 3714, 3722,
3723, 3725, 3727,
3728, 3735, 3737,
3738, 3745, 3746,
3747, 3748, 3749,
3753, 3754, 3756,
3757, 3759, 3765,
3771, 3789, 3790,
3795, 3800, 3805,
3811, 3816, 3827,
3831, 3837, 3840,
3854, 3856, 3858,
3859, 3861, 3862,
3863, 3865, 3867,
3869, 3871, 3872,
3877, 3878, 3879,
3880, 3881, 3886,
3887, 3894, 3896,
3899, 3904, 3906,
3912, 3913, 3914,
3915, 3919, 3922,
3924, 3925, 3929,
3931, 3932, 3935,
3945, 3987, 3988,
3989, 3992, 4002,
4009, 4011, 4016,
4028, 4035, 4037,
4041, 4042, 4049,
4051, 4054, 4059,
4066, 4068, 4135,
4138, 4147, 4150,
4302, 4313, 4352,
4465, 4475, 4488,
4542, 4552, 4554,
4559, 4564, 4570,
4571, 4574, 4581,
4589, 4604, 4677,
4768, 4789, 4793,
4806, 4886, 4955,
4973, 4979, 5016,
5141, 5143, 5144,
5145, 5154, 5156,
5157, 5158, 5162,
5164, 5170, 5171,
5198, 5212, 5215,
5219, 5223, 5236,
5242, 5256, 5259,
5263, 5267, 5280,
5286, 5300, 5303,
5307, 5311, 5324,
5376, 5391, 5396,
5522, 5524, 5552,
5570, 5588, 5609,
5638, 5667, 5887,
5924, 5932, 6161,
6299, 6300, 6302,
6320, 6321, 6324,
6334, 6335, 6336,
6337, 6343, 6346,
6357, 6358, 6359,
6369, 6395, 6399,
6406, 6428, 6447,
6448, 6449, 6455,
6478, 6481, 6484,
6488, 6491, 6494,
6497, 6504, 6511,
6521, 6522, 6523,
6533, 6537, 6540,
6545, 6546, 6547,
6549, 6558, 6564,
6585, 6586, 6710,
6742, 6743, 6751,
6898, 6919, 6920,
6928, 6968, 6988,
7060, 7061, 7092,
7163, 7177, 7210,
7214, 7226, 7239,
7246, 7250, 7253,
7316, 7319, 7322,
7354, 7361, 7364,
7371, 7379, 7385,
7392, 7393, 7395,
7509, 7522, 7525,
7526, 7531, 7538,
7543, 7547, 7610,
7670, 8179, 8183,
8186, 8204, 8207,
8225, 8282, 8459,
8501, 8528, 8530,
8535, 8566, 8567,
8640, 8689, 8708,
8731, 8781, 8782,
8811, 8878, 8879,
8910, 8957, 8972,
9005, 9083, 9110,
9124, 9138, 9152,
9163, 9174, 9203,
9204, 9205, 9213,
9214, 9215, 9332,
9403, 9413, 9423,
9449, 9461, 9474,
9485, 9490, 9512,
9521, 9530, 9555,
9566, 9578, 9588,
9593, 9615, 9625,
9635, 9661, 9673,
9686, 9697, 9702,
9724, 9734, 9744,
9770, 9782, 9795,
9806, 9811, 9833,
9843, 9853, 9879,
9891, 9904, 9915,
9920, 9942, 9952,
9962, 9988, 10000,
10013, 10024,
10029, 10051,
10061, 10071,

10097, 10109,
10122, 10133,
10138, 10160,
10170, 10180,
10206, 10218,
10231, 10242,
10247, 10269,
10279, 10289,
10315, 10327,
10340, 10351,
10356, 10406,
10438, 10500,
10535, 10547,
10559, 10590,
10609, 10623,
10641, 10651,
10660, 10669,
10761, 10796,
10808, 10839,
10881, 10882,
10911, 10942,
10974, 10980,
10987, 11023,
11097, 11108,
11156, 11260,
11347, 11351,
11353, 11355,
11357, 11359,
11361, 11362,
11364, 11368,
11377, 11379,
11386, 11387,
11404, 11407,
11413, 11416,
11424, 11425,
11426, 11432,
11449, 11465,
11493, 11507,
11521, 11535,
11541, 11547,
11554, 11567,
11571, 11575,
11581, 11586,
11590, 11602,
11616, 11618,
11620, 11622,
11630, 11735,
11745, 11776,
11784, 11833,
11886, 11922,
12010, 12018,
12024, 12033,
12035, 12051,
12062, 12063,
12065, 12078,
12079, 12081,
12097, 12099,
12102, 12104,
12105, 12120,
12127, 12187,
12188, 12189,
12190, 12199,
12201, 12237,
12489, 12516,
12527, 12538,
12549, 12559,
12570, 12581,
12592, 12607,
12622, 12639,
12665, 12682,
12690, 12703,
12720, 12728,
12736, 12753,
12761, 12767,
12784, 12792,
12798, 12815,
12823, 12831,
12845, 12849,
12863, 12871,
12878, 12886,
12889, 12892,
12926, 12958,
12987, 13014,
13017, 13019,
13022, 13031,
13032, 13036,
13038, 13039,
13040, 13042,
13051, 13053,
13144, 13148,
13157, 13158,
13159, 13161,
13165, 13167,
13172, 13175,
13196, 13208,
13244, 13245,
13263, 13280,
13282, 13283,
13290, 13295,
13305, 13354,
13356, 13456,
13472, 13473,
13505, 13506,
13510, 13512,
13818, 13830,
13834, 13835,
13836, 13843,
13871, 13902,
13910, 13913,
13918, 13948,
13956, 14022,
14023, 14627,
14629, 14679,
14681, 14729,
14740, 14751,
14770, 14870,
14967, 14975,
15008, 15020,
15032, 15046,
15079, 15093,
15131, 15135,
15163, 15167,
15171, 15175,
15179, 15181,
15187, 15191,
15195, 15199,
15203, 15205,
15367, 15381,
15383, 15390,
15396, 15476,
15523, 15527,
15531, 15533,
15549, 15561,
15575, 15625,
15632, 15751,
15752, 15754,
15755, 15761,
15762, 15763,
15773, 15783,
15791, 15799,
15800, 15801,
15802, 15803,
15804, 15809,
15810, 15813,
15815, 15816,
15817, 15818,
15820, 15821,
15834, 15840,
15847, 15848,
15849, 15850,

15851, 15853, 15854, 15960, 15981, 15987, 16007, 16008, 16129, 16152, 16153, 16161, 16200, 16201, 16203, 16208, 16210, 16215, 16217, 16245, 16291, 16292, 16300, 16341, 16342, 16344, 16349, 16351, 16356, 16358, 16388, 16410, 16523, 16552, 16554, 16595, 16597, 16632, 16720, 16782, 16783, 16814, 16885, 16897, 16923, 16927, 16970, 17017, 17020, 17027, 17030, 17038, 17045, 17048, 17074, 17076, 17096, 17280, 17281, 17333, 17340, 17489, 17491, 17623, 17625, 17645, 17829, 17913, 17920, 18069, 18071, 18197, 18214, 18218, 18221, 18225, 18297, 18322, 18324, 18344, 18528, 18596, 18603, 18752, 18754, 18886, 18890, 18907, 18928, 18931, 18946, 18951, 18954, 18977, 18981, 18985, 18995, 19011, 19017, 19025, 19046, 19055, 19056, 19072, 19076, 19079, 19083, 19086, 19116, 19161, 19195, 19217, 19223, 19226, 19228, 19231, 19255, 19908, 19932, 20474, 20495, 20497, 20653, 20696, 20699, 20705, 20709, 20728, 20734, 20737, 20759, 20768, 20774, 20780, 20802, 20808, 20817, 20821, 20825, 20826, 20827, 20830, 20835, 20841, 20842, 20843, 20853, 20863, 20872, 20883, 20884, 20893, 20894, 20903, 20904, 20909, 20910, 20913, 20915, 20916, 20917, 20918, 20920, 20922, 20924, 20925, 20938, 20940, 20945, 20947, 20953, 20955, 20962, 20964, 20967, 20969, 20970, 20971, 20972, 20974, 20984, 21021, 21087, 21097, 21100, 21103, 21108, 21109, 21110, 21111, 21112, 21114, 21117, 21127, 21132, 21135, 21155, 21158, 21168, 21169, 21170, 21171, 21172, 21192, 21194, 21227, 21234, 21281, 21381, 21395, 21398, 21402, 21406, 21419, 21425, 21439, 21442, 21446, 21450, 21463, 21469, 21509, 21513, 21514, 21515, 21516, 21526, 21612, 21624, 21625, 21627, 21746, 21748, 21752, 21754, 21781, 21783

\default@color 7361, 20734

\DefaultFindent .. 13252

\DefaultLhang 13248

\DefaultLoversize 13249

\DefaultLraise ... 13250

\DefaultNindent .. 13253

\DefaultOptionsFile . 13272, 13275, 13278

\DefaultSlope 13254

\deffootnote .. 17073, 17098, 17622, 17647, 18196, 18216, 18321, 18346

\define@choicekey . 1662, 1668, 1674, 1680, 1686, 1692, 1704, 1710, 1716, 1723, 1737, 1744, 1754, 20528, 20536

\define@key 1646, 1649, 1652, 1655, 20526

\definecolor 2007, 2008, 2009, 2010, 2011, 2413, 2420, 7986, 7991, 7994, 7995, 7996, 7998, 7999, 8002, 8003, 8005, 8006, 8009, 8010, 8012, 8013, 8016, 8017, 8019, 8020, 8023, 8024, 8089,

8090, 8095, 8096, 8101, 8102, 8107, 8108, 8113, 8114, 8633
\DefineTOCEntryCommandOption 19990, 19992, 19994, 19998, 20000, 20002, 20004, 20006
\DefineTOCEntryIfOption . 19986, 19988, 20020
\DefineTOCEntryLengthOption . . 19625, 19627, 19782, 19984, 19996, 20022, 20024
\DefineTOCEntryOption 20008
\DefNewDummy . . 3771, 3788
\delimiter 11599
\DEPTH 19119, 19126
\depth 12027, 14569, 14576, 14601
\depthof . . 8508, 8513, 8522, 8523, 8527, 8532
\descriptionlabel . 5965
\DetectColumn 21198, 21202
\detokenize 2894, 2896, 3333, 3335, 3336, 3363, 3378, 3395, 3398, 3406, 3408, 3476, 3477, 4348
\dfn@afteroutput 8274, 8277, 8326, 8329
\dfn@boxa . 8183, 8188, 8191, 8195, 8196, 8197, 8204, 8209, 8212, 8216, 8217, 8218, 8231, 8238, 8241, 8243, 8250, 8258, 8288, 8295, 8298, 8300, 8304, 8312
\dfn@boxb 8197, 8218, 8235, 8236, 8243, 8248, 8292, 8293, 8300, 8303
\dfn@countins . 8227, 8284
\dfn@dima 8188, 8189, 8190, 8201, 8209, 8210, 8211, 8222, 8226, 8243, 8263, 8283, 8300, 8315
\dfn@dimb 8263, 8264, 8266, 8267, 8269, 8315, 8316, 8318, 8319, 8321
\dfn@elt@adjust 8263, 8315
\dfn@elt@getht 8228, 8285
\dfn@fnht . 8199, 8220, 8261, 8264, 8270, 8271, 8272, 8313, 8316, 8322, 8323, 8324
\dfn@fnmaxdp 8187, 8192, 8197, 8208, 8213, 8218, 8240, 8243, 8297, 8300
\dfn@footnoterule 8281, 8333
\dfn@footnotetext . 8182
\dfn@gobble . . . 8184, 8205
\dfn@ins . . 8192, 8193, 8194, 8196, 8213, 8214, 8215, 8217, 8231, 8232, 8288, 8289
\dfn@latex@footnotetext 8181
\dfn@latex@LTRfootnotetext 8187, 8202
\dfn@latex@makecol 8280, 8332
\dfn@latex@RTLfootnotetext 8208, 8223
\dfn@list . 8201, 8222, 8229, 8262, 8264, 8267, 8273, 8286, 8314, 8316, 8319, 8325
\dfn@LTRfootnotetext 8183, 8203
\dfn@LTRmakecol 8282, 8334, 8336
\dfn@makecol 8334, 8335, 8336
\dfn@makefnmark 8186, 8207
\dfn@RTLfootnotetext 8204, 8224
\dfn@RTLmakecol 8225, 8334, 8335
\dfn@split 8197, 8218, 8231, 8243, 8288, 8300
\DFNalwaysdouble . . 8337
\DFNcolumnsep 8246, 8259, 8303
\DFNcolumnwidth 8180, 8185, 8206, 8245, 8247, 8250, 8260, 8302, 8304
\diagbox@double 8339, 8342
\diagbox@double@pict@NE 8413, 8420
\diagbox@double@pict@NW 8412
\diagbox@double@pict@SE 8405, 8412
\diagbox@double@pict@SW 8420
\diagbox@font 8340, 8343, 8347, 8349, 8354, 8356, 8360, 8363, 8366, 8370, 8372, 8376, 8378
\diagbox@ht 8407, 8410, 8415, 8418
\diagbox@insepl . . . 8340, 8347, 8349, 8360, 8363, 8370, 8372, 8382, 8392, 8394
\diagbox@insepr . . . 8343, 8354, 8356, 8366, 8376, 8378, 8385, 8388, 8399, 8401
\diagbox@setlinecolor 8406, 8409, 8414, 8417, 8422, 8426, 8431, 8435, 8440, 8444, 8449, 8453
\diagbox@triple@pict@NE 8430
\diagbox@triple@pict@NW 8421
\diagbox@triple@pict@SE 8448
\diagbox@triple@pict@SW 8439
\diagbox@triple@setbox@NE 8404
\diagbox@triple@setbox@NW 8359, 8362, 8365, 8380
\diagbox@triple@setbox@SE 8381, 8384, 8387, 8404

\diagbox@triple@setbox@SW 8380
\diagbox@wd 8407, 8410, 8415, 8418
\DigitsDotDashInterCharToks 1786, 1787
\dim 14243, 14244, 14567, 14568, 14569
\dimen 1608, 1891, 9296, 9360, 9380, 9381, 9382, 9390, 9499, 9602, 9711, 9820, 9929, 10038, 10147, 10256, 10415, 10421, 10473, 10479, 11780, 15065, 15072, 15073, 15081, 15082, 15087, 15088, 15104, 15105, 15112, 15113, 21518, 21521
\dimen@ . . . 7357, 7358, 10700, 10702, 11638, 11639, 11640, 11650, 11651, 11652, 11655, 11656, 11657, 11663, 11673, 11675, 11684, 11686, 11693, 11694, 11695, 11696, 13925, 13926, 13927, 15182, 15183, 15188, 15189, 15192, 15193, 15822, 15827, 18909, 18911, 18917, 18923, 20667, 20668, 20669, 20670, 20671, 20672, 20731, 20732
\dimen@i 18910, 18911, 18916, 18922
\dimen@ii 11688, 11689, 11690, 11696, 11698, 11701, 11702, 11703
\dimexpr 28, 232, 731, 965, 1211, 2845, 2848, 3129, 3133, 3143, 3152, 6722, 6875, 13163, 13993, 14002, 14968, 15177, 16112, 16535, 17101, 17108, 17111, 17650, 17657, 17660, 18349, 18356, 18359, 19769, 19935, 19942, 19952, 19954, 21054, 21056, 21057, 21058, 21063, 21065, 21066, 21067, 21072, 21074, 21075, 21076, 21081, 21083, 21084, 21085
\DiscardVskip 13255
\display@setup 7215, 7240
\displayindent 7256
\displaystyle 11071, 11087
\displaywidth 7256, 8504, 8506, 8511, 11090, 13219
\divide 4097, 6307, 9381, 10457, 10458, 10519, 10520, 10957, 10958, 12026, 12027, 15263, 15267, 15666, 15667, 18991
\do 319, 320, 321, 322, 323, 324, 2273, 4332, 4392, 4407, 4428, 4431, 5417, 5422, 5436, 5441, 5455, 5460, 5483, 5492, 7527, 10945, 13359, 20217
\do@@hvFloat 12187
\document 3516, 3530
\documentclass . 4315, 4318, 11933, 11943
\doloopbody 3957, 3958, 4002, 4075, 4082, 4089, 4092, 4094, 4098, 4100, 4102, 4106
\doubleitemmaincolumnwidth 2462, 2475, 2476, 2477, 2478, 2502, 2504
\doublerulesepcolor 1469
\downtovalue . . . 3955, 3967, 4049, 4088
\dp 40, 54, 70, 243, 257, 272, 389, 1462, 1633, 1908, 7358, 7359, 7807, 8188, 8209, 8236, 8255, 8257, 8293, 8309, 8311, 8507, 8512, 8525, 8531, 8645, 8650, 8654, 8657, 9301, 10369, 10700, 10708, 10956, 10969, 11438, 11455, 11471, 11893, 11898, 11998, 12039, 12040, 12043, 12085, 12086, 12089, 13303, 13854, 14001, 14004, 15065, 15081, 15082, 15087, 15088, 15104, 15105, 15112, 15113, 15646, 15647, 15648, 15822, 15866, 16936, 16978, 16981, 17035, 17042, 17426, 17429, 18006, 18009, 18689, 18692, 18958, 18993, 19005, 19119, 19121, 20723, 20732, 20733, 21140, 21490, 21497, 21584
\dquad 7248, 7250
\draw 20547,

20554, 20558, 20581, 20591, 20599, 20602, 20605, 20608, 20620, 20625, 20632, 20638, 20639
\dseries@display@setup 7240

E

\edef . . 123, 359, 1384, 1438, 1446, 1506, 1532, 1830, 1856, 2160, 2175, 2203, 2206, 2209, 2610, 2648, 2651, 2664, 2668, 2675, 2688, 2692, 2699, 2892, 2895, 2945, 2973, 2999, 3027, 3053, 3090, 3216, 3217, 3220, 3221, 3238, 3239, 3242, 3243, 3332, 3337, 3347, 3362, 3365, 3378, 3382, 3387, 3394, 3397, 3404, 3407, 3413, 3416, 3469, 3475, 3478, 3634, 3675, 3685, 3763, 3772, 3834, 3889, 3892, 3919, 3922, 3926, 4010, 4015, 4016, 4038, 4043, 4055, 4060, 4153, 4161, 4171, 4303, 4346, 4390, 4412, 4426, 4454, 4546, 4558, 4565, 4582, 5386, 5531, 5542, 6479, 6482, 6485, 8557, 8560, 11098, 11104, 11209, 11211, 11212, 11213, 11298, 11319, 11670, 12659, 12666, 12697, 12704, 12737, 12768, 12799, 13209, 13361, 13363, 13369, 13371, 13911, 13914, 15379, 15518, 15537, 15540, 15566, 15996, 16932, 16975, 17318, 17898, 18198, 18581, 18961, 18986, 19000, 19018, 19073, 19080, 19093, 19557, 20029, 20062, 20069, 20074, 20135, 20289, 20393, 20506, 20743, 20748, 20757, 20772, 20776, 20786, 20791, 20800, 20806, 20819, 20823, 21040, 21143, 21207, 21221
\EdefEscapeName . . 12990
\egroup 179, 185, 382, 406, 641, 1200, 1367, 1368, 1485, 2198, 2199, 2324, 6396, 6600, 7259, 7340, 9347, 11076, 11077, 11091, 11565, 11710, 11714, 13937, 13940, 14976, 15609, 15619, 15634, 15765, 15771, 15775, 15781, 15785, 15789, 15793, 15797, 15860, 16045, 16495, 18951, 18952, 18977, 18983, 20393, 20845, 20851, 20855, 20861, 20865, 20870, 20874, 20879, 20945, 20953, 20954, 21132, 21133
\eightcolumnfootnotes 10032
\eject 7817, 11641, 11710, 11730
\else . . 4, 12, 13, 25, 36, 87, 104, 116, 134, 136, 151, 155, 159, 167, 175, 182, 191, 199, 207, 208, 224, 239, 290, 305, 309, 340, 353, 354, 355, 357, 358, 361, 362, 363, 365, 366, 367, 368, 369, 372, 373, 374, 398, 404, 450, 461, 464, 513, 530, 533, 534, 554, 557, 572, 593, 604, 609, 620, 624, 632, 636, 637, 641, 645, 648, 649, 654, 665, 676, 690, 693, 694, 697, 707, 754, 763, 771, 795, 799, 801, 812, 815, 858, 869, 872, 875, 876, 882, 892, 895, 896, 899, 909, 920, 931, 939, 943, 952, 970, 1006, 1015, 1023, 1047, 1051, 1053, 1064, 1067, 1110, 1121, 1125, 1128, 1131, 1132, 1137, 1148, 1159, 1174, 1177, 1178, 1181, 1191, 1195, 1196, 1200, 1220, 1256, 1265, 1273, 1297, 1301, 1303, 1314, 1317, 1354, 1359, 1360, 1373, 1378, 1379, 1380, 1382, 1383, 1386, 1387, 1388, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1399, 1400, 1401, 1421, 1422, 1423, 1424, 1425,

1426, 1428, 1429,
1430, 1431, 1432,
1538, 1544, 1550,
1593, 1595, 1604,
1615, 1618, 1621,
1796, 1799, 1862,
1876, 1878, 1887,
1897, 2144, 2150,
2156, 2171, 2254,
2262, 2267, 2277,
2516, 2517, 2518,
2520, 2556, 2623,
2629, 2650, 2653,
2672, 2680, 2696,
2704, 2720, 2790,
2798, 2804, 2810,
2816, 2822, 2828,
2834, 2840, 2853,
2861, 2865, 2871,
2879, 2883, 2905,
2912, 2958, 2983,
3012, 3037, 3069,
3103, 3132, 3167,
3371, 3696, 3709,
3710, 3723, 3724,
3726, 3728, 3736,
3738, 3760, 3774,
3827, 3831, 3837,
3843, 3883, 4052,
4061, 4112, 4136,
4151, 4216, 4228,
4260, 4271, 4309,
4321, 4322, 4339,
4348, 4393, 4408,
4411, 4438, 4439,
4453, 4734, 4740,
4935, 4938, 4941,
4944, 4974, 5202,
5208, 5240, 5246,
5252, 5290, 5296,
5475, 5872, 5873,
6161, 6246, 6299,
6312, 6321, 6411,
6432, 6457, 6530,
6550, 6551, 6566,
6571, 6575, 6617,
6628, 6632, 6635,
6638, 6639, 6644,
6655, 6664, 6678,
6681, 6682, 6686,
6698, 6754, 6763,
6771, 6794, 6805,
6809, 6812, 6815,
6816, 6821, 6832,
6841, 6855, 6858,
6859, 6863, 6886,
6931, 6940, 6948,
6970, 6981, 6983,
7004, 7015, 7056,
7067, 7070, 7119,
7134, 7137, 7138,
7165, 7179, 7188,
7195, 7218, 7248,
7274, 7299, 7306,
7355, 7360, 7398,
7399, 7405, 7423,
7446, 7469, 7492,
7517, 7518, 7520,
7532, 7537, 7539,
7541, 7561, 7566,
7584, 7600, 7624,
7629, 7643, 7659,
7677, 7685, 7708,
7726, 7753, 7757,
7772, 7779, 7798,
7808, 7820, 7829,
7843, 7855, 7883,
7900, 7928, 7932,
7947, 7956, 8048,
8130, 8144, 8189,
8193, 8195, 8210,
8214, 8216, 8225,
8230, 8239, 8250,
8254, 8262, 8282,
8287, 8296, 8304,
8308, 8314, 8334,
8348, 8355, 8371,
8377, 8393, 8400,
8462, 8469, 8486,
8510, 8592, 8607,
8622, 8623, 8624,
8625, 8652, 8668,
8671, 8672, 8682,
8693, 8696, 8709,
8719, 8777, 8788,
8791, 8874, 8885,
8888, 8936, 8959,
8974, 8983, 8990,
9011, 9012, 9014,
9019, 9025, 9027,
9031, 9109, 9150,
9221, 9224, 9233,
9236, 9245, 9248,
9269, 9273, 9277,
9283, 9308, 9316,
9324, 9337, 9402,
9447, 9511, 9553,
9614, 9659, 9723,
9768, 9832, 9876,
9941, 9985, 10050,
10095, 10159,
10204, 10268,
10313, 10447,
10451, 10468,
10489, 10509,
10513, 10530,
10585, 10594,
10697, 10738,
10752, 10772,
10787, 10790,
10791, 10798,
10810, 10827,
10877, 10888,
10891, 10950,
11000, 11005,
11036, 11041,
11066, 11079,
11096, 11123,
11127, 11148,
11254, 11258,
11284, 11308,
11390, 11393,
11433, 11484,
11522, 11523,
11539, 11557,
11601, 11619,
11621, 11637,
11642, 11662,
11691, 11697,
11713, 11720,
11725, 11738,
11768, 11802,
11807, 11851,
11856, 11890,
11891, 11896,
11913, 11914,
11916, 11924,
11925, 11935,
11954, 11958,
11960, 11969,

11971, 11979,
11994, 12018,
12020, 12023,
12024, 12025,
12031, 12033,
12041, 12047,
12050, 12053,
12060, 12067,
12069, 12075,
12079, 12082,
12087, 12093,
12096, 12109,
12112, 12115,
12121, 12128,
12138, 12151,
12160, 12168,
12175, 12178,
12181, 12200,
12203, 12209,
12210, 12213,
12220, 12222,
12228, 12239,
12247, 12249,
12250, 12251,
12254, 12259,
12265, 12267,
12268, 12269,
12272, 12282,
12284, 12297,
12303, 12306,
12310, 12316,
12319, 12322,
12328, 12333,
12336, 12340,
12342, 12345,
12349, 12351,
12353, 12357,
12362, 12366,
12373, 12378,
12382, 12389,
12394, 12398,
12402, 12404,
12407, 12411,
12413, 12415,
12419, 12423,
12427, 12433,
12436, 12440,
12446, 12449,
12452, 12458,
12473, 12483,
12492, 12503,
12523, 12534,
12545, 12563,
12574, 12585,
12596, 12611,
12626, 12686,
12724, 12757,
12788, 12819,
12872, 12884,
12887, 12904,
12913, 12923,
12938, 12946,
12955, 12969,
12984, 12998,
13010, 13136,
13154, 13174,
13177, 13185,
13186, 13202,
13224, 13225,
13227, 13232,
13256, 13257,
13258, 13259,
13268, 13273,
13286, 13311,
13320, 13355,
13362, 13370,
13390, 13400,
13408, 13438,
13449, 13467,
13477, 13483,
13520, 13599,
13602, 13605,
13608, 13611,
13614, 13617,
13620, 13623,
13627, 13630,
13633, 13636,
13639, 13642,
13645, 13648,
13651, 13654,
13657, 13660,
13663, 13666,
13669, 13672,
13675, 13678,
13681, 13684,
13687, 13690,
13693, 13696,
13699, 13702,
13705, 13708,
13711, 13714,
13717, 13720,
13723, 13726,
13729, 13732,
13735, 13738,
13741, 13744,
13747, 13750,
13753, 13756,
13759, 13762,
13765, 13768,
13771, 13774,
13777, 13780,
13783, 13786,
13789, 13792,
13795, 13798,
13801, 13804,
13807, 13810,
13813, 13821,
13822, 13823,
13824, 13847,
13876, 13885,
13891, 13922,
13937, 13939,
14011, 14633,
14636, 14647,
14648, 14649,
14650, 14651,
14652, 14681,
14697, 14703,
14709, 14734,
14744, 14766,
14784, 14800,
14813, 14826,
14830, 14884,
14900, 14913,
14926, 14930,
14986, 14994,
15000, 15009,
15011, 15015,
15016, 15021,
15023, 15028,
15033, 15035,
15040, 15050,
15063, 15096,
15128, 15150,
15154, 15158,
15203, 15205,
15221, 15228,
15264, 15268,
15272, 15351,
15356, 15389,

15395, 15403,
15406, 15430,
15450, 15465,
15539, 15563,
15621, 15629,
15663, 15689,
15727, 15728,
15729, 15755,
15809, 15810,
15813, 15817,
15818, 15821,
15823, 15829,
15847, 15848,
15853, 15861,
15870, 15880,
15886, 15889,
15896, 15898,
15904, 15915,
15917, 15928,
15930, 15941,
15943, 15952,
15954, 15973,
15993, 16007,
16008, 16013,
16024, 16028,
16036, 16040,
16041, 16045,
16049, 16052,
16053, 16058,
16069, 16078,
16092, 16095,
16096, 16100,
16117, 16164,
16173, 16181,
16205, 16209,
16211, 16222,
16225, 16268,
16279, 16303,
16312, 16320,
16346, 16350,
16352, 16363,
16366, 16407,
16412, 16413,
16421, 16424,
16425, 16430,
16441, 16450,
16464, 16467,
16468, 16472,
16478, 16486,
16490, 16491,
16495, 16511,
16540, 16591,
16607, 16610,
16656, 16671,
16674, 16675,
16680, 16681,
16705, 16727,
16738, 16778,
16789, 16792,
16841, 16856,
16859, 16860,
16887, 16899,
16908, 16940,
16985, 17019,
17021, 17025,
17029, 17031,
17036, 17040,
17043, 17047,
17049, 17053,
17080, 17081,
17089, 17102,
17109, 17129,
17134, 17141,
17147, 17171,
17178, 17182,
17196, 17199,
17242, 17246,
17254, 17260,
17272, 17280,
17281, 17294,
17296, 17308,
17323, 17339,
17349, 17358,
17363, 17366,
17367, 17368,
17370, 17395,
17407, 17412,
17417, 17434,
17448, 17454,
17467, 17477,
17495, 17525,
17629, 17630,
17638, 17651,
17658, 17678,
17683, 17690,
17696, 17720,
17727, 17731,
17745, 17748,
17791, 17795,
17803, 17809,
17821, 17829,
17834, 17850,
17858, 17866,
17874, 17875,
17888, 17903,
17919, 17929,
17938, 17943,
17946, 17947,
17948, 17950,
17975, 17987,
17992, 17997,
18014, 18028,
18034, 18047,
18057, 18075,
18105, 18202,
18203, 18209,
18226, 18227,
18228, 18229,
18230, 18231,
18232, 18233,
18237, 18240,
18243, 18246,
18249, 18252,
18255, 18258,
18261, 18264,
18267, 18270,
18273, 18276,
18279, 18282,
18285, 18288,
18293, 18294,
18300, 18328,
18329, 18337,
18350, 18357,
18377, 18382,
18389, 18395,
18419, 18426,
18430, 18444,
18447, 18490,
18494, 18502,
18508, 18520,
18528, 18557,
18558, 18571,
18586, 18602,
18612, 18621,
18626, 18629,
18630, 18631,
18633, 18658,
18670, 18675,
18680, 18697,
18711, 18717,

18730, 18740, 18758, 18788, 18880, 18883, 18919, 18936, 18969, 18982, 18990, 19003, 19008, 19087, 19088, 19089, 19091, 19092, 19095, 19096, 19097, 19098, 19099, 19100, 19101, 19103, 19104, 19105, 19106, 19107, 19110, 19111, 19112, 19175, 19192, 19199, 19201, 19206, 19211, 19212, 19215, 19220, 19224, 19225, 19240, 19264, 19268, 19278, 19284, 19290, 19295, 19301, 19311, 19323, 19331, 19336, 19337, 19338, 19346, 19353, 19367, 19368, 19369, 19377, 19386, 19390, 19391, 19392, 19400, 19407, 19408, 19409, 19417, 19424, 19425, 19426, 19434, 19441, 19442, 19443, 19451, 19458, 19459, 19460, 19468, 19475, 19476, 19477, 19485, 19493, 19494, 19495, 19503, 19512, 19513, 19514, 19522, 19532, 19533, 19534, 19542, 19552, 19567, 19568, 19569, 19577, 19599, 19617, 19618, 19619, 19757, 19865, 19882, 19892, 19907, 19911, 20014, 20279, 20293, 20297, 20320, 20335, 20345, 20349, 20359, 20360, 20361, 20362, 20367, 20369, 20370, 20378, 20384, 20401, 20411, 20417, 20423, 20426, 20437, 20475, 20477, 20482, 20491, 20496, 20498, 20505, 20512, 20543, 20550, 20555, 20561, 20572, 20575, 20586, 20593, 20607, 20657, 20664, 20665, 20667, 20675, 20683, 20685, 20686, 20697, 20701, 20706, 20715, 20721, 20729, 20733, 20742, 20761, 20766, 20785, 20810, 20815, 20835, 20881, 20882, 20909, 20910, 20913, 20917, 20918, 20977, 20996, 20999, 21004, 21007, 21010, 21013, 21016, 21030, 21038, 21043, 21044, 21045, 21055, 21056, 21058, 21064, 21065, 21067, 21073, 21074, 21076, 21082, 21083, 21085, 21093, 21094, 21095, 21096, 21099, 21102, 21105, 21108, 21109, 21110, 21111, 21113, 21115, 21116, 21120, 21122, 21136, 21153, 21158, 21159, 21160, 21161, 21162, 21163, 21164, 21165, 21168, 21169, 21173, 21175, 21180, 21209, 21218, 21228, 21248, 21253, 21295, 21300, 21325, 21332, 21348, 21359, 21370, 21385, 21391, 21429, 21435, 21473, 21475, 21485, 21501, 21503, 21506, 21510, 21519, 21548, 21551, 21554, 21560, 21581, 21597, 21617, 21624, 21625, 21738, 21746, 21752

\em 5965
\email 322, 2452
\emaillink 2534, 8063, 8161
\emailsymbol 2412, 8063, 8161
\empty 12200, 18889
\EmptyTokenList . . . 3878
\end 179, 186, 429, 432, 435, 500, 503, 766, 774, 777, 847, 850, 1018, 1026, 1029, 1099, 1102,

1268, 1276, 1279, 1350, 1353, 1358, 1359, 1360, 1944, 2093, 2104, 2105, 2500, 2502, 2504, 2506, 2508, 2512, 2520, 2523, 2573, 2664, 2672, 2674, 2675, 2681, 2688, 2696, 2698, 2699, 2705, 3583, 3584, 3605, 3629, 4774, 4775, 4780, 4783, 4860, 4861, 4868, 4869, 4876, 4877, 4897, 4898, 4936, 4939, 4942, 4945, 4952, 4953, 5136, 5137, 5756, 5812, 5819, 5826, 5833, 5840, 5851, 5859, 5986, 5987, 6123, 6166, 6188, 6572, 6766, 6774, 6777, 6943, 6951, 6954, 6983, 6995, 7035, 7038, 7041, 7106, 7109, 7422, 7432, 7445, 7455, 7468, 7478, 7491, 7501, 8042, 8151, 8163, 8171, 8554, 8628, 8758, 8761, 8764, 8823, 8826, 8853, 8856, 8859, 8924, 8927, 9016, 10858, 10861, 10864, 10923, 10926, 11078, 12257, 12275, 12377, 12393, 12484, 13229, 14768, 15484, 16176, 16184, 16187, 16257, 16260, 16315, 16323, 16326, 16403, 16406, 16411, 16412, 16413, 16570, 16573, 16576, 16648, 16757, 16760, 16763, 16828, 16831, 16928, 16971, 17137, 17152, 17159, 17165, 17169, 17177, 17249, 17266, 17276, 17304, 17686, 17701, 17708, 17714, 17718, 17726, 17798, 17815, 17825, 17884, 18385, 18400, 18407, 18413, 18417, 18425, 18497, 18514, 18524, 18567, 19042, 19238, 20547, 20554, 20564, 20569, 20582, 20589, 20592, 20611, 20628, 20635, 20641, 20643

\end@dblfloat 17015

\end@float 4800, 5129, 16966

\end@rotdblfloat . 16970

\end@rotfloat 16927, 16968, 16969

\endarray 382, 406, 1367, 1368, 18977, 18981, 20945

\endBCmd 2095

\endbidi@switch ... 3784, 3788, 3789

\endbidi@tabular@RTLcases . 20945, 20953, 20960

\endcsname 8, 44, 58, 74, 166, 168, 203, 247, 261, 276, 333, 334, 383, 1369, 2161, 2162, 2176, 2177, 2203, 2206, 2209, 2225, 2233, 2241, 2296, 2583, 2586, 2589, 2591, 2594, 2596, 2599, 2607, 2608, 2613, 2621, 2622, 2624, 2626, 2628, 2631, 2632, 2637, 2638, 2667, 2668, 2691, 2692, 2719, 2747, 2751, 2761, 2769, 2777, 2785, 2787, 2789, 2793, 2794, 2851, 2857, 2858, 2900, 2910, 2916, 2917, 2919, 2920, 2922, 2923, 2925, 3127, 3128, 3130, 3131, 3134, 3135, 3144, 3145, 3179, 3180, 3202, 3203, 3258, 3259, 3260, 3261, 3267, 3268, 3269, 3270, 3353, 3354, 3357, 3358, 3585, 3586, 3588, 3599, 3600, 3602, 3613, 3623, 3632, 3633, 3634, 3635, 3645, 3658, 3682, 3687, 3691, 3707, 3725, 3727, 3735, 3737, 3746, 3747, 3827, 3831, 3864, 3866, 3877, 3878, 3892, 3900, 3902, 3929, 3950, 3987, 3988, 3989, 4005, 4006, 4007, 4008, 4110, 4113, 4118, 4134, 4137, 4139, 4149, 4152, 4154, 4161, 4165, 4166, 4171, 4180, 4181, 4197, 4200, 4214, 4226, 4258, 4269, 4354, 4356, 4394, 4396, 4402, 4445, 4585, 4606, 4957, 4958, 4965, 4966, 5558, 5576, 5594, 5625, 5654, 5683, 5925, 6451, 6479, 6482, 6485,

6499, 6506, 6513,
6521, 6522, 6560,
6585, 6586, 7368,
7374, 7382, 7389,
7961, 9116, 9130,
9144, 9156, 9167,
9178, 9407, 9417,
9427, 9453, 9466,
9478, 9516, 9525,
9534, 9559, 9571,
9582, 9619, 9629,
9639, 9665, 9678,
9690, 9728, 9738,
9748, 9774, 9787,
9799, 9837, 9847,
9857, 9883, 9896,
9908, 9946, 9956,
9966, 9992, 10005,
10017, 10055,
10065, 10075,
10101, 10114,
10126, 10164,
10174, 10184,
10210, 10223,
10235, 10273,
10283, 10293,
10319, 10332,
10344, 10539,
10551, 10563,
10600, 10614,
10628, 10945,
11098, 11100,
11104, 11106,
11210, 11211,
11212, 11213,
11215, 11217,
11218, 11219,
11220, 11222,
11223, 11224,
11281, 11305,
11323, 11409,
11418, 11441,
11458, 11474,
11502, 11516,
11530, 11577,
11592, 12491,
12494, 12496,
12500, 12504,
12518, 12529,
12540, 12740,
12771, 12802,
13181, 13284,
13287, 13717,
13783, 14753,
14754, 14761,
15375, 15385,
15399, 17063,
17067, 17071,
17509, 17511,
17513, 17516,
17522, 17531,
17533, 17535,
17541, 17612,
17616, 17620,
18089, 18091,
18093, 18096,
18102, 18110,
18112, 18115,
18121, 18311,
18315, 18319,
18772, 18774,
18776, 18779,
18785, 18793,
18795, 18798,
18804, 18953,
18979, 18981,
19013, 19035,
19037, 19053,
19054, 19074,
19081, 19294,
19557, 19558,
19574, 19575,
19576, 19583,
19585, 19586,
19639, 19640,
19794, 19795,
19905, 19909,
19913, 20012,
20015, 20029,
20045, 20046,
20062, 20069,
20074, 20135,
20190, 20192,
20194, 20210,
20213, 20219,
20221, 20224,
20228, 20233,
20237, 20241,
20255, 20259,
20262, 20265,
20269, 20271,
20304, 20305,
20307, 20309,
20314, 20316,
20318, 20322,
20325, 20326,
20329, 20330,
20339, 20341,
20343, 20347,
20351, 20352,
20405, 20407,
20409, 20413,
20433, 20434,
20442, 20446,
20450, 20454,
20458, 20462,
20466, 20470,
20508, 20509,
20511, 20514,
20515, 20519,
20983, 21048,
21134, 21195,
21208, 21210, 21679
\enddocument . . . 3540,
3546, 3553, 3568
\endflushleft . 2115, 2123
\endgraf 13879, 13898,
17474, 18054, 18737
\endgroup 17, 127, 212,
310, 317, 380, 396,
470, 522, 536, 674,
696, 821, 898, 918,
1073, 1157, 1180,
1323, 1492, 1989,
2227, 2235, 2243,
2619, 2658, 2677,
2701, 2909, 2928,
3283, 3302, 3347,
3369, 3379, 3396,
3446, 3517, 3541,
3544, 3649, 3855,
3857, 3893, 3898,
3907, 4065, 4109,
4133, 4148, 4219,
4231, 4243, 4263,
4274, 4285, 4449,
4548, 4558, 4598,
4967, 5394, 5396,
5627, 5656, 5685,
6062, 6079, 6095,

6106, 6146, 6465, 6501, 6508, 6515, 6573, 6662, 6685, 6839, 6862, 7076, 7126, 7141, 7347, 7607, 7666, 8478, 8496, 8674, 8687, 8797, 8894, 8943, 10460, 10522, 10779, 10794, 10897, 11021, 11061, 11145, 11166, 11411, 11420, 11579, 11594, 11613, 11654, 11685, 11830, 11883, 12061, 12076, 12482, 12520, 12531, 12542, 12553, 12654, 12679, 12717, 12750, 12781, 12812, 13041, 13052, 13190, 13213, 13289, 13313, 13496, 13865, 14644, 14762, 14862, 14959, 15166, 15170, 15174, 15557, 15607, 15612, 15614, 15617, 15622, 15859, 15890, 16076, 16099, 16231, 16372, 16448, 16471, 16616, 16663, 16678, 16798, 16848, 16863, 17205, 17305, 17443, 17754, 17885, 18023, 18453, 18568, 18706, 19056, 19180, 19359, 19775, 19886, 20287, 20415, 20725, 20758, 20801, 20820, 20943, 21278, 21321, 21527, 21537

\endL 183, 1496, 1638, 1913, 2545, 7351, 7360, 7361, 7370, 7376, 7395, 10964, 11077, 11091, 11253, 12023, 12031, 12050, 12060, 12075, 12096, 12884, 13463, 15621, 15761, 15780, 15889, 17025, 17036, 17043, 17053, 19131, 20733, 20734, 20773, 20777, 20830, 20841, 20860, 21506, 21581, 21597

\endlist 96, 299, 589, 721, 952, 984, 1234, 5950, 5958, 5963, 6712, 6900, 7212, 8733, 9007, 10841, 13145, 15370, 16131, 16525, 16722, 16925, 17347, 17927, 18610, 19257

\endlooprepeat 3992, 4021, 4028

\endLTR 15800, 20884, 20892

\endMakeFramed . . . 11627

\endmath 7245

\endmdf@lrbox 13996

\endminipage 9332, 11554, 19135

\endmodernpoem 6586

\endmulticols 15237

\endpgfpicture . . . 15575

\endpspicture 15854

\endR 181, 336, 348, 382, 406, 1367, 1368, 1485, 2198, 2199, 7253, 7340, 7356, 7361, 7363, 7395, 8459, 9373, 9377, 11096, 12020, 12025, 12082, 12121, 12128, 12497, 12505, 12887, 12923, 12955, 12984, 13010, 13020, 13023, 13220, 13463, 13873, 13937, 13940, 13950, 14041, 14049, 14240, 14566, 14731, 14733, 15630, 15762, 15770, 15849, 15850, 15851, 17021, 17031, 17040, 17049, 17441, 18021, 18704, 18951, 18952, 18977, 18983, 19130, 20730, 20734, 20736, 20830, 20842, 20850, 20953, 21098, 21101, 21104, 21121, 21132, 21133, 21506, 21519, 21521, 21581, 21597, 21616, 21619, 21627

\endrotate 17030

\endRTL 15802, 20894, 20902

\ends@math 7245

\endsideways 17048

\endsidewaysfigure 16968

\endsidewaystable 16969

\endstabular 18951, 18953

\endstrip 14975

\endtabular . 382, 383, 1368, 1369, 2198, 18977, 18979, 19063, 21132, 21134

\endtabularx 19014, 19043, 19054

\endtcb@lrbox 19135, 19136

\endtcb@savebox . . 19136

\endtcb@vbox 19146

\endtitlepage .. 631, 938, 1190, 6694, 6882, 16035, 16485
\endtraditionalpoem 6522
\endtrivlist 11092
\endturn 17020
\endwindow 15632
\enskip 20400, 20425
\enspace 308, 15626, 15628
\ensuremath 1534
\env@RTLcases 20958, 20962
\EQ 8501, 8507, 8508, 8512, 8513, 8522, 8523, 8525, 8527, 8528, 8530, 8531, 8532, 8533, 8535, 8536, 8537, 8549, 8552, 8554, 8556, 8557, 8559, 8562, 8564, 8566, 8567, 8569, 8570, 8572, 8575, 8576, 8577, 8580, 8583, 8591, 8598, 8606, 8613, 8615, 8618, 8622, 8623, 8624, 8625, 8637, 8639, 8640
\eq@addpunct 7250
\EQ@box 7255, 7261
\eq@group 7218, 7227
\eq@GRP@first@dmath 7227
\eq@if ... 2742, 2743, 2745
\eq@isIntertext ... 7265
\eq@prelim ... 7218, 7235
\eq@setnumber 7221
\eq@setup@a 7223
\eq@startup 7224
\eq@wdCond 7242
\eqnewif 1560, 1561, 1566, 1578, 2738
\eqno 327, 15845, 15847, 21622, 21624
\eqnumform 7253
\eqstyle 7220
\equal 2510, 2527, 2531, 2535, 4788, 4822, 4833, 4865, 4866, 4882, 4923, 5181, 5423, 5424, 5442, 5443, 5461, 5462, 5493, 5494, 8150, 11201
\errmessage 1605, 1888, 15063
\ERROR 21219
\escapechar 2647, 2739, 2744, 2928, 3674, 3679, 3681, 3683, 3696
\ESO@isMEMOIR 8464
\evenpage . 1950, 1953, 1954, 1955, 1957, 1958, 1959, 1960, 1962
\evensidemargin 1974, 8487, 12169, 12174, 12182, 21547, 21555
\everycr 13869
\everydisplay 7215
\everyhbox ... 15764, 15766, 15774, 15776, 20844, 20846, 20854, 20856
\everyjob 1532, 1533, 1856, 1857
\everymath 346
\everypar 520, 672, 916, 1155, 5240, 5284, 5328, 6661, 6838, 7125, 8942, 10778, 10972, 15756, 15760, 15968, 16075, 16447, 16662, 16847, 19352, 19356, 19884, 20836, 20840, 20886, 20896, 21423, 21467
\everyvbox 1371, 1372, 15784, 15786, 15792, 15794, 20864, 20866, 20873, 20875
\ExecuteOptions 2361, 4652, 6033, 6035, 7983, 8081
\ExecuteOptionsX .. 1761
\exhyphenpenalty 623, 930, 1124, 6631, 6808, 16027, 16477, 16539
\exp 14117, 14120, 14174, 14349, 14403
\expandafter 166, 359, 383, 753, 762, 770, 796, 799, 1005, 1014, 1022, 1048, 1051, 1255, 1264, 1272, 1298, 1301, 1369, 1384, 1466, 1467, 1468, 1470, 1537, 1539, 1543, 1545, 1549, 1551, 2143, 2145, 2149, 2151, 2155, 2157, 2161, 2162, 2170, 2172, 2176, 2177, 2201, 2204, 2207, 2210, 2214, 2217, 2220, 2271, 2272, 2325, 2583, 2586, 2589, 2593, 2607, 2619, 2620, 2625, 2636, 2661, 2663, 2667, 2668, 2672, 2675, 2685, 2687, 2691, 2692, 2696, 2699, 2719, 2721, 2726, 2746, 2747, 2750, 2751, 2787, 2789, 2793, 2797, 2799, 2803, 2805, 2809, 2811, 2815, 2817, 2821, 2823, 2827, 2829, 2833, 2835, 2839, 2841, 2852, 2854, 2858, 2859, 2860, 2862, 2863, 2866, 2870, 2872, 2877, 2878, 2880, 2881, 2884, 2893, 2900, 2904, 2906, 2909, 2910, 2911, 2913, 2916, 2917, 2919, 2920, 2922, 2923, 2925, 2929, 3174, 3175, 3176, 3177, 3178, 3180, 3203, 3207, 3258, 3259, 3260, 3261, 3267, 3268,

3269, 3270, 3353, 3354, 3368, 3369, 3370, 3372, 3379, 3380, 3383, 3398, 3405, 3414, 3585, 3599, 3613, 3623, 3632, 3633, 3634, 3635, 3650, 3677, 3678, 3687, 3691, 3746, 3747, 3759, 3760, 3855, 3857, 3864, 3866, 3868, 3870, 3871, 3872, 3892, 3894, 3897, 3900, 3901, 3902, 3904, 3907, 3912, 3975, 3987, 3989, 4005, 4006, 4007, 4008, 4046, 4057, 4062, 4076, 4109, 4110, 4111, 4114, 4117, 4133, 4134, 4148, 4149, 4161, 4166, 4171, 4181, 4197, 4200, 4226, 4269, 4331, 4340, 4352, 4354, 4355, 4395, 4405, 4406, 4427, 4444, 4455, 4457, 4584, 4585, 5384, 5925, 6355, 6480, 6483, 6486, 6489, 6492, 6495, 6521, 6522, 6585, 6586, 6600, 6753, 6762, 6770, 6930, 6939, 6947, 7215, 7325, 7367, 7388, 7555, 7557, 7618, 7620, 9348, 10994, 10996, 11030, 11032, 11098, 11099, 11104, 11105, 11202, 11219, 11224, 11283, 11286, 11307, 11310, 11323, 11337, 11338, 11339, 11340, 11342, 11566, 11654, 11676, 11677, 11685, 11796, 11798, 11845, 11847, 12066, 12104, 12105, 12522, 12524, 12533, 12535, 12544, 12546, 12649, 12663, 12677, 12701, 12715, 12748, 12779, 12810, 13041, 13042, 13049, 13063, 13284, 13292, 13297, 13477, 13478, 13483, 13484, 13866, 13912, 13915, 14743, 14746, 14778, 14780, 14878, 14880, 15519, 15536, 15548, 15553, 15758, 16163, 16172, 16180, 16206, 16209, 16302, 16311, 16319, 16347, 16350, 16933, 16945, 16955, 16976, 16991, 17003, 17508, 17510, 17512, 17515, 17521, 17530, 17532, 17534, 17540, 18088, 18090, 18092, 18095, 18101, 18109, 18111, 18114, 18120, 18771, 18773, 18775, 18778, 18784, 18792, 18794, 18797, 18803, 18953, 18979, 19012, 19015, 19035, 19038, 19040, 19042, 19053, 19054, 19062, 19066, 19068, 19075, 19077, 19082, 19084, 19093, 19557, 19558, 19574, 19575, 19576, 19583, 19585, 19586, 19639, 19794, 19905, 19909, 19913, 20012, 20015, 20029, 20045, 20062, 20069, 20074, 20135, 20189, 20191, 20193, 20209, 20213, 20218, 20220, 20223, 20227, 20232, 20236, 20240, 20254, 20259, 20261, 20264, 20268, 20271, 20317, 20321, 20342, 20346, 20408, 20412, 20508, 20509, 20511, 20514, 20515, 20518, 20743, 20755, 20758, 20766, 20767, 20786, 20798, 20801, 20815, 20816, 20820, 20838, 21134, 21195, 21207, 21242, 21244, 21289, 21291, 21679

\ExplSyntaxOff . . . 15511

\ExplSyntaxOn 15487

\extrafeetendmini 9305, 9331

\extrafeetendminihook 9329, 9330

\extrafeetins . 9262, 9263

\extrafeetinshook 9290, 9291

\extrafeetminihook 9304
\extrainfo 2453
\extrarowheight 386, 13840, 13848
\extrarulesep 19006
\extratitle 17227, 17776, 18475

F

\f@nch@everypar . . 10972
\f@nch@foot 10980
\f@nch@head 10974
\f@nch@reset 10974, 10980
\f@nch@vbox . 10975, 10981
\f@size 347
\FamilyKeyState . . 20010
\FamilyKeyStateProcessed 20010
\familyname 2446
\familynamecolour 2415, 7987, 8085
\familynamefont 2424, 2432, 8027, 8121
\familynamestyle 2432, 8038, 8128, 8149
\FamilySetBool . . . 20009
\fancy@@oval 10942
\fancyfoot 2545, 5008, 5009, 8053
\fancyhead 4997, 4998, 4999, 6224, 6225, 6236, 6237, 6238
\fancyhf . . 2394, 4995, 5004, 5014, 6222, 6233
\fancyhfoffset 4988, 4989
\fancypagestyle 2391, 2544, 5003, 5013, 8052
\FAX 2411
\fax 2451
\faxsymbol 2411, 8062, 8160
\fb@adjheight 11641, 11711, 11731
\fb@afterframe 11636, 11661, 11719
\FB@captype 11103, 11104, 11106
\fb@frh . 11648, 11652, 11667, 11702, 11705
\fb@put@frame . 11630, 11641, 11712, 11732
\fb@putboxa . . . 11635, 11660, 11718, 11735
\fb@resto@set 11670, 11710, 11714
\fb@sizeofframe 11643, 11665
\fbox 2095, 2105, 7394, 8641, 12296, 12302, 12309, 12315, 12321, 12327, 12335, 12339, 12344, 12348, 12352, 12356, 12371, 12372, 12387, 12388, 12397, 12401, 12406, 12410, 12414, 12418, 12426, 12432, 12439, 12445, 12451, 12457, 15888
\fboxrule 2043, 11604, 11610, 11616, 11618, 11620, 11622
\fboxsep . . 2044, 2111, 2120, 7356, 7357, 7358, 7394, 11604, 11616, 11618, 11620, 11622, 15887, 20730, 20731, 20732, 20828
\fcolorbox 2045
\FeetAboveFloat 10759, 10763
\FeetAtBottom 10761
\FeetBelowFloat . . 10760
\FeetBelowRagged 10762, 10764
\ff@backcol 11213
\ff@col 11211
\ff@frametype 11209, 11220
\ff@txtcol 11201, 11202, 11212
\fi 12, 13, 18, 25, 36, 87, 98, 104, 107, 108, 109, 117, 134, 136, 142, 150, 154, 158, 162, 169, 177, 184, 193, 207, 208, 213, 218, 224, 227, 228, 229, 239, 290, 305, 309, 328, 336, 348, 362, 363, 375, 376, 379, 382, 398, 404, 406, 463, 468, 506, 513, 521, 523, 530, 533, 534, 537, 556, 557, 563, 572, 595, 604, 611, 620, 624, 637, 640, 641, 642, 648, 649, 654, 657, 665, 673, 675, 682, 683, 690, 693, 694, 699, 707, 746, 756, 765, 773, 797, 799, 814, 819, 853, 860, 869, 875, 876, 882, 885, 892, 895, 896, 901, 909, 917, 919, 926, 927, 931, 951, 952, 953, 970, 998, 1008, 1017, 1025, 1049, 1051, 1066, 1071, 1105, 1112, 1121, 1125, 1131, 1132, 1137, 1140, 1148, 1156, 1158, 1165, 1166, 1174, 1177, 1178, 1183, 1196, 1199, 1200, 1201, 1220, 1248, 1258, 1267, 1275, 1299, 1301, 1316, 1321, 1359, 1360, 1362, 1365, 1367, 1368, 1373, 1387, 1388, 1402, 1403, 1417, 1425, 1426, 1432, 1433, 1437, 1442, 1445, 1450, 1453, 1461, 1462, 1471, 1472, 1484, 1485, 1496, 1540, 1546, 1552, 1596, 1597, 1604, 1605, 1617, 1623, 1624, 1667, 1673, 1679, 1685, 1691, 1703, 1709, 1715, 1721,

1735, 1742, 1749,
1759, 1776, 1787,
1792, 1798, 1801,
1809, 1817, 1864,
1879, 1880, 1887,
1888, 1899, 1935,
2146, 2152, 2158,
2173, 2194, 2198,
2199, 2201, 2257,
2258, 2264, 2279,
2280, 2283, 2286,
2289, 2293, 2294,
2302, 2516, 2517,
2518, 2520, 2548,
2556, 2604, 2618,
2633, 2634, 2656,
2657, 2672, 2682,
2696, 2706, 2715,
2722, 2792, 2800,
2806, 2812, 2818,
2824, 2830, 2836,
2842, 2855, 2864,
2867, 2873, 2882,
2885, 2907, 2914,
2952, 2956, 2962,
2963, 2981, 2987,
2988, 3006, 3010,
3016, 3017, 3035,
3041, 3042, 3063,
3067, 3073, 3074,
3101, 3107, 3108,
3136, 3169, 3204,
3355, 3373, 3541,
3544, 3585, 3599,
3613, 3623, 3651,
3696, 3701, 3706,
3709, 3710, 3711,
3719, 3729, 3731,
3739, 3746, 3749,
3753, 3760, 3765,
3776, 3788, 3789,
3827, 3831, 3838,
3842, 3844, 3883,
3975, 4009, 4047,
4053, 4057, 4062,
4076, 4115, 4141,
4155, 4167, 4182,
4218, 4230, 4262,
4273, 4327, 4329,
4330, 4359, 4361,
4365, 4366, 4375,
4377, 4398, 4399,
4401, 4415, 4416,
4418, 4419, 4434,
4447, 4448, 4456,
4473, 4528, 4538,
4549, 4736, 4742,
4935, 4938, 4941,
4944, 4963, 4974,
5204, 5213, 5240,
5248, 5257, 5292,
5301, 5477, 5534,
5536, 5546, 5872,
5873, 5990, 5991,
5992, 6170, 6248,
6300, 6313, 6321,
6352, 6353, 6408,
6409, 6413, 6420,
6425, 6434, 6463,
6471, 6473, 6528,
6530, 6534, 6553,
6555, 6556, 6557,
6568, 6570, 6571,
6580, 6582, 6619,
6628, 6632, 6638,
6639, 6644, 6647,
6655, 6663, 6670,
6671, 6678, 6681,
6682, 6688, 6698,
6730, 6732, 6734,
6746, 6756, 6765,
6773, 6796, 6805,
6809, 6815, 6816,
6821, 6824, 6832,
6840, 6847, 6848,
6855, 6858, 6859,
6865, 6886, 6907,
6909, 6911, 6923,
6933, 6942, 6950,
6970, 6976, 6977,
6981, 6983, 7006,
7015, 7069, 7074,
7112, 7119, 7127,
7134, 7137, 7138,
7142, 7152, 7154,
7156, 7165, 7171,
7172, 7179, 7190,
7195, 7214, 7216,
7217, 7218, 7226,
7237, 7239, 7248,
7253, 7255, 7270,
7271, 7272, 7274,
7276, 7301, 7308,
7314, 7326, 7327,
7339, 7340, 7351,
7355, 7356, 7360,
7361, 7363, 7370,
7376, 7395, 7398,
7399, 7405, 7410,
7433, 7456, 7479,
7502, 7517, 7520,
7521, 7537, 7541,
7542, 7544, 7565,
7590, 7597, 7606,
7608, 7628, 7649,
7656, 7665, 7667,
7677, 7716, 7723,
7732, 7735, 7742,
7755, 7763, 7769,
7774, 7776, 7777,
7778, 7811, 7812,
7828, 7837, 7842,
7843, 7889, 7897,
7906, 7909, 7916,
7930, 7938, 7944,
7949, 7951, 7952,
7953, 7954, 7968,
8003, 8010, 8017,
8024, 8049, 8098,
8104, 8110, 8116,
8130, 8145, 8191,
8194, 8195, 8212,
8215, 8216, 8241,
8257, 8258, 8260,
8269, 8278, 8279,
8298, 8311, 8312,
8321, 8330, 8331,
8334, 8350, 8357,
8373, 8379, 8395,
8402, 8459, 8462,
8473, 8476, 8488,
8494, 8514, 8598,
8613, 8622, 8623,
8624, 8625, 8655,
8668, 8671, 8672,
8675, 8682, 8688,
8695, 8696, 8702,
8709, 8719, 8790,
8795, 8829, 8887,
8892, 8930, 8936,

8944, 8946, 8948,
8950, 8959, 8965,
8966, 8974, 8985,
8990, 9011, 9014,
9017, 9019, 9026,
9027, 9031, 9054,
9074, 9109, 9150,
9226, 9227, 9238,
9239, 9250, 9251,
9272, 9280, 9281,
9289, 9313, 9315,
9321, 9327, 9328,
9343, 9372, 9373,
9376, 9377, 9379,
9402, 9412, 9447,
9464, 9511, 9520,
9553, 9569, 9614,
9624, 9659, 9676,
9723, 9733, 9768,
9785, 9832, 9842,
9876, 9894, 9941,
9951, 9985, 10003,
10050, 10060,
10095, 10112,
10159, 10169,
10204, 10221,
10268, 10278,
10313, 10330,
10397, 10442,
10449, 10453,
10470, 10491,
10504, 10511,
10515, 10532,
10587, 10596,
10676, 10683,
10704, 10741,
10755, 10772,
10780, 10787,
10790, 10791,
10795, 10798,
10803, 10810,
10827, 10890,
10895, 10929,
10936, 10938,
10940, 10950,
10954, 10961,
10962, 10963,
10964, 11004,
11020, 11022,
11040, 11060,
11062, 11073,
11080, 11096,
11118, 11126,
11130, 11144,
11151, 11228,
11230, 11232,
11241, 11243,
11245, 11253,
11256, 11258,
11273, 11287,
11311, 11395,
11397, 11433,
11486, 11494,
11508, 11522,
11523, 11538,
11539, 11562,
11605, 11619,
11621, 11631,
11699, 11700,
11728, 11733,
11742, 11755,
11756, 11757,
11771, 11806,
11828, 11831,
11855, 11881,
11884, 11895,
11900, 11909,
11915, 11917,
11918, 11934,
11944, 11953,
11963, 11968,
11973, 11985,
11987, 11988,
12002, 12018,
12020, 12023,
12024, 12025,
12031, 12033,
12044, 12050,
12053, 12060,
12069, 12075,
12077, 12079,
12082, 12090,
12096, 12111,
12117, 12118,
12121, 12128,
12140, 12141,
12154, 12164,
12170, 12177,
12183, 12184,
12200, 12204,
12209, 12213,
12214, 12224,
12225, 12230,
12231, 12232,
12240, 12249,
12251, 12252,
12253, 12254,
12255, 12267,
12269, 12270,
12271, 12272,
12273, 12278,
12284, 12285,
12286, 12299,
12305, 12312,
12318, 12324,
12330, 12331,
12332, 12337,
12341, 12346,
12350, 12354,
12358, 12359,
12360, 12361,
12368, 12376,
12384, 12392,
12399, 12403,
12408, 12412,
12416, 12420,
12421, 12422,
12429, 12435,
12442, 12448,
12454, 12460,
12461, 12462,
12463, 12464,
12465, 12466,
12475, 12480,
12481, 12485,
12497, 12505,
12509, 12510,
12525, 12536,
12547, 12567,
12578, 12589,
12604, 12619,
12634, 12693,
12731, 12764,
12795, 12826,
12852, 12855,
12858, 12861,
12870, 12872,
12876, 12882,
12884, 12887,
12901, 12906,

12915, 12923,
12935, 12940,
12948, 12955,
12966, 12971,
12977, 12984,
12995, 13000,
13010, 13016,
13020, 13023,
13051, 13055,
13070, 13078,
13086, 13094,
13103, 13111,
13120, 13128,
13136, 13148,
13154, 13157,
13158, 13159,
13174, 13185,
13186, 13191,
13203, 13220,
13224, 13227,
13230, 13232,
13256, 13257,
13258, 13259,
13270, 13271,
13288, 13299,
13311, 13323,
13336, 13338,
13357, 13364,
13372, 13378,
13392, 13402,
13410, 13441,
13442, 13452,
13453, 13470,
13479, 13485,
13519, 13522,
13601, 13604,
13607, 13610,
13613, 13616,
13619, 13622,
13626, 13629,
13632, 13635,
13638, 13641,
13644, 13647,
13650, 13653,
13656, 13659,
13662, 13665,
13668, 13671,
13674, 13677,
13680, 13683,
13686, 13689,
13692, 13695,
13698, 13701,
13704, 13707,
13710, 13713,
13716, 13719,
13722, 13725,
13728, 13731,
13734, 13737,
13740, 13743,
13746, 13749,
13752, 13755,
13758, 13761,
13764, 13767,
13770, 13773,
13776, 13779,
13782, 13785,
13788, 13791,
13794, 13797,
13800, 13803,
13806, 13809,
13812, 13815,
13821, 13823,
13826, 13835,
13836, 13851,
13873, 13878,
13887, 13891,
13932, 13933,
13937, 13938,
13940, 13945,
13950, 13958,
13962, 13995,
14017, 14041,
14049, 14240,
14566, 14635,
14639, 14642,
14647, 14648,
14649, 14650,
14651, 14652,
14664, 14678,
14681, 14687,
14691, 14692,
14713, 14714,
14715, 14720,
14731, 14733,
14737, 14747,
14759, 14766,
14788, 14795,
14798, 14819,
14829, 14859,
14865, 14866,
14888, 14895,
14898, 14919,
14929, 14956,
14962, 14963,
14968, 14988,
14998, 14999,
15004, 15005,
15011, 15015,
15016, 15019,
15023, 15028,
15031, 15035,
15040, 15044,
15052, 15063,
15077, 15082,
15088, 15105,
15113, 15119,
15128, 15141,
15149, 15153,
15157, 15161,
15204, 15206,
15227, 15234,
15266, 15270,
15274, 15351,
15358, 15377,
15382, 15387,
15394, 15404,
15405, 15408,
15409, 15410,
15415, 15420,
15424, 15430,
15436, 15441,
15444, 15450,
15469, 15482,
15483, 15528,
15542, 15550,
15551, 15555,
15563, 15578,
15586, 15621,
15630, 15631,
15649, 15653,
15660, 15661,
15663, 15665,
15666, 15667,
15673, 15698,
15700, 15711,
15722, 15729,
15735, 15737,
15740, 15741,
15755, 15809,
15810, 15813,

15817, 15818, 15821, 15826, 15827, 15832, 15847, 15848, 15849, 15850, 15851, 15853, 15856, 15864, 15875, 15880, 15885, 15888, 15889, 15896, 15898, 15902, 15904, 15913, 15915, 15917, 15926, 15928, 15930, 15939, 15941, 15943, 15952, 15954, 15975, 15995, 16007, 16008, 16015, 16024, 16028, 16041, 16044, 16045, 16046, 16052, 16053, 16058, 16061, 16069, 16077, 16084, 16085, 16092, 16095, 16096, 16102, 16117, 16138, 16140, 16142, 16156, 16166, 16175, 16183, 16207, 16209, 16224, 16229, 16263, 16270, 16279, 16295, 16305, 16314, 16322, 16348, 16350, 16365, 16370, 16412, 16413, 16415, 16418, 16424, 16425, 16430, 16433, 16441, 16449, 16456, 16457, 16464, 16467, 16468, 16474, 16478, 16491, 16494, 16495, 16496, 16503, 16505, 16507, 16511, 16540, 16609, 16614, 16650, 16656, 16664, 16671, 16674, 16675, 16679, 16680, 16681, 16692, 16694, 16696, 16705, 16729, 16738, 16791, 16796, 16834, 16841, 16849, 16856, 16859, 16860, 16864, 16874, 16876, 16878, 16887, 16892, 16899, 16908, 16942, 16946, 16956, 16987, 16992, 16993, 17004, 17005, 17019, 17021, 17025, 17029, 17031, 17036, 17040, 17043, 17047, 17049, 17053, 17080, 17089, 17091, 17102, 17109, 17132, 17138, 17144, 17147, 17170, 17175, 17176, 17188, 17198, 17203, 17206, 17243, 17244, 17250, 17257, 17260, 17275, 17280, 17281, 17282, 17298, 17301, 17308, 17325, 17346, 17353, 17358, 17363, 17366, 17367, 17368, 17370, 17397, 17421, 17422, 17423, 17441, 17442, 17450, 17456, 17469, 17479, 17497, 17503, 17527, 17629, 17638, 17640, 17651, 17658, 17681, 17687, 17693, 17696, 17719, 17724, 17725, 17737, 17747, 17752, 17755, 17792, 17793, 17799, 17806, 17809, 17824, 17829, 17830, 17833, 17836, 17849, 17852, 17857, 17860, 17865, 17868, 17877, 17881, 17888, 17905, 17926, 17933, 17938, 17943, 17946, 17947, 17948, 17950, 17977, 18001, 18002, 18003, 18021, 18022, 18030, 18036, 18049, 18059, 18077, 18083, 18107, 18202, 18209, 18210, 18226, 18227, 18228, 18229, 18230, 18231, 18232, 18233, 18240, 18242, 18246, 18248, 18252, 18254, 18258, 18260, 18264, 18266, 18270, 18272, 18276, 18278, 18282, 18284, 18288, 18290, 18294, 18296, 18300, 18328, 18337, 18339,

18350, 18357, 18380, 18386, 18392, 18395, 18418, 18423, 18424, 18436, 18446, 18451, 18454, 18491, 18492, 18498, 18505, 18508, 18523, 18528, 18529, 18560, 18564, 18571, 18588, 18609, 18616, 18621, 18626, 18629, 18630, 18631, 18633, 18660, 18684, 18685, 18686, 18704, 18705, 18713, 18719, 18732, 18742, 18760, 18766, 18790, 18881, 18884, 18926, 18942, 18947, 18951, 18952, 18969, 18977, 18983, 18990, 18997, 19003, 19008, 19039, 19096, 19097, 19113, 19114, 19130, 19168, 19175, 19177, 19192, 19203, 19206, 19213, 19214, 19215, 19220, 19224, 19225, 19240, 19263, 19270, 19288, 19289, 19305, 19306, 19307, 19311, 19312, 19321, 19325, 19326, 19327, 19333, 19336, 19337, 19338, 19346, 19357, 19358, 19360, 19361, 19367, 19368, 19369, 19377, 19380, 19381, 19389, 19390, 19391, 19392, 19400, 19403, 19407, 19408, 19409, 19417, 19420, 19424, 19425, 19426, 19434, 19437, 19441, 19442, 19443, 19451, 19454, 19458, 19459, 19460, 19468, 19471, 19475, 19476, 19477, 19485, 19488, 19493, 19494, 19495, 19503, 19506, 19512, 19513, 19514, 19522, 19525, 19532, 19533, 19534, 19542, 19545, 19559, 19567, 19568, 19569, 19577, 19580, 19602, 19617, 19618, 19619, 19760, 19776, 19868, 19882, 19885, 19887, 19915, 19916, 19917, 19924, 19939, 19956, 19978, 20017, 20018, 20286, 20288, 20295, 20297, 20310, 20311, 20312, 20319, 20323, 20328, 20332, 20338, 20344, 20348, 20354, 20357, 20359, 20360, 20361, 20364, 20367, 20370, 20371, 20380, 20386, 20395, 20396, 20404, 20410, 20414, 20417, 20418, 20429, 20430, 20440, 20441, 20445, 20449, 20453, 20457, 20461, 20465, 20469, 20473, 20477, 20482, 20490, 20493, 20500, 20501, 20505, 20512, 20535, 20541, 20552, 20557, 20563, 20565, 20572, 20575, 20588, 20597, 20610, 20613, 20624, 20630, 20631, 20637, 20642, 20645, 20659, 20664, 20667, 20668, 20669, 20670, 20674, 20677, 20679, 20685, 20686, 20700, 20710, 20711, 20718, 20723, 20726, 20729, 20730, 20733, 20734, 20736, 20745, 20746, 20750, 20756, 20762, 20763, 20764, 20767, 20773, 20777, 20788, 20789, 20793, 20799, 20811, 20812, 20813, 20816, 20830, 20835, 20881, 20882, 20890, 20900, 20909, 20910, 20913, 20917, 20918, 20953,

20979, 20998, 21006, 21012, 21018, 21026, 21033, 21034, 21035, 21041, 21046, 21049, 21057, 21058, 21066, 21067, 21075, 21076, 21084, 21085, 21093, 21094, 21095, 21096, 21099, 21102, 21105, 21108, 21109, 21110, 21111, 21113, 21115, 21116, 21123, 21126, 21128, 21132, 21133, 21136, 21152, 21153, 21161, 21162, 21165, 21166, 21167, 21168, 21169, 21175, 21180, 21188, 21205, 21211, 21213, 21220, 21230, 21232, 21252, 21276, 21279, 21299, 21319, 21322, 21325, 21343, 21358, 21376, 21378, 21387, 21396, 21431, 21440, 21472, 21475, 21476, 21477, 21478, 21479, 21487, 21501, 21505, 21506, 21510, 21518, 21519, 21520, 21521, 21522, 21543, 21550, 21556, 21557, 21558, 21559, 21561, 21562, 21563, 21581, 21597, 21616, 21619, 21620, 21624, 21625, 21627, 21635, 21637, 21742, 21748, 21754

\figcaption . 12249, 12267

\fill 6163, 6167, 12284, 12479, 13821, 13823, 13825

\filright .. 19155, 19184

\FirstFrameCommand 11618, 11664

\firstmark 7563, 7626, 11002, 11038, 11195, 11804, 11853, 14786, 14886, 21250, 21297, 21608

\firstname 2445

\firstnamecolour 2414, 7988, 8084

\firstnamefont 2423, 2431, 8026, 8027, 8118, 8121

\firstnamestyle 2431, 8038, 8128, 8149

\fivecolumnfootnotes 9705

\Fld@width ... 13069, 13077, 13085, 13093

\flnew@within 11103

\float@newx 11097

\floatalignment 4792, 4793, 4834, 4835, 4857, 4864, 4872, 4923, 5134

\FloatBarrier . 4764, 5114

\floatc@biditufteﬂoatplain 5132, 5142, 5149, 5155, 5163

\floatc@biditufteﬂoatplaintop 5149

\floatc@biditufteﬂoatruled 5150

\floatc@plain 11094

\floatingpenalty 41, 55, 71, 244, 258, 273, 8200, 8221, 8268, 8275, 8320, 8327, 9299, 11438, 11455, 11471

\floatstyle 5183

\flushleft ... 2112, 2121

\FN@sf@@footnote 2139, 2143

\FN@sf@@footnotemark 2168, 2170

\FN@sf@@LTRfootnote 2140, 2149

\FN@sf@@RTLfootnote 2141, 2155

\FN@sf@gobble@bracket 2179, 2182

\FN@sf@gobble@opt 2145, 2151, 2157, 2160

\FN@sf@gobble@optonly 2172, 2175

\FN@sf@gobble@twobracket 2164, 2167

\font 18893, 18894

\fontdimen . 18893, 18894

\fontsize 303, 6118, 6120, 6122, 8026, 8118, 13169, 15467, 15480

\foo 15533, 15535, 15545, 15547

\footdir@abspage 11298, 11301, 11302, 11305, 11306, 11309

\footdir@debug 11270, 11278, 11282, 11285, 11295, 11302, 11306, 11309

\footdir@debugfalse 1714

\footdir@debugtrue 1712, 11268

\footdir@fntext 11316, 11333, 11335

\footdir@LeftRightElse . 11276, 11292, 11369

\footdir@name 11319, 11322, 11323

\footdir@ORG@bidi@amsart@footnotetext 79

\footdir@ORG@bidi@amsart@LTRfootnotetext 81

\footdir@ORG@bidi@amsart@RTLfootnotetext 80
\footdir@ORG@bidi@amsbook@footnotetext 282
\footdir@ORG@bidi@amsbook@LTRfootnotetext 284
\footdir@ORG@bidi@amsbook@RTLfootnotetext 283
\footdir@ORG@bidi@footnotetext 11489
\footdir@ORG@bidi@LTRfootnotetext 11491
\footdir@ORG@bidi@RTLfootnotetext 11490
\footdir@temp 79, 80, 81, 282, 283, 284, 11328, 11489, 11490, 11491
\footdir@toks 11269, 11336, 11337, 11338, 11342
\footdir@write 11263, 11293, 11332
\footersymbol 8045, 8046, 8061, 8062, 8063, 8064
\footfootmark 9091, 9216, 9439, 9545, 9651, 9760, 9869, 9978, 10087, 10196, 10305, 10572
\footfudgefactor . . . 10370, 10459, 10521
\footins 35, 49, 65, 238, 252, 267, 8200, 8221, 8225, 8226, 8237, 8240, 8244, 8268, 8274, 8282, 8283, 8294, 8297, 8301, 8320, 8326, 9108, 9122, 9136, 9296, 9355, 10680, 10689, 10712, 10716, 10725, 10729, 10735, 10750, 11432, 11449, 11465, 11788, 11789, 11837, 11838, 11891, 11893, 11894, 11914, 11925, 11934, 11955, 11973, 11976, 15823, 15824, 15826, 21330, 21336, 21340, 21345, 21363, 21367
\footinsdim 9295, 9296, 9360, 9390, 9499, 9602, 9711, 9820, 9929, 10038, 10147, 10256, 10415, 10421, 10473, 10479
\footinsv@l 9268, 9276, 9362, 9363, 10421, 10422, 10450, 10452, 10479, 10480, 10512, 10514, 10531, 10545, 15192, 15193, 15200, 15201, 15205, 15206, 15220, 15267, 15268
\footinsv@r 9267, 9357, 9358, 9359, 9360, 9390, 9391, 9402, 9412, 9422, 9499, 9500, 9511, 9520, 9529, 9602, 9603, 9614, 9624, 9634, 9711, 9712, 9723, 9733, 9743, 9820, 9821, 9832, 9842, 9852, 9929, 9930, 9941, 9951, 9961, 10038, 10039, 10050, 10060, 10070, 10147, 10148, 10159, 10169, 10179, 10256, 10257, 10268, 10278, 10288, 10415, 10416, 10446, 10448, 10473, 10474, 10508, 10510, 10529, 10557, 15188, 15189, 15196, 15197, 15203, 15204, 15219, 15263, 15264
\footmarkstyle 9213, 9252
\footmarkwidth 9212, 9217, 9218, 9220, 9222, 9225, 9229, 9230, 9232, 9234, 9237, 9241, 9242, 9244, 9246, 9249, 9256, 9259
\footnote 417, 491, 741, 840, 993, 1092, 1243, 1343, 2139, 2142, 5700, 6019, 6050, 6741, 6918, 7023, 7097, 8748, 8816, 8841, 8915, 10848, 10916, 14682, 14685, 16151, 16250, 16288, 16394, 16548, 16636, 16745, 16819, 17123, 17239, 17672, 17788, 18371, 18487
\footnotelayout 5518, 5519, 5522
\footnotemark 2168, 2169, 11567, 11581, 14683, 14686
\footnoterule 8179, 8241, 8247, 8252, 8280, 8281, 8298, 8302, 8306, 8332, 8333, 9083, 9312, 9320, 9341, 9356, 10682, 10715, 10728, 11260, 11357, 11361, 11364, 11379, 11384, 11385, 11387, 11976, 12009, 15131, 15825, 19147, 21339, 21366

\footnotes 5515
\footnotesep . . 29, 31, 40, 46, 54, 60, 70, 76, 233, 235, 243, 249, 257, 263, 272, 278, 8197, 8218, 8243, 8300, 9092, 9098, 9104, 9300, 10440, 10502, 11437, 11445, 11454, 11462, 11470, 11478, 11505, 11519, 11533, 13164, 13166
\footnotesize . . . 38, 52, 68, 106, 226, 241, 255, 270, 413, 737, 989, 1239, 2523, 2545, 4672, 4673, 4711, 5330, 5331, 5332, 5524, 5554, 5572, 5590, 6737, 6914, 7019, 8744, 8837, 9292, 9293, 9294, 10844, 11428, 11429, 11430, 11435, 11452, 11468, 11498, 11512, 11526, 13156, 15626, 15628, 16147, 16284, 16544, 16741, 17119, 17668, 18367
\footnotetext . . 2203, 2214, 6479, 6489
\footrule 10981
\footrulewidth 2393, 4993
\footscript 9213, 9219, 9223, 9225
\footskip . . 10981, 21594
\foottextfont 9092, 9112, 9154, 9292, 9385, 9404, 9439, 9450, 9494, 9513, 9545, 9556, 9597, 9616, 9651, 9662, 9706, 9725, 9760, 9771, 9815, 9834, 9869, 9880, 9924, 9943, 9978, 9989, 10033, 10052, 10087, 10098, 10142, 10161, 10196, 10207, 10251, 10270, 10305, 10316, 10375, 10410, 10439, 10464, 10501, 10536, 10572, 10597
\forcerectofloat . . 4795
\forceversofloat . . 4796
\forvariable 3955, 3961, 4037, 4073, 4080, 4085, 4091, 4096, 4100, 4101
\fourcolumnfootnotes 9596
\fp 14338, 14339, 14340, 14341
\fps@figure 12237
\framebox 8036, 8167, 14997, 15003
\FrameCommand 11616
\FrameHeightAdjust 11690
\FrameRestore . 11624, 11628, 11744, 11745
\fromaddress 9009, 9015, 9025, 13222, 13228
\fromname 9030
\fromplace 18294
\fromsig 9029, 9031, 18301
\fromvalue 3955, 4041, 4064, 4086, 4101
\frontmatter 6217
\fs@bidituftefloatboxed 5161
\fs@bidituftefloatplain 5140, 5148
\fs@bidituftefloatplaintop 5148
\fs@bidituftefloatruled 5153
\fslice . 15643, 15644, 15646, 15647, 15650
\ftn@amount . . . 11892, 11893, 11894, 11901, 11905, 11906
\ftn@font 17094, 17643, 18342
\ftn@rule@height 17101, 17104, 17108, 17111, 17650, 17653, 17657, 17660, 18349, 18352, 18356, 18359
\ftn@rule@test@values 17100, 17107, 17649, 17656, 18348, 18355
\ftn@rule@width 17104, 17111, 17653, 17660, 18352, 18359
\ftnm@font 17096, 17645, 18344
\full@width 15055, 15067, 15118
\futurelet 790, 792, 1042, 1044, 1292, 1294, 2712, 3755, 3758, 16200, 16202, 16341, 16343

G

\g 8520, 8522, 8526, 8619, 14036, 14041, 14043, 14049, 14051, 14094, 14098, 14099, 14145, 14149, 14150, 14167, 14168, 14205, 14221, 14224, 14230, 14231, 14232, 14233, 14234, 14243, 14244, 14246, 14248, 14249, 14250, 14257, 14258, 14263, 14269, 14278, 14281, 14289, 14290, 14293, 14294, 14295, 14296, 14297, 14298, 14300, 14303, 14304,

14306, 14309, 14311, 14314, 14319, 14327, 14328, 14330, 14331, 14332, 14333, 14334, 14335, 14336, 14338, 14339, 14340, 14341, 14343, 14344, 14354, 14362, 14363, 14364, 14366, 14371, 14372, 14377, 14378, 14382, 14387, 14390, 14397, 14399, 14402, 14403, 14407, 14409, 14410, 14413, 14414, 14415, 14419, 14420, 14424, 14425, 14432, 14447, 14448, 14449, 14451, 14456, 14459, 14460, 14463, 14467, 14468, 14469, 14473, 14474, 14475, 14482, 14483, 14484, 14486, 14487, 14490, 14491, 14496, 14502, 14513, 14518, 14519, 14520, 14524, 14527, 14528, 14529, 14530, 14532, 14540, 14554, 14555, 14556, 14557, 14559, 14562, 14570, 14571, 14574, 14578, 14579, 14581, 14583, 14584, 14585, 14589, 14590, 14591, 14596, 14603, 15490, 15492, 15501, 15504

\g@addto@macro 4200, 4444, 4529, 4539, 4790, 5476, 5478, 8549, 8552, 8554, 20217, 20513

\g@mix@page@int . . 14476

\gdef . . 406, 408, 2042, 2414, 2415, 2416, 2417, 2418, 2419, 2421, 2422, 2583, 2607, 3633, 3719, 3721, 3731, 3733, 4050, 4052, 4053, 4523, 4534, 4808, 4809, 4811, 4814, 4894, 4899, 4900, 4901, 5053, 5094, 5473, 5611, 5640, 5669, 5708, 5717, 5726, 6055, 6072, 6088, 6100, 6140, 6141, 6142, 6329, 6332, 6587, 6599, 6601, 7562, 7625, 8503, 8516, 10733, 10746, 10759, 10760, 11001, 11037, 11323, 11383, 11803, 11852, 13285, 13518, 13521, 14785, 14885, 15412, 15433, 15817, 18891, 19156, 19157, 19162, 19185, 19186, 20510, 20917, 20967, 21192, 21249, 21296

\geometry 4694, 4697, 4701, 4704, 4708

\Gin@angle 15473

\Gin@bboxtrue 12054

\Gin@defaultbp 12055, 12056, 12057, 12058, 19118, 19119, 19122

\Gin@eheight 15475

\Gin@esetsize 12073

\Gin@ewidth . 15474, 15475

\Gin@exclamation . . . 12103, 15474, 15477

\Gin@gridfalse . . . 15460

\Gin@ii 12062

\Gin@iii . . . 12051, 12065

\Gin@llx 12055

\Gin@lly 12056

\Gin@outer@scalex 15471

\Gin@outer@scaley 15472

\Gin@scalex 15476

\Gin@scaley 15477

\Gin@urx 12057

\Gin@ury 12058

\Ginclude@graphics 12059, 12071

\Ginput@path 14236

\global 301, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 466, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 519, 520, 671, 672, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 817, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 915, 916, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1069, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1154, 1155, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1319, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1461, 1462, 1991, 1992, 1993, 1994,

1995, 1996, 1997,
1998, 1999, 2000,
2001, 2201, 2204,
2207, 2210, 2214,
2217, 2220, 2299,
2303, 2325, 2608,
2622, 2624, 2630,
2632, 2643, 2649,
2661, 2685, 2769,
2785, 2944, 2998,
3052, 3855, 3857,
3877, 3878, 3889,
3897, 3907, 4020,
4039, 4041, 4043,
4055, 4060, 4659,
4793, 4837, 4838,
5210, 5221, 5224,
5254, 5265, 5268,
5298, 5309, 5312,
5366, 6133, 6330,
6333, 6351, 6355,
6371, 6382, 6408,
6409, 6436, 6449,
6450, 6470, 6480,
6483, 6486, 6489,
6492, 6495, 6527,
6537, 6551, 6553,
6558, 6559, 6565,
6566, 6568, 6588,
6600, 6602, 6660,
6661, 6779, 6780,
6781, 6782, 6783,
6784, 6785, 6786,
6787, 6788, 6837,
6838, 6956, 6957,
6958, 6959, 6960,
6961, 6962, 6963,
6964, 6965, 7043,
7044, 7045, 7046,
7047, 7048, 7049,
7050, 7051, 7052,
7053, 7054, 7072,
7078, 7079, 7080,
7081, 7082, 7083,
7084, 7085, 7086,
7087, 7088, 7089,
7090, 7124, 7125,
7217, 7227, 7228,
7229, 7230, 7231,
7232, 7233, 7234,
7242, 7255, 7260,
7264, 7320, 7549,
7550, 7560, 7567,
7601, 7612, 7613,
7623, 7630, 7660,
7719, 7727, 7737,
7747, 7756, 7758,
7759, 7762, 7765,
7775, 7789, 7790,
7792, 7794, 7795,
7797, 7803, 7804,
7807, 7809, 7810,
7813, 7816, 7821,
7830, 7838, 7893,
7901, 7911, 7920,
7922, 7931, 7933,
7934, 7937, 7940,
7950, 7958, 7959,
7966, 8192, 8199,
8213, 8220, 8232,
8240, 8244, 8261,
8264, 8272, 8277,
8289, 8297, 8301,
8313, 8316, 8324,
8329, 8629, 8766,
8767, 8768, 8769,
8770, 8771, 8772,
8773, 8774, 8775,
8793, 8799, 8800,
8801, 8802, 8803,
8804, 8805, 8806,
8807, 8808, 8809,
8861, 8862, 8863,
8864, 8865, 8866,
8867, 8868, 8869,
8870, 8871, 8872,
8890, 8896, 8897,
8898, 8899, 8900,
8901, 8902, 8903,
8904, 8905, 8906,
8907, 8908, 8941,
8942, 9150, 9161,
9172, 9336, 9338,
9379, 9447, 9459,
9472, 9553, 9564,
9576, 9659, 9671,
9684, 9768, 9780,
9793, 9877, 9889,
9902, 9986, 9998,
10011, 10095,
10107, 10120,
10204, 10216,
10229, 10313,
10325, 10338,
10361, 10375,
10448, 10452,
10510, 10514,
10582, 10607,
10621, 10692,
10736, 10739,
10745, 10751,
10753, 10758,
10777, 10778,
10866, 10867,
10868, 10869,
10870, 10871,
10872, 10873,
10874, 10875,
10893, 10899,
10900, 10901,
10902, 10903,
10904, 10905,
10906, 10907,
10908, 10909,
10989, 10990,
10999, 11005,
11025, 11026,
11035, 11042,
11113, 11116,
11149, 11152,
11154, 11160,
11161, 11162,
11180, 11184,
11187, 11190,
11192, 11196,
11494, 11495,
11508, 11509,
11522, 11523,
11777, 11778,
11779, 11780,
11786, 11787,
11788, 11789,
11790, 11791,
11801, 11810,
11835, 11836,
11837, 11838,
11839, 11840,
11850, 11859,
11888, 11889,
11901, 11902,

11903, 11905, 11906, 11907, 11908, 11990, 12003, 12663, 12677, 12701, 12715, 12748, 12779, 12810, 12873, 12883, 13468, 13860, 13861, 13912, 13915, 13934, 13935, 13943, 14615, 14616, 14617, 14618, 14619, 14620, 14621, 14622, 14623, 14640, 14735, 14772, 14773, 14783, 14789, 14792, 14794, 14796, 14797, 14799, 14804, 14812, 14814, 14822, 14823, 14824, 14825, 14827, 14828, 14831, 14832, 14863, 14864, 14872, 14873, 14883, 14889, 14892, 14894, 14896, 14897, 14899, 14904, 14912, 14914, 14922, 14923, 14924, 14925, 14927, 14928, 14931, 14932, 14960, 14961, 14967, 14968, 14980, 14981, 14982, 14983, 14984, 14985, 14987, 14993, 15065, 15082, 15088, 15105, 15113, 15353, 15565, 15582, 15583, 15584, 15585, 15593, 15600, 15633, 15657, 15658, 15659, 15858, 15908, 16074, 16075, 16189, 16190, 16191, 16192, 16193, 16194, 16195, 16196, 16197, 16198, 16227, 16233, 16234, 16235, 16236, 16237, 16238, 16239, 16240, 16241, 16242, 16243, 16328, 16329, 16330, 16331, 16332, 16333, 16334, 16335, 16336, 16337, 16338, 16339, 16368, 16374, 16375, 16376, 16377, 16378, 16379, 16380, 16381, 16382, 16383, 16384, 16385, 16386, 16446, 16447, 16578, 16579, 16580, 16581, 16582, 16583, 16584, 16585, 16586, 16587, 16588, 16589, 16612, 16618, 16619, 16620, 16621, 16622, 16623, 16624, 16625, 16626, 16627, 16628, 16629, 16630, 16661, 16662, 16765, 16766, 16767, 16768, 16769, 16770, 16771, 16772, 16773, 16774, 16775, 16776, 16794, 16800, 16801, 16802, 16803, 16804, 16805, 16806, 16807, 16808, 16809, 16810, 16811, 16812, 16846, 16847, 17201, 17213, 17214, 17215, 17216, 17217, 17218, 17219, 17220, 17221, 17222, 17223, 17224, 17225, 17226, 17227, 17228, 17229, 17230, 17231, 17232, 17233, 17234, 17235, 17435, 17489, 17491, 17750, 17762, 17763, 17764, 17765, 17766, 17767, 17768, 17769, 17770, 17771, 17772, 17773, 17774, 17775, 17776, 17777, 17778, 17779, 17780, 17781, 17782, 17783, 17784, 18015, 18069, 18071, 18449, 18461, 18462, 18463, 18464, 18465, 18466, 18467, 18468, 18469, 18470, 18471, 18472, 18473, 18474, 18475, 18476, 18477, 18478, 18479, 18480, 18481, 18482, 18483, 18698, 18752, 18754, 18982, 18986, 18987,

18988, 19005, 19017, 19022, 19026, 19038, 19075, 19077, 19082, 19084, 19351, 19352, 19355, 19356, 19883, 19884, 19934, 19938, 20507, 20655, 20663, 20673, 20676, 20720, 20978, 21195, 21206, 21236, 21237, 21247, 21254, 21283, 21284, 21294, 21301, 21393, 21404, 21407, 21437, 21448, 21451, 21479, 21488, 21489, 21490, 21491, 21493, 21496, 21497, 21511, 21516, 21530, 21531, 21533, 21542, 21575, 21587, 21590, 21592, 21599, 21603, 21605, 21606, 21609, 21618
\GlobalSetatBoolean 2778
\GlobalSetBoolean 2762, 4795, 4796, 4823, 4824, 4828, 4829, 5122, 5123
\glossary .. 11174, 21570
\glueexpr 20063, 20070, 20075, 20136, 20197, 20200, 20204, 20210
\Gm@pageframes ... 12165
\Gm@vrule 12148, 12149, 12150, 12152, 12153, 12154, 12157, 12158, 12159, 12162, 12163, 12164
\Gm@vrules@mpi ... 12145
\Gm@vrules@mpii .. 12155
\grid 15468, 15481
\Grot@box 12023, 12031, 17025, 17036, 17043, 17053
\Grot@box@kv 12024
\Grot@box@std 12018
\Grot@setangle 12019, 12030, 17018, 17028, 17039, 17046
\Grot@x 12021, 12026, 17023, 17033, 17041, 17051
\Grot@y 12022, 12027, 17024, 17034, 17041, 17052
\group .. 14217, 14238, 14525, 14538, 14543, 14550, 14606
\grp@aligned 7233
\GRP@box . 7228, 7260, 7262
\grp@eqs@numbered . 7232
\grp@hasNumber 7237
\GRP@label 7229
\grp@linewidth 7231
\GRP@queue ... 7228, 7264
\grp@setnumber 7237
\grp@shiftnumber .. 7234
\grp@wdL 7230
\grp@wdNum 7231
\grp@wdR 7230
\grp@wdT 7230
\Gscale@box 12033, 12125, 12142
\Gscale@div 12124, 12131, 12134
\Gscale@end . 12037, 12083
\Gscale@start 12037, 12083
\Gscale@x .. 12035, 12081
\Gscale@y .. 12035, 12081
\gsetlength 4657, 4810, 4902, 5364, 5613, 5615, 5642, 5644, 5671, 5673

H

\H@@footnotemark 12554, 12643, 12836, 12850, 12867
\H@@footnotetext 9062, 12513, 12524, 12593, 12640, 12754, 12837, 12853, 12867
\H@@mpfootnotetext ... 9068, 12522, 12556, 12560, 12644
\H@refstepcounter 13043
\halign 6370, 13863
\hangafter .. 7410, 14708
\hangindent 107, 108, 109, 227, 228, 229, 647, 874, 1130, 5990, 5991, 5992, 6637, 6814, 7314, 7410, 13157, 13158, 13159, 14701, 14707, 16051, 16423, 21113, 21637
\hb@xt@ 456, 516, 535, 668, 695, 897, 912, 1059, 1151, 1179, 1985, 6658, 6683, 6835, 6860, 7062, 7122, 7139, 7400, 7569, 7574, 7578, 7632, 7633, 7639, 7697, 7701, 7704, 7709, 7714, 7874, 7878, 7880, 7884, 7888, 8673, 8685, 8783, 8880, 8939, 9218, 9225, 9230, 9237, 9242, 9249, 10775, 10792, 10883, 11044, 11045, 11051, 11071, 11086, 11205, 11812, 11813, 11819, 11861, 11866, 11870, 12046, 12092, 12147, 12152, 12157, 12161, 13218, 13382, 13389, 13396, 13401, 13469,

14736, 14838, 14843, 14847, 14938, 14939, 14945, 15042, 16072, 16097, 16444, 16469, 16560, 16603, 16676, 16784, 16844, 16861, 17401, 17441, 17981, 18021, 18664, 18704, 18929, 19614, 19772, 19878, 20270, 20383, 20420, 20422, 20488, 20495, 20497, 20929, 21110, 21111, 21186, 21256, 21261, 21265, 21303, 21304, 21310, 21500, 21581, 21597, 21619
\hbadness 5165, 8185, 8206, 19058, 19060, 20594, 20595, 20612
\hbox . 15, 28, 188, 210, 232, 345, 379, 387, 404, 544, 654, 731, 882, 965, 1137, 1211, 1413, 1472, 1628, 1903, 2184, 4769, 4857, 4859, 4864, 4897, 4898, 4907, 4914, 5134, 5167, 5485, 5524, 5551, 5569, 5587, 5709, 5718, 5727, 6162, 6170, 6289, 6339, 6343, 6354, 6371, 6382, 6588, 6602, 6644, 6722, 6821, 6875, 7149, 7261, 7327, 7356, 7516, 7519, 7536, 7540, 8244, 8247, 8250, 8301, 8302, 8304, 8506, 8511, 8517, 8740, 9039, 10368, 10380, 10385, 10389, 10394, 10639, 10649, 10659, 10668, 10822, 10960, 10974, 10975, 10980, 10982, 11006, 11009, 11013, 11090, 11094, 11096, 11134, 11139, 11349, 12011, 12012, 12020, 12025, 12036, 12037, 12082, 12083, 12121, 12128, 13163, 13169, 13188, 13241, 13852, 13872, 13877, 13937, 13940, 14222, 14238, 14239, 14257, 14517, 14519, 14529, 14565, 14600, 15015, 15049, 15065, 15067, 15177, 15499, 15501, 15504, 15577, 15626, 15630, 15650, 15683, 15687, 15692, 15696, 15708, 15719, 15736, 15746, 15763, 15772, 15773, 15782, 15836, 15837, 15838, 15840, 15841, 15867, 15885, 15896, 16058, 16112, 16430, 16535, 16659, 16689, 16871, 17040, 17094, 17096, 17111, 17364, 17472, 17643, 17645, 17660, 17944, 18052, 18213, 18214, 18223, 18239, 18245, 18251, 18257, 18263, 18269, 18275, 18281, 18287, 18342, 18344, 18359, 18627, 18735, 18908, 18956, 18969, 18997, 19008, 19047, 19117, 20375, 20376, 20425, 20427, 20484, 20485, 20688, 20722, 20724, 20730, 20843, 20852, 20853, 20862, 20927, 20928, 20931, 20932, 20933, 20934, 20942, 20948, 21112, 21121, 21123, 21128, 21138, 21153, 21182, 21183, 21508, 21518, 21520
\hboxL 192, 1620, 1622, 1898, 11724, 11741, 13384, 15773, 20853
\hboxR 190, 1614, 1616, 1896, 15763, 20843
\head@style 621, 928, 1122, 1355, 6629, 6806, 16025, 16408, 16475, 16537
\headheight 1967, 8491, 10975, 11182, 21577
\headrule 10978
\headrulewidth 2392, 4992
\headsep . . 1975, 1978, 8492, 11183, 21586
\headwidth 2482, 10974, 10976, 10977, 10978, 10980, 10982, 10983, 10984

\height . 12027, 12101, 12309, 12311, 12315, 12317, 12344, 12345, 12348, 12349, 12406, 12407, 12410, 12411, 12439, 12441, 12445, 12447, 14568, 14576, 14601
\hfil 15, 210, 516, 535, 668, 695, 897, 912, 1060, 1151, 1179, 1409, 1410, 1411, 1412, 1440, 1441, 1442, 1448, 1449, 1450, 1957, 1962, 6340, 6342, 6447, 6658, 6683, 6835, 6860, 7122, 7139, 7400, 7517, 7520, 7537, 7541, 7571, 7573, 7636, 7638, 7700, 7711, 7713, 7877, 7885, 7887, 8673, 8685, 8939, 9378, 10775, 10792, 11008, 11048, 11050, 11076, 11089, 11096, 11816, 11818, 11863, 11865, 12154, 12159, 13188, 13469, 13877, 14736, 14840, 14842, 14942, 14944, 15042, 15630, 15684, 15688, 15693, 15697, 15709, 15720, 15746, 16072, 16097, 16444, 16469, 16659, 16676, 16844, 16861, 19614, 19772, 19878, 20270, 20383, 20420, 20422, 20488, 20495, 20497, 20956, 21186, 21258, 21260, 21307, 21309, 21519, 21521, 21558, 21559, 21561, 21562, 21619
\hfill 1478, 1479, 2503, 2509, 2523, 4926, 4927, 4930, 4931, 6311, 6321, 7333, 7334, 8037, 10976, 10977, 10982, 10983, 15017, 15041, 15280, 15283, 15284, 15285, 15288, 15289, 15290, 15291, 15292, 15295, 15296, 15297, 15298, 15299, 15300, 15301, 15304, 15305, 15306, 15307, 15308, 15309, 15310, 15311, 15312, 15315, 15316, 15317, 15320, 15321, 15322, 15325, 15326, 15327, 15328, 15329, 15332, 15333, 15334, 15335, 15336, 15339, 15340, 15341, 15342, 15343, 15737, 15741, 17111, 17509, 17526, 17660, 18089, 18106, 18241, 18247, 18253, 18259, 18265, 18271, 18277, 18283, 18359, 18772, 18789, 19157, 19186, 20244, 20247, 20251, 20377, 20486, 20643, 21184
\hfilneg 9372, 9376
\hfuzz . 8504, 19059, 19061
\hintcolour 2422
\hintfont 2430, 2438, 2492, 2499, 2504
\hintscolumnwidth 2458, 2472, 2476, 2484, 2492, 2498, 2504, 2561
\hintstyle 2438
\hline 13829, 13831, 13837
\HLOFF 2047
\HLON 2041
\HLTR@@LTRfootnotetext ... 9064, 12515, 12546, 12623, 12641, 12683, 12785, 12839, 12859
\HLTR@@mpLTRfootnotetext ... 9070, 12544, 12558, 12582, 12645
\hoffset 1971
\hold@viper 7583, 7586, 7642, 7645, 7677, 7718, 7719, 7727, 7728, 7737, 7738, 7746, 7843, 7892, 7893, 7901, 7902, 7911, 7912, 7921, 7957, 7959, 7960
\holder . 15640, 15643, 15652, 15662, 15663, 15681, 15685, 15690, 15694, 15706, 15710, 15717, 15721
\href 2528, 2529, 2532, 2533, 2536, 2537
\HRTL@@mpRTLfootnotetext ... 9072, 12533, 12557, 12571, 12646
\HRTL@@RTLfootnotetext ... 9066, 12514, 12535, 12608, 12642, 12721, 12816, 12838, 12856
\hrule 31, 235, 540, 725, 960, 1205, 5156, 5157, 5167, 5168,

6341, 6716, 6869, 6979, 6985, 6991, 6997, 7145, 8180, 8736, 9035, 9084, 10818, 11352, 11354, 11386, 11729, 13166, 13237, 13995, 15132, 15180, 15738, 16106, 16529, 16685, 16867, 17104, 17111, 17359, 17653, 17660, 17939, 18219, 18352, 18359, 18622
\hrulefill 28, 232, 544, 731, 965, 1211, 6722, 6875, 7149, 8740, 9039, 10822, 11349, 13163, 13241, 15177, 16112, 16535, 16689, 16871, 17364, 17944, 18223, 18627
\hsize . 41, 55, 71, 244, 258, 273, 624, 931, 1125, 1917, 2316, 5166, 5167, 5227, 5271, 5315, 5912, 6632, 6809, 7257, 7517, 7520, 7537, 7541, 9114, 9128, 9142, 9154, 9165, 9176, 9371, 9433, 9451, 9463, 9476, 9539, 9557, 9568, 9580, 9645, 9663, 9675, 9688, 9754, 9772, 9784, 9797, 9863, 9881, 9893, 9906, 9972, 9990, 10002, 10015, 10081, 10099, 10111, 10124, 10190, 10208, 10220, 10233, 10299, 10317, 10329, 10342, 10379, 10540, 10552, 10564, 10598, 10601, 10612, 10615, 10626, 10629, 11095, 11096, 11439, 11456, 11472, 11499, 11513, 11527, 11544, 11545, 11624, 11729, 11759, 11762, 11766, 11769, 11770, 13465, 13469, 13863, 13874, 13877, 13907, 13964, 13965, 13972, 13995, 14732, 14736, 14969, 15049, 15051, 15059, 15098, 15102, 15106, 15109, 15114, 15117, 15164, 15168, 15172, 15799, 15801, 15969, 16028, 16478, 16540, 16556, 16599, 17078, 17085, 17087, 17401, 17402, 17441, 17627, 17634, 17636, 17981, 17982, 18021, 18200, 18205, 18207, 18326, 18333, 18335, 18664, 18665, 18704, 20435, 20438, 20443, 20447, 20451, 20455, 20459, 20463, 20467, 20471, 20691, 20712, 20716, 20883, 20893, 21037, 21410, 21454, 21615, 21619
\hskip 14, 28, 209, 232, 305, 309, 534, 544, 654, 655, 694, 731, 882, 883, 896, 944, 965, 1137, 1138, 1178, 1211, 1358, 1411, 1412, 1450, 1474, 1477, 2575, 5873, 6313, 6357, 6358, 6361, 6363, 6364, 6367, 6644, 6645, 6682, 6722, 6821, 6822, 6859, 6875, 7138, 7149, 7329, 7332, 7399, 7570, 7577, 7581, 7582, 7699, 7703, 7706, 7707, 7876, 7879, 7881, 7882, 8245, 8246, 8249, 8259, 8260, 8303, 8672, 8740, 9039, 10366, 10791, 10822, 11007, 11012, 11016, 11017, 11072, 11088, 11349, 11862, 11869, 11873, 11874, 12147, 12149, 12150, 12153, 12158, 12161, 12163, 12164, 13069, 13077, 13085, 13093, 13102, 13110, 13119, 13127, 13163, 13187, 13219, 13241, 13376, 14839, 14846, 14850, 14851, 15016, 15028, 15040, 15098, 15102, 15106, 15109, 15110, 15114, 15117, 15118, 15177, 15280, 15283, 15285, 15288,

15290, 15292, 15295, 15297, 15299, 15301, 15304, 15306, 15308, 15310, 15312, 15315, 15317, 15320, 15322, 15325, 15327, 15329, 15332, 15334, 15336, 15339, 15341, 15343, 15357, 15594, 15601, 16058, 16059, 16096, 16112, 16411, 16430, 16431, 16468, 16535, 16675, 16689, 16860, 16871, 16949, 16951, 16958, 16960, 16996, 16998, 17007, 17009, 17111, 17364, 17660, 17944, 18223, 18359, 18627, 18917, 18923, 18935, 18940, 19156, 19185, 19346, 19377, 19400, 19417, 19434, 19451, 19468, 19485, 19503, 19522, 19542, 19577, 19769, 19928, 19960, 20370, 20417, 20427, 20482, 21180, 21257, 21264, 21268, 21269, 21502, 21504, 21518, 21521

\hspace 108, 109, 228, 229, 553, 2493, 2498, 2504, 4909, 4916, 5138, 5816, 5817, 5823, 5824, 5830, 5831, 5837, 5838, 5965, 5991, 5992, 8167, 8340, 8343, 8347, 8349, 8354, 8356, 8360, 8363, 8366, 8370, 8372, 8376, 8378, 8382, 8385, 8388, 8392, 8394, 8399, 8401, 8692, 9026, 9220, 9232, 9244, 12284, 12300, 12313, 12325, 12338, 12347, 12355, 12400, 12409, 12417, 12430, 12443, 12455, 12479, 13158, 13159, 17396, 17411, 17416, 17418, 17419, 17976, 17991, 17996, 17998, 17999, 18299, 18659, 18674, 18679, 18681, 18682, 18880, 18881, 19162, 19174, 21736, 21740, 21745, 21747, 21751, 21753

\hss 457, 516, 535, 668, 695, 897, 912, 1151, 1179, 1644, 1917, 1986, 5932, 6658, 6683, 6835, 6860, 7063, 7122, 7139, 7400, 7576, 7580, 7635, 7641, 7702, 7705, 7710, 7715, 7878, 7880, 7884, 7888, 8248, 8258, 8303, 8312, 8506, 8509, 8511, 8514, 8517, 8673, 8685, 8784, 8881, 8939, 9219, 9225, 9231, 9237, 9243, 9249, 10775, 10792, 10884, 11011, 11015, 11047, 11053, 11205, 11815, 11821, 11868, 11872, 12046, 12092, 12150, 12164, 13389, 13396, 13401, 13872, 13880, 14259, 14520, 14601, 14845, 14849, 14941, 14947, 15085, 15086, 15099, 15100, 15608, 15618, 15838, 15849, 15850, 15851, 16072, 16097, 16444, 16469, 16560, 16603, 16659, 16676, 16785, 16844, 16861, 17094, 17472, 17481, 17643, 18052, 18061, 18213, 18342, 18735, 18744, 18929, 19772, 19878, 20696, 20698, 20703, 20709, 20929, 21047, 21098, 21099, 21101, 21102, 21104, 21105, 21110, 21111, 21168, 21169, 21170, 21171, 21263, 21267, 21306, 21312, 21506

\ht . . . 385, 1460, 1493, 1634, 1909, 7348, 7357, 7359, 7675, 7677, 7684, 7690, 7691, 7692, 7746, 7785, 7803, 7815, 7839, 7843, 7853, 7861, 7862, 7865, 7866, 7868, 7869,

7921, 7957, 8188, 8197, 8209, 8218, 8226, 8236, 8238, 8254, 8283, 8293, 8295, 8308, 8657, 9380, 9486, 9491, 9589, 9594, 9698, 9703, 9807, 9812, 9916, 9921, 10025, 10030, 10134, 10139, 10243, 10248, 10352, 10357, 10370, 10441, 10503, 10956, 11649, 11656, 11673, 11680, 11681, 11694, 11698, 11721, 11892, 11897, 12039, 12040, 12042, 12085, 12086, 12088, 12221, 13302, 13319, 13838, 13896, 13909, 13924, 13926, 13927, 13993, 14000, 14003, 14823, 14827, 14832, 14923, 14927, 14932, 14983, 14985, 15183, 15189, 15193, 15652, 15710, 15721, 15726, 15727, 15728, 15729, 15733, 15748, 15865, 15888, 16935, 16977, 16980, 17035, 17042, 17425, 17427, 17428, 18005, 18007, 18008, 18688, 18690, 18691, 18957, 18993, 19005, 19120, 20731, 20733, 21139, 21482, 21492, 21496

\ht@strip 14980, 14981, 14982, 14983, 14984, 14987, 14989

\ht@viper 7674, 7679, 7702, 7705, 7710, 7715, 7783, 7784, 7839, 7840, 7841, 7845, 7878, 7880, 7884, 7888

\httplink 2530

\Huge 5899, 6982, 6994, 7174, 7182, 8968, 8977, 10805, 10813, 16894, 16902

\huge 564, 5753, 5755, 5898, 6973, 7168, 8703, 8712, 8962, 10800, 16889, 17145, 17258, 17694, 17807, 18393, 18506

\hv@Bottom 12379

\hv@Center . . . 12283, 12294, 12334, 12396, 12424, 12477

\hv@figure . 12248, 12266

\hv@floatObject 12209, 12213

\hv@floatType . 12239, 12248, 12266, 12484

\hv@Height 12221

\hv@label 12190

\hv@Left . . . 12224, 12292

\hv@longCap 12189

\hv@Right . . 12225, 12281

\hv@shortCap 12188, 12254, 12272

\hv@Top . 12307, 12343, 12363, 12405, 12437

\hv@Width . . 12219, 12242

\hv@Zero . . . 12208, 12471

\hvAboveCaptionSkip 12387, 12390

\hvBelowCaptionSkip 12371, 12374

\hvCaptionBox . 12243, 12260, 12302, 12304, 12315, 12317, 12327, 12329, 12335, 12336, 12344, 12345, 12352, 12353, 12364, 12365, 12371, 12374, 12380, 12381, 12388, 12391, 12397, 12398, 12406, 12407, 12414, 12415, 12432, 12434, 12445, 12447, 12457, 12459

\hvCapWidth . . . 12217, 12219, 12221, 12223, 12227, 12229, 12244, 12262

\hvFloat 12191

\hvMaxCapWidth 12202, 12203, 12224, 12225, 12226, 12229

\hvObjectBox 12206, 12209, 12211, 12215, 12221, 12296, 12298, 12309, 12311, 12321, 12323, 12339, 12340, 12348, 12349, 12356, 12357, 12364, 12367, 12372, 12375, 12380, 12383, 12387, 12390, 12401, 12402, 12410, 12411, 12418, 12419, 12426, 12428, 12439, 12441, 12451, 12453

\hvObjectWidth 12215, 12219, 12223, 12224, 12225

\hvOBox 12209, 12213

\hvSet@capAngle 12242, 12261

\hvSet@capPos 12224, 12225, 12292, 12363, 12379

\hvSet@capVPos 12294,

12307, 12334, 12343, 12396, 12405, 12424, 12437
\hvSet@capWidth 12219, 12221, 12226, 12227
\hvSet@floatCapSep 12300, 12313, 12325, 12338, 12347, 12355, 12400, 12409, 12417, 12430, 12443, 12455
\hvSet@floatPos . . 12237
\hvSet@objectAngle 12208, 12212
\hvSet@objectPos . . . 12281, 12283, 12477
\hvSet@rotAngle 12202, 12471, 12474
\Hy@Acrobatmenu . . 12988
\Hy@backout 13015
\Hy@BeginAnnot 12871, 12891, 12928, 12960, 12989
\Hy@bidipoem@footnotetext 12744, 12753
\Hy@bidipoem@LTRfootnotetext 12775, 12784
\Hy@bidipoem@RTLfootnotetext 12806, 12815
\Hy@CleanupFile . . 12893
\Hy@colorlink . 12921, 12953, 12982, 13008
\Hy@EndAnnot 12878, 12924, 12956, 12985, 13011
\Hy@endcolorlink . 12880
\Hy@footnote@currentHlabel . 12600, 12615, 12630
\Hy@footnote@currentHref 12562, 12565, 12573, 12576, 12584, 12587, 12595, 12598, 12601, 12610, 12613, 12616, 12625, 12628, 12631, 12674, 12712, 12745, 12776, 12807
\Hy@gtemp . . 12650, 12655
\Hy@href@nextactionraw 12917, 12949, 12978, 13004
\Hy@href@page 12912
\Hy@linkcounter 8557, 8562
\Hy@linktoc 12493
\Hy@LT@currentHref 13045, 13056
\Hy@LT@LTRfootnotetext 12673, 12682
\Hy@LT@RTLfootnotetext 12711, 12720
\Hy@MakeRemoteAction 12896
\Hy@maketitle@end . . 12842, 12847, 12849
\Hy@maketitle@optarg 12840, 12845
\Hy@pstringD 12895, 12914
\Hy@pstringdef 12894, 12895, 12929, 12930, 12961
\Hy@pstringF 12892, 12893, 12894, 12909, 12929, 12942, 12947
\Hy@pstringP 12930, 12947
\Hy@pstringURI 12961, 12974
\Hy@raisedlink 12564, 12575, 12586, 12597, 12612, 12627, 12687, 12725, 12758, 12789, 12820, 13057
\Hy@saved@footnotemark 12832, 12851
\Hy@saved@footnotetext 12833, 12854
\Hy@SetNewWindow 12916, 12944
\Hy@setpdfborder 12902, 12936, 12967, 12996
\Hy@tabularx@hook 12639, 12651
\Hy@temp@menu 12990, 13003
\Hy@xspace@end 12887, 12923, 12955, 12984, 13010
\HyLTR@saved@LTRfootnotetext 12835, 12860
\HyOrg@maketitle . . 12830, 12841, 12846
\HyOrg@TX@endtabularx 12638
\hyper@@anchor 12562, 12565, 12573, 12576, 12584, 12587, 12595, 12598, 12610, 12613, 12625, 12628, 12685, 12688, 12723, 12726, 12756, 12759, 12787, 12790, 12818, 12821
\hyper@anchorend . 13058
\hyper@anchorstart 13058
\hyper@link 12886
\hyper@linkend 12497, 12501, 12505, 12507, 12887, 13020, 13023
\hyper@linkfile . . 12889
\hyper@linkstart . . 12497, 12501, 12505, 12507, 12887, 13016, 13023
\hyper@linkurl . . . 12958
\hyper@makecurrent 13044
\hyper@nat@current 13017
\hyper@natlinkbreak 13022
\hyper@natlinkend 13019
\hyper@natlinkstart 13014
\hypersetup 2376, 2384, 6009, 6068, 6085
\hyphenpenalty . . . 6, 105, 201, 225, 623, 930, 1124, 6631, 6808, 13155, 13179, 16027, 16477, 16539, 16682
\HyRTL@saved@RTLfootnotetext 12834, 12857

I

\i 4076, 4077, 4089, 4101, 4102
\ialign . . . 393, 18962, 19000, 20956, 21144
\IeC 13305
\if 361, 362, 363, 365, 366, 367, 368, 369, 372, 373, 374, 398, 404, 1386, 1387, 1388, 1390, 1391, 1392, 1393, 1394, 1395, 1396, 1399, 1400, 1401, 1424, 1425, 1426, 1428, 1429, 1430, 1431, 1432, 2275, 2281, 2284, 2287, 2290, 3772, 3827, 3831, 3837, 3841, 3882, 3965, 4348, 7218, 7237, 7270, 7271, 7272, 11281, 11305, 11539, 13272, 13820, 13822, 13824, 15526, 18969, 19003, 19008, 19095, 19096, 19097, 19098, 19099, 19100, 19101, 19103, 19104, 19105, 19106, 19107, 19110, 19111, 19112, 21042, 21043, 21136, 21153, 21160, 21161, 21162, 21163, 21164, 21165
\if@allcaps 752, 761, 769, 1004, 1013, 1021, 1254, 1263, 1271, 6752, 6761, 6769, 6929, 6938, 6946, 16162, 16171, 16179, 16301, 16310, 16318
\if@altsecnumformat . 17282, 17830, 18529
\if@bib@break@ 17292, 17317, 17332, 17348, 17872, 17897, 17912, 17928, 18555, 18580, 18595, 18611
\if@bibchapter . . . 19271
\if@bidi@amsmathloaded@ 13599
\if@bidi@amstextloaded@ 13602
\if@bidi@amsthmloaded@ 13605
\if@bidi@animateloaded@ 13608
\if@bidi@arabxetexloaded@ 13807
\if@bidi@arrayloaded@ 13741
\if@bidi@arydshlnloaded@ 13765
\if@bidi@blank 2886, 3389, 3396
\if@bidi@breqnloaded@ 13611
\if@bidi@calsloaded@ 13614
\if@bidi@captionloaded@ 13617
\if@bidi@colorloaded@ 13623
\if@bidi@colortbloaded@ 13642
\if@bidi@croploaded@ 13620
\if@bidi@csdef . 1819, 2850, 2899, 10399, 15130, 15186, 15262
\if@bidi@csmacro . . 2898
\if@bidi@csprimitive 2908
\if@bidi@csundef 2582, 2585, 2588, 2592, 2597, 2856, 2929, 2964, 2989, 3018, 3043, 3075, 3081, 3109, 3115, 3124, 3141, 3657, 4553, 4605, 9045, 9046, 9059, 9060, 21636
\if@bidi@cutedloaded@ 13630
\if@bidi@cutwinloaded@ 13627
\if@bidi@dblfnoteloaded@ 13633
\if@bidi@def 2868
\if@bidi@defmacro 2891, 2892, 2900, 3288, 3307, 3451
\if@bidi@defparam 3309, 3403, 3404, 3453
\if@bidi@defprimitive 2902
\if@bidi@defprotected 3316, 3412, 3413, 3464
\if@bidi@diagboxloaded@ 13636
\if@bidi@draftwatermarkloaded@ 13696
\if@bidi@empheqloaded@ 13699
\if@bidi@fancyboxloaded@ 13690
\if@bidi@fancyhdrloaded@ 13693
\if@bidi@fancyvrbloaded@ 13813
\if@bidi@floatloaded@ 13645
\if@bidi@floatrowloaded@ 13648
\if@bidi@flowframloaded@ 13651
\if@bidi@fontspecloaded@ 13804
\if@bidi@framedloaded@ 13654
\if@bidi@ftnrightloaded@ 13657
\if@bidi@geometryloaded@ 13672
\if@bidi@graphicxloaded@ 13669
\if@bidi@hvfloatloaded@ 13675
\if@bidi@hyperrefloaded@ 13687

\if@bidi@lettrineloaded@ 13708
\if@bidi@linenoloaded@ 13711
\if@bidi@list@minipage@parbox 1579, 20993, 21053, 21062, 21071, 21080, 21093, 21094, 21108, 21109
\if@bidi@list@minipage@parbox@hotchoo 1580, 21001, 21055, 21064, 21073, 21082
\if@bidi@listingsloaded@ 13714
\if@bidi@longtableloaded@ 13762
\if@bidi@mdf@RTL 13955, 13962
\if@bidi@mdframedloaded@ 13678
\if@bidi@midfloatloaded@ 13681
\if@bidi@minitocloaded@ 13774
\if@bidi@multicolloaded@ 13768
\if@bidi@multienumloaded@ 13771
\if@bidi@natbibloaded@ 13777
\if@bidi@newfloatloaded@ 13780
\if@bidi@ntheoremloaded@ 13684
\if@bidi@overpicloaded@ 13702
\if@bidi@patchable 3276, 3277
\if@bidi@pdfencrypt 1568, 1802
\if@bidi@pdfm@mark 1571, 1814, 1868, 1932
\if@bidi@pdfpagesloaded@ 13705
\if@bidi@perpage@footnote 1563, 1789
\if@bidi@pgfloaded@ 13723
\if@bidi@picinparloaded@ 13726
\if@bidi@polyglossialoaded@ 13810
\if@bidi@pstricksloaded@ 13720
\if@bidi@quotchaploaded@ 13729
\if@bidi@rotatingloaded@ 13786
\if@bidi@soulloaded@ 13747
\if@bidi@stabularloaded@ 13744
\if@bidi@subfigloaded@ 13750
\if@bidi@subfigureloaded@ 13753
\if@bidi@supertabularloaded@ 13756
\if@bidi@tablsloaded@ 13789
\if@bidi@tabularyloaded@ 13792
\if@bidi@tikzloaded@ 13732
\if@bidi@titlesecloaded@ 13735
\if@bidi@titletocloaded@ 13738
\if@bidi@tocbasicloaded@ 13795
\if@bidi@tocbibindloaded@ 13801
\if@bidi@tocstyleloaded@ 13798
\if@bidi@todonotes@figpositionright . . 20524, 20622, 20627, 20634, 20640
\if@bidi@todonotes@textdirection@RTL 20523, 20557, 20597, 20631
\if@bidi@undef 2874, 2933, 3185, 3196, 3215, 3219, 3223, 3227, 3237, 3241, 3245, 3249, 3285, 3304, 3448
\if@bidi@void@@mpfootins . . . 9043, 9311, 9319
\if@bidi@void@footins . 9042, 10674, 10681
\if@bidi@wrapfigloaded@ 13666
\if@bidi@xcolorloaded@ 13639
\if@bidi@xltxtraloaded@ 13660
\if@bidi@xtabloaded@ 13759
\if@bidi@xunicodeloaded@ 13663
\if@capbreak 17413, 17993, 18676
\if@captionabove 17446, 17452, 17465, 17475, 18026, 18032, 18045, 18055, 18709, 18715, 18728, 18738
\if@cftdopart 19328
\if@cfthaschapter 19319, 19323, 19329, 19350, 19362, 19384
\if@cfthaspart . . . 19315
\if@chapterentrywithdots 18103, 18786
\if@colour 2359
\if@colourgreen 7975, 8004, 8073, 8099
\if@colourgrey . 7979, 8018, 8077, 8111
\if@colourorange 7973, 7997, 8071, 8093
\if@colourred . . 7977, 8011, 8075, 8105
\if@compatibility . 518, 670, 746, 914, 998, 1153, 1248, 6746, 6923, 16156, 16295, 19354, 19882, 21124
\if@contcw . 14688, 14717
\if@conthang 14698
\if@contindent . . . 14704
\if@DEBUG 2330

\if@displaypagenumbers 2538, 2541
\if@donumindex 19272, 19291
\if@dotocbib 19233
\if@dotocind 19279, 19296
\if@extrafootnotefeatures 1576, 1774
\if@fcolmade . . . 7597, 7656, 11020, 11060, 11144, 11828, 11881, 11910, 14859, 14956, 21276, 21319
\if@ff@nwpg 11112
\if@filesw 2609, 2954, 2960, 2979, 2985, 3008, 3014, 3033, 3039, 3065, 3071, 3099, 3105
\if@firstcolumn 7548, 7611, 7671, 7752, 7771, 7927, 7946, 10988, 11024, 11785, 11834, 11922, 14771, 14871, 14977, 21235, 21282, 21472
\if@firstdetailselement 8140, 8142
\if@firstfooterelement 8044, 8047
\if@flushend@auto@baseline 7787
\if@hboxRconstruct 1567, 1871, 2820, 2826, 11538, 21000, 21024, 21055, 21064, 21073, 21082, 21093, 21094, 21108, 21109
\if@ignore . . . 3624, 3626
\if@inlabel 7217
\if@inltxdoc 19264
\if@insert 7955
\if@komalongtable . . 17462, 18042, 18725
\if@LTRbibitems . 87, 290, 572, 707, 970, 1220, 1574, 2556, 6698, 6886, 7195, 8719, 8990, 10827, 13136, 14766, 15351, 16117, 16511, 16705, 16908, 17308, 17888, 18571, 19240
\if@LTRmarginpar 1573, 21501, 21506, 21510
\if@mainmatter . 6216, 6972, 7167, 8961, 15901, 17833, 17849, 17857, 17865
\if@minipage . 4961, 14757
\if@mparswitch . . . 21474
\if@newlist . . . 11160, 11192, 21530, 21605
\if@nobreak 4549, 11746, 13966, 15962
\if@nonlatin 336, 348, 1562, 1787, 2832, 2838, 7253, 7255, 13950
\if@noparlist 6575
\if@noskipsec . . 7216, 11747, 13967, 15963
\if@oldtoc . 658, 684, 886, 902, 1141, 1168, 6648, 6672, 6825, 6849, 16062, 16086, 16434, 16458
\if@openright 6244, 7186, 8981
\if@ovb 10964
\if@ovl 10962
\if@ovr 10961
\if@ovt 10963
\if@pboxsw 21049
\if@ref 18236
\if@restonecol 604, 620, 869, 1121, 6628, 6805, 7015, 16024, 16279, 16738, 19311
\if@reversemargin 21477
\if@rjfield 21516
\if@rl 1561
\if@rl@footnote . . . 1578
\if@rlmain 1560
\if@rot@twoside 16939, 16944, 16954, 16984, 16990, 17002
\if@RTL 12, 13, 25, 87, 104, 107, 108, 109, 173, 180, 189, 207, 208, 224, 227, 228, 229, 290, 305, 309, 513, 530, 533, 534, 557, 572, 624, 637, 648, 649, 654, 665, 690, 693, 694, 707, 875, 876, 882, 892, 895, 896, 909, 931, 970, 1125, 1131, 1132, 1137, 1148, 1174, 1177, 1178, 1196, 1220, 1359, 1360, 1471, 1472, 1485, 1496, 1561, 1594, 1870, 1877, 2556, 2796, 2802, 2953, 2978, 3007, 3032, 3064, 3098, 5872, 5873, 5990, 5991, 5992, 6632, 6638, 6639, 6644, 6655, 6678, 6681, 6682, 6698, 6809, 6815, 6816, 6821, 6832, 6855, 6858, 6859, 6886, 6970, 6981, 6983, 7119, 7134, 7137, 7138, 7165, 7179, 7195, 7214, 7226, 7239, 7314, 7355, 7356, 7360, 7361, 7363, 7370, 7376, 7395, 7398, 7399, 7405, 7410, 7517, 7520, 7537, 7541, 8346, 8353, 8369, 8375, 8391, 8398, 8505, 8585, 8600, 8622, 8623, 8624, 8625, 8648, 8668, 8671, 8672, 8682, 8696, 8709, 8719, 8936, 8959,

8974, 8990, 9011,
9014, 9019, 9027,
10772, 10787,
10790, 10791,
10798, 10810,
10827, 11096,
11253, 11539,
11619, 11621,
12018, 12020,
12023, 12024,
12025, 12031,
12033, 12050,
12053, 12060,
12069, 12075,
12079, 12082,
12096, 12121,
12128, 12293,
12395, 12497,
12505, 12887,
12923, 12955,
12984, 13010,
13016, 13020,
13023, 13068,
13076, 13084,
13092, 13100,
13109, 13117,
13126, 13136,
13154, 13157,
13158, 13159,
13174, 13185,
13186, 13220,
13224, 13227,
13232, 13353,
13360, 13368,
13388, 13398,
13873, 13958,
14041, 14049,
14240, 14566,
14647, 14648,
14649, 14650,
14651, 14652,
14731, 14733,
14766, 15011,
15015, 15016,
15023, 15028,
15035, 15040,
15351, 15430,
15450, 15465,
15479, 15630,
15680, 15755,
15809, 15810,
15813, 15817,
15849, 15850,
15851, 15896,
15898, 15904,
15915, 15917,
15928, 15930,
15941, 15943,
15952, 15954,
15971, 15991,
16007, 16008,
16028, 16041,
16052, 16053,
16058, 16069,
16092, 16095,
16096, 16117,
16412, 16413,
16424, 16425,
16430, 16441,
16464, 16467,
16468, 16478,
16491, 16511,
16540, 16656,
16671, 16674,
16675, 16680,
16681, 16705,
16841, 16856,
16859, 16860,
16887, 16899,
16908, 17019,
17021, 17025,
17029, 17031,
17036, 17040,
17043, 17047,
17049, 17053,
17080, 17089,
17280, 17281,
17308, 17366,
17367, 17368,
17370, 17441,
17629, 17638,
17829, 17888,
17946, 17947,
17948, 17950,
18021, 18202,
18209, 18294,
18300, 18328,
18337, 18528,
18571, 18629,
18630, 18631,
18633, 18704,
18879, 18882,
18912, 18932,
19130, 19175,
19192, 19212,
19215, 19220,
19224, 19225,
19240, 19336,
19337, 19338,
19346, 19367,
19368, 19369,
19377, 19390,
19391, 19392,
19400, 19407,
19408, 19409,
19417, 19424,
19425, 19426,
19434, 19441,
19442, 19443,
19451, 19458,
19459, 19460,
19468, 19475,
19476, 19477,
19485, 19493,
19494, 19495,
19503, 19512,
19513, 19514,
19522, 19532,
19533, 19534,
19542, 19567,
19568, 19569,
19577, 19617,
19618, 19619,
20297, 20359,
20360, 20361,
20367, 20370,
20417, 20477,
20482, 20505,
20512, 20572,
20575, 20659,
20694, 20702,
20729, 20730,
20733, 20734,
20736, 20773,
20777, 20830,
20835, 20881,
20882, 20909,
20910, 20913,
20917, 20994,
21002, 21008,

21014, 21027, 21095, 21096, 21098, 21101, 21104, 21108, 21109, 21110, 21111, 21113, 21115, 21116, 21121, 21168, 21169, 21175, 21180, 21501, 21506, 21510, 21518, 21519, 21520, 21521, 21616, 21619, 21627, 21637, 21735, 21745, 21751
\if@RTL@footnote 36, 239, 1578, 1873, 5240, 9109, 9150, 9402, 9447, 9511, 9553, 9614, 9659, 9723, 9768, 9832, 9876, 9941, 9985, 10050, 10095, 10159, 10204, 10268, 10313, 10466, 10487, 10528, 10583, 10592, 11433, 11482, 11522, 11523
\if@RTLbibitems . 87, 290, 572, 707, 970, 1220, 1575, 2556, 6698, 6886, 7195, 8719, 8990, 10827, 13136, 14766, 15351, 16117, 16511, 16705, 16908, 17308, 17888, 18571, 19240
\if@RTLcolumnfootnotes 1577, 9372, 9373, 9376, 9377, 9412, 9464, 9520, 9569, 9624, 9676, 9733, 9785, 9842, 9894, 9951, 10003, 10060, 10112, 10169, 10221, 10278, 10330
\if@RTLmain 1560, 1593, 1612, 1869, 1876, 1895, 7413, 7436, 7459, 7482, 7698, 7875, 8334, 8459, 8462, 8476, 8494, 11258, 12146, 12156, 12173, 12179, 13406, 14968, 15128, 21325, 21546, 21552, 21581, 21597
\if@RTLmarginpar 1572, 21501, 21506, 21510
\if@RTLtab . 362, 363, 379, 382, 404, 406, 1367, 1368, 1387, 1388, 1425, 1426, 1566, 2194, 2198, 2199, 2808, 2814, 7274, 7276, 7297, 7304, 7326, 7327, 7340, 7351, 13821, 13823, 13937, 13940, 18947, 18951, 18952, 18969, 18977, 18983, 19008, 19096, 19097, 20953, 21128, 21132, 21133, 21153, 21161, 21162
\if@sectionentrywithdots 17523
\if@sentdir 1872
\if@specialpage 11115, 21541
\if@star 15885
\if@tab@rl 1566
\if@tablecaptionabove . 17493, 18073, 18756
\if@tempswa 4391, 4436, 8242, 8299, 20011
\if@thmmarks . . 15413, 15417, 15434, 15438
\if@titlecentered 1341, 16392
\if@titlepage . . 411, 625, 733, 932, 985, 1184, 1235, 7017, 8742, 8835, 10842, 16029, 16143, 16280, 16479, 16542, 16739, 17114, 17663, 18362
\if@tocstyle@penalties 20280, 20389
\if@todonotes@authorgiven 20548, 20559, 20584, 20601
\if@todonotes@disabled 20542, 20543
\if@todonotes@dviStyle 20545, 20579
\if@ttb@rotate . . . 11252
\if@twocolumn . . . 98, 218, 458, 591, 607, 634, 641, 809, 856, 941, 952, 1061, 1108, 1193, 1200, 1311, 1613, 1619, 6170, 6615, 6792, 7002, 7064, 8785, 8882, 10885, 11924, 13148, 14630, 16011, 16038, 16045, 16219, 16266, 16360, 16488, 16495, 16604, 16725, 16786, 17193, 17742, 18441, 19266, 21197, 21471, 21630
\if@twoside 6161, 11119, 17162, 17175, 17243, 17711, 17724, 17792, 18410, 18423, 18491, 20685, 21544
\if@vihproof 14996, 15002
\ifadl@inactive . . . 1373
\ifadl@usingarypkg 1376
\ifAM@output 15552
\ifAM@survey 15530
\ifartopt 14667
\ifbidi@autofootnoterule 11259, 11494, 11508, 11522

\ifbidi@in@label 3836, 3838
\IfbidiPackageVersion 1547
\IfbidiPackageVersionBefore 1541
\IfbidiPackageVersionLater 1535
\ifblendcolors 20741, 20762, 20784, 20811
\ifbool 13980, 13989
\ifcase 1408, 1435, 1439, 1443, 1447, 1473, 1663, 1669, 1675, 1681, 1687, 1693, 1705, 1711, 1717, 1724, 1738, 1745, 1755, 7328, 12493, 13891, 19206, 19587, 20349, 20419, 20529, 20537, 20761, 20810, 21212, 21213
\ifcat 1604, 1887, 3722, 3723
\ifconvertcolorsU 20747, 20763, 20790, 20812
\ifcpoddpage 4738
\ifcsname 2851, 2857, 3202, 3585, 3599, 3613, 3623, 3645, 4165, 4180, 4394, 4402, 15375, 15385, 15399, 20304, 20305, 20314, 20325, 20329, 20339, 20351, 20405, 20433, 20434, 20442, 20446, 20450, 20454, 20458, 20462, 20466, 20470
\ifdefined . . . 2869, 2875
\ifdefining 3842
\ifdfn@allowcbreak 8195, 8216
\ifdfn@ruleboth 8253, 8307
\ifdfn@trysingle 8234, 8291
\ifdim 1461, 1462, 1536, 1542, 1548, 4974, 5541, 6310, 6347, 6349, 6408, 6409, 6411, 6417, 6457, 6469, 6551, 6553, 6566, 6568, 6576, 7247, 7691, 7736, 7748, 7761, 7764, 7766, 7796, 7800, 7801, 7815, 7840, 7865, 7910, 7923, 7936, 7939, 7941, 8189, 8210, 8230, 8239, 8266, 8270, 8287, 8296, 8318, 8322, 9217, 9222, 9229, 9234, 9241, 9246, 10442, 10446, 10450, 10504, 10508, 10512, 10950, 10952, 11095, 11631, 11639, 11655, 11656, 11686, 11694, 11707, 11722, 11755, 11756, 12038, 12045, 12084, 12091, 12136, 12226, 12364, 12380, 13311, 13325, 13331, 13465, 13874, 13885, 13924, 13927, 14637, 14680, 14687, 14691, 14693, 14732, 14793, 14801, 14803, 14893, 14901, 14903, 14978, 14989, 15073, 15081, 15087, 15104, 15112, 15580, 15627, 15652, 15710, 15721, 15728, 15733, 15748, 15861, 15886, 17400, 17408, 17980, 17988, 18240, 18246, 18252, 18258, 18264, 18270, 18276, 18282, 18288, 18663, 18671, 18994, 19922, 19936, 19941, 20315, 20340, 20406, 20662, 20664, 20666, 20668, 20669, 20670, 20672, 20712, 20719, 21483, 21615
\ifdofullc@p 17403, 17983, 18666
\iffalse 2740, 2741, 2743, 11746, 11747, 13516, 13966, 13967, 15962, 15963
\IfFileExists . . 4120, 4718, 6190, 6255
\iffootdir@debug 11267, 11271
\ifGin@grid . 15466, 15479
\ifGin@iso 12135
\ifhbox 10384, 10393, 10397
\ifhmode . . 2259, 5199, 5243, 5287, 5530, 5536, 7361, 7363, 7370, 7376, 7395, 19168, 20734, 20736, 20773, 20777, 20830, 21108, 21109, 21152, 21382, 21426
\ifhv@fbox . . . 12295, 12301, 12308, 12314, 12320, 12326, 12335, 12339, 12344, 12348, 12352, 12356, 12370, 12386, 12397, 12401, 12406, 12410, 12414,

12418, 12425, 12431, 12438, 12444, 12450, 12456
\ifhv@nonFloat 12238, 12245, 12263, 12284, 12476, 12478
\ifhv@onlyText 12246, 12264
\ifhv@useOBox 12209, 12213
\ifHy@href@ismap . 12975
\ifHy@hyperfootnotes .. 9047, 9061, 12512
\ifHy@nesting 12561, 12572, 12583, 12594, 12609, 12624, 12684, 12722, 12755, 12786, 12817
\ifHy@pdfa ... 12901, 12935, 12966, 12995
\ifin@ 4410
\ifin@label 3844
\ifinner .. 2265, 5205, 5249, 5293, 11634, 20654, 21388, 21432
\ifL@grid 13326
\ifL@realh 13262
\iflatin 2831
\ifLettrineImage . 13256
\ifLettrineOnGrid 13257
\ifLettrineRealHeight 13258
\ifLettrineSelfRef 13259
\ifLtoR 2801
\ifLtoRhboxconstruct 2825
\ifLtoRtable 2813
\ifmaskcolors . 20751, 20762, 20794, 20811
\ifmmode 1860, 7355, 7360, 11065, 11075, 12018, 12020, 12023, 12024, 12025, 12031, 12033, 12050, 12053, 12060, 12069, 12075, 12079, 12082, 12096, 12121, 12128, 12872, 12884, 12887, 12923, 12955, 12984, 13010, 15563, 15621, 15853, 15889, 17019, 17021, 17025, 17029, 17031, 17036, 17040, 17043, 17047, 17049, 17053, 20729, 20733, 21044, 21119
\ifNAT@openbib ... 15354
\ifnonlatin 2837
\ifnum 3, 137, 143, 198, 304, 353, 354, 355, 356, 358, 459, 508, 525, 551, 560, 644, 660, 678, 810, 871, 904, 922, 1062, 1127, 1143, 1161, 1312, 1378, 1379, 1380, 1381, 1383, 1422, 1423, 1783, 1784, 1785, 2291, 2627, 3126, 3696, 3724, 3726, 3734, 3736, 3937, 3947, 4045, 4051, 4076, 4091, 4097, 6430, 6634, 6650, 6666, 6730, 6732, 6734, 6811, 6827, 6843, 6907, 6909, 6911, 6971, 7065, 7114, 7129, 7152, 7154, 7156, 7166, 7248, 7515, 7523, 7528, 7535, 7723, 7732, 7742, 7897, 7906, 7916, 8130, 8663, 8677, 8690, 8699, 8786, 8883, 8932, 8946, 8948, 8950, 8960, 9378, 10767, 10782, 10799, 10886, 10936, 10938, 10940, 11228, 11230, 11232, 11241, 11243, 11245, 11391, 11494, 11508, 11522, 11755, 11757, 11945, 12874, 12879, 13176, 13318, 13378, 13436, 13439, 13447, 13450, 13519, 13835, 13836, 13919, 13920, 14631, 14664, 14790, 14820, 14890, 14920, 15009, 15021, 15033, 15094, 15136, 15142, 15217, 15235, 15394, 15404, 15640, 15646, 15658, 15661, 15662, 15663, 15665, 15666, 15667, 15668, 15677, 15699, 15704, 15715, 15726, 15727, 15733, 15737, 15740, 15741, 15847, 15848, 15855, 15900, 16048, 16064, 16080, 16138, 16140, 16142, 16220, 16361, 16420, 16436, 16452, 16503, 16505, 16507, 16605, 16652, 16666, 16692, 16694, 16696, 16787, 16836, 16851, 16874, 16876, 16878, 16888, 17182, 17194, 17731, 17743, 17832, 17848, 17856, 17864,

18430, 18442, 19039, 19087, 19088, 19089, 19090, 19092, 19197, 19199, 19318, 19322, 19364, 19383, 19405, 19422, 19439, 19456, 19473, 19491, 19510, 19530, 19565, 19748, 19749, 19856, 19857, 19881, 19891, 20279, 20284, 20302, 20475, 20693, 20975, 21158, 21159, 21173, 21228, 21479, 21501, 21624, 21625
\ifodd 2276, 6161, 8467, 8484, 8544, 11120, 12166, 12172, 20685, 21475, 21545
\ifoddpage 4732
\ifonelinecaptions . 17374, 17954, 18637
\ifpgfrememberpicturepositiononpage 15576
\ifpoem@started 6404, 6410, 6550, 6557, 6571
\ifprimitive . . 2903, 2910
\ifPst@shift@star 15877
\ifr@ggedbottom . . 15827
\ifrot@messages 16989, 17001
\ifRtoL 2795
\ifRtoLhboxconstruct 2819
\ifRtoLtable 2807
\ifshowgrid 15855
\ifsomething 3975
\ifstr . . 19630, 19631, 19632, 19633, 19634, 19635, 19636, 19637, 19638, 19653, 19654, 19655, 19656, 19658, 19659, 19660, 19663, 19666, 19675, 19676, 19677, 19680, 19683, 19702, 19703, 19704, 19706, 19707, 19708, 19711, 19714, 19723, 19724, 19725, 19728, 19731, 19785, 19786, 19787, 19788, 19789, 19790, 19791, 19792, 19793, 19808, 19809, 19810, 19811, 19813, 19814, 19815, 19818, 19821, 19830, 19831, 19832, 19835, 19838, 20036, 20037, 20038, 20039, 20040, 20041, 20042, 20043, 20044, 20087, 20088, 20089, 20090, 20092, 20093, 20094, 20097, 20100, 20109, 20110, 20111, 20114, 20117, 20147, 20148, 20149, 20151, 20152, 20153, 20156, 20159, 20168, 20169, 20170, 20173, 20176, 20196, 20199, 20202, 20222, 20226, 20231, 20243, 20246, 20250, 20260
\ifstrstart 20027, 20059, 20133
\iftagsleft@ . . 328, 8502
\iftest 3779
\ifthenelse 2510, 2527, 2531, 2535, 2543, 4631, 4691, 4693, 4696, 4700, 4703, 4706, 4731, 4788, 4807, 4822, 4827, 4833, 4842, 4853, 4859, 4865, 4866, 4873, 4880, 4882, 4888, 4905, 4923, 4925, 4929, 4947, 4948, 4951, 4952, 4987, 4996, 5007, 5017, 5066, 5181, 5405, 5423, 5424, 5442, 5443, 5461, 5462, 5493, 5494, 5612, 5617, 5641, 5646, 5670, 5675, 5752, 5756, 5804, 6017, 6063, 6072, 6080, 6107, 6154, 6223, 6234, 8034, 8040, 8057, 8060, 8061, 8062, 8063, 8064, 8150, 8155, 8158, 8159, 8160, 8161, 8162, 8165, 8169, 11201, 11216, 15520, 16943, 16988
\iftocstyle@autolength 20324
\iftocstyle@indentnotnumbered 20369, 20416
\iftrue 2742, 5146, 5159, 5172
\ifttl@label 19173
\ifTX@ 19029
\ifvbox 10695, 11992, 15260, 15275
\ifvmode . . 2950, 3004, 3061, 4549, 4935, 4938, 4941, 4944, 13995, 15063, 15424, 15444, 18981
\ifvoid 7583, 7599, 7642, 7658, 7677, 7685, 7718, 7843, 7854, 7892, 8193, 8214, 8225, 8250, 8282,

8304, 9267, 9268, 9276, 9282, 9306, 9307, 9323, 9335, 10735, 10750, 11557, 11715, 11736, 11891, 11896, 11914, 11916, 11925, 11935, 11955, 11956, 11960, 11971, 11978, 13051, 13055, 13937, 14011, 15048, 15203, 15205, 15219, 15220, 15264, 15268, 15272, 15755, 15821, 15823, 15828, 20835, 20888, 20898, 21330, 21345, 21346, 21369
\ifWF@float . 20667, 20681
\ifx . 115, 134, 136, 151, 155, 159, 166, 794, 798, 1046, 1050, 1296, 1300, 1793, 1794, 2142, 2148, 2154, 2169, 2200, 2252, 2255, 2516, 2517, 2518, 2520, 2620, 2649, 2652, 2672, 2676, 2696, 2700, 2715, 2719, 2789, 2858, 2876, 3165, 3353, 3369, 3702, 3708, 3709, 3746, 3747, 3748, 3749, 3759, 3765, 3790, 3795, 3800, 3805, 3811, 3816, 4004, 4110, 4134, 4149, 4214, 4226, 4258, 4269, 4304, 4310, 4321, 4322, 4333, 4363, 4372, 4373, 4393, 4408, 4418, 4432, 4439, 4451, 4467, 4522, 4533, 5475, 6299, 6320, 6473, 6525, 6530, 6532, 7559, 7622, 8262, 8314, 9009, 9025, 9029, 10998, 11034, 11388, 11599, 11800, 11849, 11887, 12064, 12106, 12107, 12113, 12200, 12202, 12208, 12219, 12221, 12224, 12225, 12242, 12248, 12249, 12251, 12254, 12266, 12267, 12269, 12272, 12281, 12283, 12292, 12294, 12307, 12334, 12343, 12363, 12379, 12396, 12405, 12424, 12437, 12471, 12477, 12490, 12521, 12532, 12543, 12850, 12853, 12856, 12859, 12903, 12911, 12937, 12945, 12968, 12997, 13201, 13222, 13264, 13284, 13476, 13477, 13481, 13483, 13840, 14741, 14782, 14882, 15150, 15154, 15158, 15380, 15384, 15391, 15397, 15536, 15548, 15818, 15870, 15911, 15924, 15937, 16204, 16208, 16345, 16349, 17076, 17102, 17109, 17129, 17134, 17141, 17147, 17171, 17242, 17246, 17254, 17260, 17272, 17296, 17358, 17363, 17625, 17651, 17658, 17678, 17683, 17690, 17696, 17720, 17791, 17795, 17803, 17809, 17821, 17875, 17938, 17943, 18198, 18226, 18227, 18228, 18229, 18230, 18231, 18232, 18233, 18237, 18243, 18249, 18255, 18261, 18267, 18273, 18279, 18285, 18294, 18324, 18350, 18357, 18377, 18382, 18389, 18395, 18419, 18490, 18494, 18502, 18508, 18520, 18558, 18621, 18626, 18989, 19208, 19550, 19905, 19909, 19913, 20010, 20291, 20362, 20374, 20382, 20399, 20424, 20491, 20496, 20498, 20742, 20785, 20918, 21028, 21031, 21038, 21199, 21207, 21246, 21293, 21558, 21559, 21561, 21562
\ifXC@@tst . 20765, 20814
\ignorespaces . . . 46, 60, 76, 122, 249, 263, 278, 336, 630, 639, 937, 1189,

1198, 3535, 4023, 4039, 4041, 4047, 4050, 4053, 4057, 4062, 4958, 4965, 4966, 4975, 5562, 5580, 5598, 5634, 5663, 5692, 5957, 6381, 6392, 6545, 6546, 6693, 6881, 7251, 7257, 7370, 7376, 7384, 7391, 9014, 9028, 9092, 9098, 9104, 11445, 11462, 11478, 11505, 11519, 11533, 12148, 12152, 12157, 12162, 13208, 13227, 13950, 14754, 14761, 16034, 16043, 16484, 16493, 17019, 17029, 17047, 17383, 17404, 17409, 17414, 17419, 17437, 17963, 17984, 17989, 17994, 17999, 18017, 18300, 18646, 18667, 18672, 18677, 18682, 18700, 20773, 20777, 21020, 21059, 21068, 21077, 21086

\iii 4083

\ilg 15649, 15672

\immediate . . . 4546, 6537

\in@ 4409

\includegraphics 2551, 8036, 8167, 15454, 15522

\includemedia 14215, 14545, 14546

\includepdf 15513

\indentedwidth 9027

\index 3961, 3962, 11173, 21569

\indexname 598, 599, 600, 614, 615, 863, 864, 1115, 1116, 5977, 5978, 6622, 6623, 6799, 6800, 7009, 7010, 7011, 16018, 16019, 16273, 16274, 16732, 16733, 16734, 19275, 19276, 19277, 19281, 19282, 19283, 19286, 19287, 19293, 19294, 19298, 19299, 19300, 19303, 19304

\indexspace 5993

\input 1660, 1661, 1775, 1866, 1942, 2363, 6191, 6256, 21629, 21639, 21640, 21641, 21642, 21643, 21644, 21645, 21646, 21647, 21648, 21649, 21650, 21651, 21652, 21653, 21654, 21655, 21656, 21657, 21658, 21659, 21660, 21661, 21662, 21663, 21664, 21665, 21667, 21668, 21672, 21677, 21684, 21685, 21686, 21687, 21688, 21689, 21690, 21691, 21692, 21693, 21694, 21695, 21696, 21697, 21698, 21699, 21700, 21701, 21702, 21703, 21704, 21705, 21706, 21707, 21708, 21709, 21710, 21711, 21712, 21713, 21714, 21715, 21716, 21717, 21718, 21719, 21720, 21721, 21722, 21723, 21724, 21725, 21726, 21728, 21729, 21730, 21731, 21732, 21733, 21756, 21757, 21758, 21759, 21760, 21761, 21762, 21763, 21764, 21765, 21766, 21767, 21768, 21769, 21770, 21771, 21772, 21773, 21774, 21775, 21776, 21777, 21778

\input@path 14236

\InputIfFileExists . . 4108, 4117, 13275

\insert 35, 49, 65, 238, 252, 267, 1610, 1893, 8184, 8200, 8205, 8221, 8268, 8274, 8320, 8326, 9108, 9122, 9136, 9402, 9412, 9422, 9511, 9520, 9529, 9614, 9624, 9634, 9723, 9733, 9743, 9832, 9842, 9852, 9941, 9951, 9961, 10050, 10060, 10070, 10159, 10169, 10179, 10268, 10278, 10288, 10527, 10545, 10557, 11432, 11449, 11465, 11915, 11917, 15204, 15206

\insert@column 1410, 1411, 1412, 1413, 1415, 1416, 1476, 1478, 1479, 1481, 1482,

1483, 7331, 7333, 7334, 7336, 7337, 7338
\insertpenalties 11396, 11945
\int 14269, 14316, 14317, 14321, 14399, 14487, 14490, 14491, 14502, 14540, 14578, 14603, 15490, 15492
\interfootnotelinepenalty . . 39, 53, 69, 242, 256, 271, 9298, 11436, 11453, 11469
\interlinepenalty 39, 53, 69, 242, 256, 271, 558, 622, 647, 874, 929, 1123, 1130, 5869, 6630, 6637, 6807, 6814, 6978, 7173, 7181, 7721, 7730, 7740, 7895, 7904, 7914, 8697, 8710, 8967, 8976, 9298, 10804, 10812, 11436, 11453, 11469, 15013, 15025, 15037, 15904, 16026, 16051, 16423, 16476, 16538, 16893, 16901, 19165, 19206, 19340, 19371, 19394, 19411, 19428, 19445, 19462, 19479, 19497, 19516, 19536, 19571, 19904, 20365, 20479, 20660, 21177
\intermath@penalty 7250
\intextsep . 20720, 20722
\InTheoType 8518, 15414, 15416, 15435, 15437
\invoicename 18263
\ior . . 14319, 14320, 14324
\iow 15491
\isempty . . 4807, 5405, 5612, 5617, 5641, 5646, 5670, 5675, 6063, 6072, 6080, 6107
\isodd 16943, 16988
\isSC@ODD 18880, 18881, 18883, 18884, 21736, 21738, 21740, 21742
\isundefined 5017, 5066, 8034, 8040, 8057, 8060, 8061, 8062, 8063, 8064, 8155, 8158, 8159, 8160, 8161, 8162, 8165, 8169
\item 102, 222, 603, 618, 867, 950, 1119, 5949, 5957, 5962, 5983, 6626, 6803, 7014, 11070, 11085, 13152, 16022, 16277, 16737, 19310
\itemindent 5944, 5945, 5953, 20982
\itemsep 4680, 5890, 5929, 5943
\itemx 15279
\itemxox 15314
\itemxoxx 15324
\itemxx 15282
\itemxxo 15319
\itemxxox 15331
\itemxxx 15287
\itemxxxo 15338
\itemxxxx 15294
\itemxxxxx 15303
\itshape . . 2050, 2523, 5753, 5755, 5759, 5766, 5773, 5808, 5815, 5822, 5829, 5836, 6140, 6141, 6142

J

\j 4097, 4098, 4102
\juo@ht 14809, 14816, 14909, 14916, 14985, 14992
\juo@pr 14792, 14822, 14892, 14922
\juo@sar 14791, 14821, 14863, 14891, 14921, 14960
\juo@sk . 14790, 14820, 14863, 14890, 14920, 14960, 14993
\justifying 4714, 4784, 5354, 15949
\JustifyingParfillskip 15955
\JustifyingParindent 4686, 5357, 5916, 15956

K

\keepthetitle 14613
\kern . . . 27, 29, 30, 31, 231, 233, 234, 235, 336, 539, 541, 543, 545, 723, 724, 726, 729, 730, 732, 744, 959, 961, 964, 966, 996, 1203, 1204, 1206, 1209, 1210, 1212, 1246, 1474, 1479, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2084, 2085, 2132, 2134, 2135, 5156, 5157, 5167, 5168, 5170, 5635, 5636, 5664, 5665, 5693, 5694, 6714, 6715, 6717, 6720, 6721, 6723, 6744, 6867, 6868, 6870, 6873, 6874, 6876, 6921, 7144, 7146, 7148, 7150, 7329, 7334, 7356, 8179, 8180, 8588, 8595, 8603, 8610, 8649, 8653, 8735, 8737, 8739, 8741, 9034, 9036, 9038, 9040, 9083, 9084, 9210, 9211, 10817, 10819,

10821, 10823, 10961, 10962, 10963, 11205, 11348, 11350, 11351, 11352, 11353, 11354, 11386, 11604, 11668, 12046, 12092, 13162, 13164, 13165, 13166, 13236, 13238, 13240, 13242, 13950, 15072, 15131, 15132, 15176, 15178, 15179, 15180, 15827, 15838, 15841, 15868, 15884, 16104, 16105, 16107, 16110, 16111, 16113, 16154, 16293, 16527, 16528, 16530, 16533, 16534, 16536, 16684, 16686, 16688, 16690, 16866, 16868, 16870, 16872, 17101, 17105, 17108, 17111, 17112, 17357, 17360, 17362, 17365, 17650, 17654, 17657, 17660, 17661, 17937, 17940, 17942, 17945, 18218, 18220, 18222, 18224, 18349, 18353, 18356, 18359, 18360, 18620, 18623, 18625, 18628, 18916, 18922, 19179, 20695, 20699, 20705, 20708, 20730, 20889, 20899, 20929, 20932, 20934, 21498

\keys ... 14032, 14228, 14322, 14561, 14562

\keywords 324

\kill 13837

\KOMAClassName 17183, 17500, 17732, 18080, 18431, 18763

\KV@do 13292, 13297

\KV@prefix . 13290, 13295

L

\l 8544, 8560, 8563, 8569, 8572, 8574, 8575, 8578, 8579, 8582, 8585, 8586, 8587, 8592, 8593, 8594, 8600, 8601, 8602, 8607, 8608, 8609, 8618, 8621, 8629, 14040, 14042, 14048, 14050, 14056, 14057, 14058, 14059, 14060, 14061, 14062, 14063, 14064, 14065, 14066, 14068, 14069, 14071, 14072, 14073, 14080, 14081, 14082, 14084, 14086, 14089, 14090, 14097, 14107, 14108, 14109, 14110, 14111, 14112, 14113, 14114, 14115, 14116, 14117, 14118, 14119, 14120, 14121, 14125, 14126, 14127, 14129, 14131, 14134, 14135, 14137, 14138, 14139, 14148, 14158, 14159, 14160, 14161, 14162, 14163, 14164, 14165, 14166, 14172, 14174, 14175, 14176, 14179, 14181, 14183, 14188, 14189, 14190, 14192, 14194, 14199, 14201, 14203, 14211, 14222, 14223, 14238, 14239, 14240, 14241, 14259, 14279, 14287, 14292, 14306, 14311, 14315, 14316, 14317, 14319, 14320, 14321, 14324, 14328, 14330, 14331, 14332, 14333, 14334, 14335, 14336, 14338, 14339, 14340, 14341, 14343, 14344, 14345, 14347, 14348, 14349, 14352, 14353, 14354, 14357, 14390, 14392, 14395, 14420, 14422, 14454, 14458, 14470, 14471, 14517, 14527, 14533, 14545, 14546, 14565, 14566, 14567, 14568, 14569, 14570, 14571, 14572, 14573, 14608, 14609, 15495, 15497, 15506

\l@ 19581

\L@ante 13251, 13341, 13375

\l@chapter 6673, 6687, 6850, 6864, 7128, 10781, 16087,

16101, 16459, 16473, 16665, 16850, 19230, 19231, 19363, 20444
\l@color ... 13280, 13281
\l@figure 5877, 5878, 19472, 20472
\L@Findent 13252, 13343, 13376
\L@first 13315, 13317, 13319, 13321, 13325, 13331, 13333, 13335, 13337, 13341, 13342, 13344, 13345, 13354, 13356
\L@gridfalse 13257
\L@gridtrue 13257
\L@hang 13248, 13340
\L@imagefalse 13256
\L@imagetrue 13256
\l@initial 13245
\L@lbox . 13294, 13301, 13302, 13303, 13339, 13340, 13375
\l@LOKeys 13285, 13287, 13292, 13297
\L@lraise 13316, 13317, 13322, 13375
\L@next . 13347, 13348, 13361, 13363, 13366
\l@ngrel@x 3165, 3166, 3168
\L@Nindent ... 13253, 13346, 13348, 13350, 13363, 13365
\L@novskip 13255, 13325, 13329
\L@oversize 13249, 13306, 13311
\l@paragraph 19438, 20460
\L@parshape 13354, 13356, 13361, 13363, 13369, 13371, 13374
\l@part . 507, 659, 677, 903, 921, 1142, 1160, 6649, 6665, 6826, 6842, 7113, 8676, 8931, 10766, 16063, 16079, 16101, 16435, 16451, 16651, 16835, 19227, 19228, 19316, 20436, 20439
\L@Pindent ... 13339, 13340, 13342, 13343, 13345, 13346, 13349, 13356
\L@raise ... 13250, 13316
\L@realhfalse 13258
\L@realhtrue 13258
\l@refstring 13245
\l@section 524, 685, 698, 887, 900, 1169, 1182, 8662, 19382, 20448
\L@selfreffalse .. 13259
\L@selfreftrue ... 13259
\L@slope 13254, 13365, 13366
\l@subfigure 19509
\l@subparagraph 19455, 20464
\l@subsection 19404, 20452
\l@subsubsection 19421, 20456
\l@subtable 19529
\l@table 5878, 19490, 20468
\L@target@dp 13322
\L@target@tht 13308, 13316, 13321
\L@tbox . 13261, 13269, 13314, 13319, 13377
\l@textcolor 13282, 13283
\label 2547, 4836, 4838, 4840, 4844, 4896, 11172, 12256, 12274, 21568
\labelitemi . 743, 995, 1058, 1245, 6743, 6920, 16153, 16292
\labelname ... 15280, 15283, 15285, 15288, 15290, 15292, 15295, 15297, 15299, 15301, 15304, 15306, 15308, 15310, 15312, 15315, 15317, 15320, 15322, 15325, 15327, 15329, 15332, 15334, 15336, 15339, 15341, 15343
\labelsep 85, 90, 288, 293, 577, 712, 975, 1225, 2562, 2564, 5906, 5908, 5965, 6703, 6891, 7200, 8724, 8995, 10832, 13134, 13139, 15280, 15283, 15285, 15288, 15290, 15292, 15295, 15297, 15299, 15301, 15304, 15306, 15308, 15310, 15312, 15315, 15317, 15320, 15322, 15325, 15327, 15329, 15332, 15334, 15336, 15339, 15341, 15343, 16122, 16516, 16710, 16913, 17315, 17895, 18578, 19245
\labelwidth 89, 90, 292, 293, 575, 576, 710, 711, 973, 974, 1223, 1224, 2561, 2563, 5907, 5908, 6701, 6702, 6889, 6890, 7198, 7199, 8722, 8723, 8993, 8994, 10830, 10831, 11760, 13138, 13139, 15280, 15283, 15285, 15288, 15290, 15292, 15295, 15297, 15299, 15301, 15304, 15306, 15308, 15310, 15312, 15315, 15317,

15320, 15322, 15325, 15327, 15329, 15332, 15334, 15336, 15339, 15341, 15343, 16120, 16121, 16514, 16515, 16708, 16709, 16911, 16912, 17313, 17314, 17893, 17894, 18576, 18577, 19243, 19244
\langle 2051
\Larg 2050, 2051, 2052, 2053, 2054
\Larga 2051
\Largb 2052
\LARGE 423, 494, 751, 841, 1003, 1093, 1253, 1344, 1355, 5808, 5815, 5897, 6140, 6751, 6928, 7029, 7100, 8119, 8752, 8817, 8847, 8918, 10852, 10917, 16161, 16251, 16300, 16397, 16408, 16564, 16751, 16822
\Large 561, 5759, 5822, 5896, 6141, 6142, 8030, 8123, 8700, 16640, 17149, 17155, 17157, 17173, 17262, 17269, 17271, 17274, 17698, 17704, 17706, 17722, 17811, 17818, 17820, 17823, 18397, 18403, 18405, 18421, 18510, 18517, 18519, 18522
\large 425, 431, 496, 502, 516, 668, 758, 768, 843, 849, 912, 1010, 1020, 1095, 1101, 1151, 1260, 1270, 1346, 1352, 1356, 1361, 5766, 5829, 5895, 6658, 6758, 6768, 6835, 6935, 6945, 7031, 7037, 7102, 7108, 7122, 8029, 8031, 8122, 8124, 8685, 8754, 8760, 8819, 8825, 8849, 8855, 8920, 8926, 8939, 10775, 10854, 10860, 10919, 10925, 16072, 16168, 16178, 16253, 16259, 16307, 16317, 16399, 16405, 16409, 16414, 16444, 16566, 16572, 16659, 16753, 16759, 16824, 16830, 16844, 19874, 20224, 20262
\Largr 2054
\Largs 2053
\lastbox 7802, 7806, 7832, 10361, 10383, 10392, 10396, 13992, 15755, 20835, 20887, 20897
\lastbox@a 7802, 7803, 7806, 7807
\LastFrameCommand 11622, 11732
\lastkern . . . 5541, 11707
\lastpenalty . 7248, 20284
\lastrule 7295
\lastskip 4974, 6576, 6577, 7247, 7789, 7790, 7794, 7795, 7797, 7804, 7809
\lastskip@a 7792, 7796, 7800
\lastskip@b 7790, 7792, 7794, 7796, 7800, 7801
\lastskip@d 7789, 7795, 7797, 7803, 7804, 7807, 7809, 7810, 7813, 7823
\LastTOCLevelWasHigher 20194
\LastTOCLevelWasLower 20190
\LastTOCLevelWasSame 20192
\LaTeX 13032, 20921, 20922, 20934
\LaTeXe 20923, 20924
\LBEG 2055
\lcb . 2052, 2055, 2056, 2059
\lccode 3724, 3726, 20686, 20687
\Lcs 2066
\LcsStar 2067
\leaders 17111, 17660, 18359, 18929, 19221, 20375, 20484, 21182
\leavevmode 14, 209, 305, 378, 515, 532, 653, 667, 692, 744, 881, 894, 911, 996, 1059, 1136, 1150, 1176, 1246, 2184, 2492, 2951, 3005, 3062, 5529, 5870, 6338, 6414, 6643, 6657, 6680, 6744, 6820, 6834, 6857, 6921, 7121, 7136, 7216, 7217, 7355, 7407, 8670, 8684, 8938, 9436, 9542, 9648, 9757, 9866, 9975, 10084, 10193, 10302, 10774, 10789, 11070, 11085, 11536, 12034, 12080, 12100, 12890, 12927, 12959, 13168, 13187, 13987, 14219, 14552, 15014, 15026, 15038, 15754, 15835, 15840,

15886, 15907, 16057, 16071, 16094, 16154, 16293, 16429, 16443, 16466, 16658, 16673, 16843, 16858, 17111, 17660, 18359, 18896, 18947, 19171, 19194, 19341, 19372, 19395, 19412, 19429, 19446, 19463, 19480, 19498, 19517, 19537, 19572, 19765, 19873, 19918, 20366, 20480, 20729, 20926, 20931, 20933, 20941, 20948, 21022, 21128, 21178
\left . 20942, 20949, 20955
\left@footnoterule 30, 234, 415, 538, 722, 739, 958, 991, 1202, 1241, 6713, 6739, 6866, 6916, 7021, 7143, 8734, 8746, 8839, 9033, 10816, 10846, 11351, 11357, 11370, 11372, 11508, 11522, 13165, 13235, 16103, 16149, 16286, 16526, 16546, 16683, 16743, 16865, 17099, 17121, 17356, 17648, 17670, 17936, 18218, 18347, 18369, 18619
\leftfootnoterule . 1696, 8176, 9080, 11355, 11358, 11596, 12005, 21632
\leftline 15850, 21100, 21106, 21108
\leftlinenumbers 13409, 13412
\leftmargin 90, 293, 576, 577, 711, 712, 947, 974, 975, 1224, 1225, 2563, 2564, 4677, 5887, 5946, 5947, 5954, 5960, 6702, 6703, 6890, 6891, 7199, 7200, 8723, 8724, 8994, 8995, 10831, 10832, 13139, 15904, 16121, 16122, 16515, 16516, 16709, 16710, 16912, 16913, 17314, 17315, 17894, 17895, 18577, 18578, 19244, 19245, 20992, 20995, 21005, 21009, 21017, 21054, 21056, 21057, 21058, 21063, 21065, 21066, 21067, 21072, 21074, 21075, 21076, 21081, 21083, 21084, 21085
\leftmargini . . . 4677, 5887, 5900, 5907
\leftmarginii 5901
\leftmarginiii 5902
\leftmarginiv 5903
\leftmarginv 5904
\leftmarginvi 5905
\leftmarginwidth . 16680
\leftmark 6237
\leftskip 12, 13, 207, 208, 305, 309, 513, 530, 533, 534, 624, 637, 648, 649, 654, 665, 690, 693, 694, 875, 876, 882, 892, 895, 896, 909, 931, 1125, 1131, 1132, 1137, 1148, 1174, 1177, 1178, 1196, 5864, 5872, 5873, 6444, 6632, 6638, 6639, 6644, 6655, 6678, 6681, 6682, 6809, 6815, 6816, 6821, 6832, 6855, 6858, 6859, 7119, 7134, 7137, 7138, 7270, 7271, 7272, 7398, 7399, 7405, 8668, 8671, 8672, 8682, 8936, 9352, 10677, 10686, 10772, 10787, 10790, 10791, 13185, 13186, 13974, 14647, 14648, 15011, 15015, 15016, 15023, 15028, 15035, 15040, 15915, 15917, 15928, 15930, 15941, 15943, 15952, 15954, 16028, 16041, 16052, 16053, 16058, 16069, 16092, 16095, 16096, 16424, 16425, 16430, 16441, 16464, 16467, 16468, 16478, 16491, 16540, 16656, 16671, 16674, 16675, 16680, 16681, 16841, 16856, 16859, 16860, 19163, 19175, 19192, 19213, 19215, 19220, 19224, 19225, 19336, 19337, 19338, 19346, 19367, 19368, 19369, 19377,

19390, 19391, 19392, 19400, 19407, 19408, 19409, 19417, 19424, 19425, 19426, 19434, 19441, 19442, 19443, 19451, 19458, 19459, 19460, 19468, 19475, 19476, 19477, 19485, 19493, 19494, 19495, 19503, 19512, 19513, 19514, 19522, 19532, 19533, 19534, 19542, 19567, 19568, 19569, 19577, 19617, 19618, 19619, 20297, 20359, 20360, 20361, 20367, 20370, 20417, 20477, 20482, 20505, 20512, 20881, 20882, 21089, 21115, 21116, 21175, 21180
\LEND 2056
\LenToUnit 8462, 8476, 8494
\leqno 328, 15846, 15848, 21623, 21625
\let 86, 102, 115, 152, 153, 156, 157, 160, 161, 164, 222, 289, 319, 327, 328, 347, 379, 380, 383, 400, 404, 408, 413, 414, 415, 416, 417, 418, 419, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 491, 492, 493, 580, 603, 618, 715, 737, 738, 739, 740, 741, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 840, 867, 978, 989, 990, 991, 992, 993, 1031, 1032, 1033, 1034, 1035, 1036, 1037, 1038, 1039, 1040, 1075, 1076, 1077, 1078, 1079, 1080, 1081, 1082, 1083, 1084, 1085, 1092, 1119, 1228, 1239, 1240, 1241, 1242, 1243, 1281, 1282, 1283, 1284, 1285, 1286, 1287, 1288, 1289, 1290, 1325, 1326, 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1343, 1369, 1370, 1374, 1390, 1391, 1392, 1428, 1429, 1430, 1455, 1456, 1457, 1458, 1463, 1498, 1499, 1599, 1601, 1603, 1733, 1734, 1741, 1828, 1882, 1884, 1886, 1918, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2139, 2140, 2141, 2168, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2195, 2196, 2197, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2567, 2576, 2649, 2667, 2691, 2710, 2715, 2740, 2741, 2748, 2749, 2752, 2753, 2787, 2920, 2923, 2931, 3166, 3188, 3210, 3211, 3341, 3421, 3423, 3424, 3425, 3426, 3427, 3482, 3518, 3525, 3531, 3542, 3548, 3556, 3559, 3562, 3570, 3574, 3576, 3641, 3642, 3647, 3754, 3757, 3788, 3874, 3881, 3884, 3894, 3904, 3915, 3982, 3992, 3994, 4028, 4039, 4130, 4146, 4166, 4181, 4197, 4290, 4311, 4312, 4328, 4371, 4374, 4376, 4381, 4395, 4403, 4404, 4424, 4425, 4452, 4463, 4468, 4472, 4474, 4477, 4487, 4498, 4525, 4536, 4545, 4594, 4599, 4615, 4616, 4617, 4618, 4620, 4621, 4622, 4623, 4669, 4799, 4800, 4837, 4838, 4844, 4846, 4850, 4895, 4896, 4978, 4980, 4982, 5128, 5129, 5142, 5146, 5148, 5149, 5155, 5159, 5163, 5172, 5416, 5417, 5435, 5436, 5454, 5455, 5482, 5483, 5511, 5512, 5513, 5610, 5631, 5632, 5633, 5639, 5660, 5661, 5662, 5668, 5689, 5690, 5691, 5707, 5711, 5712, 5713, 5716, 5720, 5721, 5722, 5725, 5729, 5730, 5731, 5878, 5942, 5983, 6070, 6137, 6138, 6139, 6329,

6330, 6332, 6333,
6351, 6372, 6373,
6374, 6375, 6376,
6377, 6378, 6379,
6380, 6383, 6384,
6385, 6386, 6387,
6388, 6389, 6390,
6391, 6452, 6470,
6521, 6527, 6548,
6561, 6571, 6585,
6589, 6590, 6591,
6592, 6593, 6594,
6595, 6596, 6597,
6603, 6604, 6605,
6606, 6607, 6608,
6609, 6610, 6611,
6626, 6706, 6737,
6738, 6739, 6740,
6741, 6779, 6780,
6781, 6782, 6783,
6784, 6785, 6786,
6787, 6788, 6803,
6894, 6914, 6915,
6916, 6917, 6918,
6956, 6957, 6958,
6959, 6960, 6961,
6962, 6963, 6964,
6965, 7014, 7019,
7020, 7021, 7022,
7023, 7024, 7025,
7043, 7044, 7045,
7046, 7047, 7048,
7049, 7050, 7051,
7052, 7053, 7054,
7078, 7079, 7080,
7081, 7082, 7083,
7084, 7085, 7086,
7087, 7088, 7089,
7090, 7097, 7098,
7099, 7203, 7227,
7229, 7232, 7233,
7234, 7240, 7245,
7265, 7277, 7278,
7279, 7281, 7282,
7288, 7289, 7290,
7291, 7311, 7320,
7361, 7367, 7388,
7560, 7563, 7564,
7623, 7626, 7627,
8174, 8175, 8176,
8177, 8178, 8181,
8182, 8184, 8202,
8203, 8205, 8223,
8224, 8228, 8263,
8265, 8277, 8280,
8281, 8285, 8315,
8317, 8329, 8332,
8333, 8380, 8404,
8412, 8420, 8727,
8744, 8745, 8746,
8747, 8748, 8766,
8767, 8768, 8769,
8770, 8771, 8772,
8773, 8774, 8775,
8799, 8800, 8801,
8802, 8803, 8804,
8805, 8806, 8807,
8808, 8809, 8816,
8837, 8838, 8839,
8840, 8841, 8842,
8843, 8861, 8862,
8863, 8864, 8865,
8866, 8867, 8868,
8869, 8870, 8871,
8872, 8896, 8897,
8898, 8899, 8900,
8901, 8902, 8903,
8904, 8905, 8906,
8907, 8908, 8915,
8916, 8917, 8998,
9048, 9049, 9050,
9051, 9052, 9053,
9062, 9063, 9064,
9065, 9066, 9067,
9068, 9069, 9070,
9071, 9072, 9073,
9078, 9079, 9080,
9081, 9082, 9182,
9183, 9184, 9185,
9186, 9187, 9190,
9191, 9192, 9193,
9194, 9195, 9199,
9387, 9388, 9389,
9393, 9394, 9395,
9396, 9399, 9496,
9497, 9498, 9502,
9503, 9504, 9505,
9508, 9599, 9600,
9601, 9605, 9606,
9607, 9608, 9611,
9708, 9709, 9710,
9714, 9715, 9716,
9717, 9720, 9817,
9818, 9819, 9823,
9824, 9825, 9826,
9829, 9926, 9927,
9928, 9932, 9933,
9934, 9935, 9938,
10035, 10036,
10037, 10041,
10042, 10043,
10044, 10047,
10144, 10145,
10146, 10150,
10151, 10152,
10153, 10156,
10253, 10254,
10255, 10259,
10260, 10261,
10262, 10265,
10412, 10413,
10414, 10419,
10420, 10426,
10427, 10428,
10429, 10430,
10431, 10435,
10436, 10467,
10469, 10471,
10472, 10477,
10478, 10484,
10485, 10486,
10488, 10490,
10492, 10493,
10497, 10498,
10525, 10534,
10546, 10558,
10589, 10608,
10622, 10692,
10762, 10835,
10844, 10845,
10846, 10847,
10848, 10866,
10867, 10868,
10869, 10870,
10871, 10872,
10873, 10874,
10875, 10899,
10900, 10901,
10902, 10903,
10904, 10905,

10906, 10907,
10908, 10909,
10916, 10972,
10999, 11002,
11003, 11035,
11038, 11039,
11121, 11122,
11124, 11125,
11128, 11129,
11158, 11160,
11162, 11172,
11173, 11174,
11180, 11184,
11187, 11190,
11192, 11195,
11196, 11330,
11358, 11384,
11385, 11494,
11508, 11522,
11548, 11549,
11550, 11551,
11585, 11600,
11606, 11611,
11746, 11747,
11748, 11749,
11801, 11804,
11805, 11850,
11853, 11854,
11990, 12005,
12006, 12007,
12008, 12009,
12103, 12137,
12139, 12167,
12169, 12174,
12176, 12180,
12182, 12513,
12514, 12515,
12556, 12557,
12558, 12600,
12601, 12602,
12615, 12616,
12617, 12630,
12631, 12632,
12638, 12640,
12641, 12642,
12643, 12644,
12645, 12646,
12655, 12691,
12729, 12762,
12793, 12824,
12830, 12832,
12833, 12834,
12835, 12836,
12837, 12838,
12839, 12851,
12854, 12857,
12860, 13027,
13028, 13029,
13030, 13045,
13056, 13135,
13152, 13201,
13245, 13281,
13291, 13296,
13504, 13516,
13827, 13828,
13829, 13831,
13833, 13837,
13839, 13841,
13842, 13844,
13845, 13846,
13850, 13856,
13868, 13904,
13905, 13906,
13966, 13967,
13968, 13969,
13970, 13978,
14025, 14026,
14027, 14615,
14616, 14617,
14618, 14619,
14620, 14621,
14622, 14623,
14679, 14682,
14683, 14685,
14686, 14783,
14786, 14787,
14883, 14886,
14887, 15122,
15125, 15151,
15152, 15155,
15156, 15159,
15160, 15361,
15362, 15363,
15471, 15472,
15473, 15474,
15475, 15477,
15516, 15521,
15535, 15567,
15756, 15760,
15805, 15806,
15807, 15808,
15811, 15812,
15814, 15819,
15842, 15843,
15844, 15845,
15846, 15908,
15912, 15914,
15925, 15927,
15938, 15940,
15950, 15951,
15962, 15963,
15964, 15965,
15966, 15979,
15985, 15997,
16005, 16006,
16022, 16125,
16147, 16148,
16149, 16150,
16151, 16189,
16190, 16191,
16192, 16193,
16194, 16195,
16196, 16197,
16198, 16233,
16234, 16235,
16236, 16237,
16238, 16239,
16240, 16241,
16242, 16243,
16250, 16277,
16284, 16285,
16286, 16287,
16288, 16289,
16290, 16328,
16329, 16330,
16331, 16332,
16333, 16334,
16335, 16336,
16337, 16338,
16339, 16374,
16375, 16376,
16377, 16378,
16379, 16380,
16381, 16382,
16383, 16384,
16385, 16386,
16394, 16395,
16396, 16519,
16544, 16545,
16546, 16547,

16548, 16549,
16550, 16578,
16579, 16580,
16581, 16582,
16583, 16584,
16585, 16586,
16587, 16588,
16589, 16618,
16619, 16620,
16621, 16622,
16623, 16624,
16625, 16626,
16627, 16628,
16629, 16630,
16636, 16637,
16638, 16713,
16737, 16741,
16742, 16743,
16744, 16745,
16746, 16747,
16765, 16766,
16767, 16768,
16769, 16770,
16771, 16772,
16773, 16774,
16775, 16776,
16800, 16801,
16802, 16803,
16804, 16805,
16806, 16807,
16808, 16809,
16810, 16811,
16812, 16819,
16820, 16821,
16916, 16941,
16968, 16969,
16986, 17058,
17059, 17060,
17119, 17120,
17121, 17122,
17123, 17124,
17125, 17127,
17191, 17208,
17209, 17210,
17211, 17212,
17213, 17214,
17215, 17216,
17217, 17218,
17219, 17220,
17221, 17222,
17223, 17224,
17225, 17226,
17227, 17228,
17229, 17230,
17231, 17232,
17233, 17234,
17235, 17239,
17240, 17241,
17326, 17351,
17352, 17376,
17377, 17378,
17379, 17380,
17381, 17387,
17388, 17389,
17390, 17391,
17392, 17486,
17488, 17494,
17496, 17607,
17608, 17609,
17668, 17669,
17670, 17671,
17672, 17673,
17674, 17676,
17740, 17757,
17758, 17759,
17760, 17761,
17762, 17763,
17764, 17765,
17766, 17767,
17768, 17769,
17770, 17771,
17772, 17773,
17774, 17775,
17776, 17777,
17778, 17779,
17780, 17781,
17782, 17783,
17784, 17788,
17789, 17790,
17906, 17931,
17932, 17956,
17957, 17958,
17959, 17960,
17961, 17967,
17968, 17969,
17970, 17971,
17972, 18066,
18068, 18074,
18076, 18306,
18307, 18308,
18367, 18368,
18369, 18370,
18371, 18372,
18373, 18375,
18439, 18456,
18457, 18458,
18459, 18460,
18461, 18462,
18463, 18464,
18465, 18466,
18467, 18468,
18469, 18470,
18471, 18472,
18473, 18474,
18475, 18476,
18477, 18478,
18479, 18480,
18481, 18482,
18483, 18487,
18488, 18489,
18589, 18614,
18615, 18639,
18640, 18641,
18642, 18643,
18644, 18650,
18651, 18652,
18653, 18654,
18655, 18749,
18751, 18757,
18759, 18887,
18888, 18889,
18892, 18948,
18949, 18950,
18953, 18964,
18965, 18966,
18973, 18974,
18979, 18988,
18989, 18990,
18992, 18995,
18999, 19002,
19004, 19007,
19016, 19019,
19032, 19033,
19034, 19049,
19050, 19051,
19052, 19053,
19054, 19056,
19057, 19060,
19061, 19135,
19136, 19139,

19141, 19142, 19143, 19158, 19187, 19216, 19221, 19227, 19230, 19248, 19310, 19314, 19343, 19344, 19345, 19374, 19375, 19376, 19397, 19398, 19399, 19414, 19415, 19416, 19431, 19432, 19433, 19448, 19449, 19450, 19465, 19466, 19467, 19482, 19483, 19484, 19500, 19501, 19502, 19519, 19520, 19521, 19539, 19540, 19541, 19574, 19575, 19576, 19639, 19794, 19931, 20012, 20015, 20045, 20278, 20494, 20502, 20507, 20514, 20531, 20534, 20594, 20652, 20656, 20734, 20739, 20749, 20753, 20782, 20792, 20796, 20836, 20840, 20905, 20906, 20907, 20908, 20911, 20912, 20914, 20919, 20921, 20923, 20935, 20936, 20937, 20938, 20942, 20943, 20949, 20950, 20951, 20963, 20985, 21047, 21088, 21091, 21092, 21106, 21107, 21125, 21129, 21130, 21131, 21134, 21146, 21147, 21148, 21149, 21155, 21156, 21157, 21195, 21247, 21250, 21251, 21294, 21297, 21298, 21528, 21530, 21533, 21545, 21547, 21549, 21551, 21553, 21555, 21558, 21559, 21561, 21562, 21568, 21569, 21570, 21575, 21587, 21590, 21592, 21599, 21603, 21605, 21608, 21609, 21622, 21623, 21631, 21632, 21633, 21780, 21782

\Letter 2412
\lettergroup 5994
\LettrineDepth . . . 13303
\LettrineHeight 13302, 13310, 13315
\LettrineSecondString 13261
\LettrineTextFont . . . 13261, 13269, 13314
\LettrineWidth 13294, 13301
\lftside 15686, 15688, 15691, 15693, 15707, 15709
\Line 8407, 8410, 8415, 8418, 8423, 8424, 8427, 8428, 8432, 8433, 8436, 8437, 8441, 8442, 8445, 8446, 8450, 8451, 8454, 8455
\line 7417, 7418, 7420, 7421, 7427, 7428, 7430, 7431, 7440, 7441, 7443, 7444, 7450, 7451, 7453, 7454, 7463, 7464, 7466, 7467, 7473, 7474, 7476, 7477, 7486, 7487, 7489, 7490, 7496, 7497, 7499, 7500, 15849, 15850, 15851
\LineNumber . . . 13387, 13389, 13391, 13396, 13399, 13401
\linenumberwidth . . . 13389, 13396, 13401
\lineskip 401, 426, 497, 759, 844, 1011, 1096, 1261, 1347, 1356, 2396, 6759, 6936, 7032, 7103, 8755, 8820, 8850, 8921, 10855, 10920, 11176, 13869, 13975, 15976, 16169, 16254, 16308, 16400, 16409, 16567, 16643, 16754, 16825, 17149, 17263, 17698, 17812, 18397, 18511, 18968, 19007, 21151, 21571
\lineskiplimit 11177, 21571
\linespacing . . 24, 13173
\linespread 3152
\linewidth 2520, 4872, 11071, 11086, 11090, 11758, 11766, 11767, 11769, 11770, 12203, 13344, 13347, 13369, 13371, 13972, 14687, 14693, 15428, 15430, 15448, 15450, 15644, 15650, 15736, 15745, 15746,

15799, 15801, 15969, 17472, 18052, 18735, 20883, 20893, 20991, 20992, 21019, 21054, 21056, 21057, 21058, 21063, 21065, 21066, 21067, 21072, 21074, 21075, 21076, 21081, 21083, 21084, 21085, 21517, 21520
\link 2526
\list 89, 292, 574, 709, 945, 972, 1222, 5925, 5943, 5952, 5960, 6700, 6888, 7197, 8721, 8992, 10829, 13138, 15353, 16119, 16513, 16707, 16910, 17310, 17890, 18573, 19242, 20974
\listdoubleitemmaincolumnwidth 2466, 2479, 2480, 2481, 2508, 2512
\listfigurename 5847, 5848
\listitemmaincolumnwidth 2465, 2473, 2474, 2506
\listitemsymbol 2407, 2464, 2505, 2507, 7985, 8083
\listitemsymbolwidth 2463, 2464, 2474, 2480
\listoffigures 5845
\listoftables 5853
\listparindent 945, 5945, 5952, 5953, 20981, 20990
\listtablename 5855, 5856
\llap 5932, 8517, 9218, 9230, 9242, 10978, 10984, 12012, 12148, 12150, 12152, 12154, 12157, 12159, 12162, 12164, 13375, 18914, 19176, 19194
\LoadClass . . . 6179, 6203
\long 34, 48, 64, 237, 251, 266, 455, 742, 807, 994, 1057, 1244, 1309, 1984, 2202, 2205, 2208, 2213, 2216, 2219, 2685, 2686, 2695, 2698, 2709, 2888, 2892, 2925, 3168, 3172, 3282, 3301, 3376, 3392, 3404, 3413, 3445, 3473, 3485, 3486, 3854, 3856, 3861, 3862, 3879, 3880, 3887, 3896, 3899, 3906, 3924, 4542, 4806, 4955, 5215, 5219, 5223, 5259, 5263, 5267, 5303, 5307, 5311, 5522, 5609, 5638, 5667, 6478, 6481, 6484, 6488, 6491, 6494, 6742, 6919, 7061, 7354, 8183, 8204, 8782, 8879, 10882, 11432, 11449, 11465, 11493, 11507, 11521, 12010, 12024, 12033, 12079, 12120, 12127, 12559, 12570, 12581, 12592, 12607, 12622, 12665, 12682, 12703, 12720, 12736, 12753, 12767, 12784, 12798, 12815, 13040, 13456, 14629, 14679, 14729, 14751, 15163, 15167, 15171, 15625, 15834, 16152, 16217, 16291, 16358, 16554, 16597, 16783, 17074, 17623, 18197, 18297, 18322, 18886, 19072, 19076, 19079, 19083, 20728, 20925, 21021, 21398, 21402, 21406, 21442, 21446, 21450, 21509, 21612
\longindentation . . 9026
\longthickrule 16635, 16641
\loop 1783, 1784, 1785, 3937, 3947, 7510, 7680, 7686, 7791, 7846, 7858, 10381, 10390, 13331, 15642, 15678, 15705, 15716, 15743, 19027
\looprepeat 3954, 3958, 4002, 4073, 4080, 4085, 4091, 4094, 4096, 4100, 4101, 4106
\lower 1637, 1912, 15840, 15874, 15882, 20722, 20931, 20933
\lowercase 2755, 2763, 2771, 2779
\lowertitleback 17232, 17781, 18480
\LR 13028, 15807, 15840, 20907, 20931, 20933
\lrb 2054, 2063
\LRE 1600, 1644, 1883, 1917, 13027, 15807, 15810, 20534, 20907, 20910
\Lreset@listparshape 13378
\LRfootnoterule 8178, 9082, 11358
\lsb 2053, 2061

\lst@@caption . 13477, 13483, 13490, 13495
\lst@alloverstyle 2042, 2048
\lst@HRefStepCounter 13477, 13483
\lst@ifnumberbychapter 13516, 13517
\lst@Key . . . 13420, 13427
\lst@MakeCaption 13475, 13488
\lst@makecaption 13472, 13505
\lst@maketitle 13473, 13506, 13510, 13512
\lst@title@dropdelim 13473
\lstKV@SwitchCases 13421, 13428
\lstset 2012
\LT@@hl 13829, 13831
\LT@@tabarray 13828, 13832
\LT@array 13036, 13818, 17486, 17487, 18066, 18067, 18749, 18750
\LT@bchunk 13859, 13866, 13870
\LT@caption . . . 13837, 17488, 17494, 17496, 18068, 18074, 18076, 18751, 18757, 18759
\LT@cols 13872, 17471, 18051, 18734
\LT@end@pen 13920
\LT@endpbox 13839
\LT@err 13921
\LT@foot 13051, 13055, 13924, 13928, 13937, 13940
\LT@head . . . 13931, 13944
\LT@hline 13837
\LT@kill 13837
\LT@lastfoot 13924, 13926, 13937
\LT@LL@FM@cr 13846, 13850
\LT@make@row 13867
\LT@makecaption 13871, 13882, 17463, 18043, 18726
\LT@mcol 13827, 13872, 17471, 18051, 18734
\LT@no@pgbk . 13835, 13836
\LT@nofcols 13866
\LT@output 13918
\LT@p@ftn 12660, 12663, 12667, 12677, 12698, 12701, 12705, 12715, 13911, 13912, 13914, 13915
\LT@p@ftntext 13904
\LT@p@LTRftntext 12658, 12665, 13905, 13910
\LT@p@RTLftntext 12696, 12703, 13906, 13913
\LT@rows . . . 13861, 13891
\LT@setprevdepth . 13862
\LT@start . . 13053, 13063
\LT@startpbox 13843, 13850, 13902
\LT@tabularcr 13833
\LTcaptype 13884, 13893, 13894
\LTcapwidth 13872, 13885, 13886
\LTleft 13821, 13823, 13825, 13863
\LTR . . 15799, 20883, 20885
\LTR@column@boxes 15079, 15095, 15126, 15128
\LTR@outputdblcol 7610, 11023, 11784, 14870, 21281, 21325, 21327
\LTRbidituftesidenotemarginpar . . . 5242, 5568, 5718
\LTRcite 5512, 5632, 5661, 5690, 5712, 5721, 5730
\LTRcolumnfootnotes 9201
\LTRdblcol 21327
\LTRdfnmakecol 8336
\LTRfootfootmark . . 9103, 9228, 9442, 9548, 9654, 9763, 9872, 9981, 10090, 10199, 10308, 10576
\LTRfootmarkstyle 9214, 9253
\LTRfootnote . . . 418, 492, 2140, 2148, 5701, 6051, 7024, 7098, 8842, 8916, 11413, 16289, 16395, 16549, 16637, 16746, 16820, 17124, 17240, 17673, 17789, 18372, 18488
\LTRfootnotetext 2206, 2217, 6482, 6492, 11569, 11571, 12661, 13911, 19073, 19077
\LTRfootscript . 9214, 9231, 9235, 9237
\LTRfoottextfont . . 9104, 9140, 9165, 9293, 9414, 9442, 9462, 9522, 9548, 9567, 9626, 9654, 9674, 9735, 9763, 9783, 9844, 9872, 9892, 9953, 9981, 10001, 10062, 10090, 10110, 10171, 10199, 10219, 10280, 10308, 10328, 10548, 10576, 10611
\LTright 13821, 13823, 13825, 13864
\LTRmarginnote 5715
\LTRmarginpar 21381
\LTRmulticolcolumns 15124
\LTRsidenote . . 5437, 5697
\LTRthanks . 418, 438, 473, 492, 6051, 6059, 6076, 6092, 6103, 7024, 7044, 7079, 7098, 8842,

8862, 8897, 8916, 11567, 14616, 16289, 16329, 16375, 16395, 16549, 16579, 16619, 16637, 16746, 16766, 16801, 16820, 17124, 17209, 17240, 17673, 17758, 17789, 18372, 18457, 18488
\ltx@firstofthree 11283, 11307
\ltx@ifundefined 11277, 11301
\ltx@secondofthree 11286, 11310
\ltx@thirdofthree . . . 11279, 11296, 11303

M

\m@addvipersep 14812, 14912
\m@m@float@spacing 9205
\m@m@footnote@spacing 9110, 9124, 9138, 9152, 9163, 9174, 9204, 9403, 9413, 9423, 9449, 9461, 9474, 9485, 9490, 9512, 9521, 9530, 9555, 9566, 9578, 9588, 9593, 9615, 9625, 9635, 9661, 9673, 9686, 9697, 9702, 9724, 9734, 9744, 9770, 9782, 9795, 9806, 9811, 9833, 9843, 9853, 9879, 9891, 9904, 9915, 9920, 9942, 9952, 9962, 9988, 10000, 10013, 10024, 10029, 10051, 10061, 10071, 10097, 10109, 10122, 10133, 10138, 10160, 10170, 10180, 10206, 10218, 10231, 10242, 10247, 10269, 10279, 10289, 10315, 10327, 10340, 10351, 10356, 10438, 10500, 10535, 10547, 10559, 10590, 10609, 10623, 10641, 10651, 10660, 10669
\m@m@h 9368, 9370, 9372, 9375, 9376, 9381
\m@m@k 9368, 9370, 9375, 9378, 9379, 9381
\m@m@makecolfloats . . 10690, 10743, 10749
\m@m@makecolintro . . . 10705, 10734, 10747
\m@m@makecoltext . . . 10694, 10744, 10757
\m@m@singlespace . . 9203
\m@make@eightcol@footgroup 10040, 10131
\m@make@fivecol@footgroup 9713, 9804
\m@make@footstart 9349, 9361
\m@make@fourcol@footgroup 9604, 9695
\m@make@mpeightcol@footgroup 10046, 10136
\m@make@mpfivecol@footgroup 9719, 9809
\m@make@mpfourcol@footgroup 9610, 9700
\m@make@mpninecol@footgroup 10155, 10245
\m@make@mppara@footgroup . . 10433, 10495, 10654
\m@make@mpsevencol@footgroup 9937, 10027
\m@make@mpsixcol@footgroup 9828, 9918
\m@make@mptencol@footgroup 10264, 10354
\m@make@mpthreecol@footgroup 9507, 9591
\m@make@mptwocol@footgroup 9398, 9488
\m@make@ninecol@footgroup 10149, 10240
\m@make@para@footgroup . 10417, 10475, 10634
\m@make@para@footstart . . 10418, 10424, 10476, 10482, 10672
\m@make@sevencol@footgroup 9931, 10022
\m@make@sixcol@footgroup 9822, 9913
\m@make@tencol@footgroup 10258, 10349
\m@make@threecol@footgroup 9501, 9586
\m@make@twocol@footgroup 9392, 9483
\m@mdoextrafeet 9262, 10742, 10756
\m@mdoextrafeetendmini 9331, 9344
\m@mdoextrafeetmini 9303
\m@mdosplits . . . 9373, 9377, 9378, 9379
\m@minterparanoteglue 10374, 10376
\m@mipn@skip 10366, 10373, 10375
\m@mmakehboxofhboxes 10378, 10388, 10638, 10648, 10658, 10667
\m@mmf@prepare . 9120, 9134, 9148, 9209, 9411, 9421, 9431, 9457, 9470, 9482, 9519, 9528, 9537, 9562, 9574, 9585, 9623, 9633, 9643, 9669, 9682, 9694, 9732, 9742, 9752, 9778, 9791, 9803, 9841, 9851, 9861, 9887, 9900, 9912, 9950, 9960, 9970, 9996, 10009, 10021, 10059, 10069, 10079,

10105, 10118, 10130, 10168, 10178, 10188, 10214, 10227, 10239, 10277, 10287, 10297, 10323, 10336, 10348, 10544, 10556, 10568, 10605, 10619, 10633
\m@mold@footnotetext .. 9182, 9190, 10467
\m@mold@LTRfootnotetext 9183, 9191
\m@mold@mpfootnotetext .. 9185, 9193, 10488
\m@mold@mpLTRfootnotetext 9186, 9194
\m@mold@mpRTLfootnotetext .. 9187, 9195, 10493
\m@mold@RTLfootnotetext .. 9184, 9192, 10472
\m@mopfootnote 10706, 10740
\m@mremovehboxes 10396, 10397, 10639, 10649, 10659, 10668
\m@mrigidbalance 9370, 9375, 9487, 9492, 9590, 9595, 9699, 9704, 9808, 9813, 9917, 9922, 10026, 10031, 10135, 10140, 10244, 10249, 10353, 10358
\m@msplitoff .. 9378, 9380
\m@mungebox 10367, 10544, 10556, 10568, 10605, 10619, 10633
\m@munvxh .. 10359, 10368
\m@ne 304, 551, 560, 2739, 2928, 3674, 3681, 3933, 3938, 3948, 4029, 5210, 5254, 5298, 6971, 7129, 7166, 7510, 8690, 8699, 8960, 10782, 10799, 12883, 15053, 15900, 16666, 16851, 16888, 17550, 18128, 18131, 18811, 18814, 19322, 19364, 20303, 21393, 21437, 21472, 21475
\m@th 403, 8506, 8511, 8517, 11071, 11086, 13868, 20375, 20484, 20955, 21049, 21121, 21123, 21182
\maincolumnwidth .. 2461, 2470, 2471, 2472, 2473, 2475, 2479, 2494, 2498, 2523
\mainmatter 6230
\makeatletter . 3348, 3367
\makebox 8505, 8510, 8579, 8582, 8585, 8592, 8600, 8607, 8648, 8652, 15465, 15483
\makefooter 8050, 8051, 8067
\MakeFramed 11624
\makelabel .. 5932, 20985
\MakeLineNo 13381
\makeLineNumber 13382, 13384
\makeLineNumberLeft 13387
\makeLineNumberRight 13395
\maketag@@@ 336, 8503, 8516, 13950
\makethanksmark .. 14629
\maketitle . 110, 313, 320, 412, 440, 451, 475, 735, 780, 802, 824, 987, 1032, 1054, 1076, 1237, 1282, 1304, 1326, 1980, 1992, 2487, 6027, 6131, 6155, 6735, 6780, 6912, 6957, 7018, 7046, 7057, 7081, 8032, 8146, 8743, 8767, 8778, 8800, 8836, 8864, 8875, 8899, 10843, 10867, 10878, 10900, 12830, 12831, 13196, 14624, 16145, 16190, 16212, 16234, 16282, 16331, 16353, 16377, 16543, 16581, 16592, 16621, 16740, 16768, 16779, 16803, 17113, 17184, 17211, 17662, 17733, 17760, 18361, 18432, 18459
\maketitledetailsnewline 8141, 8156, 8158, 8159, 8160, 8161, 8162
\maketitledetailswidth 8133, 8135, 8136, 8137, 8138, 8153
\maketitlehookb .. 14674
\maketitlehookc .. 14676
\maketitlenamefullwidth ... 8127, 8128, 8130
\maketitlenamemaxwidth ... 8125, 8126, 8130
\maketitlenamewidth 8129, 8130, 8136, 8148
\maketitlepage 6113, 6155
\maketitlepicturewidth 8131, 8132, 8138, 8167
\MakeUppercase . 125, 571, 599, 600, 615, 706, 864, 969, 1116, 1219, 6623, 6697, 6800, 6885, 7010, 7011, 7194, 8718, 8989, 10826, 13211, 16019, 16116, 16274, 16510, 16733, 16734, 16907

\marginline 17369, 17949, 18632
\marginnote 5706
\marginpar 4776, 5484, 17370, 17950, 18633, 20570
\marginparpush 4709, 21491
\marginparsep 1970, 2372, 4750, 4753, 4757, 4909, 4916, 12147, 12149, 12153, 12158, 12161, 12163, 21502, 21504
\marginparwidth 1969, 2373, 4749, 4754, 4766, 4864, 5134, 5227, 5271, 5315, 12147, 12149, 12161, 12163, 21410, 21454, 21504
\markboth 124, 565, 6235, 8704, 13210
\math@cr@@@align . . 338
\mathindent . 11072, 11088
\mathsurround 7244
\max@poem@no 6430, 6532, 6533
\maxdepth 10745, 10758, 11996, 12003
\maxdimen 7551, 7552, 7554, 7614, 7615, 7617, 10540, 10552, 10564, 10601, 10615, 10629, 10943, 10991, 10992, 10993, 11027, 11028, 11029, 11631, 11792, 11793, 11795, 11841, 11842, 11844, 14774, 14775, 14777, 14874, 14875, 14877, 19020, 19059, 20435, 20438, 20443, 20447, 20451, 20455, 20459, 20463, 20467, 20471, 20656, 21238, 21239, 21241, 21285, 21286, 21288
\mbox . 12108, 13375, 18300
\mc@col@status@write 15083, 15107
\mc@gridwarn 15073
\mc@lastcol@status@write 15089, 15115
\mdf@footenotedistance@length 14013
\mdf@footnoteinput 14021
\mdf@footnoteoutput 14010
\mdf@frametitleaboveskip@length 14005
\mdf@frametitlealignment 13986
\mdf@frametitlebelowskip@length 14006
\mdf@frametitlebox . . 13985, 13998, 13999, 14000, 14001, 14003, 14004
\mdf@frametitlefont 13988
\mdf@frametitlefontcolor 13987
\mdf@horizontalmargin@equation 13963
\mdf@ignorevbadness 13997
\mdf@lrbox . 13956, 13985
\mdf@par@local . . . 13979
\mdf@patchamsthm . 13957
\mdframedtitleenv 13984
\mdframetitleboxdepth 14001
\mdframetitleboxheight 14000
\mdframetitleboxtotalheight 14002
\mdframetitleboxwidth 13999
\mdseries 307, 8026, 8028, 8030, 8031, 8118, 8119, 8120, 8123, 8124
\meaning 2648, 2651, 2894, 3338, 3365, 3380, 3398, 3406, 3415, 3479
\mediabutton 14548, 14608, 14609
\medskip 6337
\medskipamount 9028
\mem@makecol 10733, 10759
\memRTLleftskip . . 14647
\memRTLraggedleft 14652
\memRTLraggedright 14651
\memRTLrightskip . 14648
\memRTLvleftskip . 14649
\memRTLvrightskip 14650
\message . . 1855, 1857, 11632, 11640, 11644, 11649, 11657, 11663, 11673, 11678, 11680, 11687, 11695, 11708, 11716, 11721, 11726, 11739, 11750, 11758, 11770
\MessageBreak 148, 3591, 3605, 3617, 3629, 4306, 4317, 4324, 4336, 4342, 4440, 4493, 4494, 4495, 4509, 4510, 4512, 4790, 4886, 5113, 5114, 5182, 5786, 5787, 5788, 5790, 5791, 5795, 5796, 5797, 5799, 5800, 13266, 13308, 13309, 13312, 14725, 14726, 15056, 15075, 15147, 15224, 15231, 17185, 17336, 17343, 17734, 17916, 17923, 18433, 18599, 18606, 19947, 19949, 19952
\MH 8515, 8519, 8524, 8525, 8529,

8533, 8534, 8538, 8546, 8548, 8553, 8565, 8573, 8578, 8581, 8584, 8586, 8587, 8589, 8590, 8593, 8594, 8596, 8597, 8599, 8601, 8602, 8604, 8605, 8608, 8609, 8611, 8612, 8614, 8619, 8620, 8621, 8622, 8623, 8624, 8625, 8626, 8627, 8636, 8638, 8642, 8643, 8645
\MHInternalSyntaxOff 8660, 13953
\MHInternalSyntaxOn 8500, 13947
\MidFrameCommand . . . 11620, 11664, 11732
\minrowclearance . . . 1460, 1494, 7349
\mintagvsep 8520
\missingfigure 20614, 20644
\mix 14042, 14043, 14050, 14051, 14077, 14094, 14117, 14120, 14122, 14145, 14177, 14185, 14194, 14205, 14216, 14218, 14223, 14224, 14226, 14227, 14229, 14241, 14250, 14253, 14254, 14255, 14265, 14275, 14276, 14278, 14279, 14284, 14285, 14301, 14303, 14305, 14310, 14349, 14356, 14357, 14360, 14378, 14380, 14383, 14385, 14388, 14395, 14403, 14405, 14458, 14463, 14474, 14475, 14478, 14509, 14514, 14516, 14523, 14524, 14527, 14542, 14546, 14549, 14551, 14560, 14563, 14573, 14574, 14576, 14599, 14605, 14609
\mkern 20376, 20377, 20485, 21183
\mobile 2449
\Mobilefone 2409
\mobilesymbol 2409, 8060, 8158
\modernpoem 6585
\modernpoem@obeylines 6332, 6585
\modernpoem@par . . . 6332, 6333, 6549
\morefloats . . . 5016, 5113
\moreLRE 1601, 1884, 15761, 20841
\moreRLE 1603, 1886, 15762, 20842
\moveleft . . . 5166, 14968
\moveright 11178, 15066, 21574
\mp@footgroupv@r 9322, 9367, 9399, 9508, 9611, 9720, 9829, 9938, 10047, 10156, 10265, 10435, 10497
\mp@LTRfootgroupv@l 9314, 9326, 10436, 10498
\mpfootnoterule 11385, 11389
\msg 14097, 14100, 14148, 14151, 14166, 14169, 14211
\MT . 8539, 8545, 8547, 13948
\mult@cols 15162
\mult@footnotetext 151, 153, 15150, 15152, 15163
\mult@gfirstbox . . . 15080, 15097, 15103
\mult@info 15054
\mult@LTRfootnotetext 155, 157, 15154, 15156, 15167
\mult@rightbox 15047, 15087, 15088, 15090, 15112, 15113, 15116
\mult@RTLfootnotetext 159, 161, 15158, 15160, 15171
\multfootsep . . 5526, 5544
\multi@column@out 15216, 15259
\multicol@leftmargin 15057, 15066
\multicols 15135
\multicolumn 13827, 18994
\multiplefootnotemarker 5525, 5541, 5635, 5636, 5664, 5665, 5693, 5694, 9208, 9210, 9211
\multiply 1954, 1959, 2297, 10455, 10517, 15196, 15197, 15200, 15201, 15661, 15665
\myrefname 18251

N

\n@xt 1599, 1601, 1603, 1604, 1882, 1884, 1886, 1887
\na 15664, 15666, 15668, 15677, 15679, 15704, 15705
\narrower 21114
\NAT@bibitem@first@sw 15361
\nb 15664, 15667, 15668, 15677, 15678, 15699, 15715, 15716
\NC@find 19026
\NC@rewrite@X 19025
\NeedsTeXFormat 1501, 1947, 2003, 2136, 2328, 2577, 2645, 4625, 5191, 5733, 5879,

5995, 6022, 6171, 6195, 6260, 7970, 8068
\new@command . . 2930, 2932
\new@poem@width . . . 6347, 6348, 6349, 6350, 6435, 6469, 6472
\newblock . 2575, 6447, 6547, 15355, 15357
\newboolean 4633, 4636, 4638, 4640, 4641, 4653, 4717, 4727, 4794, 4817, 5118, 5742, 6001, 6028
\newbox 6402, 6403
\newcommand 1534, 1535, 1541, 1547, 1564, 1565, 1569, 1570, 1581, 1584, 1587, 1610, 1611, 1626, 1642, 1658, 1787, 2041, 2047, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2353, 2439, 2444, 2445, 2446, 2448, 2449, 2450, 2452, 2453, 2455, 2456, 2467, 2468, 2488, 2495, 2497, 2501, 2505, 2507, 2513, 2522, 2524, 2526, 2530, 2534, 2539, 2551, 2575, 2581, 2754, 2762, 2770, 2778, 2795, 2801, 2807, 2813, 2819, 2825, 2831, 2837, 2844, 2847, 2850, 2856, 2868, 2874, 2886, 2889, 2891, 2898, 2902, 2908, 2915, 2918, 2921, 2924, 2943, 2972, 2997, 3026, 3051, 3089, 3123, 3140, 3151, 3157, 3201, 3206, 3328, 3352, 3403, 3412, 3489, 3492, 3495, 3498, 3501, 3504, 3507, 3511, 3514, 3528, 3538, 3551, 3566, 4128, 4129, 4145, 4160, 4164, 4170, 4173, 4176, 4179, 4184, 4187, 4190, 4194, 4198, 4201, 4202, 4203, 4205, 4213, 4222, 4224, 4234, 4236, 4248, 4250, 4257, 4265, 4267, 4276, 4278, 4289, 4291, 4292, 4296, 4300, 4370, 4380, 4384, 4389, 4423, 4461, 4484, 4485, 4486, 4518, 4519, 4520, 4521, 4532, 4629, 4630, 4631, 4632, 4654, 4657, 4684, 4711, 4712, 4713, 4714, 4729, 4748, 4784, 4786, 4787, 4792, 4793, 4795, 4796, 4803, 4804, 4805, 4813, 4816, 4904, 4922, 5132, 5140, 5150, 5153, 5161, 5330, 5331, 5332, 5333, 5334, 5335, 5336, 5337, 5338, 5339, 5340, 5341, 5342, 5343, 5344, 5345, 5346, 5347, 5348, 5349, 5350, 5351, 5352, 5353, 5354, 5355, 5364, 5414, 5433, 5452, 5474, 5480, 5505, 5506, 5540, 5696, 5697, 5698, 5706, 5715, 5724, 5737, 5738, 5861, 5914, 5994, 6007, 6041, 6042, 6043, 6044, 6045, 6046, 6047, 6048, 6099, 6113, 6289, 6296, 6305, 6309, 6319, 6338, 6535, 6536, 8141, 8335, 8336, 8345, 8352, 8368, 8374, 8390, 8397, 9044, 9058, 9085, 9089, 9095, 9101, 9255, 9258, 10398, 10463, 10720, 10759, 10760, 10761, 10762, 11201, 11204, 11263, 11268, 11270, 11276, 11292, 11316, 11328, 11382, 11428, 11429, 11430, 11483, 11485, 12191, 13434, 13445, 15121, 15124, 15127, 17056, 17057, 17605, 17606, 18304, 18305, 20525, 20527, 20832, 20833, 20881, 20882, 20973, 21095, 21096, 21198, 21326, 21327, 21524
\newcount . 1777, 1950, 1951, 2579, 2589, 2593, 2941, 3667, 3770, 3930, 3991, 4071, 9368, 21190
\newcounter 5413, 6531, 11097, 11261, 19551, 19555, 19556
\newdimen . 6293, 6294, 6344, 9368, 11920
\newenvironment . . . 2088, 2099, 2108, 2117, 2552, 4763, 4778, 4781, 4819, 4946, 6520, 6584, 13132, 20885, 20895, 21051, 21060, 21069, 21078
\newfloat@@setwithin 15388,

15394, 15402, 15404
\newfloat@Error .. 15407
\newfloat@setwithin 15374
\newif 1562, 1563, 1567, 1568, 1571, 1572, 1573, 1574, 1575, 1576, 1577, 1579, 1580, 1868, 1869, 1870, 1871, 1872, 1873, 2330, 2359, 2538, 2586, 3354, 3836, 6216, 6404, 7973, 7975, 7977, 7979, 8044, 8071, 8073, 8075, 8077, 8140, 9042, 9043, 11259, 11267, 13955, 20523, 20524
\newinsert 1606, 1889, 5019, 5020, 5021, 5022, 5023, 5024, 5025, 5026, 5027, 5028, 5029, 5030, 5031, 5032, 5033, 5034, 5035, 5036, 5037, 5038, 5039, 5040, 5041, 5042, 5043, 5044, 5045, 5046, 5047, 5048, 5049, 5050, 5051, 5052, 5068, 5069, 5070, 5071, 5072, 5073, 5074, 5075, 5076, 5077, 5078, 5079, 5080, 5081, 5082, 5083, 5084, 5085, 5086, 5087, 5088, 5089, 5090, 5091, 5092, 5093, 9357, 9362, 9365, 9366
\newlength 2457, 2458, 2459, 2461, 2462, 2463, 2465, 2466, 2549, 4745, 4746, 4747, 4801, 4818, 5606, 8125, 8127, 8129, 8131, 8133, 19583, 19585, 19586, 20213
\newline 2520, 4980
\newlinechar 1829
\newlinetospace ... 4977, 4997, 4998, 4999, 6236, 6237, 6238
\newlistentry 19548, 19615
\newpage 465, 487, 816, 836, 1068, 1088, 1318, 1338, 4487, 4489, 4493, 4498, 4499, 4502, 4506, 4508, 4511, 6132, 6169, 6170, 7071, 7093, 7967, 8792, 8812, 8889, 8911, 10892, 10912, 13834, 14638, 16226, 16246, 16367, 16389, 16611, 16633, 16793, 16815, 17200, 17749, 18448
\newpoem@tabcr 6548, 6557, 6558
\newsavebox 2087, 4762, 4797, 4798
\newskip 2125, 2126, 2127, 2933, 10373, 11782
\newthought 5935
\NewTokenList 3877
\newtoks 2138, 2659, 2660, 3668, 3669, 3839, 3852, 3877, 3930, 6345, 11269, 15757, 20837
\newXeTeXintercharclass 1779, 1780
\next 21221, 21224
\next@tpage 17130, 17162, 17172, 17175, 17243, 17679, 17711, 17721, 17724, 17792, 18378, 18410, 18420, 18423, 18491
\ninecolumnfootnotes 10141
\no@bib@break 17322, 17902, 18585
\noalign 1374, 6458, 9378, 13834, 13835, 13836, 17464, 17489, 17491, 18044, 18069, 18071, 18727, 18752, 18754
\nobibliography ... 5410
\nobidilogo 1918
\nobreak 14, 16, 209, 211, 517, 535, 562, 566, 654, 655, 669, 695, 882, 883, 897, 913, 1137, 1138, 1152, 1179, 4549, 5533, 5873, 5874, 6358, 6360, 6366, 6644, 6645, 6659, 6683, 6821, 6822, 6836, 6860, 6974, 6982, 6994, 7123, 7139, 7169, 7174, 7182, 7400, 8673, 8686, 8701, 8705, 8713, 8940, 8963, 8968, 8977, 9021, 9022, 10776, 10792, 10801, 10805, 10813, 13187, 13189, 13234, 13944, 14012, 15017, 15028, 15029, 15040, 15041, 15903, 15905, 16058, 16059, 16073, 16097, 16430, 16431, 16445, 16469, 16660, 16676, 16845, 16861, 16890, 16894, 16902, 17297, 18297, 19181, 19198, 19205, 19346, 19349, 19377, 19378, 19400, 19401, 19417,

19418, 19434, 19435, 19451, 19452, 19468, 19469, 19485, 19486, 19503, 19504, 19522, 19523, 19542, 19543, 19577, 19578, 19613, 19771, 19772, 19878, 19880, 19928, 19960, 19965, 19968, 20368, 20373, 20381, 20482, 20483, 20487, 21180, 21181, 21185
\nobreakspace 561
\node . 20568, 20598, 20604
\noexpand 393, 2160, 2161, 2175, 2176, 2203, 2206, 2209, 2614, 2655, 2664, 2668, 2688, 2692, 2791, 2893, 2894, 2896, 2947, 2975, 3001, 3029, 3055, 3058, 3092, 3095, 3333, 3334, 3335, 3337, 3338, 3363, 3365, 3383, 3384, 3385, 3388, 3395, 3396, 3397, 3399, 3405, 3406, 3408, 3414, 3415, 3417, 3476, 3478, 3479, 3687, 3833, 3838, 3844, 3892, 3920, 3923, 3926, 3927, 4011, 4018, 4021, 4022, 4039, 4043, 4045, 4046, 4047, 4055, 4056, 4057, 4060, 4061, 4062, 4097, 4154, 4315, 4316, 4318, 4454, 4559, 4593, 4594, 5382, 5384, 5392, 5785, 5788, 5794, 5797, 6479, 6482, 6485, 6537, 7749, 7924, 8277, 8329, 11099, 11100, 11105, 11106, 11158, 11933, 11943, 12651, 12661, 12669, 12670, 12671, 12673, 12699, 12707, 12708, 12709, 12711, 12740, 12741, 12742, 12744, 12771, 12772, 12773, 12775, 12802, 12803, 12804, 12806, 13863, 13911, 13914, 14476, 14742, 17319, 17320, 17899, 17900, 18582, 18583, 18890, 18962, 18999, 19000, 19073, 19080, 19558, 20030, 20063, 20070, 20075, 20076, 20136, 20507, 20508, 20509, 20510, 20511, 20512, 20513, 20514, 20515, 20757, 20772, 20800, 20806, 20819, 21144, 21528
\noindent 455, 630, 639, 937, 1189, 1198, 1984, 4772, 4965, 5556, 5574, 5592, 5709, 5718, 5727, 5937, 5957, 6118, 6120, 6122, 6313, 6693, 6881, 7061, 7257, 8782, 8879, 9024, 9087, 10542, 10554, 10566, 10603, 10617, 10631, 10643, 10653, 10662, 10671, 10882, 12011, 13373, 14702, 16034, 16043, 16484, 16493, 16559, 16602, 16783, 17093, 17130, 17243, 17297, 17411, 17416, 17642, 17679, 17792, 17991, 17996, 18212, 18241, 18247, 18253, 18259, 18265, 18271, 18277, 18283, 18289, 18298, 18341, 18378, 18491, 18674, 18679, 20546, 20549, 20551, 20553, 20556, 20560, 20562, 20618, 20680, 21113
\nointerlineskip 8194, 8215, 11603, 13995, 15064, 21499, 21507
\nopagebreak 6412, 6422, 13836
\nopagenumbers 2539
\normalbaselines . 20955
\normalbaselineskip 311, 4670, 10443, 10454, 10505, 10516, 13976, 15977
\normalcolor . . . 2305, 7361, 7572, 7637, 8634, 9286, 9310, 9318, 9326, 9340, 10714, 10727, 11559, 11612, 11817, 11864, 11965, 11975, 11982, 13220, 14014, 15042, 20266, 20488, 20734, 21186, 21259, 21308,

21338, 21354, 21365, 21373, 21580, 21596, 21627
\normalfont 25, 38, 52, 68, 85, 241, 255, 270, 288, 454, 457, 559, 806, 808, 1060, 1308, 1310, 1983, 1986, 2050, 2055, 2056, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 4711, 5330, 5331, 5332, 5420, 5439, 5458, 5524, 5759, 5766, 5773, 5965, 6970, 6990, 7060, 7063, 7165, 7180, 8506, 8511, 8517, 8698, 8711, 8781, 8784, 8878, 8881, 8959, 8975, 9219, 9223, 9225, 9231, 9235, 9237, 9243, 9247, 9249, 10798, 10811, 10881, 10884, 13134, 13169, 13174, 13220, 13988, 14628, 15042, 15467, 15480, 16216, 16218, 16357, 16359, 16553, 16560, 16596, 16603, 16782, 16785, 16887, 16900, 19603, 19608, 19609, 19967, 20266, 20488, 21186, 21627
\normalfootnotes 9188, 9199
\normallineskip . . . 2397, 13975, 15976
\normalparindent 42, 56, 72, 245, 259, 274
\normalRTLparaLTRfootnotes 10463
\normalsfcodes 11171, 21567
\normalsize 307, 4663, 4664, 4671, 5238, 5282, 5326, 5420, 5439, 5458, 5836, 8028, 8120, 11169, 14760, 16642, 17100, 17107, 17649, 17656, 18348, 18355, 19967, 21421, 21465, 21565
\NOT . . 4865, 4866, 4905, 4925, 4929, 5612, 5641, 5670, 5752, 5756
\null . . . 420, 434, 488, 628, 631, 747, 776, 837, 935, 938, 999, 1028, 1089, 1187, 1190, 1249, 1278, 1339, 5873, 6447, 6691, 6694, 6747, 6776, 6879, 6882, 6924, 6953, 7026, 7040, 7094, 8749, 8763, 8813, 8844, 8858, 8912, 10849, 10863, 10913, 13101, 13118, 15018, 15028, 15029, 15040, 15041, 16032, 16035, 16157, 16186, 16247, 16296, 16325, 16390, 16482, 16485, 16561, 16575, 16634, 16748, 16762, 16816, 17139, 17161, 17172, 17243, 17251, 17688, 17710, 17721, 17792, 17800, 18387, 18409, 18420, 18491, 18499, 18915, 18921, 18943, 19346, 19377, 19400, 19417, 19434, 19451, 19468, 19485, 19503, 19522, 19542, 19577, 19928, 20368, 20482, 21180
\number . . . 8, 139, 203, 2613, 2614, 2620, 2625, 2947, 2964, 2966, 2975, 2989, 2991, 3001, 3018, 3020, 3029, 3043, 3045, 3055, 3058, 3075, 3077, 3081, 3083, 3092, 3095, 3109, 3111, 3115, 3117, 3124, 3126, 3127, 3129, 3130, 3133, 3134, 3141, 3143, 3144, 3349, 3962, 4077, 4083, 4089, 4092, 4098, 4102, 6430, 6524, 8201, 8222, 8267, 8273, 8276, 8319, 8325, 8328, 8557, 8560, 13181, 15138
\numberline 4958, 13490, 13495, 14754, 19276, 20278, 20496, 20499, 20502
\numberline@box 19931, 19932
\numberline@tempa 20498
\numberwithin 329
\numexpr . . 3152, 4566, 19748, 19856, 20030
\nxLcs . . . 2066, 2067, 2068

O

\obeylines . . . 6448, 6549
\ocgbase . . . 14532, 14534
\oddpage 1951, 1955, 1956, 1957, 1960, 1961, 1962
\oddsidemargin 1973, 2368, 8485, 12167, 12176, 12180, 21549, 21553

\on@stripcols@break 7833
\onecolumn 604, 620, 869, 1121, 2406, 6628, 6805, 7015, 16024, 16279, 16738, 19311
\opening 9009, 13222
\OptArg 2067, 2133
\OptArg@i 2133, 2134
\OptArg@ii . . . 2133, 2135
\OptArgs 2132
\optparams 4839, 5696, 5697, 5698, 5700, 5701, 5702
\OR 4833, 4905, 4925, 4929, 5181
\or 1410, 1411, 1412, 1414, 1415, 1435, 1436, 1437, 1441, 1442, 1443, 1444, 1445, 1449, 1450, 1478, 1479, 1480, 1482, 1483, 1665, 1671, 1677, 1683, 1689, 1695, 1697, 1699, 1701, 1707, 1713, 1719, 1732, 1740, 1747, 1757, 7332, 7333, 7334, 7336, 7337, 12495, 12499, 19590, 19593, 19596, 20421, 20532, 20539, 20761, 20810, 21213, 21214, 21216
\orig@footnotetext . . 152, 15151, 15166
\orig@LTRfootnotetext . . 156, 15155, 15170
\orig@RTLfootnotetext . . 160, 15159, 15174
\origin@RaggedLeft . 16005, 16007, 16008
\origin@RaggedRight . 16006, 16007, 16008
\originalHbadness 20594, 20612
\othermargin 879
\outer 1944
\outer@nobreak 2323, 5232, 5276, 5320, 21415, 21459
\outputpenalty 7723, 7724, 7732, 7733, 7742, 7743, 7897, 7898, 7906, 7907, 7916, 7917, 13919, 13920
\overfullrule 2357, 2358, 15886
\OVP@calc 15462

P

\p@ . . . 27, 29, 30, 31, 99, 103, 219, 223, 231, 233, 234, 235, 311, 421, 510, 527, 539, 541, 543, 545, 597, 602, 613, 617, 646, 662, 680, 687, 723, 729, 748, 862, 866, 873, 889, 906, 924, 959, 961, 964, 966, 1000, 1114, 1118, 1129, 1145, 1163, 1171, 1203, 1209, 1250, 1607, 1890, 2396, 2397, 2401, 2402, 4665, 4666, 4667, 4674, 4675, 4676, 4678, 4679, 5884, 5885, 5886, 5888, 5889, 5955, 6621, 6625, 6636, 6652, 6668, 6675, 6714, 6720, 6748, 6798, 6802, 6813, 6829, 6845, 6852, 6867, 6873, 6925, 6969, 6975, 6980, 6984, 6986, 6989, 6992, 6996, 6998, 7008, 7013, 7027, 7116, 7131, 7144, 7146, 7148, 7150, 7164, 7170, 7175, 7178, 7183, 7415, 7425, 7438, 7448, 7461, 7471, 7484, 7494, 7856, 8179, 8180, 8665, 8679, 8735, 8737, 8739, 8741, 8750, 8845, 8934, 8958, 8964, 8969, 8973, 8978, 9034, 9036, 9038, 9040, 9083, 9084, 10769, 10784, 10797, 10802, 10806, 10809, 10814, 10817, 10819, 10821, 10823, 10850, 10951, 11348, 11350, 11351, 11352, 11353, 11354, 11386, 12038, 12045, 12084, 12091, 12136, 13149, 13153, 13162, 13164, 13165, 13166, 13218, 13236, 13238, 13240, 13242, 14680, 15010, 15022, 15034, 15131, 15132, 15176, 15178, 15179, 15180, 16017, 16021, 16050, 16066, 16082, 16089, 16104, 16110, 16158, 16272, 16276, 16297, 16422, 16438, 16454, 16461, 16527, 16533, 16562, 16654, 16668, 16684, 16686, 16688, 16690, 16731, 16736, 16749, 16838, 16853, 16866, 16868, 16870, 16872, 16886, 16891, 16895, 16898,

16903, 17101, 17105, 17108, 17112, 17357, 17360, 17362, 17365, 17516, 17535, 17650, 17654, 17657, 17661, 17937, 17940, 17942, 17945, 18096, 18115, 18218, 18220, 18222, 18224, 18349, 18353, 18356, 18360, 18620, 18623, 18625, 18628, 18779, 18798, 19309, 19584, 19752, 19755, 19759, 19860, 19863, 19867, 20197, 20200, 20204, 20210, 20292, 20476, 21174, 21637
\p@enumiv 86, 289, 580, 715, 978, 1228, 2567, 6706, 6894, 7203, 8727, 8998, 10835, 13135, 16125, 16519, 16713, 16916, 17326, 17906, 18589, 19248
\p@subfigure 18973
\p@subtable 18974
\PackageError 144, 2725, 2757, 2760, 2765, 2768, 2773, 2776, 2781, 2784, 2935, 4503, 4630, 5738, 10400, 13425, 13432, 13600, 13603, 13606, 13609, 13612, 13615, 13618, 13621, 13625, 13628, 13631, 13634, 13637, 13640, 13643, 13646, 13649, 13652, 13655, 13658, 13661, 13664, 13667, 13670, 13673, 13676, 13679, 13682, 13685, 13688, 13691, 13694, 13697, 13700, 13703, 13706, 13709, 13712, 13715, 13718, 13721, 13724, 13727, 13730, 13733, 13736, 13739, 13742, 13745, 13748, 13751, 13754, 13757, 13760, 13763, 13766, 13769, 13772, 13775, 13778, 13781, 13784, 13787, 13790, 13793, 13796, 13799, 13802, 13805, 13808, 13811, 13814, 15143, 19209, 19562, 21200
\PackageInfo 2937, 4191, 4293, 4440, 4632, 13307, 15988, 20518
\PackageWarning . . . 138, 2936, 3546, 3661, 4294, 4323, 6526, 7982, 8080, 11101, 11737, 13265, 13277, 15074, 15137, 15222, 15229, 15368, 19553, 19944
\PackageWarningNoLine 2600, 2965, 2990, 3019, 3044, 3076, 3082, 3110, 3116, 4490
\page@sofar . . . 164, 15046
\pagebreak 13835, 20664, 20673
\pagecontents 15821
\pagedepth 20658
\pagefillstretch . 20670
\pagefilstretch . . 20669
\pagefootnoterule 11384, 11392
\pagegoal 11631, 11633, 11638, 11645, 11686, 11688, 13925, 14980, 20661
\pageinwindow 7517
\pagenumbering 2404, 6220
\pageref 2543, 2545
\pageshrink . . . 11647, 11651, 11667, 11693, 11705, 20664
\pagestretch . . 11646, 11667, 11705, 20668
\pagestyle 1949, 2395, 2403, 2546, 4985, 6221, 8066
\pagetotal . . . 11633, 11638, 11644, 14637, 14978, 14981, 14992, 20656, 20661, 20719
\paperheight 2332, 2335, 2338, 2341, 2344, 2347, 2350, 2351, 8462
\paperwidth 2333, 2336, 2339, 2342, 2345, 2348, 2351, 2352, 8462, 8470
\par . . . 5, 15, 46, 60, 76, 107, 108, 109, 110, 200, 210, 227, 228, 229, 249, 263, 278, 310, 313, 404, 423, 429, 431, 432, 451, 494, 500, 504, 516, 535, 562, 565, 631, 641, 655, 668, 695, 756, 766, 773, 774, 802, 841, 847, 851, 883, 897, 912, 938, 952, 1008, 1018, 1025, 1026, 1054, 1093, 1099, 1103,

1138, 1151, 1179,
1190, 1200, 1258,
1268, 1275, 1276,
1304, 1344, 1350,
1355, 1360, 1363,
1944, 1980, 2321,
4859, 4867, 4926,
4927, 4930, 4931,
4956, 4965, 4966,
5135, 5151, 5875,
5990, 5991, 5992,
5993, 6118, 6120,
6122, 6140, 6141,
6142, 6316, 6423,
6437, 6448, 6466,
6541, 6549, 6574,
6645, 6658, 6683,
6694, 6756, 6766,
6773, 6774, 6822,
6835, 6860, 6882,
6933, 6943, 6950,
6951, 6974, 6982,
6994, 7029, 7035,
7037, 7038, 7057,
7100, 7106, 7110,
7122, 7139, 7169,
7174, 7182, 7259,
7400, 7817, 8187,
8208, 8673, 8685,
8701, 8704, 8712,
8752, 8758, 8760,
8761, 8778, 8817,
8823, 8827, 8847,
8853, 8855, 8856,
8875, 8918, 8924,
8928, 8939, 8963,
8968, 8977, 9011,
9016, 9019, 9021,
9022, 9032, 9333,
9439, 9442, 9445,
9545, 9548, 9551,
9651, 9654, 9657,
9760, 9763, 9766,
9869, 9872, 9875,
9978, 9981, 9984,
10087, 10090,
10093, 10196,
10199, 10202,
10305, 10308,
10311, 10643,
10653, 10662,
10671, 10775,
10792, 10801,
10805, 10813,
10852, 10858,
10860, 10861,
10878, 10917,
10923, 10927,
11095, 11555,
13157, 13158,
13159, 13178,
13188, 13196,
13224, 13229,
13232, 13234,
13324, 13466,
13868, 13968,
13991, 13995,
14624, 14696,
14702, 14708,
14712, 14718,
14733, 14752,
14761, 15018,
15030, 15043,
15281, 15293,
15355, 15628,
15799, 15800,
15801, 15802,
15895, 15896,
15903, 15904,
15964, 16035,
16045, 16059,
16072, 16097,
16166, 16176,
16183, 16184,
16212, 16251,
16257, 16261,
16305, 16315,
16322, 16323,
16353, 16397,
16403, 16408,
16413, 16416,
16431, 16444,
16469, 16485,
16495, 16559,
16564, 16570,
16572, 16573,
16592, 16602,
16640, 16645,
16648, 16659,
16676, 16751,
16757, 16759,
16760, 16779,
16822, 16828,
16832, 16844,
16861, 16890,
16894, 16902,
17092, 17137,
17142, 17145,
17147, 17152,
17155, 17157,
17159, 17165,
17173, 17179,
17249, 17255,
17258, 17260,
17266, 17269,
17271, 17274,
17277, 17297,
17406, 17410,
17411, 17415,
17416, 17420,
17641, 17686,
17691, 17694,
17696, 17701,
17704, 17706,
17708, 17714,
17722, 17728,
17798, 17804,
17807, 17809,
17815, 17818,
17820, 17823,
17826, 17986,
17990, 17991,
17995, 17996,
18000, 18211,
18241, 18247,
18253, 18259,
18265, 18271,
18277, 18283,
18289, 18291,
18294, 18297,
18301, 18340,
18385, 18390,
18393, 18395,
18400, 18403,
18405, 18407,
18413, 18421,
18427, 18497,
18503, 18506,
18508, 18514,
18517, 18519,

18522, 18525, 18669, 18673, 18674, 18678, 18679, 18683, 19004, 19614, 19620, 19773, 19879, 19960, 20387, 20489, 20546, 20547, 20553, 20554, 20556, 20564, 20617, 20883, 20884, 20893, 20894, 21052, 21061, 21070, 21079, 21148, 21187, 21616, 21637
\par@updaterelative 17133, 17245, 17682, 17794, 18381, 18493
\paragraph 5771
\paragraphfootnotes 10403, 10409
\parbox . . . 2492, 2494, 8054, 9027, 10976, 10977, 10978, 10982, 10983, 10984, 12296, 12298, 12302, 12304, 12335, 12336, 12339, 12340, 12397, 12398, 12401, 12402, 12426, 12428, 12432, 12434, 13872, 14690, 14719, 15279, 15281, 15282, 15284, 15286, 15287, 15289, 15291, 15293, 15294, 15296, 15298, 15299, 15300, 15301, 15302, 15303, 15305, 15306, 15307, 15308, 15309, 15310, 15311, 15312, 15313, 15314, 15316, 15317, 15318, 15319, 15321, 15322, 15323, 15324, 15326, 15327, 15328, 15329, 15330, 15331, 15333, 15334, 15335, 15336, 15337, 15338, 15340, 15341, 15342, 15343, 15344, 17472, 18052, 18241, 18247, 18253, 18259, 18265, 18271, 18277, 18283, 18289, 18300, 18735
\parfillskip . 13, 208, 514, 531, 650, 666, 691, 877, 893, 910, 1133, 1149, 1175, 5866, 6442, 6640, 6656, 6679, 6817, 6833, 6856, 7120, 7135, 7287, 7406, 8669, 8683, 8937, 10571, 10575, 10579, 10773, 10788, 13186, 13975, 15011, 15023, 15035, 15918, 15931, 15944, 15955, 16054, 16070, 16093, 16426, 16442, 16465, 16657, 16672, 16842, 16857, 19160, 19189, 19219, 19338, 19369, 19392, 19409, 19426, 19443, 19460, 19477, 19495, 19514, 19534, 19569, 19764, 19872, 19898, 19900, 19960, 20361, 20363, 20477, 21090, 21175
\parindent . . . 12, 42, 56, 72, 103, 207, 223, 245, 259, 274, 455, 513, 530, 557, 601, 616, 652, 665, 690, 742, 759, 865, 880, 892, 909, 946, 994, 1011, 1057, 1117, 1135, 1148, 1174, 1244, 1261, 1984, 2399, 4687, 5358, 5867, 5909, 5917, 5982, 6135, 6441, 6544, 6624, 6642, 6655, 6678, 6742, 6759, 6801, 6819, 6832, 6855, 6919, 6936, 6970, 6990, 7012, 7061, 7119, 7134, 7165, 7179, 7283, 7314, 7405, 8668, 8682, 8696, 8709, 8782, 8879, 8936, 8959, 8974, 9086, 9354, 9434, 9540, 9646, 9755, 9864, 9973, 10082, 10191, 10300, 10570, 10574, 10578, 10679, 10688, 10772, 10787, 10798, 10810, 10882, 12010, 13153, 13185, 13971, 15012, 15024, 15036, 15348, 15919, 15932, 15945, 15956, 16020, 16056, 16069, 16092, 16152, 16169, 16275, 16291, 16308, 16428, 16441, 16464, 16559, 16602, 16639,

16656, 16671, 16735, 16783, 16841, 16856, 16887, 16899, 17093, 17642, 18212, 18341, 19170, 19207, 19308, 19339, 19370, 19393, 19410, 19427, 19444, 19461, 19478, 19496, 19515, 19535, 19570, 19763, 19871, 19902, 20297, 20358, 20359, 20478, 20889, 20899, 20990, 21090, 21115, 21116, 21176
\parsep ... 949, 4679, 4680, 5889, 5890, 5928, 5955, 20989
\parshape 7256, 11759, 11767, 13374, 15430, 15450, 15634, 15799, 15801, 16558, 16601, 17080, 17089, 17629, 17638, 18202, 18209, 18328, 18337, 20883, 20893, 21019, 21054, 21056, 21057, 21058, 21063, 21065, 21066, 21067, 21072, 21074, 21075, 21076, 21081, 21083, 21084, 21085
\parskip 103, 223, 602, 617, 866, 1118, 1977, 2400, 4688, 5359, 5910, 5918, 5981, 6136, 6440, 6543, 6578, 6625, 6802, 7013, 7723, 7732, 7742, 7897, 7906, 7916, 9015, 9018, 9020, 9022, 13153, 13228, 13231, 13233, 13971, 13980, 15634, 15967, 16021, 16276, 16639, 16736, 18234, 19309, 20297, 20655, 20659, 20989
\part 23, 13172
\partname 561, 8700
\partopsep 5931, 14675, 14677, 15424, 15444
\PassOptionsToClass 6173, 6174, 6175, 6176, 6177, 6197, 6198, 6199, 6200, 6201
\PassOptionsToPackage 5190, 6020
\pbs 15488, 15509
\pbs@newkey 15492
\pdfencryptsetup 1658, 1659, 1767
\pdflastxpos ... 2947, 2975, 3055, 3092
\pdflastypos ... 3001, 3029, 3058, 3095
\pdfm@box 13102, 13110, 13119, 13127
\pdfsavepos 2957, 2959, 2982, 2984, 3011, 3013, 3036, 3038, 3068, 3070, 3102, 3104
\pdfstringdefDisableCommands 13026
\penalty 751, 1003, 1253, 6362, 6684, 6751, 6861, 6928, 7140, 7244, 7250, 7721, 7730, 7740, 7895, 7904, 7914, 10372, 10572, 10576, 10580, 10793, 11668, 16098, 16161, 16300, 16470, 16677, 16862, 19774, 20285, 20393, 20660
\pgf@baseline 15589
\pgf@insertlayers 15611
\pgf@nodecallback 15567
\pgf@oldpicture .. 15574
\pgf@picmaxx .. 15568, 15580, 15582, 15600
\pgf@picmaxy 15570, 15584
\pgf@picminx 15569, 15583, 15593
\pgf@picminy 15571, 15585
\pgf@picture 15574
\pgf@picture@serial@count 15565, 15566
\pgf@process 15589, 15592, 15599
\pgf@relevantforpicturesizefalse 15588
\pgf@relevantforpicturesizetrue 15572
\pgf@remember@layerlist@globally 15606
\pgf@resetpathsizes 15573
\pgf@restore@layerlist@from@global 15610
\pgf@shift@baseline 15590
\pgf@trimleft 15592
\pgf@trimleft@final . 15594, 15595, 15597
\pgf@trimright ... 15599
\pgf@trimright@final . 15601, 15602, 15604
\pgf@x 15593, 15597, 15600, 15604
\pgf@y 15590
\pgfpic 15620
\pgfpicture 15561
\pgfpictureid 15566, 15577
\pgfpicturetrue .. 15564
\pgfsys@discardpath 15613
\pgfsys@endpicture 15616
\pgfsys@endscope . 15615
\pgfsys@markposition 15577
\pgfsys@typesetpicturebox 15620
\pgfutil@gobble .. 15567

\pgfutil@ifnextchar 15574
\phantom . . . 14222, 15069
\phantomsection . . . 2490
\phone 2450
\phonesymbol 2410, 8061, 8159
\photo 2455
\picbox 15739
\picinwindow 7537
\picwd 15627, 15630, 15738, 15740
\place@tag . 338, 339, 341
\plainauthor 4997, 6040, 6042, 6081, 6082, 6085
\plainfootnotes . . . 9199
\plainpublisher . . . 6043, 6108, 6109
\plaintitle 4998, 4999, 6040, 6041, 6064, 6065, 6068, 6236, 6238
\plitemsep 5929
\plparsep 5928
\plpartopsep 5931
\pLRE 1600, 1601, 1883, 1884
\pltopsep 5930
\poem@finish 6473, 6523, 6530
\poem@line 6400, 6406, 6457
\poem@linebegin 6357, 6415
\poem@lineend . 6358, 6421
\poem@lineparsebegin . . . 6369, 6426, 6453
\poem@lineparseend . . . 6395, 6407, 6464
\poem@lineversesep 6359, 6418
\poem@needrun . . 6351, 6470, 6525, 6527
\poem@obeylines 6452, 6521, 6561, 6585
\poem@prop . . . 6433, 6535
\poem@startedfalse . . . 6450, 6559, 6565
\poem@startedtrue 6408, 6409, 6449, 6551, 6553, 6558, 6566, 6568
\poem@verse 6346, 6416, 6419
\poem@width 6349, 6350, 6354, 6431, 6433, 6436, 6469
\poem@write@aux . . . 6472, 6524, 6536
\poemblocksep 6343, 6447, 6547
\poemcolsepskip 6334, 6363
\poemextrabaselineskip . . . 6336, 6424, 6459
\poemmarginskip . . . 6335, 6357, 6358
\poemskip 6337, 6437, 6468
\postbibhook 14768
\postdisplaypenalty 11069, 11083
\postmath 7250
\PotEndMark 8509, 8514, 8517
\predisplaydirection 15847, 15848, 21624, 21625
\predisplaypenalty 11068, 11082
\premath 7246
\prepare@bidi@copyins 11776, 11809, 11858, 12016
\prepare@multicols 15207
\preparefootins 11808, 11857
\PrependToTokenList 3880
\prepnext@tok 1407, 1417, 1465, 1497, 7324, 7352
\presetkeys 20646
\presig@skip 18300
\prevdepth 4859, 4867, 8257, 8311, 14680, 15071
\pRLE 1602, 1603, 1885, 1886
\process@cols . 15047, 15080, 15097, 15103
\ProcessOptions 2362, 4655, 5746, 6005, 6037, 6178, 6202, 7984, 8082
\ProcessOptionsX . . 1765
\protect 400, 1600, 1601, 1602, 1603, 1828, 1883, 1884, 1885, 1886, 2142, 2148, 2154, 2160, 2169, 2175, 3210, 3211, 3838, 3844, 4545, 4958, 11158, 11569, 11583, 13490, 13495, 13856, 14754, 18994, 18995, 18999, 19007, 19276, 19620, 20826, 21528
\protected 1883, 1885, 2935, 2936, 2937, 3158, 3166, 3168, 3174, 3360, 3376, 3392, 3415, 3417, 3467, 3520, 3533, 15763, 15773, 15783, 15791, 20843, 20853, 20863, 20872
\protected@edef . 43, 57, 73, 246, 260, 275, 5557, 5575, 5593, 9115, 9129, 9143, 9155, 9166, 9177, 9406, 9416, 9426, 9452, 9465, 9477, 9515, 9524, 9533, 9558, 9570, 9581, 9618, 9628, 9638, 9664, 9677, 9689, 9727, 9737, 9747, 9773, 9786, 9798, 9836, 9846, 9856, 9882, 9895, 9907, 9945, 9955, 9965, 9991, 10004, 10016, 10054, 10064, 10074, 10100, 10113, 10125, 10163, 10173, 10183, 10209, 10222, 10234, 10272, 10282, 10292,

10318, 10331, 10343, 10538, 10550, 10562, 10599, 10613, 10627, 11440, 11457, 11473, 11501, 11515, 11529
\protected@write 1726, 1730, 4525, 4536
\protected@xdef 5620, 5649, 5678, 6061, 6078, 6094, 6105, 11405, 11414, 11568, 11573, 11582, 11588, 12670, 12708, 12741, 12772, 12803, 12866
\providecommand . . . 2407, 2408, 2409, 2410, 2411, 2412, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2647, 5518, 5525, 5526, 5935, 8045, 8050, 11291
\ProvidesClass 2329, 6172, 6196
\ProvidesExplPackage 14029
\ProvidesFile 1, 131, 165, 196, 326, 344, 349, 351, 410, 605, 854, 1106, 1366, 6613, 6790, 6967, 7000, 7213, 7268, 7310, 7312, 7315, 7353, 7396, 7411, 7507, 7545, 8173, 8338, 8457, 8460, 8499, 8661, 8834, 9008, 9041, 10765, 10941, 10970, 10986, 11063, 11093, 11102, 11107, 11257, 11597, 11774, 12017, 12144, 12186, 12487, 13131, 13217, 13221, 13243, 13380, 13419, 13523, 13817, 13946, 13954, 14612, 14769, 15007, 15045, 15278, 15345, 15373, 15411, 15432, 15452, 15486, 15512, 15560, 15624, 15852, 15893, 15909, 16009, 16264, 16541, 16723, 16926, 17055, 17604, 18195, 18303, 18878, 18885, 18945, 18971, 18976, 19010, 19085, 19115, 19134, 19154, 19183, 19232, 19313, 19621, 20276, 20522, 20651, 20727, 20831, 21779
\ProvidesPackage 1504, 1948, 2004, 2137, 2578, 2646, 4626, 5192, 5734, 5880, 5996, 6023, 6261, 7971, 8069
\prune 15644, 15682, 15686, 15691, 15695, 15707, 15718, 15745
\prw@mkboth . . . 19282, 19287, 19299, 19304
\psgrid 15856
\pspicture 15853
\psset 15891
\pst@dima 15868
\pst@dimb 15866, 15871, 15873, 15878, 15881
\pst@dimc 15884
\pst@dimd 15865, 15871, 15872, 15873, 15874, 15878, 15879, 15880, 15881, 15882
\pst@hbox 15861, 15865, 15866, 15867, 15883, 15885, 15886, 15888
\pst@ifstar 15853
\pst@killglue 15857
\pst@picture 15853
\pst@shift 15858, 15880, 15888
\pst@tempa . 15870, 15872
\publisher . . . 6098, 6099
\publishers 17230, 17779, 18478
\put 7416, 7417, 7418, 7419, 7420, 7421, 7426, 7427, 7428, 7429, 7430, 7431, 7439, 7440, 7441, 7442, 7443, 7444, 7449, 7450, 7451, 7452, 7453, 7454, 7462, 7463, 7464, 7465, 7466, 7467, 7472, 7473, 7474, 7475, 7476, 7477, 7485, 7486, 7487, 7488, 7489, 7490, 7495, 7496, 7497, 7498, 7499, 7500, 8462, 8476, 8494, 15465, 15467, 15480, 15483

Q

\Q 5375, 5397
\q 14117, 14120, 14349, 14403
\qauthor 15894
\qquad 5811, 5818, 5825, 5832, 5839, 5874, 15896
\quad 1645, 1917, 4997, 4998, 4999, 6236, 6237, 6238, 6343, 20956, 20965
\quote 2456

\quotecolour 2418, 7989, 8087
\quotefont 2427, 2435, 8029, 8122
\quotestyle 2435, 8042, 8171
\quotewidth 2457, 2469, 8042, 8171

R

\R@@page 16931, 16932, 16941, 16943, 16974, 16975, 16986, 16988
\raggedbottom 2405
\raggeddictum 17366, 17946, 18629
\raggeddictumauthor . 17368, 17948, 18631
\raggeddictumtext . . 17367, 17947, 18630
\RaggedLeft . . . 15923, 15972, 15988, 15992, 16005, 16007, 18883, 18884, 21738, 21742, 21746, 21754
\raggedleft 25, 104, 224, 557, 6970, 7165, 7179, 8696, 8709, 8959, 8974, 9011, 9014, 9019, 9027, 10798, 10810, 13154, 13174, 13224, 13227, 13232, 14651, 14652, 15896, 15898, 15904, 16887, 16899, 17280, 17281, 17366, 17367, 17368, 17370, 17829, 17946, 17947, 17948, 17950, 18294, 18300, 18528, 18629, 18630, 18631, 18633, 21091, 21093, 21095, 21096
\RaggedLeftLeftskip 15928
\RaggedLeftParfillskip 15931
\RaggedLeftParindent 15932
\RaggedLeftRightskip 15929
\raggedpart 17281
\RaggedRight . . 15936, 15974, 15989, 15994, 16006, 16008, 18883, 18884, 21738, 21742, 21748, 21752
\raggedright 25, 104, 224, 557, 6970, 6990, 7165, 7179, 8696, 8709, 8959, 8974, 9011, 9014, 9019, 9027, 10798, 10810, 13154, 13174, 13224, 13227, 13232, 14651, 14652, 15896, 15898, 15904, 16887, 16899, 17280, 17281, 17366, 17367, 17368, 17370, 17829, 17946, 17947, 17948, 17950, 18294, 18300, 18528, 18629, 18630, 18631, 18633, 19905, 19908, 19912, 20013, 21087, 21092, 21094, 21095, 21096
\RaggedRightLeftskip 15941
\RaggedRightParfillskip 15944
\RaggedRightParindent 4685, 5356, 5915, 15945
\RaggedRightRightskip 5912, 15942
\raggedsection 17280, 17829, 18528
\raise 10964, 13169
\raisebox . 4910, 4915, 4926, 4927, 4930, 4931, 8507, 8512, 8528, 8531, 8647, 12309, 12311, 12315, 12317, 12344, 12345, 12348, 12349, 12406, 12407, 12410, 12411, 12439, 12441, 12445, 12447, 13375
\rangle 2051
\rawtext 15634, 15640, 15662, 15663, 15744, 15748
\rbrace 20945, 20954
\rcb . 2052, 2055, 2056, 2060
\rcol@footinsskip 11789, 11838
\realfootnote 12863
\recomputelengths 2468, 2485
\recomputethemelengths 2467, 2483, 8134, 8139
\reflectbox 12078
\refname 570, 571, 705, 706, 968, 969, 1218, 1219, 2554, 5970, 8717, 8718
\refstepcounter 552, 8691, 11084, 13040, 13478, 13484, 13819, 14745, 15421, 15442, 19273
\refvskip 18235
\regex 14057, 14062, 14065, 14068, 14071, 14072, 14108, 14113, 14115, 14159, 14160, 14172
\reinsert@footnotes 15208, 15210, 15238,

15240, 15245, 15247, 15252, 15254
\relax 2, 8, 10, 12, 14, 28, 85, 103, 132, 166, 197, 203, 205, 207, 209, 223, 232, 288, 301, 319, 400, 414, 415, 416, 437, 438, 439, 440, 445, 446, 447, 448, 472, 473, 474, 475, 476, 481, 482, 483, 484, 508, 602, 617, 624, 654, 660, 678, 731, 738, 739, 740, 744, 753, 762, 779, 780, 785, 786, 787, 788, 791, 794, 798, 823, 824, 825, 830, 831, 832, 833, 866, 882, 904, 922, 931, 965, 990, 991, 992, 996, 1005, 1014, 1031, 1032, 1037, 1038, 1039, 1040, 1043, 1046, 1050, 1075, 1076, 1077, 1082, 1083, 1084, 1085, 1118, 1125, 1137, 1143, 1161, 1211, 1240, 1241, 1242, 1246, 1255, 1264, 1281, 1282, 1287, 1288, 1289, 1290, 1293, 1296, 1300, 1325, 1326, 1327, 1332, 1333, 1334, 1335, 1422, 1423, 1440, 1441, 1442, 1663, 1669, 1675, 1681, 1687, 1693, 1705, 1711, 1717, 1724, 1733, 1734, 1738, 1745, 1755, 1828, 1859, 1991, 1992, 1993, 1998, 1999, 2000, 2001, 2225, 2233, 2241, 2292, 2362, 2621, 2626, 2632, 2647, 2845, 2848, 2858, 2876, 2930, 3131, 3135, 3145, 3152, 3165, 3349, 3353, 3678, 3679, 3683, 3722, 3723, 3765, 3788, 3915, 3929, 3992, 3994, 4003, 4004, 4020, 4028, 4045, 4056, 4061, 4110, 4134, 4149, 4166, 4181, 4197, 4214, 4226, 4258, 4269, 4348, 4556, 4557, 4566, 4594, 4659, 5157, 5366, 5474, 5537, 5541, 5545, 5625, 5636, 5654, 5665, 5683, 5694, 5752, 5949, 5957, 5962, 5993, 6178, 6202, 6298, 6303, 6306, 6313, 6351, 6357, 6452, 6470, 6499, 6506, 6513, 6525, 6561, 6625, 6632, 6644, 6650, 6666, 6722, 6738, 6739, 6740, 6744, 6753, 6762, 6779, 6780, 6785, 6786, 6787, 6788, 6802, 6809, 6821, 6827, 6843, 6875, 6915, 6916, 6917, 6921, 6930, 6939, 6956, 6957, 6962, 6963, 6964, 6965, 7013, 7020, 7021, 7022, 7043, 7044, 7045, 7046, 7051, 7052, 7053, 7054, 7078, 7079, 7080, 7081, 7082, 7087, 7088, 7089, 7090, 7114, 7256, 7270, 7271, 7272, 7277, 7278, 7279, 7280, 7283, 7287, 7288, 7289, 7290, 7291, 7292, 7392, 7410, 7560, 7623, 7984, 8082, 8174, 8175, 8176, 8177, 8178, 8190, 8211, 8265, 8277, 8280, 8317, 8329, 8332, 8483, 8489, 8550, 8629, 8677, 8745, 8746, 8747, 8766, 8767, 8772, 8773, 8774, 8775, 8799, 8800, 8801, 8806, 8807, 8808, 8809, 8838, 8839, 8840, 8861, 8862, 8863, 8864, 8869, 8870, 8871, 8872, 8896, 8897, 8898, 8899, 8900, 8905, 8906, 8907, 8908, 8932, 9078, 9079, 9080, 9081, 9082, 9211, 9391, 9435, 9500, 9541, 9603, 9647, 9712, 9756, 9821, 9865, 9930, 9974, 10039, 10083, 10148, 10192, 10257, 10301, 10375, 10406, 10416, 10422, 10445, 10474, 10480, 10507, 10525, 10761, 10762, 10767, 10845, 10846, 10847, 10866, 10867, 10872, 10873, 10874, 10875, 10899, 10900, 10901, 10906, 10907, 10908, 10909, 10946, 10948, 10952, 10999, 11035, 11064, 11074, 11117, 11137, 11138, 11153, 11255,

11387, 11409,
11418, 11577,
11592, 11630,
11652, 11690,
11801, 11850,
12249, 12251,
12254, 12267,
12269, 12272,
12518, 12529,
12540, 12551,
12565, 12576,
12587, 12598,
12613, 12628,
12669, 12688,
12707, 12726,
12740, 12759,
12771, 12790,
12802, 12821,
12903, 12937,
12968, 12997,
13134, 13153,
13163, 13175,
13181, 13183,
13185, 13187,
13272, 13284,
13291, 13292,
13296, 13297,
13306, 13374,
13856, 13993,
13996, 13999,
14000, 14001,
14007, 14615,
14616, 14617,
14618, 14619,
14679, 14783,
14883, 15009,
15011, 15012,
15015, 15021,
15023, 15024,
15027, 15033,
15035, 15036,
15039, 15135,
15177, 15471,
15472, 15473,
15516, 15521,
15526, 15535,
15543, 15565,
15568, 15569,
15570, 15571,
15580, 15582,
15583, 15584,
15585, 15754,
15818, 15908,
15979, 15985,
15997, 16021,
16028, 16058,
16064, 16080,
16112, 16148,
16149, 16150,
16154, 16163,
16172, 16189,
16190, 16195,
16196, 16197,
16198, 16201,
16204, 16208,
16233, 16234,
16235, 16240,
16241, 16242,
16243, 16276,
16285, 16286,
16287, 16293,
16302, 16311,
16328, 16329,
16330, 16331,
16336, 16337,
16338, 16339,
16342, 16345,
16349, 16374,
16375, 16376,
16377, 16378,
16383, 16384,
16385, 16386,
16430, 16436,
16452, 16478,
16535, 16540,
16545, 16546,
16547, 16578,
16579, 16580,
16581, 16586,
16587, 16588,
16589, 16618,
16619, 16620,
16621, 16622,
16627, 16628,
16629, 16630,
16652, 16736,
16742, 16743,
16744, 16765,
16766, 16767,
16768, 16773,
16774, 16775,
16776, 16800,
16801, 16802,
16803, 16804,
16809, 16810,
16811, 16812,
16836, 17101,
17102, 17108,
17109, 17111,
17120, 17121,
17122, 17182,
17208, 17209,
17210, 17211,
17212, 17225,
17226, 17227,
17228, 17229,
17230, 17231,
17232, 17233,
17234, 17235,
17296, 17358,
17363, 17524,
17541, 17650,
17651, 17657,
17658, 17660,
17669, 17670,
17671, 17731,
17757, 17758,
17759, 17760,
17761, 17774,
17775, 17776,
17777, 17778,
17779, 17780,
17781, 17782,
17783, 17784,
17832, 17848,
17856, 17864,
17875, 17938,
17943, 18104,
18121, 18349,
18350, 18356,
18357, 18359,
18368, 18369,
18370, 18430,
18456, 18457,
18458, 18459,
18460, 18473,
18474, 18475,
18476, 18477,
18478, 18479,
18480, 18481,

18482, 18483, 18558, 18621, 18626, 18787, 18804, 18892, 18929, 18992, 19007, 19017, 19019, 19048, 19206, 19224, 19225, 19309, 19318, 19336, 19339, 19342, 19367, 19370, 19373, 19390, 19393, 19396, 19407, 19410, 19413, 19424, 19427, 19430, 19439, 19441, 19444, 19447, 19456, 19458, 19461, 19464, 19475, 19478, 19481, 19493, 19496, 19499, 19512, 19515, 19518, 19532, 19535, 19538, 19550, 19565, 19567, 19570, 19573, 19587, 19617, 19618, 19619, 19748, 19769, 19856, 19882, 19894, 19896, 19902, 19919, 19923, 19935, 19937, 19943, 19952, 19954, 20016, 20030, 20064, 20071, 20077, 20138, 20197, 20200, 20204, 20210, 20255, 20291, 20299, 20300, 20302, 20303, 20316, 20327, 20331, 20336, 20341, 20349, 20353, 20362, 20363, 20374, 20382, 20393, 20399, 20403, 20407, 20424, 20428, 20477, 20478, 20481, 20529, 20537, 20678, 20761, 20810, 20825, 20918, 20975, 20987, 21038, 21118, 21121, 21123, 21175, 21176, 21179, 21199, 21208, 21212, 21247, 21294, 21631, 21632, 21633

\remainx 15281

\remainxox . 15316, 15323

\remainxoxx 15326, 15335, 15344

\remainxx . . 15284, 15286

\remainxxx 15289, 15291, 15293, 15318, 15321

\remainxxxx . . . 15296, 15298, 15300, 15302, 15328, 15330, 15333, 15337, 15340, 15342

\remainxxxxx 15305, 15307, 15309, 15311, 15313

\remove@strip . 14791, 14821, 14891, 14921

\renewcommand . . . 19, 20, 21, 22, 86, 168, 214, 215, 216, 217, 289, 329, 412, 451, 453, 507, 524, 538, 542, 546, 547, 548, 549, 581, 621, 643, 659, 677, 685, 698, 700, 701, 702, 703, 716, 722, 728, 734, 735, 745, 802, 804, 870, 887, 900, 903, 921, 928, 954, 955, 956, 957, 958, 963, 979, 986, 987, 997, 1054, 1056, 1122, 1126, 1142, 1160, 1169, 1182, 1202, 1208, 1213, 1214, 1215, 1216, 1229, 1236, 1237, 1247, 1304, 1306, 1980, 1982, 2354, 2355, 2356, 2392, 2393, 2398, 2447, 2451, 2482, 2487, 2568, 4108, 4132, 4464, 4469, 4489, 4502, 4524, 4535, 4663, 4672, 4713, 4831, 4834, 4835, 4839, 4840, 4992, 4993, 5342, 5343, 5344, 5345, 5346, 5347, 5348, 5349, 5350, 5404, 5519, 5528, 5549, 5567, 5585, 5700, 5701, 5702, 5784, 5793, 5845, 5853, 5877, 5882, 5893, 5894, 5895, 5896, 5897, 5898, 5899, 5965, 5970, 5972, 5973, 5990, 5991, 5992, 5993, 6050, 6051, 6052, 6054, 6058, 6059, 6060, 6064, 6065, 6071, 6075, 6076, 6077, 6081, 6082, 6087, 6091, 6092, 6093, 6102, 6103, 6104, 6108, 6109, 6131, 6155, 6217, 6230, 6235, 6243, 6629, 6633, 6649, 6665, 6673, 6687, 6707, 6713, 6719, 6724, 6725, 6726, 6727, 6728, 6729, 6731, 6733, 6735, 6745, 6806, 6810, 6826, 6842, 6850, 6864, 6866, 6872,

6895, 6901, 6902,
6903, 6904, 6905,
6906, 6908, 6910,
6912, 6922, 7018,
7057, 7059, 7113,
7128, 7143, 7147,
7151, 7153, 7155,
7157, 7158, 7159,
7160, 7161, 7162,
7185, 7204, 7269,
7274, 7296, 7303,
7313, 7397, 7402,
7412, 7435, 7458,
7481, 7508, 7524,
7985, 8025, 8026,
8027, 8028, 8029,
8030, 8031, 8032,
8046, 8051, 8083,
8117, 8118, 8119,
8120, 8121, 8122,
8123, 8124, 8134,
8146, 8334, 8335,
8336, 8458, 8461,
8465, 8481, 8634,
8635, 8662, 8676,
8728, 8734, 8738,
8743, 8778, 8780,
8830, 8831, 8832,
8833, 8836, 8875,
8877, 8931, 8945,
8947, 8949, 8951,
8952, 8953, 8954,
8955, 8956, 8980,
8999, 9009, 9022,
9033, 9037, 9107,
9121, 9135, 9149,
9160, 9171, 10766,
10781, 10816,
10820, 10836,
10843, 10878,
10880, 10930,
10931, 10932,
10933, 10934,
10935, 10937,
10939, 11064,
11074, 11094,
11103, 11208,
11227, 11229,
11231, 11233,
11234, 11235,
11236, 11237,
11238, 11240,
11242, 11244,
11246, 11247,
11248, 11249,
11250, 11251,
11252, 11262,
11331, 11598,
12145, 12155,
13135, 13192,
13193, 13194,
13195, 13218,
13222, 13235,
13239, 13248,
13249, 13250,
13251, 13882,
14613, 14624,
14647, 14648,
14649, 14650,
14651, 14652,
14653, 14654,
14656, 14658,
14660, 14662,
14663, 14665,
14666, 14673,
14674, 14676,
14682, 14683,
15279, 15282,
15287, 15294,
15303, 15314,
15319, 15324,
15331, 15338,
15355, 15357,
15374, 15416,
15437, 15513,
15522, 15894,
15897, 15906,
15910, 15923,
15936, 15949,
15961, 16025,
16047, 16063,
16079, 16087,
16101, 16103,
16109, 16126,
16132, 16133,
16134, 16135,
16136, 16137,
16139, 16141,
16144, 16145,
16155, 16212,
16214, 16281,
16282, 16294,
16353, 16355,
16419, 16435,
16451, 16459,
16473, 16475,
16497, 16498,
16499, 16500,
16501, 16502,
16504, 16506,
16520, 16526,
16532, 16537,
16543, 16551,
16592, 16594,
16651, 16665,
16680, 16683,
16687, 16691,
16693, 16695,
16697, 16698,
16699, 16700,
16701, 16714,
16740, 16779,
16781, 16835,
16850, 16865,
16869, 16873,
16875, 16877,
16879, 16880,
16881, 16882,
16883, 16884,
16917, 17061,
17065, 17069,
17073, 17099,
17106, 17113,
17126, 17128,
17190, 17192,
17237, 17282,
17283, 17284,
17287, 17288,
17302, 17327,
17356, 17361,
17366, 17367,
17368, 17369,
17372, 17445,
17463, 17485,
17487, 17508,
17510, 17512,
17515, 17521,
17530, 17532,
17534, 17540,
17610, 17614,

17618, 17622, 17648, 17655, 17662, 17675, 17677, 17739, 17741, 17786, 17830, 17831, 17839, 17840, 17843, 17844, 17847, 17855, 17863, 17882, 17907, 17936, 17941, 17946, 17947, 17948, 17949, 17952, 18025, 18043, 18065, 18067, 18088, 18090, 18092, 18095, 18101, 18109, 18111, 18114, 18120, 18196, 18309, 18313, 18317, 18321, 18347, 18354, 18361, 18374, 18376, 18438, 18440, 18485, 18529, 18530, 18534, 18535, 18538, 18539, 18542, 18546, 18550, 18565, 18590, 18619, 18624, 18629, 18630, 18631, 18632, 18635, 18708, 18726, 18748, 18750, 18771, 18773, 18775, 18778, 18784, 18792, 18794, 18797, 18803, 18879, 18882, 19155, 19184, 19190, 19222, 19235, 19249, 19260, 19316, 19363, 19382, 19404, 19421, 19438, 19455, 19472, 19490, 19508, 19509, 19528, 19529, 19548, 19616, 19890, 19912, 20189, 20191, 20193, 20209, 20216, 20218, 20220, 20223, 20227, 20232, 20236, 20240, 20254, 20259, 20261, 20264, 20268, 20271, 20277, 20397, 20504, 20526, 20544, 20566, 20578, 20614, 21093, 21094, 21325, 21326, 21327, 21637, 21679, 21681, 21682, 21683, 21735, 21737, 21739, 21741, 21745, 21747, 21751, 21753

\RenewDocumentCommand 14215, 14548

\renewenvironment 83, 286, 569, 590, 606, 626, 633, 704, 855, 933, 940, 967, 1107, 1185, 1192, 1217, 4934, 4937, 4940, 4943, 5941, 5951, 5959, 5975, 6186, 6614, 6689, 6695, 6791, 6877, 6883, 7001, 7192, 7254, 7275, 7409, 8716, 8987, 10824, 11081, 11615, 14764, 15346, 15453, 16010, 16030, 16037, 16114, 16265, 16480, 16487, 16508, 16702, 16724, 16905, 17291, 17871, 18554, 19236, 19239, 19265, 20957

\renewrobustcmd 13984, 14010, 14021

\renewtagform 13952

\repeat . . . 1783, 1784, 1785, 3942, 3949, 7523, 7685, 7691, 7799, 7857, 7867, 10386, 10395, 13334, 15652, 15699, 15710, 15721, 15749, 19031

\RequirePackage 1553, 1555, 1556, 1557, 1558, 1559, 1790, 2005, 2006, 2364, 2365, 2366, 2367, 2374, 2375, 2390, 2443, 4311, 4312, 4328, 4372, 4373, 4376, 4628, 4690, 4692, 4699, 4720, 4724, 4760, 4761, 4984, 5194, 5195, 5196, 5197, 5401, 5402, 5517, 5736, 5911, 5922, 5974, 6000, 6008, 6025, 6180, 6181, 6182, 6183, 6184, 6185, 6204, 6205, 6206, 6207, 6208, 6209, 21671, 21674, 21675, 21676, 21727

\RequireXeTeX . 1554, 1867

\reserved@a 2271, 2275, 2281, 2284, 2287, 2290, 2711, 2715, 3197, 3198, 3199, 4313, 4321, 4331, 4333, 4340, 4342, 4347, 4349, 4350, 4353, 4356, 4392, 4393, 4394, 4396, 4403, 4406, 4431, 4432, 4452, 4454, 4458, 4465, 4467, 4546, 4547, 19908,

19909, 19912, 19913, 20393, 20394
\reserved@b 2251, 2252, 2711, 2715, 2716, 4303, 4304, 4332, 4390, 4392, 4409, 4426, 4427, 4432, 4437, 4439, 4440, 4442, 4445, 4465, 4467
\reserved@c 4405, 4408, 4409, 4413, 4424, 4437, 4451, 4455
\reserved@d 2710, 2715, 4425, 4444, 4457
\reset@dir . 15818, 20918
\reset@font 37, 51, 67, 240, 254, 269, 5237, 5281, 5325, 5553, 5554, 5571, 5572, 5589, 5590, 9111, 9125, 9139, 9153, 9164, 9175, 9404, 9414, 9424, 9450, 9462, 9475, 9513, 9522, 9531, 9556, 9567, 9579, 9616, 9626, 9636, 9662, 9674, 9687, 9725, 9735, 9745, 9771, 9783, 9796, 9834, 9844, 9854, 9880, 9892, 9905, 9943, 9953, 9963, 9989, 10001, 10014, 10052, 10062, 10072, 10098, 10110, 10123, 10161, 10171, 10181, 10207, 10219, 10232, 10270, 10280, 10290, 10316, 10328, 10341, 10536, 10548, 10560, 10597, 10611, 10625, 11169, 11434, 11435, 11451, 11452, 11467, 11468, 11497, 11498, 11511, 11512, 11525, 11526, 21420, 21464, 21564
\ResetCounterPerPage 1791, 2581
\resizebox 12099
\restore@protect . . 3212
\restoreCaptionSkip 12280
\restorecounters@ . 8561
\restylefloat 5184
\resumename 2444
\righskip 19618
\right 20945, 20954, 20956
\right@cor . . . 14793, 14794, 14893, 14894
\right@footnoterule 26, 230, 414, 542, 728, 738, 963, 990, 1208, 1240, 6719, 6738, 6872, 6915, 7020, 7147, 8738, 8745, 8838, 9037, 10820, 10845, 11347, 11361, 11371, 11494, 11522, 13161, 13239, 15175, 16109, 16148, 16285, 16532, 16545, 16687, 16742, 16869, 17106, 17120, 17361, 17655, 17669, 17941, 18221, 18354, 18368, 18624
\rightfootnoterule 1698, 8175, 9079, 11359, 12006, 21633
\rightline . . . 15851, 21103, 21107, 21109
\rightlinenumbers 13407, 13415
\rightmargin 948, 5927, 5946, 5954, 5960, 11752, 11756, 15904, 20980, 20991, 20997, 21003, 21011, 21015
\rightskip 12, 13, 207, 208, 305, 309, 513, 530, 533, 534, 624, 637, 648, 649, 654, 665, 690, 693, 694, 875, 876, 882, 892, 895, 896, 909, 931, 1125, 1131, 1132, 1137, 1148, 1174, 1177, 1178, 1196, 5865, 5872, 5873, 6443, 6632, 6638, 6639, 6644, 6655, 6678, 6681, 6682, 6809, 6815, 6816, 6821, 6832, 6855, 6858, 6859, 7119, 7134, 7137, 7138, 7270, 7271, 7272, 7398, 7399, 7405, 8668, 8671, 8672, 8682, 8936, 9353, 10678, 10687, 10772, 10787, 10790, 10791, 13185, 13186, 13974, 14647, 14648, 15011, 15015, 15016, 15023, 15028, 15035, 15040, 15915, 15917, 15928, 15930, 15941, 15943, 15952, 15954, 16028, 16041, 16052, 16053, 16058, 16069, 16092, 16095, 16096, 16424, 16425, 16430, 16441, 16464, 16467, 16468, 16478, 16491, 16540, 16656, 16671, 16674, 16675, 16680, 16681, 16841,

16856, 16859, 16860, 19159, 19164, 19175, 19188, 19192, 19212, 19215, 19220, 19224, 19225, 19336, 19337, 19338, 19346, 19367, 19368, 19369, 19377, 19390, 19391, 19392, 19400, 19407, 19408, 19409, 19417, 19424, 19425, 19426, 19434, 19441, 19442, 19443, 19451, 19458, 19459, 19460, 19468, 19475, 19476, 19477, 19485, 19493, 19494, 19495, 19503, 19512, 19513, 19514, 19522, 19532, 19533, 19534, 19542, 19567, 19568, 19569, 19577, 19617, 19619, 20297, 20359, 20360, 20361, 20367, 20370, 20417, 20477, 20482, 20505, 20512, 20881, 20882, 21088, 21115, 21116, 21175, 21180
\RL . . . 13030, 15808, 20908
\rlap . . . 306, 454, 805, 1307, 1983, 7060, 8781, 8878, 10881, 10976, 10982, 11604, 12037, 12083, 12149, 12150, 12163, 12164, 13219, 15069, 15837, 16215, 16356, 16553, 16596, 16782, 17128, 17192, 17677, 17741, 18376, 18440, 18920, 20928
\RLE . 1602, 1885, 13029, 15808, 15809, 15813, 20531, 20908, 20909, 20913
\rmfamily 734, 986, 1236, 5755, 5808, 5811, 5815, 5818, 5822, 5825, 5829, 5832, 5836, 5839, 16144, 16281
\romannumeral . . 3988, 3989, 6472, 6535, 8569, 8572, 8618, 11210, 11211, 11212, 11213, 11215, 11216, 11217, 11218, 11219, 11222, 11223, 11224, 20983
\rot@float@box 16934, 16935, 16936, 16950, 16959, 16977, 16978, 16979, 16980, 16981, 16997, 17008
\rot@label . 16930, 16973
\rot@LR 16941, 16986
\rot@mess@toks 16933, 16945, 16955, 16964, 16976, 16991, 17003, 17013
\rot@message 16964, 17013
\rot@pageref 16931, 16974
\rotate 17027
\rotatebox 11253, 12212, 12261, 12474, 14041, 14049, 14571, 16950, 16959, 16997, 17008
\rotateframe 11215, 11252
\rotFPbot 16951, 16958, 16998, 17007
\rotFPtop 16949, 16960, 16996, 17009
\rrb 2054, 2064
\rsb 2053, 2062
\RTL . . 15801, 20893, 20895
\RTL@column@boxes . . 15093, 15123, 15128
\RTL@outputdblcol 7547, 10987, 11833, 14770, 21234, 21325, 21326
\RTLbidituftesidenotemarginpar . . . 5286, 5586, 5727
\RTLcases . . 20955, 20958
\RTLcite 5513, 5633, 5662, 5691, 5713, 5722, 5731
\RTLcolumnfootnotes 9200
\RTLdblcol 21326
\RTLdfnmakecol 8335
\RTLfootfootmark . . 9097, 9240, 9445, 9551, 9657, 9766, 9875, 9984, 10093, 10202, 10311, 10580
\RTLfootmarkstyle 9215, 9254
\RTLfootnote . . . 419, 493, 2141, 2154, 5702, 6052, 7025, 7099, 8843, 8917, 11404, 16290, 16396, 16550, 16638, 16747, 16821, 17125, 17241, 17674, 17790, 18373, 18489
\RTLfootnotetext 2209, 2220, 6485, 6495, 11583, 11586, 12699, 13914, 19080, 19084
\RTLfootscript . 9215, 9243, 9247, 9249
\RTLfoottextfont . . 9098, 9126, 9176, 9294, 9424, 9445, 9475, 9531, 9551, 9579, 9636, 9657, 9687, 9745, 9766,

9796, 9854, 9875, 9905, 9963, 9984, 10014, 10072, 10093, 10123, 10181, 10202, 10232, 10290, 10311, 10341, 10560, 10580, 10625
\RTLmarginnote 5724
\RTLmarginpar 21425
\RTLmulticolcolumns 15121
\RTLsidenote .. 5456, 5698
\RTLthanks . 419, 439, 474, 493, 6052, 6060, 6077, 6093, 6104, 7025, 7045, 7080, 7099, 8843, 8863, 8898, 8917, 11581, 14617, 16290, 16330, 16376, 16396, 16550, 16580, 16620, 16638, 16747, 16767, 16802, 16821, 17125, 17210, 17241, 17674, 17759, 17790, 18373, 18458, 18489
\rtside 15682, 15684, 15695, 15697, 15718, 15720
\rule 46, 60, 76, 249, 263, 278, 2492, 8039, 8650, 8654, 8657, 9092, 9098, 9104, 11445, 11462, 11478, 11505, 11519, 11533, 14222, 15888

S

\s 14071, 14072
\save@dir .. 15817, 20917
\savebox 8575, 12209, 12211, 12291
\saveCaptionSkip . 12241
\savecounters@ 8558
\saved@@dir ... 15817, 15818, 20917, 20918
\sbox 8641, 12243, 12260, 13261, 13269, 13314, 13460, 13873, 14040, 14048, 14240, 14527, 14566, 14571, 14684, 14699, 14731, 15454, 17382, 17396, 17436, 17962, 17976, 18016, 18645, 18659, 18699, 19174, 19191, 19933, 21614
\sc@@temp 18240, 18241, 18246, 18247, 18252, 18253, 18258, 18259, 18264, 18265, 18270, 18271, 18276, 18277, 18282, 18283, 18288, 18289
\SC@FLOAT 18879, 21735, 21739, 21745, 21747, 21751, 21753
\SC@justify@caption .. 18882, 21737, 21741, 21746, 21748, 21752, 21754
\sc@temp 18238, 18240, 18244, 18246, 18250, 18252, 18256, 18258, 18262, 18264, 18268, 18270, 18274, 18276, 18280, 18282, 18286, 18288, 18298, 18300
\sc@wm@text 8459
\scalebox 12097
\scantokens ... 3348, 3368
\scr@caption 17488, 17490, 17492, 18068, 18070, 18072, 18751, 18753, 18755
\scr@caption@before@longtable@warning . 17460, 18040, 18723
\scr@compatibility 17832, 17848, 17856, 17864
\scr@dte@current 20012, 20015
\scr@dte@def@l@largetocline 19779
\scr@dte@def@l@tocline 19981
\scr@dte@def@l@undottedtocline 19622
\scr@dte@donumwidth 20216, 20217
\scr@dte@largetocline@init 19780
\scr@dte@nosub 20028, 20030, 20060, 20061, 20063, 20068, 20070, 20075, 20076, 20134, 20136
\scr@dte@numberline@box 19931, 19958
\scr@dte@tocline 19890, 20273
\scr@dte@tocline@init 19982
\scr@dte@tocline@numberwidth 19934, 19936, 19938, 19941
\scr@dte@tocline@numbox . 19933, 19935, 19949
\scr@dte@undottedtocline@init 19623
\scr@ifundefinedorrelax .. 19657, 19705, 19750, 19812, 19858, 19882, 19921, 20026, 20028, 20057, 20060, 20061, 20068, 20091, 20131, 20132, 20134, 20150, 20203, 20230, 20249
\scr@LT@array . 13039, 17485, 17486,

17498, 18065, 18066, 18078, 18748, 18749, 18761
\scr@parindent 17597, 18186, 18869
\scr@saved@footnotetext 17058, 17062, 17607, 17611, 18306, 18310
\scr@saved@LTRfootnotetext .. 17056, 17059, 17066, 17605, 17608, 17615, 18304, 18307, 18314
\scr@saved@RTLfootnotetext .. 17057, 17060, 17070, 17606, 17609, 17619, 18305, 18308, 18318
\scr@smashdp .. 17404, 17418, 17419, 17437, 17984, 17998, 17999, 18017, 18667, 18681, 18682, 18700
\scr@tmp@footnotetext .. 17376, 17387, 17388, 17956, 17967, 17968, 18639, 18650, 18651
\scr@tmp@LTRfootnotetext .. 17378, 17389, 17390, 17958, 17969, 17970, 18641, 18652, 18653
\scr@tmp@RTLfootnotetext .. 17380, 17391, 17392, 17960, 17971, 17972, 18643, 18654, 18655
\scriptsize 5893, 18239, 18245, 18251, 18257, 18263, 18269, 18275, 18281, 18287
\scshape 6973
\secshape .. 16639, 16680
\SectFont 629, 638, 936, 944, 1188, 1197, 6692, 6880, 16033, 16042, 16483, 16492
\sectfont 15898
\section 570, 598, 614, 629, 635, 638, 705, 863, 936, 942, 944, 968, 1115, 1188, 1194, 1197, 1218, 2488, 2554, 5757, 5779, 5847, 5855, 5970, 5973, 5977, 6692, 6880, 8717, 16033, 16039, 16042, 16483, 16489, 16492
\sectionbib 19260
\sectionfont ... 2428, 2436, 8030, 8123
\sectionstyle . 2436, 2494
\sectiontitlecolour 2419, 7992, 8000, 8007, 8014, 8021, 8091, 8097, 8103, 8109, 8115
\selectfont 347, 3153, 6118, 6120, 6122, 15467, 15480
\separatorcolumnwidth 2459, 2460, 2471, 2477, 2493, 2498, 2504, 2562, 8137, 8167
\SepMark ... 20967, 20968
\seq 14303, 14304, 15501, 15504
\set@color 7356, 7361, 7369, 7375, 7383, 7390, 7395, 11611, 20730, 20734, 20830
\set@typeset@protect 11164, 11168, 18967, 21150, 21536, 21538
\SetatBoolean 2770
\setbaselineskip .. 3151
\SetBoolean 2754
\setboolean 4634, 4635, 4637, 4639, 4644, 4645, 4649, 4650, 4721, 4725, 4728, 4733, 4735, 4739, 4741, 5119, 5743, 5744, 5745, 6002, 6003, 6004, 6029, 6030
\setbox 387, 1413, 1415, 1416, 1472, 1628, 1903, 2303, 5165, 5221, 5224, 5265, 5268, 5309, 5312, 6371, 6382, 6588, 6602, 7228, 7255, 7260, 7292, 7327, 7356, 7511, 7512, 7516, 7519, 7529, 7533, 7536, 7540, 7550, 7553, 7554, 7568, 7585, 7601, 7613, 7616, 7617, 7631, 7644, 7660, 7681, 7682, 7687, 7688, 7693, 7696, 7719, 7727, 7737, 7788, 7802, 7806, 7816, 7821, 7830, 7832, 7847, 7848, 7859, 7860, 7872, 7873, 7893, 7901, 7911, 7959, 8183, 8191, 8192, 8196, 8204, 8212, 8213, 8217, 8232, 8235, 8240, 8244, 8252, 8289, 8292, 8297, 8301, 8306, 9150, 9161, 9172, 9264, 9370, 9375, 9382, 9447, 9459, 9472, 9553, 9564, 9576, 9659, 9671, 9684, 9768, 9780, 9793, 9877, 9889, 9902, 9986, 9998, 10011, 10095, 10107, 10120, 10204, 10216, 10229, 10313, 10325, 10338, 10360, 10361, 10368, 10380, 10383, 10385, 10389, 10392, 10394,

10396, 10540, 10552, 10564, 10582, 10601, 10607, 10615, 10621, 10629, 10639, 10649, 10659, 10668, 10698, 10706, 10721, 10737, 10748, 10960, 10990, 10993, 11006, 11026, 11029, 11043, 11094, 11134, 11139, 11495, 11509, 11523, 11542, 11666, 11675, 11679, 11703, 11717, 11787, 11794, 11795, 11811, 11836, 11843, 11844, 11860, 11911, 11923, 11957, 11959, 11970, 11995, 12020, 12029, 12036, 12037, 12082, 12083, 13852, 13861, 13923, 13928, 13931, 13940, 13960, 13992, 13998, 14773, 14776, 14777, 14799, 14804, 14814, 14832, 14837, 14873, 14876, 14877, 14899, 14904, 14914, 14932, 14937, 14968, 15049, 15065, 15626, 15640, 15643, 15662, 15663, 15669, 15670, 15681, 15683, 15685, 15687, 15690, 15692, 15694, 15696, 15706, 15708, 15717, 15719, 15734, 15736, 15744, 15746, 15755, 15836, 15837, 15867, 15885, 17019, 17029, 17040, 17047, 17402, 17982, 18239, 18245, 18251, 18257, 18263, 18269, 18275, 18281, 18287, 18665, 18908, 18956, 18997, 19047, 19117, 20435, 20438, 20443, 20447, 20451, 20455, 20459, 20463, 20467, 20471, 20722, 20730, 20835, 20887, 20897, 20927, 20928, 21112, 21138, 21237, 21240, 21241, 21255, 21284, 21287, 21288, 21302, 21331, 21333, 21347, 21349, 21360, 21404, 21407, 21448, 21451, 21479, 21493, 21511, 21577

\setcaptionfont . . . 4713

\setcaptionwidth . 13886

\setchapterpreamble 17876, 18559

\setcitationfont . . 5348

\setcounter . 436, 471, 746, 778, 822, 998, 1030, 1074, 1248, 1280, 1324, 1990, 5421, 5440, 5459, 5491, 5741, 6253, 6531, 6746, 6778, 6923, 6955, 7042, 7077, 8765, 8798, 8860, 8895, 10865, 10898, 11194, 13246, 13247, 14645, 15419, 15440, 16156, 16188, 16232, 16295, 16327, 16373, 16577, 16617, 16764, 16799, 17116, 17207, 17320, 17393, 17394, 17665, 17756, 17900, 17973, 17974, 18364, 18455, 18583, 18656, 18657, 19560

\setdefaultbibitems 20972

\setdefaultmarginpar 21515

\setDefaults 12198

\setfloatalignment 4793

\setfootnoteLR . . . 11426

\setfootnoteRL . . . 11424

\setkeys 1658, 7219, 7236, 8539, 8545, 8547, 12028, 12072, 12200, 13260, 13298, 15460, 15519, 16938, 16983, 20615

\setlatin 1564

\setlength 511, 528, 664, 688, 890, 908, 945, 946, 947, 948, 949, 1147, 1172, 2128, 2129, 2130, 2332, 2333, 2335, 2336, 2338, 2339, 2341, 2342, 2344, 2345, 2347, 2348, 2350, 2351, 2352, 2357, 2358, 2396, 2397, 2399, 2400, 2401, 2402, 2460, 2469, 2470, 2473, 2475, 2478, 2479, 2481,

2484, 2550, 2560, 2561, 2562, 4658, 4685, 4686, 4687, 4688, 4709, 4715, 4716, 4749, 4752, 4756, 4802, 4854, 4855, 5356, 5357, 5358, 5359, 5365, 5607, 5900, 5901, 5902, 5903, 5904, 5905, 5906, 5907, 5909, 5910, 5912, 5915, 5916, 5917, 5918, 6135, 6136, 6654, 6676, 6831, 6853, 7117, 7132, 7403, 8126, 8130, 8132, 8135, 8521, 8666, 8681, 9256, 9259, 9296, 10771, 10785, 11540, 12014, 12122, 12123, 12129, 12130, 12132, 12133, 12202, 12203, 12215, 12219, 12221, 12223, 12227, 12229, 13252, 13253, 13254, 13255, 13294, 13301, 13302, 13303, 13315, 13316, 13339, 13344, 13347, 13907, 15459, 16068, 16090, 16440, 16462, 16669, 16839, 16854, 17075, 17399, 17425, 17624, 17979, 18005, 18323, 18662, 18688, 19163, 19164, 19212, 19213, 19215, 19584, 19588, 19589, 19591, 19592, 19594, 19595, 19597, 19598, 19600, 19601, 19761, 19869, 20214, 21036, 21039

\setLR 15843, 20936

\setLTR 15804, 15805, 15818, 15843, 15844, 20904, 20905, 20918, 20936, 20937

\setLTRbibitems . . 20971

\setLTRcitationfont 5349

\setLTRmarginnotefont 5346

\setLTRmarginpar . 21514

\setLTRsidenotefont 5343

\setLTRtable 1570

\setmarginnotefont 5345

\setnonlatin 1565

\setparsizes . . 17133, 17245, 17682, 17794, 18381, 18493

\setRL 15842, 20935

\setRTL . 15803, 15806, 15818, 15842, 20557, 20597, 20631, 20903, 20906, 20918, 20935

\setRTLbibitems . . 20970

\setRTLcitationfont 5350

\setRTLmain 1875

\setRTLmarginnotefont 5347

\setRTLmarginpar . 21513

\setRTLsidenotefont 5344

\setRTLtable 1569

\setsidenotefont . . 5342

\setSingleSpace 9202, 9207

\setspace@singlespace . . . 5552, 5570, 5588

\setthesection . . . 14662

\settodepth 15455

\settoheight . 8518, 15456

\settowidth 89, 292, 575, 710, 973, 1223, 2464, 6701, 6889, 7198, 8128, 8563, 8722, 8993, 10830, 13138, 13341, 15458, 16120, 16514, 16708, 16911, 17313, 17893, 18238, 18244, 18250, 18256, 18262, 18268, 18274, 18280, 18286, 18576, 19243, 20400, 20402

\setupL@lbox 13293, 13300

\Setversedim 6266, 6270, 6296

\SetWatermarkText . 8458

\sevencolumnfootnotes 9923

\sf 18239, 18245, 18251, 18257, 18263, 18269, 18275, 18281, 18287

\sf@size 13169

\sfcode 93, 296, 586, 718, 981, 1231, 6709, 6897, 7209, 8730, 9004, 10838, 13142, 15360, 16128, 16522, 16719, 16922, 17330, 17910, 18593, 19254

\sh@wgridXunit . . . 15856

\sh@wgridYunit . . . 15856

\shadowbox 8635

\shadowsize 8645, 8649, 8650, 8653, 8654, 8657

\shipout 11164, 11934, 11944, 21535

\shortauthors 115, 116, 121, 13201, 13202, 13207

\shortcite 15362

\shorttitle 114, 115, 121, 13200, 13201, 13207

\showbox 11740

\showgridp@s 15855

\showoutput 11740

\sidecaptionsep 18880, 18881, 21736, 21740, 21745, 21747, 21751, 21753

\sidenote 5418, 5472, 5510, 5605, 5696
\sidenotes 5515
\sideways 17045
\sigindent 18299
\sixcolumnfootnotes 9814
\sixt@@n 2270, 2292
\size@chapter 15898
\skip . 1607, 1890, 6459, 6460, 8237, 8294, 9284, 9309, 9317, 9325, 9339, 9355, 9358, 9363, 10446, 10448, 10450, 10452, 10508, 10510, 10512, 10514, 10680, 10689, 10712, 10725, 11558, 11777, 11778, 11789, 11791, 11838, 11840, 11894, 11899, 11962, 11973, 11980, 12014, 15182, 15188, 15192, 15197, 15201, 15263, 15267, 15824, 15830, 21336, 21352, 21363, 21371
\skip@ 311, 312
\sloppy 42, 56, 72, 92, 245, 259, 274, 295, 582, 717, 980, 1230, 2569, 6708, 6896, 7205, 8729, 9000, 10837, 11772, 13141, 13977, 15359, 15978, 16127, 16521, 16715, 16918, 17329, 17909, 18592, 19250
\slshape . . . 655, 883, 1138, 2516, 6645, 6822, 8028, 8029, 8119, 8120, 8122, 16059, 16431, 16645
\small . . 413, 638, 737, 944, 989, 1197, 1239, 2015, 2430, 2520, 2525, 2555, 5882, 5883, 5948, 5956, 5961, 5980, 6737, 6914, 7019, 8744, 8837, 10844, 16042, 16147, 16284, 16492, 16544, 16741, 17119, 17668, 18367
\smallcaps 6236, 6237, 6238
\smallskip 15281, 15286, 15293, 15302, 15313, 15318, 15323, 15330, 15337, 15344, 15895
\smash 4910, 4915, 4926, 4927, 4930, 4931, 5138, 8186, 8207, 11604, 13375, 15840, 20931, 20933
\SOUL@apo 18902
\SOUL@comma 18901
\SOUL@do 18904
\SOUL@eventuallyexhyphen 18891
\SOUL@grave 18903
\SOUL@ignorespacesfalse 18895
\SOUL@lasttoken . . 18898
\SOUL@lowerthan . . 18888
\SOUL@minus 18900
\SOUL@postamble . . 18905
\SOUL@preamble . . . 18897
\SOUL@soeventuallyskip 18892
\SOUL@spaceskip . . 18893
\SOUL@start 18886
\SOUL@ulcolor . 18917, 18923, 18929, 18937
\SOUL@uldp 18929
\SOUL@uleveryspace 18931
\SOUL@ulht 18929
\SOUL@ulleaders . . . 18917, 18923, 18939
\SOUL@uloverlap . . 18910
\SOUL@ulunderline 18907
\SOUL@word 18899
\soulomit 18890
\space 1504, 3334, 3477, 3585, 3599, 3613, 3623, 4306, 4493, 4495, 4506, 4508, 4511, 4974, 4979, 4980, 5113, 5114, 6973, 7168, 7684, 7690, 7853, 7861, 7862, 8962, 10800, 11640, 11648, 11649, 11673, 11681, 13278, 13310, 13311, 14348, 15055, 15057, 15058, 15059, 15060, 15226, 15233, 15863, 16889, 16932, 16975, 17184, 17335, 17733, 17915, 18432, 18598, 19067, 19069, 19126, 19951, 19953, 20519, 21202, 21484
\spacefactor . . . 5531, 5536, 5542, 5545
\spaceskip . 18935, 18940
\speci@ls . . 15244, 15251
\special 1629, 1803, 1812, 1904, 1930, 1979, 15837, 19123, 19124, 19128, 19129, 19131, 20928
\spinemargin . . 8468, 8472
\split@prev 11383, 11391, 11396
\splitbotmark 11677
\splitfirstmark 7557, 7620, 10996, 11032, 11676, 11798, 11847, 14780, 14880, 21244, 21291
\SplitFootnoteRule 1700, 11382

\splitfootnoterule 11386, 11394
\splitmaxdepth 40, 54, 70, 243, 257, 272, 7551, 7614, 9301, 10991, 11027, 11438, 11455, 11471, 11792, 11841, 14774, 14874, 21238, 21285
\splittopskip . 40, 54, 70, 243, 257, 272, 9300, 9372, 9376, 9486, 9487, 9491, 9492, 9589, 9590, 9594, 9595, 9698, 9699, 9703, 9704, 9807, 9808, 9812, 9813, 9916, 9917, 9921, 9922, 10025, 10026, 10030, 10031, 10134, 10135, 10139, 10140, 10243, 10244, 10248, 10249, 10352, 10353, 10357, 10358, 11437, 11454, 11470, 11671, 11672, 15636
\stepcounter ... 3641, 3647, 3655, 3661, 5429, 5448, 5467, 5499, 5619, 5648, 5677, 6429, 11193, 11264, 11334, 11404, 11413, 12865, 13819, 15414, 15418, 15435, 15439, 16929, 16972, 21607
\stopbreaks .. 9023, 18298
\str 14060, 14111, 14183, 14201, 14263, 14287, 14292, 14366, 14397, 14410, 14432, 14486, 14518
\stretch 1474, 1477, 7329, 7332
\string 359, 1384, 1727, 1731, 2612, 2648, 2654, 2726, 2728, 2746, 2747, 2750, 2751, 2928, 2947, 2975, 3001, 3029, 3055, 3058, 3092, 3095, 3179, 3180, 3186, 3334, 3364, 3385, 3388, 3415, 3417, 3477, 3546, 3591, 3592, 3605, 3606, 3617, 3618, 3629, 3630, 3661, 3675, 3676, 3677, 3678, 3682, 4306, 4315, 4319, 4325, 4336, 4493, 4495, 4506, 4508, 4509, 4510, 4511, 4513, 5113, 5114, 7365, 7368, 7386, 7389, 10401, 10403, 11644, 11645, 11646, 11647, 11648, 11770, 12104, 12105, 15988, 15989, 17184, 17335, 17337, 17343, 17733, 17915, 17917, 17923, 18432, 18598, 18600, 18606, 19093, 20518, 20775, 20822, 21202, 21222
\strip@prefix . 3385, 3398
\strip@pt . 2845, 3152, 8407, 8410, 8415, 8418, 10459, 10521
\stripsep . 7602, 7661, 7676, 7722, 7731, 7741, 7786, 7896, 7905, 7915, 14808, 14810, 14817, 14908, 14910, 14917, 14979, 14982, 14984, 14991
\strut 46, 60, 76, 249, 263, 278, 2045, 9031, 9439, 9442, 9445, 9545, 9548, 9551, 9651, 9654, 9657, 9760, 9763, 9766, 9869, 9872, 9875, 9978, 9981, 9984, 10087, 10090, 10093, 10196, 10199, 10202, 10305, 10308, 10311, 10572, 10576, 10580, 13991, 17383, 17385, 17404, 17406, 17409, 17411, 17414, 17418, 17420, 17430, 17432, 17437, 17441, 17963, 17965, 17984, 17986, 17989, 17991, 17994, 17998, 18000, 18010, 18012, 18017, 18021, 18301, 18646, 18648, 18667, 18669, 18672, 18674, 18677, 18681, 18683, 18693, 18695, 18700, 18704, 19174, 19179
\strutbox 40, 54, 70, 243, 257, 272, 385, 389, 9093, 9099, 9105, 9301, 9486, 9491, 9589, 9594, 9698, 9703, 9807, 9812, 9916, 9921, 10025, 10030, 10134, 10139, 10243, 10248, 10352, 10357, 10441, 10503, 11438, 11445, 11455, 11462, 11471, 11478, 11505,

11519, 11533, 13838, 13854, 13896, 13993, 17427, 17428, 18007, 18008, 18690, 18691, 18957, 18958, 18993, 21139, 21140
\subfig@oldlabel 4844, 4846
\subfigure ... 4843, 4850
\subitem 108, 228, 5991, 13158
\subjclass 324
\subject 17229, 17778, 18477
\subject@font . 17142, 17255, 17691, 17804, 18390, 18503
\subparagraph 5793, 5794, 5797
\subsection 2495, 5764, 5780
\subsectioncolour 2421, 7993, 8001, 8008, 8015, 8022, 8092, 8098, 8104, 8110, 8116
\subsectionfont 2429, 2437, 8031, 8124
\subsectionstyle 2437, 2496
\subsubitem 109, 229, 5992, 13159
\subsubsection 5784, 5785, 5788
\subtable 4850
\supereject 1944
\symbol 2058, 2068
\sys 14281

T

\t@cb@bchapsec ... 19235
\tabcaption . 12251, 12269
\tabcolsep 379, 1356, 13849, 16409, 20942
\tablinesep 18990
\tabskip .. 395, 6439, 13863, 13864, 18963, 19001, 21145
\tabular 19062
\tabularnewline 404, 13833, 18965, 21147
\tabularx 19053
\tabularxcolumn .. 19015
\tagform@ 336
\tamark 14628
\tcb@@icolorbox .. 19151
\tcb@vbox 19138
\tcd .. 15633, 15640, 15641
\tcdsav 15633
\tcl .. 15657, 15658, 15664
\tcn 15641, 15642, 15664, 15665, 15666, 15667
\Telefon 2410
\tencolumnfootnotes 10250
\TeX 13031, 15819, 15820, 15841, 20919, 20920, 20932
\textbf 2523, 5937, 11617, 11619, 11621, 11623
\textbullet 2407, 7985, 8049, 8083
\textcolor 8634, 8649, 8653, 8656, 11607, 13282
\textdef@ 345
\textdir 14526
\textendash . 743, 995, 1058, 1245, 6743, 6920, 16153, 16292
\textheight 1964, 2371, 7585, 7644, 11780, 12202, 16937, 16982, 21606
\textit 19620
\textsf 1644
\textsl .. 4997, 4998, 4999
\textsuperscript 5544, 9252, 9253, 9254, 17098, 17647, 18217, 18346
\texttt 2068, 2132, 2134, 2135, 3664
\textwidth 1616, 1622, 1963, 2369, 2460, 2469, 2470, 2482, 2484, 4752, 4756, 4855, 5156, 5157, 6297, 7569, 7577, 7632, 7697, 7703, 7874, 7879, 8039, 8054, 8126, 8135, 8249, 8471, 9371, 10379, 11006, 11012, 11044, 11134, 11139, 11545, 11812, 11861, 11869, 12150, 12153, 12158, 12164, 13965, 14838, 14846, 14938, 14969, 15132, 15164, 15165, 15168, 15169, 15172, 15173, 15177, 15180, 17135, 17163, 17167, 17247, 17684, 17712, 17716, 17796, 18298, 18383, 18411, 18415, 18495, 21256, 21264, 21303, 21581, 21597
\textwidth@footnoterule .. 416, 740, 992, 1242, 6740, 6917, 7022, 8747, 8840, 10847, 11353, 11364, 15179, 16150, 16287, 16547, 16744, 17122, 17671, 18370
\textwidthfootnoterule 1702, 8177, 9081, 11362, 12007, 21634
\TeXXeTOff . 15752, 20833
\TeXXeTOn 15751, 15753, 20832, 20834
\TeXXeTstate .. 15751, 15752, 20832, 20833
\TF@conlab 11600, 11602, 11609
\TF@savecolor 11606, 11611
\TF@Title 11609

\thanklessauthor 6045, 6078, 6081, 6118
\thanklesspublisher 6046, 6105, 6108, 6122
\thanklesstitle 6044, 6061, 6064, 6120
\thanks 323, 417, 437, 472, 491, 741, 753, 779, 790, 791, 800, 823, 840, 993, 1005, 1031, 1042, 1043, 1052, 1075, 1092, 1243, 1255, 1281, 1292, 1293, 1302, 1325, 1343, 1991, 6044, 6045, 6046, 6047, 6050, 6057, 6058, 6074, 6075, 6090, 6091, 6102, 6741, 6753, 6779, 6918, 6930, 6956, 7023, 7043, 7078, 7097, 8748, 8766, 8799, 8816, 8841, 8861, 8896, 8915, 10848, 10866, 10899, 10916, 14615, 16151, 16163, 16189, 16200, 16201, 16210, 16233, 16250, 16288, 16302, 16328, 16341, 16342, 16351, 16374, 16394, 16548, 16578, 16618, 16636, 16745, 16765, 16800, 16819, 17123, 17208, 17239, 17672, 17757, 17788, 18371, 18456, 18487
\thankses 323
\the . . . 124, 125, 1372, 1466, 1467, 1469, 1470, 1532, 1640, 1856, 1915, 1955, 1957, 1960, 1962, 2201, 2203, 2206, 2209, 2214, 2217, 2220, 2325, 2661, 2663, 2664, 2685, 2687, 2688, 3349, 3677, 3772, 3827, 3855, 3857, 3864, 3866, 3868, 3870, 3871, 3872, 3883, 3890, 3892, 3897, 3901, 3902, 3907, 3912, 3920, 3923, 3927, 3933, 4017, 4018, 4019, 4044, 4559, 4566, 4595, 5386, 5396, 5531, 5542, 6348, 6355, 6479, 6482, 6485, 6489, 6492, 6495, 6600, 7215, 7220, 7264, 7325, 7556, 7558, 7619, 7621, 7684, 7690, 7691, 7692, 7824, 7834, 7853, 7861, 7862, 7863, 7866, 7868, 7869, 7870, 10445, 10507, 10995, 10997, 11031, 11033, 11262, 11277, 11278, 11281, 11282, 11285, 11338, 11342, 11396, 11569, 11583, 11633, 11640, 11644, 11645, 11646, 11647, 11648, 11649, 11657, 11663, 11670, 11671, 11673, 11678, 11680, 11681, 11695, 11721, 11751, 11752, 11753, 11758, 11759, 11760, 11770, 11797, 11799, 11846, 11848, 12074, 12119, 12652, 12660, 12661, 12667, 12669, 12698, 12699, 12705, 12707, 12738, 12740, 12769, 12771, 12800, 12802, 13210, 13211, 13308, 13310, 13354, 13356, 13361, 13363, 13369, 13371, 13376, 13911, 13914, 14476, 14779, 14781, 14792, 14809, 14816, 14822, 14879, 14881, 14892, 14909, 14916, 14922, 14992, 15055, 15057, 15058, 15059, 15060, 15061, 15353, 15518, 15534, 15538, 15541, 15566, 15590, 15597, 15604, 15758, 15759, 16945, 16955, 16964, 16991, 17003, 17013, 17320, 17900, 18583, 18986, 18987, 19017, 19036, 19038, 19062, 19067, 19069, 19070, 19073, 19074, 19077, 19080, 19081, 19084, 19192, 19949, 19952, 19954, 20030, 20301, 20304, 20305, 20307, 20309, 20313, 20318, 20322, 20333,

20334, 20337, 20343, 20347, 20355, 20356, 20393, 20409, 20413, 20512, 20675, 20687, 20692, 20713, 20714, 20716, 20838, 20839, 20983, 21040, 21208, 21210, 21222, 21243, 21245, 21290, 21292
\the@cornersize 10952, 10953
\thealgocf 168
\theAlgoLine 21679
\thechapter 308, 5753, 6724, 6730, 6732, 6734, 6901, 6907, 6909, 6911, 6973, 7152, 7154, 7156, 7157, 7158, 7168, 8946, 8948, 8950, 8951, 8952, 8962, 10800, 10930, 10936, 10938, 10940, 11228, 11230, 11232, 11233, 11234, 11241, 11243, 11245, 11246, 11247, 13519, 14653, 14662, 14664, 14665, 14666, 15394, 15901, 16132, 16138, 16140, 16142, 16497, 16503, 16505, 16507, 16692, 16694, 16696, 16697, 16874, 16876, 16878, 16879, 16880, 16889, 17833, 17835, 17849, 17851, 17857, 17859, 17865, 17867, 18531, 18543, 18547, 18551, 19276
\thecontentspage 5811, 5818, 5825, 5832, 5839
\thedate . 6040, 6048, 6094
\theenumiv 86, 89, 289, 292, 581, 716, 979, 1229, 2568, 6707, 6895, 7204, 8728, 8999, 10836, 13135, 13138, 16126, 16520, 16714, 16917, 17327, 17907, 18590, 19249
\theequation 6729, 6906, 7151, 8945, 10935, 11227, 11240, 13220, 14663, 16137, 16506, 16691, 16873, 17863, 18550, 21627
\thefigure 6731, 6908, 7153, 8947, 10937, 11229, 11242, 14665, 16139, 16502, 16693, 16875, 17847, 18542, 18973
\thefootdir@label . . 11262, 11265, 11294, 11299, 11317, 11320, 11340
\thefootnote . . . 453, 745, 804, 997, 1056, 1247, 1306, 1982, 6745, 6922, 7059, 8780, 8877, 10880, 12552, 16155, 16214, 16294, 16355, 16551, 16594, 16781, 17126, 17190, 17675, 17739, 18374, 18438
\thefootnotemark 17098, 17647, 18217, 18346
\theHchapter 15394
\theHsection 15402, 15404
\theindex . 98, 218, 13148
\thelstlisting 13490, 13495, 13518, 13521
\thempfn 2226, 2234, 2242, 5620, 5626, 5649, 5655, 5678, 5684, 6500, 6507, 6514, 11405, 11410, 11414, 11419, 11547, 11573, 11578, 11588, 11593, 12519, 12530, 12541, 12671, 12709, 12742, 12773, 12804, 12866, 14023
\thempfootnote 11547, 14023
\theorem@indent 15428, 15429, 15448, 15449
\theorem@prework . 15422
\theorempostskipamount 15423, 15443
\theorempreskipamount 15426, 15446
\thepage 1953, 1958, 2545, 4885, 4997, 4998, 4999, 5008, 5009, 6224, 6225, 6236, 6237, 6238, 7750, 7768, 7925, 7943, 15226, 15233, 20719, 21484
\theparagraph . . . 21, 22, 216, 217, 548, 549, 702, 703, 956, 957, 1215, 1216, 5774, 6727, 6728, 6904, 6905, 7161, 7162, 8832, 8833, 8955, 8956, 10933, 10934, 11237, 11238, 11250, 11251, 13194, 13195, 14658, 14661, 16135, 16136, 16500, 16501, 16700,

16701, 16883, 16884, 17287, 17289, 17843, 17845, 18538, 18540
\thepart 553, 561, 8692, 8700
\ther@tfl@t . . . 16930, 16931, 16973, 16974
\thesection 19, 214, 546, 700, 954, 1213, 5760, 6724, 6725, 6901, 6902, 7158, 7159, 8830, 8952, 8953, 10930, 10931, 11234, 11235, 11247, 11248, 13192, 14653, 14655, 15402, 15404, 16132, 16133, 16497, 16498, 16697, 16698, 16880, 16881, 17283, 17831, 17839, 18530, 18534
\thesubparagraph 22, 217, 549, 703, 957, 1216, 6728, 6905, 7162, 8833, 8956, 10934, 11238, 11251, 13195, 14660, 16136, 16501, 16701, 16884, 17288, 17844, 18539
\thesubsection . . 19, 20, 214, 215, 546, 547, 700, 701, 954, 955, 1213, 1214, 5767, 6725, 6726, 6902, 6903, 7159, 7160, 8830, 8831, 8953, 8954, 10931, 10932, 11235, 11236, 11248, 11249, 13192, 13193, 14654, 14657, 16133, 16134, 16498, 16499, 16698, 16699, 16881, 16882, 17283, 17285, 17839, 17841, 18534, 18536
\thesubsubsection 20, 21, 215, 216, 547, 548, 701, 702, 955, 956, 1214, 1215, 6726, 6727, 6903, 6904, 7160, 7161, 8831, 8832, 8954, 8955, 10932, 10933, 11236, 11237, 11249, 11250, 13193, 13194, 14656, 14659, 16134, 16135, 16499, 16500, 16699, 16700, 16882, 16883, 17284, 17287, 17840, 17843, 18535, 18538
\thetable 6733, 6910, 7155, 8949, 10939, 11231, 11244, 14666, 16141, 16504, 16695, 16877, 17855, 18546, 18974
\TheTokenList 3881
\thinlines 7415, 7425, 7438, 7448, 7461, 7471, 7484, 7494
\thispagestyle . 101, 113, 221, 469, 601, 616, 820, 865, 1072, 1117, 1322, 6125, 6147, 6168, 6624, 6801, 7012, 7075, 8796, 8893, 9010, 9013, 10896, 13151, 13199, 13223, 13226, 14643, 16020, 16230, 16275, 16371, 16615, 16735, 16797, 17131, 17204, 17680, 17753, 18379, 18452, 19308
\thm@topsepadd 15423, 15424, 15427, 15443, 15444, 15447
\thr@@ 356, 372, 1381, 1399, 1423, 1432, 9590, 9595, 15217, 15235, 18893, 19090, 19110
\threecolumnfootnotes 9493
\tiny 2028, 5522, 5894
\title 320, 445, 481, 785, 830, 1037, 1082, 1287, 1332, 1998, 2447, 2486, 6039, 6054, 6785, 6962, 7051, 7087, 8772, 8806, 8869, 8905, 10872, 10906, 16195, 16240, 16336, 16383, 16586, 16627, 16773, 16809, 17226, 17775, 18474
\TitleBarFrame 11598, 11617, 11619, 11621, 11623
\titlecolour . . 2416, 8086
\titlecontents . 5806, 5813, 5820, 5827, 5834
\TitleFont 734, 750, 841, 843, 849, 986, 1002, 1093, 1095, 1101, 1236, 1252, 1344, 1346, 1352, 1355, 1356, 1361, 6750, 6927, 16144, 16160, 16251, 16253, 16259, 16281, 16299, 16397, 16399, 16405, 16408, 16409, 16414
\titlefont 2425, 2433, 8119, 17145, 17258, 17694, 17807, 18393, 18506
\titleformat . . . 5750, 5757, 5764, 5771

\titlehead 17228, 17777, 18476
\titlepage 627, 934, 1186, 6690, 6878, 16031, 16481
\titlepagestyle 17204, 17753, 18452
\titlespacing 5778, 5779, 5780
\titlestyle . . . 2433, 8150
\tl 14043, 14051, 14056, 14058, 14059, 14060, 14061, 14063, 14064, 14066, 14069, 14073, 14082, 14086, 14089, 14094, 14099, 14107, 14109, 14110, 14111, 14112, 14114, 14116, 14118, 14119, 14121, 14127, 14131, 14134, 14135, 14138, 14145, 14150, 14158, 14161, 14162, 14163, 14164, 14165, 14168, 14174, 14175, 14176, 14181, 14183, 14190, 14194, 14199, 14201, 14203, 14205, 14224, 14230, 14231, 14232, 14233, 14234, 14246, 14249, 14252, 14254, 14278, 14279, 14281, 14290, 14293, 14294, 14295, 14296, 14297, 14298, 14300, 14306, 14311, 14314, 14315, 14328, 14330, 14331, 14332, 14333, 14334, 14335, 14336, 14345, 14348, 14352, 14353, 14354, 14357, 14371, 14377, 14390, 14395, 14399, 14420, 14428, 14429, 14454, 14458, 14459, 14460, 14473, 14545, 14546, 14554, 14555, 14556, 14557, 14567, 14568, 14569, 14574, 14579, 14581, 14584, 14585, 14590, 14591, 14596, 14608, 14609
\tmpcount 4071, 4097
\toaddress . . 9019, 13232
\toc@headstar 19298, 19303
\tocbasic@DependOnPenaltyAndTOCLevel 19893
\tocbasic@SetPenaltyByTOCLevel 19977
\TOCEntryStyleStartInitCode . . 17507, 17520, 17539, 18087, 18100, 18119, 18770, 18783, 18802
\toclevel@subfigure 19510
\toclevel@subtable 19530
\TOCLineLeaderFill 17524, 17541, 18104, 18121, 18787, 18804, 19994, 20255
\tocstyle@@numberline 20400, 20402, 20420, 20422, 20425, 20427
\tocstyle@activate@all@l 20513
\tocstyle@activate@features 20290
\tocstyle@dottedtocline 20277
\tocstyle@feature@dothook 20376
\tocstyle@feature@entryhook 20372
\tocstyle@feature@entryvskip 20291, 20294
\tocstyle@feature@leaders 20374, 20379
\tocstyle@feature@pagenumberbox 20382, 20385
\tocstyle@feature@pagenumberhook 20383, 20385
\tocstyle@feature@parfillskip 20362, 20363
\tocstyle@feature@raggedhook 20298
\tocstyle@feature@spaceafternumber 20399, 20403, 20424, 20428
\tocstyle@indentstyle 20349, 20419
\tocstyle@l@define 20436, 20439, 20444, 20448, 20452, 20456, 20460, 20464, 20468, 20472, 20504
\tocstyle@macrochangewarning 20492, 20499
\tocstyle@numberline 20278, 20397
\tocstyle@saved@dottedtocline 20494
\tocstyle@saved@numberline 20502
\tocstyledepth 20289, 20301, 20313, 20333, 20334, 20337, 20355, 20356, 20405, 20407, 20409, 20413
\tocstyleTOC 20301, 20304, 20305, 20307, 20309, 20313, 20314, 20316, 20317, 20321, 20325, 20326,

20329, 20330, 20333, 20334, 20337, 20339, 20341, 20342, 20346, 20351, 20352, 20355, 20356, 20405, 20407, 20408, 20412
\today 6048
\token 15492
\toks 122, 124, 1466, 1467, 1469, 1470, 5379, 5380, 5386, 7325, 11676, 11677, 11678, 13208, 13210
\toks@ 121, 125, 1627, 1640, 1902, 1915, 4591, 4595, 7555, 7556, 7557, 7558, 7618, 7619, 7620, 7621, 10994, 10995, 10996, 10997, 11030, 11031, 11032, 11033, 11796, 11797, 11798, 11799, 11845, 11846, 11847, 11848, 12071, 12074, 12108, 12110, 12114, 12116, 12119, 12649, 12652, 13207, 13211, 14778, 14779, 14780, 14781, 14878, 14879, 14880, 14881, 19036, 19056, 19062, 21242, 21243, 21244, 21245, 21289, 21290, 21291, 21292
\tolerance 9435, 9541, 9647, 9756, 9865, 9974, 10083, 10192, 10301
\toname 9019, 13232
\topheight 15645, 15647, 15648, 15649, 15651, 15657, 15659, 15661, 15662, 15663, 15726, 15727, 15728, 15729, 15733, 15734, 15738
\topins 15821
\topmargin 1968, 2370, 8490, 11178, 21573
\topmark . . 7555, 7564, 7618, 7627, 10994, 11003, 11030, 11039, 11796, 11805, 11845, 11854, 14778, 14787, 14878, 14887, 21242, 21251, 21289, 21298
\topsep . . . 2110, 2119, 2560, 4678, 5888, 5930, 14675, 14677
\topskip 301, 1976, 7810, 7813, 11682, 11684, 11689, 14681, 14972, 19274, 19280, 19285, 19292, 19297, 19302
\TOTALHEIGHT 19122, 19126
\totalheight 12101
\tovalue 3955, 4042, 4050, 4081, 4094, 4100, 4101
\tracingmacros 4070
\traditionalconnverses . . . 6286, 6309, 6325
\traditionalhalfverses 6275, 6279, 6286, 6319
\traditionalpoem . . 6521
\traditionalpoem@cr . . . 6399, 6448, 6449
\traditionalpoem@obeylines 6329, 6521
\traditionalpoem@par . . . 6329, 6330, 6448
\trimb 5381, 5388
\trimc 5390
\trivlist 11085, 15425, 15445
\ttdefault . . . 8025, 8117
\ttfamily 2015, 2055, 2056, 2058, 2059, 2060, 2061, 2062, 2063, 2064
\ttl@a 19197, 19199
\ttl@b 19192, 19193, 19197, 19199
\ttl@beginlongest 19167
\ttl@calc . . 19162, 19174
\ttl@changecentercr 19166
\ttl@contentsstretch 19204
\ttl@corr 19219, 19220, 19223
\ttl@endlongest . . 19182
\ttl@filleft 19156, 19185
\ttl@filright 19157, 19186
\ttl@glcmds 19169
\ttl@hmode@error . 19168
\ttl@leaders 19221
\ttl@lselect 19228, 19231
\ttl@makeline 19162, 19217
\ttl@margin . 19216, 19222
\ttl@midlongest . . 19181
\ttl@outnoblock . . 19195
\ttl@savel@chapter 19230
\ttl@savel@part . . 19227
\ttlh@hang 19161
\turn 17017
\turnbox 17038
\tw@ . . . 355, 363, 1380, 1388, 1422, 1426, 1431, 2282, 3180, 9487, 9492, 10957, 10958, 11675, 11679, 11680, 11694, 11698, 11703, 11706, 11717, 11721, 11722, 11723, 11724, 11727, 12026, 12027, 12037, 12039, 12040, 12042, 12043, 12046, 12048, 12049,

12083, 12085, 12086, 12088, 12089, 12092, 12094, 12095, 13358, 15065, 15072, 15073, 15081, 15082, 15087, 15088, 15094, 15104, 15105, 15112, 15113, 15136, 15141, 15837, 15838, 17089, 17638, 18209, 18337, 18893, 18991, 19089, 19097, 19422, 20928, 20929, 21158, 21162, 21164
\twocolumn 462, 598, 614, 813, 863, 1065, 1115, 1315, 1952, 6622, 6799, 7009, 7068, 7749, 7924, 8789, 8886, 10889, 14634, 16018, 16223, 16273, 16364, 16608, 16732, 16790, 17197, 17746, 18445, 19274, 19280, 19285, 19292, 19297, 19302
\twocolumnfootnotes 9384
\TX@ 19013, 19014, 19042, 19043
\TX@align .. 19066, 19068
\TX@arith 19028
\TX@ckpt ... 19018, 19064
\TX@col@width . 19015, 19021, 19026, 19069
\TX@cols 19022, 19026, 19070
\TX@endtabularx 12638, 12649, 12655, 19011
\TX@find@endtabularxa 19013, 19014
\TX@find@endtabularxb 19043
\TX@find@endtabularxbb 19041
\TX@ftn . 19038, 19073, 19075, 19077, 19080, 19082, 19084
\TX@ftntext 19032
\TX@LTRftntext 19033, 19072
\TX@newcol 19015
\TX@old@table 19020
\TX@RTLftntext 19034, 19079
\TX@target . 19021, 19035
\TX@trial 19025, 19030, 19046
\TX@trial@ftn 19049, 19050, 19051
\TX@typeout@ 19023, 19065
\TX@verb 19016
\TX@vwarn 19052
\TX@xftntext 19032
\TX@xLTRftntext 19033, 19076
\TX@xRTLftntext 19034, 19083
\typeout 1531, 1533, 4881, 4883, 4884, 4885, 4887, 4889, 4890, 4891, 11272, 15877, 20301, 20313, 20333, 20334, 20337, 20355, 20356

U

\uc@authornothanks .. 762, 791, 796, 1014, 1043, 1048, 1264, 1293, 1298, 6762, 6939, 16172, 16201, 16206, 16311, 16342, 16347
\uc@ax 792, 793, 1044, 1045, 1294, 1295, 16202, 16203, 16343, 16344
\uc@nothanks 753, 790, 791, 800, 1005, 1042, 1043, 1052, 1255, 1292, 1293, 1302, 6753, 6930, 16163, 16200, 16201, 16210, 16302, 16341, 16342, 16351
\uc@tx 790, 798, 1042, 1050, 1292, 1300, 16200, 16208, 16341, 16349
\uc@ty 799, 800, 1051, 1052, 1301, 1302, 16209, 16210, 16350, 16351
\undefined 4397, 6473, 6527, 6530, 6532, 17388, 17390, 17392, 17968, 17970, 17972, 18651, 18653, 18655
\underline . 21117, 21125
\undertext 21125
\unexpanded 3207, 3216, 3217, 3224, 3225, 3238, 3239, 3246, 3247, 3348, 3469
\unhbox 1496, 6354, 6612, 7351, 10362, 10385, 10394, 10397, 10639, 10643, 10649, 10653, 10659, 10662, 10668, 10671, 13074, 13079, 13107, 13112, 13124, 13129, 21047, 21168, 21169, 21170, 21171
\unhcopy 13090, 13095, 18913, 18925, 19001
\unhskip 3874
\unitindent 637, 648, 649, 651, 725, 731, 875, 876, 878, 944, 945, 947, 948, 960, 965, 1059, 1131, 1132, 1134, 1196, 1205, 1211, 6638, 6639, 6641, 6716, 6722,

6815, 6816, 6818, 6869, 6875, 16041, 16052, 16053, 16055, 16106, 16112, 16424, 16425, 16427, 16491, 16529, 16535
\unitlength 7415, 7425, 7438, 7448, 7461, 7471, 7484, 7494, 15459
\unkern 5543
\unpenalty 7250, 7793, 7805, 7816, 7822, 10365, 10382, 10391, 11706
\unrestored@protected@xdef 2226, 2234, 2242, 5626, 5655, 5684, 6500, 6507, 6514, 11410, 11419, 11578, 11593, 12519, 12530, 12541, 12552
\unsetfootnoteRL 11425, 11426
\unsetLTR . . 15806, 20906
\unsetRL . . . 15844, 20937
\unsetRTL . . 15805, 20905
\unskip 46, 60, 76, 249, 263, 278, 336, 1448, 1449, 1450, 4935, 4938, 4941, 4944, 5634, 5663, 5692, 6381, 6392, 7247, 7553, 7616, 7793, 7805, 7816, 7818, 7822, 7826, 9334, 10363, 10364, 11556, 11794, 11843, 13950, 13992, 13995, 14776, 14876, 17022, 17032, 17050, 17385, 17406, 17411, 17420, 17965, 17986, 17991, 18000, 18648, 18669, 18674, 18683, 21240, 21287, 21516
\untilcondition 3956, 3970, 4054, 4097
\unvbox 7261, 7262, 7516, 7519, 7536, 7540, 7553, 7603, 7616, 7662, 7720, 7728, 7729, 7738, 7816, 7818, 7822, 7825, 7831, 7835, 7894, 7902, 7903, 7912, 7960, 8191, 8194, 8195, 8212, 8215, 8216, 8241, 8248, 8253, 8258, 8298, 8303, 8307, 8312, 9151, 9162, 9173, 9266, 9287, 9342, 9348, 9383, 9448, 9460, 9473, 9554, 9565, 9577, 9660, 9672, 9685, 9769, 9781, 9794, 9878, 9890, 9903, 9987, 9999, 10012, 10096, 10108, 10121, 10205, 10217, 10230, 10314, 10326, 10339, 10360, 10591, 10610, 10624, 10636, 10646, 10656, 10665, 10701, 10709, 10716, 10723, 10729, 11496, 11510, 11524, 11561, 11566, 11669, 11679, 11706, 11794, 11843, 11915, 11917, 11961, 11966, 11972, 11976, 11983, 11999, 13923, 13928, 13937, 13940, 13998, 14016, 14776, 14805, 14807, 14815, 14833, 14835, 14876, 14905, 14907, 14915, 14933, 14935, 14990, 15683, 15687, 15692, 15696, 15708, 15719, 15739, 15742, 15747, 15821, 15822, 15826, 15831, 21047, 21240, 21287, 21335, 21340, 21351, 21355, 21362, 21367, 21374
\unvcopy . 7788, 8235, 8292
\uppercase 308, 770, 790, 1022, 1042, 1272, 1292, 6770, 6947, 16180, 16200, 16319, 16341
\uppercasenonmath 114, 13200
\uppermargin 8474
\uppertitleback 17231, 17780, 18479
\upshape 5811, 5818, 5825, 5832, 5839, 8026, 8030, 8031, 8118, 8123, 8124, 15896
\urlstyle 2389
\use 14174
\usebox . . . 2095, 2105, 4776, 4908, 4910, 4915, 4917, 4926, 4927, 4930, 4931, 5138, 8580, 8583, 8591, 8598, 8606, 8613, 8656, 12209, 12213, 12296, 12298, 12302, 12304, 12309, 12311, 12315, 12317, 12321, 12323, 12327, 12329, 12335, 12336, 12339,

12340, 12344, 12345, 12348, 12349, 12352, 12353, 12356, 12357, 12371, 12372, 12374, 12375, 12387, 12388, 12390, 12391, 12397, 12398, 12401, 12402, 12406, 12407, 12410, 12411, 12414, 12415, 12418, 12419, 12426, 12428, 12432, 12434, 12439, 12441, 12445, 12447, 12451, 12453, 12457, 12459, 12472, 12474, 13375, 13377, 15455, 15456, 15458, 15465, 15483, 15754, 15755, 20835
\usecounter 91, 294, 579, 714, 977, 1227, 2566, 5926, 6705, 6893, 7202, 8726, 8997, 10834, 13140, 16124, 16518, 16712, 16915, 17319, 17324, 17899, 17904, 18582, 18587, 19247
\usekomafont . . 17103, 17110, 17147, 17260, 17511, 17514, 17531, 17533, 17652, 17659, 17696, 17809, 18091, 18094, 18110, 18113, 18351, 18358, 18395, 18508, 18774, 18777, 18793, 18796
\usepackage 4315, 4316, 4321, 4322, 4325, 4328, 4373, 4374
\usetocbasicnumberline 19930

V

\v@aaa 7681, 7683, 7684, 7685, 7687, 7689, 7690, 7691, 7692, 7847, 7849, 7851, 7853, 7854, 7859, 7860, 7862, 7865, 7866, 7869
\v@ccc 7682, 7688, 7690, 7691, 7692, 7693, 7702, 7710, 7848, 7860, 7861, 7865, 7868, 7872, 7878, 7884
\vadjust . 6357, 6358, 6365
\valign 9373, 9377
\value 5424, 5443, 5462, 5494, 11262, 11277, 11278, 11281, 11282, 11285, 13246, 13247, 13318, 13352, 17375, 17955, 18638, 19017
\varcustomer . . 18229, 18255, 18256, 18259
\varinvoice . . . 18230, 18261, 18262, 18265
\varmyref 18228, 18249, 18250, 18253
\varrefitemi . . 18231, 18267, 18268, 18271
\varrefitemii . 18232, 18273, 18274, 18277
\varrefitemiii 18233, 18279, 18280, 18283
\varrefitemnamei . 18269
\varrefitemnameii 18275
\varrefitemnameiii 18281
\varyourmail . . 18227, 18243, 18244, 18247
\varyourref . . . 18226, 18237, 18238, 18241
\vbadness . 7552, 7615, 9372, 9376, 10992, 11028, 11133, 11164, 11179, 11793, 11842, 14775, 14875, 15635, 21239, 21286
\vbox 306, 398, 404, 1416, 1483, 2306, 5165, 5166, 5168, 6341, 7255, 7260, 7338, 7516, 7519, 7536, 7540, 7553, 7568, 7585, 7601, 7616, 7631, 7644, 7660, 7682, 7688, 7693, 7696, 7702, 7705, 7710, 7715, 7719, 7727, 7737, 7788, 7816, 7818, 7821, 7830, 7848, 7860, 7872, 7873, 7878, 7880, 7884, 7888, 7893, 7901, 7911, 7959, 7965, 8183, 8191, 8192, 8200, 8204, 8212, 8213, 8221, 8235, 8240, 8244, 8247, 8251, 8252, 8269, 8276, 8292, 8297, 8301, 8302, 8305, 8306, 8321, 8328, 9150, 9161, 9172, 9264, 9447, 9459, 9472, 9553, 9564, 9576, 9659, 9671, 9684, 9768, 9780, 9793, 9877, 9889, 9902, 9986, 9998, 10011, 10095, 10107, 10120, 10204, 10216, 10229, 10313, 10325, 10338, 10360, 10540, 10552, 10564, 10588, 10601, 10607, 10615, 10621, 10629, 10698, 10706, 10721, 11006, 11043, 11134, 11139, 11164, 11179,

11204, 11495, 11509, 11523, 11542, 11666, 11679, 11703, 11794, 11811, 11843, 11860, 11959, 11970, 11995, 13861, 13923, 13928, 13931, 13936, 13937, 13940, 13960, 13998, 14530, 14681, 14776, 14799, 14804, 14806, 14814, 14832, 14837, 14876, 14899, 14904, 14906, 14914, 14932, 14937, 14968, 15507, 15669, 15670, 15683, 15687, 15692, 15696, 15708, 15719, 15734, 15736, 15738, 15741, 15746, 15783, 15790, 15791, 15798, 15907, 17402, 17982, 18665, 18969, 19003, 19008, 20435, 20438, 20443, 20447, 20451, 20455, 20459, 20463, 20467, 20471, 20863, 20871, 20872, 20880, 21037, 21042, 21136, 21153, 21240, 21255, 21287, 21302, 21333, 21349, 21360, 21494, 21535, 21574, 21577

\vboxL 15791, 16937, 16982, 20872

\vboxR 15783, 20863

\vcenter 398, 1480, 7335, 19003, 20955, 21044, 21045, 21136

\veqno 327, 328

\verb 19016

\VerbBox 8637, 8639

\verse@i 6371, 6402, 6408, 6416, 6457

\verse@ii 6382, 6403, 6409, 6411, 6417, 6419, 6457

\versewidth 6334, 6344, 6436

\vfil 420, 434, 628, 631, 747, 776, 935, 938, 999, 1028, 1187, 1190, 1249, 1278, 6341, 6691, 6694, 6747, 6776, 6879, 6882, 6924, 6953, 7026, 7040, 8191, 8212, 8749, 8763, 8844, 8858, 10849, 10863, 15827, 16032, 16035, 16157, 16186, 16296, 16325, 16482, 16485, 16561, 16575, 16748, 16762, 21578

\vfill 1944, 6121, 9373, 9377, 10761, 15734, 15739, 15740, 16947, 16962, 16994, 17011, 17139, 17161, 17166, 17172, 17688, 17710, 17715, 17721, 18387, 18409, 18414, 18420

\vfuzz . . . 5392, 5395, 5396

\vleftskip . 14649, 14650

\voffset 1972

\voidb@x 7228, 7292

\vphantom 20598

\vpic . 15659, 15669, 15670

\vrightskip . 14649, 14650

\vrule 387, 1495, 5167, 5168, 6340, 6342, 7350, 7572, 7637, 7700, 7712, 7877, 7886, 11008, 11049, 11817, 11864, 13852, 13909, 14258, 14520, 14601, 14809, 14816, 14841, 14909, 14916, 14943, 14972, 15085, 15099, 18929, 18957, 18998, 21139, 21259, 21308, 21508

\vsize 7758, 7933, 11154, 11631, 11682, 13935, 13943

\vskip . . 309, 312, 421, 424, 430, 489, 495, 501, 505, 567, 646, 748, 757, 767, 838, 842, 848, 852, 873, 1000, 1009, 1019, 1090, 1094, 1100, 1104, 1129, 1250, 1259, 1269, 1340, 1345, 1351, 1355, 1361, 1364, 2321, 6397, 6424, 6460, 6461, 6467, 6577, 6579, 6636, 6675, 6748, 6757, 6767, 6813, 6852, 6925, 6934, 6944, 6975, 6980, 6984, 6986, 6992, 6996, 6998, 7027, 7030, 7036, 7095, 7101, 7107, 7111, 7131, 7170, 7175, 7183, 7602, 7661, 7722, 7723, 7731, 7732, 7741, 7742, 7823, 7896, 7897, 7905, 7906, 7915, 7916, 8256, 8310, 8706, 8714, 8750, 8753, 8759, 8814, 8818, 8824, 8828, 8845, 8848,

8854, 8913, 8919,
8925, 8929, 8964,
8969, 8978, 9284,
9309, 9317, 9325,
9339, 9355, 10680,
10689, 10702,
10710, 10712,
10725, 10784,
10802, 10806,
10814, 10850,
10853, 10859,
10914, 10918,
10924, 10928,
11178, 11182,
11183, 11558,
11667, 11705,
11710, 11962,
11973, 11980,
12000, 13337,
13458, 13471,
13879, 13896,
13897, 13899,
14013, 14675,
14677, 14680,
14721, 14730,
14738, 14807,
14808, 14810,
14817, 14834,
14907, 14908,
14910, 14917,
14934, 14979,
14991, 15010,
15022, 15034,
15634, 15651,
15672, 15738,
15824, 15830,
16050, 16089,
16158, 16167,
16177, 16248,
16252, 16258,
16262, 16297,
16306, 16316,
16391, 16398,
16404, 16408,
16414, 16417,
16422, 16461,
16562, 16565,
16571, 16635,
16641, 16646,
16649, 16668,
16749, 16752,
16758, 16817,
16823, 16829,
16833, 16853,
16891, 16895,
16903, 17102,
17109, 17143,
17146, 17148,
17154, 17156,
17158, 17174,
17252, 17256,
17259, 17261,
17268, 17270,
17273, 17278,
17358, 17363,
17447, 17449,
17453, 17455,
17466, 17468,
17476, 17478,
17651, 17658,
17692, 17695,
17697, 17703,
17705, 17707,
17723, 17801,
17805, 17808,
17810, 17817,
17819, 17822,
17827, 17938,
17943, 18027,
18029, 18033,
18035, 18046,
18048, 18056,
18058, 18234,
18235, 18350,
18357, 18391,
18394, 18396,
18402, 18404,
18406, 18422,
18500, 18504,
18507, 18509,
18516, 18518,
18521, 18526,
18621, 18626,
18710, 18712,
18716, 18718,
18729, 18731,
18739, 18741,
19366, 19385,
19406, 19423,
19440, 19457,
19474, 19492,
19511, 19531,
19566, 19755,
20292, 20476,
20655, 20659,
20678, 21059,
21068, 21077,
21086, 21174,
21336, 21352,
21363, 21371,
21494, 21573,
21586, 21613, 21621
\vspace 2489, 4769, 4859,
4867, 5485, 5489,
5551, 5556, 5569,
5574, 5587, 5592,
5709, 5718, 5727,
5808, 5815, 5822,
5829, 5836, 6119,
6163, 6167, 6969,
6989, 7164, 7178,
8958, 8973, 9018,
9020, 9022, 10797,
10809, 13231,
13233, 13980,
13993, 16886,
16898, 18292,
18295, 18297,
18302, 19274,
19280, 19285,
19292, 19297, 19302
\vsplit 7511,
7512, 7529, 7533,
7554, 7617, 7683,
7689, 7694, 7849,
7851, 7860, 7872,
7962, 9382, 10993,
11029, 11675,
11795, 11844,
14777, 14877,
15640, 15643,
15662, 15663,
15681, 15685,
15690, 15694,
15706, 15717,
15744, 21241, 21288
\vss 306,
7588, 7647, 7683,
7689, 7694, 7702,
7705, 7710, 7715,

7850, 7860, 7872, 7878, 7880, 7884, 7888, 7963, 8248, 8258, 8303, 8312, 11205, 13928, 13940, 14531, 15669, 15670, 15741, 15907, 21047
\vtop .. 398, 404, 1415, 1482, 5226, 5270, 5314, 7261, 7337, 13843, 18969, 19003, 19008, 21043, 21136, 21153, 21409, 21453

W

\waslice 15669, 15687, 15692, 15708, 15727, 15728, 15737
\wbslice 15670, 15683, 15696, 15719, 15726, 15728, 15729, 15733, 15734, 15741, 15746, 15747
\wd 1635, 1910, 6347, 6348, 6408, 6409, 6411, 6417, 6457, 6551, 6553, 6566, 6568, 7359, 8650, 8654, 10370, 10968, 11095, 11604, 11722, 11723, 12046, 12048, 12092, 12094, 12215, 12296, 12298, 12302, 12304, 12335, 12336, 12339, 12340, 12364, 12365, 12367, 12380, 12381, 12383, 12397, 12398, 12401, 12402, 12426, 12428, 12432, 12434, 13102, 13110, 13119, 13127, 13294, 13301, 13339, 13340, 13465, 13874, 13999, 14687, 14691, 14693, 14701, 14732, 15051, 15627, 15838, 15861, 15888, 16934, 16979, 17035, 17042, 17400, 17980, 18240, 18246, 18252, 18258, 18264, 18270, 18276, 18282, 18288, 18663, 18909, 19067, 19118, 19175, 19192, 19935, 19949, 20689, 20733, 20929, 21113, 21615
\WF@@everypar 20652
\WF@adjlw .. 20692, 20717
\WF@adjtlm . 20714, 20717
\WF@box 20689, 20722, 20723
\WF@floatfalse 20655, 20663, 20673, 20676
\WF@fltmes 20682
\WF@info 20662, 20672, 20675, 20684, 20719, 20721
\WF@ovh 20689
\WF@place .. 20687, 20693
\WF@putfigmaybe .. 20653
\WF@size ... 20666, 20720
\WF@startwrapping 20725
\WF@wfname 20684, 20719, 20721
\WF@wrapil . 20713, 20716
\whilecondition 3956, 3970, 4059, 4091
\whiledo 11138
\widowpenalty ... 92, 295, 585, 717, 980, 1230, 2569, 6445, 6708, 6896, 7208, 8729, 9003, 10837, 13141, 15359, 16127, 16521, 16718, 16921, 17329, 17909, 18592, 19253
\WIDTH 19118, 19126
\width .. 11625, 12026, 12114, 12116, 14567, 14576, 14600
\widthof 8505, 8510
\windowbox . 15736, 15742
\wlog 7684, 7690, 7692, 7853, 7861, 7868
\write 2611, 2946, 2974, 3000, 3028, 3054, 3057, 3091, 3094, 4546, 6330, 6333, 6537, 19055, 21221
\WriteEndXPostoaux 2972
\WriteEndXYPostoaux 3089
\WriteEndYPostoaux 3026
\WriteStartXPostoaux 2943
\WriteStartXYPostoaux 3051
\WriteStartYPostoaux 2997
\wstrutbox . 15646, 15648

X

\x 4091, 4092, 4558, 4561, 8423, 8424, 8427, 8428, 8433, 8437, 8441, 8442, 8445, 8446, 8451, 8455, 13040, 13049, 13051, 13063
\XC@@tmp 20760, 20761, 20775, 20809, 20810, 20818, 20822
\XC@@tstfalse 20760, 20809
\XC@@tsttrue .. 20761, 20762, 20763, 20810, 20811, 20812
\XC@bidideclaredc@lor 20816, 20821
\XC@bidideclaredcolor 20815, 20817
\XC@bidiundeclaredcolor 20800, 20802
\XC@coremodel 20744, 20787

\XC@current@color 20772, 20775, 20776, 20806, 20822, 20823
\XC@declaredc@lor 20767, 20774
\XC@declaredcolor 20766
\XC@display . . . 20773, 20777, 20807, 20824
\XC@edef . . . 20760, 20809
\XC@fbox 20828
\XC@getmodclr 20740, 20783
\XC@inflate . 20754, 20797
\XC@let@Nc . 20775, 20822
\XC@mclr . . . 20754, 20797
\XC@mmod 20752, 20753, 20795, 20796
\XC@mul 20755, 20798
\XC@split 20818
\XC@tgt@mod . 20748, 20791
\XC@type . . . 20761, 20810
\XC@undeclaredcolor 20757, 20768
\xcolor@ . . . 20772, 20806
\xdef 333, 393, 2048, 2793, 2928, 3224, 3225, 3228, 3229, 3246, 3247, 3250, 3251, 3635, 4437, 4592, 6348, 6350, 6431, 6433, 6435, 7556, 7558, 7619, 7621, 8201, 8222, 8267, 8273, 8274, 8319, 8325, 8326, 10445, 10459, 10507, 10521, 10691, 10995, 10997, 11031, 11033, 11396, 11797, 11799, 11846, 11848, 11989, 12650, 13287, 13859, 14779, 14781, 14879, 14881, 15590, 15597, 15604, 19192, 20317, 20321, 20342, 20346, 20408, 20412, 20687, 20692, 20713, 20714, 20716, 20717, 21243, 21245, 21290, 21292
\XeLaTeX 13032, 20933, 21782, 21783
\XeTeX . . 13031, 15840, 20931, 21780, 21781
\XeTeXcharclass 1781, 1782, 1783, 1784, 1785
\XeTeXinterchartokenstate 1778
\XeTeXinterchartoks 1786
\xm . . 8424, 8428, 8442, 8446
\xxm . 8432, 8436, 8450, 8454
\xyzzy 5373

Y

\y . . . 8424, 8428, 8432, 8436, 8441, 8442, 8445, 8446, 8450, 8451, 8454, 8455, 13036, 13038, 13039, 13042, 13049
\ym . . 8441, 8445, 8451, 8455
\yourmailname 18245
\yourrefname 18239
\yym . 8423, 8427, 8433, 8437

Z

\z@ 12, 24, 46, 60, 76, 99, 103, 111, 128, 134, 136, 207, 219, 223, 249, 263, 278, 306, 314, 318, 336, 357, 361, 364, 375, 390, 395, 401, 402, 466, 513, 525, 530, 557, 596, 601, 602, 612, 616, 617, 646, 647, 650, 652, 665, 690, 742, 759, 817, 861, 865, 866, 873, 874, 877, 880, 892, 909, 946, 949, 994, 1011, 1057, 1069, 1113, 1117, 1118, 1129, 1130, 1133, 1135, 1148, 1174, 1244, 1261, 1319, 1356, 1382, 1386, 1389, 1402, 1424, 1432, 1450, 1460, 1462, 1472, 1474, 1479, 1493, 1495, 1496, 1628, 1633, 1634, 1635, 1637, 1903, 1908, 1909, 1910, 1912, 2266, 2321, 2581, 2591, 2596, 3124, 3141, 3936, 3946, 4666, 4675, 4974, 5207, 5211, 5251, 5255, 5295, 5299, 5885, 5912, 5943, 5955, 6133, 6361, 6364, 6367, 6408, 6409, 6411, 6417, 6431, 6435, 6439, 6440, 6441, 6442, 6443, 6444, 6457, 6531, 6543, 6544, 6551, 6553, 6566, 6568, 6576, 6620, 6624, 6625, 6636, 6637, 6640, 6642, 6655, 6678, 6730, 6732, 6734, 6742, 6759, 6797, 6801, 6802, 6813, 6814, 6817, 6819, 6832, 6855, 6907, 6909, 6911, 6919, 6936, 6970, 6990, 7007, 7012, 7013, 7072, 7119, 7134, 7152, 7154, 7156, 7165, 7179, 7230, 7231, 7242, 7244, 7327, 7329, 7334, 7348, 7350, 7351, 7356, 7357, 7358, 7359, 7360, 7394, 7405, 7523, 7677, 7724, 7733, 7743, 7761, 7764, 7801, 7843, 7898, 7907,

7917, 7936, 7939,
8189, 8210, 8227,
8228, 8230, 8231,
8239, 8261, 8263,
8266, 8284, 8285,
8287, 8288, 8296,
8313, 8315, 8318,
8619, 8641, 8643,
8645, 8648, 8650,
8652, 8654, 8656,
8657, 8663, 8668,
8682, 8696, 8709,
8793, 8890, 8936,
8946, 8948, 8950,
8959, 8974, 9092,
9098, 9104, 9217,
9222, 9229, 9234,
9241, 9246, 9352,
9353, 9354, 9434,
9540, 9646, 9755,
9864, 9973, 10082,
10191, 10300,
10369, 10442,
10504, 10570,
10574, 10578,
10677, 10678,
10679, 10686,
10687, 10688,
10772, 10787,
10798, 10810,
10893, 10936,
10938, 10940,
10969, 11120,
11177, 11205,
11228, 11230,
11232, 11241,
11243, 11245,
11391, 11445,
11462, 11478,
11505, 11519,
11533, 11547,
11551, 11672,
11722, 11729,
11755, 11756,
11757, 11778,
11779, 11945,
12020, 12021,
12022, 12029,
12036, 12037,
12038, 12039,
12040, 12042,
12043, 12045,
12046, 12048,
12082, 12083,
12084, 12085,
12086, 12088,
12089, 12091,
12092, 12094,
12166, 12172,
13149, 13153,
13169, 13173,
13185, 13197,
13214, 13311,
13354, 13361,
13369, 13382,
13384, 13424,
13431, 13436,
13447, 13519,
13821, 13823,
13855, 13861,
13864, 13869,
13872, 13909,
13923, 13927,
13928, 13931,
13937, 13950,
13971, 13973,
13995, 14024,
14637, 14640,
14664, 14789,
14793, 14803,
14864, 14889,
14893, 14903,
14961, 14978,
14987, 14989,
15010, 15022,
15034, 15054,
15065, 15071,
15348, 15353,
15394, 15404,
15454, 15455,
15456, 15458,
15460, 15465,
15483, 15755,
15799, 15801,
15836, 15837,
15838, 15847,
15848, 15861,
15885, 15886,
15907, 15952,
15953, 15970,
16016, 16020,
16021, 16050,
16051, 16054,
16056, 16069,
16092, 16138,
16140, 16142,
16152, 16169,
16227, 16271,
16275, 16276,
16291, 16308,
16368, 16409,
16422, 16423,
16426, 16428,
16441, 16464,
16503, 16505,
16507, 16560,
16603, 16612,
16639, 16656,
16671, 16692,
16694, 16696,
16730, 16735,
16736, 16794,
16841, 16856,
16874, 16876,
16878, 16887,
16899, 16934,
16935, 16936,
16979, 16980,
16981, 17019,
17023, 17024,
17029, 17033,
17034, 17035,
17040, 17041,
17042, 17047,
17051, 17052,
17094, 17102,
17109, 17111,
17133, 17156,
17174, 17201,
17245, 17270,
17358, 17363,
17408, 17472,
17548, 17551,
17557, 17567,
17577, 17587,
17643, 17651,
17658, 17660,
17682, 17705,
17723, 17750,
17794, 17819,

17938, 17943,
17988, 18052,
18132, 18137,
18140, 18146,
18156, 18166,
18176, 18213,
18342, 18350,
18357, 18359,
18381, 18404,
18422, 18449,
18493, 18518,
18621, 18626,
18671, 18735,
18815, 18820,
18823, 18829,
18839, 18849,
18859, 18900,
18901, 18902,
18903, 18908,
18909, 18913,
18925, 18959,
18982, 18994,
18998, 19091,
19095, 19102,
19113, 19159,
19160, 19170,
19174, 19175,
19176, 19179,
19188, 19189,
19191, 19192,
19194, 19202,
19207, 19222,
19308, 19309,
19383, 19473,
19491, 19584,
19763, 19871,
19900, 20210,
20214, 20292,
20297, 20302,
20350, 20476,
20662, 20669,
20670, 20688,
20704, 20707,
20716, 20717,
20719, 20723,
20730, 20731,
20732, 20733,
20828, 20833,
20835, 20883,
20887, 20888,
20893, 20897,
20898, 20927,
20928, 20929,
20980, 20981,
20982, 21059,
21068, 21077,
21086, 21090,
21110, 21111,
21141, 21152,
21160, 21165,
21174, 21390,
21394, 21434,
21438, 21479,
21483, 21486,
21496, 21497,
21501, 21508,
21545, 21571,
21584, 21624, 21625
\z@skip .. 2321, 11175,
11176, 13971,
13974, 15967,
18963, 18968,
19001, 19007,
21089, 21090,
21145, 21151, 21571
\zap@space 4303, 4390, 4426
\zifrefundefined ..
..... 11294, 11317
\zref@extractdefault
..... 11299, 11320
\zref@labelbyprops
..... 11265, 11340

□
\ 1784
\ 1784

□
\ 1785
\ 1785