Question: Write a program which print all characters by using loop?

IN JAVA:

➢ SOURCE CODE:

```java
int count=0;
    for (int i = 0; i < 255; i++) {
        System.out.print((char)i+"  ,");
        count++;
        if(count==35){
            System.out.println();
            count=0;
        }
    }
```

```java
package javaapplication6;
public class JavaApplication6 {

    public static void main(String[] args) {
        int count=0;
        for (int i = 0; i < 255; i++){
            System.out.print((char)i+" ,");
            count++;
            if(count==35){
                System.out.println();
                count=0;
            }
        }
    }
}
```

utput - JavaApplication6 (run)

```
   ,   ,   ,   ,   ,   ,   ,   ,    ,        ,
   ,   ,   ,   ,   ,   ,   ,   ,   ,   ,   ,   ,   ,   ,   ,   ,   ,! ,"  ,
 # ,$  ,%  ,&  ,'  ,(  ,)  ,*  ,+  ,,  ,-  ,.  ,/  ,0  ,1  ,2  ,3  ,4  ,5  ,6  ,7  ,8  ,9  ,:  ,;  ,<  ,=  ,>  ,?  ,@  ,A  ,B  ,C  ,D
 F ,G  ,H  ,I  ,J  ,K  ,L  ,M  ,N  ,O  ,P  ,Q  ,R  ,S  ,T  ,U  ,V  ,W  ,X  ,Y  ,Z  ,[  ,\  ,]  ,^  ,_  ,`  ,a  ,b  ,c  ,d  ,e  ,f  ,g
 i ,j  ,k  ,l  ,m  ,n  ,o  ,p  ,q  ,r  ,s  ,t  ,u  ,v  ,w  ,x  ,y  ,z  ,{  ,|  ,}  ,~  ,   ,   ,   , ,  ,ƒ  ,„  ,…  ,†  ,‡  ,ˆ  ,‰  ,Š  ,
 Œ ,   ,   ,   ,   ,'  ,'  ,"  ,"  ,   ,–  ,—  ,˜  ,™  ,š  ,›  ,œ  ,   ,   ,Ÿ  ,   ,¡  ,¢  ,£  ,¤  ,¥  ,¦  ,§  ,¨  ,©  ,ª  ,«  ,¬  ,  ,®
 ¯ ,°  ,±  ,²  ,³  ,´  ,µ  ,¶  ,·  ,¸  ,¹  ,º  ,»  ,¼  ,½  ,¾  ,¿  ,À  ,Á  ,Â  ,Ã  ,Ä  ,Å  ,Æ  ,Ç  ,È  ,É  ,Ê  ,Ë  ,Ì  ,Í  ,Î  ,Ï  ,Ð
 Ò ,Ó  ,Ô  ,Õ  ,Ö  ,×  ,Ø  ,Ù  ,Ú  ,Û  ,Ü  ,Ý  ,Þ  ,ß  ,à  ,á  ,â  ,ã  ,ä  ,å  ,æ  ,ç  ,è  ,é  ,ê  ,ë  ,ì  ,í  ,î  ,ï  ,ð  ,ñ  ,ò  ,ó
 õ ,ö  ,÷  ,ø  ,ù  ,ú  ,û  ,ü  ,ý  ,þ  ,BUILD SUCCESSFUL (total time: 0 seconds)
```

IN C#:

➢ SOURCE CODE:

```csharp
int count=0;
        for (int i = 0; i < 255; i++) {
            Console.Write((char)i+"   ,");
            count++;
            if(count==35){
                Console.WriteLine();
                count=0;
            }
        }
        Console.ReadKey();
```