FUJI KASEI CO., LTD.
富士化成株式会社
TEL: 81-6-6532-7431
FAX: 81-6-6532-7435
E-Mail: info@fujikasei.net
Web Site: http://www.fujikasei.net
Address: 1-13-16, AWAZA NISHI-KU
Osaka 550-0011 JAPAN
大阪市西区阿波座1-13-16
(〒550-0011) 松本フォレストビル8階
電話 : (06) 6532 — 7431
FAX : (06) 6532 — 7435

I N V O I C E

Date : Aug/02/2021
Page : 1/1

Invoice No. J5185

Messrs: Sameer Chemical Company.

Yousuf Manzil A. Abdul Rehman
Street Jodia Bazar, Karachi,
Pakistan.

Shipping Mark.

- VAN SIDE MARK -

CALCIUM CHLORIDE
KARACHI
NO.1-800
MADE IN JAPAN

Shipped per "DONGJIN FIDES" On or About Aug/11/2021
From Tokuyama, Japan to Karachi Seaport
Payment : By D/P at sight

Item	Description of Goods	Quantity	Unit	@ Price	Amount
				CFR Karachi Seaport in U.S $	
	(Incoterms 2010) All other details as per Beneficiary's Proforma Invoice No.PI21-6956 dated 08-07-2021				
1)	Calcium Chloride Granular	20	M/T	$540.00	$10,800.00

Total Quantity : 20 M/T (metric tons) G.TOTAL : CFR Karachi Seaport $10,800.00

800 bags containing 25 kgs. net each in 1 FCL
Packing: 25 kgs. net in PE bag

HS Code No. 2827.2000

Country of Origin : Japan

Applicant's NTN 3809300

Contract No 21RCIS002601817 dated 19 July 2021

Insurance Company: Reliance Insurance Ltd.
Cover Note No. 2021/07/026MIPDT01327 dated 16-07-2021

FUJI KASEI CO., LTD.

Manager

Shipper
FUJI KASEI CO.,LTD.
1-13-16, AWAZA NISHI-KU,
OSAKA 550-0011 JAPAN

Booking No. JP00884037

B/L No. KMTCTKY0030801

KMTC LINE
KOREA MARINE TRANSPORT CO., LTD.
www.ekmtc.com

Port-to-Port or Combined Transport
BILL OF LADING

RECEIVED by the Carrier from the shipper in apparent external good order and condition unless otherwise indicated herein, the total number or quantity of containers or other packages or units indicated below stated by the shipper to comprise the cargo specified for transportation subject to all the terms and conditions hereof from the place of receipt or the port of loading, whichever is applicable, to the port of discharge or the place of delivery, whichever is applicable.

Consignee (Non-Negotiable unless consigned 'to order')
TO ORDER

Notify Party (Carrier not responsible for failure to notify)
SAMEER CHEMICAL COMPANY,
YOUSUF MANZIL A. ABDUL REHMAN
STREET JODIA BAZAR, KARACHI,
PAKISTAN.
APPLICANT'S NTN 3809300

Forwarding Agent-References

Place of Receipt (Combined Transport Only)
TOKUYAMA, JAPAN

Pre-carriage by (Combined or Through Transport Only)

Place of Delivery (Combined Transport Only)
KARACHI SEAPORT,PAKISTAN

Vessel / Voy No.
DONGJIN FIDES /0210N

Final Destination(For the Merchant's Reference)
KARACHI SEAPORT,PAKISTAN

Port of Loading
TOKUYAMA, JAPAN

Port of Discharge
KARACHI SEAPORT,PAKISTAN

PARTICULARS FURNISHED BY SHIPPER

Container No. /Seal No. Marks & Numbers	No. of Containers or P'kgs	Description of Goods	Gross Weight (KGS)	Measurement (CBM)
KMTU7461321/KSA916994 - VAN SIDE MARK - CALCIUM CHLORIDE KARACHI NO.1-800 MADE IN JAPAN	"SHIPPER'S LOAD, COUNT & SEAL" "SAID TO CONTAIN" 1X20GP 800BAGS	CALCIUM CHLORIDE GRANULAR 800 BAGS 20 M/T 1 CONTAINER NET WEIGHT: 20,000 KGS H.S.CODE NO.2827.2000 CONTRACT NO 21RCIS002601817 DATED 19 JULY 2021	20,160.000	21.1440

"FREIGHT PREPAID"

Total Number of Containers or Packages (in words) SAY : ONE (1) CONTAINER ONLY.

Above particulars as declared by shipper, but without responsibility of or representation by carrier.

Freight & Charges	Basis	Rate	Per	Curr.	Payable At POL	Payable At POD	Payable At Elsewhere

COPY

FREIGHT PREPAID AS ARRANGED

This Bill of Lading duly endorsed must be surrendered by the Merchant to the Carrier in exchange for the Goods or delivery order unless otherwise provided herein. IN ACCEPTING this Bill of Lading, the Merchant expressly accepts and agrees to all its terms and conditions on the face and back hereof, INCLUDING BUT NOT LIMITED TO ARBITRATION CLAUSE, whether written, typed, stamped or printed, or otherwise incorporated, notwithstanding the non-signing of this Bill of Lading by the Merchant. IN WITNESS whereof, the number of original Bills of Lading stated on this side have been signed and wherever one original Bill of Lading has been surrendered, any others shall be void.
(Terms of Bill of Lading continued on Back hereof)

Ex. Rate

Freight Payable at OSAKA,JAPAN

Type of Movement CY - CY

Total Prepaid in Local Currency

No. of Original B/L THREE (3) FIRST ORIGINAL

Place and Date of Issue OSAKA,JAPAN Aug.11,2021

Shipped On Board Aug.11,2021
Date

Korea Marine Transport Co., Ltd.
By As Agents for the Carrier KMTC LINE

FUJI KASEI CO., LTD. 富士化成株式会社

TEL: 81-6-6532-7431
FAX: 81-6-6532-7435
E-Mail: info@fujikasei.net
Web Site: http://www.fujikasei.net

Address: 1-13-16, AWAZA NISHI-KU
Osaka 550-0011 JAPAN

大阪市西区阿波座1-13-16
(〒550-0011) 松本フォレストビル8階
電話 : (06) 6532 － 7431
FAX : (06) 6532 － 7435

Date : Aug/02/2021
Page : 1/1

PACKING LIST

Packing List No. J5185

Messrs: Sameer Chemical Company,

Yousuf Manzil A. Abdul Rehman
Street Jodia Bazar, Karachi,
Pakistan.

Shipping Mark.

- VAN SIDE MARK -

CALCIUM CHLORIDE
KARACHI
NO.1-800
MADE IN JAPAN

Shipped per "DONGJIN FIDES" On or About Aug/11/2021
From Tokuyama,Japan to Karachi Seaport
Payment : By D/P at sight

Case_No.	Packages	per/Quantity	Description of Good	N/W(kgs)	G/W(kgs)	M't(m3)
			All other details as per Beneficiary's Proforma Invoice No.PI21-6956 dated 08-07-2021			
1 ～ 800	800 B/G	@25 kgs	1) Calcium Chloride Granular			
		20,000		@25.00	@25.20	@0.026430
				20,000.00	20,160.00	21.144

Total Quantity :	20,000 kgs (kilograms)	TOTAL:	20,000.00 kgs	20,160.00 kgs	21.144 m3
Total Packages :	800 B/G (bag)				

800 bags containing 25 kgs. net each in 1 FCL
Packing: 25 kgs. net in PE bag

HS Code No. 2827.2000

Country of Origin : Japan

Applicant's NTN 3809300

Contract No 21RCIS002601817 dated 19 July 2021

Insurance Company: Reliance Insurance Ltd.
Cover Note No. 2021/07/026MIPDT01327 dated 16-07-2021

FUJI KASEI CO., LTD.

Manager

FUJI KASEI CO., LTD.

TEL : 81-6-6532-7431
FAX: 81-6-6532-7435
E-MAIL:info@fujikasei.net
WEB SITE:http://www.fujikasei.net

Address: 1-13-16, AWAZA NISHI-KU
Osaka 550-0011 JAPAN

富士化成株式会社
大阪市西区阿波座１－13－16
(〒550-0011)
電　話 (06) 6532－７４３１
ＦＡＸ (06) 6532－７４３５

Osaka 10th Aug, 2021

To : Messrs. Sameer Chemical Company

Certificate of Analysis

Product : **Calcium Chloride Granular**

Quantity : **20 M/T**

Contract No 21RCIS002601817 dated 19 July 2021

		Lot No. 10612 (1.875 M/T)	10626 (18.125 M/T)
CaCl2	:	74.85%	74.82%
NaCl	:	2.20%	1.88%
Ca(OH)2	:	0.03%	0.03%
Ca(SO4)2	:	0.047%	0.047%
Fe2O3	:	9 ppm	8 ppm
Ph(20 Be Sol)	:	8 – 10	8 – 10

We hereby certify that the above results is true and correct.

FUJI KASEI CO.,LTD.

Manager

1. Exporter (Name, address, country)

Fuji Kasei Co.,Ltd.
1-13-16, Awaza Nishi-Ku Osaka 550-0011
Japan

CERTIFICATE OF ORIGIN

issued by
The Osaka Chamber of Commerce & Industry
Osaka, Japan

2. Consignee (Name, address, country)

Sameer Chemical Company,
Yousuf Manzil A. Abdul Rehman Street
Jodia Bazar, Karachi, Pakistan.

* Print ORIGINAL or COPY

ORIGINAL

3. No. and date of Invoice

J5185 dated Aug/02/2021

4. Country of Origin

JAPAN

5. Transport details

From Tokuyama, Japan
To Karachi Seaport, Pakistan
by sea

6. Remarks

7. Marks, numbers, number and kind of packages; description of goods

8. Quantity

-VAN SIDE MARK-

CALCIUM CHLORIDE	Calcium Chloride Granular
KARACHI	20 M/T (800 bags)
NO.1-800	**********
MADE IN JAPAN	

Shipper's Statement
Contract No 21RCIS002601817 dated 19 July 2021

9. Declaration by the Exporter

The undersigned, as an authorized signatory, hereby declares that the above-mentioned goods were produced or manufactured in the country shown in box 4.

Place and Date: Osaka, Aug/02/2021

FUJI KASEI CO.,LTD.

(Signature)

(Name) K.Horiai
Manager

10. Certification

The undersigned, hereby certifies, on the basis of relative invoice and other supporting documents, that the above-mentioned goods originate in the country shown in box 4 to the best of its knowledge and belief.

AUG 3 2021
The Osaka Chamber of Commerce & Industry

Authorized Signatory

(No., Date, Signature and Stamp of Certifying Authority)

Certificate No. B №209295

© The Osaka Chamber of Commerce & Industry

KMTC LINE
KOREA MARINE TRANSPORT CO., LTD.

Certificate

AUG. 1 1.2021

To To Whom It May Concern **Reference No.** 208753

Attn.

B/L No.	KMTCTKY0030801	On board Date	2021.08.11
Vessel/Voyage	DONGJIN FIDES / 0210N		
POL	TOKUYAMA, JAPAN	POD	KARACHI SEAPORT,PAKISTAN

*BASED ON REQUEST FOR ISSUING LINER CERTIFICATE ASKED BY SHIPPER,
IT DESCRIBES AS FOLLOWS :

WE HEREBY CERTIFY THAT 14 DAYS FREETIME DETENTION AT DESTINATION.

Korea Marine Transport Co., Ltd.

KMTC (JAPAN) CO., LTD. As Agents for the carrier KMTC LINE

Authorized Signature

as Carrier

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	: Calcium chloride granular
NAME OF THE SUPPLIER	: TOKUYAMA & Tokuyama Soda Trading Co.,Ltd.
ADDRESS	: 2-7-8 Nihonbashi Bakurocho Chuo-ku, Tokyo Ichigo Nihonbashi East Building 4th Floor, Tokyo103-0002, Japan
SECTION	: Tokyo Sales Sec, Sales Dept.
TELEPHONE NUMBER	: +81-3-3527-2553
TELEFAX NUMBER	: +81-3-3527-2554
PRODUCT CODE	: 00403
CREATION DATE	: April 28, 2000
REVISION DATE	: October 1,2018

2. HAZARD IDENTIFICATION

- CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

  Acute toxicity(Oral) Category 4<Harmful if swallowed>

  Eye Damage/irritation Category 1

  Specific target organ toxicity (Single exposure) Category 3<respiratory irritation >

  Specific target organ toxicity (Repeated exposure) Category 2<blood vessel system >

- GHS LABEL ELEMENTS

  Hazard symbol :



  Signal word :Danger

  Hazard statements :H302:Harmful if swallowed

  H318:Cause serious eye damage

  H335:May cause respiratory irritation

  H373:May causes damage to organs< blood vessel system > through prolonged or repeated exposure

  Precautionary statement:

  Prevention

  P264:Wash hands thoroughly after handling.

  P270:Do not eat, drink or smoke when using this product.

  P280:Wear protective gloves and eye/face protection.

  P271:Use only outdoors or in a well-ventilated area.

  P260:Do not breathe dust.

Response

P301+P312: If you feel unwell, call a doctor.

P330: Rinse mouth.

P305+ P351+ P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P304+ P340, P312: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

P314: Get medical advice/attention if you feel unwell.

STORAGE

P405: Store locked up.

P403+ P233: Store in a well-ventilated place. Keep container tightly closed.

DISPOSAL

P501: Dispose of contents/container in accordance with local/ regional/ national/ international regulation.

3. COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/PREPARATION : Substance

COMMON CHEMICAL NAME : Calcium chloride dihydrate

CHEMICAL FORMULA : $CaCl_2 \cdot 2H_2O$

CAS NUMBER : 10035-04-8

INGREDIENTS CONTRIBUTING TO THE HAZARDS

CONCENTRATION : More than 73.0% as $CaCl_2$

4. FIRST-AID MEASURES

INHALATION

Move to a fresh air place and rest in an easy-to-breathe posture.

If you feel unwell,call a doctor.

SKIN CONTACT

Wash with water and soap.

If you feel uncomfortable, get medical attention, get medical attention.

EYE CONTACT

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a doctor.

INGESTION

Rinse mouth.

If you feel uncomfortable, get medical attention.

5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

This substance is not combustible.

SPECIFIC METHODS OF FIRE-FIGHTING

Use extinguishing agents appropriate for surrounding fire.

PROTECTION OF FIREFIGHTERS

Use a tool for protection in accord with a fire.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear personal protective equipment by all means.

ENVIRONMENTAL PRECAUTIONS

It may give ecosystem influence when a large quantity of this substance flowed into a river.

METHODS FOR CLEANING UP

Small spills: Wash away with plenty of water. Wipe off.

Large spills: Take measures promptly not to flow into a river, sewage line.

Discharge it little by little after having been neutralized with acid.

7. HANDLING AND STORAGE

HANDLING

TECHNICAL MEASURES

Wear safety gloves, safety goggles.

PRECAUTIONS

Avoid contact with skin or eyes.

Safe handling advice

Avoid contact with acid product in the case of alkalinity.

STORAGE

TECHNICAL MEASURES

Do not store highly temperature and highly humid environment.

INCOMPATIBLE PRODUCTS

Keep away from acid.

PACKING MATERIALS

Storage container must be made of corrosion resistance materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

ACGIH TLV 2018 : None established

PERSONAL PROTECTIVE EQUIPMENT

HAND PROTECTION

Safety gloves

EYE PROTECTION

Safety goggles, face shield

SKIN AND BODY PROTECTION

Impermeable wear, rubber boots, rubber apron.

HYGIENE MEASURES

Eye cup and a shower

9. PHYSICAL AND CHEMICAL PROPERTIES[1)4)]

PHYSICAL STATE	: Solid
COLOUR	: White
ODOUR	: Odorless
pH	: 8～10(20° Be'、18% aqueous solution)
SPECIFIC TEMPERATURES AT WHICH CHANGES IN PHYSICAL STATE OCCUR	
BOILING POINT	: more than 1600℃($CaCl_2$)
MELTING POINT	: 176℃($CaCl_2 \cdot 2H_2O$)、772℃($CaCl_2$)
FLASHPOINT	: Non inflammability
AUTOIGNITION TEMPERATURE	: Non inflammability
DENSITY	: 1.85 g/cm^3(25℃)
SOLUBILITY	: Soluble in water, ethyl alcohol
SOLUBILITY IN Water	: 37.3g/100g solution,0℃
	: 42.7g/100g solution, 20℃
	: 61.4g/100g solution, 100℃
KINEMATIC VISCOSITY	: 2.79×10^{-4} m^2/s(30% solution, 20℃)
	: 3.78×10^{-4} m^2/s(35% solution, 20℃)
HEAT OF SOLUTION	: −285J/g・

10. STABILITY AND REACTIVITY

STABILITY

This substance is stable with a normal state in a long term.

REACTIVITYIf this substance is alkali, it reacts with acid.

Reacts with strong base and calcium hydroxide is formed.

HAZARDOUS DECOMPOSITION PRODUCTS

Not generated

11. TOXICOLOGICAL INFORMATION[2)]

ACUTE TOXICITY

Oral LD_{50} mouse (male)2,045 mg/kg (female)1,940 mg/kg

SKIN CORROSION/IRRITATION Since erythema and peeling were confirmed on the skin of the packing workers, strong irritation was recognized.

EYE DAMAGE/IRRITATION Because erythema and peeling were confirmed on the skin of the packing workers,it was classified as Category 1 because strong irritation was observed.

LOCAL EFFECTS

Do not stimulate skin.

May cause dermatitis.

Eye contact causes pain.

Specific target organ toxicity (Single exposure) : respiratory irritation

Specific target organ toxicity (Repeated exposure) : blood vessel system

AMES test :Negative

12. ECOLOGICAL INFORMATION[2)]

ECOTOXOCITY

Acute

Fish, algae, crustaceans	LC/EC_{50}	≧100mg/L

Long term

Acute toxicity is outside of Category.

Solubility = 745g/L (20°C)

13. DISPOSAL CONSIDERATIONS

WASTE FROM RESIDUES

・SMALL DISPOSAL: Dilute with a large amount of water and neutralize with acid to about pH 7.

・LARGE DISPOSAL: Dispose using authorized waste collection plant, or obtain the consent of pollution control authorities.

CONTAMINATED PACKAGING

Used containers must take an appropriate disposal method after having washed in water.

14. TRANSPORT INFORMATION

INFORMATION ON CODES AND CLASSIFICATIONS ACCORDING TO INTERNATIONAL REGULATIONS

SPECIFIC PRECAUTIONARY TRANSPORT MEASURES AND CONDITIONS

Make sure no leaking in containers.

15. REGULATORY INFORMATION

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

16. OTHER INFORMATION

LITERATURE

1) Chemistry manual basic edited "the 4th revision", edited by The Chemical Society of Japan, Maruzen Corp., (1993)
2) NITE comprehensive search
GHS classification result(Access on June 2018)
3) SIDS(2002), OECD : SIDS report 「SIDS Initial Assessment Report Oct.2002」
4) OECD SIDS search(2002), (Access on June.2018)

POSSIBLE RESTRICTIONS

The information herein is given in good faith, but no warranty is made, either express or implied. To the best of our knowledge, the information contained herein is accurate. However, Tokuyama Corp. doesn't assume any liability whatsoever for the accuracy or completeness of information contained herein.
Final determination of suitability of any material should be made on the sole responsibility of the user.
All materials may present unknown hazards and should be used in caution.
Although certain hazards are described herein, we make no warranty that these are all hazards, which exist.

REFERENCE OF ENTRY CONTENTS

1-1, Mikage-cho, Syunan-shi, Yamaguchi 745-8648, Japan
Tokuyama Corporation
Technical Section　Manufacturing Dept.1 Chemicals Business Div.
TELEPHONE NUMBER　: +81-834-34-2392
TELEFAX NUMBER　: +81-834-33-3571