TEL: 81-6-6532-7431
FAX: 81-6-6532-7435
E-Mail: info@fujikasei.net
Web Site: http://www.fujikasei.net

FUJI KASEI CO.,LTD.

Address: 1-12-17, AWAZA NISHI-KU
Osaka 550-0011 JAPAN

富士化成株式会社
大阪市西区阿波座1丁目12番17号
(〒550-0011)PMO四ツ橋本町3階
電話 : (06) 6532 - 7431
FAX : (06) 6532 - 7435

INVOICE

No. J6698
Date Aug/13/2024

Messrs.
Sameer Chemical Company,
Yousuf Manzil, Akhund A Rahman Street,
Jodia Bazaar, Karachi, Pakistan

Shipping Mark
- VAN SIDE MARK -

CALCIUM CHLORIDE
KARACHI
NO.1-800
MADE IN JAPAN

Shipped Per.
KYOTO TOWER
From
Tokuyama, Japan
To
Karachi Port, Pakistan
Reference

On or About
Aug/23/2024
Via

L/C No

Payment
By D/P at sight

Item	Description of Goods	Quantity	UNIT @Price	Amount
	CFR Karachi Port, Pakistan in U.S.$			
	Description, quantity, price and all other details and specification strictly as per Beneficiary's Proforma Invoice No.PI24-7711 dated: 16-05-2024.			
	Calcium Chloride Granular	20 MT	US$670.00	US$13,400.00
	GRAND TOTAL:	20 MT		US$13,400.00

800 bags containing 25 kgs. net each
Packing: 25 kgs. net in PE bag

H.S. Code No. 2827.2000

Country of Origin : Japan

N.T.N. No. 3809300-6

Bank Contract Number: HMBC/01/63/4556

Insurance Company: EFU General Insurance Ltd.
Cover Note No. : 2511082565/05/2024

FUJI KASEI CO., LTD.

Manager

WAN HAI

WJPOSA0140007279

BILL OF LADING

B/L No. 015EX21631

ORIGINAL

Shipper
FUJI KASEI CO.,LTD.
1-12-17, AWAZA NISHI-KU,
OSAKA 550-0011 JAPAN

Consignee
TO THE ORDER OF HABIB METROPOLITAN
BANK LTD.

Notify party (carrier not to be responsible for failure to notify)
SAMEER CHEMICAL COMPANY,
YOUSUF MANZIL, AKHUND A RAHMAN
STREET, JODIA BAZAAR KARACHI,
PAKISTAN N.T.N. NO. 3809300-6
TEL: +92-21-32419321***N

Ocean vessel / Voy No.
KYOTO TOWER S051

RECEIVED by the Carrier from the Shipper in apparent good order and condition unless otherwise indicated herein, the Goods, or the Container(s) or package(s) said to contain the cargo herein mentioned to be carried subject to all the Terms and Conditions provided for on the face and back of this Bill of Lading by the Vessel named herein or any substitute at the Carrier's option and/or other means of transport from the Place of Receipt or the Port of Loading to the Port of Discharge or the Place of Delivery shown herein and there to be delivered unto order or assigns.

This Bill of Lading duly endorsed must be surrendered in exchange for the Goods or delivery order.

In accepting this Bill of Lading, the Merchant (as defined by Article 1 on the back hereof) agrees to be bound by all Terms and Conditions on the face and back hereof, whether written, typed, stamped, printed or otherwise incorporated, as fully as if signed by the Merchant, any local custom or privilege to the contrary notwithstanding, and agrees that all agreements or freight engagements for and in connection with the Carriage of the Goods are superseded by this Bill of Lading.

It is further agreed that Goods may be stowed on deck without notice pursuant to Article 17 on the back of this Bill of Lading.

In witness whereof, the undersigned, on behalf of the Carrier, has signed the number of Bill(s) of Lading stated above, all of this tenor and date, one of which being accomplished the others to stand void.

(Terms and Conditions of Bill of Lading continued on the back hereof, may be obtained from the office of the Carrier or the Carrier's authorised agent, and are available on the website www.wanhai.com)

"On Board" means the Goods are loaded on board the ocean Vessel named in this Bill of Lading, or loaded on board rail cars, trucks, lorries, feeder ships, barges, or other means of transportation and are in the custody of an inland or ocean carrier for Combined Transport in accordance with the terms of this Bill of Lading.

SHIPPING AGENT REFERENCES (COMPLETE NAME AND ADDRESS)

RIAZEDA (PVT) LTD
PLOT # BC-2, BLOCK-4, KDA SCHEME NO.5 CLIFTON, KARACHI
EMAIL:INFO@RIAZEDA.COM.PK
UAN: +92-21-111-775-111
TEL: 0213-5866663 FAX: +92 21 35178362

Port of loading	Place of receipt	Pre-carriage by
TOKUYAMA, JAPAN	TOKUYAMA, JAPAN	

Port of discharge	Place of delivery
KARACHI PORT,PAKISTAN	KARACHI PORT,PAKISTAN

Particulars furnished by shipper

Marks & Nos. ; Container No. / Seal No.	No of packages or containers	Kind of Packages; Description of goods	Gross weight / Measurement
- VAN SIDE MARK - CALCIUM CHLORIDE KARACHI NO.1-800 MADE IN JAPAN FCL/FCL WHSU0007721 20SD86 WHLW523620	1 CTR (800 BAGS)	"SHIPPER'S PACK LOAD COUNT & SEAL" "SAID TO CONTAIN" DESCRIPTION AS ATTACHED LIST ----------<Note>---------- Local destination (POD) Charges will be in account of Consignee ---------- "FREIGHT PREPAID" SAY : ONE CONTAINER ONLY	20,160.000 KGM 21.144 M3

印紙税申告納付につき麹町税務署承認済

Freight payable at	Ex. Rate	No. of original B(s)/L	Place and date of issue	
OSAKA,JAPAN	148.34	THREE (3)	OSAKA,JAPAN	AUG 23 2024

ALL AS ARRANGED

Laden on board
Date AUG 23 2024
KYOTO TOWER S051
TOKUYAMA, JAPAN

WAN HAI LINES (JAPAN), LTD.
AS AGENT FOR THE CARRIER WAN HAI LINES LTD.

#JP22A1420826

By

WAN HAI

Ocean Vessel: KYOTO TOWER

Voyage No: S051

B/L No: 015EX21631

CU5

Place of receipt: TOKUYAMA, JAPAN

Place of delivery: KARACHI PORT,PAKISTAN

*** B/L Attached List ***

SHEET: 1 OF 1

<< Description >>
CALCIUM CHLORIDE GRANULAR
20 MT 800 BAGS
NET WEIGHT: 20,000 KGS
1 CONTANER

H.S.CODE NO.2827.2000
BANK CONTRACT NUMBER:
HMBC/01/63/4556

800 BAGS

***N
E-MAIL:YOUSUFCHEMICAL
@HOTMAIL.COM

TEL: 81-6-6532-7431
FAX: 81-6-6532-7435
E-Mail: info@fujikasei.net
Web Site: http://www.fujikasei.net

FUJI KASEI CO.,LTD.

Address: 1-12-17, AWAZA NISHI-KU
Osaka 550-0011 JAPAN

富士化成株式会社
大阪市西区阿波座1丁目12番17号
(〒550-0011)PMO四ツ橋本町3階
電話 : (06) 6532 - 7431
FAX : (06) 6532 - 7435

PACKING LIST

No. J6698
Date: Aug/13/2024

Messrs.
Sameer Chemical Company,
Yousuf Manzil, Akhund A Rahman Street,
Jodia Bazaar, Karachi, Pakistan

Shipping Mark
- VAN SIDE MARK -

CALCIUM CHLORIDE
KARACHI
NO.1-800
MADE IN JAPAN

Shipped Per.
KYOTO TOWER
From
Tokuyama, Japan
To
Karachi Port, Pakistan
Reference

On or About
Aug/23/2024
Via

L/C No.

Payment
By D/P at sight

Case_No.	Quantity	Description of Goods/Packages	per/	N/W	G/W	M'nt (M3)
		Description, quantity, price and all other details and specification strictly as per Beneficiary's Proforma Invoice No.PI24-7711 dated: 16-05-2024.				
1-800 800 B/G		Calcium Chloride Granular	@25 20,000 kgs	@25.00 20,000.00	@25.20 20,160.00	@0.026430 21.144
GRAND TOTAL:	800 B/G (bag)		20,000 kgs (kilograms)	20,000.00 Kgs.	20,160.00 Kgs.	21.144 M3

800 bags containing 25 kgs. net each
Packing: 25 kgs. net in PE bag

H.S. Code No. 2827.2000

Country of Origin : Japan

Bank Contract Number: HMBC/01/63/4556

FUJI KASEI CO., LTD.

Manager

To Sameer Chemical Company

TOKUYAMA

Issue Date:August 26, 2024

Analysis Certificate

Product Name:Calcium chloride granular 25Kg export
Lot No. :40527
Quantity:20 TO

Tokuyama Corporation
Chemicals Business Div.
Chemicals Quality Assurance Dept.
1-1, Mikage-cho, Shunan-shi,
Yamaguchi 745-8648, Japan
TEL +81-834-34-2234 FAX +81-834-33-3534

	Item	Unit	Standard	Result
1	Appearance		white granule	white granule
2	CaCl2	%	73.0 Min.	75.37
3	NaCl	%	3.0 Max.	1.94
4	Ca(OH)2	%	0.1 Max.	0.03
5	CaSO4	%	0.05 Max.	0.029
6	Fe2O3	ppm	20 Max.	4
7	pH(20° Be' solution)		8-10	9.8
8	Transmittance(20° Be' solution)	%	70 Min.	91

Note

Bank Contract Number: HMBC/01/63/4556

Sign Hirokatsu Koide

1. Exporter (Name, address, country)

Fuji Kasei Co.,Ltd.
1-12-17, Awaza Nishi-Ku Osaka 550-0011
Japan

CERTIFICATE OF ORIGIN

issued by
The Osaka Chamber of Commerce & Industry
Osaka, Japan

2. Consignee (Name, address, country)

Sameer Chemical Company,
Yousuf Manzil Akhund A Rahman Street,
Jodia Bazaar, Karachi, Pakistan

* Print ORIGINAL or COPY

ORIGINAL

3. No. and date of Invoice

J6698 dated Aug/13/2024

4. Country of Origin

JAPAN

5. Transport details

From Tokuyama, Japan
To Karachi Port, Pakistan
by sea

6. Remarks

7. Marks, numbers, number and kind of packages; description of goods

8. Quantity

-VAN SIDE MARK-

CALCIUM CHLORIDE
KARACHI
NO.1-800
MADE IN JAPAN

Calcium Chloride Granular
20 MT (800 bags)
****

Shipper's Statement
Bank Contract Number: HMBC/01/63/4556

9. Declaration by the Exporter

The undersigned, as an authorized signatory, hereby declares that the above-mentioned goods were produced or manufactured in the country shown in box 4.

Place and Date: Osaka, Aug/13/2024

FUJI KASEI CO.,LTD.

(Signature)

(Name) K.Watanabe
Manager

10. Certification

The undersigned, hereby certifies, on the basis of relative invoice and other supporting documents, that the above-mentioned goods originate in the country shown in box 4 to the best of its knowledge and belief.

AUG. 20 2024

The Osaka Chamber of Commerce & Industry

Authorized Signatory

(No., Date, Signature and Stamp of Certifying Authority)

Certificate No. A 109579

© The Osaka Chamber of Commerce & Industry

Bank Contract Number : HMBC/01/63/4556

GHS product identifier: Calcium chloride granular
Company: Tokuyama Corporation
Date Prepared: Apr. 28, 2000
Date Revised:Apr. 21, 2022

SAFETY DATA SHEET

1. Identification

GHS product identifier: Calcium chloride granular
Company product code 00403
Supplier's details
Name: Tokuyama Corporation
Address: FRONT PLACE AKIHABARA, 7-5, Sotokanda 1-chome Chiyoda-ku, Tokyo 101-8618, Japan
Telephone: +81-3-5207-2510
Telefax +81-3-5207-2574
Emergency phone number:
Recommended use of the chemical and Restrictions on use
Recommended use: Anti-freezing agent, dustproof agent, cooling media (brine), hygroscopic agent (dehumidifying agent), food additive, wastewater treatment agent, etc.
Restrictions on use: None

2. Hazard identification

GHS classification

Health hazards	**Acute toxicity-Oral**	**Category 4**
	Serious eye damage/ eye irritation	**Category 1**
	Specific target organ toxicity (Single exposure)	**Category 3 (Respiratory tract irritation)**
	Specific target organ toxicity - Repeated exposure	**Category 2 (blood system)**

Label elements

Pictograms/Symbols



Signal word Danger
Hazard statements
Harmful if swallowed (H302)
Causes serious eye damage(H318)
May cause respiratory irritation (respiratory tract irritation) (H335)
May cause damage to organs through prolonged or repeated exposure (blood system) (H373)

Precautionary statements

Prevention
Do not breathe dust. (P260)
Wash hands thoroughly after handling.(P264)
Do not eat, drink or smoke when using this product. (P270)
Use only outdoors or in a well-ventilated area. (P271)
Wear protective gloves/protective clothing/eye protection/face protection. (P280)

Response
IF SWALLOWED: Immediately call a POISON CENTER/ doctor. (P301+P310)

	IF INHALED: Remove person to fresh air keep comfortable for breathing. (P304+P340) **IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)** **Immediately call a POISON CENTER/ doctor. (P310)** **Rinse mouth. (P330)**
Storage	**Store in a well-ventilated place. Keep container tightly closed. (P403+P233)** **Store locked up.(P405)**
Disposal	**Dispose of contents/container in accordance with local/ regional/ national/ international regulation.(P501)**

3.Composition/information on ingredients

Distinction of Substance or Mixture:	**Substance**
Chemical name:	**Calcium chloride dihydrate**
CAS. No:	**10035-04-8**
Concentration or concentration range:	**More than 73% as $CaCl_2$**

4. First-aid measures

Inhalation:	**Remove person to fresh air keep comfortable for breathing.** **Call a POISON CENTER/ doctor if you feel unwell.**
Skin contact:	**Washing with water and soap** **Get medical advice/attention if you feel unwell.**
Eye contact:	**Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.** **Immediately call a POISON CENTER/ doctor.**
Ingestion:	**Rinse mouth.** **Get medical advice/attention if you feel unwell.**

5. Fire-fighting measures

Suitable extinguishing media:	**Use the fire extinguishing media suitable for the surrounding fire.**
Unsuitable extinguishing media:	**No data**
Specific hazards arising from the chemical:	**Non-flammable. In case of a fire, irritating or toxic fumes and gases can be released.**
Special protective actions for fire-fighters:	**Extinguish the fire with a fire extinguishing method suitable for the surrounding fire.**
Special protective equipment and precautions for fire-fighters:	**Wear protective equipment appropriate for the type of fire.**

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	**Be careful not to get on skin. Wear protective gloves, eye protection, and dust masks during working.**
Environmental precautions:	**Immediately isolate the appropriate distance as a leak area in**

	all directions.
Methods and materials for containment and cleaning up:	**Keep unauthorized personnel away.**

7. Handling and storage

Precautions for safe handling:

Technical measures:	**Wear protective gloves, eye protection, and dust masks.**
Precautions for safe handling:	**Handle in a well-ventilated place.**
Conditions to avoid:	**Avoid contact with skin, eyes, etc.**
Hygiene measures:	**As it is alkaline, avoid contact with acidic products.**

Conditions for safe storage, including any incompatibilities:

Conditions for safe storage:	**In case of a small amount, store in a place that does not get hot and has low humidity.**
Safe materials for containers/packaging:	**When storing for a long time, store in a closed container.**

8. Exposure controls/personal protection

Control parameters:	**Not applicable in Japan**
Administrative control level:	**Not set**
Japan Society for Occupational Health (2020):	**Not set[1)]**
ACGIH(2021):	**Not set[2)]**
Appropriate engineering controls:	**Not regulated by law, but if the dust is terrible, install an exhaust ventilation system.**

Individual protection measures, such as personal protective equipment (PPE):

Respiratory protection	**Dust masks**
Hand protection	**Protective gloves**
Eye/face protection	**Eye protection (Ordinary glasses type, goggles type)**
Skin protection	**Protective gloves, protective boots, protective clothing (The material is not specified, but long sleeves)**

9. Physical and chemical properties and safety characteristics[3)4)]

Physical state:	**Solid(granules)**
Colour:	**White**
Odour:	**No smell**
Melting point/freezing point:	**176 °C($CaCl_2 \cdot 2H_2O$)、772 °C($CaCl_2$)**
Boiling point or initial boiling point and boiling range:	**more than 1600 °C($CaCl_2$)**
Flammability:	**Incombustibility**
Lower and upper explosion limit/flammability limit:	**Incombustibility**
Flash point:	**Incombustibility**
Auto-ignition temperature:	**Incombustibility**
Decomposition temperature:	**No data**
pH:	**8～10 (20 °Be', 18 % aqueous solution)**
Kinematic viscosity:	**2.79×10^{-4} m^2/s (30 % solution, 20 °C)**
	3.78×10^{-4} m^2/s (35 % solution, 20 °C)

Solubility:	**Soluble in water, ethyl alcohol**
Solubility in water:	**37.3 g/100 g solution, 0 °C** **42.7 g/100g solution, 20 °C** **61.4 g/100g solution, 100 °C**
Partition coefficient n-octanol/water (log value):	**No data**
Vapour pressure:	**No data**
Density and/or relative density:	**1.85 g/cm^3(25 °C)**
Relative vapour density:	**No data**
Particle characteristics:	**No data**
Other information	
Heat of solution:	**-285 J/g (-68 cal/g)**

10. Stability and reactivity

Reactivity:	**Reacts with strong alkalis can produce calcium hydroxide.**
Chemical stability:	**In the air, it absorbs moisture and deliquesces. Maintain a long-term chemical stability at closed and room temperature.**
Possibility of hazardous reactions:	**It will decompose when heated.**
Conditions to avoid:	**Dust diffusion. Avoid moisture.**
Incompatible materials:	**If the liquid is alkaline, it will react with acids.** **Reacts with strong alkalis can produce calcium hydroxide.**
Hazardous decomposition products:	**No date**

11.Toxicological information[5)6)]

Acute toxicity:	
Oral:	**In the anhydrous salt and powder tests, the mouse LD_{50}=2045mg/kg (Male) and 1940mg/kg (Female) (OECD TG 401) (SIDS (2002)), therefore it is classified as Category 4 based on LD_{50} of female mouse.**
Dermal:	**Based on its rabbit LD_{50} > 5000 mg/kg (SIDS (accessed in December 2002)), the substance was classified into "Not classified".**
Inhalation: Gases:	**Solid (GHS definition)**
Inhalation: Vapours:	**No date**
Inhalation: Dusts and mists	**Based on its rat LC_{50} value of >= 0.16 mg/L (SIDS (accessed in December 2002)), a proper category cannot be determined; thus, classification is not possible.**
Skin corrosion/irritation:	**Rat tests (OECD TG 404 GLP) found that the substance in forms of anhydride and dihydrate are not irritating, while those of hexahydrate were slightly irritating (SIDS (accessed in December 2002)). On the other hand, several workers who package calcium chloride developed erythema and peeling of the skin, indicating that calcium chloride has a powerful irritant action on the skin and mucous membranes in humans (SIDS accessed in December 2002). Because of inconsistencies between the results from animal tests (Not classified) and the positive human cases, the substance was classified into "Classification not possible".**
Serious eye damage/eye	**Several workers who package calcium chloride developed**

irritation:	**erythema and peeling of the skin, indicating that calcium chloride has a powerful irritant action on the skin and mucous membranes in humans (SIDS accessed in December 2008); thus, the substance was classified into Category 1. As additional information, rat tests (OECD TG 404 GLP) found that the substance in forms of anhydride and dihydrate were not irritating, while those of hexahydrate were slightly irritating (SIDS (accessed in December 2002)).**
Respiratory sensitization:	**No date**
Skin sensitization:	**No date**
Germ cell mutagenicity:	**Classification is not possible due to lack of information such as results from in vivo mutagenicity tests and in vitro mutagenicity tests using several indices. Also, Ames tests and mutagenicity tests using CHL cells (both are in vitro mutagenicity tests) resulted in negative outcome (SIDS (accessed in December 2002)).**
Carcinogenicity:	**No data available.**
Reproductive toxicity:	**In developmental toxicity tests using rats or mice that underwent forced oral administration (OECD TG 414), signs of developmental toxicity were not found (SIDS (accessed in December 2008)). However, since these tests lack data on fertility and reproductive functions of parental animals, classification is not possible.**
Specific target organ toxicity-Single exposure:	**In inhalation tests using rats that received doses of 0.04 or 0.16 mg/L, several symptoms indicating respiratory system irritation were detected (SIDS (accessed in March 2021)); thus, the substance was classified into Category 3 (respiratory tract irritation).**
Specific target organ toxicity-Repeated exposure:	**"In oral administration tests using rats, no toxic effects have been observed regardless of doses in any of several tests conducted. However, in inhalation tests using rats that received doses of 43.1 mg/m3/4 hours/day (5 days/week, 4 months) (6 hour conversion value: 0.03 mg/L), the following marked toxic symptoms were observed: decrease in the number of leukocytes, phagocytic activity in blood, lysozyme level in serum, and catalase activity, plasma recalcification, shortening of clotting, clot retraction, an increase in peroxidase activity. Since most of these symptoms did not improve after the observational period (SIDS (2008)), the substance was classified into Category 2 (blood system).**
Aspiration hazard:	**No date**

12. Ecological information[2)3)]

Toxicity:	
Hazardous to the aquatic environment- Acute Hazard:	**Its LC_{50} and EC_{50} were >= 100 mg/L for fish, algae or crustaceans in any of the tests conducted (SIDS 2002), the substance was classified into "Not classified".**
Hazardous to the Aquatic Environment - Chronic Hazard:	**Since its classification for acute toxicity is "Not classified," and it is water soluble (water solubility = 745 g/L, SIDS 2005), the substance was classified into "Not classified".**
Persistence and degradability:	**No data**
Bioaccumulative potential:	**No data**

Mobility in soil:	**No data**
Hazardous to the ozone layer:	**No data**

13. Disposal considerations

Information on the safety and environmentally desirable disposal or recycling of chemicals, contaminated containers and packaging:

Remaining wastes:	**In case of a small amount of wastes, dilute with a large amount of water and dispose of it. If the solution is alkaline, neutralize and then discharge. In case of a large amount of wastes, entrust to a licensed waste processor for disposal.**
Contaminated containers and packaging:	**After washing the container with water, take appropriate disposal methods.**

14. Transport information

UN Number	**Not applicable.**
UN Proper Shipping Name:	
UN Number:	
Packing group, if applicable:	
Special safety measures for transportation or means of transportation:	**Handle with care during cargo handling operations, and do not damage the packaging containers and spill the contents due to dropping, impact and dragging, etc. In order to avoid direct sunlight and rain penetration during transportation, cover with shielding materials, etc. At the same time, packaging containers should be prevented from falling apart and overturning during loading.**
Special precautions for user:	**No date**

15. Regulatory information

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

16. Other information

References:

1) **Journal of Occupational Health Vol. 62 (2020)**
2) **ACGIH TLVs and BEIs (2021)**
3) **Chemistry manual basic edited "the 4th revision", edited by The Chemical Society of Japan, Maruzen Corp., (1993)**
4) **OECD SIDS Search(2016), (Access on March. 2021、eChemPortal OECD)**
5) **NITE-CHRIP(2018),
GHS Classification Results(Access on March. 2021 NITE)**
6) **SIDS(2002), (OECD:SIDS Repprt「SIDS Initial Assessment Report Oct.2002」)**

Note:

- **This SDS collects the up-to-date, but not comprehensive, information on safety precautions for general industrial handling of chemicals.**
- **This SDS may be revised or added based on new information.**
- **The precautions are provided only for normal handling, and therefore cannot guarantee**

safety.

- **When the chemical products are mixed with other chemicals or used for special handling, please implement the safety measures suitable for new usage.**
- **The contents of the product and physical/chemical property values described in this SDS are not guaranteed values.**
- **This product is for industrial use, not for household use.**
  This SDS was made in accordance with Japanese laws and regulations. When used overseas, please manage chemical substances in accordance with the laws and regulations of each country.
- **The sign "-" included in the above data represents that no relevant data can be found currently.**

REFERENCE OF ENTRY CONTENTS

1-1, Mikage-cho, Syunan-shi, Yamaguchi 745-8648, Japan
Tokuyama Corporation
Technical Section Manufacturing Dept.1 Chemicals Business Div.
TELEPHONE NUMBER : +81-834-34-2392
TELEFAX NUMBER : +81-834-33-3571