OY NIZHEX SCANDINAVIA LTD

Client number: 1449

INVOICE No. NPE-3209
dd. 28.10.2018 / ea

INVOICE TO:
SAEED AND SONS
M.R 6/22 ABDUL REHMAN STREET JODIA
BAZAR KARACHI PAKISTAN.

ORIGINAL

Documentary Credit No: 18INSC0102-00732

Date of issue	**180924**
Port of Shipment:	Saint Petersburg, Russia
Terms of delivery:	CFR Karachi port, Pakistan acc. to Incoterms 2010
Terms of payment	irrevocable L/C at sight for full invoice value
Applicant	SAEED AND SONS M.R 6/22 ABDUL REHMAN STREET JODIA BAZAR KARACHI PAKISTAN.
Issuing bank	MEZNPKKAK01

Marks and numbers	Description of goods	Quantity Weight, m.t.	Unit price in USD, m.t.	Total amount USD
2009	NONYL PHENOL ETHOXYLATE NP9 (NPE 9)	34,400	1 650,00	56 760,00

34.40 MT NONYL PHENOL ETHOXYLATE NP9 (NPE9)
AT THE RATE OF USD1650/- PER MT
CFR KARACHI PORT AS PER BENEFICIARY'S PROFORMA
INVOICE NO.40918 DATED 04.09.2018.

Container: MSKU7003630, MSKU4000621

HEREBY WE ARE CERTIFYING THAT THE GOODS ARE OF RUSSIA ORIGIN.
H.S.CODE NO.3402.1300
VAT 0 %

Amount to be paid, USD 56 760,00

Please instruct your bank to forward payment orders through:

Bank:	*Nordea Bank Finland Plc*
SWIFT code (BIC):	*NDEAFIHH*
In favour of:	*Oy Nizhex Scandinavia Ltd*
IBAN:	***FI07 2263 6200 0052 26***

OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00210 HELSINKI

OY Nizhex Scandinavia Ltd

OY NIZHEX SCANDINAVIA LTD

Business ID 0586826-3 , Reg. office Helsinki, VAT Nr.FI05868263
Address: Wavulinintie 10, FIN-00210, Helsinki, Finland, tel. + 358 9 6824 7011
Bank: Nordea Bank AB (publ), Finnish Branch
Swift: NDEAFIHH
Bank account number: 226362-5226 USD
IBAN: FI07 2263 6200 0052 26

SHIPMENT ADVICE

Date of issue: October 28th, 2018

TO ATTENTION OF:
THE UNITED INSURANCE CO.OF PAKITSAN LTD.
WINDOW TAKAFUL OPERATIONS 613 6TH FLOOR K.S
TRADE TOWER SHAHRAH-E-LIAQUAT KARACHI
EMAIL: MUHAMMADJAN47@HOTMAIL.COM

ORIGINAL

Applicant:
SAEED AND SONS
M.R 6/22 ABDUL REHMAN STREET JODIA
BAZAR KARACHI PAKISTAN.

L/C Issuing bank:
MEZNPKKAK01

COVER NOTE NUMBER UWT/D/T001/0000001379/0918/130-0 DATED 11.09.2018;
ENDORSEMENT NUMBER UWT/DE/T001/0000000273/0918/312-0 DATED 18.09.2018

Dear Sirs,
Herewith we would like to inform you that shipment at the favor of the company **SAEED AND SONS** according to a.m. cover note was effected with the following details:

Goods:	NONYL PHENOL ETHOXYLATE NP9 (NPE9)
Name of the carrying vessel:	VOLGA MAERSK 1844
Port of Shipment:	Saint Petersburg, Russia
Date of shipment:	October 28th, 2018
Amount:	56 760,00 USD
Quantity:	34 400 KG NET 2 FCL
Container:	MSKU7003630, MSKU4000621
L/C number:	18INSC0102-00732 dd. 24.09.18

OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00210 HELSINKI

OY Nizhex Scandinavia Ltd

Evgeniya Akimenko

От: Evgeniya Akimenko
Отправлено: Thursday, November 01, 2018 12:07 PM
Кому: 'MUHAMMADJAN47@HOTMAIL.COM'
Копия: Michael Larin; Vladimir Philippov
Тема: SHIPMENT ADVICE // 18INSC0102-00732 dd. 24.09.18
Вложения: SA to ins comp.pdf

Dear Sirs,

I'm writing to inform that 2x20'FCL of NONYL PHENOL ETHOXYLATE NP9 (NPE9) was shipped on 28.10.2018 against L/C 18INSC0102-00732 dd. 24.09.18. Meanwhile I attach shipment advice.

TO ATTENTION OF:
THE UNITED INSURANCE CO.OF PAKITSAN LTD.
WINDOW TAKAFUL OPERATIONS 613 6TH FLOOR K.S
TRADE TOWER SHAHRAH-E-LIAQUAT KARACHI
EMAIL: MUHAMMADJAN47@HOTMAIL.COM

Applicant:
SAEED AND SONS
M.R 6/22 ABDUL REHMAN STREET JODIA
BAZAR KARACHI PAKISTAN.

L/C Issuing bank:
MEZNPKKAK01

COVER NOTE NUMBER UWT/D/T001/0000001379/0918/130-0 DATED 11.09.2018;
ENDORSEMENT NUMBER UWT/DE/T001/0000000273/0918/312-0 DATED 18.09.2018

Kind regards,
Evgeniya Akimenko.
Nizhex, Moscow office, Russia
Tel: +7 495 739 48 46 ext 4259

OY NIZHEX SCANDINAVIA LTD

Please consider the environment before printing this email.

OY NIZHEX SCANDINAVIA LTD

PACKING LIST

ORIGINAL

Date of issue: October 28, 2018

Exporter: **OY NIZHEX SCANDINAVIA LTD**
WAVULININTIE 10, FIN-00210
HELSINKI FINLAND.

Applicant **SAEED AND SONS**
M.R 6/22 ABDUL REHMAN STREET JODIA
BAZAR KARACHI PAKISTAN.

Issuing bank **MEZNPKKAK01**

Documentary Credit No: **18INSC0102-00732**
Date of issue **180924**

Goods description: **NONYL PHENOL ETHOXYLATE NP9 (NPE 9)**

34.40 MT NONYL PHENOL ETHOXYLATE NP9 (NPE9)
AT THE RATE OF USD1650/- PER MT
CFR KARACHI PORT AS PER BENEFICIARY'S PROFORMA
INVOICE NO.40918 DATED 04.09.2018.

Type of transport: 2X20' FCL 1X80 NEW STEEL DRUMS OF 215 KG NET PALLETIZED

Details:

Container No	Net/gross weight, kg
MSKU7003630	17 200 / 19 160
MSKU4000621	17 200 / 19 160

TOTAL NET weight: 34,400 MT
TOTAL GROSS weight: 38,320 MT

OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00210 HELSINKI

OY Nizhex Scandinavia Ltd

OY NIZHEX SCANDINAVIA LTD

ORIGINAL

CERTIFICATE OF ANALYSIS

Date of issue: October 28, 2018

Exporter: **OY NIZHEX SCANDINAVIA LTD**
WAVULININTIE 10, FIN-00210
HELSINKI FINLAND.

Applicant **SAEED AND SONS**
M.R 6/22 ABDUL REHMAN STREET JODIA
BAZAR KARACHI PAKISTAN.

Issuing bank **MEZNPKKAK01**

Documentary Credit No: **18INSC0102-00732**
Date of issue **180924**

Goods description: **NONYL PHENOL ETHOXYLATE NP9 (NPE 9)**

34.40 MT NONYL PHENOL ETHOXYLATE NP9 (NPE9)
AT THE RATE OF USD1650/- PER MT
CFR KARACHI PORT AS PER BENEFICIARY'S PROFORMA
INVOICE NO.40918 DATED 04.09.2018.

Type of transport: 2X20' FCL 1X80 NEW STEEL DRUMS OF 215 KG NET PALLETIZED

Details:

Container No	Net/gross weight, kg
MSKU7003630	17 200 / 19 160
MSKU4000621	17 200 / 19 160

TOTAL NET weight: 34,400 MT
TOTAL GROSS weight: 38,320 MT

Container: MSKU7003630
Batch №: 235 (80 drums);
Container: MSKU4000621
Batch №: 235 (80 drums);
Manufacture date: July 2018, Expiry date: July 2020

Parameter	Result
Appearance at 25 deg.C	Transparent oily colorless liquid
Platinum-cobalt scale color	30
Nonionic surfactant water solution cloud point with concentration of 10 g/dm3	54
Hydrogen ions concentration (pH) of nonionic surfactant water solution with concentration of 10 g/dm3	6,0
Water mass content	0,0

OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00210 HELSINKI

OY Nizhex Scandinavia Ltd

MATERIAL DATA SAFETY SHEET

Based on Regulation (EC) 1907/2006 of the European Parliament and Council (REACH)

Trade Name: ***NONYL PHENOL ETHOXYLATE NP9 (NPE9)***
Issue Date: **28.10.2018**
Review Date: -
Revision: 1.0

ORIGINAL

1 Identification of substance/mixture Identification of company/enterprise

1.1 Identification of substance/mixture:
Identification on the label/trade name:
Synonyms: **Neonol AF 9-9,**
Supplementary information: **Nonylphenol ethoxylated**
Регистрационный номер REACH: **Nonylphenol** 01-2119510715-45-0008
Ethylene Oxide: 01-2119432402-53-0036

1.2 Usage of substance/mixture: Used for oil formation flooding making oil production more efficient, for well drilling, in textile, pulp and paper, woodworking industry, as a component of coolunts, hydraulic and other process fluids, in iron industry

1.2.1 **Identified Usage Types:**

1.2.2 **Non-recommended Usage Types:** **Legislation**
May not be placed on the market or used as a substance or constituent of preparations in concentrations equal or higher than 0,1 % by mass for the following purposes:
(1) industrial and institutional cleaning except: controlled closed dry cleaning systems where the washing liquid is recycled or incinerated, cleaning systems with special treatment where the washing liquid is recycled or incinerated;
(2) domestic cleaning;
(3) textiles and leather processing except: processing with no release into waste water, systems with special treatment where the process water is pretreated to remove the organic fraction completely prior to biological waste water treatment (degreasing of sheepskin);
(4) emulsifier in agricultural teat dips;
(5) metal working except: uses in controlled closed systems where the washing liquid is recycled or incinerated;
(6) manufacturing of pulp and paper;
(7) cosmetic products;

OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00210 HELSINKI

1.3 Identification of company/enterprise:
Supplier/producer PJSC Nizhnekamskneftekhim
Address Nizhnekamsk

Telephone/fax	+7(8555)377018
MSDS prepared by:	e-mail: …nknh@nknh.ru…
Emergency telephone number:	To be specified in each country by the consumer
- product recipient country	
- country of origin	+7 (8555) 37-72-07, (8555) 37-78-30,
1.4 Emergency telephone number:	+7 (8555) 37-72-65, (8555) 37-74-45

ORIGINAL

2 Hazards Identification

2.1 Hazard Description: Moderately hazardous substance. N – Hazardous for environment

2.1.1 Classification:

According to Resolution (EC) №1272/2008 (CLP):
Classification:
Hazard Sign:

GHS09



Hazard Statement - H-phrases:
H411: Toxic to aquatic life with long lasting

Precautionary Statement - P-phrases:
P273: Avoid release to the environment.
P391: Collect spillage.
P501: Dispose of contents/container to … see p.13

According to Directive 67/548/EEC or 1999/45/EC):

The substance to be classified as follows:
Health impact:
R 36 Irritating to eyes
R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic enviroment

Marking
Hazard Statement:

Hazard Symbols: Xi, N





OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00210 HELSINKI

Xi-Irritant N- Dangerous for the Environment

ORIGINAL

Risk phrases:
R 36 Irritating to eyes
R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic enviroment

Safety phrases:
S 26 In case of ingress into eyes, immediately wash with plenty of water and seek medicak assistance
S61 Avoid entry into the environment. See special instructions/Material Data Sheet

2.2 Information on special hazards for humans and environment:

No physical and chemical impact: **None**
Negative health effects and their symptoms:

Eye contact	Irritant for eyes. Attributes and symptoms of eyes irritation include redness, lacrimation
Skin contact	Irritation is possible in case of contact with the damaged skin
Inhalation	Inhalation intoxication is unlikely due to low vapour pressure. Upon impact of high concentrations – dormancy, aggravation of reaction to exogenous irritants.
Ingestion	Inhalation might cause damage of gastrointestinal tract.

Negative environmental impact: Toxic impact on aquatic organisms might have long-term adverse impact in the aquatic environment. Water course pollutant. Special flavour of water could be signs of such impact.
Other hazards: Subject to transformation in the environment. Transformation products: Nonylphenol, hexaethyleneglycol.

3 Composition / Information on components

3.1 Substance Information:

Chemical name/ Synonyms	№ EC	№ REACH	№ Index	№ CAS	Content (%)	Classification according to Directive (EC) № 1272/2008 [CLP]		Classification according to 67/548/EEC
						Hazard class / Hazard Category	Hazard Designations	
Neonol AF 9-9	500-024-6	Not subject to registration	None	9016-45-9	98,5	Aguatic chronic 2	H411 GHS09	N:R36; R 51/53
Polyethyleneglycol	500-038-2	Not subject to registration	None	25322-68-3	1,0	not classified		

BY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00210 HELSINKI

Water	231-791-2	Not subject to registration	None	7732-18-5	0,5	not classified

3.3. Note:
Complete text of R-and H-phrases: see Section 16

ORIGINAL

4 First aid measures

4.1 General:	Moderately hazardous substance in terms of impact on the organism. Inhalation intoxication is unlikely due to low vapour pressure.
4.2 Inhalation:	Fresh air. In case of labored respiration call a doctor.
4.3 Skin contact:	Remove contaminated clothes. Wash the skin with warm water and soap. Before subsequent usage, wash the clothes.
4.4 Eye contact:	Immediately wash eyes with plenty of warm water, holding the lids open. Deliver a person to the nearest medical facility to administer further medical treatment.
4.5 Ingestion:	Abundant water drink, activated carbon. Do not induce vomiting. In case of vomiting turn the victim to the left side in order to minimize risk of aspiration. Do not give anything to an unconscious person. Call a doctor.
4.6 Advice to physician:	Request instructions from the Entoxication Control Center.

5 Fire fighting measures

5.1 Recommended fire-extinguishing means	In case of fire of minor product quantity, use foam, carbon-dioxide fire extinguishers, sand, dry powder. In case of major fire, use finely dispersed water, generated mechanical and chemical foam.
5.2 Prohibited fire-extinguishing means	Prohibited fire extinguishing means are not established.
5.3 Special hazards of the product exposure, hazardous products of combustion and thermal decomposition	Carbon oxides and carbon dioxides. Heated product might decompose forming: carbon oxide (CAS №124-38-9). Carbon oxides reduce oxygen (O_2) content in the air; they may have a toxic effect on the cells causing the cell respiration disturbance.
5.4 Personal protection and fire-extinguishing equipment	Use a fire-resistant suit and a self-contained breathing apparatus.
5.5 General recommendations	Remove personnel not participating in fire-fighting from the site of the fire.

6 Measures for prevention and management of emergencies

OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00810 HELSINKI

6.1 Personal protection	Use a fire-resistant suit and a self-contained breathing apparatus.
6.2 Environmental protection measures	Contamination of water bodies and soil should be avoided.
6.3 Methods of neutralization, removal and cleaning	Collect the product and put it in the appropriate containers for disposal or reuse. After the material is collected ventilate the zone and wash the contaminated area with water. Prevent from entering sewer/surface waters/ground waters and soil.
6.4 Supplementary recommendation	None

ORIGINAL

7 Handling and storage

7.1 Handling

7.1.1 Advice for safe handling:

Safety precautions	Arrangement of supply-and-exhaust ventilation system and local ventilation. Use of pressure tight equipment for production. Equipment grounding is mandatory. Use of personal protection equipment.
7.1.2 Technical measures:	
Prevention of mist and dust formation	No mist or dust formation during handling
Measures to be taken for environmental protection:	Reduction of product loss during transportation and storage, prevention from discharge to water bodies, sewage system
7.1.3 Special requirements and handling rules:	None
7.1.4 Prevention from ignition and explosion:	Elimination of open fire sources
7.2 Storage	
Technical measures and storage conditions	In steel containers under nitrogen under conditions excluding ingress of mechanical objects and moisture into the product.
Packaging materials:	- steel cisterns with heating jacket; - truck tanks; - steel barrels; - plastic barrels;
Requirements to storage premises and containers:	The product is stored at the ambient temperature in the closed room. Storage is allowed in the open areas, protected from direct sun rays. Multiple product heating is allowed at temperature not exceeding 100 °C.
Other information on storage conditions:	Storage together with oxidizers, acids and caustics is prohibited. Shelf life – 2 years from manufacture date.

OY NIZHEX SCANDINAVIA LTD
Wavulinnie 10, 00210 HELSINKI

8 Exposure control and personal protection

ORIGINAL

8.1 Exposure limits MACw.a./TSELw.a.	Due to physical and chemical properties and low toxicity there is no hygienic regulations for the air exposure limits.
8.2 Exposure control at the working place	Ensuring that the content of harmful substances is within permissible concentration limits by using supply-and-exhaust ventilation system in of the most contaminant air locations.
8.3 Personal protection	Use protective clothing made of cotton fabric.
8.3.1 Respiratory protection	Not required under normal operating conditions. In case of emergency – use filter gas-mask, breating masks.
8.3.2 Hand protection:	Oil-and-petrol resistant gloves, butyl rubber dispersion gloves
8.3.3 Eye protection:	Protective goggles when working in open systems
8.3.4 Skin protection:	Protective clothing made of cotton fabric.
8.4 Control of environmental impact	Mesure concentration of pollutants. Entry of product should not be allowed either to the sewage and waste water, or to the soil and ground water.
8.5 In everyday life:	Not used in everyday life.

9 Physical and chemical properties

Appearance	Transparent oily liquid from colourless to yellowish colour
Odor	Weak
Odor threshold	Not established
Hydrogen index (pH)	(7,0±1,0) units
Solidification temperature	(3-8) °C
Flash point	Max. 245 deg. C (open crucible)
Ignition temperature	Min. 245°C.
Auto-ignition temperature	Min. 395°C
Molecular weight	616 (638)
Density at 40°C	(1045±3) kg/m^3
Solubility in water	Soluble

10 Stability and reactivity

10.1 Stability	The product is highly stable under normal conditions, no hazardous polymerization and decomposition is observed
10.2 Conditions resulting in dangerous reactions	Heating above 200°C.
10.3 Materials causing dangerous reactions	Oxidizers, acids, alkali
10.4 Dangerous decomposition products	Carbon oxides, nonylphenol, hexaethyleneglycol

OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00210 HELSINKI

11 Toxicological properties

Oral toxicity at single ingestion	LD50 = 5000 mg/kg, intragastric, rats CL50 - not achieved
Percutaneous action	Absence
Cumulative effect	K = 3,9
Sensibilization	NA
Embiotropic action	NA
Teratogenic action	NA
Mutagenicity	NA
Carcinogenicity	NA
Toxicity for reproductive function and development	NA

ORIGINAL

12 Environmental impact

12.1 Ecotoxicity:

Might accumulate in water course, soil and impact flora and fauna, in certain cases might lead to fish kill.
Getting to water courses with ground waters, waste waters, containing neonols, slow down self-cleaning processes, aggravate organoleptic properties of water, have adverse impact on development of animals and plants, which inhabit water courses. Notwithstanding low toxicity of neonols, their presence in water courses above allowable concentration level might lead to fish intoxication as a result of substance accumulatuon in branchiaes and violation od gas exchange. Neonols are also hazardous for baby fish, eggs, aquatic microorganisms.

LC50 Fish (96 hours)

Minimum: 1,3 mg/l
Maximum: 7,9 mg/l
Median: 6 mg/l
Study number: 5
Reference: Swedmark, M., A. Granmo, and S. Kollberg 1973. Effects of Oil Dispersants and Oil Emulsions on Marine Animals. Water Res. 7(11):1649-1672

OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00210 HELSINKI

LC50 Crustaceans (48 hours)

Minimum: 0,0026 mg/l
Maximum: 89,5 mg/l
Median: 11 mg/l
Study number: 9
Reference: Moore, S.B., R.A. Diehl, J.M. Barnhardt, and G.B. Avery 1987. Aquatic Toxicities of Textile Surfactants. Text.Chem.Color. 19(5):29-32

ORIGINAL

EC50 Crustaceans (48 hours)

Minimum: 14 mg/l
Maximum: 14 mg/l
Median: 14 mg/l
Study number: 1
Reference: Dorn, P.B., J.P. Salanitro, S.H. Evans, and L. Kravetz 1993. Assessing the Aquatic Hazard of Some Branched and Linear Nonionic Surfactants by Biodegradation and Toxicity. Environ.Toxicol.Chem. 12(10):1751-1762

12.2 Immunity and degradability:	Complete biological degradability less then 60%
12.3 Bioaccumulation:	Moderate bioaccumulation
12.4 Other negative effects:	NA
12.5 PBT/vPvB	Fail to meet the criteria

13 Removal and/or disposal of wastes (remains)

13.1 Methods of disposal of wastes (remains)

Send polluted waste waters and washing waters to the concentration unit, thereafter deliver concentrated waters to incineration at the approved incinerator, and dispose of conventionally treated waters and partially snd them to advanced treatment to the biological treatment plant.

Code of wastes

07 01 wastes from manufacture, processing, supply and use of principal ogranic chemical substances

S61 – avoid entry into the environment

13.2 Appropriate packaging

Packaging is designed for liquid wastes

14 Safety requirements during transportation

OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00200 HELSINKI

ORIGINAL

ADR

Class	9
Group of packing	III
Classification code	M6
Hazard identification number	90
UNO number	3082
Hazard identification	9082
(principal risk)	9
Precise name for transportation	Неонол АФ 9-6 Neonol AF 9-9 (Neonol AF 9-9,5)

RID

Class	9
Group of packing	III III
Classification code	M6
Hazard identification number	90
UNO number	3082
Hazard identification	9082
(principal risk)	9
Precise name for transportation	Неонол АФ 9-6 Neonol AF 9-9 (Neonol AF 9-9,5)

IMDG

UNO number	3082
Precise name for transportation	Neonol AF 9-9 (Neonol AF 9-9,5)
Class / Subdivision	9
Group of packing	III
Pollutant of marine environment:	Yes (•)

IATA

UNO number	3082
Correct name for transportation	Neonol AF 9-9 (Neonol AF 9-9,5)
Class	9
Group of packing	III

15 Regulatory information

Hazard according to definition of hazardous substances given in EC/Directives on preparations:

EC Marking:





OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 002 HELSINKI

Symbol: N (Hazardous for environment) **Xi**

ORIGINAL

Risk phrases:

R 36 Irritating to eyes.
R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

S 26 In case of ingress into eyes, immediately wash with plenty of water and seek medicak assistance
S61 Avoid entry into the environment. See special instructions/Material Data Sheet

Hazard According to Resolution (EC) №1272/2008 (CLP):

GHS09



Hazard Statement - H-phrases:
H411: Toxic to aquatic life with long lasting

Precautionary Statement - P-phrases:
P273: Avoid release to the environment.
P391: Collect spillage.
P501: Dispose of contents/container to … see p.13

16 Supplementary information

EC Directives on Hazardous Substances/Compositions

67/548/EEC or 1999/45/EC, Regulation (EC) № 1272/2008 [CLP]

Information source:	ESIS – European Chemical Substances Information System (European Chemicals Bureau). Hazardous Substance Data Bank (HSDB).-U.S.National Library of Medicine, 2001-1.

Information in this Material Safety Data Sheet is based on the current state of knowledge and legislation in force and refers solely to the description of rules for safe work with the product. This product should not be used for purposes other than those specified in section 1. The consumer is fully responsible for fulfilling of all the requirements of local rules and laws. The above information is not the guarantee of the product quality.

Documentary Credit No: **18INSC0102-00732**
Date of issue: **180924**

OY NIZHEX SCANDINAVIA LTD
Wavulininie 10, 00210 HELSINKI

OY NIZHEX SCANDINAVIA LTD

To:
Company: Nordea Pankki Suomi Oyj
2626 Trade Finance
No of pages: 1
Codes: 00101112268847
Date: 24.09.2018

Please find enclosed the documents for LC 18INSC0102-00732 dd. 24.09.18. For remittance please use our USD account 226362-5226. For banking costs please use our EUR account 226318-16764.

Best regards,

Evgeniya Akimenko
eakimenko@nizhex.ru, p. 8-495-739-48-51 ex.4259

Sole Bill of Exchange

USD 56,760.00

Place HELSINKI Date 28.10.2018

At SIGHT pay against this **SOLE** Bill of Exchange

to the order of OY NIZHEX SCANDINAVIA LTD WAVULININTIE 10, FIN-00210 HELSINKI FINLAND. the amount of:

in Words: US DOLLARS FIFTYSIXTHOUSANDSEVENHUNDREDANDSIXTY ONLY----------

Drawee MEZNPKKAK01

Drawn under D/C No. 18INSC0102-00732

Issued by MEZNPKKAK01

Dated 24.09.201818.05.2018

OY NIZHEX SCANDINAVIA LTD
Wavulinintie 10, 00210 HELSINKI

Name and Signature of Issuer

EVGENIYA AKIMENKO