

ODASL TREATMENT SERVICE LEVEL PLACEMENT

Date () Client ID ()

DIMENSION 1 Score () DIMENSION 2 Score () DIMENSION 3 Score ()

DIMENSION 4 Score () DIMENSION 5 Score () DIMENSION 6 Score ()

LEVELS OF SERVICE DECISION TREE

0.5 EARLY INTERVENTION: Dim 1 – 0, Dim 2 - 0 to 1, Dim 3 - 0 to 1, Dim 4 - Pre-contemplation or contemplation, Dim 5 - Lacks the skills to change, Dim 6 - Current support systems increase the risk of continued use or problem behavior.

1 OUTPATIENT: Dim 1 - No withdrawal risk or manageable at Level 1 WM, Dim 2 - 0 to 1 or receiving concurrent and adequate medical care, Dim 3 - 0 to 1 or receiving concurrent and adequate behavioral health care, Dim 4 - 0 to 1 or 2 to 4 but, low risk in all other dimensions, Dim 5 - Can maintain abstinence and pursue recovery with minimal support, Dim 6 - Recovery environment supportive or has skills to cope.

1 (OTP) OPIOID TREATMENT PROGRAM: Dim 1 - 3 to 4, Dim 2 - 0 to 1 or receiving concurrent and adequate medical care, Dim 3 - 0 to 1 or receiving concurrent and adequate behavioral health care, Dim 4 - Ready for recovery but cannot obtain sobriety without OTS support, Dim 5 - Cannot maintain abstinence or pursue recovery without OTS support, Dim 6 - Recovery environment supportive or has skills to cope.

2.1 INTENSIVE OUTPATIENT TREATMENT: Dim 1 - Minimal withdrawal risk or manageable at Level 2 WM, Dim 2 - 0 to 1 or receiving concurrent and adequate medical care, Dim 3 - 0 to 2, Dim 4 - Ambivalent or lacks awareness of tx probs requires, support in stages of change, Dim 5 - High risk of Dimension 5 behaviors without close monitoring and support, Dim 6 - Recovery environment non-supportive but, patient can cope.

2.5 PARTIAL HOSPITALIZATION SERVICES (DAY TREATMENT)

3.1 HALFWAY HOUSE: Dim 1 - 0 to 1 or manageable at Level 1 or 2 WM, Dim 2 - 0 to 1 or receiving concurrent and adequate medical care, Dim 3 - 0 to 1 or receiving concurrent and adequate behavioral health care, Dim 4 - Open to recovery but requiring ongoing support, Dim 5 - Needs ongoing support to act on skills and knowledge to prevent lapse/relapse, Dim 6 – Living environment is dangerous but, recovery is possible with structured environment.

3.3 CLINICALLY MANAGED, POPULATION SPECIFIC HIGH-INTENSITY RESIDENTIAL SERVICES

3.5 RESIDENTIAL TREATMENT
Dimension 1 – withdrawal management 0 to 1 or manageable at Level 3.2 WM, Dim 2 - 0 to 1 or receiving concurrent and adequate medical care, Dim 3 - 3 to 4 (Dimension 3 may be 1-2 if Dimension 4 is 3 – 4), Dim 4 - 3 to 4 (Dimension 4 may be 1-2 if Dimension 3 is 3 – 4), Dim 5 - 3 to 4, Dim 6 - 3 to 4.

3.7 MEDICALLY MONITORED INTENSIVE INPATIENT SERVICES

4 MEDICALLY MANAGED INTENSIVE INPATIENT SERVICES

OVERRIDES Check all that apply

Services not available ()

Geographic accessibility ()

Language barriers ()

Provider judgment ()

Consumer preference ()

On wait list for appropriate level of care ()

No payment resource ()

Family responsibility ()

()

SERVICE INDICATED ()

SERVICE RECEIVED ()

REASON FOR OVERRIDE(S), IF PRESENT:

Clinician ()

April 2015