

Release 1 UX and Interaction Specification

1. UX goals and design principles

No direct contradiction was found between the approved Product Definition, Functional Specification, and the approved functional decisions. This document organizes those decisions into one consistent user experience.

1.1 Operational clarity

Recommendation

Every screen should make the current work state, required action, and next safe step immediately visible.

User problem

Insurance staff may handle several customers and documents at once. They should not need to remember whether a document is processing, awaiting review, failed, or already approved.

Simpler alternative

Display the data and rely on the user to understand the workflow from context.

Why that is insufficient

The same customer may have several documents and policy versions. Without explicit statuses and action guidance, users can repeat uploads, review the wrong result, or assume processing failed.

Accepted trade-off

Status labels and workflow guidance use some screen space, but they reduce mistakes and support a believable operations product.

Observable behavior:

- Every document screen shows the current document status near the page title.
- Every processing or failure screen explains what happens next.
- Every disabled primary action explains why it is unavailable.
- The user never has to infer whether AI output has been reviewed by a person.

1.2 Trust in human-reviewed AI

Recommendation

Clearly separate extracted candidate information, reviewer changes, and approved policy information.

User problem

AI-generated values may look correct even when unsupported or wrong. Reviewers need to know which information came from AI and which information was confirmed by a person.

Simpler alternative

Show one editable form without distinguishing the source of each value.

Why that is insufficient

It destroys traceability and makes it impossible to explain whether a value was extracted, corrected, or approved.

Accepted trade-off

The interface needs several clear labels, such as Extracted Value and Reviewer Corrected, but this is necessary for trust.

Observable behavior:

- AI results are called extracted or candidate values.
- Reviewer edits are visibly marked.
- Approved values appear only after the approval action succeeds.
- The original candidate remains available after correction.
- The product never uses language such as "AI verified."

1.3 Speed of review

Recommendation

Use a desktop two-panel review workspace with the source document and extracted fields visible in the same workflow.

User problem

Switching repeatedly between a PDF viewer and a separate form increases review time and memory load.

Simpler alternative

Place the PDF and extracted fields on separate pages.

Why that is insufficient

The reviewer would repeatedly lose context and manually search the source after every screen change.

Accepted trade-off

The review workspace is denser than other product screens and works best on a laptop or desktop.

Observable behavior:

- Selecting a field navigates the PDF viewer to the supporting page.
- Warnings are visible without opening every field.
- The reviewer can move between flagged fields without returning to the top.
- The approval-readiness summary remains visible during review.

1.4 Evidence visibility

Recommendation

Show source page references and evidence excerpts close to the relevant extracted field.

User problem

A value without evidence forces the reviewer to search the entire declaration page manually.

Simpler alternative

Show only the extracted value and the PDF.

Why that is insufficient

It provides no explanation for why the AI selected a value and weakens confidence in the review process.

Accepted trade-off

Evidence adds information density. Normal fields should therefore show compact evidence, while full excerpts are progressively disclosed.

Observable behavior:

- Each important field shows a page reference when available.
- Evidence expands on demand.
- Exact highlights appear only when reliable location data exists.
- The interface does not pretend to know an exact location when it only knows the page.

1.5 Error recovery

Recommendation

Every failure should explain what completed, what failed, whether data was saved, whether a paid attempt may have occurred, and the next safe action.

User problem

Generic errors encourage users to repeat actions or upload the same file again, potentially creating duplicate records and cost.

Simpler alternative

Show a general “Something went wrong” message and Retry.

Why that is insufficient

Some failures require another attempt, while others require an unlocked, smaller, clearer, or supported document.

Accepted trade-off

Failure screens require more tailored states, but they prevent wasteful or unsafe recovery.

1.6 Cost awareness

Recommendation

Display cost-related warnings only where a user decision may create another paid attempt.

User problem

Users need cost control without seeing technical pricing information throughout the product.

Simpler alternative

Show no usage information or show cost details beside every AI result.

Why both alternatives are insufficient

Hiding cost creates budget risk. Constant cost labels create anxiety and distract from operational work.

Accepted trade-off

Cost appears primarily on Usage, retry, reprocessing, intentional duplicate processing, and optional live demo actions.

1.7 Demo readiness

Recommendation

Demo mode should use curated synthetic workflows, clearly identified stored results, disposable session changes, and one short guided path.

User problem

The product must remain predictable during Loom recordings, interviews, provider outages, and unsupervised portfolio visits.

Simpler alternative

Use a shared normal account with live AI processing.

Why that is insufficient

Visitors could change shared data, consume paid usage, upload private content, or break a prepared demonstration.

Accepted trade-off

Public visitors cannot upload arbitrary files, but the demo remains safe, repeatable, and credible.

1.8 Accessibility

Recommendation

Make every core workflow operable with keyboard controls, persistent labels, visible focus, plain-language errors, and warning meanings that do not depend on color.

User problem

Review screens are information-dense and may become difficult for keyboard users or users with visual impairments.

Simpler alternative

Rely on standard browser behavior without explicit accessibility rules.

Why that is insufficient

Custom document viewers, dialogs, sticky actions, and expandable field components can easily create inaccessible navigation.

Accepted trade-off

Accessibility constrains some interaction patterns but improves usability for all users.

1.9 Visual restraint

Recommendation

Use a calm operations interface with restrained decoration, clear typography hierarchy, compact status signals, and limited motion.

User problem

A futuristic AI interface may reduce trust in a workflow involving insurance records and human approval.

Simpler alternative

Use a generic administration template or highly animated AI dashboard.

Why that is insufficient

A generic template may feel unfinished, while an AI-themed interface can imply automation is more important than control.

Accepted trade-off

The product may look less visually dramatic than a consumer AI demo, but it will appear more credible and professional.

2. User mental model

The interface should teach the following mental model through consistent terminology.

Customer

A person whose contact information, documents, and approved policy versions are grouped together.

User-facing language:

- Customer
- Customer Details
- Customer Contact Information

The customer record is not described as a lead, account, insured entity, or CRM object.

Document

The uploaded PDF supplied for review.

User-facing language:

- Document
- Declaration Page
- Source Document

The document is not itself the approved policy record.

Processing Attempt

One effort to read and extract information from a document.

User-facing language:

- Processing Attempt
- Previous Attempt
- Latest Attempt

- Technical Retry
- Reprocessing

Attempt details should normally remain inside Failure Detail, Approved Summary, or Audit History.

AI Candidate Result

Information extracted from a document but not yet approved.

Preferred user-facing language:

- Extracted Value
- Extracted Information
- Candidate Result
- Ready for Review

“AI Candidate” may appear in educational tooltips, but Extracted Value is easier for normal users.

Review

The human task of comparing extracted values with the source document, resolving warnings, and making corrections.

User-facing language:

- Review
- Open Review
- Review Document
- Ready for Approval

Warning

A reason that a field or document requires attention.

User-facing language:

- Information
- Important
- Critical
- Missing
- Conflicting
- Low Evidence
- OCR Concern

Warnings are not described as model errors unless the source of the problem is known.

Approved Policy Version

A preserved set of policy information approved by a staff user.

User-facing language:

- Approved Policy Version
- Approved Values
- Approved on
- Approved by

Current Policy

The approved uploaded policy version currently selected for operational use.

The interface must clarify that Current does not mean carrier-verified or legally active.

Suggested contextual explanation:

- “Current uploaded policy version”
- “Selected as current by your agency”

Historical Policy

A previous approved version that is no longer selected as current.

User-facing language:

- Historical
- Previous Policy Version

Audit Event

A business-understandable record of an important action.

User-facing language:

- Activity
- Audit History
- Change Details

Live Processing

A new processing attempt using active document and AI services.

User-facing language:

- Live Processing
- Live Result

Stored or Replayed Result

A previously prepared processing result used for a reliable demonstration.

Preferred language:

- Stored Sample Result
- Replayed Demo Result
- No live AI processing used

The product should never imply that a replayed result was generated live.

Technical terms normal users should not see

Avoid exposing:

- JSON
- schema validation
- prompt
- system prompt
- tokens
- temperature
- embeddings
- model context
- vector
- queue
- worker
- webhook
- OCR engine name
- AI provider name unless operationally necessary
- database
- endpoint
- stack trace
- parsing exception
- raw response
- confidence percentage without independent justification

3. Global application shell

3.1 Navigation structure

Recommendation

Use a persistent left sidebar on desktop with a compact top utility area.

User problem

Users frequently move between Overview, Customers, Documents, and Review Queue. These destinations should remain visible during operational work.

Simpler alternative

Use top navigation only.

Why that is insufficient

A top bar becomes crowded when it also needs user information, demo status, processing limits, breadcrumbs, and page actions.

Accepted trade-off

A sidebar consumes horizontal space, but the document review workspace may temporarily collapse it.

3.2 Desktop shell

The left sidebar contains:

- application identity
- Overview
- Customers
- Documents
- Review Queue
- Usage

The lower utility area contains:

- processing-limit state when attention is required
- Demo badge when active
- user account menu

3.3 Selected state

The selected navigation item uses:

- a clear filled or bordered container
- a text label
- an icon
- sufficient contrast
- no reliance on color alone

3.4 Application identity

The identity area shows:

- product name
- a restrained product mark
- optional short environment label in demo mode

It should not include an animated AI symbol or robot imagery.

3.5 Account menu

The account menu includes:

- user name

- staff or demo context
- sign out
- optional link to current session information

There is no general Settings option.

3.6 Demo indicator

Demo mode should be visible in two places:

- a persistent compact Demo badge in the shell
- a dismissible introductory banner on first entry

The badge remains visible throughout the session.

3.7 Processing-limit indicator

When processing is available normally, no permanent indicator is required.

When approaching or reaching a limit:

- a compact status appears in the sidebar utility area
- selecting it opens Usage
- the Overview and relevant processing actions also show contextual warnings

3.8 Global notifications

Background completion notifications appear in the upper page region without covering primary navigation or critical actions.

Each notification contains:

- outcome
- customer or document context
- direct action
- dismiss action when appropriate

3.9 Content width

Normal operational pages use a readable maximum content width.

Data-heavy pages such as Documents and Review Queue may use more horizontal space.

The Human Review Workspace uses the full available content area and may collapse the sidebar.

3.10 Narrow-screen navigation

On tablet and narrow screens:

- the sidebar collapses into a navigation drawer
- the current page title remains visible in the top bar

- opening navigation does not discard form or review state

3.11 Breadcrumbs

Breadcrumbs appear above or beside the page title on:

- Customer Details
- Document Processing Detail
- Review Workspace
- Approved Summary
- Correction Review
- Policy History
- Failure Detail


Breadcrumbs remain secondary to the page title.

3.12 Page-header pattern

Each primary page header contains:

- breadcrumb when useful
- page title
- short supporting context when needed
- current status where applicable
- primary action
- secondary actions grouped separately

3.13 Global shell wireframe



Usage warning	
Account	

4. Information hierarchy

4.1 Highest-priority information

Immediately visible:

1. Page or record identity
2. Current status
3. Required user action
4. Critical and important warnings
5. Primary workflow content
6. Consequence of the primary action

4.2 Page title

The page title identifies the user's current object or task.

Examples:

- Customers
- Maria Santos
- Review auto-declaration.pdf
- Processing auto-declaration.pdf

4.3 Current status

Document status appears near the document name, not only inside a table row or side panel.

Status should include a short explanation when the meaning may be unclear.

4.4 Primary action

Each page should normally have one primary action.

Examples:

- Create Customer
- Upload Document
- Open Review
- Approve
- Send Acknowledgement

When approval is blocked, the interface retains the action in a disabled state and explains the blockers.

4.5 Secondary actions

Secondary actions remain visible but less prominent.

Examples:

- Edit Customer
- View Activity
- Download Source
- Reprocess
- Upload Replacement

4.6 Warnings

Critical warnings appear:

- in the review header summary
- beside the affected field
- in the approval-readiness area

Important warnings appear beside fields and in counts.

Informational notices should not compete visually with critical warnings.

4.7 Source evidence

Compact source evidence appears near each field.

Full excerpts or document-navigation controls appear after expansion or selection.

4.8 AI candidate information

The current extracted candidate appears as the main field value until corrected.

It is labelled Extracted Value where source distinction matters.

4.9 Reviewer corrections

A corrected field shows the reviewer value first.

The previous extracted value appears as secondary history.

4.10 Approved information

Approved values use a read-only presentation and include approval metadata.

They must not resemble editable review fields.

4.11 Historical information

Historical policy versions and previous attempts appear in secondary sections, tabs, expandable panels, or timelines.

They should not compete with the current policy or current review result.

4.12 Metadata

Upload time, page count, processing method, reviewer, and attempt number should remain available but visually secondary.

4.13 Technical details

A plain-language failure category and reference identifier may appear in Failure Detail.

Additional diagnostic information should remain hidden from normal users.

4.14 Progressive disclosure rules

Show immediately:

- all approval-blocking warnings
- current field value
- validation state
- source page
- reviewer-edited state
- active policy impact

Reveal on request:

- longer evidence excerpt
- original extracted value after correction
- detailed edit history
- previous processing attempts
- normalized versus source representation
- technical reference identifiers

Never hide information required to decide whether approval is safe.

5. Status and state language system

5.1 Processing

Label

Processing

Meaning

The document has been accepted and is being read, extracted, or checked.

Visual importance

Medium to high. It should be easy to identify without appearing as an error.

Icon or shape

A neutral activity symbol or incomplete circular shape.

Color

Color may support meaning but must be accompanied by label and icon.

Nearby explanation

Show the current processing description and most recent update.

Available actions

- View customer
- Leave page
- View Documents

Prohibited language

- "AI is thinking"
- "Almost done" unless completion is reliably known
- "Successfully processing"

5.2 Needs Review

Label

Needs Review

Meaning

Extracted information is ready for a human to inspect.

Visual importance

High and action-oriented.

Icon or shape

Review or attention symbol distinct from failure.

Available actions

- Open Review
- Reject
- View customer

Nearby explanation

"Extracted information has not updated the customer record."

Prohibited language

- "Complete"
- "Verified"
- "Ready to use"

5.3 Approved**Label**

Approved

Meaning

A staff user reviewed the result and created an approved policy version.

Visual importance

High but calm.

Icon or shape

Completed check-style symbol.

Available actions

- View Approved Result
- Send Acknowledgement
- Correction Review
- Reprocess
- View Activity

Nearby explanation

State whether the version is Current or Historical.

Prohibited language

- "Policy verified"
- "Coverage confirmed"

- “Carrier approved”

5.4 Rejected

Label

Rejected

Meaning

A reviewer decided that this result should not update the customer’s policy information.

Visual importance

High but not visually equivalent to a system failure.

Icon or shape

Clear stop or exclusion symbol.

Available actions

- View Reason
- Upload Replacement
- Reprocess when allowed

Prohibited language

- “Invalid customer”
- “Bad document” without explanation

5.5 Failed

Label

Failed

Meaning

The product could not create a usable result.

Visual importance

High.

Icon or shape

Error symbol with visible text.

Available actions

Depend on the failure:

- Technical Retry
- Upload Replacement
- View Attempts

Nearby explanation

Plain-language failure category and customer-policy impact.

5.6 Secondary processing descriptions

Waiting to process

The document is accepted and waiting for processing to begin.

Do not show a fake percentage.

Checking file

The system is checking whether the PDF can be opened and processed.

Reading document text

The document contains usable text that is being read.

Reading scanned pages

OCR is being used because the document did not contain enough usable text.

Extracting policy information

Candidate policy values are being identified.

Checking extracted information

Formats, conflicts, missing values, and evidence are being checked.

Taking longer than expected

Processing has exceeded the normal expected range but has not reached final failure.

Actions:

- Leave page
- Check Documents later

Do not offer immediate duplicate upload.

Reprocessing

A new processing attempt is running while earlier results remain preserved.

If an approved version exists, state that it remains active.

6. Warning and uncertainty language system

6.1 Informational

Label

Information

Visual hierarchy

Low.

Structural signal

Small icon, short label, and optional expandable explanation.

Required action

None.

Approval

Not blocked.

Examples

- OCR Used
- Optional field not found
- Value formatting normalized

6.2 Important

Label

Important

Visual hierarchy

Medium to high.

Structural signal

Visible warning container beside the field and inclusion in readiness counts.

Required action

The reviewer must:

- correct
- mark Not Present
- or acknowledge

Approval

Blocked until resolved.

Examples

- Mailing address differs from customer contact address.
- The total premium has more than one possible value.
- The VIN appears incomplete.

6.3 Critical

Label

Critical

Visual hierarchy

Highest.

Structural signal

Strong field container, review-header count, and approval-blocking summary.

Required action

The reviewer must correct the issue, make a specifically permitted acknowledgement, or reject the document.

Approval

Blocked.

Examples

- Conflicting policy numbers
- Expiration date before effective date
- Named insured may belong to another customer
- Several policies may exist in one file

6.4 State presentation patterns

Missing

Use when no supported value was found.

Example:

"Policy number was not found. Enter the value from the document."

Invalid

Use when a value exists but does not pass a basic validity check.

Example:

"The expiration date is earlier than the effective date."

Conflicting

Use when several values or relationships compete.

Example:

"Two policy numbers were found. Select the number that identifies this policy."

Low Evidence

Use when a value has weak or unclear support.

Example:

"This value was extracted, but the supporting label could not be confirmed."

OCR Concern

Use when scanned-page quality may have affected the value.

Example:

"This policy number came from a scanned page. Check similar characters carefully."

Reviewer Corrected

Use after a reviewer saves a different value.

Show:

- corrected value
- reviewer label

- original extracted value in secondary detail

Reviewer Added

Use for a vehicle or driver missing from extraction.

Reviewer Removed

Do not leave a removed item in the active list. Show it in the changes summary and audit detail.

Marked Not Present

Use when the reviewer inspected the document and confirmed the value is absent.

6.5 Confidence scores

Do not display model-generated percentages in Release 1.

Reason

A percentage may appear scientific without representing actual correctness.

Simpler alternative

Show no uncertainty.

Why that is insufficient

Reviewers still need attention guidance.

Recommended replacement

Use evidence, validation, conflict, missing-value, and OCR signals with plain-language explanations.

7. Action hierarchy

7.1 Primary action

One visually dominant action per context.

Examples:

- Create Customer
- Upload Document
- Open Review
- Approve
- Send Acknowledgement

7.2 Secondary action

Visible but lower emphasis.

Examples:

- Edit Customer
- Download Source
- View Activity
- Upload Replacement

7.3 Quiet or tertiary action

Used for low-risk supporting actions.

Examples:

- Cancel
- Clear Filters
- View Original Value
- Copy Reference

7.4 Destructive action

Used for actions that remove or discard active work.

Examples:

- Remove Vehicle
- Remove Driver
- Discard Unsaved Changes
- Reset Demo

The label should state the actual consequence.

7.5 High-consequence action

Approval and rejection are not visually treated as ordinary saves.

They require:

- clear label
- readiness check
- consequence summary
- confirmation

7.6 Disabled action

A disabled action remains visible when users need to understand that the action exists.

Its reason appears:

- beside the action
- in readiness summary
- or through an accessible explanation on focus

Examples:

- “Approve is unavailable because two critical warnings remain.”
- “Send Acknowledgement requires a customer email.”

7.7 Loading action

After submission:

- button label changes to an active state
- repeated submission is disabled
- surrounding controls that could conflict are temporarily disabled
- the page remains stable

7.8 Action placement

Page-level actions

Appear in the page header.

Field actions

Appear inside the field component.

Review completion actions

Appear in a sticky readiness area.

Modal actions

Primary confirmation appears at the end of the dialog. Cancel remains available and less prominent.

7.9 Scrolling behavior

Keep visible while scrolling:

- approval readiness
- Approve
- Reject
- unsaved-change state

Do not keep every secondary action permanently visible.

7.10 Confirmation requirements

Require confirmation for:

- Approve
- Reject
- Retry that may create paid usage
- Reprocess
- intentional duplicate processing
- remove vehicle
- remove driver
- replacement of current policy
- duplicate email send
- Reset Demo
- discard unsaved changes

Do not require confirmation for:

- Create Customer save
 - ordinary field correction
 - Mark Not Present for optional fields
 - navigation without unsaved changes
-

8. Overview screen UX

8.1 Layout

The Overview uses three vertical regions:

1. Page header and primary actions
2. Operational status cards
3. Recent activity and usage status

8.2 Primary actions

Create Customer and Upload Document appear in the page header.

Create Customer is primary when no customers exist.

Upload Document is primary once at least one customer exists.

8.3 Operational cards

Needs Review

Most prominent card when count is greater than zero.

Shows:

- count
- highest warning summary
- oldest waiting age

Entire card opens Review Queue.

Processing

Shows:

- count
- longest-running item
- delayed-processing indicator when applicable

Opens Documents filtered to Processing.

Failed

Shows:

- unresolved failure count
- retryable count

Opens Documents filtered to Failed.

Approved Recently

Lower prominence than unresolved work.

Shows:

- recent count
- up to three recent approvals
- customer and policy context

8.4 Usage status

Shown as a compact operational panel rather than a chart.

Displays:

- Live Processing Available, Approaching Limit, or Disabled
- remaining allowance where useful
- link to Usage

8.5 Recent activity

Shows the latest meaningful events in a compact list.

Each item includes:

- event label
- customer or document
- actor where useful
- relative time
- direct link

8.6 Empty state

When no data exists:

- status cards remain visible with zero values
- a central onboarding message explains the first workflow
- Create Customer is the clear first action
- demo mode may offer Start Guided Sample

8.7 Loading state

Use skeletons inside cards and activity rows.

Do not show temporary zero counts.

8.8 Failure state

A failed card displays local unavailable state and Retry.

Other cards remain usable.

8.9 Partial-data state

If activity fails but counts load, keep counts visible.

8.10 Overview wireframe

Overview
Document]

[Create Customer] [Upload

Needs Review
4 documents
1 critical

Processing
2 documents
1 delayed

Failed
1 retryable

Approved Recently
Maria Santos · Policy 123...
Daniel Reed · Policy 456...

Usage Status
Live Processing Available
72% remaining

Recent Activity

Document ready for review · Maria Santos	8 min ago
Policy approved · Daniel Reed	1 hour ago
Processing failed · auto-declaration.pdf	2 hours ago

9. Customer list UX

9.1 Desktop structure

Recommendation

Use a table on desktop.

User problem

Staff need to compare customers across names, contact details, policy state, and pending attention.

Simpler alternative

Use large customer cards.

Why that is insufficient

Cards consume more space and make column comparison slower.

Accepted trade-off

The table is information-dense, so low-priority values should remain compact.

9.2 Page header

Contains:

- Customers title
- result count where useful
- Create Customer action

9.3 Search and filters

Search appears above the table and receives more visual prominence than filters.

Filters appear in one compact row or popover:

- Needs Review
- Failed Documents
- Active Policy
- No Active Policy

Sort appears at the end of the controls.

9.4 Table columns

Recommended columns:

- Customer
- Contact
- Current Policy
- Expiration
- Attention
- Last Activity

Documents count may appear inside the customer or attention cell rather than requiring a separate column.

9.5 Row density

Use compact but readable rows suitable for operational scanning.

Each row should support two lines where necessary:

- primary value
- secondary context

9.6 Attention indicators

Use text and icon combinations:

- Needs Review
- Processing
- Failed

Do not display an unexplained warning dot.

9.7 Row interaction

Clicking the row opens Customer Details.

Inline links, such as policy number or Needs Review, may open their direct destination.

9.8 Pagination

Pagination appears below the table with:

- current page
- total result range
- next and previous

9.9 Empty state

Shows:

- no customers yet
- explanation that a customer is required before upload
- Create Customer

9.10 No-results state

Appears inside the table area with:

- no matching customers
- active filters
- Clear Search and Filters

9.11 Loading state

Use table-row skeletons.

9.12 Error state

Keep search controls visible but disable them if the customer data is unavailable.

Show Retry.

9.13 Narrow-screen adaptation

On narrow screens:

- each row becomes a compact customer card
- customer name and attention state remain visible
- policy and contact details move into secondary lines
- filters open in a drawer or popover

9.14 Customer list wireframe

Customers

[Create Customer]

[Search name, email, phone, or policy number...]

[Filter: All] [Sort: Recent Activity]

Customer	Contact	Current Policy	Expiration	
Attention				
Maria Santos	maria@example.com	Horizon · 12345	Jun 1	
Needs Review				
Daniel Reed	No email	No active policy	–	1
Failed				

Showing 1-20 of 46

[Previous] [Next]

10. Create and edit customer UX

10.1 Form composition

Field order:

1. Full Name
2. Email
3. Phone
4. Contact Address

10.2 Required markers

Full Name is visibly required.

Other fields display “Optional” near the label rather than relying on a general form note.

10.3 Incomplete-customer guidance

A short message explains:

- email or phone may be added later
- email is required before sending acknowledgement

This should not appear as an error.

10.4 Inline validation

Validation appears:

- after leaving an invalid field
- after submission
- immediately when correcting an existing error

Do not display errors before the user interacts with a field.

10.5 Save placement

Save Customer appears in the page header or a stable form action area.

Cancel appears beside it with lower emphasis.

10.6 Duplicate warning presentation

Recommendation

Show possible duplicates in an inline review panel before final creation.

User problem

The user needs context to decide whether an existing customer is the same person.

Simpler alternative

Use a small confirmation dialog saying "Possible duplicate found."

Why that is insufficient

It does not provide enough information to compare records.

Accepted trade-off

The duplicate panel temporarily interrupts submission but reduces accidental duplicate customers.

The panel shows:

- matching customer name
- email
- phone
- current policy
- last activity
- Open Existing Customer
- Continue Creating New Customer

No merge action is included.

10.7 Unsaved changes

Navigating away after modifying the form opens a discard confirmation.

10.8 Save loading

The Save action displays progress and disables repeated submission.

The form remains visible.

10.9 Save failure

The form retains all values.

A page-level message states that the customer was not confirmed as saved.

10.10 Edit mode

Edit Customer uses the same form layout.

The page title and action label distinguish editing from creation.

Approved policy information does not appear inside the editable contact form.

10.11 Normal form wireframe

Customers / Create Customer

Create Customer [Cancel] [Save Customer]

Full Name *
[_____]

Email · Optional
[_____]
Required only if you want to send an acknowledgement email.

Phone · Optional
[_____]

Contact Address · Optional
[_____
[_____]

You can create the customer with only a full name.

10.12 Duplicate warning wireframe

Possible matching customers

Review these records before creating another customer.

Maria Santos
maria@example.com · (555) 010-1010
Current policy: Horizon · 12345
Last activity: Today
[Open Customer]

[Back to Form] [Create New Customer Anyway]

11. Customer detail UX

11.1 Page header

Shows:

- customer name
- contact completeness summary
- current policy state
- Edit Customer
- Upload Document

11.2 Tabs

Use:

- Summary
- Current Policy
- Documents
- Policy History
- Activity

The selected tab remains in the page address.

11.3 Summary tab

Contains:

- Contact Information
- Current Policy Snapshot
- Documents Requiring Attention
- Recent Activity

11.4 Contact Information

Shows staff-entered:

- name
- email
- phone
- contact address

The section is explicitly titled Customer Contact Information.

11.5 Policy information distinction

Policy-derived information is labelled:

- Named Insured
- Policy Mailing Address

It does not appear inside the customer contact card.

11.6 Current Policy tab

Shows read-only approved values grouped by:

- Policy
- Named Insured
- Vehicles
- Drivers
- Coverage

Header includes:

- Current label
- source document
- approval date
- reviewer

11.7 No current policy

Show:

- No approved policy version
- documents in Processing or Needs Review
- Upload Document

Do not show empty policy cards.

11.8 Documents tab

Uses a customer-specific compact document table.

11.9 Policy History tab

Shows current and historical versions in chronological order.

11.10 Activity tab

Shows customer-related audit events.

11.11 Loading and error

Each tab loads independently where practical.

A failure in Activity should not hide Current Policy.

11.12 Customer Summary wireframe

Customers / Maria Santos

Maria Santos

[Edit Customer] [Upload Document]

Customer record · 1 document needs review

[Summary] [Current Policy] [Documents] [Policy History] [Activity]

Customer Contact	Current Policy
Email: maria@example.com	Horizon Insurance
Phone: (555) 010-1010	Policy 12345
Address: ...	Expires Jun 1, 2027
	[Open Current Policy]

Requires Attention

auto-renewal.pdf · Needs Review · 2 important warnings [Open Review]

11.13 Current Policy wireframe

Current Policy

[Current uploaded policy version]

Horizon Insurance · Policy 12345

Effective Jun 1, 2026 – Jun 1, 2027

Approved by Jordan Lee on Aug 1, 2026

Source: auto-declaration.pdf

[Open Source Review]

Policy

Carrier	Horizon Insurance
Policy Number	12345
Total Premium	\$1,250

Named Insured

Maria Santos
101 Main Street...

Vehicles

1. 2023 Honda Civic · VIN ...

[Start Correction Review] [View Policy History]

12. Document upload UX

12.1 Interaction sequence

1. Select or confirm customer.
2. Select one PDF.
3. Display file details.

4. Validate basic requirements.
5. Check duplicate state.
6. Confirm upload.
7. Show transfer progress.
8. Enter processing detail.

12.2 Initial state

When opened from Customer Details, customer is fixed and visible.

When opened elsewhere, customer selection appears first.

12.3 Drag and drop

Desktop supports a clear drop area.

The drop area must also contain a normal Choose PDF action.

Drag and drop is supplemental, not required.

12.4 Main Upload action availability

Upload Declaration Page becomes available only when:

- a customer is selected
- exactly one PDF is selected
- the file is within 15 MB
- the file is not already known to exceed 10 pages
- the file is not password protected where detected
- current processing rules permit the action
- demo context allows the selected sample

12.5 Selected file state

Show:

- file name
- size
- detected page count when available
- selected customer
- Replace File
- Remove

12.6 Unsupported file

Show inline error inside the upload area.

Do not begin transfer.

12.7 Over 15 MB

Show:

- detected size
- 15 MB limit
- instruction to provide a smaller PDF

12.8 Over 10 pages

Show:

- detected page count
- 10-page limit
- one-policy-per-file reminder

12.9 Password-protected PDF

Show:

- the file cannot be read
- upload an unlocked copy
- no password-entry field

12.10 Corrupted PDF

Show:

- the PDF could not be opened
- replace the file

12.11 Multiple files selected

Show:

- Release 1 accepts one PDF at a time
- a list allowing the user to choose one file
- no batch-processing promise

12.12 Interrupted transfer

Keep:

- customer selection
- file name
- Retry Upload

Explain that processing did not begin when that is known.

12.13 Cancellation

Cancel Upload remains available only while the transfer can still be safely stopped.

12.14 Duplicate under same customer

Use an interrupting inline panel or modal after initial file inspection.

Show:

- existing document
- status
- upload date
- approval state
- Open Existing
- Cancel New Upload
- Process Again

Process Again requires paid-processing confirmation.

12.15 Duplicate under another customer

Use a critical warning.

Show the other customer and explain that the association should be checked.

The default action is Cancel and Inspect Existing.

12.16 Processing-limit reached

Disable Upload and show:

- Live processing is currently unavailable
- stored demo samples remain available where applicable
- link to Usage

12.17 Demo restrictions

Public demo upload uses curated sample selection instead of a local file picker.

12.18 Initial upload wireframe

Upload Declaration Page

Customer

[Search or select customer_____]

Declaration Page PDF

| Drop one PDF here

| or [Choose PDF]

| Maximum 15 MB · Maximum 10 pages · One policy per PDF

[Upload Declaration Page]

12.19 Selected file wireframe

Customer
Maria Santos

[Change]

Selected PDF

auto-declaration.pdf
2.4 MB · 6 pages

[Replace] [Remove]

This document will be checked for duplicate uploads before paid processing.

[Cancel]

[Upload Declaration Page]

12.20 Duplicate warning wireframe

Possible duplicate document

This PDF matches a document already uploaded for Maria Santos.

auto-declaration.pdf
Uploaded Jul 28, 2026 · Approved
Policy 12345

[Open Existing Document] [Cancel Upload]

Process it again only if you intentionally need a new extraction attempt.
This may use paid document and AI processing.

[Process Again]

12.21 Upload progress wireframe

Uploading auto-declaration.pdf

Maria Santos

 72%

Keep this page open until the upload is accepted.
Processing will continue after the upload finishes.

[Cancel Upload]

13. Document processing detail UX

13.1 Recommended presentation

Recommendation

Use a main status card, a reliable step list, and a short activity timeline. Do not use a percentage-based processing bar after upload.

User problem

The system may know the current stage but not the true percentage remaining.

Simpler alternative

Show an indeterminate spinner and "Processing."

Why that is insufficient

Users may assume the workflow is stuck.

More complex alternative

Show exact percentages for every stage.

Why it is misleading

External processing duration cannot be predicted accurately.

Accepted trade-off

The step list communicates movement without pretending to know exact completion time.

13.2 Header

Shows:

- document name
- customer
- Processing status
- upload time
- page count

13.3 Status card

Displays:

- current processing description

- most recent confirmed activity
- elapsed time
- leaving-page reassurance

13.4 Step list

Possible stages:

- File accepted
- Document checked
- Text read
- Scanned pages read, when required
- Policy information extracted
- Extracted information checked
- Ready for review

Future steps are visibly pending.

Completed steps remain calm and compact.

13.5 OCR indication

When OCR begins or completes, show:

- OCR Used
- reason: the PDF did not contain enough usable text

Do not expose provider details.

13.6 Delayed processing

Show persistent notice:

- taking longer than expected
- processing is still active
- do not upload the same file again
- user may leave

13.7 Failure

Replace the active status card with:

- Failed
- plain-language category
- what completed
- next action
- Open Failure Details

13.8 Successful transition

When complete:

- status changes to Needs Review
- Open Review becomes primary
- the step list shows completed stages
- an in-product notification appears if the user is elsewhere

13.9 Processing wireframe

Documents / auto-declaration.pdf

auto-declaration.pdf [Processing]

Maria Santos · 6 pages · Uploaded 4:12 PM

Extracting policy information

Most recent update: 4:13 PM

You can leave this page. Processing will continue.

Progress

✓ File accepted

✓ Document checked

✓ Document text read

→ Extracting policy information

○ Checking extracted information

○ Ready for review

Document Reading

Direct PDF text used

OCR was not required.

[View Customer]

[Back to Documents]

14. Documents list UX

14.1 Layout

Use a full-width operational table.

14.2 Columns

Recommended:

- Document
- Customer

- Status
- Warnings
- Processing
- Reviewer
- Updated
- Action

14.3 Search

Search appears at the start of the control row.

14.4 Filters

Use compact filters:

- Status
- Warning
- Processing Method
- Date
- Duplicate
- Live or Stored

14.5 Warning summary

Display:

- highest severity
- warning count

Examples:

- Critical · 2
- Important · 3
- None

14.6 Processing method

Use plain labels:

- Direct Text
- OCR Used
- Stored Result
- Not Completed

14.7 Reviewer presentation

Show reviewer only after approval or rejection.

Needs Review may show "Not reviewed."

14.8 Row action

The action should match status:

- View Progress
- Open Review
- View Approved
- View Rejection
- View Failure

14.9 Row click

Clicking elsewhere in the row opens the same destination as the action.

14.10 Failed document presentation

Failure category appears below Failed status.

Example:

“AI service did not complete.”

14.11 Narrow-screen adaptation

Convert rows to document cards showing:

- document
- customer
- status
- primary action
- warning summary

Secondary metadata goes into an expandable details area.

14.12 Difference from Review Queue

Documents supports complete history and all statuses.

Review Queue optimizes only for work requiring human action.

14.13 Documents wireframe

Documents

[Upload Document]

[Search documents, customers, carriers, policy numbers...]

[Status: All] [Warning: All] [Processing: All] [Sort: Newest]

Document	Customer	Status	Warnings	Action

auto-declaration.pdf	Maria Santos	Needs Review	Important 2	[Review]
scan.pdf	Daniel Reed	Failed	–	[Failure]
renewal.pdf	Erin Woods	Approved	Corrected 1	[View]

15. Review Queue UX

15.1 Information density

Recommendation

Use a moderately dense table with one compact risk-summary line per item.

User problem

Reviewers need to compare priority without opening each document.

Simpler alternative

Use large task cards.

Why that is insufficient

Cards reduce the number of visible work items and make queue comparison slower.

Accepted trade-off

The table is denser but uses clear status and warning grouping.

15.2 Default ordering

- Critical warnings first
- Important warnings second
- Lowest-risk items third
- Oldest first within each group

15.3 Columns

- Customer and document
- Policy identity when available
- Warning severity
- Waiting time
- Processing note
- Review context

- Open Review

15.4 Critical visibility

Critical items use:

- Critical label
- warning count
- short primary issue

No flashing or animation.

15.5 OCR indicator

Use compact “OCR Used” metadata.

15.6 Existing approved-policy indicator

Show:

“Current policy remains active”

This is especially important for reprocessed results.

15.7 Concurrent reviewer indicator

Show a non-blocking note:

“Recently opened by Jordan”

Do not imply exclusive assignment.

15.8 Filters

- Warning severity
- OCR
- Existing current policy
- Age

15.9 Empty state

Show:

- Review queue is clear
- links to Processing and Failed Documents
- Upload Document

15.10 Stale item

If completed elsewhere:

- remove it during refresh
- if selected from an outdated view, show the completed result

15.11 Recently completed item

Do not keep completed items in the queue solely for celebration.

A temporary success message and recent activity entry are enough.

15.12 Review Queue wireframe

Review Queue

[Search customer, document, carrier, policy number...]
[Severity: All] [OCR: All] [Current Policy: All] [Sort: Priority]

Customer / Document Action	Policy	Attention	Waiting	
Maria Santos [Review] auto-declaration	Horizon · 12345	Critical · 1 Name conflict	2 hours	
Daniel Reed [Review] scanned-policy	Apex · 77721 OCR Used	Important · 2 VIN, address	34 min	

16. Human Review Workspace: UX strategy

The review workspace is the central Release 1 experience.

16.1 Compare without context switching

Keep the source and extracted data inside one screen.

16.2 Lead with unresolved work

Fields with critical and important warnings should be easy to locate from the summary.

Normal fields should remain compact.

16.3 Evidence should follow focus

Selecting a field updates the source viewer to its page and evidence.

The reviewer should not manually search unless evidence is unavailable.

16.4 Corrections must remain distinguishable

A corrected field clearly displays:

- current reviewer value
- Reviewer Corrected
- original extracted value in secondary detail

16.5 Approval must remain deliberate

Approve remains unavailable until readiness conditions are met.

It never behaves as an ordinary Save button.

16.6 Unsaved work must be protected

The screen shows unsaved state and warns before exit.

16.7 Stale work must not overwrite completed work

A stale-data banner disables final actions and requires refresh.

16.8 Avoid visual overload

Normal fields use compact collapsed presentation.

Warning fields may open automatically when first entering review.

16.9 Maintain source context

The selected field and selected document page remain visually connected.

16.10 Explain AI without technical language

Use:

- Extracted Value
- Evidence
- OCR Used
- Needs Review

Avoid provider names, prompt details, and raw structured output.

17. Human Review Workspace: desktop layout

17.1 Overall layout

Use two main panels:

- Source Document: approximately half or slightly more of the workspace
- Extracted Information: remaining space

The reviewer may resize the boundary within a safe range.

17.2 Sidebar behavior

The primary application sidebar collapses to icons or temporarily hides to maximize review width.

A clear control returns it.

17.3 Review header

Remains at the top and shows:

- breadcrumb
- document
- customer
- Needs Review
- processing method
- warning counts
- existing current policy notice
- Back to Queue

17.4 Source panel

Contains:

- PDF toolbar
- page content
- evidence context
- rendering state

17.5 Data panel

Contains:

- warning summary
- grouped fields
- scrollable review content

17.6 Independent scrolling

The source and data panels scroll independently.

This allows the reviewer to inspect a long PDF page while retaining field position.

17.7 Sticky areas

Keep sticky:

- source viewer toolbar
- review header
- approval-readiness footer or side summary

Do not keep all warning banners sticky.

17.8 Action area

A sticky footer spans the extracted-data panel or workspace bottom.

It shows:

- unsaved changes
- unresolved warning counts
- Reject
- Approve

17.9 Exit behavior

Back to Queue:

- returns to preserved queue state
- warns if unsaved edits exist

17.10 Review wireframe

Review Queue / Maria Santos / auto-declaration.pdf

Maria Santos · auto-declaration.pdf [Needs Review]
OCR Used · 1 Critical · 2 Important [Back to Queue] [More]

SOURCE DOCUMENT	EXTRACTED INFORMATION
[Page 1 of 6] [-] [+] [Fit] [v]	Critical 1 · Important 2
	[Show unresolved fields]
PDF PAGE CONTENT	Policy

	Policy Number · Critical
	1234S
	Two possible values found
	Page 1 · [View Evidence] [Edit]
	Named Insured
	Maria Santos · Extracted
	Page 1
Unsaved: 0 · Critical: 1 · Important: 2 [Reject] [Approve disabled]	

18. Source document viewer interaction

18.1 Page navigation

Provide:

- previous page
- next page
- current page
- total pages
- direct page input or selector

18.2 Zoom

Provide:

- zoom in
- zoom out
- fit page

- fit width

The selected zoom remains while moving between fields when practical.

18.3 Rotate

Allow clockwise page-view rotation.

Rotation affects viewing only and does not imply that stored source data changed.

18.4 Loading

Show a local page skeleton or loading state.

The extracted-data panel remains available.

18.5 Rendering failure

Show:

- source preview unavailable
- Download Source when allowed
- evidence excerpts
- whether approval is blocked

18.6 Download

Normal staff may download the source.

Demo users may download only curated synthetic samples when enabled.

18.7 OCR indication

Show a compact OCR Used label in the viewer toolbar or document metadata.

18.8 Scanned-page indication

When a page is image-based, the evidence area may label its excerpts as OCR Text.

18.9 Field-to-page navigation

Selecting a field:

1. marks it as active
2. opens its evidence detail
3. moves the viewer to the supporting page
4. highlights the exact location only when reliable

18.10 Exact highlight available

Use a temporary or persistent source highlight linked to the selected field.

The highlight must not obscure the source text.

18.11 Exact location unavailable

Move to the supporting page and show:

“Exact location unavailable. Review the evidence excerpt and page.”

Do not display a guessed highlight.

18.12 Switching fields

The viewer moves to the next field’s evidence page.

The reviewer’s zoom remains.

Manual page changes do not automatically select unrelated fields.

18.13 Multiple evidence locations

Show the primary page and a list of additional evidence pages.

19. Review field component

19.1 Collapsed state

A normal field shows:

- label
- current value
- state label when relevant
- page reference
- warning indicator
- Edit

Normal fields should fit in a compact row or card.

19.2 Expanded state

Shows:

- current value
- original candidate when different
- source representation when useful
- evidence excerpt
- page link
- validation explanation
- OCR concern
- acknowledgement or correction actions

• edit history summary

19.3 Normal field wireframe

Carrier Name
Horizon Insurance

Extracted · Page 1
[Edit] [Evidence]

19.4 Important warning wireframe

Mailing Address
101 Main Street, Austin, TX

Important

This differs from the customer contact address.
Page 1 · [View Evidence]

[Edit] [Confirm addresses are different]

19.5 Critical conflict wireframe

Policy Number
Two possible values were found:

Critical

() 12345 · Page 1
() 1234S · Page 2

Select or enter the correct policy number.
[Edit Value]

Approval blocked

19.6 Reviewer-corrected field wireframe

Policy Number
12345

Reviewer Corrected

Original extracted value: 1234S
Page 1 · [View Evidence] [View Change]

[Edit Again] [Undo]

19.7 Missing optional field wireframe

Total Policy Premium
Not found

Information

This field is optional when a clear total is not shown.
[Mark Not Present] [Enter Value]

19.8 Avoiding overload

When no warning exists:

- hide long evidence by default
- do not display original and normalized values unless different
- do not show an empty reviewer-note field
- keep the field collapsed

20. Review field editing interaction

20.1 Enter edit mode

Selecting Edit:

- expands the field
- places keyboard focus in the editable control
- retains evidence context
- displays Save Correction and Cancel

20.2 Temporary local edit

Before Save:

- the changed value is visually marked Unsaved
- approval readiness reports unsaved changes
- the value is not yet treated as a reviewer correction

20.3 Inline validation

Validation appears beneath the edit control.

The field retains the user's entered value.

20.4 Save

On successful save:

- the field exits edit mode
- current value changes
- Reviewer Corrected appears
- original candidate remains available
- related warnings update
- a temporary local success message may appear

20.5 Cancel

Cancel restores the last saved review value.

20.6 Clearing

If a user clears the value:

- Save is blocked where a value is required
- optional fields offer Mark Not Present

20.7 Mark Not Present

For optional fields:

- one click may be sufficient after clear explanation

For important fields:

- require brief confirmation

For critical required fields:

- Not Present does not resolve approval unless the Functional Specification permits it

20.8 Undo

Undo returns to the previous saved review value.

Undo remains available until:

- another edit replaces it
- the review is approved or rejected
- the page is reloaded after the allowed undo period

The complete history still remains in Activity.

20.9 Repeated edits

Only the final current value dominates the field.

Detailed edit sequence appears in change history.

20.10 Save failure

Keep edit mode active and show:

- correction not saved
- no approved data changed
- Retry Save

20.11 Concurrent change

If the result changed elsewhere:

- save is blocked
- stale-data banner appears
- user must reload
- local entered value remains visible long enough to copy or compare where practical

20.12 Approved value distinction

A field in Approved Summary is read-only.

Editing requires starting Correction Review.

21. Vehicles and drivers interaction

21.1 Vehicles structure

Each vehicle is an expandable card.

Header shows:

- Vehicle 1 or useful name such as "2023 Honda Civic"
- abbreviated VIN
- warning count
- Reviewer Added when applicable

21.2 Vehicle body

Shows:

- year
- make
- model
- VIN
- comprehensive deductible
- collision deductible
- evidence links

21.3 Add missed vehicle

Action appears after the vehicle list:

- Add Vehicle from Document

The form asks only for supported fields.

The reviewer should identify evidence page where practical.

21.4 Remove incorrect vehicle

Remove appears inside expanded item as a destructive secondary action.

Confirmation explains that it will be removed from the proposed approved result, not from the source PDF or history.

21.5 Duplicate warning

Potential duplicate vehicles show a shared Important or Critical warning above both items.

Actions:

- confirm separate vehicles
- edit
- remove duplicate

21.6 No reordering

Vehicles remain in document or extraction order.

No drag handle appears.

21.7 Empty vehicle list

If vehicles are expected but none were extracted:

- Important warning
- Add Vehicle
- Reject when the document cannot be interpreted

21.8 Vehicle wireframe

Vehicles · 1 Important

1. 2023 Honda Civic		Important · 1
VIN ending 0182		[Expand]
Year	2023	
Make	Honda	
Model	Civic	
VIN	1HG...0182 · OCR Concern	
Comprehensive	\$500	
Collision	\$1,000	
[View Vehicle Evidence] [Edit Fields] [Remove Vehicle]		

[Add Vehicle from Document]

21.9 Drivers structure

Each driver is a compact expandable row.

Header shows:

- full name
- warning
- Reviewer Added when applicable

21.10 Add and remove driver

Use Add Driver from Document and Remove Driver.

Removal requires confirmation.

21.11 Duplicate driver warning

Show both matching names and ask the reviewer to:

- confirm separate people
- correct a name
- remove duplicate

21.12 Empty drivers

If no driver section exists:

- informational Not Present state

If a driver section is visible but extraction found none:

- Important warning

21.13 Driver wireframe

Drivers

1. Maria Santos	Extracted
Page 3	[Evidence] [Edit]
2. Daniel Santos	Reviewer Added
Page 3	[Evidence] [Edit]
	[Remove]

[Add Driver from Document]

22. Warning resolution interaction

22.1 Informational warning

Sequence:

1. Reviewer sees compact information label.
2. Reviewer may open explanation.
3. No resolution is required.
4. Approval remains available.

22.2 Important warning corrected

1. Reviewer selects warning field.
2. Viewer navigates to evidence.
3. Reviewer edits value.
4. Validation passes.
5. Warning becomes resolved and field becomes Reviewer Corrected.

22.3 Important warning acknowledged

1. Reviewer opens warning explanation.
2. Reviewer confirms the current value or missing state is acceptable.
3. Optional reason appears only where useful.
4. Warning changes to Acknowledged.
5. Approval-readiness count updates.

22.4 Critical warning corrected

1. Field opens automatically or is reachable from Critical count.
2. Reviewer inspects source.
3. Reviewer enters or selects supported value.
4. Blocking state is removed only after validation passes.

22.5 Permitted critical identity difference

For customer-name difference:

1. Show customer record name and extracted named insured.
2. Explain that approval requires confirming the document belongs to this customer.
3. Reviewer enters a short reason.
4. Warning becomes Confirmed Identity Difference.
5. The customer name does not automatically change.

22.6 Critical warning requiring rejection

For unsupported document or several inseparable policies:

- no acknowledgement action appears
- warning explains why approval is unavailable
- Reject becomes the recommended action
- Upload Replacement may be suggested

22.7 OCR warning

Show:

- source is OCR-derived
- the specific characters or value needing review
- source page
- Edit or Confirm

Do not mark every OCR field as Important. OCR Used itself is informational; only specific unreliable values receive stronger warnings.

22.8 Several candidate values

Show candidates in a selectable list with:

- value
- page
- evidence excerpt

Allow Enter Different Value.

22.9 Customer-name conflict

Show side-by-side:

- Customer record
- Document named insured

Available actions:

- Correct Extracted Name
- Confirm Document Belongs to Customer
- Reject as Wrong Customer

22.10 Customer-address conflict

Show:

- customer contact address
- policy mailing address

Available actions:

- keep both
- correct policy value
- choose update-contact-address during approval

22.11 Incomplete or masked VIN

Show whether the value appears:

- intentionally masked
- incomplete
- likely damaged by OCR

Available actions:

- confirm partial VIN
- correct VIN
- mark Not Present

22.12 Several policies in one file

Show:

- conflicting policy identities
- pages where each appears
- explanation of one-policy-per-file support

Recommended action:

- Reject
- Upload separated declaration page

Approval remains blocked.

23. Approval readiness interaction

23.1 Recommended placement

Recommendation

Use both a sticky compact footer and an expandable side or popover summary.

User problem

The reviewer needs constant awareness of approval blockers without permanently consuming a large part of the field panel.

Simpler alternative

Use only a footer count.

Why that is insufficient

A count does not explain which fields remain unresolved.

More complex alternative

Use a permanently open large side panel.

Why it is excessive

It reduces space for fields.

Accepted trade-off

The footer provides constant status; selecting counts opens detailed navigation.

23.2 Footer contents

Show:

- unsaved changes
- unresolved Critical
- unresolved Important
- corrected fields
- Reject
- Approve

23.3 Expanded readiness summary

Shows:

- unresolved critical fields
- unresolved important fields
- acknowledged warnings
- corrected fields
- added items
- removed items
- missing optional fields
- stale-data state

23.4 Navigation from counts

Selecting a count opens the summary and allows selecting a field.

The field scrolls into view and becomes active.

The PDF viewer navigates to its evidence.

23.5 Unsaved state

Approve remains disabled while unsaved edits exist.

The footer explains:

“Save or cancel 1 field edit before approval.”

23.6 Stale state

The footer replaces Approve with Refresh Review.

23.7 Approval availability

When ready:

- readiness label changes to Ready for Approval
 - Approve becomes active
 - unresolved counts are zero
 - acknowledged and corrected counts remain visible
-

24. Approval interaction

24.1 Sequence

1. Reviewer selects Approve.
2. Readiness is checked again.
3. Approval Summary opens.
4. Final values and changes are displayed.
5. Current policy impact is explained.
6. Contact-address choice appears where relevant.
7. Reviewer confirms approval.
8. Loading state prevents duplicate submission.
9. Success or failure appears.
10. Post-approval actions become available.

24.2 Approval summary presentation

Recommendation

Use a dedicated full-height drawer or focused page on normal desktops, rather than a small modal.

User problem

Policy values, warnings, corrections, and replacement impact may not fit safely in a small dialog.

Simpler alternative

Use a compact confirmation modal.

Why that is insufficient

It would hide important consequences and encourage approval without review.

Accepted trade-off

Approval requires one more focused step.

24.3 First policy approval

Show:

- customer
- source document
- proposed policy values
- corrections
- acknowledged warnings
- missing optional fields
- “This will become the current uploaded policy version.”

24.4 Replacement approval

Show two summaries:

- Current Policy
- Proposed Policy

Highlight changed categories rather than every unchanged field.

Explain:

- proposed version will become Current
- existing version will become Historical
- existing version remains preserved

24.5 Older policy

Recommend Approve as Historical.

Making it Current requires an explicit secondary choice and confirmation.

24.6 Contact-address update

When policy mailing address differs:

- show both addresses
- checkbox or explicit option: “Also update customer contact address”
- default unchecked

24.7 Corrections

Show a Changes section:

- field
- extracted value
- final reviewer value

24.8 Acknowledged warnings

Show warning label and acknowledgement reason.

24.9 Missing optional information

Show in a secondary section.

Do not present missing optional values as errors.

24.10 Confirmation

The final action label should state consequence:

- Approve as Current Policy
- Approve as Historical Policy

24.11 Loading

Disable:

- confirm action
- back navigation inside the approval panel
- repeated submission

Show "Approving..."

24.12 Repeated approval prevention

If already approved elsewhere:

- close loading state
- show completed result
- identify approving user
- no second approval is created

24.13 Approval conflict

Show:

- review data changed
- approval did not complete
- refresh required
- no customer policy was changed by this attempt

24.14 Approval failure

Keep the user on the summary.

Display:

- approval not confirmed
- reviewer corrections remain saved
- current policy unchanged
- Retry after refreshing where appropriate

24.15 First policy wireframe

Approve Policy

Maria Santos · auto-declaration.pdf

This will create the first current uploaded policy version.

Policy

Horizon Insurance · 12345

Jun 1, 2026 – Jun 1, 2027

Premium: \$1,250

Reviewer Changes

Policy Number: 1234S → 12345

Acknowledged Warnings

VIN appears partially masked

Missing Optional Information

Uninsured motorist limit

[Back to Review]

[Approve as Current Policy]

24.16 Replacement wireframe

Approve Replacement Policy

Current Policy

Horizon · 12345

Jun 1, 2025 – Jun 1, 2026

Premium \$1,180

Proposed Policy

Horizon · 12345

Jun 1, 2026 – Jun 1, 2027

Premium \$1,250

Changes

Effective period changed

Premium changed

Vehicle added: 2023 Honda Civic

The proposed version will become Current.
The existing version will remain in Policy History.

[] Also update customer contact address from the policy mailing address

[Back to Review]

[Approve as Current Policy]

24.17 Approval failure wireframe

Approval was not completed

The customer policy was not changed.
Your saved reviewer corrections remain available.

The customer record changed while this approval was open.
Refresh the review and confirm the latest information.

[Return to Review] [Refresh and Try Again]

25. Rejection interaction

25.1 Presentation decision

Recommendation

Use a focused drawer or medium-sized modal.

User problem

Rejection requires a reason and consequence confirmation but does not require reviewing the full policy summary.

Simpler alternative

Use a dedicated page.

Why that is unnecessary

The workflow is short and should preserve review context.

Accepted trade-off

The drawer must manage keyboard focus correctly.

25.2 Entry point

Reject appears in the sticky review action area with lower visual emphasis than Approve but clear destructive meaning.

25.3 Form

Contains:

- reason selector
- optional note
- required note for Other
- explanation that the customer's active policy will not change

25.4 Wrong-customer rejection

When selected:

- show selected customer
- suggest uploading under the correct customer
- do not provide automatic reassignment

25.5 Confirmation

Final action:

Reject Document

25.6 Loading

Show Rejecting and disable repeated submission.

25.7 Success

Show Rejected status and:

- reason
- Upload Replacement
- View Customer
- Reprocess when eligible

25.8 Failure

Return to Needs Review.

Show that rejection was not confirmed.

25.9 Rejection wireframe

Reject Document

This result will not update Maria Santos's policy information.

Reason *

[Wrong customer v]

Note · Optional

[_____]

The document and rejection reason will remain in Audit History.

[Cancel]

[Reject Document]

26. Failure detail and retry interaction

26.1 Failure hierarchy

Show in this order:

1. Failed status
2. Plain-language failure category
3. What completed
4. What failed
5. Customer-policy impact
6. Recovery actions
7. Attempts
8. Technical reference

26.2 Paid usage

When known, state:

- "Document reading completed before the failure."
- "This attempt may have used document or AI processing."

Do not show uncertain exact cost.

26.3 Retry availability

Show:

- retries remaining
- why retry is or is not available
- possible paid usage
- previous attempts remain preserved

26.4 Provider timeout

Message purpose:

- external processing did not complete
- source file remains saved
- customer policy was not changed
- Technical Retry is available

26.5 OCR failure

Show:

- PDF required scanned-page reading
- usable text could not be produced
- retry if temporary
- otherwise upload clearer replacement

26.6 Corrupted PDF

No Retry action.

Primary recovery:

Upload Replacement

26.7 Unsupported document

No Technical Retry.

Primary recovery:

Upload Supported Declaration Page

26.8 Invalid extraction result

Technical Retry may be available.

Explain that no incomplete result was sent to review.

26.9 Maximum retries reached

Disable Retry.

Show:

- retry limit reached
- upload replacement
- previous attempts
- no customer policy change

26.10 Failure detail conceptual layout

auto-declaration.pdf

[Failed]

AI processing did not complete

The PDF was uploaded and its text was read.
A valid policy result could not be created.

Customer policy impact

No approved policy information was changed.

Retries remaining: 2

Another attempt may use paid processing.

[Upload Replacement] [Technical Retry]

Previous Attempts

1. Initial attempt · Failed · 4:15 PM

Reference: DOC-8F21

27. Approved result and correction review UX

27.1 Approved Summary

Use a read-only layout.

Header shows:

- Approved
- Current or Historical
- reviewer
- approval date
- source document

27.2 Final values

Group using the same structure as review:

- Policy
- Named Insured
- Premium
- Vehicles
- Drivers
- Coverage

27.3 Corrections and warnings

Use expandable sections:

- Reviewer Changes
- Acknowledged Warnings
- Missing Optional Information

27.4 Actions

- Send Acknowledgement
- Start Correction Review
- Reprocess
- View Audit History
- Download Source

27.5 Correction Review entry

Selecting Start Correction Review explains:

- current approved version remains unchanged
- no AI call will be made
- approval of corrections creates a new version

27.6 Correction Review appearance

Use the same two-panel workspace but change the context:

- status: Correction Review
- baseline values: Existing Approved Values
- no AI candidate terminology unless original extraction history is opened
- changes labelled Proposed Correction

27.7 Existing version visibility

A persistent banner states:

“Current approved version remains active until these corrections are approved.”

27.8 Exiting

The user may:

- save corrections and leave
- discard unapproved corrections
- continue later

The original approved version remains untouched.

27.9 New approval

Approval summary compares:

- existing approved value
- proposed corrected value

New corrected version becomes current when confirmed.

The earlier version becomes historical.

28. Policy history and comparison UX

28.1 History list

Each version card or row shows:

- Current or Historical
- carrier
- policy number
- effective and expiration dates
- approval date
- reviewer
- source document
- replacement relationship

28.2 Current label

Use a strong text label near the version title.

28.3 Historical label

Use lower visual prominence without implying deletion or invalidity.

28.4 Replacement relationship

Examples:

- Replaced version approved Jul 1, 2025
- Corrected from version approved Aug 1, 2026
- Approved as historical and did not replace current policy

28.5 Limited comparison

Comparison appears only during possible replacement approval or correction approval.

28.6 Change representation

Use grouped change rows.

Dates

Old period → new period

Premium

Old amount → new amount

Named insured

Added, removed, or changed names

Mailing address

Old → new, with separate customer-contact decision

Vehicles

Added, removed, changed identifiers or deductibles

Drivers

Added, removed, renamed

Coverage

Changed limits or deductibles

28.7 Unchanged information

Collapse unchanged categories by default.

29. Audit history UX

29.1 Structure

Recommendation

Use a chronological list or timeline with grouped dates.

User problem

Users need to understand sequence and cause without reading technical logs.

Simpler alternative

Use a raw event table.

Why that is insufficient

Tables make narrative events and value changes difficult to understand.

Accepted trade-off

A timeline is less compact but clearer for business history.

29.2 Event hierarchy

Each event displays:

- event title
- actor
- timestamp
- short explanation
- related link
- expandable change detail

29.3 Date grouping

Group by:

- Today
- Yesterday
- calendar date

29.4 Correction detail

Collapsed event:

"Jordan Lee corrected Policy Number:"

Expanded:

- previous extracted value
- new reviewer value
- source document
- review link

29.5 Processing attempts

Group attempt events under one expandable attempt section where practical.

29.6 Warning acknowledgements

Show warning name and acknowledgement reason.

29.7 Filters

- Event Category
- Actor
- Date

- Document

29.8 Pagination

Use Load More for the timeline.

29.9 Empty state

"No recorded activity yet."

29.10 Failure state

Show local retry without hiding customer or document context.

29.11 Technical diagnostics separation

Technical diagnostic details are not mixed into the timeline.

A technical reference may appear in Failure Detail.

29.12 Audit wireframe

Activity

[Category: All] [Actor: All] [Date: All]

Today

4:42 PM Jordan Lee approved policy version 2 as Current.
Previous version remains in Policy History.
[Open Policy Version]

4:39 PM Jordan Lee corrected Policy Number.
1234S → 12345
[View Change]

4:35 PM System completed document processing.
OCR was used · 6 pages
[Open Document]

4:33 PM Jordan Lee uploaded auto-declaration.pdf.
[Open Document]

[Load More]

30. Usage screen UX

30.1 Layout

Use:

- current period summary
- live-processing status
- operational usage metrics
- configured limit
- explanatory notes

30.2 Metrics

Show:

- Live Documents Processed
- Stored Sample Results
- Pages Processed
- OCR Pages
- AI Extraction Attempts
- Technical Retries
- Failed Attempts
- Estimated Cost
- Remaining Allowance

30.3 Charts

Recommendation

Do not include charts in Release 1.

User problem

The user primarily needs current limits and processing availability, not historical analysis.

Simpler alternative

Metric cards and one allowance bar.

Why it is sufficient

It directly answers whether new live processing is available.

Accepted trade-off

The screen is less visually decorative but more operational.

30.4 Live versus stored

Provide short explanations:

- Live: services processed the document during this attempt.
- Stored: a prepared sample result was replayed without live AI processing.

30.5 Estimated cost

Show:

- estimated label
- period
- note when provider billing may differ

If unavailable, show Not Available rather than zero.

30.6 Approaching limit

Use a persistent Important notice.

Explain:

- current remaining allowance
- which actions may soon be disabled

30.7 Limit reached


Show:

- Live Processing Disabled
- existing documents remain viewable
- review and approval remain available
- stored demo results remain available
- reset timing or operational recovery

30.8 Usage wireframe

Usage

Current Period: Aug 1–Aug 31, 2026



Live Documents	14	OCR Pages	22
Stored Sample Results	31	AI Attempts	16
Pages Processed	68	Technical Retries	2
Failed Attempts	3	Estimated Cost	\$– / unavailable

Processing Limits

14 of 50 live documents used

Stored sample workflows do not consume live AI processing.

31. Acknowledgement email UX

31.1 Availability

Available only after approval and when a valid customer email exists.

31.2 Disabled state

Show disabled Send Acknowledgement with reason:

- Add a customer email before sending.

Provide Edit Customer.

31.3 Preview

Use a focused modal or drawer showing:

- recipient
- fixed subject
- fixed message body
- related approved policy
- demo simulation label when applicable

31.4 Editing restrictions

Recipient is the customer email.

The user cannot:

- add CC or BCC
- add arbitrary recipients
- rewrite subject
- rewrite body

31.5 Confirmation

Send Acknowledgement is the final action.

31.6 Sending

Disable duplicate submission and show Sending.

31.7 Success

Show:

- Sent
- recipient
- time
- audit link

31.8 Failure

Show persistent status:

- Email not sent
- approval remains unchanged
- Try Again

31.9 Resend

After success, use Send Again.

Confirmation warns that the customer may receive a duplicate.

31.10 Demo simulation

The preview clearly states:

“This demo simulates delivery. No customer email will be sent.”

32. Demo-mode UX

32.1 Entry

Sign-in provides:

- Sign In
- Explore Demo

32.2 Demo badge

A persistent Demo badge appears in the shell.

32.3 Introductory guidance

On first entry, show a short dismissible panel:

- all data is synthetic
- AI output requires human review
- current policy is not carrier verification
- sample workflows may use stored results

- Reset Demo is available

32.4 Curated sample selection

The demo upload screen becomes Select Sample Document.

Samples show:

- clean text PDF
- scanned PDF
- warnings example
- failed example
- approved history example

32.5 Stored result label

Stored-result workflows show a persistent but compact label during processing and review.

32.6 Optional live run

When enabled:

- separate Live Processing action
- allowance shown
- confirmation required
- only curated sample documents available

32.7 Restricted actions

Disabled actions show reasons.

Examples:

- arbitrary local upload unavailable
- email delivery simulated
- core sample records cannot be permanently removed

32.8 Session isolation

Disposable changes apply only to the current demo session.

32.9 Reset

Reset Demo appears in the account utility area and demo Overview.

Confirmation explains:

- unsaved demo changes will be removed
- synthetic starting data will return

32.10 Provider outage

Show:

- Live Processing Temporarily Unavailable
- Stored Sample Workflows Available

The guided path remains usable.

32.11 Guided demo path

Use one compact panel:

1. Open a sample customer.
2. Review a declaration.
3. Correct a warning.
4. Approve the policy.
5. View history.
6. Simulate email.
7. Reset.

Do not force the user through an onboarding tour.

32.12 Demo Overview wireframe

[DEMO] Overview

[Reset Demo]

This environment uses synthetic insurance data.
AI results require human review and do not verify active coverage.
[Dismiss]

Try the complete workflow

1. Open sample customer
2. Review declaration page
3. Approve policy
4. View audit history

[Start Guided Sample]

Needs Review 2

Processing 1

Failed Sample 1

Processing Mode
Stored Sample Results available
Live sample runs: 1 remaining

33. Notifications and feedback placement

33.1 Inline errors

Placed beneath the affected field or control.

Remain until corrected.

33.2 Temporary success messages

Appear in a consistent upper page region.

Suggested duration:

- long enough to read
- dismissible
- removed automatically when the page itself already reflects success

33.3 Temporary errors

Used only for recoverable local failures.

Important failures also appear persistently in page content.

33.4 Persistent banners

Used for:

- Demo mode introduction
- stale review
- session expiration
- processing limit reached
- approved policy remains active during reprocessing
- source viewer unavailable
- provider outage

33.5 Background completion notification

Appears once per completed processing attempt.

Contains:

- document
- result
- Open Review or View Failure

33.6 Confirmation dialogs

Must:

- receive keyboard focus

- state consequence
- provide explicit action label
- return focus to the trigger when cancelled

33.7 Stale-data warning

Appears at the top of the workspace and readiness area.

Cannot be dismissed without refreshing or leaving.

33.8 Session expiration

Use a blocking reauthentication state for protected actions.

Explain whether unsaved changes remain locally available.

33.9 Processing-limit warnings

Show:

- contextually before paid actions
- persistently on Usage
- compactly in the shell when urgent

33.10 Duplicate suppression

Do not show repeated notifications for the same event.

33.11 Accessibility announcements

Announce:

- save success
- save failure
- processing status completion
- warning-count changes
- approval success
- validation errors

33.12 Page state requirement

Temporary messages never act as the only evidence of:

- Approved
- Rejected
- Failed
- Email Sent
- Limit Reached

The page must show the lasting state.

34. Loading and skeleton behavior

34.1 General rule

Use skeletons when the layout and expected content are known.

Use spinners for small isolated actions.

Avoid replacing an entire loaded page during background refresh.

34.2 Overview

Skeleton cards and activity rows.

34.3 Customer List

Skeleton table rows.

34.4 Customer Details

Header loads first where possible.

Tabs show local section skeletons.

34.5 Upload

Use:

- local file-inspection state
- transfer progress
- button loading

Do not show a full-page spinner after file selection.

34.6 Processing Detail

Use a stable status card.

Background refresh updates text without resetting the page.

34.7 Documents

Skeleton rows and stable controls.

34.8 Review Queue

Skeleton rows.

Preserve filters during background refresh.

34.9 Review Workspace

Load independently:

- review data
- PDF viewer
- audit or attempt details

Do not block the field panel solely because a PDF page preview is still loading.

34.10 PDF viewer

Show page-sized skeleton to prevent layout shift.

34.11 Approval

Use button loading and stable summary.

34.12 Audit

Skeleton timeline rows.

Load More uses local loading at the bottom.

34.13 Usage

Skeleton metric cards.

Existing cached values may remain with a Refreshing label.

34.14 Stale cached content

When showing previously loaded content during refresh:

- identify that an update is occurring
- do not disable harmless navigation
- disable final actions only if freshness is required

34.15 Unavailable content

A local unavailable panel replaces only the failed section.

35. Empty and no-results states

35.1 No customers

Objective:

Start the golden path.

Action:

Create Customer.

35.2 No documents

Objective:

Explain that documents belong to customers.

Action:

Upload Document.

35.3 No current policy

Objective:

Clarify that no document has been approved.

Actions:

Open pending document or Upload Document.

35.4 No historical policies

Objective:

Explain that previous approved versions will appear after replacement or correction.

No primary action required.

35.5 Empty review queue

Objective:

Confirm that no review work is waiting.

Actions:

View Processing, View Failed, Upload Document.

35.6 No audit events

Objective:

Clarify that activity will appear after customer or document actions.

35.7 No search results

Show current search and Clear Search.

35.8 No filtered results

Show active filters and Clear Filters.

35.9 No optional field value

Use Not Present or Not Found inside the field.

Do not treat as an empty screen.

35.10 No customer email

Show inside approved summary:

- No customer email
- Add Email to Send Acknowledgement

35.11 No live allowance

Show processing disabled state and stored-result alternative.

35.12 State distinction

Never use the same visual state for:

- loading
- failure
- genuine empty data
- filtered no results
- optional missing field

36. Error and recovery experience

Every error should answer:

1. What happened?
2. Was the user's data saved?
3. May processing cost have occurred?
4. What did not happen?
5. What is the next safe action?
6. Is retry appropriate?

36.1 Authentication error

Explain sign-in did not complete.

Do not reveal account existence.

36.2 Save failure

Explain changes were not confirmed as saved.

Retain form or review values.

36.3 Upload failure

Distinguish:

- transfer interrupted
- file rejected
- file accepted but later failed

36.4 Corrupted PDF

State replacement is required.

No technical retry.

36.5 Source-render failure

State:

- preview unavailable
- original document remains stored
- download or evidence may remain available
- approval impact

36.6 Processing timeout

State:

- processing did not complete in the allowed period
- policy was not changed
- retry allowance
- possible paid usage

36.7 Provider failure

Use “document processing service” rather than provider name.

36.8 OCR failure

Explain scanned-page text could not be read.

Suggest clearer replacement when appropriate.

36.9 Extraction failure

Explain that no valid review result was produced.

Do not show raw output.

36.10 Stale review

Explain another user or process changed the current result.

Final action disabled.

36.11 Approval conflict

State that approval did not complete and current policy remains unchanged.

36.12 Email failure

State policy approval remains valid.

36.13 Limit reached

State live processing is disabled, not that the entire product is unavailable.

36.14 Demo reset failure

State:

- reset did not complete
- current session may still contain changes
- Retry Reset or Start New Demo Session

Avoid leaving the user unsure whether data was restored.

37. Responsive behavior

37.1 Large desktop

- full sidebar
- full-width operational tables
- resizable two-panel review
- sticky readiness footer

37.2 Normal laptop

- full or compact sidebar
- two-panel review
- some metadata collapses into tooltips or secondary lines
- actions remain visible

37.3 Narrow laptop

- sidebar collapses
- review remains two-panel where readable
- panel divider may default closer to equal width
- filters may move into a popover

37.4 Tablet

- navigation drawer
- tables become horizontally simplified or card lists
- review uses Source and Extracted Data tabs
- approval may remain available only when sufficient space and full functionality are supported

37.5 Small mobile

Available:

- sign-in
- Overview
- customer list
- customer summary
- status inspection
- activity
- simplified document preview

Unavailable:

- complete field review
- correction review
- approval
- rejection requiring source comparison

Show:

“Use a larger screen to complete document review.”

37.6 Screen-specific adaptations

Overview

Cards stack vertically.

Customer List

Rows become cards.

Customer Details

Tabs become horizontally scrollable or a compact selector.

Documents and Review Queue

Rows become cards with primary action visible.

Upload

Normal staff local upload may work on tablet; public demo remains sample-only.

Review Workspace

Switches from side-by-side to source/data tabs.

Approval Summary

Uses full-screen panel on narrow devices.

Audit

Timeline remains single-column.

Usage

Metric cards stack.

38. Keyboard interaction

38.1 Global navigation

- Tab reaches navigation in logical order.
- Enter or Space activates items.
- Escape closes navigation drawer.

38.2 Search

Search receives normal keyboard focus.

Escape may clear a search only when discoverable and does not discard other work.

38.3 Forms

- Tab follows field order.
- Enter does not unexpectedly submit multiline forms.
- Errors move focus to the first invalid field after submission.

38.4 Dialogs

- focus moves into the dialog
- focus remains trapped while open
- Escape closes only safe, non-submitting dialogs
- focus returns to trigger

38.5 Document viewer

Keyboard controls should support:

- next and previous page
- zoom controls
- page selector
- rotate
- download

Do not override standard browser shortcuts unnecessarily.

38.6 Review fields

- Tab moves between fields and actions
- Enter opens or edits the active field
- Escape cancels edit when safe
- Save and Cancel are reachable without mouse

38.7 Warning navigation

Provide two discoverable actions:

- Next Unresolved Warning
- Previous Unresolved Warning

These may have optional displayed shortcuts.

38.8 Safe review shortcuts

Recommended limited shortcuts:

- Next unresolved warning
- Previous unresolved warning
- Save current edit

Do not provide a direct keyboard shortcut for Approve or Reject.

38.9 Approval summary

Focus starts at the summary title.

The user can review all sections before reaching confirmation.

38.10 Rejection

Focus starts on reason selection.

Other note becomes focusable and required when selected.

39. Accessibility requirements

39.1 Semantic structure

Use:

- one primary page heading
- logical heading levels
- navigation landmark
- main content landmark
- form regions
- complementary region for readiness summary where appropriate

39.2 Form labels

Every input has a persistent visible label.

39.3 Focus order

Focus follows visual and workflow order.

Independent review panels must not create confusing jumps.

39.4 Visible focus

All interactive controls show a clear focus indicator.

39.5 Keyboard operation

All core staff actions except intentionally unsupported mobile review must be keyboard accessible.

39.6 Modal focus

Dialogs manage focus and announce their title and purpose.

39.7 Status announcements

Announce meaningful changes:

- Processing completed
- Document now Needs Review
- Warning resolved
- Approval completed
- Save failed

Avoid announcing every background refresh.

39.8 Loading announcements

Long loading states should announce:

- loading started
- content ready
- failure

39.9 Errors

Errors are linked to affected fields and summarized when multiple errors exist.

39.10 Warning severity

Every warning includes visible text:

- Information
- Important
- Critical

39.11 Color-independent meaning

Status and warnings use labels, icons, and structure in addition to color.

39.12 Contrast

Text, borders needed for understanding, icons, and focus states must meet appropriate readable contrast.

39.13 Zoom

The application remains usable at increased browser zoom.

The review layout may switch to tabbed mode instead of forcing horizontal page scrolling.

39.14 Reduced motion

Respect reduced-motion preferences.

Do not use essential animated transitions.

39.15 PDF limitations

The source PDF may not be inherently accessible.

The product should provide:

- extracted evidence text
- field labels
- page references
- keyboard-accessible viewer controls

- downloadable authorized source
- clear indication when source text is OCR-derived

39.16 Evidence alternatives

When exact highlighting is unavailable, evidence excerpts and page references act as the accessible alternative.

40. UX writing and terminology guide

40.1 Preferred terms

Extracted Value

Use for information produced before human approval.

Candidate Result

Use for the full unapproved extraction result when needed.

Reviewer Correction

Use for a saved human edit.

Approved Value

Use only after approval succeeds.

Needs Review

Use for a document ready for human inspection.

Source Evidence

Use for supporting document text and page.

OCR Used

Use to explain that scanned pages were read.

Stored Result

Use for a prepared demo result.

Live Processing

Use for active document and AI processing.

Current Policy

Prefer contextual phrasing:

“Current uploaded policy version.”

Historical Policy

Use for an older preserved approved version.

Reprocess

Use for intentionally running the document through extraction again.

Technical Retry

Use only after a retryable processing failure.

Correction Review

Use for changing an approved result without another AI call.

Acknowledgement Email

Use for the narrow post-approval message.

40.2 Terms to avoid

- AI Verified
- AI Approved
- Guaranteed Accurate
- Policy Verified
- Coverage Confirmed
- Fully Insured
- Active Coverage, unless carrier verification later exists
- 100% Confidence
- Flawless Extraction
- Smart Policy
- Autonomous Approval
- AI Decision
- Hallucination in normal user copy
- Parsing error
- Schema error
- Provider exception

40.3 Tone

Copy should be:

- calm
- precise

- direct
- non-technical
- non-alarming
- transparent

40.4 Error tone

State facts without blame.

Prefer:

"This PDF could not be opened."

Avoid:

"You uploaded an invalid file."

40.5 Warning tone

Explain the specific uncertainty and action.

Prefer:

"Two possible policy numbers were found. Select the number shown as the policy identifier."

Avoid:

"Low-confidence extraction."

40.6 Approval tone

Explain business effect.

Prefer:

"This will create a new current policy version. The existing version will remain in history."

41. Screen-state matrix

Screen	Normal	Loading	Empty / No Results	Warning	Failure	Disabled	Stale
Sign In	Credential form	Signing in	Not applicable	Demo notice	Sign-in failed	Submit during loading	Session expired

Screen	Normal	Loading	Empty / No Results	Warning	Failure	Disabled	Stale
Overview	Counts and activity	Card skeletons	No customers or activity	Usage or failed-work notice	Local or page retry	Upload when unavailable	Refresh notice where needed
Customer List	Table	Row skeletons	No customers / no matches	Attention labels	Retry list	Controls during failure	Refresh if changed
Create/Edit Customer	Contact form	Save loading	Not applicable	Duplicate panel	Save failed	Save until valid	Record changed
Customer Detail	Tabs and summaries	Section skeletons	No policy/ documents/ history	Needs Review or Failed	Local section retry	Email without address	Customer changed
Upload	Customer and file controls	File inspection / transfer	No file selected	Duplicate or limit warning	Upload/file failure	Invalid file or limit	Session state changed
Processing Detail	Status and steps	Active processing	Not applicable	Delayed processing	Failure detail link	Review unavailable	Status refresh
Documents	Full table	Row skeletons	No documents / no matches	Warning counts	Retry list	Actions by status	Background refresh
Review Queue	Prioritized table	Row skeletons	Queue clear / no matches	Critical and important	Retry queue	Review stale item	Item completed elsewhere
Review Workspace	Two panels	Independent panel loading	Missing optional field states	Warning system	Source/ save failure	Approve blockers	Mandatory refresh
Approval Summary	Final values	Approving	Not applicable	Replacement or address change	Approval failed	Confirm until ready	Conflict requires refresh
Rejection	Reason form	Rejecting	Not applicable	Customer impact	Rejection failed	Submit until valid	Review completed elsewhere
Failure Detail	Failure explanation	Attempt refresh	No previous attempts	Paid-usage or retry warning	Current failure	Retry exhausted	Attempt changed
Approved Summary	Read-only values	Section loading	No optional values	Email failure / historical state	Local section failure	Email without address	Newer version exists

Screen	Normal	Loading	Empty / No Results	Warning	Failure	Disabled	Stale
Policy History	Version list	List skeletons	No historical versions	Older/ current context	Retry list	Not applicable	New version refresh
Audit History	Timeline	Timeline skeletons	No activity / no matches	Not applicable	Retry activity	Not applicable	Refresh available
Usage	Metrics and allowance	Metric skeletons	Zero usage	Approaching limit	Usage unavailable	Live processing disabled	Refresh data
Email Preview	Fixed preview	Sending	No customer email	Duplicate-send warning	Send failed	Recipient unavailable	Customer email changed

42. UX acceptance criteria

42.1 Global navigation

- A staff user can reach every primary Release 1 area from persistent navigation.
- The selected area is identifiable without relying on color alone.
- The review workspace can reclaim horizontal space without hiding the route back to the queue.
- Demo mode remains visible on every screen.

42.2 Overview

- A user can identify Needs Review, Processing, and Failed counts without opening another page.
- Every operational card opens the matching filtered destination.
- Zero values are not shown while loading.
- Failure of one card does not hide other operational data.

42.3 Customers

- A user can create a customer with only a full name.
- Optional fields are visibly marked.
- A possible duplicate shows enough information to compare records.
- Customer contact information is visibly separate from policy named-insured information.
- Current policy and historical policy are distinguishable without relying on color.

42.4 Upload

- The user can identify the selected customer and file before submission.
- Upload cannot begin with more than one PDF.
- File-size, page-count, encrypted, corrupted, and unsupported-format failures explain the required correction.
- A duplicate warning appears before another paid processing attempt.
- Public demo users cannot select arbitrary local files.

42.5 Processing

- The user can see the current reliable processing stage without a misleading exact percentage.
- The user is told they may leave the page.
- OCR usage is visible.
- Delayed processing discourages duplicate upload.
- Successful completion presents Open Review.

42.6 Documents

- Every document status is visible in the list.
- Failed and rejected documents are distinguishable.
- The primary row action matches the current status.
- Search, filters, and sort remain understandable and reversible.

42.7 Review Queue

- Critical items appear before important items by default.
- A reviewer can identify the customer, document, age, warning severity, and review action from the row.
- Failed documents do not appear.
- Completed stale items cannot be reviewed again.

42.8 Review Workspace

- Source PDF and extracted fields are available in one desktop workflow.
- Selecting a field opens its supporting page when available.
- A normal field does not require opening extra detail to read its value.
- A warning field explains what is wrong and what action resolves it.
- Original extracted values remain available after correction.
- Unsaved edits are visible and protected from accidental navigation.
- A stale review cannot be approved.

42.9 Warnings

- A reviewer can identify every field blocking approval without opening every field.
- Informational, Important, and Critical warnings use text labels.
- Important warnings require correction, Not Present, or acknowledgement.
- Critical warnings remain blocking unless an explicitly permitted resolution is completed.
- OCR Used alone does not create an Important warning for every field.

42.10 Approval

- Approve remains visible but disabled when blockers exist.
- Disabled approval explains the blockers.
- Approval Summary shows final values and active-policy impact.
- Replacing a current policy requires explicit confirmation.
- Updating customer contact address is optional and unchecked by default.
- Approval failure clearly states that customer policy data was not changed.

42.11 Rejection

- Rejection requires a reason.

- Wrong-customer rejection explains that the document is not automatically reassigned.
- Rejection success shows replacement and reprocessing options where appropriate.
- A failed rejection leaves the document in Needs Review.

42.12 Retry

- Technical Retry shows retries remaining and possible paid usage.
- Retry is not offered for corrupted or unsupported PDFs.
- Maximum retry state provides Upload Replacement.
- Starting the same retry twice does not display two active attempts.

42.13 Approved result

- Approved values are read-only.
- Reviewer corrections and acknowledged warnings are available without dominating the main summary.
- Current or Historical designation is visible.
- Correction Review explains that the existing approved version remains active.

42.14 Policy history

- Every version shows source, reviewer, dates, and approval date.
- Current and Historical labels are textual.
- Replacement relationships are understandable.
- Comparison is limited to the active approval workflow.

42.15 Audit

- Events are understandable without technical knowledge.
- Material corrections show previous and new values.
- Processing attempts can be inspected without exposing raw errors.
- Filters can be cleared.
- Load More does not reset the page.

42.16 Usage

- The user can identify whether live processing is available.
- Live and stored results are explained.
- Estimated cost is visibly labelled as estimated.
- Limit reached does not imply existing review work is unavailable.

42.17 Email

- Send Acknowledgement is unavailable without a customer email.
- Preview identifies fixed recipient, subject, and body.
- Duplicate send requires confirmation.
- Email failure does not visually change Approved status.
- Demo delivery is visibly simulated.

42.18 Demo mode

- A visitor can complete the golden path using synthetic data without developer help.
- Stored results remain usable during provider outage.

- Reset restores the starting state.
- Visitors cannot permanently damage core samples.
- Demo mode never implies replayed results were generated live.

42.19 Responsive behavior

- Core operational lists remain usable on tablet.
- Review switches to source/data views when side-by-side layout is too narrow.
- Small mobile screens clearly state that approval requires a larger screen.
- No primary action becomes unreachable because of layout collapse.

42.20 Accessibility

- Every interactive control is keyboard reachable.
- Focus is visible.
- Warning meaning does not depend on color.
- Dialog focus is contained and restored.
- Status changes are announced without excessive repetition.
- Evidence text remains available when visual highlighting is unavailable.

43. Design risks and trade-offs

43.1 Review screen becomes too dense

Why it matters

Too much visible evidence, metadata, warnings, and history can slow review.

Mitigation

Use compact normal fields and expand warning details.

Simpler alternative

Hide evidence until a separate page is opened.

Why insufficient

Evidence must remain close to the field.

Accepted trade-off

Some density is necessary in the main operations workflow.

Must be solved before architecture planning

Yes. Panel and field behavior drive data-loading requirements.

43.2 Warnings become visually noisy

Why it matters

If every field looks urgent, reviewers cannot prioritize.

Mitigation

Use three severities and keep OCR Used informational unless a specific value is affected.

Simpler alternative

Use one warning style.

Why insufficient

It removes risk prioritization.

Must be solved

Yes.

43.3 Important evidence is hidden

Why it matters

Progressive disclosure may hide information needed for safe approval.

Mitigation

Always show source page and warning reason. Hide only longer excerpts and history.

Simpler alternative

Show all evidence permanently.

Trade-off

Compact normal fields, expanded warning fields.

Must be solved

Yes.

43.4 Status language exposes excessive technical detail

Why it matters

Users do not need implementation concepts.

Mitigation

Use one Processing status with plain descriptions.

Simpler alternative

Show only Processing.

Why insufficient

It appears stuck.

Must be solved

Yes.

43.5 Destructive actions are too prominent**Why it matters**

Reject, remove, and reset can interrupt valid workflows.

Mitigation

Use lower prominence, explicit labels, and confirmation.

Simpler alternative

Hide them in menus.

Why insufficient

Necessary recovery actions could become hard to find.

Trade-off

Visible but clearly secondary destructive actions.

43.6 Demo mode feels fake**Why it matters**

A replayed workflow may appear staged.

Mitigation

Be transparent about Stored Results while preserving the real review, approval, audit, and version behavior.

Simpler alternative

Pretend every result is live.

Why unacceptable

It is misleading.

Must be solved

Yes.

43.7 PDF viewer consumes too much space**Why it matters**

The field panel may become too narrow.

Mitigation

Resizable panels, collapsible sidebar, source/data tabs on narrow screens.

Simpler alternative

Fixed equal panels.

Why insufficient

Different documents and tasks require different space.

Trade-off

Panel resizing adds interaction complexity.

43.8 Narrow screens become unusable**Why it matters**

Trying to preserve desktop review on mobile creates unreadable content.

Mitigation

Support inspection on mobile and reserve full review for larger screens.

Simpler alternative

Force the desktop layout.

Why insufficient

It produces horizontal scrolling and unsafe review.

Must be solved

Yes at specification level.

43.9 Excessive confirmations slow workflow

Why it matters

Repeated dialogs reduce efficiency.

Mitigation

Confirm only high-consequence, destructive, duplicate, and paid actions.

Simpler alternative

Confirm every state change.

Why unnecessary

Ordinary corrections are reversible before approval.

43.10 Audit history becomes overwhelming

Why it matters

Processing creates many events.

Mitigation

Group attempts and show business-level events first.

Simpler alternative

Show every technical step.

Why insufficient

It becomes diagnostic noise.

Must be solved

Yes.

44. Scope-creep findings

44.1 Command palette

Attractive for expert navigation but unnecessary with five primary destinations.

Future: productivity release.

44.2 Advanced keyboard system

Attractive for high-volume reviewers but increases discoverability and safety concerns.

Release 1 includes only warning navigation and save shortcuts.

Future: reviewer productivity release.

44.3 Customizable dashboard

Attractive for different agency priorities but requires preferences and configurable widgets.

Future: multi-agency operations release.

44.4 Saved filters

Attractive for frequent queue views but unnecessary for the small first workflow.

Future: operations scaling release.

44.5 Reviewer assignments

Attractive for workload ownership but introduces roles, assignment states, and routing.

Future: team operations release.

44.6 Comments and mentions

Attractive for collaboration but no multi-stage review workflow exists.

Future: collaboration release.

44.7 Collaboration presence

Attractive for avoiding concurrent review but stale-data protection is sufficient.

Future: real-time collaboration release.

44.8 Panel customization

Attractive for personal preference but resizable panels are sufficient.

Future: advanced workspace personalization.

44.9 Custom themes

Attractive for branding but outside the functional workflow.

Future: white-label release.

44.10 Field-level approval

Attractive for complex compliance but adds granular review state.

Release 1 approves the document result as one business action.

Future: multi-stage review release.

44.11 Bulk approval

Unsafe before single-document quality and review behavior are proven.

Future: high-volume operations release.

44.12 Batch upload

Adds partial failure and association complexity.

Future: ingestion scaling release.

44.13 Arbitrary exports

Does not improve the approved golden path.

Future: integrations release.

44.14 Long onboarding tour

Unnecessary for a focused workflow.

Release 1 uses contextual empty states and a short demo path.

44.15 Advanced analytics

Small demo data would make many metrics misleading.

Future: reporting release.

44.16 Mobile full review

Creates major source-comparison and interaction challenges.

Future: mobile operations release only if user demand supports it.

44.17 Real-time collaborative editing

Stale-data protection is sufficient for Release 1.

Future: team collaboration release.

45. Open UX decisions

Decision 1: Resizable review panels

Question

Should reviewers be able to resize the source and extracted-data panels?

Recommended choice

Yes, within controlled minimum sizes.

Alternatives

- fixed equal panels
- source/data tabs only

User impact

Resizing helps with dense documents and wide field content.

Scope impact

Small interaction addition.

Future technical impact

The interface must preserve or reset panel preference safely.

Decision 2: Approval Summary presentation

Question

Should Approval Summary use a full-height drawer or a dedicated page?

Recommended choice

Use a full-height drawer on normal desktop and a full-screen view on narrow layouts.

Alternatives

- small modal
- dedicated page everywhere

User impact

Maintains review context while providing enough room for consequences.

Scope impact

Moderate interaction design requirement.

Future technical impact

Approval state and stale-data checks must remain active while the drawer is open.

Decision 3: Tablet approval

Question

Should full approval be permitted on sufficiently large tablets?

Recommended choice

Allow it only when the complete source, field, warning, and approval experience remains available. Small mobile remains view-only.

Alternatives

- desktop and laptop only
- approval on every tablet and phone

User impact

Provides flexibility without promising unsafe small-screen review.

Scope impact

Requires a tested tabbed review layout.

Future technical impact

Responsive state and evidence navigation must work without side-by-side panels.

Decision 4: Public demo live-processing action

Question

Should the public demo expose a limited live run for curated samples?

Recommended choice

Include it only when an owner-configured allowance is available; stored results remain the default.

Alternatives

- stored results only
- always allow one live run

User impact

A live run strengthens demonstrations but may introduce waiting and provider failure.

Scope impact

Adds confirmation and allowance state.

Future technical impact

Demo processing must enforce sample and session restrictions.

Decision 5: Demo session reset visibility

Question

Should Reset Demo remain visible in the main shell throughout demo mode?

Recommended choice

Show it in the account utility area and on demo Overview, not as a primary action on every page.

Alternatives

- persistent top-level button
- account menu only

User impact

Easy to find without distracting from the workflow.

Scope impact

Minimal.

Future technical impact

Reset must be safe from any demo screen.

46. Architecture-driving UX requirements

The future architecture must support the following observable behavior.

46.1 Background status updates

Processing screens, Overview, Documents, and Review Queue must reflect completed processing without requiring a new upload.

46.2 Independent panel loading

The PDF viewer and extracted-data panel must load and fail independently.

46.3 Document evidence

Fields must support:

- source page
- evidence excerpt
- exact location when reliably available
- explicit unavailable location state

46.4 Preserved review work

Saved reviewer corrections must survive normal navigation and session reauthentication.

Unsaved edits should receive local navigation protection where practical.

46.5 Stale-data detection

The product must identify when:

- review result changed
- customer changed
- another user approved or rejected
- processing produced a newer result

46.6 Safe repeated actions

Upload, save, approve, reject, retry, reprocess, reset, and email actions must not create duplicate outcomes when submitted twice.

46.7 Immutable approved versions

Approved values must remain preserved.

Correction Review and replacement approval create new versions.

46.8 Processing-attempt history

The UX requires distinct attempts, retry counts, outcomes, and live-versus-stored identity.

46.9 Current versus historical policy

The product must support one selected current uploaded policy version while retaining older approved versions.

46.10 Session-isolated demo state

Demo changes should remain disposable and isolated from other demo sessions where practical.

46.11 Replayed sample workflows

The demo must present prepared processing results through the same review, approval, audit, and policy-version experience as live results.

46.12 Demo cost restrictions

The product must distinguish:

- public demo user
- curated samples
- stored results
- optional live allowance
- disabled live processing

46.13 Responsive document viewing

The source and extracted data must support:

- side-by-side desktop layout
- tabbed narrow layout
- view-only small mobile behavior

46.14 Warning resolution state

The product must preserve:

- unresolved
- corrected
- acknowledged
- Not Present
- Reviewer Added
- Reviewer Removed

46.15 Approval readiness

Approval availability must be derived from current warnings, unsaved changes, stale state, required fields, and current document status.

46.16 Address-update choice

Approval must support an explicit optional customer-contact-address update without changing the policy mailing address history.

46.17 Background completion notifications

The product must surface one in-product completion notification and suppress duplicates.

46.18 Accessible status updates

Important background state changes must be available to assistive technology without creating repeated noise.

47. Recommended next planning document

The next document should be:

Release 1 System Architecture and Technical Decision Record

Architecture planning is now appropriate because the following are approved and sufficiently defined:

- product scope
- primary user
- golden path
- supported documents and fields
- functional screens and behaviors
- document lifecycle
- review and approval rules
- policy-version behavior
- retry behavior
- demonstration constraints
- UX hierarchy
- evidence interaction
- stale-data expectations
- responsive behavior
- accessibility requirements

The architecture document must answer:

- modular-monolith boundaries
- responsibility ownership
- document and processing lifecycle representation
- background-processing behavior
- safe repeated-action handling
- retry and reprocessing control
- preservation of processing attempts

- AI candidate versus reviewer correction versus approved version separation
- current and historical policy handling
- audit-event responsibilities
- document and evidence storage behavior
- authentication and session responsibilities
- stale-data and concurrency handling
- demo-session isolation
- stored-result replay behavior
- live-processing cost controls
- frontend, backend, storage, and deployment boundaries
- provider abstraction boundaries
- security and privacy controls
- observability and failure diagnosis
- architecture alternatives and trade-offs
- human approval checkpoints before Codex implementation

The architecture document must not yet define:

- exact database tables or columns
- complete API payloads
- repository folders
- implementation tickets
- source code
- pseudocode
- final provider-specific integration code
- Codex prompts

After the architecture and technical decisions are approved, implementation planning can translate the agreed product, functional, UX, and architecture rules into supervised development phases.