
WAY4TECH SOLUTIONS

Live demo
pharmacy-demo.way4tech.com
w4demo / Demo2026 · Odoo 19, Community

COMPLETE GUIDE · THE TRADE, SETUP AND EVERY SCREEN

Pharmacy Management for Odoo 19

Prescriptions, dispensing first expiry first out, the safety check against the patient file, the controlled drug register, insurance claims, expiry write-offs and margin on the real batch cost. Every screen and every step, shown on a live demo. No Odoo background needed.



START

About this guide

A pharmacy sells boxes, but what it is held to account for is the box: which batch it came from, who it was handed to, who signed for it, and whether anybody checked it against what the patient already takes. This guide walks the whole module one screen at a time, from an empty database to a pharmacy that has been trading for four months. You do not need to have used Odoo before.

Who it is for

The superintendent pharmacist setting a pharmacy or a small chain up, the pharmacists and counter staff who use it every day, the insurance desk, and anyone being shown the system for the first time.

How to read it

Front to back the first time. Each part opens with what you will learn and a short thing to try on the live demo, then walks every field and every button.

The live demo

Ninebridge Pharmacy LLC, an invented two-branch pharmacy in Dubai, with 15 medicines, 16 patients, two insurers and four months of dispensing, claims and invoices. Open it and follow along.

HOW IT WORKS

The demo pharmacy

Address	**pharmacy-demo.way4tech.com**
Sign in	**w4demo** / **Demo2026**
Business	Ninebridge Pharmacy LLC · Ninebridge Marina (holds the controlled drug licence) and Ninebridge Downtown (no controlled licence)
Currency	UAE dirham (AED), 5% VAT on sales
Runs on	Odoo 19 with Inventory and Invoicing. The module itself needs only Community.

Every company, person, clinic, insurer and number on the demo is invented. The demo is shared and is reset from time to time, so anything you change may be changed back or seen by the next person. Treat it as a pharmacy to walk around, not your own records.

What is in the guide

PART 1 How a pharmacy counter works

PART 2 The pharmacy at a glance

PART 3 Open the demo and sign in

PART 4 Setting up from zero

PART 5 The medicine master

PART 6 Batches, receiving and expiry

PART 7 Write-offs and the destruction certificate

PART 8 Reorder levels and suggested purchases

PART 9 The patient file

PART 10 Prescriptions

PART 11 Dispensing and the safety check

PART 12 Counter sales

PART 13 The controlled drug register

PART 14 Insurers, policies and claims

PART 15 Reporting

PART 16 Printed documents, emails and scheduled jobs

PART 17 A 15-minute demo

PART 18 Questions people ask

PART 19 Menu map

PART 1 How a pharmacy counter works

Five minutes on the trade, so the screens make sense. Nothing in this part is Odoo; it is what a pharmacist already knows and a developer usually does not.

IN THIS PART YOU WILL LEARN

- Why a pharmacy tracks the batch, not the product
- Prescription only, over the counter and controlled medicines
- What a pharmacist checks before anything is handed over
- How insurance splits the bill between the payer and the patient
- Why expiry is a money problem and not only a safety one

The batch is the unit

A box of amoxicillin is not just amoxicillin. It is batch BA107, made in March, expiring next August, received from one wholesaler on one delivery note. When a manufacturer recalls a batch, the pharmacy has to say which patients got it. When a regulator asks about a narcotic, the answer is a batch number and a balance. So the module keeps every intake as a **batch** with its own number, expiry, quantity, unit cost and branch, and every box that goes out says which batch it came from.

Stock is handed out **first expiry, first out** (FEFO): the box that runs out soonest goes first, so the shelf does not fill with stock that expires behind newer boxes.

Three kinds of medicine

KIND	WHAT IT MEANS AT THE COUNTER	IN THE MODULE
Over the counter	Anyone may buy it, sometimes with a quantity cap	Counter Limit on the medicine
Prescription only	A prescriber has to be named before it goes out	Prescription Only tick, enforced by a setting
Controlled	Narcotics, psychotropics, controlled medicines and precursor chemicals. Needs a prescription, a licensed branch, an authorised pharmacist and often a second signature	Drug Schedule on the medicine, the Controlled Drug Register

What gets checked before the hand-over

A pharmacist reads the script against the patient: does the patient react to anything in it, does it clash with what they take every day, are they pregnant, is the dose right for a child, and is the quantity what the doctor wrote. Then against the shelf: is the batch in date, and will it last the course. The module does the same checks and writes down what it found.


Insurance at the counter

In the Gulf most prescriptions are paid partly by an insurer. The patient pays a **co-pay**, a percentage set by the policy. The insurer pays the rest, at its own contracted price, which is usually a **tariff discount** off the shelf price. The pharmacy sends an **e-claim**, waits for an approval code, and sometimes gets a rejection: not covered, policy expired, limit used up, or a price above the tariff. The money on a dispense is only settled when the claim comes home.

Expiry is money


Expired stock cannot be sold or returned in most cases. It has to be written off, often in front of a witness, and the controlled items destroyed under the authority's rules. The number a pharmacy owner wants is not how many boxes will expire, but how much money is sitting on the shelf that will not sell.

A box through the pharmacy



PART 2 The pharmacy at a glance


The module adds one app, Pharmacy, with six menus. This part is the map, and the three roles that decide who sees what.



The Pharmacy app on the Odoo home screen. Inventory and Invoicing come with it.

The six menus

MENU	WHAT IS UNDER IT
Counter	Dispensing, Counter Sales, Prescriptions, Patients
Stock	Batches, Expiring Soon, Expired Stock, Write-offs, Below Reorder Level, Suggested Purchases
Compliance	Controlled Drug Register, Prescribers, Drug Interactions
Insurance	Claims, Policies, Insurers
Reporting	Margin, Value at Risk, Claims Analysis
Configuration	Settings, Branches, Pharmacists, Medicines, Active Molecules, Therapeutic Classes



The Counter menu open. Each menu drops down the same way.

Three roles

Under Settings, Users, each user gets one Pharmacy role. Each role includes the one below it.

Counter Assistant

Rings up over the counter sales and sees only the ones they served. No patient files, no clinical notes, no controlled cabinet.

Pharmacist

Dispenses against prescriptions, keeps patient files, receives batches, works the expiry lists, the register and the claims desk.

Pharmacy Manager

Everything: branches and licences, the medicine master, insurers, write-off approval and the reports. The administrator gets this role when the module is installed.

SCREEN	ASSISTANT	PHARMACIST	MANAGER
Counter Sales (their own)	yes	yes	yes
Dispensing, Prescriptions, Patients	-	yes	yes
Stock, Compliance, Claims, Policies	-	yes	yes
Insurers, Reporting, Configuration	-	-	yes
Approve a write-off	-	-	yes
Settings	-	-	administrator

The demo login w4demo has the Pharmacy Manager role, so you can see every screen in this guide except Settings, which needs an administrator. The Settings screen in Part 4 was taken as one.

PART 3 Open the demo and sign in

Everything in this guide can be followed on the live demo, a real Odoo 19 database with two branches already trading.

TRY IT YOURSELF ON THE DEMO

1. Open pharmacy-demo.way4tech.com in any browser
2. Sign in with w4demo and Demo2026
3. Click Pharmacy on the home screen
4. Open Counter, then Dispensing



1

Go to the pharmacy

Open **pharmacy-demo.way4tech.com**. The sign-in screen is the standard Odoo one. There is nothing to install.


It works on a computer or a tablet at the counter.

2

Sign in

User `w4demo`, password `Demo2026`.

The demo is shared, so treat it as a showroom: look at everything, and expect anything you change to be put back.



3

Land on the counter

Open **Pharmacy**, then **Counter, Dispensing**. This is the list the pharmacists live in: every dispense, newest first, with its patient, pharmacist, total and the result of its safety check.

PART 4 Setting up from zero

Before the first box goes out, the module needs to know who you are: the rules you work to, the branches, the pharmacists who sign, and the doctors whose scripts you accept. Do it in this order.


IN THIS PART YOU WILL LEARN

- The nine pharmacy settings and what each one changes
- A branch with its trade and controlled drug licences
- A pharmacist with a registration that can lapse
- A prescriber, and when a script from them is refused

TRY IT YOURSELF ON THE DEMO

1. Open Configuration, Branches and compare the two branches
2. Open Configuration, Pharmacists and find the one whose registration lapsed
3. Open Compliance, Prescribers and find the doctor whose licence ran out

Step 1: the settings



Settings, Pharmacy. Two blocks: prescriptions and controlled drugs, then stock and money. Only an administrator can open it.

SETTING	DEFAULT	WHAT IT DOES
Prescriber Required for Prescription-only Medicines	on	A prescription-only medicine is refused until a prescriber is on the dispense
Second Pharmacist for Controlled Drugs	on	A controlled dispense needs a second pharmacist named as the witness
Allow Generic Substitution by Default	on	New prescription lines start with substitution allowed; untick line by line
Prescription Validity	90 days	How long a script dispenses for; it sets the Valid Until date

Expiry Warning Window	90 days	How far ahead a batch counts as Expiring Soon, and the window Value at Risk uses
Minimum Shelf Life on Dispensing	30 days	A batch with less left than this is not offered when stock is allocated
Refuse Expired Batches	on	An expired batch is never allocated and a dispense holding one is refused
Default Patient Co-pay	20%	The patient share used when a prescription has no policy on it
E-claim Prefix	ECL	The front of every e-claim reference, before the payer code and claim number

> Controlled medicines are refused without a validated prescription whatever these settings say. There is no switch for that.

Step 2: the branches




1

Open the branches

Configuration, Branches. Each row is a counter: its code, kind, superintendent, whether it may hold controlled stock, and its live counts.

The code (MAR, DTN) prefixes every dispense, prescription and batch number from that branch.




2

The branch form

Name, code and kind (retail chemist, chain branch, clinic dispensary, hospital outpatient pharmacy or wholesale counter), phone, email, the sales journal invoices go to, and the **Superintendent Pharmacist**, whose address the weekly expiry digest goes to.

The smart buttons open the branch's dispenses and its at-risk stock. The panel shows the value expiring inside the window and the value already expired.



3

Licences

Trade licence number and expiry, and the **Controlled Drug Licence** with its own expiry. May Hold Controlled Stock is worked out from those two: a controlled licence that is filled in and in date. Downtown has none, so it cannot hand out tramadol or diazepam.

Licence numbers are visible to managers only, because they are the numbers people copy onto forms they should not.


Step 3: the pharmacists



4

Who may sign

Configuration, Pharmacists. Each pharmacist has a branch, a registration number and its expiry, May Sign for Controlled Drugs, and a Superintendent tick. Link the Odoo user so new dispenses fill the pharmacist in on their own.



5

A lapsed registration

Tomasz Wolny's registration expired twelve days ago, so Licence Valid is off. Any dispense with him as the pharmacist is refused at the safety check with the date it ran out.

Use the Registration Lapsed filter on the list before a regulator's visit.


Step 4: the prescribers



6

The doctors you take scripts from

Compliance, Prescribers: name, registration number, speciality, clinic, licence expiry and **May Prescribe Controlled Drugs**.



7

What a prescriber changes

A script from a doctor whose licence has expired cannot be validated. A script with a controlled medicine from a doctor not allowed to prescribe them cannot be validated either, and a controlled dispense naming them is refused.

The Prescriptions button counts every script written by this doctor.

PART 5 The medicine master


Every check the module makes works off the medicine record. Get the molecules, the schedule and the pregnancy category right here and the counter takes care of itself.

IN THIS PART YOU WILL LEARN

- The Pharmacy tab on a product and every field on it
- Active molecules, and why a combination product lists all of them
- Therapeutic classes with ATC codes
- The interaction table and its four grades

TRY IT YOURSELF ON THE DEMO

1. Open Configuration, Medicines and pick Amoxicillin and Clavulanic Acid
2. Click the Pharmacy tab and read How It May Be Sold
3. Open Compliance, Drug Interactions and filter Stops a Dispense




1

The medicine list

Configuration, Medicines lists products with **Is a Medicine** ticked: generic name, strength, form, schedule, counter stock and the first batch to expire.

A medicine is an ordinary Odoo product, so it has a price, taxes and a cost like anything else you sell.




2

What it is

On the **Pharmacy** tab: generic name, strength, dosage form (tablet, capsule, syrup, injection, infusion, cream, gel, drops, inhaler, suppository, patch, sachet, spray), pack size, manufacturer, the active molecules and the therapeutic class.

Pack size, storage and the counselling points are printed on the dispensing label.



3

How it may be sold


Drug Schedule: Not Scheduled, Narcotic, Psychotropic, Controlled or Precursor Chemical. Anything but Not Scheduled marks it Controlled. Then Prescription Only, the Counter Limit for an over the counter sale, the Pregnancy Category (A, B, C, D, X or not classified), the storage condition and Claimable on Insurance.

Tramadol here is a narcotic. It goes into the register every time, and the Downtown branch cannot dispense it at all.

Below those, **Reordering** (Reorder At and Reorder Up To, and whether it is below the level now), **On the Shelf** (counter stock across live batches, the number of live batches and the first expiry) and the **Default Directions** and **Counselling Points**, which are copied onto the dispense line and the label. The Batches button opens every batch of the medicine.

Counter stock counts only batches that are Available. Quarantined, used up and written off batches are left out on purpose.


Active molecules



4

The molecules

Configuration, Active Molecules. Each has a name, a short code and two flags: **High Alert** for medicines where an error does serious harm, and **Narrow Therapeutic Index** for ones where a small change in dose matters.




5

Why the molecule matters

Allergy checks, interaction checks and generic substitution all match on the molecule, not the brand. A patient allergic to amoxicillin is stopped from co-amoxiclav as well, because it contains amoxicillin. A narrow therapeutic index molecule, like warfarin here, is never offered as a generic swap.

The Medicines button lists every product containing it.


Therapeutic classes



ATC Code	Class	Medicine...
A	Alimentary Tract and Metabolism	2
B	Blood and Blood Forming Organs	1
C	Cardiovascular System	2
D	Dermatologicals	0
G	Genitourinary System and Sex Hormones	0
H	Systemic Hormonal Preparations	0
J	Anti-infectives for Systemic Use	3
J01	Anti-infectives for Systemic Use / Antibacterials for Systemic Use	3
L	Antineoplastic and Immunomodulating Agents	0
M	Musculo-skeletal System	1
N	Nervous System	4
N02	Nervous System / Analgesics	3
P	Antiparasitic Products	0
R	Respiratory System	2
S	Sensory Organs	0
V	Various	0

Configuration, Therapeutic Classes: the ATC groups the module installs (alimentary tract, blood, cardiovascular and so on, with sub-classes such as analgesics and antibacterials). Each has an ATC code, a parent, and a count of its medicines.

Drug interactions



6

The interaction table

Compliance, Drug Interactions. Each row is a pair of molecules with a severity: **Minor**, **Moderate**, **Major** or **Contraindicated**. Filters split them into Stops a Dispense and Warning Only.



7

One interaction

The pair, the severity, the mechanism, the advice to give, and the source you took it from. A pair can only be entered once, either way round.

The module ships with no interaction data of its own. The demo pairs are examples; load the table from the reference your pharmacists use.

HOW IT WORKS

How the grades act

Major, Contraindicated	stop the dispense. Nobody can override it.
Moderate, Minor	warn. The dispense goes out once somebody writes why in Warning Acknowledged Because.
Checked against	everything on this dispense, and the patient's chronic medication

PART 6 Batches, receiving and expiry


A batch is how stock gets into the pharmacy. This part receives one, quarantines one, and works the two lists that every pharmacy has to look at every week.

IN THIS PART YOU WILL LEARN

- Receiving a batch and the stock lot behind it
- Quarantine and release, and why a reason is required
- Expiry banding: In Date, Expiring Soon, Expired
- The Expiring Soon and Expired Stock lists with their value

TRY IT YOURSELF ON THE DEMO

1. Open Stock, Batches and group by Status
2. Open batch BQ7731 and read why it was pulled
3. Open Stock, Expiring Soon and look at the value column




1

All batches

Stock, Batches: batch number, medicine, branch, expiry, days left, on hand, value and status. The expiry colour shows the banding at a glance.

Filters: Expiring Soon, Expired, Quarantined, In Stock, Controlled. Group by branch, medicine, status or expiry month.




2

A delivery on the dock

A new batch starts in **Draft**: medicine, branch, supplier and their delivery reference, received, manufacture and expiry dates, quantity received, unit cost and shelf location. Nothing is on the shelf yet, so nothing can be dispensed from it.

Count the delivery against the note before pressing Receive.



3


Receive

Receive puts it on the shelf: the state becomes **Available**, on hand becomes the quantity received, and a stock lot with the same number is created in Inventory. The chatter records the quantity, expiry and lot.

An already expired batch cannot be received. Raise a supplier return instead.


The **Quantities** block keeps the batch honest: received, on hand, dispensed and written off. On hand can never go below zero, and on hand plus written off can never be more than was received. **Money and Supply** holds the unit cost, which is the cost dispensing uses for margin, and the stock value of what is left.

The stock lot behind it



The Inventory lot the batch created, with the pharmacy expiry date on it. Two branches holding the same supplier batch share one lot, so a recall on that number reaches both.

Quarantine and release



4

Pull a batch

Fill **Why It Was Pulled** and press **Quarantine**. The batch stops being offered at the counter. BQ7731 came in a cold box that arrived warm.

A quarantine with no reason is refused. It is the one an inspector asks about.

5

Release or write off

Release puts it back to Available and clears the reason. A batch that expired while quarantined cannot be released; it has to go on a write-off. **Reset to Draft** is only possible while nothing has been dispensed from the batch.

Expiry banding

Every batch is banded from its expiry date and the Expiry Warning Window: **In Date**, **Expiring Soon** (inside the window) or **Expired**. The band is stored so the lists can filter and group on it, which means it has to be restated as the days pass. The scheduled job **Pharmacy: restate batch expiry banding** does that daily.


> That job ships switched off. Turn it on in Settings, Technical, Scheduled Actions when you go live, or the bands go stale. On the demo it is on.



6

Expiring Soon

Stock, Expiring Soon: batches inside the window with stock left, grouped by branch, with the value of each. This is the list to work through for returns, promotions or moving stock to the branch that sells it.



7

Expired Stock

Stock, Expired Stock: what is already out of date and still on hand. It cannot be dispensed while Refuse Expired Batches is on. Its next stop is a write-off.

PART 7 Write-offs and the destruction certificate

Expired, damaged or recalled stock comes off the books on a write-off, with an approver and a witness, and prints as a certificate listing every batch number.

IN THIS PART YOU WILL LEARN

- Pull every expired batch onto a write-off in one click
- Approve, destroy, cancel and reset, and who may do which
- The witness rule for controlled stock
- The Certificate of Destruction

TRY IT YOURSELF ON THE DEMO


1. Open Stock, Write-offs and open the draft one
2. Look at its lines: batch, expiry, quantity and value
3. Open the destroyed one and press Certificate



1

The write-offs

Stock, Write-offs: reference, branch, date, reason, number of batches, value and status. Reasons: Expired, Damaged, Recalled by the Manufacturer, Cold Chain Break, Loss or Theft, Other.




2

Draft: count it out

Pick the branch and the reason, then press **Pull In Expired Stock**. Every expired batch at that branch with stock left lands on a line at its full on-hand quantity and unit cost. Add damaged or recalled batches by hand.

The witness name and the waste contractor's docket number go on the form too. Both print on the certificate.




3

Approve

Only a **Pharmacy Manager** can press **Approve**. Whoever counted the stock out does not also sign for it. The approver and the time are recorded.

The check is made in the code, not only by hiding the button.



4

Destroyed

Destroyed takes the quantities off the batches for good: written off goes up, on hand comes down, and a batch with nothing left is marked Written Off. A write-off with controlled stock on it needs a witness before it can be posted.

A destroyed write-off cannot be cancelled or reset. Stock does not come back from a skip.

Ninebridge
PHARMACY

Ninebridge Pharmacy LLC
Shop 3, Marina Walk Podium
Dubai
United Arab Emirates

Certificate of Destruction

Reference: WO/2026/0002
Branch: Ninebridge Downtown
Reason: Expired

Date: 11/03/2026
Approved by: OdooBot
Witnessed by: Kiran Joshi, pharmacist
Contractor docket: WCT/2026/0502

#	Medicine	Batch	Expiry	Schedule	Quantity	Value
1	Salbutamol 100 mcg Inhaler	DS0513 lot DS0513	10/22/2026	Not Scheduled	12.00	330.00 AED
				Total destroyed		**330.00 AED**

Notes
Downtown expired shelf.

Pharmacist

Witness

The Certificate of Destruction: reference, branch, reason, date, approver, witness, contractor docket, then each medicine with batch, expiry, schedule, quantity and value, and the total destroyed.

Cancel is there for a write-off raised in error, and **Reset to Draft** reopens an approved or cancelled one. The demo has one of each state.

PART 8 Reorder levels and suggested purchases

The module does not buy stock for you, but it writes the shopping list: what is below its reorder level at each branch, how much to order, and what it will cost.

IN THIS PART YOU WILL LEARN


- Reorder At and Reorder Up To on the medicine
- Below Reorder Level, the live list
- A suggested purchase list and its four states
- The weekly job that builds one per branch



1

Below Reorder Level

Stock, Below Reorder Level lists every medicine whose counter stock has fallen to its Reorder At level or under, with what is on hand now.




2

A suggested purchase list

Stock, Suggested Purchases, then a list in **Draft**. Pick the branch and press **Rebuild From Stock**: every medicine at or under its level gets a line with on hand, reorder at, up to, the suggested quantity (up to less on hand), the last cost and the amount.

Edit the suggested quantity or the supplier on any line before you confirm.



3

Confirm, then Ordered

Confirm fixes the list. **Ordered** records that it has gone to the wholesaler. **Cancel** and **Reset to Draft** are there for a list you will not use; an ordered list cannot be cancelled.

A suggested purchase list does not create an Odoo purchase order and does not receive stock. Stock still arrives as a batch you receive in Part 6.

The job **Pharmacy: weekly suggested purchase list** builds a fresh list for every active branch once a week, unless that branch already has a draft list from the last six days. A branch with nothing short gets no list. It ships switched off.

PART 9 The patient file


A counter sale needs no file. A prescription does, because every check the module makes is a question about this patient: what they react to, what they already take, and who pays.

IN THIS PART YOU WILL LEARN

- The patient form and the clinical fields that change a dispense
- Allergies recorded against a molecule
- Chronic medication, the list interactions are checked against
- Insurance policies on the file

TRY IT YOURSELF ON THE DEMO

1. Open Counter, Patients and open Sara Al Mansoori
2. Read the Allergies tab: penicillin, severe
3. Open Rashid Bin Talib and read his Chronic Medication tab




1

The patients

Counter, Patients: code, name, age, phone, home branch, and whether there are allergies or a live policy on file.

Filters: Has Allergies on File, Has a Live Policy, Children.




2

Who

Name, a patient code given on save, the contact the bill goes to, date of birth (age is worked out), gender, national ID, phone, email, home branch, blood group and weight. **Pregnant** and **Breastfeeding** sit here because they change what may be handed over.


A patient under 12 counts as a child: a tablet or capsule for them raises a warning to check the paediatric dose.



3

Allergies

Each allergy is a **molecule**, a severity (mild, moderate, severe, anaphylaxis), the reaction, when it was noted and by whom. Sara's penicillin allergy is recorded against amoxicillin, so both amoxicillin capsules and co-amoxiclav are refused for her.




4

Chronic medication

What the patient takes every day: medicine, directions, started, review date, prescriber. Every dispense is checked for interactions against these molecules as well as against the other items on the same dispense.

Rashid takes warfarin. Ibuprofen for him is a major interaction and is refused.



5

Insurance

The patient's policies: insurer, member number, category, dates, co-pay, annual limit, used and remaining, and state. The live one is picked up on a new dispense.

The **Notes** tab holds the clinical note, visible to pharmacists only, and counter notes anyone may read. The Prescriptions and Dispenses buttons open the patient's history.

PART 10 Prescriptions


A prescription is the doctor's authority, captured once and dispensed against, in full or in parts, until it runs out.

IN THIS PART YOU WILL LEARN

- Entering a script and validating it
- The six states of a prescription
- Authorised, dispensed and outstanding on each line
- Validity, repeats and the nightly expiry job

TRY IT YOURSELF ON THE DEMO


1. Open Counter, Prescriptions and switch to the kanban view
2. Open one in Partly Dispensed and look at the Outstanding column
3. Open an Expired one and read its Valid Until date



1

The prescriptions


Counter, Prescriptions: number, patient, prescriber, date, valid until, controlled flag and state. Filters: Waiting to be Validated, Still Dispensable, Controlled, Expired, Written in the Last 30 Days.



2

By state

The kanban groups scripts by state, the quickest way to see what is waiting at the counter.




3

The form: copy the paper

Patient, branch, prescriber, the date it was written and the clinic's own reference, the diagnosis, then a line per item: medicine, quantity authorised, directions, for how many days, and **Generic Substitution Allowed**. Attach a scan of the paper on The Paper tab.


Valid Until is the written date plus the validity setting. A controlled medicine on a line switches substitution off and the script cannot carry repeats.



4

Validate

Validate checks the script before anyone picks against it: it has lines, it is in date, the prescriber's licence has not expired, and a controlled item comes from a doctor allowed to prescribe it. Any of those failing stops it with the reason.




5

Partly Dispensed

Press **Dispense** on the script to open a dispense with everything still outstanding. After a part supply the script shows **Partly Dispensed**, and each line shows Dispensed and Outstanding.


Here 32 of 64 paracetamol went out; the rest is waiting.



6

Fully Dispensed

When every line is covered the script is **Fully Dispensed**. The Dispensed button lists every dispense made against it.



7

Expired

A script past Valid Until stops dispensing. **Expire** does it by hand; the job **Pharmacy: expire prescriptions past their date** does it every night for validated and partly dispensed scripts. It ships switched off.

Cancel retires a script written in error, as long as nothing has been handed over against it. **Reset to Draft** works until the first supply. The **Repeats Allowed** field records how many further supplies the prescriber authorised.

> Repeats are recorded but cannot be dispensed yet: once a line is fully supplied, the Dispense button says everything has been handed over and the safety check refuses more than the authorised quantity. For a repeat, enter the script again.

PART 11 Dispensing and the safety check

The heart of the module. A dispense allocates batches first expiry first out, runs every check against the patient file and the shelf, and only then lets the medicine go.


IN THIS PART YOU WILL LEARN

- The dispense form and its five states
- Allocating batches, and a line split across two batches
- The safety check: what refuses and what only warns
- Generic substitution and what it saves
- Labels, receipt, invoice, cancel

TRY IT YOURSELF ON THE DEMO

1. Open Counter, Dispensing and filter Refused by the Check
2. Open the refused dispense and read Safety Findings
3. Open a dispensed one on insurance and look at Insurer Pays and Patient Pays

The form



A draft dispense against a prescription. Who: channel, prescription, patient, billed to, prescriber. Signed For By: pharmacist, and the second check for controlled items. Insurance: policy, insurer, co-pay. Safety: the result of the last check.

Each item line carries the medicine, the batch, its expiry, quantity, directions, days, unit price, insurer discount, taxes and the total. The **Margin** tab shows batch cost, margin and margin percent per line; it is hidden from counter assistants.


Step by step

1

Allocate Batches

Picks the batches for every line, earliest expiry first. Expired batches and batches with less than the minimum shelf life left are skipped. If one batch cannot cover the quantity the line is split, and each part keeps its own batch number for the label and the register.


If the branch cannot cover the quantity at all, it says how much it can, so the pharmacist can offer a part supply.



2

A split line


One medicine, two lines, two batches. The register and the label both show the batch the patient actually walked out with.



3

Safety Check: refused


Safety Check runs every rule and writes what it found into **Safety Findings**. Here the patient is allergic to a molecule in the medicine, and the dispense is **Refused**. Nothing on the refused list can be overridden.



4

Warnings


A moderate or minor interaction, a child on a tablet, a molecule twice on one dispense, or a batch with little shelf life left, only warns. It goes out once somebody fills **Warning Acknowledged Because**, and the module records who acknowledged it.



5

Check Off

Check Off is an optional stop between draft and hand-over: the check has passed, the bag is ready, the patient has not collected it yet.



6

Dispense

Dispense runs the check once more, takes the quantities off the batches, stamps the time and the batch balance on each line, updates the prescription, and raises an insurance claim if there is a policy. The money splits into Insurer Pays and Patient Pays.

The branch's controlled licence and the pharmacist's authority are checked again at this point.


What the safety check looks at

REFUSED (CANNOT BE OVERRIDDEN)	WARNING (ACKNOWLEDGE WITH A REASON)
No pharmacist named, or their registration has expired	Moderate or minor interaction
Prescription-only item with no prescriber (when the setting is on)	A child (under 12) on a tablet or capsule
Controlled item without a validated prescription	The same molecule twice on one dispense

Controlled item at a branch without a controlled licence in date	A batch with less than the minimum shelf life
Controlled item and a pharmacist not authorised, or no witness	
Prescriber not licensed for controlled medicines	
Allergy to a molecule in the medicine	
Major or contraindicated interaction	
Pregnancy category D or X for a pregnant patient	
No batch allocated, batch not available, expired, or too small	
More than the prescription authorised, or over the counter limit	

Generic substitution

Suggest a Generic lists cheaper products with the same molecules, strength and form that are in stock at this branch in the quantity needed, and what each swap saves. **Swap to Generic** makes the cheapest swap on every line where it is allowed and keeps the prescribed brand in Prescribed Brand. A line the prescriber marked no substitution, and any narrow therapeutic index molecule, is left alone.



Suggest a Generic on a dispense of the branded paracetamol: the generic is offered with the saving.

Check the Patient File asks the patient record about every item and lists allergies, interactions and pregnancy findings without changing anything on the dispense.


After the hand-over



7

Labels


Labels prints one 70 by 40 mm label per line: medicine, strength, pack size, directions, batch and expiry, storage, the counselling points, patient, branch and date.



8

Receipt

Receipt prints an 80 mm till receipt with the items, batch numbers, totals and the split between insurer and patient. **Email the Receipt** sends the same by email to the billed contact.




9

Invoice

Invoice raises the patient's customer invoice: every item at full value with its batch in the label, and the insurer's share taken off as one line naming the policy, so the invoice totals what the patient paid.

The invoice is created in draft. Post and register payment in Invoicing as usual.




10

Cancel

Cancel puts the stock back on the batches. It is refused when the dispense is on a posted invoice or the insurer has already settled the claim. **Reset to Draft** reopens a cancelled one.

PART 12 Counter sales


The over the counter sale is the same record with no patient file: quick, and still checked against the batch and the counter limit.



1

Counter Sales

Counter, Counter Sales lists only over the counter dispenses. A counter assistant sees only the ones they served.



2

A counter sale

Billed to, pharmacist, the items. Allocate, check and dispense exactly as before. There is no prescription and no policy, and the patient pays the whole amount.

A prescription-only item is refused here without a prescriber, a controlled item is always refused, and the Counter Limit on the medicine caps the quantity.

PART 13 The controlled drug register


Every controlled line that leaves the counter lands in the register, with both signatures and the balance left in the batch. It is the screen an inspector asks to see.

IN THIS PART YOU WILL LEARN

- What a controlled dispense needs before it can go out
- The register columns and the balance after each supply
- Grouping the register by schedule, medicine, pharmacist or month

TRY IT YOURSELF ON THE DEMO

1. Open Compliance, Controlled Drug Register
2. Group by Medicine and read the batch balance down the column
3. Open one line and read who dispensed it and who witnessed it



1

A controlled dispense

Tramadol against a validated script from a doctor allowed to prescribe controlled drugs, at Marina, which holds a licence, by a pharmacist allowed to sign, with a second pharmacist named as the **Second Check**. A banner on the form says it is controlled.

A pharmacist cannot witness their own dispense.




2

The register

Compliance, Controlled Drug Register: date, patient, prescriber, medicine, schedule, quantity, batch, the dispensing pharmacist, the witness and the **Batch Balance** after the supply.

Filters for Narcotics and Psychotropics; group by schedule, medicine, pharmacist or month.



3

One entry

The line on its own, read only, with the prescription it was made against and the lot in Inventory.

The register is read from the dispense lines, so it cannot be edited separately from what was dispensed. Write-offs of controlled stock appear on the destruction certificate with their schedule, not in this list.

PART 14 Insurers, policies and claims

The insurance desk is where a pharmacy's margin is won or lost. The module splits the money at the counter, raises the claim, and follows it until the payer settles or refuses.

IN THIS PART YOU WILL LEARN

- An insurer: co-pay, tariff discount, pre-approval, settlement days
- A policy and its annual limit
- The claim from draft to paid, and every way it can come back
- What approval writes back onto the dispense

TRY IT YOURSELF ON THE DEMO

1. Open Insurance, Claims and group by Status
2. Open a Partly Approved claim and compare claimed with approved
3. Open the dispense behind it and read Patient Shortfall


The insurer



1

Insurers

Insurance, Insurers (managers only): code, payer account, default co-pay, tariff discount, settlement days, policies, claims and the amount awaiting settlement.




2

One insurer

Default Co-pay is copied onto new policies. **Tariff Discount** comes off every claimable line for a patient on this insurer, so the price is the contracted one. **Pre-approval Above a Value** with **Approval Needed Above** stops a claim over that amount being submitted without an approval code. E-claim scheme, payer code and **Settles In (days)** drive the reference and the chase job.

Claimable on Insurance on a medicine decides which lines the insurer covers at all. Sundries stay on the patient.

The policy




Policy Number	Patient	Insurer	Category	Valid To	Co-pay (%)	Annual Limit	Used This Year	Left	State
GHA-424190	[PT000038] Hana Yilmaz	Falconridge Health Assurance	Enhanced	Dec 5, 2027	20.00	25,000.00 AED	0.00 AED	25,000.00 AED	Not Started
GHA-112168	[PT000031] Arjun Menon	Falconridge Health Assurance	Enhanced	Sep 5, 2027	20.00	25,000.00 AED	2,073.48 AED	22,926.52 AED	Active
OCI-330214	[PT000015] Priya Nair	Palmstead Care Insurance	Basic	Sep 5, 2027	30.00	25,000.00 AED	15,734.62 AED	9,265.38 AED	Active
OCI-126119	[PT000032] Leila Karam	Palmstead Care Insurance	Enhanced	Aug 5, 2027	20.00	25,000.00 AED	6,434.30 AED	18,565.70 AED	Active
GHA-441907	[PT000014] Rashid Bin Talib	Falconridge Health Assurance	Comprehensive	Jul 5, 2027	10.00	25,000.00 AED	17,275.68 AED	7,724.32 AED	Active
OCI-392073	[PT000030] Grace Mwangi	Palmstead Care Insurance	Basic	Jun 5, 2027	30.00	25,000.00 AED	8,099.00 AED	16,901.00 AED	Active
GHA-325517	[PT000034] Fatima Zahra Idrissi	Falconridge Health Assurance	VIP	May 5, 2027	0.00	25,000.00 AED	8,936.88 AED	16,063.12 AED	Active
GHA-778120	[PT000013] Sara Al Mansoori	Falconridge Health Assurance	Enhanced	Apr 5, 2027	20.00	25,000.00 AED	2,866.29 AED	22,133.71 AED	Active
GHA-440860	[PT000029] Yusuf Haddad	Falconridge Health Assurance	Comprehensive	Mar 5, 2027	10.00	25,000.00 AED	22,688.15 AED	2,311.85 AED	Active
OCI-551188	[PT000016] Jonas Berg	Palmstead Care Insurance	Basic	Feb 5, 2027	30.00	25,000.00 AED	1,764.33 AED	23,235.67 AED	Active
OCI-243955	[PT000037] Carlos Mendes	Palmstead Care Insurance	Basic	Jan 5, 2027	30.00	400.00 AED	400.00 AED	0.00 AED	Limit Reached
GHA-902334	[PT000018] Daniel Okafor	Falconridge Health Assurance	Enhanced	Dec 5	20.00	25,000.00 AED	22,005.44 AED	2,994.56 AED	Active
OCI-239856	[PT000036] Nour El Din	Palmstead Care Insurance	Basic	Sep 5	30.00	25,000.00 AED	0.00 AED	25,000.00 AED	Expired
							108,278.17 AED		

Insurance, Policies: policy number, patient, insurer, member number, plan, category, dates, co-pay, annual limit, used, remaining and state.

A policy is **Not Started** before its start date, **Active** while in date, **Expired** after its end date and **Limit Reached** once approved claims use the whole annual limit. A claim cannot be submitted against a policy in any state but Active. Approved, partly approved and paid claims count towards the limit, so the next claim knows what is left.

> The policy state is worked out when the policy or its claims change, not every night. A policy whose end date passes quietly still shows Active until it is touched.


The claim



3

Claims


Insurance, Claims: claim number, e-claim reference, patient, insurer, claimed, approved, days outstanding, state. Filters: Not Yet Submitted, Out With the Insurer, Approved Short, Approved but Unpaid, Rejected, Older Than 30 Days.



4

Draft


Raised by the dispense with the insurer's share as the amount claimed and the patient's share as the co-pay. Nothing has gone to the payer yet.



5

Submit

Submit checks the policy is active and, above the insurer's threshold, that an approval code is present. It stamps the submit date and builds the e-claim reference: prefix, payer code, claim number.




6

Approved or Partly Approved

Enter the approval code and the amount approved, then press **Approved**. Less than claimed makes it **Partly Approved**. The settled amount is written back onto the dispense as Insurer Settled, and the gap shows there as **Patient Shortfall**, what the counter has to collect.


An approval above what is left on the policy is refused.



7

Rejected

Pick the reason (not covered, policy expired, limit exceeded, no pre-approval, duplicate, member not recognised, prescription not attached, price above the tariff, other), add a note, press **Rejected**. The whole share becomes the patient's shortfall, and an email goes to the branch if it has an address.



8

Paid


Paid records the payer's settlement date. A paid claim cannot be cancelled or reset.

Cancel withdraws a claim and clears the settled figure on the dispense. **Reset to Draft** clears the dates, the approved amount and the reason so it can be corrected and sent again. The job **Pharmacy: chase claims the insurer has gone quiet on** puts a to-do on any submitted claim older than the insurer's settlement days. It ships switched off.

> The module builds the e-claim reference and keeps the claim, but it does not send anything to a payer portal. Submit, approve and reject record what happened on the portal; nothing is transmitted.

PART 15 Reporting

Three reports for the manager, all built on the records you have already seen, so every number can be opened down to the line.




1

Margin

Reporting, Margin: dispensed and invoiced records by branch and month, with untaxed sales, cost and margin. Cost is the batch cost, not an average, and the insurer's tariff discount is already off the sales figure.

Group the rows by insurer to see whether a contract is worth having.



2

Margin as a chart

The same data as a graph.



3

Value at Risk

Reporting, Value at Risk: every batch with stock left, by branch, split In Date, Expiring Soon and Expired, measured in money.



4

Claims Analysis

Reporting, Claims Analysis: claims by insurer and state with claimed, approved and rejected amounts.

Each branch form also shows the value expiring inside the warning window and the value already expired, with the number of batches behind each and the count of medicines below their reorder level.

PART 16 Printed documents, emails and scheduled jobs

What the module prints, what it sends, and the five jobs that keep it current when nobody is looking.

DOCUMENT	FROM	SIZE	WHAT IS ON IT
Dispensing Labels	Dispense, Labels	70 × 40 mm	One per line: medicine, strength, pack, directions, batch, expiry, storage, counselling points, patient, branch
Counter Receipt	Dispense, Receipt	80 mm roll	Items with batch numbers, totals, VAT, insurer and patient share, claim reference
Certificate of Destruction	Write-off, Certificate	A4	Approver, witness, docket, every batch with expiry, schedule, quantity and value

EMAIL	SENT WHEN	TO
Your receipt from the branch	Email the Receipt on a dispense	The billed contact
A claim came back rejected	A claim is marked Rejected	The branch email
Stock expiring, and stock already gone	The weekly expiry digest job	The superintendent, or the branch email

SCHEDULED JOB	RUNS	WHAT IT DOES
Restate batch expiry banding	daily	Re-bands every live batch In Date, Expiring Soon or Expired
Near expiry digest to each branch	weekly	Emails each branch with at-risk stock its list
Expire prescriptions past their date	daily	Moves validated and partly dispensed scripts past Valid Until to Expired
Weekly suggested purchase list	weekly	Builds a list per branch from the reorder levels
Chase claims the insurer has gone quiet on	daily	Puts a to-do on submitted claims past the settlement days

All five jobs ship switched off so nothing runs before the data is in. Turn them on in Settings, Technical, Scheduled Actions once you go live. On the demo only the expiry banding job is on.

PART 17 A 15-minute demo

The order to show the module in when somebody has a quarter of an hour. Every record named here is on the demo.

MINUTE	SHOW	SAY
0 to 2	Counter, Dispensing, filter Refused by the Check	The check refuses what a tired pharmacist might miss, and writes down why
2 to 4	Open Sara Al Mansoori, then her refused dispense	The allergy is on the molecule, so a different brand does not get past it
4 to 6	A dispensed record on insurance	Batch picked first expiry first out, insurer and patient share split at the counter
6 to 7	Labels and Receipt	Batch and expiry on the label; the receipt shows who pays what
7 to 9	Compliance, Controlled Drug Register	Two signatures and the batch balance on every line; Downtown cannot sell it at all
9 to 11	Insurance, Claims, a Partly Approved claim	What the payer settled goes back onto the dispense as a shortfall to collect
11 to 13	Stock, Expiring Soon, then Reporting, Value at Risk	Expiry in money, by branch
13 to 15	A destroyed write-off and its certificate; Reporting, Margin	Destruction with approver and witness; margin on the real batch cost

PART 18 Questions people ask

The questions that come up in a first demo, answered from what the module actually does.

QUESTION	ANSWER
Does it need Odoo Enterprise?	No. It runs on Odoo 19 Community with Inventory and Invoicing.
Is this a point of sale?	No. Dispensing is its own screen with its own checks. It does not use the Odoo POS app or a cash drawer; invoices and payments go through Invoicing.
Does it come with a drug database?	No. Molecules, interactions and medicines are your data. The demo has examples; load the interaction pairs from the reference your pharmacists already use.
Can a pharmacist override a refusal?	No. Refusals cannot be overridden. Only warnings can be dispensed through, with a written reason and the user recorded.
Does it send e-claims to the insurer?	No. It builds the reference and tracks the claim; the submission itself happens on the payer portal.
Does it move stock in Inventory?	Each batch gets a stock lot, so the batch number is traceable. Quantities are kept on the pharmacy batch; it does not post Inventory moves for each dispense.
Several branches?	Yes. Each branch has its own batches, licences, pharmacists and numbering, and every list can be grouped by branch.
Several companies?	Yes. Branches, patients, batches, dispenses and claims are kept per company by record rules.
Can a counter assistant see costs?	No. Batch cost and margin are hidden from that role, and an assistant sees only the counter sales they served.

PART 19

Menu map

Every menu in the app, and what you find under it.

Counter

Dispensing	Every dispense, its safety check, batches and money
Counter Sales	Over the counter, no patient file
Prescriptions	Scripts from draft to fully dispensed or expired
Patients	Allergies, chronic medication, policies

Stock

Batches	Every intake: expiry, quantities, cost, state
Expiring Soon	Inside the warning window, with value
Expired Stock	Out of date and still on hand
Write-offs	Approve, destroy, certificate
Below Reorder Level	Medicines at or under their level
Suggested Purchases	The shopping list per branch

Compliance

Controlled Drug Register	Every controlled line with both signatures
Prescribers	Registration, licence, controlled rights
Drug Interactions	Molecule pairs and their severity

Insurance

Claims	Draft to paid, partly approved or rejected
Policies	Member, limit, used, remaining
Insurers	Co-pay, tariff, pre-approval, settlement

Reporting

Margin	Sales, batch cost and margin by branch and month
Value at Risk	Stock value by expiry band
Claims Analysis	Claimed, approved, rejected by insurer

Configuration

Settings	The nine pharmacy rules
Branches	Licences, superintendent, journal
Pharmacists	Registration and who may sign
Medicines	The Pharmacy tab on each product
Active Molecules	High alert, narrow therapeutic index
Therapeutic Classes	ATC groups

Want this for your pharmacy?

We set it up from your licences and your product list, load your medicines with their molecules and schedules, your insurers and their tariffs, connect the invoices to your accounts and VAT, and train the counter and the claims desk. The same module runs one counter or a chain of branches.

way4tech.com · info@way4tech.com