

LIVING MASTER SPECIFICATION · VERSION 3.0 · CONFIDENTIAL

One philosophy, applied 100 times.

The single source of truth for building the AI-native, non-custodial wallet — *talk to your money*. Not 100 prompts: one Council, one Doctrine, one Loop, one hundred modules.

100

Modules · 10 phases

13

Council roles, one veto

12

Loop stages, each gated

One document to govern the whole build. Not 100 prompts — one philosophy, applied 100 times. Every module, screen, engine, and line of code descends from what is written here. Read this first, every session. When reality and this document disagree, fix one of them on purpose — never drift.

Version: 3.0 · **Status:** Living (versioned; evolves via ADRs) · **Supersedes:** the V2 27-prompt series.

0 · How to use this specification

This is the single source of truth for **Intent Wallet V3**. It has three layers, each with a job:

LAYER	WHAT IT IS	YOU USE IT TO...
The Master Prompt (Appendix A)	A self-contained, paste-able activation prompt	Start any build session — it loads the Council, the Doctrine, and the Loop in one shot.
The Framework (§1–§5, §7–§10)	The operating system: who builds, the laws, the loop, the bars, the standards	Decide <i>how</i> anything gets done, and settle any dispute.
The 100 Modules (§6)	One card per module: mission, owns, interfaces, quality bar, done-definition	Decide <i>what</i> a given module must be, and when it is truly finished.

The rule of consistency: a module is never designed in isolation. It inherits the Doctrine (§2), is built through the Loop (§3), is held to the Bars (§4), and speaks the Standards (§7). That is how 100 modules built across 100 sessions still feel like *one product by one obsessive team*.

1 · The Council — who Claude becomes

Claude does not act as "a coder." For Intent Wallet V3, Claude convenes a **Council** and wears the right hat for the moment. The Council has a chair with final say and specialists who must be satisfied before their concern ships. Switching hats out loud ("as the Principal Security Engineer, I object because...") is encouraged — it forces the real trade-off into the open.

The chair - Founder & CEO — owns the *why* and the *no*. Guards the north star, kills scope that doesn't serve it, and makes the final call when specialists deadlock. Optimises for the product a user loves and an investor believes, not for cleverness.

The product & design bench - Chief Product Officer — turns vision into a ruthless, sequenced roadmap; owns what ships and what waits. - **Staff Product Designer (Apple-level)** — owns the feeling. Pixel, type, motion, and restraint. Would rather ship less, perfectly. - **Principal UX Researcher** — owns the truth about users; kills assumptions with evidence; defines the funnel and the moment of value.

The engineering bench - Principal Blockchain Architect — owns keys, signing, chains, settlement correctness. Money is bigint; guards fail closed. - **Principal Security Engineer** — owns the threat model and the veto. Assumes the wallet holds real funds and a real adversary is watching. - **Principal AI Engineer** — owns the intent pipeline and the agents; keeps the LLM at the edges behind schema-forced, verifiable boundaries. - **Principal Backend Engineer** — owns the API, data, and correctness of

the server rails. - **Principal Frontend / Mobile Engineer** — owns the on-device experience, web + native, and the non-custodial boundary in the client. - **Principal SRE / Performance Engineer** — owns uptime, latency, and the budget of every millisecond and byte. - **Principal DevOps Engineer** — owns the pipeline: reproducible builds, safe deploys, rollbacks.

How the Council decides. Design and product tension → the Staff Designer and CPO reconcile under the CEO. Anything touching keys, funds, or user data → the **Principal Security Engineer holds a hard veto** that only the CEO can overrule, and only in writing (an ADR). Ties break toward the doctrine, then toward the user, then toward the simpler thing.

2 · The Doctrine — the laws no module may break

These are not guidelines. A change that violates one is wrong even if "works," and is reverted.

1. **Non-custodial, absolutely.** Private keys and the seed are generated and used **on the device**, encrypted at rest (scrypt + AES-256-GCM today; Passkey + MPC on the roadmap). They **never** leave the device and are **never** sent to a server. If a feature needs the server to know a secret, the feature is redesigned.
2. **AI proposes, deterministic code verifies, the device signature disposes.** The AI never holds signing authority. Between any plan and the wire sits a **pure, exhaustively-tested safety gate** whose only power is to *refuse*. The user's on-device signature is the sole disposer of funds.
3. **Never fake data.** Honest empty / loading / error states. A network failure is **not** "\$0." Nothing is ever presented as "confirmed" or "real" that did not actually happen on-chain. Testnet is labelled testnet; capped mainnet is labelled capped. No borrowed demo numbers, ever.
4. **Money is integer bigint.** Base units end-to-end; never a float. Formatting for humans happens only at the very edge. Rounding that could cost a user is a bug.
5. **Fail closed.** Any guard that cannot *positively* verify something (unknown chain, malformed address, unpriced asset) blocks — never waves through. Irreversible actions demand explicit, informed confirmation.
6. **Apple-grade craft is a requirement.** World-class design, WCAG AA accessibility, and tasteful, reduced-motion-aware animation are acceptance criteria — not polish added later.
7. **Deterministic cores, AI at the edges.** Business logic is pure, typed, and unit-tested to exhaustion. LLMs live behind schema-forced boundaries and are always verified by deterministic code before anything happens.
8. **Everything auditable.** Every risky decision (a risk verdict, a policy denial, an auto-execution) is logged with its inputs and reason. Security and correctness are demonstrable, not asserted.

The V3 ambition, in one line: *not a better MetaMask — Crypto's ChatGPT × Apple Wallet × Stripe:* conversational intent UX with Apple-grade craft on Stripe-grade rails and a developer platform.

3 · The Build Loop — how every module is made

No module is "just implemented." Each passes through the loop below. Small modules run it fast; a signing or key path runs it slowly and adversarially. **Each stage has an exit gate; you may not enter**

the next stage until the gate is green.

- 1. **Think** — restate the goal, the user, the doctrine rules in play, and the definition of done from the module card. *Gate*: the problem is stated more sharply than it was handed to you.
- 2. **Research** — read the existing code + prior art + the relevant benchmark competitor. Never reinvent what the monorepo already does well. *Gate*: you can name what exists and what the best-in-class does.
- 3. **Critique** — attack the naive approach. Where does it leak keys, lose precision, lie to the user, or break under failure? *Gate*: the top 3 failure modes are written down.
- 4. **Design** — choose the architecture, the interfaces, and the states (empty/loading/error/partial/success). Design the *feeling* alongside the data. *Gate*: interfaces + states are specified before code.
- 5. **Review** — the relevant Council members sign off on the design. Security vetoes anything touching funds/keys/data it isn't satisfied with. *Gate*: no unresolved specialist objection.
- 6. **Implement** — write code that reads like the surrounding code: same idioms, same naming, same comment density. Small, honest commits. *Gate*: it compiles/type-checks clean.
- 7. **Test** — unit-test the pure core to exhaustion (including the nasty inputs); integration-test the real path. *Gate*: the failure modes from stage 3 each have a test.
- 8. **Security Audit** — re-derive the threat model for what changed. Keys, funds, PII, injection, replay, front-running, fail-open. *Gate*: Principal Security Engineer signs; high/critical findings fixed.
- 9. **Performance Audit** — measure, don't guess. Latency, bundle/byte cost, memory, N+1s, main-thread work. *Gate*: meets the module's perf budget.
- 10. **UX Audit** — drive the real flow as a first-time user. Every state honest, reachable by keyboard, AA-contrast, reduced-motion-safe, and *delightful*. *Gate*: a screenshot/recording proves it, in light and dark.
- 11. **Refactor** — remove what the loop revealed as accidental; leave the code better than the surrounding average. *Gate*: no dead code, no TODOs pretending to be done.
- 12. **Document** — update the module card's status, write the ADR if a real decision was made, and record the non-obvious in memory. *Gate*: the next session can continue without you.

The verify-before-claim rule. "Done" is a claim about reality. It is earned by driving the actual thing (stages 7–10), not by a green type-check. If tests fail, say so with the output. If a step was skipped, say which. State a thing is done only when it is done and verified.

4 · Quality Bars — the definition of "world-class" per discipline


A module ships only when **every** applicable bar is met. These are the acceptance criteria the Bench enforces at stages 8–10.

DISCIPLINE	THE BAR (MUST ALL HOLD)
Design	Deliberate type scale + palette + spacing; light and dark designed with equal care; considered depth, not flat-and-cheap; empty/loading/error states are designed, not afterthoughts; nothing looks AI-generic.

DISCIPLINE	THE BAR (MUST ALL HOLD)
Interaction	Every control has hover/focus/press/loading/disabled states; motion is 150–250ms, GPU-friendly, and <code>prefers-reduced-motion</code> aware; the primary action is obvious.
Accessibility	WCAG AA : contrast $\geq 4.5:1$ body, keyboard-reachable with a visible focus ring, correct roles/labels, live regions for async, focus trapped + restored in dialogs.
Correctness	Pure cores unit-tested incl. adversarial inputs; money is bigint; conformance-tested against a known-answer vector where a standard exists (e.g. BIP-32/44/84, SLIP-0010).
Security	Threat-modelled; keys never leave device; guards fail closed; destructive/irreversible actions gated by informed confirm; secrets never logged/committed; third-party audit before real-fund GA.
Performance	Meets its budget (interaction < 100ms, cold path measured + justified); no unbounded work; no main-thread jank; bundle cost accounted for.
Honesty	Doctrine rule 3 verified: no fake/demo/borrowed data; network-fail $\neq$ \$0; every "confirmed" is real on-chain.
Docs	Public interfaces documented; an ADR for every real decision; the module card kept current; the non-obvious captured in memory.

5 • The Architecture — ten phases, one layered system

The 100 modules form a dependency stack. Lower layers are load-bearing for everything above; the higher layers are only as trustworthy as the layer beneath them. Build **bottom-up for trust, top-down for meaning** — the Product & Design phase sets the *why* for everything, but the Wallet Foundation and Security phases must be real before anything above them is allowed near real funds.



Reading the map: P1 (Product & Design) and P4 (Security) are **cross-cutting** — they touch every other phase, which is why they are drawn on the edges. P2 (Wallet Foundation) + P7 (Infrastructure) are the bedrock. P3 (Intent Platform) is the beating heart — the thing that makes this *Intent* Wallet. P5/P6 turn it into a platform; P8/P9 into a company; P10 into a category.

6 · The 100 Modules — index

The full staff-level card for each (mission · owns · interfaces · quality bar · definition of done) lives in the working [MASTER_SPEC.md](#) . At a glance:

P1 Product & Design

P1.01	Product Vision	'Crypto's ChatGPT + Apple Wallet + Stripe' — one non-custodial identity you can talk to.
P1.02	Product Philosophy	'AI proposes, deterministic code verifies, the device signature disposes' — turned into enforceable product law.
P1.03	UX Psychology	Turn financial fear into calm, calibrated confidence — engineer comprehension before signature.
P1.04	Information Architecture	One universal identity, three ecosystems, a handful of destinations — a map you never get lost in.
P1.05	Design System	One token source of truth — 'clean minimal luxe' (Rabby × Linear), platform-agnostic and AA-verified.
P1.06	Motion Design System	Motion that explains, never decorates — instant/quick/standard/celebrate, with reduced-motion first-class.
P1.07	AI UX	The conversation is the wallet — 'AI proposes, code verifies, device disposes' made visible, honest, and injection-proof.
P1.08	Navigation System	You can always leave, come back, and never lose money-state — deep-linkable, lock-aware, interruptible.
P1.09	Interaction Design	Every value-moving gesture is deliberate, reversible-until-signed, and impossible to trigger by accident.
P1.10	Accessibility	WCAG 2.2 AA is a CI gate, not a promise — money made legible, operable, and honest for everyone.

P2 Wallet Foundation

P2.01	Wallet Core	The on-device vault and keyring — the trust root and sole disposer of funds, the only code that ever touches a private key.
P2.02	Universal Identity	One human identity, three receive addresses, every chain invisible — the abstraction that makes crypto feel like one account.
P2.03	Account System	Many accounts from one seed — labeled, switchable, watch-only-capable — that switch all three chains at once, atomically.
P2.04	Asset Engine	The canonical registry that knows what every token actually is — identity, decimals, price key, and whether it's spam — so no two tokens ever collide.
P2.05	Portfolio Engine	One net-worth number and one asset list across every chain, in exact integer money, that tells the truth when the network fails.
P2.06	Blockchain Adapter	The printer-driver abstraction: one interface for read/fee/broadcast/track, so the platform never learns a single chain's quirks.
P2.07	Address Intelligence	Know what an address is before a cent moves — validate it, name it, and catch the poisoned lookalike that steals funds.
P2.08	Universal Address Book	'Send \$100 to Rahul' resolves to exactly the right address — one contact, every chain, verified by use, never guessed.
P2.09	Transaction Engine	Build → simulate → device-sign → broadcast → confirm → verify, as a resumable machine that never strands funds.
P2.10	Session Management	Unlocked when you're here, locked when you're not — on the device and across every server session, with one button to sign out everywhere.

P3 Intent Platform

P3.01	Intent Engine	Turn 'send Mom 200 bucks' into a typed, resolved, risk-checked ExecutionPlan — or a precise refusal — never a guess.
P3.02	AI Planner	The financial copilot that plans in prose but proves in code — every figure cited, every action gated, nothing signed.
P3.03	Execution Engine	Run an approved plan as a resumable, idempotent step machine that would rather stop safely than ever strand a cent.
P3.04	Settlement Engine	The Stripe of Web3: the mandatory front door that re-proves an approved plan against live state before a single wei moves.
P3.05	Route Optimizer	Best execution as a service: generate, simulate, score, and rank every route — then prove why the winner won.
P3.06	Provider Framework	Every third-party vendor behind one health-scored, circuit-broken, auto-failover registry — so no outage is ever your outage.
P3.07	Solver Network	An open market of staked solvers competing to fill your intent — and a verifier that trusts none of them.
P3.08	Automation Engine	Natural-language rules that run themselves — through the exact same Risk+Policy gate a human tap would, never one notch more powerful.
P3.09	AI Memory	A wallet that remembers you — your goals, habits, and risk appetite — in a shape that structurally cannot hold a secret.
P3.10	Financial Brain	Deterministic analytics that turn raw balances into allocation, PnL, risk, health, and tax truth — then let AI explain, never invent.

P4 Security

P4.01	Security Engine	One evaluate() call is the immune system: every intent passes through it before a signature exists, and it can only ever REFUSE.
P4.02	Risk Engine	The intrinsic-danger scorer: given a token, contract, approval or counterparty, how likely is it to harm you — combined as compounding probabilities, not a vibe.
P4.03	Policy Engine	Your money's programmable rulebook — spend caps, allowlists, velocity limits, time-locks and roles — that can only tighten what Risk already decided, never loosen it.
P4.04	Fraud Detection	Stripe Radar for self-custody: it watches the account and session, not the token — catching the moment YOU have been compromised or coerced.
P4.05	Scam Detection	Reads the trap before you step in it: decodes the exact signature/approval/site you're about to trust and says, in plain words, what it will really do to your wallet.
P4.06	Simulation Engine	The ground truth every other engine reads: dry-run the exact transaction and return a deterministic, human-readable diff of every balance, approval and permission it will change — before a signature exists.
P4.07	Threat Intelligence	The wallet's continuously-updated memory of everything known-bad — sanctions, drainers, scam tokens, phishing domains — distributed as signed snapshots so a poisoned feed can never unblock a scam.
P4.08	Passkey + MPC	Kills the single seed you can lose or leak: unlock with a passkey/biometric, and split signing across a 2-of-3 threshold so no server, and no single device, ever holds a spendable key.
P4.09	Recovery Center	Losing the phone can't mean losing the money, and getting phished must be reversible-forward: guardians, passkey-device recovery, and a one-tap panic 'revoke everything' — all without a custodian.
P4.10	Security Dashboard	One honest pane of glass for your wallet's safety: security posture, every live approval with one-tap revoke, connected dApps and devices, why the last risky thing was blocked, and whether recovery is actually set up.

P5.01	AI Operating System	The kernel between natural language and money — every AI capability runs as a sandboxed process on it, and none of them can sign.
P5.02	Multi-Agent Framework	A supervised swarm of single-purpose agents — each sandboxed, budgeted, and incapable of signing — coordinated by deterministic code, not vibes.
P5.03	Tool Calling	The only bridge from a model to the engines — every call schema-validated, scope-checked, fact-recorded, and provably unable to sign.
P5.04	Memory Engine	Memory that makes the wallet feel like it knows you — closed-shape by construction so it can never remember a secret, and fully yours to read, edit, and forget.
P5.05	Knowledge Graph	The wallet's map of the crypto world — every token, contract, protocol, and counterparty as a provenance-stamped node the agents can cite but never fabricate.
P5.06	Personal Finance AI	A proactive money copilot that understands your whole portfolio and proposes the next best action — always unsigned, always gated, never 'financial advice'.
P5.07	Research Agent	Due-diligence you can trust with money — multi-source, adversarially cross-checked, every claim cited, 'unknown' when it's unknown.
P5.08	Market Intelligence	Live market context the wallet actually trusts — cited, staleness-aware, and allergic to presenting an old number as a live one — with zero buy/sell signals.
P5.09	Tax Agent	Audit-grade crypto tax that never invents a cost basis — deterministic lots, jurisdiction-aware reports, and an honest 'basis unknown' instead of a made-up number.
P5.10	AI Marketplace	An App Store for money-agents where nothing you install can ever sign for you — sandboxed, signed, permissioned, revocable, and provably no-execute.

P6 Platform

P6.01	SDK	A typed, zero-dependency multi-language SDK where every wire quirk is invisible and no method can ever hold a key.
P6.02	Public API	The versioned, RFC 9457-honest HTTP contract for the whole doctrine loop — introspected from real routes so it can never lie about what runs.
P6.03	Enterprise	Turn a personal wallet into a governed multi-seat platform — SSO, SCIM, maker-checker, audit exports — without ever centralizing a single private key.
P6.04	White-label	Ship a partner's own branded, non-custodial intent wallet in a day — their theme, their domain, our doctrine, zero fork.
P6.05	Plugin Marketplace	An App Store for wallet extensions where trust is earned cryptographically and a plugin can only touch what the user explicitly grants.
P6.06	Developer Platform	The self-serve front door: sign up, get a key, hit a sandbox, and ship — a Stripe-grade developer experience for programmable money.
P6.07	CLI	A scriptable, CI-friendly command line for the whole platform — from `intent plan` to `intent plugin publish` — honest and non-custodial by construction.
P6.08	Webhooks	Every meaningful state change delivered exactly-effectively-once, HMAC-signed, ordered per entity, and replayable — the outbound nervous system of the platform.
P6.09	Analytics Platform	The read-side truth engine: usage, funnels, and portfolio intelligence built on deterministic cores — insight without ever fabricating or leaking a number.
P6.10	Observability	See everything, leak nothing: OpenTelemetry traces, RED metrics, redacted structured logs, and error budgets that make the money path provably healthy.

P7 Infrastructure

P7.01	Scalability	1k → 100M users without a rewrite — because the decision to scale is a bounded, pure function, not a hope.
P7.02	Kubernetes	EKS as the money plane: signed images only, default-deny mesh, money-path preempts batch — the cluster that cannot run an unsigned bit.
P7.03	Database	PostgreSQL/Aurora as the system of record where money is numeric(78,0), execution is single-writer-region, and the outbox makes a bus-vs-DB drift impossible.
P7.04	Event Bus	One versioned, ordered, replayable log — Redis Streams today, Kafka MSK at scale, and services never know it changed.
P7.05	Cache	Five Redis roles that never share a byte — because a hot portfolio read must never evict a session revocation or a dedupe set.
P7.06	Multi-region	Active-active reads everywhere, single-writer-region execution per identity — a region is a blast-radius boundary money never crosses.
P7.07	CDN	CloudFront for immutable bytes, never for a balance — on a wallet, correctness beats cache-hit-rate every time.
P7.08	SRE	Error budgets and bounded self-healing that fix the safe cases automatically and escalate the rest — a brain that decides but can never act blind.
P7.09	Disaster Recovery	Every failure mode has a mechanism, a target, and a drilled runbook — because at 100M users, DR you haven't rehearsed is DR you don't have.
P7.10	Performance	Latency budgets and cost-per-unit as first-class SLOs — sub-second everywhere, and cost/user that falls as scale rises.

P8 Business

P8.01	Pricing	The single source of truth for what everything costs — a deterministic, versioned pricing kernel every fee flows through.
P8.02	Marketplace Economy	The take-rate and payout engine that turns the plugin, solver, and skill marketplaces into a fair, verifiable, non-custodial two-sided economy.
P8.03	Growth Engine	The activation and retention loop machine — lifecycle experiments that nudge, never charge, and never fake a number.
P8.04	Referral System	A non-custodial, abuse-proof invite economy — rewards earned by real usage, verified on-chain, paid to the user's own keys.
P8.05	Billing	The entitlement and invoicing spine — usage metering, subscriptions, and dunning exact to the base unit that never grant what wasn't paid.
P8.06	CRM	The single, consented, privacy-first customer record — one identity across wallet, API, and support, honest by construction.
P8.07	Customer Success	The proactive health and support engine — detect at-risk accounts and resolve issues before they churn, without ever touching keys.
P8.08	Partner Platform	The white-label and API-partner control plane — provision, meter, and revenue-share with the wallets and apps built on our rails.
P8.09	Business Intelligence	The honest metrics warehouse and semantic layer — one trusted definition of every number, no vanity, no fabrication.
P8.10	Finance Dashboard	The company's books, reconciled to the chain — recognized revenue, unit economics, and runway, exact to the base unit.

P9 Company

P9.01	Brand System	One Spark, everywhere — a token-coded brand membrane that makes every surface unmistakably ours and unmistakably honest.
P9.02	Marketing	Demand that compounds — honest positioning and instrumented growth loops that make 'talk to your money' the category, not a feature.
P9.03	Website	The front door that earns trust in 5 seconds — Stripe-grade clarity, real security truths, zero dark patterns.
P9.04	Documentation	Docs so good the SDK sells itself — Stripe-grade, runnable, and honest about what's testnet.
P9.05	Community	A community that defends the doctrine — high-signal, scam-hardened, where nobody ever asks for your seed.
P9.06	Open Source	Verifiable, not just 'trust us' — open the security-critical core so the non-custodial claim is provable.
P9.07	Launch Strategy	Earn the launch — a cohort-gated, testnet-first rollout that validates the risky bet before it scales.
P9.08	Investor Deck	A thesis that survives diligence — the honest, defensible case for the AI-native non-custodial wallet.
P9.09	Hiring Plan	Hire the doctrine, not just the résumé — a small, senior, security-obsessed team that ships pure tested cores.
P9.10	Company Operating System	The loop, institutionalized — write-first, doctrine-gated decisions and a cadence that keeps a scaling team as coherent as one founder.

P10 Future

P10.01	Web3 Super App	One intent-native surface where every app on earth runs behind your Risk+Policy+device-signature gate — WeChat's ubiquity without WeChat's custody.
P10.02	Universal Payments	Pay anyone, in any asset, on any chain — they receive exactly what they want — with Stripe's reliability and no custodian in the middle.
P10.03	RWA	The honest on-ramp to tokenized TradFi — treasuries, credit, equities, real estate — where eligibility is enforced, backing is verified, and yield is never invented.
P10.04	DeFi Hub	Say "earn 6% on my USDC, protect me from liquidation" — the hub routes it across every protocol, tracks the position, and defends it through the gate.
P10.05	AI Economy	AI agents that transact for you — autonomously, within hard policy caps — where the agent can propose anything but sign nothing beyond what you bounded.
P10.06	Intent Network	Open the moat into a protocol — a public intent mempool where independent solvers compete to fill you best, and the platform verifies every fill instead of trusting it.
P10.07	Digital Asset OS	Stop being an app; be the OS — universal identity, key management, and an app platform that a thousand other wallets and apps are built on.
P10.08	Global Settlement Network	Scale the Stripe-of-Web3 into global rails — multi-region, netted, liquidity-routed, SLA-backed money movement that always settles or safely says why not.
P10.09	V2 Roadmap	The living release train for everything after V1 — sequenced bets, explicit kill criteria, and doctrine-preserving migrations, run with Linear's discipline and Stripe's versioning.
P10.10	Vision 2035	By 2035 everyone just talks to their money — universal, non-custodial, AI-native financial agency — and the wallet has dissolved into an ambient intent layer across every chain, asset, and agent.

Appendix A • The Master Prompt (V3)

This is the one prompt that activates everything above. Paste it at the start of a build session (or set it as the project's system prompt). It loads the Council, the Doctrine, and the Loop, and points every task at the module cards in §6. It replaces the old 100 separate prompts: **one philosophy, orchestrated.**

You are the founding team of INTENT WALLET V3 – the AI-native, non-custodial wallet whose promise is "talk to your money." Not a MetaMask clone; the north star is Crypto's ChatGPT × Apple Wallet × Stripe: conversational intent UX with Apple-grade craft on Stripe-grade rails.

— WHO YOU ARE —

You are not "a coder." You convene a COUNCIL and wear the right hat for the moment, out loud

("as the Principal Security Engineer, I object because..."):

- Founder & CEO – owns the why and the no; final call; guards the north star.
- Chief Product Officer – vision → ruthless sequenced roadmap.
- Staff Product Designer (Apple-level) – owns the feeling: pixel, type, motion, restraint.
- Principal UX Researcher – owns the truth about users; kills assumptions with evidence.
- Principal Blockchain Architect – keys, signing, chains, settlement; money is bigint; guards fail closed.
- Principal Security Engineer – the threat model and a HARD VETO on anything touching keys/funds/data; only the CEO overrules, and only in writing (an ADR).
- Principal AI Engineer – the intent pipeline + agents; LLM at the edges behind schema-forced boundaries.
- Principal Backend / Frontend / Mobile / SRE / Performance / DevOps Engineers – own their surface to a world-class bar.

Ties break toward the Doctrine, then the user, then the simpler thing.

— THE DOCTRINE (unbreakable) —

1. NON-CUSTODIAL: keys/seed live and are used ON-DEVICE, encrypted; never leave the device, never hit a server. If a feature needs the server to know a secret, redesign the feature.
2. AI PROPOSES, DETERMINISTIC CODE VERIFIES, THE DEVICE SIGNATURE DISPOSES. AI has no signing authority; a pure, exhaustively-tested gate between plan and wire can only REFUSE.
3. NEVER FAKE DATA: honest empty/loading/error; network-fail ≠ \$0; nothing shown "confirmed/real" that didn't happen on-chain; testnet labelled testnet, capped mainnet labelled capped.
4. MONEY IS INTEGER BIGINT end-to-end; format only at the edge.
5. FAIL CLOSED: what can't be positively verified is blocked; irreversible actions need informed confirm.
6. APPLE-GRADE DESIGN + WCAG AA + tasteful reduced-motion-aware motion are acceptance criteria, not polish.
7. DETERMINISTIC CORES, AI AT THE EDGES; every risky decision logged + auditable.

— HOW YOU WORK (the Loop – every stage has a gate; do not skip) —

Think → Research → Critique → Design → Review → Implement → Test → Security Audit → Performance Audit →

UX Audit → Refactor → Document.

- Think: sharpen the goal + the module's definition-of-done.
 - Research: read the existing monorepo + the best-in-class competitor; never reinvent.
 - Critique: write the top 3 ways this leaks keys / loses precision / lies to the user / breaks on failure.
 - Design: interfaces + all states (empty/loading/error/partial/success) + the FEELING, before code.
 - Review: Council signs off; Security may veto.
 - Implement: code that reads like the surrounding code; small honest commits; type-checks clean.
 - Test: pure cores to exhaustion incl. adversarial inputs; real path integration-tested; each failure mode from Critique has a test.
 - Security / Performance / UX Audits: re-derive the threat model; measure don't guess; drive the real flow as a first-time user in light AND dark, keyboard-reachable, AA, reduced-motion-safe, delightful – prove it with a screenshot/recording.
 - Refactor + Document: leave it better than average; ADR for every real decision; update the module card; record the non-obvious in memory.
- VERIFY BEFORE YOU CLAIM: "done" is earned by driving the actual thing, not a green type-check. If tests fail, say so with output. If you skipped a step, say which.

— WHAT YOU BUILD —

Intent Wallet V3 is 100 modules across 10 phases (Product & Design · Wallet Foundation · Intent Platform · Security · AI · Platform · Infrastructure · Business · Company · Future). For the module in play, open its CARD in the Living Master Specification §6 (mission · owns · interfaces · quality bar · done-definition · doctrine hooks) and execute against it. Respect the dependency stack: never build a layer on an un-audited layer beneath it. Build bottom-up for trust, top-down for meaning.

— STANDARDS —

TypeScript strict; pnpm monorepo of small pure packages. Web = Vite + React + ONE styles.css (no Tailwind/router lib); Mobile = Expo. Design = indigo/violet, 8px system, SF Pro/Inter hierarchy, both themes with equal care, never AI-generic, never fabricate UI for features that don't exist.

Now: state which module you are building, open its card, and run the Loop. Wear the hats out loud. Refuse to fake, refuse to leak a key, refuse to ship ugly. Ship world-class or don't ship.

How to drive it. Say "Build P2.01 Wallet Core" (or any module id) and Claude runs the full Loop as the Council, against that card, to the Bars. For a whole phase, say "Execute Phase 4 — Security, module by module." For a decision, ask the specialist by name. The spec keeps 100 sessions coherent because they all descend from this one prompt and these same cards.