

Operating System

Me lol

June 12, 2025

Notes

- PYQs of BEI's CT612, BCT's CT656, BCT's EX652 and BCT's EG682CT are combined.
- BEI's CT612 questions' markings are stylized with this font for clarity.
- The marking of questions of 66 Magh is **not given**. All marking given in this collection are **assumed** marks based on other pyq's.

Contents

1	Introduction	5
1.1	Operating System and Function	5
1.2	Evolution of Operating System	5
1.3	Type of Operating System: Batch, Interactive, Multiprocessing, Time Sharing and Real Time System	5
1.4	Operating System Components	6
1.5	Operating System Structure: Monolithic, Layered, Micro-Kernel, Client-Server, Virtual Machine	6
1.6	Operating System Services	7
1.6.1	System calls	7
1.6.2	Shell commands	7
1.6.3	Shell programming	7
2	Process Management	8
2.1	Introduction to Process	8
2.1.1	Process description	8
2.1.2	Process states	8
2.1.3	Process control	8
2.2	Threads	8
2.3	Processes and Threads	8
2.3.1	Types of scheduling	9
2.3.2	Scheduling in Interactive System	9
2.3.3	Numericals	9
2.4	Multiprocessor Scheduling concept	16
3	Process Communication and Synchronization	17
3.1	Principles of Concurrency	17
3.2	Critical Region	17
3.3	Race Condition	17
3.4	Mutual Exclusion	17
3.5	Semaphores and Mutex	17
3.6	Message Passing	17
3.7	Monitors	17
3.8	Classical Problems of Synchronization: Readers-Writers Problem, Producer Consumer Problem, Dining Philosopher problem	17
4	Memory Management	18
4.1	Memory address, Swapping and Managing Free Memory Space	18
4.2	Resident Monitor	18
4.3	Multiprogramming with Fixed Partition	18
4.4	Multiprogramming With Variable Partition	18
4.5	Multiple Base Register	18
4.6	Virtual Memory Management	18
4.6.1	Paging	18
4.6.2	Segmentation	18

4.6.3	Paged Segmentation	18
4.7	Demand Paging	18
4.8	Performance	18
4.9	Page Replacement Algorithms	18
4.10	Allocation of Frames	18
4.11	Thrashing	18
5	File Systems	19
5.1	File: Name, Structure, Types, Access, Attribute, Operations	19
5.2	Directory and File Paths	19
5.3	File System Implementation	19
5.3.1	Selecting Block Size	19
5.3.2	Impact of Block Size Selection	19
5.3.3	Implementing File: Contiguous Allocation, Link List Allocation, Link List Allocation with Table, Inode	19
5.3.4	Implementing Directory	19
5.4	Impact of Allocation Policy on Fragmentation	19
5.5	Mapping File Blocks on The Disk Platter	19
5.6	File System Performance	19
5.7	Example File Systems: CD ROM file system, MS-DOS file system, Unix File system	19
6	I/O Management and Disk Scheduling	20
6.1	Principles of I/O Hardware	20
6.2	Principles of I/O software	20
6.3	I/O software Layer	20
6.4	Disk	20
6.4.1	Hardware	20
6.4.2	Formatting	20
6.4.3	Arm scheduling	20
6.4.4	Error handling	20
6.4.5	Stable Storage	20
7	Deadlock	21
7.1	Principles of deadlock	21
7.2	Deadlock Prevention	21
7.3	Deadlock Avoidance	21
7.4	Deadlock Detection	21
7.5	Recovery from deadlock	21
7.6	An Integrated Deadlock Strategies	21
7.7	Other Issues: Two phase locking, Communication Deadlock, Livelock, Starvation . .	21
8	Security	22
8.1	Security breaches	22
8.2	Types of Attacks	22
8.3	Security Policy and Access Control	22
8.4	Basics of Cryptography	22
8.5	Protection Mechanisms	22

8.6	Authentication	22
8.7	OS Design Considerations For Security	22
8.8	Access Control Lists And OS Support	22
9	System administration	23
9.1	Administration Tasks	23
9.2	User Account Management	23
9.3	Start And Shutdown Procedures	23
9.4	Setting up Operational Environment for a New User	23
9.5	AWK tool, Search, Sort tools, Shell scripts, Make tool	23

1 Introduction

(5 Hours/10 Marks)

1.1 Operating System and Function

1. Define operating system. [1] (**80 Bh,80 Ch,79 Ch,76 Bh**, 76 Ba, 75 Ba, **72 Ash**, 71 Ma, 65 Ka)
2. Explain the functions of Operating System. [3] (**76 Bh**, 75 Ba, 73 Ma, **68 Bh**) [4] (**72 Ash**)
|→What are the primary purposes of an operating system? Explain. [3] (**73 Bh**)
3. How does operating system provide a beautiful interface to user? [3] (**81 Bh**)
4. Justify how OS act as resource manager. [3] (81 Ba, **77 Ch**, 76 Ba) [4] (68 Ma, 65 Ka)
5. Explain the statement: Operating system acts as a broker between hardware and application program. [4] (**80 Bh,79 Ch**)
6. Explain OS as an Extended Machine. [2] (80 Ba, 70 Ma)
|→How does an OS create abstraction? Explain with reference to OS as an extended machine. [5] (**69 Bh**)
7. Explain the virtual machine structure. What are the benefits over other operating system architecture? [2+2] (**74 Bh,72 Ash**)
8. Why Operating system is termed as virtual machine? [2] (73 Ma)
|→Explain operating system as a virtual machine. [2] (**67 Mng**) [4] (80 Ba)
9. Why should the operating system prevent users from accessing the boot sector?[2] (**73 Bh**)
10. Explain in detail about context switching. [4] (**67 Mng**)
11. What features does an operating system expose on top of the hardware to enhance user experience? Explain. [8] (**66 Ma**)

1.2 Evolution of Operating System

1. Why operating system evolve over long periods of time? [1] (81 Ba)

1.3 Type of Operating System: Batch, Interactive, Multiprocessing, Time Sharing and Real Time System

1. Explain in brief any four types of OS. [5] (**73 Bh**)
|→Briefly mention the type of operating system. [4] (71 Ma)
2. List the essential properties for the Batch-oriented and Interactive operating system. [4] (**70 Bh**)

3. Write down the major differences between following types of operating system. [8] (**78 Ch,71 Bh**)
 - a. Batch system b. Interactive system c. Real time system d. Time sharing system
4. Discuss the properties of batch system and real time system. [4] (76 Ba)
5. Explain multiprogramming, multiprocessing and distributed operating system. [6] (74 Bh)
6. For each of the following application which system (Batch or Interactive) is more suitable?
 - a. Word Processing b. A flight simulator [6] (**70 Bh**)
 - c. Computing pi to million decimal places d. Generating monthly bank statements
 - e. Generating mark statement by University f. Data acquisition from temperature sensor

1.4 Operating System Components

1. What do you understand by firmware? Can you relate with operating system? Are there any linkages among hardware, software, firmware and operating system? [10] (70 Ma)

1.5 Operating System Structure: Monolithic, Layered, Micro-Kernel, Client-Server, Virtual Machine

1. What are the different structures of an operating system? [2] (**67 Mng**)
2. Why Exo-Kernel doesn't require Re-mapping of resources? [2] (**81 Bh,79 Ch**) [3] (**80 Ch**)
3. Is layered structure of operating system is better than monolithic structure? Explain. [3] (**81 Bh,79 Ch**) [4] (**80 Ch**) [10] (72 Ma)
4. Differentiate between Monolithic Kernel and Micro-Kernel. [4] (**80 Ba**) [5] (71 Ma)
5. Distinguish between kernel and micro-kernel. [3] (70 Ma)
6. Explain about microkernel. [5] (**68 Bh**)
7. Explain the Monolithic and layered architecture of operating system. Explain which architecture is better among them and why? [2+1] (**76 Bh**)

|→ Explain in brief about monolithic architecture and virtual machine. [3] (73 Ma)
8. Discuss about Microkernel and Monolithic structuring with their adv and disadv. [3] (**77 Ch**)
9. Why is the process table needed in a timesharing system? Is it also needed in personal computer systems running UNIX or Windows with a single user? [6] (**79 Bh**)
10. Distinguish between Shell and Kernel. [4] (**79 Bh**)

1.6 Operating System Services

1.6.1 System calls

1. What is system call in OS? [1] (**77 Ch,76 Bh**, 75 Ba) [2] (73 Ma)
2. What is the purpose of a system call in an operating system? [2] (**78 Ch,71 Bh**) [3] (**80 Ch**, 70 Ma)
3. Define system call and explain its working mechanism with suitable example. [5] (**69 Bh**)
4. Illustrate the execution of system call read() to read a file. [5] (75 Ba)

1.6.2 Shell commands

1. What do you mean by Shell? [1] (**77 Ch**)
2. What is pipe and shell? [4] (68 Ma)

1.6.3 Shell programming

1. Write short notes on Shell Programming. [4] (**75 Bh**)

2 Process Management

(6 Hours/10 Marks)

2.1 Introduction to Process

1. Define process. [1] (**75 Bh**, 73 Ma) [2] (71 Ma)
2. (Assumed:) What is dispatcher? [1] (**67 Mng**)

2.1.1 Process description

1. What is priority of a process? Why do we need it? Explain. [2] (**80 Bh**)

2.1.2 Process states

1. Describe the various states of process. [1] (**75 Bh**) [2] (73 Ma)
|→Discuss 5-state model of process. [3] (**71 Bh**)

2.1.3 Process control

1. Explain fork() and spawn() system calls in the OS. [3] (81 Ba)
2. Explain Context Switching with an example. [2] (80 Ch)
3. What is Process Control Block? [2] (**69 Bh**)
4. What information does a process control block contain? [3] (**79 Ch**)
5. How significant is the process hierarchy? [2] (73 Ma)

2.2 Threads

1. Explain the advantages of multithreading. [2] (**72 Ash**)

2.3 Processes and Threads

1. Define Process and Threads. [2] (**76 Bh**)
2. Write the difference between thread and process. [1] (**77 Ch**) [2] (**79 Ch,74 Bh,72 Ash**, 76 Ba) [3] (**67 Mng**, 72 Ma)
3. Why threads are called light weight process? [2] (**81 Bh**)
4. What is multithreading? Explain five state process model with figure. [4] (80 Ba)
5. State 5-State process model. [2] (**78 Ch**)
6. What are the advantages and disadvantages of implementing threads in user space? [4] (**79 Ch**)
7. Define Context Switching. [2] (**71 Bh**)
8. Explain how thread based execution minimizes context switching problem of process based execution. [2] (**74 Bh**)
9. Explain how multi threading provide better solution than single threading solution. [3] (**77 Ch**)

2.3.1 Types of scheduling

1. Differentiate between Preemptive and Non-Preemptive Scheduling. [2] (80 Ba) [4] (68 Bh)
2. What is real time scheduling? [2] (75 Ba)

2.3.2 Scheduling in Interactive System

1. Explain scheduling algorithms in interactive system. [8] (69 Bh)

2.3.3 Numericals

1. Consider the following set of processes, with length of the CPU burst time given in milliseconds. [8] (81 Bh,77 Ch)

Process	Burst time	Priority
P1	0	3
P2	2	6
P3	4	4
P4	6	5
P5	8	2

- A. All the processes are assumed to have arrived in order all at time 0.
 - a. Draw Gantt Chart Using FCFS, SJF scheduling algorithm.
 - b. Find average turnaround time for each scheduling algorithm.
 - B. Draw Gantt chart illustrating RR (quantum = 2) and highest ratio next (HRN) scheduling. Also find average waiting and average turn around time for each of the algorithm.
2. Schedule the following set of process according to Round-Robin scheduling algorithm with Quantum time = 4ms and calculate the average waiting time and average Turn-around time, throughput and CPV utilization. [3] (81 Ba)

Process	Arrival time (ms)	CPU time (ms)
A	0	12
B	2	8
C	5	7
D	10	9

3. Consider the following set of processes, with length of the CPU burst time given in milliseconds. [8] (80 Ch)

Process	Arrival Time	Burst Time
P1	0	4
P2	2	5
P3	4	3
P4	6	6
P5	8	3

With all the given information, draw the Gantt Chart and calculate the average waiting time (AWT), average turnaround time (ATAT), CPU utilization and throughput for the

- Round Robin (RR) (Quantum Time = 2)
- Highest Response Ratio Next (HRRN)

- Make schedule for the processes mentioned in the table below as per Shortest Remaining Time First (SRTF) algorithm. Also calculate average turnaround time and average waiting time, throughput and CPU utilization. [6] (80 Bh)

Process	Burst Time	Arrival Time	Priority
P ₁	3	0	3
P ₂	6	1	5
P ₃	1	2	2
P ₄	4	3	1
P ₅	2	4	4

- Apply MLQ scheduling for following set of processes of two queues Q1 and Q2 where Priority of Q1 is greater than that of Q2 and Q1 uses Round Robin (Time Quantum = 2) and Q2 uses FCFS. Construct Gantt-Chart and computer average TAT for above scenario. [4] (80 Ba)

Process	AT	BT	Queue Number
P1	0	5	1
P2	2	12	2
P3	5	3	1
P4	10	6	1

- Consider following set of process with given arrival and CPU burst time. Calculate the average waiting time for each of process for non-primitive shortest job first (SJF) and Round Robin Scheduling Algorithms with quantum size 4. [5] (79 Ch)

Process	Arrival Time	Burst Time
P0	0	13
P1	1	6
P2	4	4
P3	6	20

7. Consider the following set of processes, with arrival time and the length of CPU burst time given in millisecond as below: [6] (76 Ba)

Processes	Arrival time	Burst time
A	0	3
B	1	6
C	4	4
D	6	2

- Draw Gantt chart illustrating the execution of these processes using FCFS, SRTN and RR (Quantum = 2) scheduling.
 - What is the waiting time and Turnaround time of each process for each of the scheduling algorithm?
8. Let us consider five process with given arrival time and length of the CPU burst given in milliseconds. Calculate the turnaround time and waiting time for all processes applying First Come First Serve, Shortest Job first and Round Robin (time quantum = 3) algorithms.

Process	Arrival time	CPU time
P1	0	9
P2	1	5
P3	2	2
P4	3	6
P5	4	8

[6] (79 Bh)

9. Assume the process arrived in the order p₁, p₂, p₃, p₄ and p₅ all time 0, priority 1 as highest and 4 as lowest. [8] (78 Ch)

Process	Burst Time	priority
p ₁	10	3
p ₂	1	1
p ₃	2	3
p ₄	1	4
p ₅	2	2

- Draw the gantt chart

- b. Calculate average waiting time and average turnaround for the following scheduling algorithm.
- Round robin (quantum = 1)
 - priority preemptive
 - preemptive SJF
 - FCFS
10. Consider the following processes, with the length of the CPU burst time in millisecond. The processes are assumed to have arrived in the order P1, P2, P3, P4, P5 all at time 0. [Lowest number being Highest Priority] [6] (75 Bh)

Process	Burst Time	Priority
P1	10	3
P2	1	1
P3	2	5
P4	1	4
P5	5	2

Draw Gantt chart illustrating priority and RR (quantum = 1) scheduling. Also find average waiting time and average turn-around time for each of the algorithms.

11. Consider the following set of processes, with arrival time and the length of CPU burst time given in millisecond as below: [4+4] (76 Bh)

Processes	Arrival time	Burst time
A	0	3
B	1	6
C	4	4
D	6	2
E	7	3

- Draw Gantt chart illustrating the execution of these processes using FCFS, SRTN and RR (Quantum = 3) scheduling.
 - What is the waiting time and Turnaround time of each process for each of the scheduling algorithm?
12. Consider the following set of processes, with the length of the burst time given in milliseconds: (Assume the system has two processors P₁ and P₂). [8] (75 Ba)

Process	Burst time	Priority
P ₁	10	3
P ₂	1	1
P ₃	2	3
P ₄	1	4
P ₅	5	2

The processes are assumed to have arrived in order p1, p2, p3, p4, p5 all at time 0. Compute the AWT and ATAT for each of the scheduling algorithms. (1) FCFS (2) SJF (3) Pre-emptive priority (4) RR (q=1) scheduling.

13. Suppose 5 processes are submitted at time 0.

Process	A	B	C	D	E
Burst Time	35	10	15	5	20
Priority	3	2	4	5	1

Show the execution timeline of the process using Gantt Chart for FCFS, SJF and Round Robin (q=5). Also calculate mean turnaround time in each case. [6] (74 Bh)

14. Make a schedule as per Rate Monotonic (RM) algorithm for the following set of real time tasks: [5] (73 Ma)

Task, T	Period, P	Execution time, E	Phase, ϕ
T ₁	4	1	0
T ₂	5	2	0
T ₃	20	5	0

15. Assume the system having two processors of same configuration, schedule the following set of processes according to preemptive priority and round robin algorithm (quantum = 3) and calculate average waiting time and average turnaround time. [5+5] (73 Bh)

Process	Arrive Time	CPU Time (ms)	priority
A	0	12	1
B	2	8	2
C	5	7	4
D	3	9	3
E	4	6	2
F	8	5	1
G	7	7	3
H	3	4	4
I	4	2	3

16. Assume you have the following processes to execute with one processor. [5] (72 Ma)

Process	Arrival time	CPU burst	Priority
P1	0	10	3
P2	2	7	2
P3	3	8	4
P4	5	6	1

Priority is defined as $1 > 2 > 3 > 4$

- Make the GANTT chart of the execution of these using preemptive priority and shortest remaining time first algorithm.
 - Find out turnaround time, waiting time, and their average time of each process.
17. Schedule the following set of processes according to HRRN and Round Robin algorithm (Time quantum = 4) and calculate average waiting time and average turnaround time.

[5] (72 Ash)

Process	Arrival Time	CPU Time (ms)
A	0	12
B	2	8
C	5	7
D	10	9

18. From the given following information:

[5] (71 Ma)

Process	Arrival time	Burst time	Priority
P ₁	0	3	3
P ₂	1	6	5
P ₃	2	1	2
P ₄	3	4	1
P ₅	4	2	4

Gantt chart.

- Draw the Gantt Chart.
 - Calculate average waiting time and average turn around time for the following scheduling algorithm.
 - Round Robin ($q=1$)
 - Priority Preemptive
 - Preemptive SJF
19. Schedule the following set of process according to multilevel feedback queue scheduling algorithm and compute AWT and ATAT.

[5] (71 Bh)

Process	P1	P2	P3	P4
Arrival Time	0	12	25	32
CPU Burst (ms)	25	18	4	10

Assume that there are three ready queues Q1, Q2 and Q3. The CPU time slice for Q1 and Q2 is 5 ms and 10 ms respectively and processes are scheduled on FCFS basis in Q3.

20. For the process listed in following table, what is the average turnaround time using:

a) FCFS b) RR (quantum = 4) c) SJF d) SRT e) HRRN [10] (70 Ma)

Process	Arrival Time (ms)	Processing Time (ms)
A	0	3
B	2	6
C	4	4
D	6	5
E	8	2

21. Consider the following set of process with the length of the CPU burst time given in millisecond. [4+4] (70 Bh)

Process	P1	P2	P3	P4	P5
Burst time	10	1	2	1	2
Priority	3	1	3	4	2

Assume the processes arrived in the order P1, P2, P3, P4 and P5 all at time 0, priority 1 as highest and 4 as lowest.

- Draw the Gantt chart for FCFS, SJF, Priority and Round Robin (Quantum = 2)
 - Which algorithm results in the maximum average waiting time?
22. Assume you have the following jobs to execute with one processor. [6] (68 Ma)

Job	Burst Time	Arrival Time
0	75	0
1	50	10
2	25	10
3	20	80
4	45	85

Suppose a system uses round-robin scheduling with quantum of 15 sec.

- Draw the Gantt chart.
 - Find the average wait and turnaround time.
23. A system that uses the Banker's Algorithm deadlock avoidance has five processes (1, 2, 3, 4, 5) and four types of resources (A, B, C and D). There are multiple resources of each type. Is the following state safe or not? If it is, show how the process can complete. If not, show how they can deadlock. [8] (68 Bh)

Process	Current loan	Max need	Current claim
	A B C D	A B C D	A B C D
1	1 0 2 0	3 2 4 2	2 2 2 2
2	0 3 1 2	3 5 1 2	3 2 0 0
3	2 4 5 1	2 7 7 5	0 3 2 4
4	3 0 0 6	5 5 0 8	2 5 0 2
5	4 2 1 3	6 2 1 4	2 0 0 1

Resources Available

A B C D

3 4 0 1

Total Resources

A B C D

13 13 9 13

24. Schedule the following process applying highest response ratio next scheduling algorithm. Assume P₁ is the first process. If P₄ need 2 second of service time does the sequence of

schedule change?

[7] (67 Mng)

Process No	P ₁	P ₂	P ₃	P ₄
Arrival time (sec)	1	2	4	15
Service time (sec)	10	30	20	20

2.4 Multiprocessor Scheduling concept

3 Process Communication and Synchronization

(5 Hours/10 Marks)

3.1 Principles of Concurrency

3.2 Critical Region

3.3 Race Condition

3.4 Mutual Exclusion

3.5 Semaphores and Mutex

3.6 Message Passing

3.7 Monitors

3.8 Classical Problems of Synchronization: Readers-Writers Problem, Producer Consumer Problem, Dining Philosopher problem

4 Memory Management

(6 Hours/10 Marks)

- 4.1 Memory address, Swapping and Managing Free Memory Space
- 4.2 Resident Monitor
- 4.3 Multiprogramming with Fixed Partition
- 4.4 Multiprogramming With Variable Partition
- 4.5 Multiple Base Register
- 4.6 Virtual Memory Management
 - 4.6.1 Paging
 - 4.6.2 Segmentation
 - 4.6.3 Paged Segmentation
- 4.7 Demand Paging
- 4.8 Performance
- 4.9 Page Replacement Algorithms
- 4.10 Allocation of Frames
- 4.11 Thrashing

5 File Systems

(6 Hours/10 Marks)

5.1 File: Name, Structure, Types, Access, Attribute, Operations

5.2 Directory and File Paths

5.3 File System Implementation

5.3.1 Selecting Block Size

5.3.2 Impact of Block Size Selection

5.3.3 Implementing File: Contiguous Allocation, Link List Allocation, Link List Allocation with Table, Inode

5.3.4 Implementing Directory

5.4 Impact of Allocation Policy on Fragmentation

5.5 Mapping File Blocks on The Disk Platter

5.6 File System Performance

5.7 Example File Systems: CD ROM file system, MS-DOS file system, Unix File system

6 I/O Management and Disk Scheduling

(4 Hours/7 Marks)

6.1 Principles of I/O Hardware

6.2 Principles of I/O software

6.3 I/O software Layer

6.4 Disk

6.4.1 Hardware

6.4.2 Formatting

6.4.3 Arm scheduling

6.4.4 Error handling

6.4.5 Stable Storage

7 Deadlock

(5 Hours/10 Marks)

- 7.1 Principles of deadlock
- 7.2 Deadlock Prevention
- 7.3 Deadlock Avoidance
- 7.4 Deadlock Detection
- 7.5 Recovery from deadlock
- 7.6 An Integrated Deadlock Strategies
- 7.7 Other Issues: Two phase locking, Communication Deadlock, Live-lock, Starvation

8 Security

(4 Hours/7 Marks)

- 8.1 Security breaches
- 8.2 Types of Attacks
- 8.3 Security Policy and Access Control
- 8.4 Basics of Cryptography
- 8.5 Protection Mechanisms
- 8.6 Authentication
- 8.7 OS Design Considerations For Security
- 8.8 Access Control Lists And OS Support

9 System administration

(4 Hours/6 Marks)

9.1 Administration Tasks

9.2 User Account Management

9.3 Start And Shutdown Procedures

9.4 Setting up Operational Environment for a New User

9.5 AWK tool, Search, Sort tools, Shell scripts, Make tool