

ICECUBE
SOUTH POLE NEUTRINO OBSERVATORY



**UNIVERSITEIT
GENT**



IceCube Lab

IceCube Array
86 strings,
5160 optical
sensors.

IceTop
81 stations,
324 optical
sensors.

The IceCube Neutrino Observatory is the world's largest neutrino detector, located at the geographic South Pole, close to the Amundsen-Scott South Pole Station.

IceCube consists of 5160 optical sensors deployed deep in the Antarctic Ice, covering a volume of 1 km³. On top of this, 81 **IceTop** detector stations spread over 1 km² are located on the Antarctic plateau.

DeepCore
8 strings with
a denser spacing.

Eiffel Tower
324 m

UGent members:
S. Verpoest, A. Porcelli, D. Ryckbosch

IceCube @ UGent

Cosmic rays


Cosmic ray air shower detection with energies from $(1 - 1000) \times 10^6$ GeV

Hybrid detection technique:

- Ultra relativistic cosmic ray interacts with atmosphere -> secondary particles
- Energy reconstruction using particle density distribution seen by IceTop
- Many relativistic muons can reach the detector simultaneously -> muon bundle
- Mass sensitivity from high-energy muon bundle through IceCube

Thesis subjects

- **IceTop + InIce:** influence of hadronic interaction models used in air shower simulations
- **IceTop:** Calibration of the absolute energy scale of the IceTop detector.



Cosmic ray event

early Time scale late

IceCube Gen 2

Increased InIce volume
1 km³ -> 10 km³


Additional new surface detectors:

- Scintillators above snowed-in IceTop tanks -> measure ionization losses from charged particles
- Imaging Air-Cherenkov Telescopes -> measure Cherenkov radiation of air shower
- Radio antennas -> measure radio waves from air showers

Thesis subjects

- **IceTop + Scintillators** • analysis on the muon component in hadronic interaction models with very inclined showers
- **IceTop + IceACT + Radio Antennas** • analysis on the electromagnetic component ($e^\pm + \gamma$) in hadronic interaction models with multiple detectors

Energy spectrum



Average mass

