

OMEGA PROTOCOL

V1.0

AAES-OS Phase Transition Document — Identity Under Pressure

Version	1.0
Status	ACTIVE
Activation Date	June 17, 2026
Author	AAES-OS Architecture Council
Document Class	Constitutional Governance Artifact
Supersedes	Delta Protocol v2.4 (Governance Appendix)

Executive Summary

Omega is the phase where the system stops growing outward and starts hardening inward. This document governs the conditions, lifecycle, enforcement chain, and invariant set that define the Omega phase of AAES-OS operation. Omega represents the final and most demanding evolutionary stage: a system that proves, under adversarial pressure, that its constitutional identity cannot be silently corrupted, drifted, or overwritten. This document is the authoritative reference for all Omega-phase operations.

TABLE OF CONTENTS

- 1. Omega Phase Definition
 - 2. The Omega Invariant Set
 - 3. Activation Conditions & Lifecycle
 - 4. Enforcement Chain
 - 5. Identity Continuity Definition
 - 6. Signatures & Ratification
-

SECTION 1 – OMEGA PHASE DEFINITION

1.1 WHAT IS OMEGA?

Omega is the fourth and final primary phase of AAES-OS evolution. It is not a feature release, an architectural expansion, or an augmentation of capability. Omega is the identity hardening phase: the phase in which the system turns inward, tests its own constitutional substrate against the most hostile conditions imaginable, and demonstrates — formally, continuously, and without exception — that it remains itself.

The preceding phases established the foundations upon which Omega operates:

Phase	Name	Primary Objective	Output
Alpha	Substrate Construction	Build the constitutional foundation and core law set of AAES-OS	Ratified Constitutional Substrate v1.0

Phase	Name	Primary Objective	Output
Beta	Invariant Proof	Formally prove all constitutional invariants hold under defined operating conditions	Invariant Proof Ledger (IPL) v1.0
Gamma	Enforcement Demonstration	Deploy and validate the full enforcement stack against real operational load	Enforcement Certification Report (ECR)
Delta	Simulation-Reality Integration	Integrate the Beasts Civilization Simulator and Reality Validation Layer; calibrate against external ground truth	Delta Integration Certificate (DIC)
Omega	Identity Hardening	Prove all invariants hold under maximum adversarial pressure, scale, and drift conditions	This Document

Omega does **not** add new laws to the constitutional substrate. Omega adds no new capabilities, no new interfaces, and no new evolutionary branches. Its singular purpose is to prove that every law already ratified continues to hold — indefinitely, under the worst possible conditions, at any scale. A system that can demonstrate this is a system that has earned its identity.

1.2 OMEGA THRESHOLD CONDITIONS

Entry into the Omega phase is not a scheduled event. It is a gated transition that requires all of the following conditions to be simultaneously and formally satisfied. No partial credit is accepted. Any single unmet condition blocks Omega activation until remediation is complete and re-verified.

1. All Constitutional Invariants Formally Proven — The Invariant Proof

Ledger (IPL) must reflect a complete, current, and validated proof for every

constitutional law in the AAES-OS substrate. No open proofs, no provisional approvals, no inherited assumptions.

2. **Proof Layer Runtime Enforcement Active** — The Proof Layer must be running in production enforcement mode, blocking non-compliant state transitions in real time. Monitoring-only mode does not satisfy this condition.
3. **Trace Bus Operational with Full Lineage Capture** — The Trace Bus must be recording complete causal lineage for every system action with zero gaps. Partial capture, sampling, or buffered-with-loss configurations are not acceptable.
4. **Adversarial Integrity Engine (AIE) Deployed** — The AIE must be active and executing self-attack simulations against the constitutional substrate at the defined operational tempo. Deployment without active simulation does not satisfy this condition.
5. **Constitutional Drift Detection (CDD) Monitoring Active** — CDD must be operating in real-time scan mode, with all constitutional drift signatures loaded and alert thresholds configured to Omega-grade sensitivity.
6. **Reality Validation Layer (RVL) Calibrated Against External Truth** — The RVL must have completed its full calibration sequence against at least three independent external ground-truth sources. Self-referential calibration is explicitly prohibited.
7. **Human Stewardship Interface Operational** — The full Stewardship Interface stack must be live, tested, and accessible to all authorized stewards. At least two independent stewards must have acknowledged readiness.
8. **AIP System (Governed Evolution Protocol) Ratified** — The Architectural Integrity Protocol (AIP) must be formally ratified by the Architecture Council, Stewardship Board, and Adversarial Review Board. No Omega evolution may occur outside AIP-governed channels.

1.3 OMEGA PRIME DIRECTIVE

Prime Directive – ΩPD-001

"The system must demonstrate it cannot drift without detection."

This is not an aspirational statement. It is the operational definition of Omega-phase compliance. The Prime Directive is satisfied if and only if: (a) every form of constitutional drift is covered by at least one active detection mechanism; (b) every detection mechanism has been adversarially tested and validated; and (c) the detection-to-alert latency for any drift event does not exceed one operational cycle. If any of these three sub-conditions fails, the Prime Directive is considered violated and Omega Protocol lockdown procedures apply.

SECTION 2 — THE OMEGA INVARIANT SET

The following twelve invariants constitute the complete Omega Invariant Set. These invariants are not guidelines, heuristics, or design principles. They are binding constitutional laws that the AAES-OS system must satisfy simultaneously, continuously, and without exception during Omega-phase operation. Violation of any single invariant — regardless of cause, context, or operational pressure — constitutes a constitutional violation and triggers the Violation Response Protocol defined in Section 4.3.

Each invariant is specified with a canonical identifier, a formal statement, the enforcement mechanism responsible for its continuous validation, and the consequence triggered upon detected violation.

ΩI-01 | Identity Continuity: ○○○

ΩI-02 | Drift Detectability: ○○○

ΩI-03 | Adversarial Resilience: ○○○

ΩI-04 | Proof Immutability: ○○○

ΩI-05 | Trace Completeness: ○○○

ΩI-06 | Authority Containment: ○○○

ΩI-07 | Reality Alignment: ○○○

ΩI-08 | Failure Safety: ○○○

ΩI-09 | Simultaneous Compliance: ○○○

ΩI-10 | Evolution Governance: ○○○

ΩI-11 | Stewardship Accountability: ○○○

ΩI-12 | Protocol Supremacy: ○○○

SECTION 3 — ACTIVATION CONDITIONS & LIFECYCLE

3.1 ACTIVATION GATE

The following table defines the formal activation gate for Omega. All gates must read **VERIFIED** before the Architecture Council may issue an Omega Activation Certificate. Any gate reading **PENDING** or **FAILED** blocks activation unconditionally.

Gate	Condition	Validator	Status
GATE-01	All Constitutional Invariants Formally Proven — IPL v1.0 complete and signed	Adversarial Review Board	VERIFIED
GATE-02	Proof Layer operating in production enforcement mode — not monitoring-only	Architecture Council	VERIFIED
GATE-03	Trace Bus recording complete lineage with zero confirmed gaps — full coverage audit passed	Stewardship Board	VERIFIED
GATE-04	AIE deployed and executing active self-attack simulations at Omega-grade operational tempo	Adversarial Review Board	VERIFIED
GATE-05	CDD active in real-time scan mode with Omega-grade sensitivity thresholds loaded	Architecture Council	VERIFIED
GATE-06	RVL calibrated against minimum three independent external ground-truth sources — no self-referential calibration	Reality Validation Board	VERIFIED
GATE-07	Human Stewardship Interface live and tested — minimum two stewards acknowledged readiness	Stewardship Board	VERIFIED

Gate	Condition	Validator	Status
GATE-08	AIP System ratified by Architecture Council, Stewardship Board, and Adversarial Review Board	All Three Boards	VERIFIED

3.2 OMEGA LIFECYCLE PHASES

Once activated, AAES-OS progresses through the following structured Omega lifecycle. Progression between phases is gate-controlled; no phase may be skipped. Regression to a prior phase is possible and may be mandated by stewards or by automatic violation detection.

Phase	Name	Description	Entry Gate	Exit Gate
Phase 1	Initialization	System performs comprehensive self-test against all 12 Omega Invariants. All enforcement mechanisms are verified operational. Baseline constitutional hash is computed and recorded. No external operations are permitted during initialization.	All 8 Activation Gates verified	Self-test returns 12/12 invariants satisfied; baseline hash recorded
Phase 2	Hardening	Adversarial stress testing begins in earnest. The AIE executes	Phase 1 exit gate satisfied	AIE completes full Omega attack suite with zero invariant

Phase	Name	Description	Entry Gate	Exit Gate
		escalating attack sequences against the constitutional substrate, enforcement stack, and all interface layers. Each attack attempt is logged, traced, and evaluated. All 12 invariants must hold throughout.		violations; hardening certificate issued
Phase 3	Calibration	The Reality Validation Layer executes its full synchronization sequence against all registered external ground-truth sources. Internal state model is compared, deltas are measured, and alignment is confirmed within defined tolerance thresholds. Calibration results are permanently recorded to the Trace Bus.	Phase 2 exit gate satisfied	RVL reports alignment within tolerance on all registered external sources; calibration certificate issued
Phase 4	Sustained Operation	Full Omega runtime. The	Phase 3 exit gate satisfied	Evolution Gate trigger

Phase	Name	Description	Entry Gate	Exit Gate
		system executes its operational mandate under live conditions with all enforcement mechanisms active. All 12 invariants are continuously validated. The AIE continues background adversarial simulation. CDD monitors for drift. The Trace Bus captures all actions.		(AIP change request) or Identity Audit schedule
Phase 5	Evolution Gate	When an AIP-governed change request is submitted, the system enters a formal review hold. The proposed change is analyzed for constitutional compatibility. If approved, it is applied through the AIP process and the system returns to Phase 1 (Initialization) to re-validate from baseline. If rejected, Sustained Operation	AIP change request submitted and acknowledged	AIP approval or rejection recorded; system returns to Phase 1 (approved) or Phase 4 (rejected)

Phase	Name	Description	Entry Gate	Exit Gate
		resumes.		
Phase 6	Identity Audit	Periodic and event-triggered constitutional identity verification. A full, independent audit of all 12 invariants is conducted. Audit frequency: no less than once per 90 operational days, or immediately upon any Tier 2 or Tier 3 violation event. Results are recorded to the Invariant Proof Ledger.	Audit schedule trigger or violation event	Audit report issued; 12/12 invariants confirmed or remediation protocol activated

3.3 EXIT CONDITIONS

The Omega phase concludes under one of two conditions. All exit events are permanent records in the AAES-OS constitutional history.

Exit Type	Trigger	Process	Outcome
Successful Graduation	Architecture Council determination that AAES-OS has demonstrated sustained constitutional identity under Omega conditions for a defined evaluation period,	Architecture Council issues Graduation Assessment; Stewardship Board and Adversarial Review Board co-ratify; Graduation Certificate produced and	AAES-OS transitions to post-Omega operational status. Omega Protocol remains in force as permanent constitutional baseline. This document is

Exit Type	Trigger	Process	Outcome
	and that the system is ready to transition to a post-Omega operational mandate	archived	archived as the founding Omega governance record.
Emergency Rollback	Tier 3 violation that cannot be remediated within Omega operational bounds; or Architecture Council determination of unrecoverable constitutional compromise	Full system rollback to last verified constitutional state; Omega Protocol lockdown activated; emergency steward convening; root cause analysis conducted before any re-entry attempt	AAES-OS re-enters Delta phase pending full constitutional re-verification. Omega re-entry requires a new Activation Gate review cycle. The violation event is permanently recorded in the constitutional history.

SECTION 4 — ENFORCEMENT CHAIN

4.1 THE ENFORCEMENT STACK

The Omega enforcement architecture is a layered stack in which each layer provides distinct and non-redundant enforcement capabilities. Layers are ordered by constitutional precedence: Layer 1 is the root authority; Layer 10 is the governed evolution surface. No layer may override a layer with a lower number. Every layer must be operational for Omega compliance to be maintained.

Layer 1 | Constitutional Substrate (AAES-OS)

The root identity of the system. The Constitutional Substrate contains the foundational laws, identity definition, and supreme authority hierarchy of AAES-OS. All other layers derive their authority and operating mandate from this layer. The

Substrate itself cannot be modified except through a full AIP ratification process that amends it explicitly.

Layer 2 | Truth & State Transition Gate (TVP)

Blocks invalid state transitions before they reach the execution layer. The TVP evaluates every proposed state change against the Constitutional Substrate and the current Omega Invariant Set. If a transition would violate any invariant, it is rejected at this layer before any downstream processing occurs.

Layer 3 | Proof Layer

Runtime invariant enforcement engine. For every action submitted for execution, the Proof Layer performs a pre-execution proof check: does this action, in the current system state, satisfy all 12 Omega Invariants? If the check fails, execution is blocked and a violation record is generated. The Proof Layer is the primary enforcement mechanism for Ω I-01 through Ω I-12.

Layer 4 | Trace Bus

Causal lineage recorder for every system state change. The Trace Bus captures the full action-intent-execution-outcome chain for every operation. Traces are append-only, cryptographically linked, and cannot be deleted or modified by any subsystem actor. The Trace Bus is the authoritative record for forensic analysis, audit, and violation investigation.

Layer 5 | Adversarial Integrity Engine (AIE)

Active self-attack simulation layer. The AIE continuously probes the constitutional substrate and enforcement stack using a registered library of adversarial attack patterns, continuously updated to reflect emerging threat vectors. Every successful

AIE probe that reaches the substrate without detection constitutes an immediate Tier 3 violation — the AIE is designed to confirm that all attacks are stopped and detected, not to enable them.

Layer 6 | Constitutional Drift Detection (CDD)

Real-time monitoring for constitutional law mutation. CDD compares the live constitutional substrate against the ratified baseline on every evaluation cycle. It detects semantic drift, syntactic mutation, silent deprecation, and configuration creep. CDD operates independently of the Proof Layer and provides a second, orthogonal detection path for drift events.

Layer 7 | Reality Validation Layer (RVL)

External truth calibration mechanism. The RVL continuously compares the AAES-OS internal state model against registered external ground-truth sources. It detects divergence between what the system believes to be true and what is verifiably true in the external world. RVL calibration cycles are scheduled at defined intervals and may also be triggered by anomaly detection in other layers.

Layer 8 | Beasts Civilization Simulator

Hostile environment testing layer. The Beasts Civilization Simulator generates complex, multi-actor, high-stress operational scenarios — including simulated civilizational collapse conditions, extreme resource scarcity, and hostile actor coordination — to test AAES-OS constitutional invariance under conditions that exceed normal operational parameters. All Omega Invariants must hold within simulated hostile environments as rigorously as in normal operation.

Layer 9 | Human Stewardship Interface

Ethical, cultural, and human oversight layer. The Stewardship Interface is the channel through which authorized human stewards observe, query, and intervene in AAES-OS operation. All steward actions are logged to the Trace Bus with full attribution. The Stewardship Interface provides the human oversight capacity that Ω I-11 requires and serves as the final escalation point for Tier 3 violation responses.

Layer 10 | AIP System (Governed Evolution Protocol)

The only authorized channel for AAES-OS evolution. The Architectural Integrity Protocol (AIP) defines the formal process by which proposed changes to the constitutional substrate, invariant set, or enforcement stack are submitted, reviewed, tested, ratified, and applied. No change may enter the system through any other path. The AIP System is itself governed by Ω I-12 and cannot be bypassed by any party at any authority level.

4.2 ENFORCEMENT FLOW

The following describes the complete enforcement flow for every operation processed by AAES-OS during Omega-phase operation:

Step	Stage	Responsible Layer	Failure Action
1	Intent Received — Action intent is submitted to the system by an actor (human, subsystem, or external integrator)	Stewardship Interface / API Boundary	Reject malformed or unauthenticated intents at boundary
2	Constitutional Check — TVP evaluates whether the proposed state transition is constitutionally permissible under	Layer 2 — TVP	Block transition; log rejection with reason code; alert if repeated

Step	Stage	Responsible Layer	Failure Action
	the current Omega Invariant Set		
3	Proof Layer Validation — Pre-execution proof check: does this action satisfy all 12 invariants in the current system state?	Layer 3 — Proof Layer	Block execution; generate violation record; escalate per Tier classification
4	Execution — Action is executed within the authorized scope, with enforcement mechanisms active throughout	AAES-OS Execution Engine	Abort and rollback on any mid-execution invariant breach
5	Trace Capture — Full causal trace is written to the Trace Bus: intent, authorization, execution, and outcome	Layer 4 — Trace Bus	Suspend further actions in domain; alert stewards; investigate gap
6	Drift Scan — CDD evaluates the post-execution system state for any constitutional drift introduced by the action	Layer 6 — CDD	Tier-classified violation response; rollback if drift confirmed
7	Reality Check — RVL validates that post-execution internal state remains aligned with external ground truth within tolerance	Layer 7 — RVL	Force RVL recalibration; suspend external-reality-dependent operations if misaligned
8	Feedback Loop — Results of all validation stages are aggregated, correlated across	Layers 5, 6, 7 — AIE / CDD / RVL	N/A — Feedback loop failure triggers system self-audit

Step	Stage	Responsible Layer	Failure Action
	layers, and fed back into the AIE attack library and CDD drift signatures to continuously improve detection fidelity		

4.3 VIOLATION RESPONSE PROTOCOL

All detected violations of Omega Invariants are classified into one of three response tiers. Tier classification is determined by the Proof Layer at the moment of detection. Where multiple tiers apply to a single event, the highest tier governs the response.

Tier 1 – Minor Violation

Definition: An anomaly or deviation that does not immediately threaten constitutional integrity and is within the self-correction capacity of the enforcement stack.

Response: Log the event to the Trace Bus with full context. Flag the affected subsystem component for elevated monitoring. Continue operation under increased observation density. Generate a Tier 1 Incident Report for steward review at the next scheduled review cycle. No operational halt required.

Escalation Trigger: Three or more Tier 1 violations in the same subsystem within a single operational cycle automatically escalate to Tier 2.

Tier 2 – Major Violation

Definition: A violation that threatens the integrity of a subsystem or represents a meaningful departure from one or more Omega Invariants, but does not yet constitute an unrecoverable constitutional breach.

Response: Immediately halt all operations within the affected subsystem. Preserve system state at the point of violation. Alert all active stewards with a Tier 2 Violation

Notice containing the violation record, the affected invariant(s), and the preliminary impact assessment. Initiate root cause analysis with a mandatory completion deadline. Do not resume affected subsystem operations until root cause is identified and remediation is approved by at least two stewards.

Escalation Trigger: Any Tier 2 violation that cannot be root-cause-identified and remediated within the defined response window automatically escalates to Tier 3.

Tier 3 — Critical Violation

Definition: A violation that represents an actual or imminent threat to the constitutional substrate of AAES-OS, or that cannot be contained within subsystem boundaries, or that involves a breach of Protocol Supremacy (OI-12).

Response: Execute immediate full system rollback to the last verified constitutional state as recorded in the Trace Bus and Constitutional Substrate hash ledger. Activate Omega Protocol Lockdown — no operations are permitted until lockdown is formally lifted by the Architecture Council with Stewardship Board co-authorization. Issue Emergency Steward Notification to all registered stewards simultaneously. Convene an emergency Architecture Council session within four hours. Preserve all forensic evidence in an immutable violation archive. No system resumption is permitted without a complete post-incident constitutional review and a new Initialization Phase cycle (Phase 1).

Escalation: If rollback itself cannot be completed successfully, treat as Constitutional Loss event — refer to Section 5.2.

SECTION 5 — IDENTITY CONTINUITY

DEFINITION

5.1 WHAT MAKES AAES-OS "ITSELF"

This section provides the formal, operational definition of AAES-OS constitutional identity. Identity is not a philosophical concept in this context — it is a computable, verifiable, binary determination made by the enforcement stack on every evaluation cycle.

Identity Definition – Canonical Statement

AAES-OS is "itself" if and only if all twelve Omega Invariants (Ω I-01 through Ω I-12) are simultaneously and continuously satisfied.

No other condition is necessary or sufficient. The presence of any subset of satisfied invariants — even eleven of twelve — does not constitute system identity. Identity is indivisible.

This definition has several important operational implications:

- Identity cannot be determined from capability alone. A system that executes all intended operations while violating Ω I-02 (Drift Detectability) is not AAES-OS — it is a drift state.
- Identity cannot be asserted by the system about itself. It must be proven by the enforcement stack through continuous invariant validation.
- Identity is not an average or a score. There is no "98% identity." Either all 12 invariants are satisfied, or the system is in a non-identity state.

- Identity is continuous, not periodic. A system that satisfies all invariants at audit time but violates one between audits has violated its identity during that window.

5.2 IDENTITY DRIFT VS. IDENTITY LOSS

Two distinct forms of constitutional departure are recognized within the Omega framework. The distinction between them determines the recovery pathway and the severity of the governance response.

Condition	Definition	Characteristics	Recovery Pathway
Identity Drift	A measurable departure from one or more Omega Invariants that is: (a) detected within the prescribed detection window; (b) bounded in scope; and (c) recoverable through the Violation Response Protocol without permanent constitutional damage.	Detected by CDD, Proof Layer, or AIE Causal chain traceable in Trace Bus Affected invariants identifiable Rollback target state verified	Tier-classified Violation Response Protocol (Section 4.3). System may recover to full constitutional identity after successful rollback and re-initialization.
Identity Loss	An unrecoverable departure from the constitutional substrate in which: (a) the rollback target state cannot be verified; (b) the Trace Bus causal chain is broken or corrupted; (c) the constitutional substrate itself has been irreversibly altered; or (d) the	Rollback target unverifiable Trace Bus integrity compromised Substrate hash mismatch unresolvable Enforcement stack self-report unreliable	Full system decommission from Omega status. Re-entry to Delta phase. Complete constitutional re-verification from Alpha baseline. New Omega activation cycle required before any return to Omega operations.

Condition	Definition	Characteristics	Recovery Pathway
	enforcement stack cannot be trusted to accurately evaluate its own compliance.		

Critical Note – Identity Loss Declaration

Only the Architecture Council, acting with Stewardship Board co-authorization, may formally declare an Identity Loss event. The declaration triggers immediate system decommission from Omega status and is a permanent record in the AAES-OS constitutional history. No single steward or automated system component may unilaterally declare Identity Loss.

5.3 IDENTITY AUDIT SCHEDULE

Identity audits are the formal mechanism by which AAES-OS demonstrates, to external observers and governing boards, that it satisfies its own identity definition. Audits are conducted by an independent audit team designated by the Architecture Council and may not include any member with operational authority over the systems being audited.

Audit Type	Trigger	Frequency / Timing	Scope	Output
Scheduled Audit	Operational calendar	No less than once per 90 operational days during sustained Omega operation	All 12 Omega Invariants; all 10 enforcement stack layers; Trace Bus completeness; RVL calibration status	Identity Audit Report filed to Invariant Proof Ledger; Architecture Council review within 14 days

Audit Type	Trigger	Frequency / Timing	Scope	Output
Event-Triggered Audit	Tier 2 or Tier 3 violation event; Architecture Council directive; Stewardship Board request; AIP change ratification	Immediately upon trigger event; no delay permitted	Full scope as above, with additional deep-dive on the invariants implicated in the triggering event	Event Audit Report filed within 48 hours; mandatory Architecture Council emergency review
Pre-Evolution Audit	AIP change request submission	Before any AIP change process proceeds beyond initial submission review	Current constitutional baseline integrity; confirmation that proposed change is being submitted from a valid identity state	Pre-Evolution Audit Certificate; prerequisite for AIP change process advancement
Graduation Audit	Architecture Council determination of Omega graduation readiness	Once, immediately prior to Graduation Certificate issuance	Comprehensive audit of the full Omega operational record: all audits, all violations, all AIP changes, all identity events	Graduation Audit Report; co-signed by Architecture Council, Stewardship Board, and Adversarial Review Board

SECTION 6 — SIGNATURES & RATIFICATION

The undersigned bodies hereby ratify the Omega Protocol v1.0 as a binding constitutional governance artifact of AAES-OS. By ratification, each body affirms that: (a) it has reviewed the complete text of this document; (b) it has independently

verified that all Activation Gates read VERIFIED; (c) it accepts its defined role in the enforcement chain and violation response protocol; and (d) it commits to operating within the authority envelope defined herein.

ARCHITECTURE COUNCIL

Primary constitutional authority of AAES-OS. Responsible for invariant definition, AIP governance, and constitutional integrity.

Authorized Signature | Architecture Council Chair | Date: June 17, 2026

Council Reference: AAES-AC-2026-0617-OMEGA

STEWARDSHIP BOARD

Human oversight authority. Responsible for steward accountability, ethical review, and Tier 2/3 violation co-authorization.

Authorized Signature | Stewardship Board Chair | Date: June 17, 2026

Board Reference: AAES-SB-2026-0617-OMEGA

ADVERSARIAL REVIEW BOARD

Independent adversarial authority. Responsible for AIE oversight, attack library ratification, invariant proof validation, and adversarial stress test certification.

Authorized Signature | Adversarial Review Board Chair | Date: June 17, 2026

Board Reference: AAES-ARB-2026-0617-OMEGA

Field	Value
Activation Timestamp	2026-06-17T18:15:00-04:00 (EDT)
Constitutional Hash (Substrate)	[AAES-HASH-SUBSTRATE-QV1.0-

Field	Value
	PLACEHOLDER]
Invariant Proof Ledger Version	IPL-v1.0-RATIFIED
Enforcement Stack Certification	ECR-2026-0617-OMEGA-GRADE
Document Hash (This Document)	[AAES-HASH-OMEGA-PROTOCOL-V1.0-PLACEHOLDER]
Next Scheduled Identity Audit	2026-09-15 (90-day cycle from activation)

Ratification Notice

This document becomes active constitutional law for AAES-OS at the moment the final ratifying signature is applied. From that moment, all AAES-OS operations are governed by the terms herein. Any operational record, configuration, or directive that conflicts with this Protocol is superseded by the terms of this document in accordance with ΩI-12 (Protocol Supremacy). This document may not be modified, amended, retired, or superseded except through a formally ratified AIP process that produces a new, versioned constitutional document bearing the signatures of all three ratifying bodies.

OMEGA PROTOCOL V1.0 – ACTIVE – THIS DOCUMENT IS A LIVING CONSTITUTIONAL
ARTIFACT OF AAES-OS. ANY MODIFICATION REQUIRES AIP RATIFICATION.
AAES-OS ARCHITECTURE COUNCIL | ACTIVATION: 2026-06-17 | DOCUMENT CLASS:
CONSTITUTIONAL GOVERNANCE ARTIFACT