

BLOODROSE

Canonical Event Table v0.1

Governed Production Reference — Single Source of Truth
System Architecture Division | 21 April 2026

Classification:	Internal — Governed Reference	Status:	Pending Review
Audience:	System Architects, Developers, Pipeline Operators	Version:	0.1 (Initial)

1. Preamble

This document constitutes the **Canonical Event Table** for *Bloodrose* — a formal, exhaustive registry of every event recognized by the game system. Every event that fires during runtime must be traceable to a numbered entry in this table. If an event is not defined here, it does not exist. There are no implicit events, no undocumented side effects, and no emergent behaviors that operate outside this registry.

Events in *Bloodrose* are **condition-driven, not arbitrary flavor**. No event fires without a state-based trigger expressed as an explicit logical condition over the game's state variables. The six governed state variables are: corruption (integer, range 0-100), redemption (integer, range 0-100), score (integer, ≥ 0), player_position (world-space coordinate), game_over (boolean), and ending_type (nullable enum: null | "consumed" | "mercy_dominant" | "bound_unbroken"). All event effects are defined as deterministic deltas against these variables.

This table is the **single source of truth** for what can happen in the game, when it can happen, and why. System architects, developers, and governed pipeline operators must treat this document as the authoritative contract. Any runtime behavior that contradicts an entry in this table is a defect. Any event not present in

this table that fires in production is an unauthorized state mutation and must be treated as a severity-zero incident.

2. Event Classification Key

Each event in the canonical table is assigned to one of five categories. These categories govern processing behavior, priority expectations, and narrative treatment.

Category	Code	Definition
COLLECT	COLLECT	Triggered when the player collects a petal (emotional fragment). The collectible instance is consumed on pickup. Affects corruption, redemption, and/or score.
HAZARD	HAZARD	Triggered by contact with an environmental hazard (thorn zones). Applies ongoing or escalating corruption penalties. Must never increase redemption or trigger a win state.
THRESHOLD	THRESHOLD	Triggered when a state variable crosses a defined boundary for the first time. Primarily delivers narrative feedback or unlocks gating conditions. Typically non-repeatable.
TERMINAL	TERMINAL	Triggered when a win or lose condition is met. Ends the game loop. Sets <code>game_over = true</code> and assigns <code>ending_type</code> . Priority 0 — overrides all concurrent events.
NARRATIVE	NARRATIVE	Triggered at milestone moments to deliver narrative feedback tied to current state.

Category	Code	Definition
		Informational only — no state mutation. Fires based on score or composite thresholds.

3. Canonical Event Table

The following table enumerates every event in the *Bloodrose* system. Columns are defined as follows:

- **Event ID** — Unique identifier (format: EVT-XXX)
- **Event Name** — Short canonical name
- **Category** — Classification per Section 2
- **Trigger Condition** — Explicit logical condition using state variables
- **State Effects** — Deterministic delta applied to state variables
- **Narrative Output** — Text appended to the player’s narrative log
- **Repeatable?** — Whether the event may fire more than once
- **Priority** — Processing order (0 = highest, overrides all; 5 = lowest)
- **Notes** — Governance notes, edge cases, and constraints

3.1 Collection Events

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
EVT-001	Collect Guilt Petal	COLLECT	Player collides with Guilt petal instance	corruption += 15 score += 10	<i>“A memory of betrayal burns through you. You</i>	Yes	3	Each Guilt petal is a unique instance; removed

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
					<i>chose this. You know you did."</i>			from world on collection.
EVT-002	Collect Desire Petal	COLLECT	Player collides with Desire petal instance	corruption += 5 redemption += 5 score += 10	<i>"His voice echoes — soft, lying, beautiful. You hate that you still reach for it."</i>	Yes	3	Mixed-state collectible. Neither purely harmful nor purely healing.
EVT-003	Collect Rage Petal	COLLECT	Player collides with Rage petal instance	corruption += 20 score += 10	<i>"The fire answers. It always answers. Forgiveness was never yours to give."</i>	Yes	3	Highest corruption gain per collection. Strategic risk item.
EVT-004	Collect Mercy Petal	COLLECT	Player collides with Mercy petal instance	redemption += 20 score += 15	<i>"You breathe. For the first time since the thorns closed, you</i>	Yes	3	Primary redemption source. Strategically essential for win-

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
					<i>breath e."</i>			path.

3.2 Hazard Events

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
EVT-010	Thorn Contact	HAZARD	player_position overlaps thorn zone hitbox	corruption += 2 per tick	<i>"The thorns remember. They always remember."</i> (shown once per contact episode)	Yes	2	MUST NOT increase redemption. MUST NOT trigger win state. Bounded repeatable penalty. Thorn zones are persistent world entities.
EVT-011	Thorn Sustained Damage	HAZARD	Player remains in thorn zone for 3+ continuous seconds	corruption += 5 bonus (one-time per contact episode)	<i>"You linger in the pain. It feels like home. That should</i>	Yes (once per distinct contact episode)	2	Escalation mechanic. Punishes stalling in hazard

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
			s	e)	<i>terrify you."</i>			zones. Resets when player exits and re-enters.

3.3 Threshold Events

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
EVT-020	Corruption Warning	THRESHOLD	corruption >= 50 AND corruption < 75	None (narrative only)	<i>"The roses darken. Petals fall like ash. You can feel the garden closing."</i>	No	1	One-shot warning. Fires only on first crossing of 50.
EVT-021	Corruption Critical	THRESHOLD	corruption >= 75 AND corruption < 100	None (narrative only)	<i>"Thorns grow from your skin now. The garden is almost done with you."</i>	No	1	Urgent narrative escalation. One-shot. Visual/atmospheric shift recommended

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
								d.
EVT-022	Redemption Emerging	THRESHOLD	redemption >= 30	None (narrative only)	<i>"Something stirs beneath the thorns. A root that refused to die."</i>	No	1	Early positive signal. One-shot.
EVT-023	Redemption Threshold Met	THRESHOLD	redemption >= 65	Altar becomes active/reachable	<i>"The altar glows. The garden opens a path you thought was sealed forever."</i>	No	1	Unlocks altar interaction. Critical gating event for win condition.
EVT-024	Score Milestone	THRESHOLD	score crosses 50, 100, or 150	None (narrative only)	<i>At 50: "Fragments gather. The garden takes notice." At 100: "You carry enough now to remember who"</i>	No (per threshold)	4	Pacing signals. Non-critical but atmospheric.

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
					<i>you were."</i> <i>At 150:</i> <i>"The weight of every petal — guilt, desire, mercy — is yours."</i>			

3.4 Terminal Events

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
EVT-030	Consumed by Thorns (Lose)	TERMINAL	corruption >= 100	game_over = true ending_type = "consumed"	<i>"The thorns close. The garden swallows what remains. Lady Isolde is gone — not dead, but dissolved."</i>	No	0	Immediate game end. No further events process. Must display loss screen with restart option.

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
					<i>Another rose among the ruins."</i>			
EVT-031	Ending A — Mercy Dominant (Win)	TERMINAL	Player reaches altar AND redemption >= 65 AND redemption > corruption	game_over = true ending_type = "mercy_dominant"	<i>"You place your hands on the altar. The thorns retreat — not gone, but quiet. The garden exhales. You are not healed. You are not whole. But you are yours again. Lady Isolde walks free — scarred, sovereign, choosing dawn."</i>	No	0	Best ending . Requires strategic mercy collection and corruption management.

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
EVT-032	Ending B — Bound but Unbroken (Win)	TERMINAL	Player reaches altar AND redemption >= 65 AND redemption <= corruption	game_over = true ending_type = "bound_unbroken"	<i>"You reach the altar, but the thorns do not retreat. They hold you — not as prison, but as spine. The corruption is part of you now. You will carry it. You will not let it speak for you. Lady Isolde remains — bound, burning, unbroken."</i>	No	0	Mixed-state ending. Player wins but carries scars. Requires redemption threshold met despite high corruption.
EVT-033	Altar Rejected (Fail-safe)	TERMINAL	Player reaches altar AND redemption <	None (player is bounced back)	<i>"The altar does not answer. You</i>	Yes	1	Prevents premature win. Player

Event ID	Event Name	Category	Trigger Condition	State Effects	Narrative Output	Rpt?	Pri	Notes
			65		<i>are not ready. The garden knows.</i>			must continue collecting Mercy petals.

4. Event Governance Rules

The following rules govern event processing at runtime. These rules are **non-negotiable** and must be enforced by the event pipeline without exception.

- **Traceability Requirement:** No event may fire without a traceable condition defined in this table. Any undocumented event in production is a defect.
- **Terminal Override:** Terminal events (Priority 0) override all other events in the same tick. When a terminal event fires, no further events are processed.
- **Threshold One-Shot Rule:** Threshold events fire only on first crossing of the defined boundary unless explicitly marked repeatable.
- **Collection Consumption:** Collection events consume the collectible instance upon firing. The petal is removed from the world and cannot be re-collected.
- **Hazard Constraint:** Hazard events must **never** increase redemption or trigger a win state. Any implementation that violates this constraint is a severity-zero defect.
- **Priority Processing Order:** When multiple events fire simultaneously, process in priority order: 0 first, then 1, 2, 3, 4, 5. Within the same priority tier, process in Event ID order (ascending).


- **Narrative Log Behavior:** Narrative output is appended to the rolling narrative log, not displayed as modal interrupts — *except* for Terminal events, which trigger a full-screen ending presentation.
- **Determinism:** All state effects are deterministic. No random modifiers, no weighted probability, no stochastic variance in v0.1.
- **Append-Only Registry:** This event table is append-only in production. Events may be added in future versions, but existing entries must not be silently modified. Changes to existing events require a versioned amendment logged in Section 6.
- **State Clamping:** All integer state variables are clamped to their defined ranges after each event fires (corruption: 0-100, redemption: 0-100, score: ≥ 0).


⚠ Governance Notice

Any deviation from the rules above during runtime constitutes an **unauthorized state mutation** and must be escalated immediately. The event pipeline is a governed surface — no ad hoc event injection is permitted outside the amendment process.

5. State Transition Diagram

The following text-based diagram illustrates the major state paths through the *Bloodrose* event system. All transitions are condition-driven per the Canonical Event Table.





Key path summary:

- **Win Path A (Mercy Dominant):** Collect sufficient Mercy petals → reach redemption ≥ 65 → keep redemption $>$ corruption → reach altar → EVT-031 fires.
- **Win Path B (Bound but Unbroken):** Reach redemption ≥ 65 despite high corruption → redemption $\leq$ corruption → reach altar → EVT-032 fires.
- **Lose Path (Consumed):** Corruption accumulates from Guilt/Rage petals and thorn contact → corruption ≥ 100 → EVT-030 fires immediately, overriding all other events.
- **Fail-safe (Altar Rejected):** Player reaches altar with redemption < 65 → EVT-033 fires, bouncing the player back to the exploration loop.

6. Amendment Log

All modifications to the Canonical Event Table must be recorded below. This table is append-only. Entries must not be deleted or reordered.

Amendment ID	Date	Description	Author	Approved By
AMD-000	21 April 2026	Initial canonical event table created. All events (EVT-001 through EVT-033) defined. Governance rules	System Architect	Pending Review

Amendment ID	Date	Description	Author	Approved By
		established. State transition diagram documented.		

*Bloodrose — Canonical Event Table v0.1 / Governed Production Reference / 21
April 2026*

This document is append-only. Unauthorized modification is prohibited.