

DAY 3 - API INTEGRATION AND DATA MIGRATION





```
♣ Q II ···
                        ‡‡ .env.local
 EXPLORER
                                         product.ts
                                                         index.ts
                                                                          Js importSanityData.mjs

  package.json X

V OPEN EDITORS
                         package.json > ...
    뷰 .env.local
                                  "name": "classthirteen",
     product.ts src\sa...
                                  "version": "0.1.0",
     index.ts src\sanit...
                                  "private": true,
     importSanityDat...
                                  Debug
                                  "scripts": {
   X (i) package.json
                                    "dev": "next dev",

✓ SANITY FIGMA HACKATHON

                                    "build": "next build",
 > next
                                    "start": "next start",
 > node modules
                                    "lint": "next lint",
 > public
                                    "import-data": "node scripts/importSanityData.mjs"

✓ Im scripts

                                  "dependencies": {
     importSanityDat...
                                    "@fortawesome/fontawesome-svg-core": "^6.7.1",
 ∨ 🐼 STC
                                    "@fortawesome/free-solid-svg-icons": "^6.7.1",
  > |||| app
                                    "@fortawesome/react-fontawesome": "^0.2.2",
  > sanity
                                    "@sanity/client": "^6.25.0",
   뷰 .env.local
                                    "@sanity/image-url": "^1.1.0",
                                    "@sanity/vision": "^3.70.0",
    eslintrc.json
                                    "axios": "^1.7.9",
    .gitignore
    next-env.d.ts
                                   OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS
    N next.config.mjs
                                                                                                                                                                    ≥ powershell

√ Compiled in 497ms (278 modules)

    package-lock.json
                                                                                                                                                                     ≥ node
                          GET /favicon.ico 200 in 9911ms
    package.json
                          GET /cart 200 in 8731ms
    postcss.config.mjs
                          o Compiling /checkout ...

    README.md

√ Compiled /checkout in 971ms (642 modules)

√ Compiled /all-products in 416ms (644 modules)

    sanity.cli.ts
                          GET /all-products 200 in 1150ms
    sanity.config.ts
                          o Compiling /studio/[[...tool]] ...
    tailwind config to

√ Compiled /studio/[[...tool]] in 35.3s (4734 modules)
```

```
EXPLORER
                                                                                                                                                                                                          ♣ Q II ···
                                            product.ts × index.ts
                       ··· # .env.local
                                                                            importSanityData.mjs
                                                                                                    package.json

→ OPEN EDITORS

                             src > sanity > schemaTypes > ₩ product.ts > ₩ productSchema
                               1 export const productSchema = {
O
         ## .env.local
                                        name: 'product',
       X product.ts src\sa...
                                        title: 'Product',
         index.ts src\sanit...
                                        type: 'document',
         importSanityDat...
                                        fields: [
         package.json
    V SANITY ... C C U
                                            name: 'productName',
                                            title: 'Product Name',
      > next
                                            type: 'string',
      > m node_modules
       > to public

√ in scripts

                                            name: 'category',
         importSanityDat...
                                            title: 'Category',
      ∨ R src
                                            type: 'string',
       > mm app

✓ Im sanity

                                            name: 'price',
        > 📑 lib
                                            title: 'Price',

√ i schemaTypes

                                            type: 'number',
           index.ts
              product.ts
           env.ts
                                            name: 'inventory',
                                            title: 'Inventory',
           structure.ts
                                            type: 'number',
        ## .env.local
         eslintrc.json
        .gitignore
                                            name: 'colors',
        next-env.d.ts
                                            title: 'Colors',
        next.config.mjs
                                            type: 'array',
        package-lock.json
                                            of: [{ type: 'string' }],
        package.json
        postcss.config.mjs
                                            name: 'status',

⊕ README.md

                                            title: 'Status',
        sanity.cli.ts
                             PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS COMMENTS
         sanity.config.ts
                                                                                                                                                                                                        ≥ powershell
        tailwind.config.ts
                              GET /studio 200 in 50504ms
     > OUTLINE
                                                                                                                                                                                                        ≥ node
```