

HTML Code

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <title>Mein Titel</title>

  <!-- Bootstrap -->
  <link href="bootstrap.min.css" rel="stylesheet">

  <link rel="stylesheet" href="style.css">
</head>
<body>

<div class="header">
  <div class="headernav">
    <div class="myonav">
      <ul>
        <li>Startseite</li>
        <li>Über uns</li>
        <li>Mitarbeiter</li>
        <li>Kontakt</li>
      </ul>
    </div>
    <div class="myonav-mobil">
      <ul>
        <li>Menü</li>
      </ul>
    </div>
  </div>
</div>

<div class="nav">
  <div class="navwrapper">
    <nav class="navbar navbar-expand-lg bg-body-tertiary">
      <div class="container-fluid">
        <a class="navbar-brand" href="#">Navbar</a>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse"
id="navbarSupportedContent">
          <ul class="navbar-nav me-auto mb-2 mb-lg-0">
            <li class="nav-item">
              <a class="nav-link active" aria-current="page"
href="#">Home</a>
            </li>
            <li class="nav-item">
              <a class="nav-link" href="#">Link</a>
            </li>
            <li class="nav-item dropdown">
              <a class="nav-link dropdown-toggle" href="#"
role="button" data-bs-toggle="dropdown" aria-expanded="false">
                Dropdown
              </a>
              <ul class="dropdown-menu">
                <li><a class="dropdown-item" href="#">Action</a></li>
                <li><a class="dropdown-item" href="#">Another
action</a></li>
```

```

        <li><hr class="dropdown-divider"></li>
        <li><a class="dropdown-item" href="#">Something else
here</a></li>
    </ul>
</li>
<li class="nav-item">
    <a class="nav-link disabled" aria-
disabled="true">Disabled</a>
</li>
</ul>
<form class="d-flex" role="search">
    <input class="form-control me-2" type="search"
placeholder="Search" aria-label="Search">
    <button class="btn btn-outline-success"
type="submit">Search</button>
</form>
</div>
</div>
</nav>
</div>
</div>

<div class="slider">
    <div class="sliderwrapper">
        <div id="carouselExample" class="carousel slide">
            <div class="carousel-inner">
                <div class="carousel-item active">
                    
                </div>
                <div class="carousel-item">
                    
                </div>
                <div class="carousel-item">
                    
                </div>
            </div>
            <button class="carousel-control-prev" type="button" data-bs-
target="#carouselExample" data-bs-slide="prev">
                <span class="carousel-control-prev-icon" aria-
hidden="true"></span>
                <span class="visually-hidden">Previous</span>
            </button>
            <button class="carousel-control-next" type="button" data-bs-
target="#carouselExample" data-bs-slide="next">
                <span class="carousel-control-next-icon" aria-
hidden="true"></span>
                <span class="visually-hidden">Next</span>
            </button>
        </div>
    </div>
</div>

<div class="content">
    <div class="contentlinks">
        <div class="row">
            <div class="col-lg-3 col-md-6 col-sm-6 col-6 mycoll1">
                <button id="dynamicButton" class="btn btn-primary">Click
ME</button>
            </div>
        </div>
        <script>
            $(document).ready(function () {
                $(window).on('resize', function () {
                    const windowWidth = $(window).width();

```

```

        const buttonSize = windowWidth / 10; // Adjust this factor as
needed
        $('#dynamicButton').css('font-size', buttonSize + 'px');
    });
    </script>
    <div class="col-lg-3 col-md-6 col-sm-6 col-6 mycol2">
        <button id="popoverButton" type="button" class="btn btn-
secondary" data-bs-container="body" data-bs-toggle="popover" title="Dynamic
Popover" data-bs-content="This is a dynamic popover."></button>
    </div>
    <script>
        $(document).ready(function () {
            $(window).on('resize', function () {
                const windowWidth = $(window).width();
                const popoverSize = windowWidth / 20; // Adjust this factor
as needed
                $('#popoverButton').data('bs.popover').config.customClass =
'custom-popover';
                $('#popoverButton').css('font-size', popoverSize + 'px');
                $('#popoverButton').popover('show');
            });
        });
    </script>
    <div class="col-lg-3 col-md-6 col-sm-6 col-6 mycol3">
        <div class="progress">
            <div class="progress-bar progress-bar-striped progress-bar-
animated" style="width: 100%"></div>
        </div>
        <div class="col-lg-3 col-md-6 col-sm-6 col-6 mycol4">
            <div class="spinner-border text-primary" role="status">
                <span class="visually-hidden">Loading...</span>
            </div>
        </div>
    </div>
    <div class="contentrechts">
        <div class="accordion" id="accordionExample">
            <div class="accordion-item">
                <h2 class="accordion-header">
                    <button class="accordion-button" type="button" data-bs-
toggle="collapse" data-bs-target="#collapseOne" aria-expanded="true" aria-
controls="collapseOne">
                        Accordion Item #1
                    </button>
                </h2>
                <div id="collapseOne" class="accordion-collapse collapse show"
data-bs-parent="#accordionExample">
                    <div class="accordion-body">
                        <strong>This is the first item's accordion body.</strong>
It is shown by default, until the collapse plugin adds the appropriate
classes that we use to style each element. These classes control the
overall appearance, as well as the showing and hiding via CSS transitions.
You can modify any of this with custom CSS or overriding our default
variables. It's also worth noting that just about any HTML can go within
the <code>.accordion-body</code>, though the transition does limit
overflow.
                    </div>
                </div>
            </div>
            <div class="accordion-item">
                <h2 class="accordion-header">

```

```

        <button class="accordion-button collapsed" type="button"
data-bs-toggle="collapse" data-bs-target="#collapseTwo" aria-
expanded="false" aria-controls="collapseTwo">
        Accordion Item #2
    </button>
</h2>
    <div id="collapseTwo" class="accordion-collapse collapse" data-
bs-parent="#accordionExample">
        <div class="accordion-body">
            <strong>This is the second item's accordion body.</strong>
It is hidden by default, until the collapse plugin adds the appropriate
classes that we use to style each element. These classes control the
overall appearance, as well as the showing and hiding via CSS transitions.
You can modify any of this with custom CSS or overriding our default
variables. It's also worth noting that just about any HTML can go within
the <code>.accordion-body</code>, though the transition does limit
overflow.

        </div>
    </div>
</div>
    <div class="accordion-item">
        <h2 class="accordion-header">
            <button class="accordion-button collapsed" type="button"
data-bs-toggle="collapse" data-bs-target="#collapseThree" aria-
expanded="false" aria-controls="collapseThree">
            Accordion Item #3
        </button>
        </h2>
        <div id="collapseThree" class="accordion-collapse collapse"
data-bs-parent="#accordionExample">
            <div class="accordion-body">
                <strong>This is the third item's accordion body.</strong>
It is hidden by default, until the collapse plugin adds the appropriate
classes that we use to style each element. These classes control the
overall appearance, as well as the showing and hiding via CSS transitions.
You can modify any of this with custom CSS or overriding our default
variables. It's also worth noting that just about any HTML can go within
the <code>.accordion-body</code>, though the transition does limit
overflow.

            </div>
        </div>
    </div>
</div>
<!-- javascript/jquery -->
<script src="bootstrap.bundle.min.js"></script>

<!-- jQuery -->
<script src="jquery-3.6.0.min.js"></script>

<!-- Alert when pressed on menu -->
<script>
    $(document).ready(function(){
        $(".mynav-mobil").click(function(){
            alert("Menü");
        });
    });
</script>
</body>
</html>

```

CSS Code

```
/* Meine CSS-Formate */

.headernav {
  width: 1000px;
  height: 80px;
  background-color: lightblue;
  margin: 0 auto 10px;
}

.navwrapper {
  width: 1000px;
  height: 40px;
  margin: 0 auto;
  background-color: #9eed00;
}

.mainmenu {
  font-family: sans-serif;
  list-style-type: none;
  display: flex;
  line-height: 40px;
  width: 100%;
}

.mainmenu li {
  margin-right: 25px;
  flex: auto;
}

.mainmenu li a {
  text-decoration: none;
  color: black;
}

.mainmenu li a:hover {
  color: black;
  border-bottom: solid 3px red;
}

.slider {
  width: 1000px;
  height: 400px;
  background-color: #cccccc;
  margin: 15px auto 0;
}

.content {
  width: 1000px;
  margin: 0 auto;
  display: flex;
}

.contentlinks {
  width: 680px;
}

.contentrechts {
  width: 320px;
  padding: 20px 0 20px 20px;
}
```

```
}

.accordion-button:not(.collapsed) {
  background-color: #9eed00;
}

.bg-body-tertiary {
  background-color: #9eed00;
}

.mynav ul {
  list-style-type: none;
  display: flex;
  width: 100%;
  line-height: 80px;
}

.mynav ul li {
  flex: auto;
}

.mynav-mobil {
  list-style-type: none;
  display: none;
  width: 100%;
  line-height: 80px;
}

.spinner-border.text-primary {
  border: 4px solid lightblue;
}

@media (max-width: 576px) {
  .mycol2, .mycol4 {
    display: none;
  }
  .accordion {
    display: none;
  }
}

@media (max-width: 992px) {
  .accordion {
    display: none;
  }
}

@media (max-width: 1000px) {
  .nav {
    display: none;
  }
  .slider {
    display: none;
  }
  .mynav {
    display: none;
  }
  .mynav-mobil {
    display: block;
  }
}
```



[Startseite](#)[Über uns](#)[Mitarbeiter](#)[Kontakt](#)

Navbar

Home


Link

Dropdown ▾

Disabled

Search

Search




[Click ME](#)

Accordion Item #1

This is the first item's accordion body. It is shown by default, until the collapse plugin adds the appropriate classes that we use to style each element. These classes control the overall appearance, as well as the showing and hiding via CSS transitions. You can modify any of this with custom CSS or overriding our default variables. It's also worth noting that just about any HTML can go within the





- Menü

Click ME

