



Onefootball

SCALING EDGE OPERATIONS AT ONEFOOTBALL WITH AMBASSADOR

From 0 to 6000 rps

Rodrigo Del Monte

SRE @ Onefootball

- +10 years as System Administrator mainly open-source.
- 7 years AWS solutions
- +2 years in a serious relationship with K8s.



Jonathan Beber

SRE @ Onefootball


- 6 years AWS solutions
- 6 years working with cloud and containers
- 🐙 @jonathanbeber



**WE TELL
THE WORLD'S
FOOTBALL
STORIES**




**Founded
2008**



+10M
Monthly Active Users



+180
Employees



Kubernetes

On EC2

+50

Microservices

Ambassador

API Gateway

CDN

Images & Content

Elasticache

Redis

Aurora

RDS

The background of the image shows a large, dark stadium filled with rows of empty blue seats, creating a sense of anticipation or emptiness.

POST
WORLD CUP
2018

Smooth World Cup

/ EC2 to Kubernetes

- +350 instances

/ +40 microservices

/ Cloud native environment

- Grafana
- Helm
- Prometheus



World Cup Hangover effect

- / 1 ELB per service
- / Multiple DNS entries
- / Multiple CDN configs
- / Lack of visibility
- / Product looking forward to new features




Finding an Ingress solution

- / Kubernetes native
- / Envoy: more than a HTTP router
- / ~~External datastore~~
- / Batteries included



Ambassador



envoy



kubernetes

THE IMMIGRATION PROCESS



How?

- / Production traffic
- / Downtime is not a option
- / +80 migrations to run
- / Multiples DNS entries
 - Extensive configuration
 - Error prone



Helm charts ❤️ Route53

/ Own helm chart repository

- Config artifact
- Application artifact



/ Weighted records on Route53

/ GitOps operation



Few steps

1. Deploy ambassador mapping;
2. Test mapping;
3. Start send traffic;
4. Monitor and release until 100%

/ New API domain
/ Single point of configuration

```
1 apiVersion: v1
2 kind: Service
3 metadata:-
4 ...
5 annotations:-
6 getambassador.io/config: |-
7 -----
8   apiVersion: ambassador/v0
9   kind: Mapping
10  name: {{ .Chart.Name }}-api
11  host: "^(match-(facts)?\\.onefootball\\.com$)"
12  host_regex: true
13  ambassador_id: public
14  prefix: /-
15  service: {{ .Chart.Name }}.{{ .Chart.Name }}-
16  -----
17  apiVersion: ambassador/v0
18  kind: Mapping
19  name: {{ .Chart.Name }}-api-
20  host: api.onefootball.com-
21  ambassador_id: public
22  prefix: /{{ .Chart.Name }}/-
23  service: {{ .Chart.Name }}.{{ .Chart.Name }}-
```

Metrics everywhere

/ Multiple attention points

- Grafana
- CloudWatch
- APM





Ambassador metrics

/ Built-in feature

/ Cloud Native

/ Easy insights

- Requests
- Errors
- Delay



New features release

/ Tests in production

- When unit test aren't enough

/ Canary release hard coded

/ Target content



Gradual releases

Shadowing

```
getambassador.io/config: |-
  -----
  1 apiVersion: ambassador/v0-
  2   kind: Mapping-
  3   name: ml-entity-
  4   host: ml-entity.of.com-
  5   prefix: /-
  6   service: ml-entity.ml-entity-
  7   -----
  8   apiVersion: ambassador/v0-
  9   kind: Mapping-
 10   name: ml-entity-shadow-
 11   host: entity-extractor.of.com-
 12   prefix: /-
 13   service: ml-entity.ml-entity-
 14   shadow: true-
```

Routing

```
getambassador.io/config: |-
  -----
  1   apiVersion: ambassador/v0-
  2   kind: Mapping-
  3   name: news-api-green-
  4   ambassador_id: public-
  5   prefix: "/news/v3/(nl|ru)/me"->
  6   prefix_regex: true-
  7   rewrite: ""-
  8   service: news-green.news-
  9   -----
 10   apiVersion: ambassador/v0-
 11   kind: Mapping-
 12   name: news-api-
 13   ambassador_id: public-
 14   prefix: /news/->
 15   service: news.news-
```

The background is a dark, grainy photograph of a city at night. The lights from buildings and street lamps are blurred into streaks of light, creating a sense of motion and depth. A lone figure is walking away from the camera on a path or road. The overall mood is mysterious and futuristic.


THE
FUTURE


The Future

- / Communication between applications
- / Mutual TLS
- / Distributed tracing



The Ambassador Control Plane





Ambassador ❤️ Zepkin

- / Native integration
- / Support for Zipkin-compatible APIs



```
1  ----  
2  apiVersion: ambassador/v1  
3  kind: TracingService  
4  name: tracing  
5  service: "example-zipkin:9411"  
6  driver: zipkin  
7  config: {}  
8  tag_headers:  
9    - ":authority"  
10   - ":path"
```





Onefootball

THANK YOU!

Rodrigo Del Monte
linkedin.com/in/rodrigodelmonte

Jonathan Beber
linkedin.com/in/jonathanbeber