Supplementary Material for Asymmetry paper

Contents

1 Power Analysis

Our power analysis made use of simulations and resampling approaches based on data that we previously collected. Resampling was carried out in order to establish if adding more pariticipants to our sample sizes would have lead to a reduction in uncertainty around our estimates.

1.1 Experiment 1: Two Hoop Sizes

We started by fitting a a beta distribution to the *Throwing Experiment* data from Clarke and Hunt (2016) using the `fitdistrplus` package, as illustrated in Figure 1 (left panel). The fit with the empirical data is reasonable, although we under-estimate the frequency of standing positions ~ 0.

We then investigated how well we could detect various effects (i.e., increases in the mean from $\mu = 0$ to $\mu = 0.01$), and how this varied based on the sample size.

We altered the mean value but kept the variance the same to simulate participants shifting in one direction or the other. As can be seen in the figure below, we tested $X \in \{5\%, 10\%, 15\%, 20\%\}$ which were indicative of participants standing $X\%$ closer to the smaller hoop. These distributions were sampled from 5000 times by simulating $N = 3 \dots 24$ participants and 72 trials.

Figure 2 shows the uncertainty surrounding the mean estimate for the smallest difference tested (5%). After 15 participants, the uncertainty surrounding the estimate appears to plateau which demonstrates that the sample size of 21 was sufficient to detect the effect.

1.2 Experiment 2 and 3: Two Throws and Reward

As the hypothesis for both of these experiments was that out intervention would push participants towards being more optimal, we can use the same datasets to look at how uncertainty around the difference would change with varying sample sizes. For these experiments, comparison data was drawn from two unpublished studies; one in which the standard behaviour was observed, and one in which participants were closer to optimal in their performance.

The first dataset is comprised of 40 participants who took part in a version of the Clarke and Hunt (2016) *Throwing Task.* The second dataset is comprised of 60 participants who took part in a computerised version of this task. To compare these datasets, placement positions and standing positions were put on the same scale (0 being the centre and 1 being stood/placed next to the target). Only data for the easiest (smallest separataion of targets) and hard (furthest separation of targets) conditions were considered as these points offered more comparable base performance levels.

Figure 1: The left hand plot shows a histrogram for the empirical data from Clarke and Hunt (2016) with a line to show a beta distribution that had been fit to these data. The right hand plot shows how this distribution would change had the participants' mean position had been biased towards one of the side hoops to varying degrees.


Figure 2: This figure shows how the 95% HDI around the mean difference for the smallest difference simulated (5%) changed with a larger sample size

Experiment 3: Rewards

1.3 Experiment 4: Probability Matching

2 Probability matching

2.1 Introduction

2.2 Methods

```
# might need to do this another way since it'll be a png or something
```

2.3 Results

3 Session Info

```r
sessionInfo()
```

```
## R version 3.4.3 (2017-11-30)
## Platform: x86_64-w64-mingw32/x64 (64-bit)
## Running under: Windows 10 x64 (build 18362)
##
## Matrix products: default
##
## locale:
## [1] LC_COLLATE=English_United Kingdom.1252
```

```
## [2] LC_CTYPE=English_United Kingdom.1252
## [3] LC_MONETARY=English_United Kingdom.1252
## [4] LC_NUMERIC=C
## [5] LC_TIME=English_United Kingdom.1252
##
## attached base packages:
## [1] stats     graphics  grDevices utils     datasets  methods   base
##
## other attached packages:
##  [1] brms_2.1.0      Rcpp_1.0.1      forcats_0.4.0   stringr_1.4.0
##  [5] dplyr_0.8.3     purrr_0.3.3     readr_1.3.1     tidyr_1.0.0
##  [9] tibble_2.1.3    ggplot2_3.2.1   tidyverse_1.3.0 tidybayes_1.0.4
##
## loaded via a namespace (and not attached):
##   [1] colorspace_1.3-2         ggridges_0.5.1
##   [3] rsconnect_0.8.5          ggstance_0.3.1
##   [5] markdown_0.8             base64enc_0.1-3
##   [7] fs_1.3.1                 rstudioapi_0.10
##   [9] npsurv_0.4-0             rstan_2.16.2
##  [11] svUnit_0.7-12            DT_0.4
##  [13] mvtnorm_1.0-6            lubridate_1.7.4
##  [15] xml2_1.2.2               bridgesampling_0.4-0
##  [17] splines_3.4.3            lsei_1.2-0
##  [19] knitr_1.24               shinythemes_1.1.1
##  [21] zeallot_0.1.0            bayesplot_1.4.0
##  [23] jsonlite_1.6             broom_0.5.2
##  [25] dbplyr_1.4.2             shiny_1.0.5
##  [27] compiler_3.4.3           httr_1.4.1
##  [29] backports_1.1.1          assertthat_0.2.0
##  [31] Matrix_1.2-12            lazyeval_0.2.1
##  [33] cli_1.1.0                htmltools_0.3.6
##  [35] tools_3.4.3              igraph_1.1.2
##  [37] coda_0.19-1              gtable_0.2.0
##  [39] glue_1.3.0               reshape2_1.4.2
##  [41] cellranger_1.1.0         vctrs_0.2.0
##  [43] nlme_3.1-131             crosstalk_1.0.0
##  [45] insight_0.3.0            xfun_0.9
##  [47] rvest_0.3.5              mime_0.5
##  [49] miniUI_0.1.1             lifecycle_0.1.0
##  [51] gtools_3.5.0             MASS_7.3-47
##  [53] zoo_1.8-0                scales_1.0.0
##  [55] colourpicker_1.0         hms_0.5.2
##  [57] Brobdingnag_1.2-4        parallel_3.4.3
##  [59] inline_0.3.14            shinystan_2.4.0
##  [61] yaml_2.2.0               see_0.1.0
##  [63] gridExtra_2.3            loo_1.1.0
##  [65] StanHeaders_2.16.0-1     stringi_1.1.7
##  [67] highr_0.6                dygraphs_1.1.1.4
##  [69] rlang_0.4.2              pkgconfig_2.0.2
##  [71] matrixStats_0.52.2       HDInterval_0.2.0
##  [73] evaluate_0.14            lattice_0.20-35
##  [75] labeling_0.3             rstantools_1.4.0
##  [77] htmlwidgets_1.0          tidyselect_0.2.5
##  [79] plyr_1.8.4               magrittr_1.5
```

```
##  [81] bookdown_0.7            R6_2.2.2
##  [83] generics_0.0.2          DBI_1.0.0
##  [85] pillar_1.4.2            haven_2.2.0
##  [87] withr_2.1.2             fitdistrplus_1.0-14
##  [89] xts_0.10-1              survival_2.41-3
##  [91] abind_1.4-5             modelr_0.1.5
##  [93] crayon_1.3.4            arrayhelpers_1.0-20160527
##  [95] rmarkdown_1.15          grid_3.4.3
##  [97] readxl_1.3.1            threejs_0.3.1
##  [99] reprex_0.3.0            digest_0.6.12
## [101] xtable_1.8-2            httpuv_1.3.5
## [103] stats4_3.4.3            munsell_0.5.0
## [105] shinyjs_1.0
```