# **Department of Computer**

# **EngineeringAcademic**

Term: Jan-Apr 2022

Class: T.E Computer Sem -VII

**Subject:** System Programming and Compiler Construction

Practical No:	7
Title:	Intermediate Code Generation OR Code Generation Phase
Date of Performance:	11/04/2022
Date of Submission:	11/04/2022
Roll No:	8940
Name of the Student:	Warren Fernandes

### **Evaluation:**

Sr. No	Rubric	Grade
1	On time Completion & Submission (2)	
2	Output (3)	
3	Code Optimization (3)	
4	Knowledge of the topic (2)	
5	Total (10)	

# **Signature of the Teacher:**

#### **CODE**

```
#include<stdio.h>
#include<conio.h>
#include<string.h>
char op[2],arg1[5],arg2[5],result[5];
void main()
 FILE *fp1,*fp2;
 fp1=fopen("input.txt","r");
 fp2=fopen("output.txt","w");
 while(!feof(fp1))
 {
  fscanf(fp1,"%s%s%s%s",op,arg1,arg2,result);
  if(strcmp(op,"+")==0)
   fprintf(fp2,"\nMOV R0,%s",arg1);
   fprintf(fp2,"\nADD R0,%s",arg2);
   fprintf(fp2,"\nMOV %s,R0",result);
   if(strcmp(op,"*")==0)
   fprintf(fp2,"\nMOV R0,%s",arg1);
   fprintf(fp2,"\nMUL R0,%s",arg2);
   fprintf(fp2,"\nMOV %s,R0",result);
  if(strcmp(op,"-")==0)
   fprintf(fp2,"\nMOV R0,%s",arg1);
   fprintf(fp2,"\nSUB R0,%s",arg2);
   fprintf(fp2,"\nMOV %s,R0",result);
    if(strcmp(op,"/")==0)
   fprintf(fp2,"\nMOV R0,%s",arg1);
   fprintf(fp2,"\nDIV R0,%s",arg2);
   fprintf(fp2,"\nMOV %s,R0",result);
if(strcmp(op,"=")==0)
   fprintf(fp2,"\nMOV R0,%s",arg1);
   fprintf(fp2,"\nMOV %s,R0",result);
```

```
}
fclose(fp1);
fclose(fp2);
getch();
}
```

### **INPUT**

```
input - Notepad

File Edit View

+ a b t1
* c d t2
- t1 t2 t
= t ? x
```

### **OUTPUT**

```
File Edit View

MOV R0,a
ADD R0,b
MOV t1,R0
MOV R0,c
MUL R0,d
MOV t2,R0
MOV R0,t1
SUB R0,t2
MOV t,R0
MOV R0,t
MOV R0,t
MOV R0,t
MOV R0,t
MOV R0,t
```