

schema_nm	table_nm	obj_typ	ord	is_key
sneaker_store	brand	TBL		1 PK
sneaker_store	brand	TBL		2
sneaker_store	customers	TBL		1
sneaker_store	customers	TBL		2
sneaker_store	customers	TBL		3
sneaker_store	customers	TBL		4
sneaker_store	customers	TBL		5
sneaker_store	customers	TBL		6
sneaker_store	customers	TBL		7
sneaker_store	customers	TBL		8
sneaker_store	online_order	TBL		1 PK
sneaker_store	online_order	TBL		2
sneaker_store	online_order	TBL		3
sneaker_store	order	TBL		1 PK
sneaker_store	order	TBL		2 FK
sneaker_store	order	TBL		3
sneaker_store	order	TBL		4
sneaker_store	order	TBL		5
sneaker_store	order	TBL		6
sneaker_store	order	TBL		7
sneaker_store	order	TBL		8
sneaker_store	order	TBL		9
sneaker_store	order	TBL		10
sneaker_store	order	TBL		11
sneaker_store	order	TBL		12
sneaker_store	order	TBL		13
sneaker_store	order	TBL		14
sneaker_store	order	TBL		15
sneaker_store	order	TBL		16
sneaker_store	order	TBL		17
sneaker_store	shoes	TBL		1 PK
sneaker_store	shoes	TBL		2
sneaker_store	shoes	TBL		3
sneaker_store	shoes	TBL		4
sneaker_store	shoes	TBL		5
sneaker_store	shoes	TBL		6
sneaker_store	shoes	TBL		7
sneaker_store	shopping_cart	TBL		1 PK
sneaker_store	shopping_cart	TBL		2 FK
sneaker_store	shopping_cart	TBL		3
sneaker_store	shopping_cart	TBL		4
sneaker_store	shopping_cart	TBL		5
sneaker_store	shopping_cart	TBL		6

sneaker_store	shopping_cart	TBL	7
sneaker_store	shopping_cart	TBL	8
sneaker_store	shopping_cart	TBL	9
sneaker_store	shopping_cart	TBL	10
sneaker_store	shopping_cart	TBL	11
sneaker_store	shopping_cart	TBL	12
sneaker_store	user	TBL	1
sneaker_store	user	TBL	1 PK
sneaker_store	user	TBL	1 PK
sneaker_store	user	TBL	2
sneaker_store	user	TBL	2
sneaker_store	user	TBL	2
sneaker_store	user	TBL	3
sneaker_store	user	TBL	3
sneaker_store	user	TBL	3
sneaker_store	user	TBL	4
sneaker_store	user	TBL	4
sneaker_store	user	TBL	4
sneaker_store	user	TBL	5
sneaker_store	user	TBL	5
sneaker_store	user	TBL	5
sneaker_store	user	TBL	6
sneaker_store	user	TBL	6
sneaker_store	user	TBL	6
sneaker_store	user	TBL	7
sneaker_store	user	TBL	7
sneaker_store	user	TBL	7
sneaker_store	user	TBL	8
sneaker_store	user	TBL	8
sneaker_store	user	TBL	8
sneaker_store	user	TBL	9
sneaker_store	user	TBL	9
sneaker_store	user	TBL	9
sneaker_store	user	TBL	10
sneaker_store	user	TBL	10
sneaker_store	user	TBL	11
sneaker_store	user	TBL	11
sneaker_store	user	TBL	12
sneaker_store	user	TBL	12
sneaker_store	user	TBL	13
sneaker_store	user	TBL	13
sneaker_store	user	TBL	14
sneaker_store	user	TBL	15
sneaker_store	user	TBL	16

sneaker_store	user	TBL	17
sneaker_store	user	TBL	18
sneaker_store	user	TBL	19
sneaker_store	user	TBL	20
sneaker_store	user	TBL	21
sneaker_store	user	TBL	22
sneaker_store	user	TBL	23
sneaker_store	user	TBL	24
sneaker_store	user	TBL	25
sneaker_store	user	TBL	26
sneaker_store	user	TBL	27
sneaker_store	user	TBL	28
sneaker_store	user	TBL	29
sneaker_store	user	TBL	30
sneaker_store	user	TBL	31
sneaker_store	user	TBL	32
sneaker_store	user	TBL	33
sneaker_store	user	TBL	34
sneaker_store	user	TBL	35
sneaker_store	user	TBL	36
sneaker_store	user	TBL	37
sneaker_store	user	TBL	38
sneaker_store	user	TBL	39
sneaker_store	user	TBL	40
sneaker_store	user	TBL	41
sneaker_store	user	TBL	42
sneaker_store	user	TBL	43
sneaker_store	user	TBL	44
sneaker_store	user	TBL	45
sneaker_store	user	TBL	46
sneaker_store	user	TBL	47
sneaker_store	user	TBL	48
sneaker_store	user	TBL	49
sneaker_store	user	TBL	50
sneaker_store	user	TBL	51

column_nm	data_type	nullable	column_describe
brand_id	int(10)	NOT NULL	To track brands
brand_name	varchar(45)	NULL	Brand name
cust_id	int(10)	NOT NULL	Tracks customer ids
order_id	varchar(45)	NULL	Tracks order ids, Primary Key
First_Name	varchar(45)	NULL	To track customer first name
Last_Name	varchar(45)	NULL	Customer Last name
Address	varchar(45)	NULL	Customer Address
City	varchar(45)	NULL	Customer City
State	varchar(45)	NULL	Customer State
Zip	int(10)	NULL	Customer Zip
order_id	int(10)	NOT NULL	Sneaker store order ID for placed order
customer_id	varchar(45)	NULL	Sneaker store customer ID for placed c
order_date	datetime(8)	NULL	Order ID
id	bigint(19)	NOT NULL	
userId	bigint(19)	NULL	Order User ID
status	smallint(5)	NOT NULL	Order Status
total	float(12)	NOT NULL	Order total
shipping	float(12)	NOT NULL	Order shipping
promo	varchar(50)	NULL	Promo for Order
discount	float(12)	NOT NULL	Discount on Order
firstName	varchar(50)	NULL	Order First Name
middleName	varchar(50)	NULL	Order Middle Name
lastName	varchar(50)	NULL	Order Last Name
mobile	varchar(15)	NULL	Mobile number for Order
email	varchar(50)	NULL	Email
city	varchar(50)	NULL	city of customer
country	varchar(50)	NULL	country of customer
createdAt	datetime(8)	NOT NULL	createdAt of customer
updatedAt	datetime(8)	NULL	updatedAt of customer
content	text(65535)	NULL	content of customer
Shoe_id	int(10)	NOT NULL	Shoe_id of customer
Color	varchar(45)	NULL	Color of customer
Brand	varchar(45)	NULL	Brand of customer
brandID	varchar(45)	NULL	brandID of customer
Shoe_Name	varchar(45)	NULL	Shoe_Name of customer
list_price	varchar(45)	NULL	list_price of customer
size	int(10)	NULL	size of customer
id	bigint(19)	NOT NULL	id of customer
userId	bigint(19)	NULL	userId of customer
firstName	varchar(50)	NULL	firstName of customer
middleName	varchar(50)	NULL	middleName of customer
lastName	varchar(50)	NULL	lastName of customer
mobile	varchar(15)	NULL	mobile of customer

email	varchar(50)	NULL	email of customer
city	varchar(50)	NULL	city of customer
country	varchar(50)	NULL	country of customer
createdAt	datetime(8)	NOT NULL	createdAt of customer
updatedAt	datetime(8)	NULL	updatedAt of customer
content	text(65535)	NULL	content of customer
Host	char(255)	NOT NULL	Host of customer
id	bigint(19)	NOT NULL	id of customer
id	bigint(19)	NOT NULL	id of customer
User	char(32)	NOT NULL	User of customer
firstName	varchar(25)	NULL	firstName of customer
firstName	varchar(50)	NULL	firstName of customer
Select_priv	enum(1)	NOT NULL	Select_priv of customer
middleName	varchar(10)	NULL	middleName of customer
middleName	varchar(50)	NULL	middleName of customer
Insert_priv	enum(1)	NOT NULL	Insert_priv of customer
lastName	varchar(25)	NULL	lastName of customer
lastName	varchar(50)	NULL	lastName of customer
Update_priv	enum(1)	NOT NULL	Update_priv of customer
mobile	varchar(15)	NULL	mobile of customer
mobile	varchar(15)	NULL	mobile of customer
Delete_priv	enum(1)	NOT NULL	Delete_priv of customer
email	varchar(50)	NULL	email of customer
email	varchar(50)	NULL	email of customer
Create_priv	enum(1)	NOT NULL	Create_priv of customer
passwordHash	varchar(32)	NOT NULL	passwordHash of customer
passwordHash	varchar(32)	NOT NULL	passwordHash of customer
Drop_priv	enum(1)	NOT NULL	Drop_priv of customer
registeredAt	datetime(8)	NOT NULL	registeredAt of customer
admin	tinyint(3)	NOT NULL	admin of customer
Reload_priv	enum(1)	NOT NULL	Reload_priv of customer
lastLogin	datetime(8)	NULL	lastLogin of customer
vendor	tinyint(3)	NOT NULL	vendor of customer
Shutdown_priv	enum(1)	NOT NULL	Shutdown_priv of customer
registeredAt	datetime(8)	NOT NULL	registeredAt of customer
Process_priv	enum(1)	NOT NULL	Process_priv of customer
lastLogin	datetime(8)	NULL	lastLogin of customer
File_priv	enum(1)	NOT NULL	File_priv of customer
intro	tinytext(255)	NULL	intro of customer
Grant_priv	enum(1)	NOT NULL	Grant_priv of customer
profile	text(65535)	NULL	profile of customer
References_priv	enum(1)	NOT NULL	References_priv of customer
Index_priv	enum(1)	NOT NULL	Index_priv of customer
Alter_priv	enum(1)	NOT NULL	Alter_priv of customer

Show_db_priv	enum(1)	NOT NULL	Show_db_priv of customer
Super_priv	enum(1)	NOT NULL	Super_priv of customer
Create_tmp_table_priv	enum(1)	NOT NULL	Create_tmp_table_priv of customer
Lock_tables_priv	enum(1)	NOT NULL	Lock_tables_priv of customer
Execute_priv	enum(1)	NOT NULL	Execute_priv of customer
Repl_slave_priv	enum(1)	NOT NULL	NULL
Repl_client_priv	enum(1)	NOT NULL	NULL
Create_view_priv	enum(1)	NOT NULL	NULL
Show_view_priv	enum(1)	NOT NULL	NULL
Create_routine_priv	enum(1)	NOT NULL	NULL
Alter_routine_priv	enum(1)	NOT NULL	NULL
Create_user_priv	enum(1)	NOT NULL	NULL
Event_priv	enum(1)	NOT NULL	NULL
Trigger_priv	enum(1)	NOT NULL	NULL
Create_tablespace_priv	enum(1)	NOT NULL	NULL
ssl_type	enum(9)	NOT NULL	NULL
ssl_cipher	blob(65535)	NOT NULL	NULL
x509_issuer	blob(65535)	NOT NULL	NULL
x509_subject	blob(65535)	NOT NULL	NULL
max_questions	int(10)	NOT NULL	NULL
max_updates	int(10)	NOT NULL	NULL
max_connections	int(10)	NOT NULL	NULL
max_user_connections	int(10)	NOT NULL	NULL
plugin	char(64)	NOT NULL	NULL
authentication_string	text(65535)	NULL	NULL
password_expired	enum(1)	NOT NULL	NULL
password_last_changed	timestamp(4)	NULL	NULL
password_lifetime	smallint(5)	NULL	NULL
account_locked	enum(1)	NOT NULL	NULL
Create_role_priv	enum(1)	NOT NULL	NULL
Drop_role_priv	enum(1)	NOT NULL	NULL
Password_reuse_history	smallint(5)	NULL	NULL
Password_reuse_time	smallint(5)	NULL	NULL
Password_require_current	enum(1)	NULL	NULL
User_attributes	json	NULL	NULL

r
order