

Changelog for GPW WATS 3.03 Streaming Messages.

Date: 25.03.2024 | Version: GPW0.62

Contents

1. Disclaimer	4	5.23. IndexPortfolioEntryMsg.....	23
2. Preface.....	5	5.24. IndexPublicationScheduleEnum.....	23
2.1. Target Audience.....	5	5.25. IndexSummaryMsg.....	24
2.2. Document's Purpose	5	5.26. IndexTypeEnum.....	25
2.3. Associated Documents.....	5	5.27. IndexationTableEntryMsg	25
3. Document History.....	6	5.28. InstrumentMsg	26
4. Messages On Topic	7	5.29. InstrumentStatusChangeMsg	28
5. Message Structures.....	9	5.30. InstrumentStatusEnum.....	28
5.1. AccruedInterestTableMsg	9	5.31. InstrumentSummaryMsg	29
5.2. AdjustedClosingPriceReasonEnum.....	9	5.32. MarketEnum.....	30
5.3. AuctionSummaryMsg	10	5.33. MarketModelTypeEnum.....	30
5.4. AuctionTypeEnum.....	10	5.34. MarketStructureMsg.....	31
5.5. AuctionUpdateMsg.....	11	5.35. MmtAgencyCrossTradeIndicatorEnum	31
5.6. CalendarExceptionMsg	12	5.36. MmtAlgorithmicIndicatorEnum.....	32
5.7. CalendarExceptionTypeEnum.....	12	5.37. MmtBenchmarkReferencePriceIndicatorE	32
5.8. ChangeIndicatorEnum.....	13	5.38. MmtMarketMechanismEnum.....	33
5.9. ClosingPriceTypeEnum.....	13	5.39. MmtModificationIndicatorEnum.....	33
5.10. CollarGroupMsg	14	5.40. MmtNegotitationIndicatorEnum	34
5.11. CollarModeEnum.....	14	5.41. MmtOffBookAutomatedIndicatorEnum	34
5.12. CollarTableEntryMsg.....	15	5.42. MmtOrdinaryTradeIndicatorEnum	35
5.13. CollarTypeEnum	15	5.43. MmtPostTradeDeferralReasonEnum.....	35
5.14. CountryEnum.....	16	5.44. MmtPostTradeDeferralTypeEnum.....	36
5.15. CouponTypeEnum	17	5.45. MmtSpecialDividendIndicatorEnum.....	36
5.16. CurrencyEnum.....	17	5.46. MmtTradingModeEnum	37
5.17. EndOfTechnicalSessionMsg.....	20	5.47. MmtTransationCategoryEnum	37
5.18. ExerciceTypeEnum	20	5.48. NewsMsg.....	38
5.19. ExpressionTypeEnum	21	5.49. NominalValueTypeEnum	38
5.20. HeaderMsg	21	5.50. OptionTypeEnum.....	39
5.21. IndexLevelCodeEnum.....	21	5.51. OrderAddMsg.....	39
5.22. IndexParamsMsg	22	5.52. OrderBookEventMsg.....	40
		5.53. OrderBookEventTypeEnum	40
		5.54. OrderCollarsMsg.....	41
		5.55. OrderDeleteMsg	41
		5.56. OrderExecuteMsg.....	42

5.57.	OrderModifyMsg	42
5.58.	OrderSideEnum	43
5.59.	PriceExpressionTypeEnum.....	43
5.60.	PriceLevelMsg	43
5.61.	PriceLevelSnapshotMsg	44
5.62.	PriceTypeEnum	44
5.63.	PriceUpdateMsg	45
5.64.	PriorityFlagEnum	45
5.65.	ProductIdentificationTypeEnum	46
5.66.	ProductTypeEnum	46
5.67.	PublicProductIdentificationMsg	47
5.68.	QuotationSystemEnum.....	47
5.69.	RealTimeIndexMsg	48
5.70.	SessionSummaryMsg	48
5.71.	SettlementTypeEnum	51
5.72.	StartOfTechnicalSessionMsg	51
5.73.	TickTableEntryMsg	52
5.74.	TradeCollarsMsg	52
5.75.	TradeMsg	53
5.76.	TradingPhaseScheduleEntryMsg	54
5.77.	TradingPhaseTypeEnum.....	55
5.78.	UsIndicatorEnum	56
5.79.	WeekPlanMsg	57

1. DISCLAIMER

This document is for information purposes only and does not form any part of contractual documentation.

Reasonable care has been taken to ensure details contained within are accurate and not misleading at the time of publication. Warsaw Stock Exchange is not responsible for any errors or omissions contained in this document.

Warsaw Stock Exchange reserves the right to treat information contained in this document subject to later change without prior notice.

This document contains confidential information to Warsaw Stock Exchange and may not be reproduced, disclosed, or used in whole or part, in any manner, without prior written consent from the owner of this document. Information included in this document shall be maintained and exercised with adequate security measures necessary to protect confidential information from unauthorized access or disclosure.

In case of sections of documentation at a **High** level work progress according to the current version of *GPW WATS Advancement of Documentation*, Warsaw Stock Exchange will endeavor to limit changes to these sections of documents to those related to:

1. correcting errors in the documentation or in the software;
2. clarification of the documentation content or removing ambiguity;
3. implementation of approved change requests or;
4. regulatory changes.

2. PREFACE

This section describes the basic information about GPW WATS Streaming Messages for IDDS. You can learn about the target audience, the document purpose and all the necessary documents you should read in relation to this Specification.

2.1. TARGET AUDIENCE

This document is dedicated to entities, such as Independent Software Vendors who produce software integrated with GPW.

2.2. DOCUMENT'S PURPOSE

This document presents all adjustments that has been made in the newest release. The document is always compared with its previous version. Comparison of format changes is not included for readability purposes.

2.3. ASSOCIATED DOCUMENTS

Please check the following documents to learn more about IDDS:

- GPW WATS 3.02 Internet Data Distribution System
- GPW WATS 3.04 Rest API Messages for IDDS

3. DOCUMENT HISTORY

Version	Date	Description
0.61	29.02.2024	Initial publication of the document.
0.62	25.03.2024	New enums for TradeMsg added: • MmtAgencyCrossTradeIndicatorEnum • MmtAlgorithmicIndicatorEnum • MmtBenchmarkReferencePriceIndicatorEnum • MmtMarketMechanismEnum • MmtModificationIndicatorEnum • MmtNegotitationIndicatorEnum • MmtOffBookAutomatedIndicatorEnum • MmtOrdinaryTradeIndicatorEnum • MmtPostTradeDeferralReasonEnum • MmtPostTradeDeferralTypeEnum • MmtSpecialDividendIndicatorEnum • MmtTradingModeEnum • MmtTransationCategoryEnum

4. MESSAGES ON TOPIC

Topics [fd_refdata, fd_refdata_nextsession] contains messages:

- WeekPlanMsg
- MarketStructureMsg
- InstrumentMsg
- CalendarExceptionMsg
- TickTableEntryMsg
- TradingPhaseScheduleEntryMsg
- CollarTableEntryMsg
- AccruedInterestTableMsg
- CollarGroupMsg
- IndexPortfolioEntryMsg
- IndexParamsMsg
- IndexationTableEntryMsg

Topics [fd_bonds, fd_derivatives, fd_equities, fd_indexes, fd_structures] contains messages:

- AuctionUpdateMsg
- AuctionSummaryMsg
- OrderAddMsg
- OrderDeleteMsg
- OrderModifyMsg
- OrderBookEventMsg
- OrderExecuteMsg
- InstrumentStatusChangeMsg
- PriceUpdateMsg
- OrderCollarsMsg
- TradeCollarsMsg
- NewsMsg
- TradeMsg
- InstrumentSummaryMsg
- SessionSummaryMsg
- RealTimeIndexMsg
- IndexSummaryMsg
- StartOfTechnicalSessionMsg
- EndOfTechnicalSessionMsg

Topics [bbo_bonds, bbo_derivatives, bbo_equities, bbo_indexes, bbo_structures, bbo_bonds_delayed, bbo_derivatives_delayed, bbo_equities_delayed, bbo_indexes_delayed, bbo_structures_delayed] contains messages:

- TradeMsg
- PriceLevelSnapshotMsg
- AuctionUpdateMsg
- AuctionSummaryMsg
- TradeCollarsMsg
- OrderCollarsMsg

- InstrumentSummaryMsg
- InstrumentStatusChangeMsg
- StartOfTechnicalSessionMsg
- EndOfTechnicalSessionMsg

Topic [avro_schema] contains message:

- avro schema in json

5. MESSAGE STRUCTURES

5.1. ACCRUEDINTERESTTABLEMSG

Message describes an accrued interest table entry.

namespace

pl.gpw.idds.messages

Type	Field	Description
long	accruedInterestTableEntryDate	Accrued interest table entry date.
null string	accruedInterestTableEntryValue	Accrued interest table entry value.
null HeaderMsg	header	Message header.
long	productId	Product ID.

5.2. ADJUSTEDCLOSINGPRICEREASONENUM

Adjusted Closing Price Reason.

namespace

pl.gpw.idds.messages

Symbols:

- REGULAR
- DIVIDEND
- ISSUERIGHT
- SPLIT

- REVERSESPLIT
- BONUS
- SPINOFF
- TICKTABLECHANGE
- MULTIPLECA
- UNKNOWN

5.3. AUCTIONSUMMARYMSG

Message is disseminated at the end of an auction after uncrossing. It contains the final Auction summary, including auction price and quantity. ~~The type of auction is specified by auctionType.~~

namespace

pl.gpw.idds.messages

Type	Field	Description
null AuctionTypeEnum	auctionType	Type of auction.
null HeaderMsg	header	Message header.
long	instrumentId	ID of financial instrument.
null string	price	Auction price (final auction price).
null string	quantity	Auction quantity (final auction volume).

5.4. AUCTIONTYPEENUM

Type of auction.

namespace

pl.gpw.idds.messages

Symbols:

- NOTAPPLICABLE
- OPENINGAUCTION
- CLOSINGAUCTION
- INTRADAYAUCTION
- VOLATILITYAUCTIONSTATIC
- VOLATILITYAUCTIONDYNAMIC
- EXTENDEDVOLATILITYAUCTIONSTATIC
- EXTENDEDVOLATILITYAUCTIONDYNAMIC
- UNSUSPENSIONAUCTION
- ~~UNKNOWN~~

5.5. AUCTIONUPDATEMSG

This message updates IMP/IMV and BBO during an auction.

namespace

pl.gpw.idds.messages

Type	Field	Description
null string	bestBuyLevel	Best buy price level (1st BBO level).
null string	bestBuyLevelQuantity	Quantity at the best buy price level.
null string	bestSellLevel	Best sell price level (1st BBO level).
null string	bestSellLevelQuantity	Quantity at the best sell price level.
null HeaderMsg	header	Message header.
null string	indicativeMatchingPrice	Indicative Matching Price (IMP).
null string	indicativeMatchingVolume	Indicative Matching Volume (IMV).
long	instrumentId	ID of financial instrument.
null string	totalBuyQuantityAtImp	Total buy quantity at IMP.
null string	totalSellQuantityAtImp	Total sell quantity at IMP.

5.6. CALENDAREXCEPTIONMSG

Upcoming calendar day exception.

namespace

pl.gpw.idds.messages

Type	Field	Description
long	calendarExceptionDate	Calendar exception date.
null CalendarExceptionTypeEnum	calendarExceptionType	Calendar exception type.
long	calendarId	Calendar ID.
null HeaderMsg	header	Message header.

5.7. CALENDAREXCEPTIONTYPEENUM

Calendar exception type.

namespace

pl.gpw.idds.messages

Symbols:

- CLOSED
- OPEN
- UNKNOWN

5.8. CHANGEINDICATORENUM

~~Change Indicator.~~

Defines a value change indicator (e.g. market price).

namespace

pl.gpw.idds.messages

Symbols:

- INCREASE
- DECREASE
- NOCHANGE
- NOTAPPLICABLE
- ~~UNKNOWN~~

5.9. CLOSINGPRICETYPEENUM

Closing Price Type.

namespace

pl.gpw.idds.messages

Symbols:

- LTP
- LASTACP
- FAIRVALUE
- DAILYSETTLEMENTPRICE
- FINALSETTLEMENTPRICE

UNKNOWN

5.10. COLLARGROUPMSG

Message defines a collar group.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
long	id	Collar group ID.
long	orderDynamicCollarTableId	Order dynamic collarCollar table ID.
long	orderStaticCollarTableId	Order static collarCollar table ID.
long	tradeDynamicCollarTableId	Trade dynamic collarCollar table ID.
long	tradeStaticCollarTableId	Trade static collarCollar table ID.

5.11. COLLARMODEENUM

Collar mode (trade price collar or order price collar).

namespace

pl.gpw.idds.messages

Symbols

- TRADEPRICECOLLAR
- ORDERPRICECOLLAR

UNKNOWN

5.12. COLLARTABLEENTRYMSG

Collar table definition.

namespace

pl.gpw.idds.messages

Type	Field	Description
null ExpressionTypeEnum	collarExpression	Collar expression (percentage or absolute value in reference price).
null string	collarLowerAsk	Lower ask collar.
null string	collarLowerBid	Lower bid collar.
null string	collarLowerBound	Collar lower bound.
null CollarModeEnum	collarMode	Collar mode (trade price collar or order price collar).
long	collarTableId	Collar table ID.
null string	collarUpperAsk	Upper ask collar.
null string	collarUpperBid	Upper bid collar.
null string	collarValue	Collar value.
null HeaderMsg	header	Message header.

5.13. COLLARTYPEENUM

Collar type can be dynamic or static.

namespace

pl.gpw.idds.messages

Symbols:

- STATIC
- DYNAMIC
- ~~UNKNOWN~~

5.14. COUNTRYENUM

Country codes based on ISO 3166.

namespace

pl.gpw.idds.messages

Symbols:

- AUS - Australia
- AUT - Austria
- BEL - Belgium
- BGR - Bulgaria
- CAN - Canada
- CYP - Cyprus
- CZE - Czechia
- EST - Estonia
- FRA - France
- DEU - Germany
- HUN - Hungary
- IRL - Ireland
- ISR - Israel
- ITA - Italy
- LTU - Lithuania
- LUX - Luxembourg
- NLD - Netherlands (the)
- POL - Poland
- PRT - Portugal
- ROU - Romania
- SVK - Slovakia

- SVN - Slovenia
- ESP - Spain
- SWE - Sweden
- UKR - Ukraine
- GBR - United Kingdom of Great Britain and Northern Ireland (the)
- USA - United States of America (the)

5.15. COUPONTYPEENUM

A bond's coupon type.

namespace

pl.gpw.idds.messages

Symbols:

- NOTAPPLICABLE
- ZERO
- FIXED
- FLOATING
- INDEXED
- ~~UNKNOWN~~

5.16. CURRENCYENUM

Currency - ISO 4217 (2022/04/01) code (e.g. PLN).

namespace

pl.gpw.idds.messages

Symbols:

- ALL - Lek
- DZD - Algerian Dinar
- ARS - Argentine Peso
- AUD - Australian Dollar
- BSD - Bahamian Dollar
- BHD - Bahraini Dinar
- BDT - Taka
- AMD - Armenian Dram
- BBD - Barbados Dollar
- BMD - Bermudian Dollar
- BTN - Ngultrum
- BOB - Boliviano
- BWP - Pula
- BZD - Belize Dollar
- SBD - Solomon Islands Dollar
- BND - Brunei Dollar
- MMK - Kyat
- BIF - Burundi Franc
- KHR - Riel
- CAD - Canadian Dollar
- CVE - Cabo Verde Escudo
- KYD - Cayman Islands Dollar
- LKR - Sri Lanka Rupee
- CLP - Chilean Peso
- CNY - Yuan Renminbi
- COP - Colombian Peso
- KMF - Comorian Franc
- CRC - Costa Rican Colon
- HRK - Kuna
- CUP - Cuban Peso
- CZK - Czech Koruna
- DKK - Danish Krone
- DOP - Dominican Peso
- SVC - El Salvador Colon
- ETB - Ethiopian Birr
- ERN - Nakfa
- FKP - Falkland Islands Pound
- FJD - Fiji Dollar
- DJF - Djibouti Franc
- GMD - Dalasi
- GIP - Gibraltar Pound
- GTQ - Quetzal
- GNF - Guinean Franc
- GYD - Guyana Dollar
- HTG - Gourde
- HNL - Lempira
- HKD - Hong Kong Dollar
- HUF - Forint
- ISK - Iceland Krona
- INR - Indian Rupee
- IDR - Rupiah
- IRR - Iranian Rial
- IQD - Iraqi Dinar
- ILS - New Israeli Sheqel
- JMD - Jamaican Dollar
- JPY - Yen
- KZT - Tenge
- JOD - Jordanian Dinar
- KES - Kenyan Shilling
- KPW - North Korean Won
- KRW - Won
- KWD - Kuwaiti Dinar
- KGS - Som
- LAK - Lao Kip
- LBP - Lebanese Pound
- LSL - Loti
- LRD - Liberian Dollar
- LYD - Libyan Dinar
- MOP - Pataca
- MWK - Malawi Kwacha
- MYR - Malaysian Ringgit
- MVR - Rufiyaa
- MUR - Mauritius Rupee
- MXN - Mexican Peso
- MNT - Tugrik
- MDL - Moldovan Leu
- MAD - Moroccan Dirham
- OMR - Rial Omani
- NAD - Namibia Dollar
- NPR - Nepalese Rupee
- ANG - Netherlands Antillean Guilder
- AWG - Aruban Florin
- VUV - Vatu
- NZD - New Zealand Dollar
- NIO - Cordoba Oro
- NGN - Naira
- NOK - Norwegian Krone
- PKR - Pakistan Rupee
- PAB - Balboa
- PGK - Kina
- PYG - Guarani
- PEN - Sol
- PHP - Philippine Peso
- QAR - Qatari Rial

- RUB - Russian Ruble
- RWF - Rwanda Franc
- SHP - Saint Helena Pound
- SAR - Saudi Riyal
- SCR - Seychelles Rupee
- SGD - Singapore Dollar
- VND - Dong
- SOS - Somali Shilling
- ZAR - Rand
- SSP - South Sudanese Pound
- SZL - Lilangeni
- SEK - Swedish Krona
- CHF - Swiss Franc
- SYP - Syrian Pound
- THB - Baht
- TOP - Pa'anga
- TTD - Trinidad and Tobago Dollar
- AED - UAE Dirham
- TND - Tunisian Dinar
- UGX - Uganda Shilling
- MKD - Denar
- EGP - Egyptian Pound
- GBP - Pound Sterling
- TZS - Tanzanian Shilling
- USD - US Dollar
- UYU - Peso Uruguayo
- UZS - Uzbekistan Sum
- WST - Tala
- YER - Yemeni Rial
- TWD - New Taiwan Dollar
- SLE - Leone
- VED - Bolívar Soberano
- UYW - Unidad Previsional
- VES - Bolívar Soberano
- MRU - Ouguiya
- STN - Dobra
- CUC - Peso Convertible
- ZWL - Zimbabwe Dollar
- BYN - Belarusian Ruble
- TMT - Turkmenistan New Manat
- GHS - Ghana Cedi
- SDG - Sudanese Pound
- UYI - Uruguay Peso en Unidades Indexadas
- RSD - Serbian Dinar
- MZN - Mozambique Metical
- AZN - Azerbaijan Manat
- RON - Romanian Leu
- CHE - WIR Euro
- CHW - WIR Franc
- TRY - Turkish Lira
- XAF - CFA Franc BEAC
- XCD - East Caribbean Dollar
- XOF - CFA Franc BCEAO
- XPF - CFP Franc
- XBA - Bond Markets Unit European Composite Unit (EURCO)
- XBB - Bond Markets Unit European Monetary Unit (E.M.U.-6)
- XBC - Bond Markets Unit European Unit of Account 9 (E.U.A.-9)
- XBD - Bond Markets Unit European Unit of Account 17 (E.U.A.-17)
- XAU - Gold
- XDR - SDR (Special Drawing Right)
- XAG - Silver
- XPT - Platinum
- XTS - Codes specifically reserved for testing purposes
- XPD - Palladium
- XUA - ADB Unit of Account
- ZMW - Zambian Kwacha
- SRD - Surinam Dollar
- MGA - Malagasy Ariary
- COU - Unidad de Valor Real
- AFN - Afghani
- TJS - Somoni
- AOA - Kwanza
- BGN - Bulgarian Lev
- CDF - Congolese Franc
- BAM - Convertible Mark
- EUR - Euro
- MXV - Mexican Unidad de Inversion (UDI)
- UAH - Hryvnia
- GEL - Lari
- BOV - Mvdol
- PLN - Zloty
- BRL - Brazilian Real
- CLF - Unidades de fomento
- XSU - Sucre
- USN - US Dollar (Next day)
- XXX - The codes assigned for transactions where no currency is involved

5.17. ENDOFTECHNICALSESSIONMSG

End of a technical session.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
int	sessionId	ID of the session.

5.18. EXCERCISETYPEENUM

Dictionary with option exercise styles.

namespace

pl.gpw.idds.messages

Symbols:

- AMER
- EURO
- NA
- ~~UNKNOWN~~

5.19. EXPRESSIONTYPEENUM

Expression type (percentage or absolute value).

namespace

pl.gpw.idds.messages

Symbols:

- PERCENTAGE
- ABSOLUTEVALUE
- ~~UNKNOWN~~

5.20. HEADERMSG

Market Data message header.

namespace

pl.gpw.idds.messages

Type	Field	Description
null string	sourceTimestamp	Timestamp added by the service which sent the message.

5.21. INDEXLEVELCODEENUM

Enumeration of index levels.

namespace

pl.gpw.idds.messages

Symbols:

- PREVIOUSCLOSINGVALUE
- THEORETICALVALUEBEFOREOPENING
- VALUEBEFOREOPENING
- OPENINGVALUE
- CURRENTVALUE
- PRECLOSINGVALUE
- CLOSINGVALUE
- VALUEWITHOUTOPENING
- UNKNOWN

5.22. INDEXPARAMSMSG

The metadata message for the given index.

namespace

pl.gpw.idds.messages

Type	Field	Description
null string	correctionCoefficient	Index adjustment coefficient K(t).
null CurrencyEnum	currency	Currency (e.g., USD).
long	dateValidity	Date of validity of index
int	daysSinceLastPublication	Number of calendar days between the current session and the previous session day.
null HeaderMsg	header	Message header.
null string	indexBaseCapitalisation	Index base capitalization.
long	indexBaseDate	Index base date.
null string	indexBaseValue	Index base value.
null IndexPublicationScheduleEnum	indexPublicationSchedule	Mode of index dissemination.
null IndexTypeEnum	indexType	Index product classification.
null array<PublicProductIdentificationMsg>	indexUnderlying	List of underlying instruments for the index.

Type	Field	Description
long	instrumentId	ID of financial instrument.
int	numOfComponents	Total number of instruments in the portfolio.
int	numberOfDividends	Number of dividends included in the index calculation.
int	publicationOrder	Index publication presentation order.

5.23. INDEXPORTFOLIOENTRYMSG

The message contains information about a product providing the index portfolio. The entire index portfolio is sent as successive IndexPortfolioEntry messages.

namespace

pl.gpw.idds.messages

Type	Field	Description
null CurrencyEnum	currency	Currency (e.g. USD).
null HeaderMsg	header	Message header.
long	id	The identifier of the entry within the given index.
long	instrumentId	ID of the instrument.
null string	instrumentPacket	Instrument packet in index portfolio / of information product. Number of units (usually stocks/shares) of a given instrument in the index portfolio or in the information product.
null string	mic	Market structure's Market Identifier Code (MIC) as specified in ISO 10383.
null PublicProductIdentificationMsg	publicProductIdentification	Product identification type and code.

5.24. INDEXPUBLICATIONSCHEDULEENUM

Mode of index dissemination.

namespace

pl.gpw.idds.messages

Symbols:

- CONTINUOUS
- FIXING
- CLOSING
- UNKNOWN

5.25. INDEXSUMMARYMSG

Summary statistics at the end of session for Index

The index summary message provides a summary of the data calculated in a stock index for a given day.

namespace

pl.gpw.idds.messages

Type	Field	Description
null string	closingCapitalisationPortfolio	Capitalization of the portfolio for the closing index expressed in the currency of the index, on basis of which the closing index is calculated.
null string	closingIndexValue	Closing index value.
null HeaderMsg	header	Message header.
null string	indIndexOpeningPortfolio	Indicator of the index opening portfolio W(t). Percentage share of instruments with at least one trade during the session.
long	instrumentId	ID of the instrument.
null string	openingIndexValue	Opening index value.
null string	pctChangeIndexValPrevSession	Percentage change of the index value in relation to the value of the closing index from the previous session.
null string	pctChangeIndexValPrevYear	Percentage change of the index value in relation to its value at the end of the previous year.
null string	sessionAvg	Average value of the day.
null string	sessionHigh	Highest value of the day.
null string	sessionLow	Lowest value of the day.

5.26. INDEXTYPEENUM

Type of index.

namespace

pl.gpw.idds.messages

Symbols:

- W
- Z
- V
- M
- S
- L
- UNKNOWN

5.27. INDEXATIONTABLEENTRYMSG

Message describes an indexation table entry.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
long	indexationTableEntryDate	Indexation table entry date.
null string	indexationTableEntryValue	Indexation table entry value.
long	productId	Product ID.

5.28. INSTRUMENTMSG

~~Extended Instrument Information.~~

Definition of a financial instrument.

namespace

pl.gpw.idds.messages

Type	Field	Description
null CouponTypeEnum	bondCouponType	Coupon type for a bond.
long	calendarId	ID of trading calendar for the financial instrument.
null string	cfi	CFI (Classification of Financial Instrument) code.
null string	code	Financial instrument code.
long	collarGroupId	Collar group ID.
null CurrencyEnum	currency	Trading currency (e.g. USD).
null ExerciseTypeEnum	exerciseType	Identifier of exercise style.
long	expiryDate	Expiration date.
long	firstTradingDate	First trading day of the financial instrument.
null string	fisin	Product FISN (Financial Instrument Short Name) code.
null HeaderMsg	header	Message header.
long	initialPhaseId	Id of starting phase for the instrument.
long	instrumentId	ID of financial instrument.
null string	issueSize	Size of the issue (depends on the issue size type).
null string	issuer	Name of the issuer.
null CountryEnum	issuerRegCountry	Identifier of the country of the registration.
long	lastTradingDate	Last trading day of the financial instrument.
boolean	liquidity	Liquidity flag, true - liquid, false - illiquid.
long	lotSize	Lot size for the instrument.
null MarketModelTypeEnum	marketModelType	Market Model.
long	marketStructureId	ID of the financial instrument's market segment.

Type	Field	Description
null string	mic	Market structure's Market Identifier Code (MIC) as specified in ISO 10383.
null string	multiplier	Product value multiplier.
null CurrencyEnum	nominalCurrency	Identifier of the nominal currency (ISO-4217).
null string	nominalValue	Nominal value of the financial instrument.
null NominalValueTypeEnum	nominalValueType	Type of the product's nominal value (no nominal, constant or unknown).
null OptionTypeEnum	optionType	Identifier of option type.
null string	preTradeCheckMaxPrice	Maximum order price for pre-trade check.
null string	preTradeCheckMaxQuantity	Maximum volume for pre-trade check.
null string	preTradeCheckMaxValue	Maximum value for pre-trade check.
null string	preTradeCheckMinPrice	Minimum order price for pre-trade check.
null string	preTradeCheckMinQuantity	Minimum volume for pre-trade check.
null string	preTradeCheckMinValue	Minimum value for pre-trade check.
null PriceExpressionTypeEnum	priceExpressionType	Price expression type for the financial instrument.
null string	productCode	Unique code of the product.
long	productId	Reference to financial product definition.
null string	productIdentification	Product identification, e.g. ISIN number.
null ProductIdentificationTypeEnum	productIdentificationType	Type of product identification.
null string	productName	Name of the product.
null ProductTypeEnum	productType	Type of the product.
null string	referencePrice	Reference price.
long	settlementCalendarId	Settlement calendar ID.
null SettlementTypeEnum	settlementType	Identifier of settlement type.
null InstrumentStatusEnum	status	Instrument status.
null string	strikePrice	Product strike price.
long	tickTableId	ID of the tick table used for the financial instrument.
long	tradingScheduleId	Trading schedule ID.
long	underlyingInstrumentId	Identifier of the underlying instrument.
null UsIndicatorEnum	usIndicator	Identifier of the US indicator.
int	versionNumber	Version of the derivative. Version is incremented when corporate event adjusting underlying closing price occurs.

5.29. INSTRUMENTSTATUSCHANGEMSG

Start of a new trading phase.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
long	instrumentId	ID of financial instrument.
null InstrumentStatusEnum	status	Financial instrument status.
boolean	stressedMarket	Stressed market conditions are called for when the instrument experiences high and short-term intraday volatility.
long	tradingPhaseId	Trading phase ID.

5.30. INSTRUMENTSTATUSENUM

Financial instrument status.

namespace

pl.gpw.idds.messages

Symbols:

- ACTIVE
- INACTIVE
- MARKETOPERATIONSSUSPENSION
- OUTSIDECOLLARSSTATIC
- OUTSIDECOLLARSDYNAMIC
- REGULATORYSUSPENSION
- TECHNICALHALT

- HYBRIDNOQUOTES
- HYBRIDPAUSE
- ~~UNKNOWN~~

5.31. INSTRUMENTSUMMARYMSG

This message provides brief instrument summary.

namespace

pl.gpw.idds.messages

Type	Field	Description
null string	adjustedClosingPrice	Adjusted Closing Price (ACP).
null AdjustedClosingPriceReasonEnum	adjustedClosingPriceReason	Adjusted Closing Price Reason.
null string	closingPrice	Closing Price (CP).
null ClosingPriceTypeEnum	closingPriceType	Closing Price Type.
null HeaderMsg	header	Message header.
long	instrumentId	Identifier of the CLOB instrument.
null string	lastTradedPrice	Last Traded Price (LTP).
null string	maxPrice	Highest price of the instrument on the current trading day.
null string	minPrice	Lowest price of the instrument on the current trading day.
null string	noTrades	Total number of transactions on the current trading day.
null string	openingPrice	The price of the first trade on the current trading day.
null string	pctChange	Percentage change.
null string	totalValue	Total transaction value.
null string	totalVolume	Total transaction volume.
null string	vwap	

5.32. MARKETENUM

namespace

pl.gpw.idds.messages

Symbols:

- PRIMARY
- PARALLEL
- NEWCONNECTPRICEDRIVEN
- NEWCONNECTORDERDRIVEN
- CATALYSTREGULATED
- CATALYSTASO
- OTHER
- ~~UNKNOWN~~

5.33. MARKETMODELTYPEENUM

Market Model.

namespace

pl.gpw.idds.messages

Symbols:

- NOTAPPLICABLE
- CLOB
- BLOCK
- HYBRID
- CROSS

- IPO
- ~~UNKNOWN~~

5.34. MARKETSTRUCTUREMSG

Messages defines the Market's structure.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
long	id	ID of the market structure.
null MarketModelTypeEnum	marketModelType	Market model type.
null string	mic	Market structure's Market Identifier Code (MIC) as specified in ISO 10383.
null string	name	Market structure name assigned by market operator.
long	parentId	ID of the market structure's parent market structure if the market structure is a sub-structure. Set to '0' (zero) if no parent market structure.

5.35. MMTAGENCYCROSSTRADEINDICATORENUM

MMT Agency Cross Trade Indicator

namespace

pl.gpw.idds.messages

Symbols:

- AGENCYCROSSTRADE
- NOAGENCYCROSSTRADE

5.36. MMTALGORITHMICINDICATORENUM

MMT Algorithmic Indicator.

namespace

pl.gpw.idds.messages

Symbols:

- ALGORITHMICTRADE
- NOALGORITHMICTRADE

5.37. MMTBENCHMARKREFERENCEPRICEINDICATORENUM

MMT Benchmark / Reference Price Indicator

namespace

pl.gpw.idds.messages

Symbols:

- BENCHMARKTRADE
- REFERENCEPRICETRADE
- NOBENCHMARKORREFERENCEPRICETRADE

5.38. MMTMarketMechanismEnum

MMT Market Mechanism.

namespace

pl.gpw.idds.messages

Symbols:

- CENTRALLIMITORDERBOOK
- QUOTEDRIVENMARKET
- DARKORDERBOOK
- OFFBOOK
- PERIODICAUCTION
- REQUESTFORQUOTES
- OTHER

5.39. MMTModificationIndicatorEnum

MMT Modification Indicator

namespace

pl.gpw.idds.messages

Symbols:

- TRADECANCELLATION
- TRADEAMENDMENT
- NEWTRADE

5.40. MMTNEGOTIATIONINDICATORENUM

MMT Negotiation Indicator

namespace

pl.gpw.idds.messages

Symbols:

- NEGOTIATEDTRADE
- NEGOTIATEDTRADEILLIQUIDFINANCIALINSTRUMENTS
- NEGOTIATEDTRADEILLIQUIDFINANCIALINSTRUMENTS
- NEGOTIATEDTRADEOTHER
- NONEGOTIATEDTRADE
- PRETRADETRANSPARENCYWAIVERILLIQUIDINSTRUMENT
- PRETRADETRANSPARENCYWAIVERSTANDARDMARKETSIZE
- PRETRADETRANSPARENCYWAIVERSILODANDSIZE

5.41. MMTOffBookAutomatedIndicatorEnum

MMT Off Book Automated Indicator

namespace

pl.gpw.idds.messages

Symbols:

- UNSPECIFIEDORNOTAPPLY
- OFFBOOKNONAUTOMATED
- OFFBOOKAUTOMATED

5.42. MMTOrdinaryTradeIndicatorEnum

MMT Ordinary Trade Indicator

namespace

pl.gpw.idds.messages

Symbols:

- PLAINVANILLATRADE
- NONPRICEFORMINGTRADE
- TRADENOTCONTRIBUTINGTOPRICEDISCOVERY
- PRICEPENDING

5.43. MMTPostTradeDeferralReasonEnum

MMT Post-Trade Deferral Reason

namespace

pl.gpw.idds.messages

Symbols:

- IMMEDIATEPUBLICATION
- NONIMMEDIATEPUBLICATION
- NONIMMEDIATEPUBLICATIONLARGEINSCALE
- NONIMMEDIATEPUBLICATIONILLIQUIDINSTRUMENT
- NONIMMEDIATEPUBLICATIONSIZESPECIFIC
- NONIMMEDIATEPUBLICATIONILQDANDSIZE
- NONIMMEDIATEPUBLICATIONILQDANDLRGS

5.44. MMTPostTradeDeferralTypeEnum

MMT Post-Trade Deferral Type

namespace

pl.gpw.idds.messages

Symbols:

- LIMITEDDETAILSTRADE
- DAILYAGGREGATEDTRADE
- VOLUMEOMISSIONTRADE
- FOURWEEKSAGGREGATIONTRADE
- INDEFINITEAGGREGATIONTRADE
- VOLUMEOMISSIONTRADEAGGREGATED
- NOTAPPLICABLE

5.45. MMTSpecialDividendIndicatorEnum

MMT Special Dividend Indicator

namespace

pl.gpw.idds.messages

Symbols:

- SPECIALDIVIDENDTRADE
- NOSPECIALDIVIDENDTRADE

5.46. MMTTradingModeEnum

MMT Trading Mode

namespace

pl.gpw.idds.messages

Symbols:

- UNDEFINEDAUCTION
- SCHEDULEDOPENINGAUCTION
- SCHEDULEDCLOSINGAUCTION
- SCHEDULEDINTRADAYAUCTION
- UNSCHEDULEDAUCTION
- CONTINUOUSTRADING
- ATMARKETCLOSETRADING
- OUTOFMAINSESSIONTRADING
- TRADEREPORTINGONEXCHANGE
- TRADEREPORTINGOFFEXCHANGE
- TRADEREPORTINGSYSTEMATICINTERNALISER

5.47. MMTTransationCategoryEnum

MMT Transaction Category

namespace

pl.gpw.idds.messages

Symbols:

- DARKTRADE

- [TRADEPRICEIMPROVEMENT](#)
- [PACKAGETRADE](#)
- [EXCHANGEFORPHYSICALSTRADE](#)
- [NONE](#)

~~5.35~~[5.48](#). NewsMsg

News message.

namespace

pl.gpw.idds.messages

Type	Field	Description
int	entryNumber	News entry number.
null HeaderMsg	header	Message header.
long	marketStructureId	ID of the instrument's market structure.
null string	text	News text.
null string	title	News title, unique per message.
int	total	Total number of news entries.

~~5.36~~[5.49](#). NOMINALVALUETYPEENUM

Type of the product's nominal value (no nominal, constant or unknown).

namespace

pl.gpw.idds.messages

Symbols:

- NOTAPPLICABLE
- CONSTANT

~~UNKNOWN~~

~~5.37~~5.50. **OPTIONTYPEENUM**

Type of option.

namespace

pl.gpw.idds.messages

Symbols:

- NOTAPPLICABLE
- CALL
- PUT

~~UNKNOWN~~

~~5.38~~5.51. **ORDERADDMSG**

New (limit) order added to order book.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
long	instrumentId	ID of financial instrument.
null string	price	Order (limit) price.
null string	publicOrderId	Order identifier (ID).
null string	quantity	Order quantity.
null OrderSideEnum	side	Order side (buy or sell).

~~5.39.~~5.52. ORDERBOOKEVENTMSG

Order book event for given instrument.

namespace

pl.gpw.idds.messages

Type	Field	Description
null OrderBookEventTypeEnum	eventType	Type/Kind of book event
null HeaderMsg	header	Message header.
long	instrumentId	ID of the instrument.

~~5.40.~~5.53. ORDERBOOKEVENTTYPEENUM

Book event for given instrument.

namespace

pl.gpw.idds.messages

Symbols:

- CLEAR
- RESENDSTART
- RESENDEND
- ~~UNKNOWN~~

~~5.41:~~5.54. ORDERCOLLARSMSG

New order price collars.

namespace

pl.gpw.idds.messages

Type	Field	Description
null CollarTypeEnum	collarType	Collars type.
null HeaderMsg	header	Message header.
long	instrumentId	ID of financial instrument.
null string	lowerAsk	Value of the lower ask Price collar.
null string	lowerBid	Value of the lower bid Price collar.
null string	price	The reference price.
null string	upperAsk	Value of the upper ask Price collar.
null string	upperBid	Value of the upper bid Price collar.

~~5.42:~~5.55. ORDERDELETEMSG

Order deleted.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
long	instrumentId	ID of financial instrument.
null string	publicOrderId	Order identifier (ID).

~~5.43.~~5.56. ORDEREXECUTEMSG

Execution report.

namespace

pl.gpw.idds.messages

Type	Field	Description
long	executionId	ID of the underlying trade (equal to TradeID in Trade).
null string	executionPrice	Price at which the order was executed.
null string	executionQuantity	The order's executed quantity.
null HeaderMsg	header	Message header.
long	instrumentId	ID of financial instrument.
null string	publicOrderId	Order identifier (ID).
null string	quantity	Remaining un-executed order quantity.

~~5.44.~~5.57. ORDERMODIFYMSG

Order modified.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
long	instrumentId	ID of financial instrument.
null string	price	New order price.
null PriorityFlagEnum	priorityFlag	Priority loss flag.
null string	publicOrderId	Order identifier (ID).
null string	quantity	New order quantity.

~~5.45~~~~5.58~~ ORDERSIDEENUM

This message indicates order side (buy or sell).

namespace

pl.gpw.idds.messages

Symbols:

- BUY
- SELL
- ~~UNKNOWN~~

~~5.46~~~~5.59~~ PRICEEXPRESSIONTYPEENUM

Price expression type for the financial instrument

namespace

pl.gpw.idds.messages

Symbols:

- PRICE
- PERCENTAGE
- ~~UNKNOWN~~

~~5.47~~~~5.60~~ PRICELEVELMSG

Data type for storing snapshot price level.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
int	orderCount	Number of open orders at a given price level.
null string	price	Price level in currency units.
null string	quantity	Quantity of securities available at a given price level.

~~5.48~~ 5.61. PRICELEVELSNAPSHOTMSG

BBO price levels and volumes.

namespace

pl.gpw.idds.messages

Type	Field	Description
null array<PriceLevelMsg>	buy	Price levels for buy side.
null HeaderMsg	header	Message header.
long	instrumentId	ID of financial instrument.
int	maxDepth	The number of BBO levels contained in the message.
null array<PriceLevelMsg>	sell	Price levels for sell side.

~~5.49~~ 5.62. PRICETYPEENUM

Price type.

namespace

pl.gpw.idds.messages

Symbols:

- REFERENCEPRICE
- MIDPOINT
- ~~UNKNOWN~~

~~5.51.~~5.63. PRICEUPDATEMSG

Message indicates a price update.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
long	instrumentId	Instrument to which the price update refers.
null string	price	Indicates the updated price.
null PriceTypeEnum	priceType	Price type.

~~5.51.~~5.64. PRIORITYFLAGENUM

Priority loss flag.

namespace

pl.gpw.idds.messages

Symbols:

- LOST
- RETAINED
- ~~UNKNOWN~~

~~5.52.~~5.65. PRODUCTIDENTIFICATIONTYPEENUM

Type of product identification (for example ISIN or SEDOL).

namespace

pl.gpw.idds.messages

Symbols:

- ISIN
- ~~UNKNOWN~~

~~5.53.~~5.66. PRODUCTTYPEENUM

namespace

pl.gpw.idds.messages

Symbols:

- FINANCIALPRODUCTSHARE
- FINANCIALPRODUCTBOND
- FINANCIALPRODUCTDERIVATIVEFUTURES
- FINANCIALPRODUCTDERIVATIVEOPTIONS
- FINANCIALPRODUCTINDEX
- FINANCIALPRODUCTCURRENCY
- ~~UNKNOWN~~

~~5.54.~~5.67. PUBLICPRODUCTIDENTIFICATIONMSG

Product identification based on well-known identification types, such as ISIN.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
null string	productIdentification	Product identification, for example its ISIN code.
null ProductIdentificationTypeEnum	productIdentificationType	Type of product identification.

~~5.55.~~5.68. QUOTATIONSYSTEMENUM

namespace

pl.gpw.idds.messages

Symbols:

- SINGLEPRICESINGLEFIXING
- CONTINUOUSTRADING
- SINGLEPRICETWOFIXINGS
- ~~UNKNOWN~~

~~5.56.~~5.69. REALTIMEINDEXMSG

Message provides real-time index values for instruments.

namespace

pl.gpw.idds.messages

Type	Field	Description
null string	differenceCentralSpread	The point difference between midSpreadIndex and indexValue.
null HeaderMsg	header	Message header.
null string	indIndexOpeningPortfolio	Indicator of the index opening portfolio W(t). Percentage share of instruments with at least one trade during the session.
null IndexLevelCodeEnum	indexLevelCode	Level of the index.
null string	indexValue	The value of the last level for the index according to the definition provided in the indexLevelCode.
null string	indexValueAsk	Value of the sell index based on the best sell offers of instruments.
null string	indexValueBid	Value of the buy index based on the best sell offers of instruments.
long	instrumentId	ID of the instrument.
null string	midSpreadIndex	Mean of indexValueBid and indexValueAsk.
int	numOfActiveInstruments	Number of instruments – participants of the index, for which the quotation was set during the session.
null string	pctChangeIndexValPrevSession	Percentage change of the index value in relation to the value of the closing index from the previous session.
null string	sessionHigh	Highest value of the day.
null string	sessionLow	Lowest value of the day.
null string	tradingValue	Value of trading in the instruments from the given index.

~~5.57.~~5.70. SESSIONSUMMARYMSG

Session day instrument summary.

namespace

pl.gpw.idds.messages

Type	Field	Description
null string	accumulatedInterest	Accumulated interest on the bonds or for mortgage-backed bonds on the day of settling the transaction.
null string	blockMaxPrice	Maximum price of block trades in the instrument during the current trading session. If no block trades were concluded during the trading session, the field is completed with zeros.
null string	blockMinPrice	Minimum price of block trades in the instrument during the current trading session. If no block trades were concluded during the trading session, the field is completed with zeros.
null string	blockNoTrades	The total number of block trades concluded on a particular instrument during the current trading session.
null string	blockValue	The total turnover value of block trades concluded on a particular instrument during the current trading session.
null string	blockVolume	The total turnover volume of block trades concluded on a particular instrument during the current trading session.
null string	closingPrice	Closing Price (CP).
null ClosingPriceTypeEnum	closingPriceType	Closing Price Type.
null CurrencyEnum	currency	Price currency (e.g. USD).
null string	delta	Value of Delta indicator from the current session.
boolean	dividend	The positive field value (true) informs that the instruments are traded the first time after determining the right to dividend. A negative value has the opposite meaning.
null string	dividendRate	Dividend rate for the company is given on the basis of dividends paid by companies being the base instrument for futures and options.
long	endTradingDate	End of trading date.
null string	gamma	Value of Gamma indicator from the current session.
null HeaderMsg	header	Message header.
null string	impliedVolatility	Implied volatility.
long	instrumentId	Identifier of the CLOB instrument.
null string	interestRate	Interest rate is determined on the basis of WIBOR/WIBID/WIRON rates for each expiration date of options and futures.
boolean	interimDividendRight	The positive field value (true) informs that the instruments are traded the first time after determining the interim dividend right. A negative value has the opposite meaning.
long	lastTradeDate	The date of execution of the last trade for the given instrument.
null string	lastTradedPrice	Last Traded Price (LTP).
boolean	liquiditySupportPge	The field informs if the company entered to Liquidity Support Programme. True - participation in the liquidity Programme, false - no participation in the liquidity Programme.
boolean	lowerLiquidity	The positive field value (true) informs if the company was qualified to Lower Liquidity Space. A negative value has the opposite meaning.
null ChangeIndicatorEnum	markerPriceChange	The field contains the market of the percentage change of the instrument closing price from the current session in relation to the reference price.

Type	Field	Description
null MarketEnum	market	Defines the market the instrument belongs to.
long	marketStructureId	ID of the financial instrument's market segment.
null string	maxPrice	Highest price of the instrument on the current trading day.
null string	minPrice	Lowest price of the instrument on the current trading day.
null string	multiplier	Instrument multiplier.
null string	noTrades	Total number of transactions on the current trading day.
null string	numberOfInstruments	Number of instruments admitted to trading.
long	openPositions	Number of open positions after the end of the session.
null string	openingPrice	The price of the first trade on the current trading day.
null string	optionsStrikePrice	Option product strike price.
null string	pctChange	Percentage change.
null string	productIdentification	Product identification, e.g. ISIN number.
null ProductIdentificationTypeEnum	productIdentificationType	Type of product identification.
null QuotationSystemEnum	quotationSystem	The field informing about the system of listing the instrument.
null string	referencePrice	Initial reference price (at the start of session day).
null string	rho	Value of Rho indicator from the current session.
int	sector	Defines the sector of the economy that the company belongs to. Possible values for shares, the field assumes were described in the WATS Market Data documentation.
long	sessionDate	Stock Exchange session date.
null string	settlementPrice	Settlement price.
null string	settlementValue	Settlement value.
boolean	split	The positive field value (true) informs that the instruments are traded the first time after the change of the nominal value of shares. A negative value has the opposite meaning.
null InstrumentStatusEnum	status	Financial instrument status.
boolean	subscriptionRight	The positive field value (true) informs that the instruments are traded the first time after determining the subscription right. A negative value has the opposite meaning.
null string	theta	Value of Theta indicator from the current session.
null string	totalValue	Total transaction value.
null string	totalVolume	Total transaction volume.
null string	tradingValueCurrency	The field comprises the trading value expressed in trading currency.

Type	Field	Description
null string	vega	Value of Vega indicator from the current session.
null string	volatility	Volatility to be calculated is based on the implied volatility (provided in field ImpliedVolatility) according to algorithm worked out by the WSE, which is available on the website: www.opcjegpw.pl .
null string	vwap	Volume-weighted average price.
null string	vwapBlockTrade	Volume weighted average price of block trades for a particular instrument during a particular trading session.

~~5.58.~~5.71. SETTLEMENTTYPEENUM

This message indicates settlement type of the derivative.

namespace

pl.gpw.idds.messages

Symbols:

- NOTAPPLICABLE
- CASHSETTLEMENT
- PHYSICALDELIVERY
- ~~UNKNOWN~~

~~5.59.~~5.72. STARTOFTECHNICALSESSIONMSG

Start of a technical session.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
int	sessionId	ID of the session.

~~5.60.~~5.73. TICKTABLEENTRYMSG

Tick size definition.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
null string	lowerBound	Tick size lower bound.
long	tickSize	Size of the tick.
long	tickTableId	Tick table ID.

~~5.61.~~5.74. TRADECOLLARSMSG

New trade price collars.

namespace

pl.gpw.idds.messages

Type	Field	Description
null CollarTypeEnum	collarType	Collar type.
null HeaderMsg	header	Message header.
long	instrumentId	ID of financial instrument.
null string	lower	Value of the lower Price collar.
null string	price	The reference price.
null string	upper	Value of the upper Price collar.

~~5.62~~ 5.75. TRADEMSG

Enriched trade report.

namespace

pl.gpw.idds.messages

Type	Field	Description
null HeaderMsg	header	Message header.
long	instrumentId	ID of financial instrument.
null string	<u>maxPrice</u>	<u>Daily max price for given session</u>
null string	mic	Identification of the venue where the transaction was executed.
null string	<u>minPrice</u>	<u>Daily min price for given session</u>
null MmtAgencyCrossTradeIndicatorEnum	<u>mmtAgencyCrossTradeIndicator</u>	<u>MMT Agency Cross Trade Indicator</u>
null MmtAlgorithmicIndicatorEnum	<u>mmtAlgorithmicIndicator</u>	<u>MMT Algorithmic Indicator</u>
null MmtBenchmarkReferencePriceIndicatorEnum	<u>mmtBenchmarkReferencePriceIndicator</u>	<u>MMT Benchmark / Reference Price Indicator</u>
null MmtMarketMechanismEnum	<u>mmtMarketMechanism</u>	<u>MMT Market Mechanism</u>
null MmtModificationIndicatorEnum	<u>mmtModificationIndicator</u>	<u>MMT Modification Indicator</u>
null MmtNegotitationIndicatorEnum	<u>mmtNegotitationIndicator</u>	<u>MMT Negotitation Indicator</u>
null MmtOffBookAutomatedIndicatorEnum	<u>mmtOffBookAutomatedIndicator</u>	<u>MMT Off Book Automated Indicator</u>
null MmtOrdinaryTradeIndicatorEnum	<u>mmtOrdinaryTradeIndicator</u>	<u>MMT Ordinary Trade Indicator</u>
null MmtPostTradeDeferralReasonEnum	<u>mmtPostTradeDeferralReason</u>	<u>MMT Post-Trade Deferral Reason</u>
null MmtPostTradeDeferralTypeEnum	<u>mmtPostTradeDeferralType</u>	<u>MMT Post-Trade Deferral Type</u>
null MmtSpecialDividendIndicatorEnum	<u>mmtSpecialDividendIndicator</u>	<u>MMT Special Dividend Indicator</u>
null MmtTradingModeEnum	<u>mmtTradingMode</u>	<u>MMT Trading Mode</u>
null MmtTransactionCategoryEnum	<u>mmtTransactionCategory</u>	<u>MMT Transaction Category</u>
int	<u>noTrades</u>	<u>Total number of all trades for a given session</u>
null CurrencyEnum	nominalCurrency	Currency in which the notional is denominated.
null string	nominalValue	Nominal value.
null string	<u>openPrice</u>	<u>Daily open price for given session. This is price taken from the first Trade message.</u>

Type	Field	Description
<u>null string</u>	<u>pctChange</u>	<u>Percentage change in price compared to the previous closing price. If previousClosingPrice is ZERO, it returns ZERO.</u>
null string	price	Trade price.
null CurrencyEnum	priceCurrency	Currency in which the price is expressed (applicable if the price is expressed as monetary value).
null PriceExpressionTypeEnum	priceNotation	Indication as to whether the price is expressed in monetary value, in percentage or in yield.
null PublicProductIdentificationMsg	publicProductIdentification	Product identification type and code.
null string	publicationTimestamp	Date and time when the transaction was published by a trading venue.
null string	quantity	Trade quantity.
long	settlementDate	Settlement date.
null string	settlementValue	Settlement value.
<u>null string</u>	<u>totalValue</u>	<u>Total value as a sum of all trades multiplied by their price and quantity for a given session</u>
<u>null string</u>	<u>totalVolume</u>	<u>Total volume as a sum of all trades volume for a given session</u>
long	tradeId	ID of the trade.
boolean	tradeToBeCleared	Code to identify whether the transaction will be cleared.
null string	tradingTimestamp	Date and time when the transaction was executed.
null string	maxPrice	Daily max price for given session
null string	minPrice	Daily min price for given session
int	noTrades	Total number of all trades for a given session
null string	openPrice	Daily open price for given session.
null string	pctChange	Percentage change in price compared to the previous closing price.
null string	totalValue	Total value as a sum of all trades multiplied by their price and quantity for a given session.
null string	totalVolume	Total volume as a sum of all trades volume for a given session.
null string	vwap	<u>Calculates the Volume Weighted Average Price (VWAP). VWAP is calculated as cumulativeValue to cumulativeVolume</u>

5.63.5.76. TRADINGPHASESCHEDULEENTRYMSG

Trading phase definition.

namespace

pl.gpw.idds.messages

Type	Field	Description
null AuctionTypeEnum	auctionType	Type of auction.
boolean	uncrossing	True if the auction includes an uncrossing.
long	dynamicCollarVolatilityAuctionId	Dynamic collar volatility auction ID.
long	extDynamicCollarVolatilityAuctionId	ID of Dynamic Collar Volatility Auction.
long	extStaticCollarVolatilityAuctionId	ID of Static Collar Volatility Auction.
null HeaderMsg	header	Message header.
long	lastAuctionPhaseId	ID of last auction phase.
long	staticCollarVolatilityAuctionId	Static collar volatility auction ID.
long	tradingPhaseId	Trading phase ID.
int	tradingPhaseMaxBlockSettlementCycle	Max settlement cycle for block transactions.
int	tradingPhaseSettlementCycle	Settlement cycle for transactions made during a continuous phase.
null string	tradingPhaseStartTime	Trading phase start time.
null TradingPhaseTypeEnum	tradingPhaseType	Type of matching algorithm.
long	tradingScheduleId	Trading schedule ID.
boolean	uncrossing	True if the phase includes an uncrossing.

5.64.5.77. TRADINGPHASETYPEENUM

Type of trading phase.

namespace

pl.gpw.idds.messages

Symbols:

- CONTINUOUSPRICETIME
- CONTINUOUSREFPRICETIME
- CONTINUOUSLASTAUCTIONTIME

- AUCTIONOPENING
- BLOCKEXACTMATCHING
- NOTRADINGCLOSED
- UNCROSSING
- AUCTIONCLOSING
- AUCTIONINTRADAY
- AUCTIONVOLATILITYSTATIC
- AUCTIONVOLATILITYDYNAMIC
- AUCTIONEXTENDEDVOLATILITYSTATIC
- AUCTIONEXTENDEDVOLATILITYDYNAMIC
- NOTRADINGEARLYMONITORING
- NOTRADINGLATEMONITORING
- HYBRID
- HYBRIDBUYONLY
- HYBRIDPRETRADE
- UNSUSPENSIONAUCTION
- IPO
- ~~UNKNOWN~~
- TENDEROFFER

~~5.65.~~5.78. USINDICATORENUM

US Regulation S indicator.

namespace

pl.gpw.idds.messages

Symbols:

- NOTAPPLICABLE
- REGULATIONS

- REGULATIONSPLUSRULE144A
- UNKNOWN

5.66.5.79. WEEKPLANMSG

Trading week plan.

namespace

pl.gpw.idds.messages

Type	Field	Description
long	calendarId	Calendar ID.
null HeaderMsg	header	Message header.
null array	weekdays	Boolean array of weekdays (Monday to Sunday) open or closed for trading; true – weekday open for trading, false – weekday closed for trading.