

GPW WATS 6.02.01

Short Code Record Keeping

Date: 25.03.2024 | Version: GPW0.62

CONTENTS

Contents.....	2
----------------------	----------

1. Disclaimer	3
----------------------------	----------

2. Preface.....	4
------------------------	----------

2.1. Target Audience.....	4
---------------------------	---

2.2. Document's Purpose	4
-------------------------------	---

2.3. Associated Documents.....	4
--------------------------------	---

3. Document History	5
----------------------------------	----------

4. Introduction.....	6
-----------------------------	----------

5. Orders.....	7
-----------------------	----------

6. Mapping Files	9
-------------------------------	----------

6.1. File Format.....	9
-----------------------	---

6.2. File Name.....	9
---------------------	---

6.3. File structure	10
---------------------------	----

6.4. Fields Descriptions	10
--------------------------------	----

6.5. Mapping File Samples.....	11
--------------------------------	----

6.6. Short Code Rules.....	12
----------------------------	----

6.7. GPW Mapping Database Management	14
--------------------------------------	----

7. Mapping Registration.....	16
-------------------------------------	-----------

7.1. Files Upload Destination.....	16
------------------------------------	----

7.2. Files Upload Limitations.....	16
------------------------------------	----

7.3. Mapping Files Verification (Verification Report).....	16
--	----

7.4. Example of Mapping File Submission - Event Sequence	18
--	----

8. Missing Short Codes	20
-------------------------------------	-----------

8.1. Missing Identifiers.....	20
-------------------------------	----

8.2. Completion Report.....	22
-----------------------------	----

9. Process to Fix Short Code Errors for Orders	23
---	-----------

9.1. Error File Upload.....	24
-----------------------------	----

9.2. Examples	25
---------------------	----

10. Process to Submit Missing and Incorrect Long Codes For Already Mapped Orders	28
---	-----------

11. Process To Submit Historical Mapping Files.....	30
--	-----------

11.1. File Format, Name, Structure	30
--	----

11.2. File Upload Destination	30
-------------------------------------	----

11.3. File Upload Limitations.....	30
------------------------------------	----

11.4. Historical Mapping File Verification (Verification Report).....	31
---	----

12. GPW Guidelines on Populating Short Code Fields of Broker's Orders	32
--	-----------

12.1. Client Identification Short Code.....	32
---	----

12.2. Investment Decision within Firm Short Code	33
--	----

12.3. Execution Within Firm Short Code	33
--	----

12.4. Examples	34
----------------------	----

1. DISCLAIMER

This document is for information purposes only and does not form any part of contractual documentation.

Reasonable care has been taken to ensure details contained within are accurate and not misleading at the time of publication. Warsaw Stock Exchange is not responsible for any errors or omissions contained in this document.

Warsaw Stock Exchange reserves the right to treat information contained in this document subject to later change without prior notice.

This document contains confidential information to Warsaw Stock Exchange and may not be reproduced, disclosed, or used in whole or part, in any manner, without prior written consent from the owner of this document. Information included in this document shall be maintained and exercised with adequate security measures necessary to protect confidential information from unauthorized access or disclosure.

In case of sections of documentation at a **High** level work progress according to the current version of *GPW WATS Advancement of Documentation*, Warsaw Stock Exchange will endeavor to limit changes to these sections of documents to those related to:

1. correcting errors in the documentation or in the software;
2. clarification of the documentation content or removing ambiguity;
3. implementation of approved change requests or;
4. regulatory changes.

2. PREFACE

This section describes the basic information about Short Code Mapping. You can learn about the target audience, the document purpose and all the necessary documents you should read in relation to this document.

2.1. TARGET AUDIENCE

This document is dedicated to Exchange Members who use SLM system.

2.2. DOCUMENT'S PURPOSE

This document describes registration of Short Codes to identify Clients entering orders into Trading System.

2.3. ASSOCIATED DOCUMENTS

Please check the SLM User Guide documentation.

- GPW WATS 6.03 Short-Long Mapper User Guide,

Please check the documentation of the trading protocols supported by GPW WATS.

- GPW WATS 2.01 Native Order Gateway Specification,
- GPW WATS 2.02 FIX Order Gateway Specification.

3. DOCUMENT HISTORY

Version	Date	Description
0.61	29.02.2024	Initial publication of the document.
0.62	25.03.2024	Range for Short Code has been changed to values between 0 and 232-1 (0 – 4.294.967.295).

4. INTRODUCTION

In order to comply with Article 2(1) of the Commission Delegated Regulation (UE) 2017/580 of 24 June 2016 (Regulation), the Warsaw Stock Exchange (GPW) as Markets are obliged to obtain the following data from customers:

- a) Client – the client on whose behalf the member or participant of Market submitted the order to Market, identified as specified in field 3 of Table 2 of the Annex to the Regulation,
- b) Investment decision within firm – the person or computer algorithm within the member or participant of the Market to which an order is submitted that is responsible for the investment decision in relation to the order, identified as specified in field 4 of the Table 2 of the Annex to the Regulation,
- c) Execution within firm – the person or computer algorithm within the member or participant of the Market that is responsible for the execution of the order, identified as specified in field 5 of Table 2 of the Annex to the Regulation,
- d) Non-Executing broker – the member or participant of the trading venue who routed the order on behalf of and in the name of another member or participant of Market, identified as a non-executing broker as specified in field 6 of Table 2 of the Annex to the Regulation. (See description in point 6.4.4)

Due to the fact that some of data might be classified as personal and sensitive data (including Nationals ID codes), it is not desirable to use them in every order. Also providing this data on the order level may negatively impact message bandwidth. Hence to address both requirements, Exchange Members will be required to:

- use in order message so called Short Codes allowing to identify each of the above mentioned categories using separate mapping process,
- provide to the Warsaw Stock Exchange mapping of Short Codes used in orders and additionally supply the mapped Long Codes.

Sample:

To identify orders submitted on behalf of client (Long Code PL72120810598), an Exchange Member allocates unique client's identifier (Short Code) used on the order entry level. Assuming such code as 123, Warsaw Stock Exchange in the mapping process allocates PL72120810598 (Long Code) basing on mapping file supplied by an Exchange Member.

5. ORDERS

New WSE order fields (allowing client's identification as per point 4 a)-c)).

a) FIX (v.5.0 SP2)

Tag	Field name	Values
C	Parties	
453	NoPartyIDs	Number of repetitions of PartyID (448), PartyIDSource(447), PartyRole (452), PartyRoleQualifier (2376) groupings.
448	PartyID	The Short Code representing the Client, execution decision maker or investment decision maker represented by this block. 0 = NONE 1 = AGGR 2 = PNAL 3 = NORE
447	PartyIDSource	P = Short Code identifier
452	PartyRole	3 = Client ID 12 = Executing Trader 122 = Investment Decision Maker
2376	PartyRoleQualifier	0 = None 22 = Algorithm (for PartyRole =12, 122) 23 = Firm or legal entity (LEI) (for PartyRole=3) 24 = Natural person (for PartyRole=3, 12, 122)

In messages:

- New Order Single (D),
- Order Mass Cancel Request (q),
- Order Mass Cancel Report (r)
- Order Cancel/Replace Request (G),
- Execution Report (8),
- Bulk Quote (UB),
- Trade Capture Report (AE).

b) BIN

Field name	Values
Parties	
mifidFields.client.shortCode	Short code of MiFID participant.
mifidFields.client.qualifier	Qualifier of MiFID participant. 2 = Algorithm 3 = FirmOrLegalEntity 4 = NaturalPerson
PartyID	The Short Code representing the Client, execution decision maker or investment decision maker represented by this block. 0 = NONE 1 = AGGR 2 = PNAL 3 = NORE
mifidFields.executingTrader.shortCode	Short code of MiFID participant.

mifidFields.executingTrader.qualifier	Qualifier of MiFID participant. 2 = Algorithm 3 = FirmOrLegalEntity 4 = NaturalPerson
mifidFields.investmentDecisionMaker.shortCode	Short code of MiFID participant.
mifidFields.investmentDecisionMaker.qualifier	Qualifier of MiFID participant. 2 = Algorithm 3 = FirmOrLegalEntity 4 = NaturalPerson

In messages:

- Order Add,
- Mass Quote,
- Order Cancel,
- Order Modify,
- Trade Capture Report Dual,
- Trade Capture Report Single.

6. MAPPING FILES

Exchange Member supplying mapping file including Short Code/Long Code identifiers automatically pass the given pair of identifiers to Warsaw Stock Exchange database (GPW mapping table). The name of mapping files submitted to the GPW should include the appropriate tag of the trading platform, to which the file is directed ("G" for the GPW - in accordance with point 6.2). Pair of identifiers (Short Code/Long Code mapping) is to be used by the Warsaw Stock Exchange as long as it is valid till it is delisted by the Exchange Member. It means Exchange Member may supply a given pair of identifiers only once. Another attempt of supplying the same pair of identifiers is rejected. Exchange Member may supply a mapping according to window time given in point 7.2.

Warsaw Stock Exchange must have a Long Code for every Short Code used in orders messages on that day. Exchange Member is solely responsible for identifier management including new entries/modifications/delists in Short Code/Long Code mapping database.

6.1. FILE FORMAT

File	Csv
Field separator	Comma

6.2. FILE NAME

File	Csv
Field separator	Comma

Name structure

Trading platform identifier	G - Warsaw Stock Exchange (GPW)
Exchange Member KDPW code¹	4 characters
Effective date	YYYYMMDD YYYY - year MM - month DD - day
Version number of a file on the given day	Values from 01 to 99

Effective date: as explained in point 7.2.

A number of the following version of a file on a given day: if Exchange Member supplies more than one mapping file with the same effective date, each next file should receive the following order: first file - version "01", next file - version "02". Supplying a file with a number previously used or supplying a file, which is not in chronological order will result in rejection of such file.

The numbering is separate for each Trading platform.

¹ Exchange Member's technical code in UTP

File name example:

G09042018010201.csv.pgp

6.3. FILE STRUCTURE

	Parameter	Format	Length	Description
1	Short Code	Integer > 3	Up to 10	Values between 4 and $2^{32}-1$ (4 – 4.294.967.295) Reserved values: 0 – 3
2	Long Code	String excluding comma	Up to 50	Values: Natural Person Identifier Legal Entity Identifier Algorithm Identifier
3	Code Type	Integer	1	Value between 1 - 3 1 - Client 2 - Investment Decision Within Firm 3 - Execution Within Firm
4	Identifier Type	Integer	1	Value between 1 - 3 1 - Natural Person 2 - Legal Entity 3 - Algorithm
5	Update Type	Integer	1	Value between 1 - 3 1 - Creation of a new record 2 - Deletion of existing record 3 - Modifying of existing record

6.4. FIELDS DESCRIPTIONS

6.4.1. SHORT CODE

- a) Short Codes are generated solely by Exchange Member.

It is not allowed to use numbers from 0 to 3. Those are allocated by the Warsaw Stock Exchange and cannot be used as Short Code. Values from 1 to 3 in order entry mean:

PartyID (448)	PartyRole (452)	Description
1 = AGGR	3	Aggregated orders - AGGR
2 = PNAL	3	Pending Allocations - PNAL (as described in Article 2(2) of the Regulation)
3 = NORE	12	Decision about the execution was made by a Client

6.4.2. LONG CODE

Natural Person Identifier – as per Designation to identify natural persons in accordance with Article 6 to the Commission Delegated Regulation (EU) 2017/590 of 28 July 2016.

For example, when a natural person is only a citizen of the Republic of Poland (Poland) then the Long Code consists of concatenation of 2 letter country code “**PL**” and “**PESEL**” code e.g. **PL77121212345**.

Algorithm Identifier – algorithm identifier of an investment firm in accordance with Article 8(3) of the Commission Delegated Regulation (EU) 2017/590 of 28 July 2016.

LEI – LEI code

6.4.3. CODE TYPE

- Values between 1 to 3 are permitted,
- „Code Type” - identifier type of Short Code /Long Code pair.

6.4.4. IDENTIFIER TYPE

- Values between 1 to 3 are permitted,
- Identifier type is used to specify which of the three unique ranges the Long Code is for: 1 Natural Person, 2 Legal Entity, 3 Algorithm.
- Identifier Type usage must comply with a given type of Code Type identification scheme presented below:

Code Type		Identifier Type		
		Natural Person	Legal Entity	Algorithm
		1	2	3
Client	1	x	X	
Investment Decision Within Firm	2	x		x
Execution Within Firm	3	x		x
Non-Executing Broker	4		X	

Please note that the Identifier Type field stores the same information that is contained in the FIX tag 2376 PartyRoleQualifier field in order messages. This information was not available in order messages in the UTP system. The removal of the value 4 from the Code Type field from the mapping file results from the lack of a similar value in the order message in the Party Role field. The Code Type field with the value 4 can be further used only in points 9 and 11, but only for sessions that took place before the implementation of the version of System that implements this version of the documentation.

For example, Client (Code Type "1") submission will be required if Identifier Type = 1 (Natural Person) or = 2 (Legal Entity). Identifier Type = 3 should not be set for Client (Code Type = 1).

6.4.5. UPDATE TYPE

- Values between 1 to 3 are permitted,
- Field carries information about an action to be made on mapping database: new entry/modification/deletion.

6.5. MAPPING FILE SAMPLES

10,PL78080915236,1,1,1

- Action – new entry (Update Type = 1),
- For Short Code **10** Long Code **PL78080915236** is allocated,
- New entry of Client (Code Type = 1), where client is natural person (Identifier Type = 1).

110, Algo1,2,3,2

- Action – entry deletion (Update Type = 2),
- Deletion of Short Code **110** with Long Code Algo1,
- Deletion of Short Code where Investment Decision Within Firm (Code Type = 2), for algorithm (Identifier Type = 2).

6.6. SHORT CODE RULES

- a) Short Code must be unique across Code Type.

Example:

Short Code's uniqueness secured:

- Unique Short Codes allocated to two clients to identify Client (Code Type = 1).

1	Short Code	10	11
2	Long Code	PLPESEL1	PLPESEL2
3	Code Type	1	1
4	Identifier Type	1	1
5	Update Type	1	1

10,PLPESEL1,1,1,1

11,PLPESEL2,1,1,1

Example:

Short Code's uniqueness NOT secured:

- Same Short Code allocated to two clients to identify Client (Code Type = 1).

1	Short Code	10	10
2	Long Code	PLPESEL1	PLPESEL2
3	Code Type	1	1
4	Identifier Type	1	1
5	Update Type	1	1

10,PLPESEL1,1,1,1

10,PLPESEL2,1,1,1

- b) Same Short Code may be allocated in order to identify various Code Types (**Investment Decision Within Firm** and **Execution Within Firm**) but only if identification as such concerns the same Long Code.

Example:

Short Code allocated across various Code Types:

- Natural person (PLPESEL1) on behalf of investment firm exists:
 - as a person taking investment decision within firm with regards to certain type of orders and simultaneously,
 - as a person executing orders within firm.
- Same Short Code is allocated to **Investment Decision Within Firm** and **Execution Within Firm**.

1	Short Code	10	10
2	Long Code	PLPESEL1	PLPESEL1
3	Code Type	2	3
4	Identifier Type	1	1
5	Update Type	1	1

10,PLPESEL1,2,1,1

10,PLPESEL1,3,1,1

- c) Allocation of the same Short Code to various Long Code across Code Type is not allowed.

Example (ERROR):

Same Short Code allocated to various Long Code:

- Short Code = 10 allocated:
 - to identify natural person (PLPESEL1) within **Investment Decision Within Firm** (Code Type = 2),

and simultaneously

 - to identify other natural person (PLPESEL2) within **Execution Within Firm** (Code Type = 3).

1	Short Code	10	10
2	Long Code	PLPESEL1	PLPESEL2
3	Code Type	2	3
4	Identifier Type	1	1
5	Update Type	1	1

10,PLPESEL1,2,1,1

10,PLPESEL2,3,1,1

- d) Allocation of various Short Codes for the same Long Code regardless of Code Type is allowed.

Example:

Various Short Codes allocated to the same natural person Client (Code Type = 1).

1	Short Code	10	11	12
2	Long Code	PLPESEL1	PLPESEL1	PLPESEL1
3	Code Type	1	1	1
4	Identifier Type	1	1	1
5	Update Type	1	1	1

10,PLPESEL1,1,1,1

11,PLPESEL1,1,1,1

12,PLPESEL1,1,1,1

6.7. GPW MAPPING DATABASE MANAGEMENT

GPW mapping database provides the following functionalities:

- a) addition of new entry (Update Type = 1),
- b) deletion of existing entry (Update Type = 2),
- c) modification of existing entry (Update Type = 3).

Upon uploading a mapping file to GPW mapping database, processing of a file is done in an order-by-order sequence.

6.7.1. NEW ENTRY

Update Type = 1

New entry to GPW mapping database is valid, when:

- a) Short Code follows Short Code rules described in point 6.6,
- b) File structure follows File Structure rules described in point 6.3,
- c) Values in identifier Type follows Identifier Type rules described in point 6.4.4.

6.7.2. ENTRY DELETION

Update Type = 2

To delete an existing entry from mapping database, it is required to supply an Update Type = 2 entry where content of a record across Short Code and Code Type will be identical as content of a record to be deleted. Otherwise the upload will be rejected.

Example:

Entry deletion - successful:

Existing entry in mapping database: 10,PLPESEL1,1,1

Entry deletion: 10,PLPESEL1,1,1,2

Entry deletion – failed:

Existing entry in mapping database: 10,PLPESEL1,1,1

Entry deletion: 10,PLPESEL1,2,1,2

Inconsistency in Code Type field. Entry deletion - failed.

6.7.3. EXISTING ENTRY MODIFICATION

Update Type = 3

To modify an existing entry in mapping database it is required to supply an Update Type = 3 entry where content of a record across Short Code and Code Type will be identical as content of a record to be modified. Modification will replace an existing record in mapping database.

Example:

Entry modification – successful:

Existing entry in mapping database: 10,PLPESEL1,1,3

New modification entry: 10,PLPESEL1,1,1,3

Entry modification – failed:

Existing entry in mapping database: 10,PLPESEL1,1,3

New modification entry: 10,PLPESEL1,2,1,3

Code Type fields are not consistent. Entry modification – failed.

7. MAPPING REGISTRATION

7.1. FILES UPLOAD DESTINATION

- a) Files are uploaded via dedicated form. Available for authorized users only, registration required prior to log in,
- b) Files upload via API REST (HTTPS),
- c) Files must be encrypted using PGP key for WSE.

7.2. FILES UPLOAD LIMITATIONS

Files may be supplied:

- a) Only on days on which trading sessions are held,
- b) During the trading days only,
- c) From 5:00 p.m. to 7:00 p.m. (CET) on T day and from 8:00 a.m. to 12:00 p.m. (CET) on T day +1,
- d) Effective date given in the name of a file (according to point 6.2.) equal to T day. Any other date given in the file is not supported and such file will be rejected.

Example:

Name of a mapping file supplied from 5:00 p.m. on January 3rd, 2017 to 12:00 p.m. on January 4th, 2017, Effective date should be equal to 20170103 while on the next time interval falling from 5:00 p.m. on January 4th, 2017 to 12:00 p.m. on January 5th, 2017, Effective date should be equal to 20170104.

7.3. MAPPING FILES VERIFICATION (VERIFICATION REPORT)

- a) Each mapping file received is verified to make sure it is not corrupted:
- b) File verification checks:
 - a) upload time
 - b) report name
 - c) PGP encryption
 - d) CSV syntax
 - e) file content
- c) Exchange Member receives a response after each file verification:
 - a) File format: csv,
 - b) File name:
 - o length: 16 characters (numbers only),
 - o name structure.

Name of mapping file	15 characters (numbers only)
File status indicator	E (error) – file corrupted C (correct) – file correct

- d) CSV report is available only when a file passed verification of:
- a) upload time
 - b) report name
 - c) PGP encryption
- e) Report is available on website and is send by email. Email report is sent only when validation passed filename and upload time verification.
- f) Upload time and filename are verified online.

Example:

Exchange Member supplies mapping file: G09042018010201.csv.pgp.

Name of a verification report where file status indicator equal to E (file corrupted): G09042018010201E.csv.

Name of a verification report where file status indicator equal to C (file correct): G09042018010201C.csv.

- g) File structure

Parameter	Format	Description
Short Code	Integer > 3	Values between 4 and $2^{32}-1$ (4 – 4.294.967.295) Reserved values: 0 – 3
Code Type	Integer	Value between 1 - 3 1 - Client 2 - Investment Decision Within Firm 3 - Execution Within Firm
Update Type	Integer	Value between 1 - 3 1 - Creation of a new record 2 - Deletion of existing record 3 - Modifying of existing record
Processed	String	Y – Registration successful N – Registration unsuccessful
Error identifier	String	SKIPPED INVALID_CSV_FORMAT INVALID_NUMBER_FORMAT TOO_HIGH_VALUE TOO_LOW_VALUE OK SHORT_AND_TYPE_PAIR_EXIST (means attempt to add record with the Short Code and Code Type which already exist in mapping database). SHORT_AND_TYPE_PAIR_NOT_EXIST (means attempt to delete or modify record with the Short Code and Code Type which doesn't exist in mapping database). TYPE_AND_IDENTIFIER_MISMATCH (means inconsistency between Identifier Type and Code Type as indicated in 6.4.4.c)) LONG_DOES_NOT_FIT_TO_EXISTING_SHORT (means attempt to allocate the same Short Code to various Long Code as indicated in 6.6.c)) In some cases error contains additional information in brackets: <i>error_name[line:x;fieldName]</i>

where:

- Accepted individual records receives Y in the verification report,
- Corrupted individual records not compliant with requirements described in points 6.5 and 6.6 receives N in the Processed field while in the Error identifier field a code of error is displayed.

Example:

Verification report including incorrect record submission. Short Code 10 and 11 accepted. Short Code 12 rejected.

```
10,1,1,Y,
11,1,1,Y,
12,1,1,N,SHORT_AND_TYPE_PAIR_EXIST
```

7.4. EXAMPLE OF MAPPING FILE SUBMISSION - EVENT SEQUENCE

Example:

Mapping file passes a verification of 3 statuses (Upload time verification status; The report name verification status; The report syntax verification status):

- a) Exchange Member supplies mapping file:

Name of a file: G0g042018010201.csv.pgp

Individual records:

```
10,PLPESEL1,1,1,1
11,PLPESEL2,2,2,1
12,PLPESEL2,3,1,1
```

- b) Verification report

Name of a file: G0g042018010201E.csv

```
10,1,1,Y,
11,2,1,N, SHORT_AND_TYPE_PAIR_EXIST
12,3,1,Y,
```

Short Code = 10 – accepted,

Short Code = 11 – rejected,

Short Code = 12 – accepted.

- c) Exchange Member supplies mapping file including correction to Short Code = 11.

Name of a file (version number incremented by 1 i.e. = 02) : G0g042018010202.csv.pgp.

Individual records:

```
11,PLPESEL2,2,1,1
```

- d) Verification report

Name of a file: Gog042018010202C.csv

11,2,1,Y,

Short Code = 11 - accepted.

8. MISSING SHORT CODES

Each Exchange Member is obliged to keep mapping database up to date allowing Warsaw Stock Exchange to properly process mapping of Short Code identifiers on current orders entry against Long Code identifiers. Warsaw Stock Exchange will provide Exchange Members with the list of Short Codes that do not have a Long Codes registered against them:

- between 7:01 p.m. and 7:15 p.m. on T day,
 - at 10:01 a.m. on T day + 1,
 - at 11:01 a.m. on T day + 1,
 - at 12:01 p.m. on T day + 1.
- a) Missing identifiers reports including list of Short Codes that do not have a Long Codes registered against them. Exchange Member is obliged to supply a mapping file according to points 6 and 7 of the above procedure. However it is required to provide missing Long Codes identifiers before 12:01 p.m. (end of mapping procedure). After 12:01 p.m. mapping file is no longer required,
- b) Completion report including information about successful completion of mapping procedure. All Short Codes identifiers have a Long Codes registered against them on T day.

In case the Exchange Member fails to update mapping database with the T-day orders, on the T +1 day the Exchange provides the supervising brokers with information about missing identifiers reports at:

- 10:01 a.m. on day T+1,
- 12:01 p.m. on day T+1

Information about missing identifiers reports consists of e.g. the existence of Short Codes used in orders on day T and **not reported** by Exchange member to the WSE mapping database (the Short Codes used do not have an equivalent Long Code).

A supervising broker, having received information that the WSE mapping database has not been updated to the extent applicable to that exchange Member, is obliged to inform employees responsible for the performance of the aforementioned duties about the still existing missing identifiers reports and about the necessity of immediate supplementation of the WSE mapping database.

8.1. MISSING IDENTIFIERS

- a) File format: csv,
- b) File name:
- length: 18 characters,
 - name structure.

Trading platform identifier	G - Warsaw Stock Exchange (GPW)
Exchange Member technical code in UTP	4 characters
Effective date (Same rules as in point 3.2)	YYYYMMDD YYYY - year MM - month DD - day

Report time identifier	R1900 R1000 R1100 R1200
-------------------------------	----------------------------------

Example:

Name of a file:

G090420180102R10.csv

c) File structure

LP	Parameter	Format	Description
1	Order Sequence Number	Alphanumeric up to 50 chars	Description Numerical identifier of the order (unique per instrument)
2	ISIN code	Alphanumeric up to 12 chars	ISIN
3	Short Code	Integer > 3	Values between 4 and $2^{32}-1$ (4 – 4.294.967.295) Reserved values: 0 – 3
4	Code Type	Integer	Value between 1 - 3 1 - Client 2 - Investment Decision Within Firm 3 - Execution Within Firm
5	Identifier Type	Integer	Value between 1 - 3 1 - Natural Person 2 - Legal Entity 3 - Algorithm
6	Client Order Identifier	Alphanumeric up to 30 chars	

Example:

Order Sequence Number	20171114000009
ISIN code	PLKGHM000017
Short Code	10
Code Type	1
Identifier Type	1
Client Order Identifier	1478

20171114000009,PLKGHM000017,10,1,1478

Missing Short Code identifiers report informs:

- Missing Short Code = 10 where Code Type equal to = 1 and Identifier Type = 1,
- Missing Short Code = 10 where Code Type equal to = 1 was used on the trading session on T day in the order sequence number 20171114000009 and ISIN Code PLKGHM000017.

PartyRole(452)	3 = Client ID
PartyRoleQualifier(2376)	24 = Natural person

8.2. COMPLETION REPORT

Missing Short Code identifiers reports are generated according to the schedule described in point 8. After receiving completeness report automatically no further registration process is required. In case an Exchange Member submits any modification to its own mapping database despite receiving a completeness report, the verification procedure will be re-initiated.

9. PROCESS TO FIX SHORT CODE ERRORS FOR ORDERS

The following procedure applies to report on WSE and fix errors by Exchange Member for orders with a wrong Short Code. The following error reports might be submitted:

1. Incorrect Short Code has been used in an order to identify Code Type. Simultaneously the wrong Short Code, does not represent any known identifier of a person/entity/algorithm within Code Type identification. As a result no mapping report has been submitted yet to the Warsaw Stock Exchange including incorrect Short Code vs Long Code mapping.

Example:

To identify a Client A (Code Type = 1), an Exchange Member incorrectly submitted in an order Short Code 100 instead of Short Code 10. At the same time Short Code 100 does not represent any known identifier of a person/entity/algorithm. As a result, an Exchange Member has not submitted yet any mapping for Short Code 100. Following the procedure described in the paragraph 8 Missing Short Codes, an Exchange Member may expect to receive missing Short Code identifier reports for Short Code 100.

2. Incorrect Short Code has been used in an order to identify Code Type. Simultaneously the wrong Short Code represents already known identifier of a person/entity/algorithm within Code Type identification. As a result mapping report has already been submitted to the Warsaw Stock Exchange including incorrect Short Code vs Long Code mapping.

Example:

To identify a Client A (Code Type = 1), an Exchange Member incorrectly submitted in an order Short Code 100 instead of Short Code 10. At the same time Short Code 100 represents an identifier of a Client B. As a result, an Exchange Member has already been submitted mapping for Short Code 100. Following the procedure described in the paragraph 8 Missing Short Codes, an Exchange Member is requested to replace Short Code 100 from Client A to Client B. As a result Client A identification is incorrect.

3. Correct Short Code has been used for incorrect identification.

Example:

Execution within firm field (Code Type = 3) in a Client A order has been improperly filled and instead a broker Short Code, a client Short Code (Code Type = 1) has been used. It should be otherwise.

4. Short Code has been used for redundant and unnecessary identification.

Example:

Execution within firm field (Code Type = 3) in a Client A order has been improperly filled and instead a broker Short Code, a client Short Code (Code Type = 1) has been used. It should be otherwise. Additionally Investment decision within firm (Code Type = 2) field has been filled, which is redundant and unnecessary.

5. Incorrect values to identify Client (1 – AGGR, 2 – PNAL) and Execution within firm (3 – Client).

Example:

An order submitted is classified as aggregated order. Client (Code Type = 1) field should be represented with 1. Incorrectly, instead of 1 (AGGR) a value equal to 2 (PNAL) has been submitted.

6. Double error from paragraph no 1 and paragraph no 2
7. Double error from paragraph no 2 and paragraph no 3

9.1. ERROR FILE UPLOAD

- a) File: csv.pgp (file must be encrypted with the same PGP key as any other files supplied - according to paragraph 7.1.);
- b) File format:
 - length: 19 characters;
 - name structure:

File status indicator	Errors
Trading platform identifier	G - Warsaw Stock Exchange (GPW)
Exchange Member KDPW code	4 characters
Date of the trading session with errors	RRRRMMDD RRRR - year MM - month DD - day

Example:

ERRORSG090420180102.csv.pgp

- c) Files collections
 - Error files are to be delivered via dedicated form. Available for authorized users only, registration required prior to log in,
 - Files may be supplied during the trading days only,
 - There is no time limit to deliver error reports. Error report delivery may occur a few days after the trading session on which error Short Code has been used;
- d) file structure

LP	Parameter		Format	Description
1	Order Sequence Number		Alphanumeric up to 50 chars	Numerical identifier of the order (unique per instrument).
2	ISIN code		Alphanumeric up to 12 chars	ISIN
3	Client Order Identifier		Alphanumeric up to 30 chars	
4	Incorrect data	Short Code	Integer ≥ 0	Values between 0 and $2^{32}-1$ (0 – 4.294.967.295)
5		Long Code	String excluding comma	Values: Natural Person Identifier Legal Entity Identifier Algorithm Identifier
6		Code Type	Integer	Value between 1 - 4 1 - Client 2 - Investment Decision Within Firm 3 - Execution Within Firm 4 - Non Executing Broker (see point 6.4.4)

LP	Parameter		Format	Description
7		Identifier Type	Integer	Value between 1 - 3 1 - Natural Person 2 - Legal Entity 3 - Algorithm
8	Correct data	Short Code	Integer >= 0	Values between 0 and $2^{32}-1$ (0 – 4.294.967.295)
9		Long Code	String excluding comma	Values: Natural Person Identifier Legal Entity Identifier Algorithm Identifier
10		Code Type	Integer	Value between 1 - 4 1 - Client 2 - Investment Decision Within Firm 3 - Execution Within Firm 4 - Non Executing Broker (see point 6.4.4)
11		Identifier Type	Integer	Value between 1 - 3 1 - Natural Person 2 - Legal Entity 3 - Algorithm

9.2. EXAMPLES

Example no 1:

To identify a Client A (Code Type = 1) with National Identification Number (PESEL) 78080915236, an Exchange Member incorrectly submitted in an order Short Code 100 instead of Short Code 10. At the same time Short Code 100 does not represent any known identifier of a person/entity/algorithm. As a result an Exchange Member has not submitted yet any mapping for Short Code 100.

LP	Parameter		
1	Order Sequence Number		20171114000009
2	ISIN code		PLKGHM000017
3	Client Order Identifier		1478
4	Incorrect data	Short Code	100
5		Long Code	
6		Code Type	1
7		Identifier Type	1
8	Correct data	Short Code	10
9		Long Code	PL78080915236
10		Code Type	1
11		Identifier Type	1

20171114000009,PLKGHM000017,1478,100,,1,1,10,PL78080915236,1,1

Example no 2:

To identify a Client A (Code Type = 1) with National Identification Number (PESEL) 78080915236, an Exchange Member incorrectly submitted in an order Short Code 100 instead of Short Code 10. At the same time Short Code 100 represents an identifier of Client B with National Identification Number (PESEL) 64100917237.

LP	Parameter		
1	Order Sequence Number		20171114000009
2	ISIN code		PLKGHM000017
3	Client Order Identifier		1478
4	Incorrect data	Short Code	100
5		Long Code	PL64100917240
6		Code Type	1
7		Identifier Type	1
8	Correct data	Short Code	10
9		Long Code	PL78080915236
10		Code Type	1
11		Identifier Type	1

20171114000009,PLKGHM000017,1478,100,PL64100917240,1,1,10,PL78080915236,1,1

Example no 3:

To identify a Client A (Code Type = 1) with National Identification Number (PESEL) 78080915236, an Exchange Member submitted in an order Short Code 10. Within the same order, an Exchange Member was supposed to reveal a broker via Execution within firm (Code Type = 3) with National Identification Number (PESEL) 64100917237 as Short Code 100. Mistakenly a Short Code of a broker (100) has been used to identify a Client (Code Type = 1) while Short Code of a client (10) has been used to identify a broker via Execution within firm (Code Type = 3).

LP	Parameter			
1	Order Sequence Number		20171114000009	20171114000009
2	ISIN code		PLKGHM000017	PLKGHM000017
3	Client Order Identifier		1478	1478
4	Incorrect data	Short Code	10	100
5		Long Code	PL78080915236	PL64100917240
6		Code Type	3	1
7		Identifier Type	1	1
8	Correct data	Short Code	10	100
9		Long Code	PL78080915236	PL64100917240
10		Code Type	1	3
11		Identifier Type	1	1

20171114000009,PLKGHM000017,1478,10,PL78080915236,3,1,10,PL78080915236,1,1

20171114000009,PLKGHM000017,1478,100,PL64100917240,1,1,100,PL64100917240,3,1

or

LP	Parameter			
1	Order Sequence Number		20171114000009	20171114000009
2	ISIN code		PLKGHM000017	PLKGHM000017
3	Client Order Identifier		1478	1478
4	Incorrect data	Short Code	10	100
5		Long Code	PL78080915236	PL64100917240
6		Code Type	3	1
7		Identifier Type	1	1
8	Correct data	Short Code	100	10
9		Long Code	PL64100917240	PL78080915236

LP	Parameter			
10		Code Type	3	1
11		Identifier Type	1	1

20171114000009,PLKGHM000017,1478,10,PL78080915236,3,1,100,PL64100917240,3,1

20171114000009,PLKGHM000017,1478,100,PL64100917240,1,1,10,PL78080915236,1,1

Example no 4:

Execution within firm (Code Type = 3) in a Client A order was supposed to reveal a broker with National Identification Number (PESEL) 64100917237 as Short Code 10. Mistakenly a Short Code of a broker has been used not only in Execution within firm (Code Type = 3) but also in Investment decision within firm (Code Type = 2). Identification of a broker in Investment decision within firm (Code Type = 2) field is redundant and unnecessary.

LP	Parameter		
1	Order Sequence Number		20171114000009
2	ISIN code		PLKGHM000017
3	Client Order Identifier		1478
4	Incorrect data	Short Code	100
5		Long Code	PL64100917240
6		Code Type	2
7		Identifier Type	1
8	Correct data	Short Code	
9		Long Code	
10		Code Type	
11		Identifier Type	

To remove an identification type (as per example above - Investment decision within firm) correct data fields must remain empty.

20171114000009,PLKGHM000017,1478,100,PL64100917240,2,1

Example no 5:

An order submitted is classified as aggregated order with Client (Code Type = 1) field represented with 1. Instead of 1 (AGGR) a value equal to 2 (PNAL) has been submitted.

LP	Parameter		
1	Order Sequence Number		20171114000009
2	ISIN code		PLKGHM000017
3	Client Order Identifier		1478
4	Incorrect data	Short Code	2
5		Long Code	
6		Code Type	1
7		Identifier Type	
8	Correct data	Short Code	1
9		Long Code	
10		Code Type	1
11		Identifier Type	

20171114000009,PLKGHM000017,1478,2,,1,,1

10. PROCESS TO SUBMIT MISSING AND INCORRECT LONG CODES FOR ALREADY MAPPED ORDERS

The same procedure as described in paragraph 9 is to be used to submit:

1. Missing Long Codes including those not submitted according to paragraph 7.2;
2. Incorrect Long Codes already delivered and verified;

Example no 1 – missing Long Code

To identify a Client A (Code Type = 1) with National Identification Number (PESEL) 78080915236, an Exchange Member submitted an order with Short Code 10. At the same time Short Code 10 does not represent any known identifier of a person/entity/algorithm. As a result, an Exchange Member has not submitted yet any mapping for Short Code 10 ignoring missing identifiers reports to register Long Codes.

To register missing Long Codes against Short Codes, it is necessary to supply the following correction file:

LP	Parameter	
1	Order Sequence Number	20171114000009
2	ISIN code	PLKGHM000017
3	Client Order Identifier	1478
4	Incorrect data	Short Code
5		Long Code
6		Code Type
7		Identifier Type
8	Correct data	Short Code
9		Long Code
10		Code Type
11		Identifier Type

20171114000009,PLKGHM000017,1478,10,,1,1,10,PL78080915236,1,1

Example no 2 – incorrect Long Code

To identify a Client A (Code Type = 1) with National Identification Number (PESEL) 78080915236, an Exchange Member submitted an order with Short Code 10. At the same time Short Code 10 and appropriate Long Code PL78080915236 has already been registered. However, an Exchange Member has noticed incorrect Long Code mapping, while instead 78080915236 a National Identification Number 78080915263 should be used.

To perform correction process, it is necessary for all Client A's orders and all individual days when incorrect mapping applied to submit correction files according to the structure below:

LP	Parameter	
1	Order Sequence Number	20171114000009
2	ISIN code	PLKGHM000017
3	Client Order Identifier	1478
4	Incorrect data	Short Code
5		Long Code

LP	Parameter		
6	Correct data	Code Type	1
7		Identifier Type	1
8		Short Code	10
9		Long Code	PL78080915263
10		Code Type	1
11		Identifier Type	1

20171114000009,PLKGHM000017,1478,10,PL78080915236,1,1,10,PL78080915263,1,1

Additionally it is necessary to correct mapping for Short Code/Long Code pair from (10/PL78080915236) to (10/PL78080915263) in the mapping database to avoid further inconsistencies. To modify an existing entry it is required to follow 6.7.3. Existing Entry modification rules.

11.PROCESS TO SUBMIT HISTORICAL MAPPING FILES

11.1. FILE FORMAT, NAME, STRUCTURE

Historical mapping file format name and structure is the same as in point 6.1-3.

Additionally, the field can be set to 4 - Non-Executing Broker.

11.2. FILE UPLOAD DESTINATION

- a) Files are uploaded via dedicated form. Available for authorized users only, registration is required prior to log in,
- b) Files must be encrypted using PGP key for WSE.

11.3. FILE UPLOAD LIMITATIONS

Historical mapping files may be supplied:

- a) Only on days on which trading sessions are held,
- b) During the trading days only from 5:00 p.m.to 7:00 p.m. (CET).
- c) The "effective date" provided in the file name is the past session date selected in the calendar on the website.

The file name is determined by the selection from the calendar of the session. The calendar on the website allows you to check which sessions in the past Exchange Member had missing mappings and which ones were completed. This functionality allows you to download a mapping file template that makes it easier to determine which mappings are missing for a given session. The mapping file template is available when the user selects a session in the calendar (red) that has missing mappings. The template format is consistent with the structure of the mapping file from point 6. To send the template, the user is required to complete LONCODE and IDENTIFIER TYPE (this field will have to be completed in case of filling in missing mappings from before the implementation of the new system version).

Example file downloaded from website:

Name template: G09992022122020.csv

File content G09992022122020.csv:

13,[LONG CODE],1,[IDENTIFIER TYPE],1

13,[LONG CODE],2,[IDENTIFIER TYPE],1

Fields **[LONG CODE]** and **[IDENTIFIER TYPE]** are completed by the user according to the rules described in 6.4

If the selected session has no missing mappings (green selection in the calendar), the mapping file template will not be available.

11.4. HISTORICAL MAPPING FILE VERIFICATION (VERIFICATION REPORT)

Verification that respect rules from point 7.3 a)-f). Additionally, the field can be set to 4 - Non-Executing Broker.

12. GPW GUIDELINES ON POPULATING SHORT CODE FIELDS OF BROKER'S ORDERS

These Guidelines concern the preparation of broker's orders by exchange members pursuant to § 107 of the Exchange Rules and § 13 of Division 4 of the Detailed Exchange Trading Rules in UTP System and § 26 of Exhibit 2 to the Alternative Trading System Rules, in particular use of Short Codes in broker's orders. The Guidelines aim to ensure uniform compliance of exchange members.

The content of the Guidelines is provided for information only. It does not constitute legal advice or an interpretation of generally applicable regulations concerning the relevant obligation, in particular Commission Delegated Regulation (EU) 2017/580 and Commission Delegated Regulation (EU) 2017/590. These Guidelines do not constitute guidelines concerning exchange regulations within the meaning of the Exchange Rules or the Alternative Trading System Rules.

The content of the Guidelines is subject to change at any time. Due care was exercised to prepare the Guidelines. However, the issuer of the Guidelines accepts no liability for any results of the users' interpretations of the Guidelines. In no case may anything in the Guidelines be interpreted to give or constitute any explicit or implicit representation or warranty. As the issuer of the Guidelines, GPW accepts no liability for any damage or loss caused as a result of any use of the Guidelines or their content. Exclusive liability for any decisions made on the basis of the Guidelines is with individuals or entities that use the Guidelines.

GPW accepts no liability in the case of any conflict, discrepancy and/or ambiguity between the Guidelines and any other official recommendations or guidelines issued by the competent supervisory authority (PFSA, ESMA).

The GPW Guidelines do not release exchange members from the obligation of giving full and thorough consideration to applicable official updated recommendations or guidelines issued by the competent supervisory authority (PFSA, ESMA).

This section presents GPW Guidelines concerning completion of new fields of messages (referred to in section 5 *Order Messages*) with the following:

- Client Identification Short Code,
- Investment Decision Within Firm Short Code,
- Execution Within Firm Short Code.

12.1. CLIENT IDENTIFICATION SHORT CODE

This is the Short Code which identifies the client of an exchange member for whose account an order is submitted to the exchange / alternative trading system, including clients using direct electronic access.

If an order is submitted to the exchange / alternative trading system using direct electronic access, the Client Identification Short Code is the Short Code of the client of the exchange member using direct electronic access.

A proxy authorized to operate an investment account is not considered a client. If an order is submitted by a proxy, the Client Identification Short Code is the Short Code of the account holder, not the proxy.

If an order is an order of an exchange member for its own account (e.g., orders placed in the performance of market maker functions), no Client Identification Short Code is used.

For aggregated orders (where a single broker's order aggregates several client orders), the Client Identification Short Code is the aggregated order flag. In that case, the Client Identification Short Code is flagged as 1.

For orders where the order is allocated to a client after the order is submitted to the exchange / alternative trading system (i.e., the order is not yet allocated when it is submitted), the Client Identification Short Code is the pending allocation flag. In that case, the Client Identification Short Code is flagged as 2. Please note: the Short Codes of clients to whom the order is allocated need not be reported to GPW after the allocation.

12.2. INVESTMENT DECISION WITHIN FIRM SHORT CODE

This is the Short Code of an individual or algorithm responsible for the investment decision concerning an order placed for own account of an exchange member or as part of the exchange member's asset management service, determined under Article 8 of Commission Delegated Regulation (EU) 2017/590.

For most of the "standard" client orders, no Investment Decision Within Firm Short Code is used, i.e., orders where the investment decision was made by the client. The Investment Decision Within Firm Short Code is used where the investment decision concerning the client's order was made by an individual or algorithm within the exchange member. This situation applies to orders submitted as part of the exchange member's asset management service, where the investment decision is made by a portfolio manager acting for the account of the client as part of the asset management service. In that case, the Investment Decision Within Firm Short Code identifies the individual or algorithm within the exchange member (portfolio manager).

The Investment Decision Within Firm Short Code is used for orders of exchange members submitted for their own account. Such orders include orders placed by exchange members as part of the performance of market maker functions. In that case, if the investment decision is made by an individual within the market maker, the Investment Decision Within Firm Short Code is the Short Code assigned to the individual by the exchange member. If the investment decision for a market maker order is made by an algorithm, the Investment Decision Within Firm Short Code is the Short Code assigned to the algorithm by the exchange member.

Note that this example refers to market makers who are exchange members. No Investment Decision Within Firm Short Code is used for third-party market makers, i.e., investment firms which are not exchange members but perform the functions of market makers and submit orders to the exchange / alternative trading system through investment firms which are exchange members. In this regard, orders of such third-party market makers are treated in the same way as clients' orders. A third-party market maker is a client of the exchange member, which submits its orders and the Investment Decision Within Firm Short Code of such market maker is considered from this perspective.

12.3. EXECUTION WITHIN FIRM SHORT CODE

This is the Short Code of an individual or algorithm within the exchange member responsible for the execution of the order, determined under Article 9 of Commission Delegated Regulation (EU) 2017/590.

For most of the "standard" client orders, no Execution Within Firm Short Code is used, for instance orders placed online and other orders entered by an employee of an exchange member who strictly follows the clients' instructions and submits an order to GPW as per the parameters defined by the client. In such cases,

as required by GPW, the Execution Within Firm Short Code in the broker's order is flagged as 3, which means that no individual or algorithm within the exchange member participated in the execution of the order. In that case, no Execution Within Firm Short Code should be used. Any Execution Within Firm Short Code will be considered invalid.

The Execution Within Firm Short Code is used in broker's orders where an individual (or algorithm) within the exchange member influences the execution of the order. For example, DDM orders are orders where the broker, acting within the limits of the client's instructions, decides about the execution of the order. In that case, the Execution Within Firm Short Code is the Short Code of the broker (individual) executing the DDM order.

The Execution Within Firm Short Code is used in particular in exchange members' orders submitted for their own account. Such orders include orders placed as part of the performance of market maker functions. In that case, if the order is executed by an individual within the market maker, the Execution Within Firm Short Code is the Short Code assigned to the individual by the exchange member. If the order is executed by an algorithm, the Execution Within Firm Short Code is the Short Code assigned to the algorithm by the exchange member.

Note that this example refers to market makers who are exchange members. No Execution Within Firm Short Code is used for third-party market makers, i.e., investment firms which are not exchange members but perform the functions of market makers and submit orders to the exchange / alternative trading system through investment firms which are exchange members. In this regard, orders of such third-party market makers are treated in the same way as clients' orders. A third-party market maker is a client of the exchange member which submits its orders and the Execution Within Firm Short Code of such market maker is considered from this perspective. This means that the Execution Within Firm Short Code is flagged as 3 for orders of a third-party market maker.

12.4. EXAMPLES

- a) Regular order of a client with Short Code 100 placed online or through an exchange member who strictly follows the client's instructions (the parameters of the submitted order are strictly defined by the client).

Client Identification Short Code	100
Investment Decision Within Firm Short Code	
Execution Within Firm Short Code	3

- b) Order of a client with Short Code 100 placed as a DDM order, executed by an employee of the exchange member with Short Code 200.

Client Identification Short Code	100
Investment Decision Within Firm Short Code	
Execution Within Firm Short Code	200

- c) Aggregated order. One order aggregates several client orders where clients made the investment decision. The order is placed by an employee of the exchange member with Short Code 200. The employee is responsible for the execution of the entire order.

Client Identification Short Code	1
Investment Decision Within Firm Short Code	
Execution Within Firm Short Code	200

- d) Pending allocation order. The client made the investment decision to allocate the order. The order is placed by an employee of the exchange member with Short Code 200. The employee is responsible for the execution of the order.

Client Identification Short Code	2
Investment Decision Within Firm Short Code	
Execution Within Firm Short Code	200

- e) Market maker order. An employee (or algorithm) within the exchange member with Short Code 100 is responsible for market making. The employee (or algorithm) makes investment decisions and executes orders.

Client Identification Short Code	
Investment Decision Within Firm Short Code	100
Execution Within Firm Short Code	100

- f) The order is placed by a client (individual or legal entity) using a trading algorithm. It is an algorithm of the client, not an exchange member. The Short Code of the client is 100.

Client Identification Short Code	100
Investment Decision Within Firm Short Code	
Execution Within Firm Short Code	3

In this case, only the Short Code of the client who submits the order is disclosed. The client's algorithms are not disclosed. Only algorithms of exchange members are disclosed, not algorithms of exchange members' clients.