



Points:
1/1

1. (Important)

1: Please Scroll Down to see all the questions / answers.

2: Click "Save" when you are done with the page. Then Click "Next Page."

3: If you cannot see the bottom answers on the page. Try pressing **Command + Minus** (On Mac) or Press **Ctrl + Minus** (Windows) on your keyboard.

Refer to figure 23. What is the significance of the flag located at N32°22 and W81°18?

Figure 23- <https://www.dropbox.com/s/60k7cs4h8lgrr79/Figure%2023.jpeg?dl=1>




Points:
0/1

2. Referring to Figure 25 Area 3, If Dallas Executive Tower is not in operation, which frequency should be used as a Common Traffic Advisory Frequency (CTAF) to monitor airport traffic?

Figure 25- <https://www.dropbox.com/s/06196vduhigkvco/Figure%2025.jpeg?dl=1>

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.



- ☒ 122.95 MHz x
- ☒ 127.25 MHz ✓
- ☐ 126.35 MHz



Points:
1/1

3. Which of the following individuals may process an application for a part 107 remote pilot certificate with an sUAS rating?

- ☒ Designated Pilot Examiner ✓
- ☐ Commercial Balloon pilot
- ☐ Remote Pilot in Command



Points:
1/1

4. The FAA may approve your application for a waiver of provisions in part 107 only when it has been determined that the proposed operation:

- ☐ Involves public aircraft or air carrier operations
- ☒ Can be safely conducted under the terms of that certificate of waiver ✓
- ☐ Will be conducted outside of the United States



Points:
1/1

5. A local TV station has hired a remote pilot to operate their small UA to cover breaking news stories. The remote pilot has had multiple near misses with obstacles on the ground and two small UAS accidents. What would be a solution for the news station to improve their operating safety culture?

☒ **The news station should recognize hazardous attitudes and situations and develop standard operating procedures that emphasize safety.**



☐ The news station should implement a policy of no more than five crashes/incidents within 6 months

☐ The news station does not need to make any changes; there are times that an accident is unavoidable.



Points:
1/1

6. According to 14 CFR part 107, an sUAS is a unmanned aircraft system weighing:

☐ 55 lbs

☐ 55kg or less

☒ **Less than 55 lbs** ✓



7. Refer to Figure 21 Area 2, The CTAF/MULTICOM frequency for Garrison Airport is...

Points:
1/1

Figure 21-




FIGURE 21.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ 123.0 MHz
- ☒ 122.9 MHz ✓
- ☐ 122.8 MHz



8. Why would the small flag at Lake Drummond in area 2 of the sectional chart be important to a Remote PIC? (Figure 20)

Points:
1/1

Figure 20- <https://www.dropbox.com/s/5dwymj4avr57yf7/Figure%2020.jpeg?dl=1>




FIGURE 20.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ The flag indicates a VFR check point for manned aircraft, and a higher volume of air traffic should be expected there.



- ☐ The flag indicates a GPS check point that can be used by both manned and remote pilots for orientation.
- ☐ The flag indicates that there will be a large obstruction depicted on the next printing of the chart

✓ 9. Why would the small flag at Lake Drummond in area 2 of the sectional chart be important to a Remote PIC? (Figure 20)

Points:
1/1

Figure 20-




FIGURE 20.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☑ The flag indicates a VFR check point for manned aircraft, and a higher volume of air traffic should be expected there.

✓

- The flag indicates a GPS check point that can be used by both manned and remote pilots for orientation.
- The flag indicates that there will be a large obstruction depicted on the next printing of the chart



Points:
1/1

10. What could you do to reduce stress in the field?

- ☐ Take medication
- ☒ **Reduce stress at home ✓**
- ☐ Pretend the stress is not there



Points:
1/1

11. What action should a pilot take when operating under VFR in a Military Operations Area (MOA)?

- ☒ **Exercise extreme caution when military activity is being conducted ✓**
- ☐ Obtain a clearance from the controlling agency prior to entering the MOA
- ☐ Operate only on the airways that transverse the MOA



Points:
1/1

12. According to 14 CFR part 107, who is responsible for determining the performance of a small unmanned aircraft?

- ☒ **Remote Pilot in Command ✓**
- ☐ Manufacturer
- ☐ Owner or Operator



Points:
1/1

13. Within how many calendar days must an sUAS accident be reported to the FAA?

- ☒ **10 days ✓**
- ☐ 90 days
- ☐ 30 days



Points:
0/1

14. Refer to Figure 15. When might the weather become 3SM BR SKC?

Figure 15-

TAF

KMEM 121720Z 1218/1324 20012KT 5SM HZ BKN030 PROB40 2022 1SM TSRA OVC008CB
FM2200 33015G20KT P6SM BKN015 OVC025 PROB40 2202 3SM SHRA
FM0200 35012KT OVC008 PROB40 0205 2SM-RASN BECMG 0608 02008KT BKN012
BECMG 1310/1312 00000KT 3SM BR SKC TEMPO 1212/1214 1/2SM FG
FM131600 VRB06KT P6SM SKC=

KOKC 051130Z 0512/0618 14008KT 5SM BR BKN030 TEMPO 0513/0516 1 1/2SM BR
FM051600 18010KT P6SM SKC BECMG 0522/0524 20013G20KT 4SM SHRA OVC020
PROB40 0600/0606 2SM TSRA OVC008CB BECMG 0606/0608 21015KT P6SM SCT040=

FIGURE 15.—Terminal Aerodrome Forecasts (TAF).

- ☐ On the 13th from 1000z to 1200z ✓
- ☒ **On the 12th at 1200z ✗**
- ☐ On the 13th at 0200z



Points:
1/1

15. According to 14 CFR part 107, the responsibility to inspect the small unmanned aircraft system (sUAS) to ensure it is in a safe operating condition rests with the:

- ☐ Visual observer
- ☒ **Remote Pilot in Command ✓**
- ☐ Owner of the sUAS



Points:
1/1

16. If an unmanned airplane weighs 33 pounds, what approximate weight would the airplane structure be required to support during a 30° banked turn while maintaining altitude? (Figure 2)

Figure 2-




FIGURE 2.—Load Factor Chart.

- ☐ 47 pounds
- ☒ 38 pounds ✓
- ☐ 34 pounds



Points:
1/1

17. To ensure that the unmanned aircraft center of gravity (CG) limits are not exceeded, follow the aircraft loading instructions specified in the:

- ☐ Aircraft Weight and Balance Handbook
- ☒ Pilot's Operating Handbook or UAS Flight Manual ✓
- ☐ Aeronautical Information Manual (AIM)



Points:
1/1

18. On a VFR sectional chart, what do blue hash marks indicate?

- ☒ Restricted Area ✓
- ☐ Class A Airspace
- ☐ Wildlife Refuge



Points:
1/1

19. The vertical limits of the portion of Class E airspace designated as a Federal Airway over Magee Airport are (Refer to Figure 22, area 3)

Figure 22-




FIGURE 22.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ 7,500 feet MSL to 17,999 feet MSL
- ☒ 1,200 feet AGL to 17,999 feet MSL ✓
- ☐ 700 feet MSL to 12,500 feet MSL



Points:
1/1

20. Refer to Figure 15. How does the weather change from 2200z to 0200z

Figure 15-

TAF

KMEM 121720Z 1218/1324 20012KT 5SM HZ BKN030 PROB40 2022 1SM TSRA OVC008CB
FM2200 33015G20KT P6SM BKN015 OVC025 PROB40 2202 3SM SHRA
FM0200 35012KT OVC008 PROB40 0205 2SM-RASN BECMG 0608 02008KT BKN012
BECMG 1310/1312 00000KT 3SM BR SKC TEMPO 1212/1214 1/2SM FG
FM131600 VRB06KT P6SM SKC=

KOKC 051130Z 0512/0618 14008KT 5SM BR BKN030 TEMPO 0513/0516 1 1/2SM BR
FM051600 18010KT P6SM SKC BECMG 0522/0524 20013G20KT 4SM SHRA OVC020
PROB40 0600/0606 2SM TSRA OVC008CB BECMG 0606/0608 21015KT P6SM SCT040=

FIGURE 15.—Terminal Aerodrome Forecasts (TAF).

- ☒ The Ceiling drops from 1,500 to 800 ✓
- ☐ Lightning will start
- ☐ The skies become clear



Points:
1/1

21. When adapting crew resource management (CRM) concepts to the operation of a small unmanned aircraft, CRM must be integrated into:

- ☒ All phases of the operation ✓
- ☐ The communications only
- ☐ The flight portion only



Points:
1/1

22. What effect does high density altitude have on the efficiency of a UA propeller?

- ☐ Propeller efficiency is increased
- ☒ Propeller efficiency is decreased ✓
- ☐ Density Altitude does not affect propeller efficiency



Points:
1/1

23. An almond or lens-shaped cloud which appears stationary, but which may contain winds of 50 knots or more, is referred to as

- ☒ A lenticular cloud ✓
- ☐ An inactive frontal cloud
- ☐ A funnel cloud



Points:
0/1

24. The effective use of all available resources—human, hardware, and information—prior to and during flight to ensure the successful outcome of the operation is called:

- ☒ Crew Resource Management ✓
- ☒ Flight Operations Qualification Program ✗
- ☐ Safety Management System



25. You have been hired to inspect the tower under construction at 46.9N and 98.6W, near Jamestown Regional (JMS). (Fig 26, area 4) What must you receive prior to flying your unmanned aircraft in this area?

Points:
1/1

Figure 26-




FIGURE 26.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☒ Authorization from ATC ✓
- ☐ Authorization from the Military
- ☐ Authorization from the National Park Service



Points:
1/1

26. According to 14 CFR part 48, when would a small unmanned aircraft owner not be permitted to register it?

- ☒ **If the owner is less than 13 years of age ✓**
- ☐ If the owner does not have a valid United States driver's license
- ☐ All persons are eligible to register a small unmanned aircraft



Points:
1/1

27. What kind of air would you expect over a barren area on a hot day?

- ☐ Stable Air
- ☒ **Unstable Air ✓**
- ☐ Stratus Clouds



Points:
1/1

28. Before each flight, the Remote Pilot in Command must ensure that:

- ☐ The site supervisor has approved the flight
- ☒ **Objects carried on the sUAS are secure ✓**
- ☐ TSA has granted clearance



Points:
1/1

29. Which of the following types of operations are excluded from the requirements in part 107?

- ☒ **Recreational use of sUAS for the operator's enjoyment ✓**
- ☐ UAS used for motion picture filming
- ☐ Quadcopter capturing aerial imagery for crop monitoring



Points:
0/1

30. What is a characteristic of stable air?

- ☐ Stratiform clouds ✓
- ☒ **Cumulus clouds ✗**
- ☐ Unlimited visibility



Points:
1/1

31. Identify the hazardous attitude or characteristic a Remote Pilot in Command displays while taking risks in order to impress others?

- ☒ **Machoism ✓**
- ☐ Invulnerability
- ☐ Impulsivity



32. What airport is located approximately 47 (degrees) 40 (minutes) N latitude and 101 (degrees) 26 (minutes) W longitude? (Figure 21)

Points:
1/1

Figure 21-




FIGURE 21.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ Semshenko Airport
- ☒ Garrison Airport ✓
- ☐ Mercer County Regional Airport



Points:
1/1

33. When operating an unmanned aircraft, the Remote Pilot in Command should consider that the load factor on the wings or rotors may be increased anytime when:

- ☐ The center of gravity (CG) is shifted rearward to the aft CG limit
 - ☒ **The aircraft is subjected to maneuvers other than straight and level flight ✓**
 - ☐ The gross weight is reduced
-



Points:
1/1

34. Referring to Figure 23 Area 3, What is the height of the lighted obstacle approximately 6 nautical miles southwest of Savannah International?

Figure 23-




FIGURE 23.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ 1,531 feet AGL
- ☒ 1,548 feet MSL ✓
- ☐ 1,499 feet MSL



35. The chart shows a gray line with "VR1667, VR1617, VR1638, and VR1668." Could this area present a hazard to the operations of a small unmanned aircraft? (Fig 59, area 2)

Points:
1/1

Figure 59-




FIGURE 59.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☒ Yes, this is a Military Training Route from 1,500 feet AGL and below ✓
- ☐ No, all operations will be above 400 feet
- ☐ Yes, the defined route provides traffic separation to manned aircraft



Points:
1/1

36. The most comprehensive information on a given airport is provided by:

- ☐ Notices to Airmen (NOTAMS)
- ☐ Terminal Area Chart (TAC)
- ☒ **The Chart Supplements U.S. (formerly Airport/Facility Directory) ✓**



Points:
1/1

37. You move and change your address. How long do you have to notify the FAA?

- ☐ 60 Days
- ☒ **30 Days ✓**
- ☐ 90 Days



Points:
1/1

38. In accordance with 14 CFR part 107, except when within a 400° radius of a structure, at what maximum altitude can you operate an sUAS?

- ☐ 500 feet above ground level (AGL)
- ☒ **400 feet above ground level (AGL) ✓**
- ☐ 600 feet above ground level (AGL)




39. Refer to Figure 26. You've been commissioned to fly in the wildlife preserve located at N47°40' and W98°31'

Points:
1/1

Can you accept this job?

Figure 26-



Refer to

FIGURE 26.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

Figure 26. You've been commissioned to fly in the wildlife preserve located at N47°40' and W98°31' Can you accept this job?

- ☐ No, you are unable to fly in national wildlife refuge areas
- ☒ Yes, if you obtain prior permission from the controlling agency of Restricted Area R-5401 ✓
- ☐ No, you can never enter restricted airspace



40. Referring to Figure 69 Area 6, what does the alert indicate?

Points:
1/1

Figure 69-



FIGURE 69.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ Wildlife Refuge Center
- ☒ Concentrated Student Jet Training ✓
- ☐ Class A Airspace



41. Refer to Figure 26. What is the height AGL of the tower located at N47°14 and W98°11?

Points:
1/1

Figure 26-




FIGURE 26.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☒ 306ft ✓
- ☐ 320ft
- ☐ 1,729ft



Points:
1/1

42. What are the four hazardous attitudes?

- ☐ Macho, Impulsivity, Resignation, Quitter
 - ☒ **Macho, Impulsivity, Resignation, Anti-Authority ✓**
 - ☐ Macho, Impulsivity, Resignation, Control Freak
-



43. What does the line of latitude at area 4 measure? (Figure 26)

Points:
1/1

Figure 26-




FIGURE 26.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ The degrees of latitude east and west of the line that passes through Greenwich, England
- ☒ The degrees of latitude north and south from the equator ✓
- ☐ The degrees of latitude east and west of the Prime Meridian



44. How would a remote PIC “CHECK NOTAMS” as caled in the CAUTION box regarding the unmarked balloon? (Figure 20)

Points:
1/1

Figure 20-




FIGURE 20.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☒ By obtaining a briefing via online source such as: 18-WXBrief.com ✓
- ☐ By contacting the FAA district office
- ☐ By utilizing the B4UFLY mobile application



Points:
1/1

45. To get a complete weather overview for the planned flight, the Remote Pilot in Command should obtain a:

- ☐ An outlook briefing
- ☐ An abbreviated briefing
- ☒ **A standard briefing ✓**



Points:
1/1

46. When can you not operate in a restricted airspace?

- ☐ Anytime as long as you don't violate the right of way of military aircraft
- ☒ **When It's Active ✓**
- ☐ When It's Inactive



Points:
1/1

47. To avoid a possible collision with a manned airplane, you estimate that your small unmanned aircraft climbed to an altitude greater than 600 feet AGL. To whom must you report the deviation?

- ☐ Air Traffic Control
- ☒ **The Federal Aviation Administration, upon request ✓**
- ☐ The National Transportation Safety Board



Points:
1/1

48. A person without a part 107 remote pilot certificate may operate an sUAS for non-recreational operations:

- ☒ **Under the direct supervision of a Remote Pilot in Command ✓**
- ☐ Only when visual observers participate in the operation
- ☐ Alone, if operating during daylight hours



Points:
1/1

49. What situation is most conducive to the formation of radiation fog?

- ☒ **Warm, moist air over low, flatland areas on clear, calm nights ✓**
- ☐ The movement of cold air over much warmer water
- ☐ Moist, tropical air moving over cold, offshore water



Points:
1/1

50. A stall occurs when the smooth airflow over the unmanned airplane's wing is disrupted, and the lift degenerates rapidly. This is caused when the wing:

- ☒ **Exceeds its critical angle of attack ✓**
- ☐ Exceeds maximum allowable operating weight
- ☐ Exceeds the maximum speed



Points:
1/1

51. Which is true concerning the blue and magenta colors used to depict airports on Sectional Aeronautical Charts?

- ☒ **Airports with control towers underlying Class B,C,D, and E airspace are shown in blue ✓**
- ☐ Airports with control towers underlying Class A, B, and C airspace are shown in blue; Class D and E airspace are magenta
- ☐ Airports with control towers underlying Class C, D, and E airspace are shown in magenta



Points:
1/1

52. What is the significance of seeing "CB" in a METAR sky cover section EXAMPLE: KFAR 301953Z 36006KT 10SM SCT030CB 27/11 A3021

- ☐ Cirrus Clouds
- ☒ **Cumulonimbus Clouds ✓**
- ☐ Stratus Clouds



Points:
1/1

53. What clouds have the greatest turbulence?

- ☐ Nimbostratus
 - ☒ **Cumulonimbus** ✓
 - ☐ Towering cumulus
-



54. Figure 26-

Points:
1/1

Referring to Figure 26 Area 1, The Devils Lake East MOA is a




FIGURE 26.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☒ Military operations area ✓
- ☐ Military observation area
- ☐ Meteorological observation area



Points:
1/1

55. Refer to Figure 23 What does the magenta “C” mean next to the 122.8 frequency at the Claxton-Evans Co airport mean in area 2?

Figure 23-




FIGURE 23.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☒ Common traffic advisory frequency ✓
- ☐ Class C Airspace
- ☐ Common weather frequency



Points:
1/1

56. What are the current conditions for Chicago Midway Airport (KMDW)? (Refer to Figure 12)

Figure 12-

METAR KINK 121845Z 11012G18KT 15SM SKC 25/17 A3000
METAR KBOI 121854Z 13004KT 30SM SCT150 17/6 A3015
METAR KLAX 121852Z 25004KT 6SM BR SCT007 SCT250 16/15 A2991
SPECI KMDW 121856Z 32005KT 1 1/2SM RA OVC007 17/16 A2980 RMK RAB35
SPECI KJFK 121853Z 18004KT 1/2SM FG R04/2200 OVC005 20/18 A3006

FIGURE 12.—Aviation Routine Weather Reports (METAR).

- ☒ Sky 700 feet over cast, visibility 1-1/2SM, rain ✓
- ☐ Sky 700 feet over cast, visibility 11, occasionally 2sm, with rain
- ☐ Sky 7000 feet over cast, visibility 1-1/2SM, heavy rain



Points:
0/1

57. Clouds are divided into four families according to their

- ☐ Height range ✓
- ☒ Outward shape ✗
- ☐ Composition



Points:
1/1

58. Scheduled maintenance should be performed in accordance with the:

- ☐ Contractor requirements
- ☒ Manufacturer's recommendations ✓
- ☐ Stipulations in 14 CFR part 43



Points:
1/1

59. Under what condition does frost form?

- ☒ When the surface temperature is below the dew point in freezing temperatures ✓
- ☐ When the surface temperature is below the dew point in any temperature
- ☐ When advection fog is present

X

Points:
0/1

60. You have been hired by a farmer to use your small unmanned aircraft to inspect his crops. The area that you are to survey is in the Devil's Lake West MOA, east of area 2. How would you find out if the MOA is active? (Figure 21)

Figure 21-




FIGURE 21.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☒ Locate the information in the Small UAS database X
- ☐ Refer to the legend for special use airspace phone number ✓
- ☐ Refer to the Military Operations Directory



Points:
1/1

61. Under what condition would a small unmanned aircraft not have to be registered before it is operated in the United States?

- ☐ All small unmanned aircraft need to be registered regardless of the weight of the aircraft before, during, or after the flight
- ☒ **When the aircraft weighs less than .55 pounds on takeoff, including everything that is on-board or attached to the aircraft**
- ☐ When the aircraft has a takeoff weight that is more than .55 pounds, but less than 55 pounds, not including fuel and necessary attachments



X

62. Referring to Figure 26 Area 2, What hazards to aircraft may exist in areas such as Devils Lake East MOA?

Points:
0/1

Figure 26-




FIGURE 26.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ Military training activities that necessitate acrobatic or abrupt flight maneuvers ✓
- ☒ High volume of pilot training or an unusual type of aerial activity X
- ☐ Unusual, often invisible, hazards to aircraft such as artillery firing, aerial gunnery, or guided missiles



63. Referring to Figure 20, The flag symbol at Lake Drummond represents

Points:
1/1



FIGURE 20.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ Compulsory reporting point for Hampton Roads Airport
- ☒ Visual checkpoint used to identify position for initial call up to Norfolk Approach Control ✓
- ☐ Compulsory reporting point for Norfolk Class C airspace

✗

Points:
0/1

64. A blue segmented circle on a Sectional Chart depicts which class airspace?

- ☐ Class C
- ☒ **Class B ✗**
- ☐ Class D ✓

✗

Points:
0/1

65. What Class Airspace does not require approval before entering?

- ☒ **Class E Airspace ✗**
- ☐ Class G Airspace ✓
- ☐ Class C Airspace

✓

Points:
1/1

66. Which is true regarding the presence of alcohol within the human body?

- ☒ **Judgment and decision-making abilities can be adversely affected by even small amount of alcohol ✓**
- ☐ Consuming an equal amount of water will increase the destruction of alcohol and alleviate a hangover
- ☐ Consuming an equal amount of water will increase the destruction of alcohol and alleviate a hangover



67. At Coeur D'Alene which frequency should be used as a Common Traffic Advisory Frequency (CTAF) to monitor airport traffic? (Figure 22, Area 2)

Points:
1/1

Figure 22-




FIGURE 22.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ 135.075 MHz
- ☐ 122.05 MHz
- ☒ 122.8 MHz ✓



Points:
1/1

68. Refer to Figure 15. How long is the TAF at KMEM valid for?

Figure 15-

TAF

KMEM 121720Z 1218/1324 20012KT 5SM HZ BKN030 PROB40 2022 1SM TSRA OVC008CB
FM2200 33015G20KT P6SM BKN015 OVC025 PROB40 2202 3SM SHRA
FM0200 35012KT OVC008 PROB40 0205 2SM-RASN BECMG 0608 02008KT BKN012
BECMG 1310/1312 00000KT 3SM BR SKC TEMPO 1212/1214 1/2SM FG
FM131600 VRB06KT P6SM SKC=

KOKC 051130Z 0512/0618 14008KT 5SM BR BKN030 TEMPO 0513/0516 1 1/2SM BR
FM051600 18010KT P6SM SKC BECMG 0522/0524 20013G20KT 4SM SHRA OVC020
PROB40 0600/0606 2SM TSRA OVC008CB BECMG 0606/0608 21015KT P6SM SCT040=

FIGURE 15.—Terminal Aerodrome Forecasts (TAF).

- ☐ The 12th of the month to the 14th of the month
- ☐ The 12th at 1720z
- ☒ The 12th of the month at 1800z to the 13th of the month at 2400z ✓



Points:
1/1

69. A person whose sole task is watching the sUAS to report hazards to the rest of the crew is called:

- ☐ Person manipulating the controls
- ☒ Visual observer ✓
- ☐ Remote Pilot in Command

✗ 70. Referring to Figure 59 Area 3, what is the height of the lighted tower to the northeast of Putnam Co (OWX) Airport?

Points:
0/1

Figure 59-




FIGURE 59.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ 1817 MSL ✓
- ☐ 279 MSL
- ☒ 1024 AGL ✗



Points:
1/1

71. What are the characteristics of stable air?

- ☒ **Poor visibility and steady precipitation ✓**
- ☐ Good visibility and steady precipitation
- ☐ Poor visibility and intermittent precipitation



Points:
1/1

72. When using a small unmanned aircraft in a non-recreational operation, who is responsible for informing the participants about emergency procedures?

- ☐ The lead visual observer
- ☒ **The Remote Pilot in Command ✓**
- ☐ The FAA Inspector-in-Charge



Points:
1/1

73. In which situation is advection fog most likely to form?

- ☐ A light breeze blowing colder air out to sea
- ☐ A warm, moist air mass on the windward side of mountains
- ☒ **An air mass moving inland from the coast in winter ✓**



Points:
1/1

74. Under what condition should the Remote Pilot in Command of a small unmanned aircraft develop his or her own scheduled maintenance protocol?

- ☐ Small unmanned aircraft systems do not require maintenance
- ☒ **When the manufacturer does not provide a maintenance schedule ✓**
- ☐ When the FAA requires you to, following an accident



Points:
1/1

75. In accordance with 14 CFR part 107, you may operate an sUAS from a moving vehicle when no property is carried for compensation or hire:

- ☐ Over a parade or other social events
- ☐ Over suburban areas
- ☒ **Over a sparsely populated area ✓**

X 76. Referring to Figure 21 Area 3, What type military flight operations should a pilot expect along IR 644?

Points:
0/1

Figure 21-




FIGURE 21.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ⦿ VFR training flights above 1,500 feet AGL at speeds less than 250 knots X
- IFR training flights above 1,500 feet AGL at speeds in excess of 250 knots ✓
- Instrument training flights below 1,500 feet AGL at speeds in excess of 150 knots



77. What is the floor of the Savannah Class C airspace at the shelf area (outer circle)? (Figure 23, area 3)

Points:
1/1

Figure 23-



FIGURE 23.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ 1,300 feet AGL
- ☒ 1,300 feet MSL ✓
- ☐ 1,700 feet MSL

Points:
1/1

RESTRICTED R-5401
JOHNSON LAKE NATIONAL WILDLIFE REFUGE

RESTRICTED R-5402
R-5402 EXCLUDES AIRSPACE WITHIN R-5401 AND R-5403A WHEN ACTIVE

RESTRICTED R-5403 A, B, C

DEVILS LAKE EAST MOA
MOA EXCLUDES AIRSPACE WITHIN RESTRICTED AREAS WHEN ACTIVE

RESTRICTED R-5403 D, E, F

COOPERSTOWN MOA
COOPERSTOWN (S32) AWOS-3 118.75 1424 L 65 122.9 C

JAMESTOWN (JMS) ASOS 118.425 1300 L 65 123.0 C

BARNES CO. (BAC) AWOS-3 118.725 1502 L 42 122.8 C

RESTRICTED R-5403A

RESTRICTED R-5403B

RESTRICTED R-5403C

RESTRICTED R-5403D

RESTRICTED R-5403E

RESTRICTED R-5403F

RESTRICTED R-5403G

RESTRICTED R-5403H

RESTRICTED R-5403I

RESTRICTED R-5403J

RESTRICTED R-5403K

RESTRICTED R-5403L

RESTRICTED R-5403M

RESTRICTED R-5403N

RESTRICTED R-5403O

RESTRICTED R-5403P

RESTRICTED R-5403Q

RESTRICTED R-5403R

RESTRICTED R-5403S

RESTRICTED R-5403T

RESTRICTED R-5403U

RESTRICTED R-5403V

RESTRICTED R-5403W

RESTRICTED R-5403X

RESTRICTED R-5403Y

RESTRICTED R-5403Z

RESTRICTED R-5403AA

RESTRICTED R-5403AB

RESTRICTED R-5403AC

RESTRICTED R-5403AD

RESTRICTED R-5403AE

RESTRICTED R-5403AF

RESTRICTED R-5403AG

RESTRICTED R-5403AH

RESTRICTED R-5403AI

RESTRICTED R-5403AJ

RESTRICTED R-5403AK

RESTRICTED R-5403AL

RESTRICTED R-5403AM

RESTRICTED R-5403AN

RESTRICTED R-5403AO

RESTRICTED R-5403AP

RESTRICTED R-5403AQ

RESTRICTED R-5403AR

RESTRICTED R-5403AS

RESTRICTED R-5403AT

RESTRICTED R-5403AU

RESTRICTED R-5403AV

RESTRICTED R-5403AW

RESTRICTED R-5403AX

RESTRICTED R-5403AY

RESTRICTED R-5403AZ

RESTRICTED R-5403BA

RESTRICTED R-5403BB

RESTRICTED R-5403BC

RESTRICTED R-5403BD

RESTRICTED R-5403BE

RESTRICTED R-5403BF

RESTRICTED R-5403BG

RESTRICTED R-5403BH

RESTRICTED R-5403BI

RESTRICTED R-5403BJ

RESTRICTED R-5403BK

RESTRICTED R-5403BL

RESTRICTED R-5403BM

RESTRICTED R-5403BN

RESTRICTED R-5403BO

RESTRICTED R-5403BP

RESTRICTED R-5403BQ

RESTRICTED R-5403BR

RESTRICTED R-5403BS

RESTRICTED R-5403BT

RESTRICTED R-5403BU

RESTRICTED R-5403BV

RESTRICTED R-5403BW

RESTRICTED R-5403BX

RESTRICTED R-5403BY

RESTRICTED R-5403BZ

RESTRICTED R-5403CA

RESTRICTED R-5403CB

RESTRICTED R-5403CC

RESTRICTED R-5403CD

RESTRICTED R-5403CE

RESTRICTED R-5403CF

RESTRICTED R-5403CG

RESTRICTED R-5403CH

RESTRICTED R-5403CI

RESTRICTED R-5403CJ

RESTRICTED R-5403CK

RESTRICTED R-5403CL

RESTRICTED R-5403CM

RESTRICTED R-5403CN

RESTRICTED R-5403CO

RESTRICTED R-5403CP

RESTRICTED R-5403CQ

RESTRICTED R-5403CR

RESTRICTED R-5403CS

RESTRICTED R-5403CT

RESTRICTED R-5403CU

RESTRICTED R-5403CV

RESTRICTED R-5403CW

RESTRICTED R-5403CX

RESTRICTED R-5403CY

RESTRICTED R-5403CZ

RESTRICTED R-5403DA

RESTRICTED R-5403DB

RESTRICTED R-5403DC

RESTRICTED R-5403DD

RESTRICTED R-5403DE

RESTRICTED R-5403DF

RESTRICTED R-5403DG

RESTRICTED R-5403DH

RESTRICTED R-5403DI

RESTRICTED R-5403DJ

RESTRICTED R-5403DK

RESTRICTED R-5403DL

RESTRICTED R-5403DM

RESTRICTED R-5403DN

RESTRICTED R-5403DO

RESTRICTED R-5403DP

RESTRICTED R-5403DQ

RESTRICTED R-5403DR

RESTRICTED R-5403DS

RESTRICTED R-5403DT

RESTRICTED R-5403DU

RESTRICTED R-5403DV

RESTRICTED R-5403DW

RESTRICTED R-5403DX

RESTRICTED R-5403DY

RESTRICTED R-5403DZ

RESTRICTED R-5403EA

RESTRICTED R-5403EB

RESTRICTED R-5403EC

RESTRICTED R-5403ED

RESTRICTED R-5403EE

RESTRICTED R-5403EF

RESTRICTED R-5403EG

RESTRICTED R-5403EH

RESTRICTED R-5403EI

RESTRICTED R-5403EJ

RESTRICTED R-5403EK

RESTRICTED R-5403EL

RESTRICTED R-5403EM

RESTRICTED R-5403EN

RESTRICTED R-5403EO

RESTRICTED R-5403EP

RESTRICTED R-5403EQ

RESTRICTED R-5403ER

RESTRICTED R-5403ES

RESTRICTED R-5403ET

RESTRICTED R-5403EU

RESTRICTED R-5403EV

RESTRICTED R-5403EW

RESTRICTED R-5403EX

RESTRICTED R-5403EY

RESTRICTED R-5403EZ

RESTRICTED R-5403FA

RESTRICTED R-5403FB

RESTRICTED R-5403FC

RESTRICTED R-5403FD

RESTRICTED R-5403FE

RESTRICTED R-5403FF

RESTRICTED R-5403FG

RESTRICTED R-5403FH

RESTRICTED R-5403FI

RESTRICTED R-5403FJ

RESTRICTED R-5403FK

RESTRICTED R-5403FL

RESTRICTED R-5403FM

RESTRICTED R-5403FN

RESTRICTED R-5403FO

RESTRICTED R-5403FP

RESTRICTED R-5403FQ

RESTRICTED R-5403FR

RESTRICTED R-5403FS

RESTRICTED R-5403FT

RESTRICTED R-5403FU

RESTRICTED R-5403FV

RESTRICTED R-5403FW

RESTRICTED R-5403FX

RESTRICTED R-5403FY

RESTRICTED R-54

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☒ **Yes, as long as you're over a sparsely populated area ✓**
- ☐ No, you are unable to fly in national wildlife refuge areas
- ☐ No, you can never enter restricted airspace



Points:
1/1

79. What is the significance of seeing "CB" in a METAR sky cover section. EXAMPLE: KFAR 301953Z 36006KT 10SM SCT030CB 27/11 A3021

- ☐ Cirrus Clouds
 - ☐ Stratus Clouds
 - ☒ **Cumulonimbus Clouds** ✓
-



80. While monitoring the Cooperstown Common Traffic Advisory Frequency (CTAF) you hear an aircraft announce that they are midfield left downwind to RWY 13. Where would the aircraft be relative to the runway? (Figure 26, area 2)

Points:
1/1

Figure 26-




FIGURE 26.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☒ The aircraft is East ✓
- ☐ The aircraft is South
- ☐ The aircraft is West



Points:
1/1

81. What is the weather at the Fargo airport? KFAR 301953Z 36006KT 10SM CLR 27/11 A3021

- ☐ Winds from the south at 6 knots and clear
- ☐ Winds from the north at 60 knots and clear
- ☒ **Winds from the north at 6 knots and clear ✓**



Points:
1/1

82. What types of fog depend upon wind in order to exist?

- ☐ Radiation fog and ice fog
- ☒ **Advection fog and upslope fog ✓**
- ☐ Steam fog and ground fog



Points:
1/1

83. After receiving a part 107 remote pilot certificate with an sUAS rating, how often must you satisfy recurrent training requirements?

- ☐ Within 12 calendar months
- ☒ **Within 24 calendar months ✓**
- ☐ Within 6 calendar months



Points:
1/1

84. The suffix "nimbus," used in naming clouds, means

- ☐ A cloud with extensive vertical development
- ☒ **A rain cloud ✓**
- ☐ A middle cloud containing ice pellets



Points:
1/1

85. Which technique should a remote pilot use to scan for traffic? A remote pilot should

- ☒ **Systematically focus on different segments of the sky for short intervals ✓**
- ☐ Continuously scan the sky from right to left
- ☐ Concentrate on relative movement detected in the peripheral vision area



86. Referring to Figure 26, what airport is located at 46°N 56 mins Latitude and 98°W 41 mins Longitude?

Points:
1/1

Figure 26-




FIGURE 26.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ Sprague
- ☒ Jamestown RGNC ✓
- ☐ Barnes Co



Points:
1/1

87. What causes variations in altimeter settings between weather reporting points?

- ☒ **Unequal heating of the Earth's Surface ✓**
- ☐ Coriolis force
- ☐ Variation of terrain elevation



Points:
1/1

88. Every physical process of weather is accompanied by, or is the result of, a

- ☐ Movement of air
- ☐ Pressure differential
- ☒ **Heat exchange ✓**



Points:
1/1

89. On a VFR sectional chart, a solid blue line indicates what?

- ☐ Class E Airspace
- ☐ Restricted Airspace
- ☒ **Class B Airspace ✓**



Points:
1/1

90. What could be a consequence of operating a small unmanned aircraft above its maximum allowable weight?

- ☐ Increased maneuverability
- ☒ **Shorter endurance ✓**
- ☐ Faster speed



Points:
1/1

91. What is standard temperature and pressure values for sea level?

- ☐ 30°C and 29.96" Hg
- ☐ 29°C and 15.53" Hg
- ☒ **15°C and 29.92" Hg ✓**



Points:
1/1

92. On a VFR sectional chart, what does an "R" with a circle around it represent?

- ☒ **Private airport ✓**
- ☐ Remote pilot only airspace
- ☐ Refueling Area



Points:
1/1

93. Safety is an important element for a remote pilot to consider prior to operating an unmanned aircraft system. To prevent the final "link" in the accident chain, a remote pilot must consider which methodology?

- ☐ Crew Resource Management
- ☐ Safety Management System
- ☒ **Risk Management ✓**



Points:
1/1

94. You are a Remote Pilot in Command for a co-op energy service provider. You plan to use your unmanned aircraft to inspect power lines in the remote area 15 hours away from your home office. After the drive, fatigue impacts your abilities to complete your assignment on time. Fatigue can be recognized:

- ☒ **As being in an impaired state ✓**
- ☐ Easily by an experienced pilot
- ☐ By an ability to overcome sleep deprivation



Points:
1/1

95. You have been hired as a Remote Pilot in Command by a local TV news station to film breaking news with a small unmanned aircraft. You expressed a safety concern and the station manager has instructed you to "fly first, ask questions later." What type of hazardous attitude does this attitude represent?

- ☐ Machoism
- ☐ Invulnerability
- ☒ **Impulsivity ✓**



Points:
1/1

96. You have received an outlook briefing from flight service through 1800wxbrief.com. The briefing indicates you can expect a low-level temperature inversion with high relative humidity. What weather conditions would you expect?

- ☒ **Smooth air, poor visibility, fog, haze, or low clouds ✓**
- ☐ Light wind shear, poor visibility, haze, and light rain
- ☐ Turbulent air, poor visibility, fog, low stratus type clouds, and showery precipitation



Points:
1/1

97. While operating a small unmanned aircraft system (sUAS), you experience a flyaway and several people suffer injuries. Which of the following injuries requires reporting to the FAA?

- ☒ **An injury requiring hospitalization ✓**
- ☐ Minor bruises
- ☐ Scrapes and cuts bandaged on site



Points:
1/1

98. What are characteristics of a moist, unstable air mass?

- ☐ Stratiform clouds and showery precipitation
- ☒ **Cumuliform clouds and showery precipitation ✓**
- ☐ Poor visibility and smooth air



Points:
0/1

99. What are characteristics of a moist, unstable air mass?

- ☒ **Poor visibility and smooth air ✗**
- ☐ Haze and smoke
- ☐ Turbulence and showery precipitation ✓



Points:
1/1

100. Which technique should a visual observer use to scan for air traffic during a remote flight?

- ☒ **Systematically focus on different segments of the sky for short intervals ✓**
- ☐ Continuous sweeping of the windshield from right to left
- ☐ Concentrate on relative movement detected in the peripheral vision area



Points:
1/1

101. Unmanned aircraft means an aircraft operated:

- ☐ Autonomously by onboard computers
- ☒ **Without the possibility of direct human intervention from within or on the aircraft ✓**
- ☐ During search and rescue operations other than public



Points:
0/1

102. What are characteristics of unstable air?

- ☐ Turbulence and good surface visibility ✓
- ☐ Nimbostratus clouds and good surface visibility
- ☒ **Turbulence and poor surface visibility ✗**



Points:
1/1

103. A stable air mass is most likely to have which characteristic?

- ☒ **Poor surface visibility ✓**
 - ☐ Turbulent air
 - ☐ Showery precipitation
-

✓ 104. Refer to Figure 26. What is the common traffic advisory frequency for the Cooperstown Airport located in area 2

Points:
1/1

Figure 26-




FIGURE 26.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ 121.5
- ☒ 122.9 ✓
- ☐ 118.75

✖

Points:
0/1

105. If the temperature/dewpoint spread is small and decreasing, and the temperature is 62°F, what type weather is most likely to develop?

- ☒ **Thunderstorms ✖**
- ☐ Freezing precipitation
- ☐ Fog or low clouds ✔

✔

Points:
1/1

106. When requesting a waiver, the required documents should be presented to the FAA at least how many calendar days prior to the planned operation?

- ☒ **90 days ✔**
- ☐ 10 days
- ☐ 30 days

✖

Points:
0/1

107. Who would a Remote Pilot in Command contact to "CHECK NOTAMS" as it is noted in the CAUTION box regarding the unmarked balloon?

- ☐ Flight Service ✔
- ☒ **FAA district office ✖**
- ☐ NTSB office



108. Referring to Figure 22 Area 2, At Coeur D'Alene, which frequency should be used as a Common Traffic Advisory Frequency (CTAF) to self-announce position and intentions?

Points:
1/1

Figure 22-




FIGURE 22.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☒ 122.8 MHz ✓
- ☐ 122.1/108.8 MHz
- ☐ 122.05 MHz



Points:
1/1

109.

Referring to Figure 12 what is the wind direction and velocity at KJFK is from

METAR KINK 121845Z 11012G18KT 15SM SKC 25/17 A3000
METAR KBOI 121854Z 13004KT 30SM SCT150 17/6 A3015
METAR KLAX 121852Z 25004KT 6SM BR SCT007 SCT250 16/15 A2991
SPECI KMDW 121856Z 32005KT 1 1/2SM RA OVC007 17/16 A2980 RMK RAB35
SPECI KJFK 121853Z 18004KT 1/2SM FG R04/2200 OVC005 20/18 A3006

FIGURE 12.—Aviation Routine Weather Reports (METAR).

- ☐ 040° true at 18 knots
- ☒ 180° true at 4 knots ✓
- ☐ 180° magnetic 4 knots

- ✓
- Points: 1/1
110. With ATC authorization, you are operating your small unmanned aircraft approximately 4 SM southeast of Elizabeth City Regional Airport (ECG). (Figure 20) What hazard is indicated to be in that area?
- Figure 20-



FIGURE 20.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ Unmarked balloon on a cable up to 3,008 feet MSL ✓
- ☐ High density military operations in the vicinity
- ☐ Unmarked balloon on a cable up to 3,008 feet AGL



Points:
1/1

111. What is the definition of a ceiling?

- ☒ **The lowest broken or overcast layer ✓**
- ☐ The lowest cloud layer
- ☐ Any cloud at any altitude



Points:
1/1

112. Which of the following operations would be regulated by 14 CFR 107?

- ☐ Flying for enjoyment with family and friends
- ☒ **Operating your sUAS for an imagery company ✓**
- ☐ Conducting public operations during a search mission



Points:
1/1

113. According to 14 CFR part 107, what is required to operate a small unmanned aircraft within 30 minutes after official sunset?

- ☒ **Use of lighted anti-collision lights ✓**
- ☐ Must be operated in a rural area
- ☐ Use of a transponder

X

114. Referring to Figure 23 area 3, what type of airspace is the Ridgeland Airport located in?

Points:
0/1

Figure 23-




FIGURE 23.—Sectional Chart Excerpt.

NOTE: Chart is not to scale and should not be used for navigation. Use associated scale.

- ☐ Military Operations Area ✓
- ☒ Prohibited Airspace X
- ☐ Restricted Airspace



Points:
1/1

115. Which of the following operations require adherence to 14 CFR 107?

- ☐ Flying a sUAS for enjoyment with family and friends
- ☐ Operations conducted outside the United States
- ☒ **Operating an sUAS for compensation ✓**



Points:
1/1

116. Which of the following statements is TRUE about small unmanned aircraft registration with the FAA before operation in the National Airspace System (NAS)?

- ☒ **All small unmanned aircraft operating under part 107 must be registered ✓**
- ☐ Only unmanned aircraft that weigh 55 pounds or more must be registered
- ☐ Small unmanned aircraft do not require registration



Points:
1/1

117. As part of an overall safety risk assessment for flight, when should the Remote Pilot in Command check and consider weather conditions in the operating area?

- ☐ Only when planning an operation with unfamiliar small UAS equipment
- ☒ **Prior to and throughout the duration of every small UAS flight ✓**
- ☐ Never. Weather factors cannot influence small UAS performance



Points:
1/1

118. While operating around buildings, the Remote Pilot in Command should be aware of the creation of wind gusts that

- ☒ **Change rapidly in direction and speed causing turbulence ✓**
- ☐ Enhance stability and imagery
- ☐ Increase performance of the aircraft



Points:
1/1

119. Part 89 Remote Identification (Remote ID) requirements:

- ☐ Do not apply to unmanned aircraft
- ☐ Only apply to unmanned aircraft that weigh less than 0.55 lbs
- ☒ **Apply to all unmanned aircraft operating under part 107 ✓**



Points:
1/1

120. A small unmanned aircraft without Remote ID that is equipped after production with a Remote ID broadcast module:

- ☒ **Is limited to visual line of sight (VLOS) operations ✓**
- ☐ May not be operated in the National Airspace System (NAS)
- ☐ May only operate at FAA-recognized identification areas (FRIAs)



Points:
0/1

121. A person may not use a Remote ID broadcast module that:

- ☐ Relies solely on a software upgrade to existing hardware on the UA
- ☒ **Is installed by anyone other than the UA manufacturer ✗**
- ☐ Fails the self-test when powered on ✓



Points:
1/1

122. According to 14 CFR part 107, who is responsible for ensuring that all control links between the ground control station and the small unmanned aircraft are working properly?

- ☒ **Remote Pilot in Command ✓**
- ☐ Manufacturer
- ☐ Owner or operator



Points:
1/1

123. According to 14 CFR part 107, what is required to operate a small unmanned aircraft in civil twilight or at night?

- ☐ Selection of a rural area for conducting the operation
- ☐ Use of a transponder
- ☒ **Use of lighted anti-collision lights ✓**



Points:
1/1

124. When conducting operations during civil twilight or at night, the small unmanned aircraft must be equipped with anti-collision lights that are capable of being visible for at least:

- ☐ 1 statute mile (sm) from the control station
- ☐ 5 statute miles (sm) from the control station
- ☒ **3 statute miles (sm) from the control station ✓**



Points:
1/1

125. When does a Remote Pilot in Command operating at night have the discretion to reduce the intensity of the anti-collision lighting?

- ☐ Only at the start of a night operation
- ☒ **In the interest of operational safety ✓**
- ☐ Never



Points:
1/1

126. To keep the small unmanned aircraft in the intended area and within visual line-of-sight (VLOS) during night operations, the Remote Pilot in Command:

- ☒ **Should reduce operational ranges ✓**
- ☐ Is required to designate two visual observers
- ☐ May rely solely on anti-collision lights



Points:
1/1

127. During night operations, compensate for the night blind spot by:

- ☐ Using bright ground lighting around the Remote PIC
- ☐ Focusing only on the control station display
- ☒ **Looking 5° to 10° off-center of the sUAS ✓**



Points:
1/1

128. If the Remote PIC cannot determine the location of the sUAS in relation to other aircraft during night operations, when should he or she land the sUAS?

- ☒ **Immediately ✓**
- ☐ At the end of the planned operation
- ☐ Within 10 minutes



Points:
1/1

129. As landing an sUAS at night is particularly challenging, select a landing area:

- ☐ Over water, sand, or other soft surface
- ☐ That is as far from crew-members as possible
- ☒ **With sufficient lighting to allow a safe landing ✓**



Points:
1/1

130. According to 14 CFR part 107, how may a Remote Pilot in Command (Remote PIC) operate an unmanned aircraft in controlled airspace (Class B, C, D, and E associated with an airport)?

- ☐ The Remote PIC must contact the Air Traffic Control (ATC) facility after launching the unmanned aircraft
- ☐ The Remote PIC must monitor the Air Traffic Control (ATC) frequency from launch to recovery
- ☒ **The Remote PIC must have prior authorization from Air Traffic Control (ATC) ✓**



Points:
0/1

131. Without prior ATC authorization, you can fly your sUAS below 400 feet above the ground (AGL) and:

- ☒ **On private property** ✗
- ☐ In uncontrolled airspace ✓
- ☐ With at least one designated visual observer



Points:
1/1

132. To conduct Category 1 operations over people, the small unmanned aircraft:

- ☒ **Must weigh 0.55 pounds or less, including everything that is on board or attached** ✓
- ☐ Must be labeled to indicate the eligible category
- ☐ Must be listed in an FAA-approved Declaration of Compliance (DoC)



Points:
1/1

133. For Category 2 operations over people, the small unmanned aircraft:

- ☐ Must be equipped with a siren to alert persons who are not directly involved in the operation
- ☐ May only be operated in a closed or restricted-access site
- ☒ **Must not contain any exposed rotating parts that could lacerate human skin** ✓



Points:
1/1

134. For Category 3 operations over people, the small unmanned aircraft must not cause injury equivalent to or greater than the impact of:

- ☒ **25 foot-pounds of kinetic energy** ✓
- ☐ 5 foot-pounds of kinetic energy
- ☐ 11 foot-pounds of kinetic energy



Points:
1/1

135. Category 4 operations are limited to unmanned aircraft

- ☐ Operated beyond visual line-of-sight
- ☐ Registered outside the United States
- ☒ **With FAA-issued airworthiness certificates** ✓



Points:
1/1

136. For Category 1, 2, and 4 operations over people, sustained flight over open air assemblies are restricted to small unmanned aircraft that:

- ☐ Are operated at FAA-recognized identification areas (FRIAs)
- ☒ **Meet part 89 Remote ID requirements** ✓
- ☐ Weigh more than 55 pounds



Points:
1/1

137. Damaged lithium batteries can cause:

- ☐ A change in aircraft center of gravity
- ☐ Increased endurance
- ☒ **An inflight fire** ✓



Points:
1/1

138. ADS-B Out equipment broadcasts the aircraft's

- ☐ three-dimensional position
- ☐ three-dimensional velocity
- ☒ **three-dimensional position and velocity** ✓



Points:
1/1

139. What type of ADS-B Out equipment is required for aircraft operating below 18,000 feet MSL when flying in class C airspace?

- ☐ Universal Access Transceiver
- ☒ **1090-ES or Universal Access Transceiver ✓**
- ☐ 1090-ES



Points:
1/1

140. Each person operating an aircraft equipped with ADS-B Out must operate this equipment...

- ☒ **in transit mode at all times ✓**
- ☐ at all times at and above 10,000 feet MSL
- ☐ when flying in controlled airspace