


PRAKTIKUM MODUL 1

Pastikan konfigurasi xampp berada pada *Require all granted*.



```
1 #<IfDefine PHP4>
2 #LoadModule php4_module          modules/libphp4.so
3 #</IfDefine>
4 #<IfDefine PHP7>
5 #LoadModule php7_module          modules/libphp7.so
6 #</IfDefine>
7
8 # We will enable it by default
9 #<IfDefine PHP>
10     LoadModule php7_module        modules/libphp7.so
11 #</IfDefine>
12
13 LoadModule perl_module           modules/mod_perl.so
14
15 Alias /phpmyadmin "/opt/lampp/phpmyadmin"
16
17 # since XAMPP 1.4.3
18 <Directory "/opt/lampp/phpmyadmin">
19     AllowOverride AuthConfig Limit
20     #Require local
21     Require all granted
22     ErrorDocument 403 /error/XAMPP_FORBIDDEN.html.var
23 </Directory>
24
25 # since LAMPP 1.0RC1
26 AddType application/x-httpd-php .php .php3 .php4
27
28 XBitHack on
29
30 # since 0.9.8 we've mod_perl
31 <IfModule mod_perl.c>
32     AddHandler perl-script .pl
33     PerlHandler ModPerl::PerlRunPrefork
34     PerlOptions +ParseHeaders
35     PerlSendHeader On
36 </IfModule>
```

/opt/lampp/etc/extra/httpd-xampp.conf [R0]

Pengecekan ip device untuk di bagikan kepada teman yang sekelompok, pastikan koneksi device terhubung pada 1 jaringan yang sama.

```
kitty




└─> sudo /opt/lampp/xampp start
[sudo] password for adam:
Starting XAMPP for Linux 7.4.29-1...
XAMPP: Starting Apache...ok.
XAMPP: Starting MySQL...ok.
XAMPP: Starting ProFTPD...ok.
adam@adam in ~ took 2s
└─> ifconfig
enp1s0: flags=4099<UP,BROADCAST,MULTICAST> mtu 1500
        ether b0:5a:da:3e:72:41 txqueuelen 1000 (Ethernet)
        RX packets 0 bytes 0 (0.0 B)
        RX errors 0 dropped 0 overruns 0 frame 0
        TX packets 0 bytes 0 (0.0 B)
        TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0x10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 164 bytes 13732 (13.4 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 164 bytes 13732 (13.4 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0


wlp2s0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.14.3.48 netmask 255.255.255.0 broadcast 10.14.3.255
    inet6 fe80::2326:3d9d:1bdc:e26b prefixlen 64 scopeid 0x20<link>
    ether 34:f3:9a:ed:b9:21 txqueuelen 1000 (Ethernet)
    RX packets 1429 bytes 1145656 (1.0 MiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 694 bytes 79563 (77.6 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

adam@adam in ~ took 14ms
└─>
```

Buka ip device teman sekelompok, dan buat database bernama mahasiswa.



Buat table siswa dengan atribut *nama*, *npm*, *matakuliah*, *sks*.



Melakukan input data mandiri kedalam table tersebut.

