

Object Explorer

- Columns (14)
 - flight_id
 - flight_no
 - scheduled_departure
 - scheduled_arrival
 - departure_airport_id
 - arrival_airport_id
 - departing_gate
 - arriving_gate
 - airline_id
 - status
 - actual_departure
 - actual_arrival
 - created_at
 - update_at
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- passengers
- security_check
- Trigger Functions
- Types
- Views (1)
 - passenger_view
- Subscriptions
- postgres
- Login/Group Roles
- Tablespaces

Query

```
--1
create view v_flights_by_date as
select
    f.flight_id,
    f.flight_no,
    f.airline_id,
    f.departure_airport_id,
    f.arrival_airport_id,
    f.scheduled_departure,
    f.scheduled_arrival,
    f.actual_departure,
    f.actual_arrival,
    f.status,
    f.departing_gate
from flights f
where f.scheduled_departure::date = date '2023-09-04';
select * from v_flights_by_date;
drop view v_flights_by_date;
```

Data Output

flight_id	flight_no	airline_id	departure_airport_id	arrival_airport_id	scheduled_departure	scheduled_arrival	actual_departure	actual_arrival	status	
1	209	PG-ESW	39	13	4	2023-09-04	2023-11-22	2023-05-24	2024-01-24	Dela
2	306	US-KS	41	10	20	2023-09-04	2023-11-04	2023-07-25	2024-02-01	Dela
3	362	SC-15	19	4	1	2023-09-04	2023-12-10	2023-04-02	2023-04-27	Dela
4	365	US-KS	38	9	5	2023-09-04	2023-05-08	2023-04-19	2023-03-18	Dela

Total rows: 4 Query complete 00:00:00.054

Object Explorer

- Columns (8)
 - booking_id
 - passenger_id
 - booking_platform
 - created_at
 - update_at
 - status
 - price
 - ticket_discount
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- booking_flight
- flights
- Columns (14)
 - flight_id
 - flight_no
 - scheduled_departure
 - scheduled_arrival
 - departure_airport_id
 - arrival_airport_id
 - departing_gate
 - arriving_gate
 - airline_id
 - status
 - actual_departure
 - actual_arrival
 - created_at
 - update_at
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- passengers

Query

```
--2
create view v_bookings_next_week as
select
    b.booking_id,
    b.booking_platform,
    b.passenger_id,
    b.price,
    b.status,
    f.flight_id,
    f.flight_no,
    f.departure_airport_id,
    f.arrival_airport_id,
    f.scheduled_departure,
    f.scheduled_arrival
from booking b
join booking_flight bf
on b.booking_id = bf.booking_id
join flights f
on bf.flight_id = f.flight_id
where f.scheduled_departure >= now()
and f.scheduled_departure < now() + interval '7 days';
select * from v_bookings_next_week;
```

Data Output

booking_id	booking_platform	passenger_id	price	status	flight_id	flight_no	departure_airport_id	arrival_airport_id
------------	------------------	--------------	-------	--------	-----------	-----------	----------------------	--------------------

Total rows: 0 Query complete 00:00:00.048

Object Explorer

- Columns (8)
 - booking_id
 - passenger_id
 - booking_platform
 - created_at
 - update_at
 - status
 - price
 - ticket_discount
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- booking_flight
- flights
 - Columns (14)
 - flight_id
 - flight_no
 - scheduled_departure
 - scheduled_arrival
 - departure_airport_id
 - arrival_airport_id
 - departing_gate
 - arriving_gate
 - airline_id
 - status
 - actual_departure
 - actual_arrival
 - created_at
 - update_at
- passengers

airport_DB/emilakshabayev@s

Query

```
41 and f.scheduled_departure < now() + interval '7 days';
42
43 select * from v_bookings_next_week;
44
45
46 --3
47 create or replace view v_top5_routes as
48 select
49     f.departure_airport_id,
50     f.arrival_airport_id,
51     count(distinct b.booking_id) as bookings_count
52 from flights f
53 join booking_flight bf
54     on f.flight_id = bf.flight_id
55 join booking b
56     on bf.booking_id = b.booking_id
57 group by
58     f.departure_airport_id,
59     f.arrival_airport_id
60 order by bookings_count desc
61 limit 5;
62
63 select * from v_top5_routes;
64
```

Data Output

	departure_airport_id integer	arrival_airport_id integer	bookings_count bigint
1	10	7	18
2	13	4	14
3	4	10	14
4	6	16	14
5	14	7	11

Total rows: 5 Query complete 00:00:00.037 LF Ln 47, Col 1

Object Explorer

- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (10)
 - airline
 - Columns (6)
 - airline_id
 - airline_code
 - airline_name
 - airline_country
 - created_at
 - update_at
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - Columns (8)
 - booking_id
 - passenger_id
 - booking_platform
 - created_at
 - update_at
 - status
 - price
 - ticket_discount
 - Constraints
 - Indexes
 - RLS Policies

airport_DB/emilakshabayev@s

Query

```
63 select * from v_top5_routes;
64
65
66 --4
67 create or replace view v_flights_by_airline as
68 select
69     f.flight_id,
70     f.flight_no,
71     f.airline_id,
72     f.departure_airport_id,
73     f.arrival_airport_id,
74     f.scheduled_departure,
75     f.scheduled_arrival,
76     f.actual_departure,
77     f.actual_arrival,
78     f.status,
79     f.departing_gate
80 from flights f
81 join airline a
82     on f.airline_id = a.airline_id
83 where a.airline_name = 'IPC';
84
85 select * from v_flights_by_airline;
86
```

Data Output

	flight_id integer	flight_no character varying (50)	airline_id integer	departure_airport_id integer	arrival_airport_id integer	scheduled_departure date	scheduled_arrival date	actual_departure date	actual_arrival date	status text
1	13	BR-PE	1	13	13	2024-01-16	2023-06-02	2023-08-19	2023-11-09	D
2	33	MZ-G	1	4	4	2023-09-21	2023-11-29	2023-04-14	2024-01-16	D
3	36	AU-NT	1	12	14	2023-03-29	2023-05-06	2023-12-30	2023-08-21	D
4	73	FR-K	1	18	9	2023-12-26	2023-04-30	2024-01-17	2023-04-04	D
5	78	US-VT	1	20	11	2023-08-28	2023-08-02	2023-09-04	2023-05-07	D
6	143	PH-BUK	1	12	9	2023-08-20	2023-10-24	2023-04-13	2023-07-06	D
7	170	SD-01	1	3	20	2023-12-02	2023-12-17	2023-12-22	2023-04-21	D

Total rows: 32 Query complete 00:00:00.046 LF Ln 66, Col 4

Object Explorer

- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (10)
 - airline
 - Columns (6)
 - airline_id
 - airline_code
 - airline_name
 - airline_country
 - created_at
 - update_at
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - airport
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - Columns (8)
 - booking_id
 - passenger_id
 - booking_platform
 - created_at
 - update_at
 - status
 - price
 - ticket_discount
 - Constraints
 - Indexes
 - RLS Policies

Query

```
--5
create or replace view v_flights_by_airline as
select
  f.flight_id,
  f.flight_no,
  f.airline_id,
  f.departure_airport_id,
  f.arrival_airport_id,
  f.scheduled_departure,
  f.scheduled_arrival,
  f.actual_departure,
  f.actual_arrival,
  f.status,
  f.departing_gate
from flights f
join airline a
  on f.airline_id = a.airline_id
where a.airline_name = 'IPC'
  and f.scheduled_departure >= now()
  and f.scheduled_departure < now() + interval '7 days';
select * from v_flights_by_airline;
```

Data Output

flight_id	flight_no	airline_id	departure_airport_id	arrival_airport_id	scheduled_departure	scheduled_arrival	actual_departure	actual_arrival	status
-----------	-----------	------------	----------------------	--------------------	---------------------	-------------------	------------------	----------------	--------

Total rows: 0 Query complete 00:00:00.043 LF Ln 109, Col 1

Object Explorer

- airline
- airport
- baggage
- baggage_check
- boarding_pass
- booking
- flights
 - Columns (14)
 - flight_id
 - flight_no
 - scheduled_departure
 - scheduled_arrival
 - departure_airport_id
 - arrival_airport_id
 - departing_gate
 - arriving_gate
 - airline_id
 - status
 - actual_departure
 - actual_arrival
 - created_at
 - update_at
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers

Query

```
--6
create or replace view v_flights_delayed_24h as
select
  f.flight_id,
  f.flight_no,
  f.airline_id,
  f.departure_airport_id,
  f.arrival_airport_id,
  f.scheduled_departure,
  f.actual_departure,
  age(f.actual_departure, f.scheduled_departure) as delay_interval
from flights f
where f.actual_departure is not null
  and age(f.actual_departure, f.scheduled_departure) > interval '24 hours';
select * from v_flights_delayed_24h;
```

Data Output

flight_id	flight_no	airline_id	departure_airport_id	arrival_airport_id	scheduled_departure	actual_departure	delay_interval
1	2	US-NM	34	13	2023-07-21	2024-02-09	6 mons 19 days
2	3	FI-OL	34	18	2023-03-29	2024-02-21	10 mons 23 days
3	5	RO-DJ	14	6	2023-07-03	2023-11-18	4 mons 15 days
4	6	CA-SK	34	18	2023-07-07	2024-02-19	7 mons 12 days
5	7	AU-TAS	10	15	2023-10-12	2023-12-04	1 mon 23 days
6	9	IN-OR	13	6	2023-05-18	2023-06-17	30 days
7	11	TH-57	46	5	2023-03-28	2024-02-06	10 mons 9 days
8	12	CA-NL	27	12	2023-03-22	2023-04-28	1 mon 6 days

Total rows: 494 Query complete 00:00:00.079 LF Ln 127, Col 1

Object Explorer | iboard | Properties | SQL | Statistics | Dependencies | Dependents | Processes | airport_DB/emilak... | airport_DB/emilakshabayev@s*

created_at
update_at
Constraints
Indexes
RLS Policies
Rules
Triggers
passengers
Columns (10)
passenger_id
first_name
last_name
date_of_birth
gender
country_of_citizenship
country_of_residence
passport_number
created_at
update_at
Constraints (7)
Indexes
RLS Policies
Rules
Triggers
security_check
Trigger Functions
Types
Views (1)
passenger_view
Columns (5)
Rules
Triggers
Subscriptions
postgres
Login/Group Roles
Tablespaces

Query History

```
121 r.actual_departure,  
122 age(f.actual_departure, f.scheduled_departure) as delay_interval  
123 from flights f  
124 where f.actual_departure is not null  
125 and age(f.actual_departure, f.scheduled_departure) > interval '24 hours';  
126  
127 select * from v_flights_delayed_24h;  
128  
129  
130 --7  
131 create or replace view v_passengers_leffler_thompson as  
132 select distinct  
133 p.passenger_id,  
134 (p.first_name || ' ' || p.last_name) as full_name,  
135 p.country_of_residence  
136 from passengers p  
137 join booking b  
138 on p.passenger_id = b.passenger_id  
139 where b.booking_platform = 'leffler-thompson';  
140  
141  
142 select * from v_passengers_leffler_thompson;  
143  
144
```

Data Output Messages Notifications

passenger_id	full_name	country_of_residence
integer	text	character varying (50)

Total rows: 0 Query complete 00:00:00.064 LF Ln 142, Col 1

Object Explorer | iboard | Properties | SQL | Statistics | Dependencies | Dependents | Processes | airport_DB/emilak... | airport_DB/emilakshabayev@s*

created_at
update_at
Constraints
Indexes
RLS Policies
Rules
Triggers
passengers
Columns (10)
passenger_id
first_name
last_name
date_of_birth
gender
country_of_citizenship
country_of_residence
passport_number
created_at
update_at
Constraints (7)
Indexes
RLS Policies
Rules
Triggers
security_check
Trigger Functions
Types
Views (1)
passenger_view
Columns (5)
Rules
Triggers
Subscriptions
postgres
Login/Group Roles
Tablespaces

Query History

```
140  
141  
142 select * from v_passengers_leffler_thompson;  
143  
144  
145 --8  
146 create or replace view v_top10_visited_countries as  
147 select  
148 ap.country as arrival_country,  
149 count(distinct b.booking_id) as bookings_count  
150 from flights f  
151 join booking_flight bf  
152 on f.flight_id = bf.flight_id  
153 join booking b  
154 on bf.booking_id = b.booking_id  
155 join airport ap  
156 on f.arrival_airport_id = ap.airport_id  
157 group by ap.country  
158 order by bookings_count desc  
159 limit 10;  
160  
161  
162 select * from v_top10_visited_countries;  
163
```

Data Output Messages Notifications

arrival_country	bookings_count
character varying (50)	bigint
1 China	188
2 Indonesia	141
3 Philippines	124
4 Tanzania	72
5 United States	58
6 Russia	56
7 Slovenia	47
8 Poland	46

Total rows: 10 Query complete 00:00:00.042 LF Ln 162, Col 1

Object Explorer | board | Properties | SQL | Statistics | Dependencies | Dependents | Processes | airport_DB/emilakshabayev@s | airport_DB/emilakshabayev@s*

Query

```
154         on bf.booking_id = b.booking_id
155     join airport ap
156         on f.arrival_airport_id = ap.airport_id
157     group by ap.country
158     order by bookings_count desc
159     limit 10;
160
161
162     select * from v_top10_visited_countries;
163
164
165     --9
166     alter view v_flights_by_date rename column status to flight_status;
167
168     select * from v_flights_by_date;
169
170
171     --10
172     drop view if exists v_flights_by_airline;
173     drop view if exists v_flights_delayed_24h;
174     drop view if exists v_flights_by_date;
175     drop view if exists v_bookings_next_week;
176     drop view if exists v_top5_routes;
177     drop view if exists v_passengers_leffler_thompson;
```

Data Output | Messages | Notifications

flight_id	integer	flight_no	character varying (50)	airline_id	integer	departure_airport_id	integer	arrival_airport_id	integer	scheduled_departure	date	scheduled_arrival	date	actual_departure	date	actual_arrival	date	flight	char
1	209	PG-ESW		39		13		4		2023-09-04		2023-11-22		2023-05-24		2024-01-24		Dela	
2	306	US-KS		41		10		20		2023-09-04		2023-11-04		2023-07-25		2024-02-01		Dela	
3	362	SC-15		19		4		1		2023-09-04		2023-12-10		2023-04-02		2023-04-27		Dela	
4	365	US-KS		38		9		5		2023-09-04		2023-05-08		2023-04-19		2023-03-18		Dela	

Showing rows: 1 to 4 | Page No: 1 | of 1

Successfully run. Total query runtime: 74 msec. 4 rows affected.

Total rows: 4 | Query complete 00:00:00.074 | LF | Ln 167, Col 1

Object Explorer | board | Properties | SQL | Statistics | Dependencies | Dependents | Processes | airport_DB/emilakshabayev@s | airport_DB/emilakshabayev@s*

Query

```
159     limit 10;
160
161
162     select * from v_top10_visited_countries;
163
164
165     --9
166     alter view v_flights_by_date rename column status to flight_status;
167
168     select * from v_flights_by_date;
169
170
171     --10
172     drop view if exists v_flights_by_airline;
173     drop view if exists v_flights_delayed_24h;
174     drop view if exists v_flights_by_date;
175     drop view if exists v_bookings_next_week;
176     drop view if exists v_top5_routes;
177     drop view if exists v_passengers_leffler_thompson;
178     drop view if exists v_top10_visited_countries;
```

Data Output | Messages | Notifications

NOTICE: view "v_flights_by_airline" does not exist, skipping
NOTICE: view "v_flights_delayed_24h" does not exist, skipping
NOTICE: view "v_flights_by_date" does not exist, skipping
NOTICE: view "v_bookings_next_week" does not exist, skipping
NOTICE: view "v_top5_routes" does not exist, skipping
NOTICE: view "v_passengers_leffler_thompson" does not exist, skipping
NOTICE: view "v_top10_visited_countries" does not exist, skipping
DROP VIEW

Query returned successfully in 33 msec.

Total rows: | Query complete 00:00:00.033 | LF | Ln 172, Col 1