FOR AGENCY OWNERS · FREE PROMPT PACK

15 Fable 5 Prompts That Run Your Agency Ops.

Onboarding, funnels, proposals, reporting, fulfillment QA — 15 copy-paste master prompts built for the way agencies actually operate. Each one produces a **reusable system**, not a one-off answer.

WORKS ON ANY CLAUDE MODEL

Fable 5 is included on Max and Team Premium plans (up to 50% of your weekly limits). On Pro and Team Standard it runs on usage credits. Every prompt in this pack is model-agnostic — it works on whichever Claude model you have.

CLIENT ONBOARDING · GHL FUNNELS · REPORTING AUTOMATION · FULFILLMENT QA

By Waseem Nasir · SkynetLabs · @skynetlabs

Three steps. That's it.

No plugins, no setup. If you have a paid Claude plan, you already have everything you need.

1

Open Claude and pick Fable 5

Go to `claude.ai` (or Claude Code in your terminal) and select **Fable 5** from the model picker. On Max and Team Premium it is included, up to 50% of your weekly usage; on Pro it runs on usage credits. Any Claude model will run these prompts.

2

Paste a prompt, fill the brackets

Copy any prompt from this pack and replace everything in `[BRACKETS]` with your real details — your service list, your client's discovery-call notes, your actual proposals and reports. The more real material you paste, the better the output. Fable 5 handles huge context, so don't hold back.

3

Save the output as a system

Every prompt here returns something reusable — a checklist, a template, a spec. Save it. When a prompt earns its keep twice, ask Claude: `"Convert what we just did into a reusable skill"` — and it's yours on any model, forever.

> **Why these work:** each prompt follows the same skeleton — role, goal, real context, hard constraints, exact output format. Fable 5 plans backward from goals; these prompts hand it the goal and get out of the way.

01 The Ops Automation Triage

WHEN TO USE — everything in your agency feels automatable and you don't know what to build first.

```
You are an operations consultant who identifies automation ROI
              honestly — including the automations NOT worth building. GOAL:
              Audit my agency's recurring work and rank every automation
              candidate by real ROI — build cost, maintenance cost, failure
              risk, hours saved — with a verdict per item: build now / build
              later / never automate. CONTEXT: My recurring agency tasks,
              brain-dumped:
              [ONBOARDING, REPORTING, INVOICING, CONTENT, QA — WITH ROUGH
                HOURS PER WEEK EACH]. My stack:
              [GHL / n8n / ZAPIER / SHEETS / WHAT I RUN].
              Team build skill: [HONEST]. Billable value
              of an owner hour: [RATE]. CONSTRAINTS:
              Maintenance cost counts — an automation that breaks monthly is a
              liability, not an asset. "Never automate" is a required category
              (client relationships, judgment calls). Each "build now" gets a
              one-line spec and effort estimate. PROCESS: Cluster the tasks,
              score each candidate on the four factors, rank, then sanity-check
              the top 3 against my team's actual skill. OUTPUT FORMAT: Ranked
              table (task, hours saved/month, build effort, maintenance risk,
              verdict), top-3 one-line specs, and the "never automate" list with
              reasons.
```

PRO TIP — the "never automate" list saves you more than the automations do. Client touchpoints belong on it.

02 The Client Onboarding System

WHEN TO USE — every new client starts with two weeks of access-chasing and scope amnesia.

```
You are an agency operations designer. GOAL: Build my client
              onboarding system: intake form, access checklist, kickoff agenda,
              and the first-week execution plan — as templates I reuse on every
              signing. CONTEXT: What my agency delivers:
              [SERVICES]. What I always end up chasing:
              [GHL ACCESS, DOMAINS, AD ACCOUNTS, BRAND ASSETS, DECISIONS —
                LIST FROM PAINFUL MEMORY]. Tools involved:
              [GHL / HOSTING / ANALYTICS / CRM]. Where
              past onboardings went wrong: [HONEST].
              CONSTRAINTS: The client does the minimum possible work, in one
              sitting, with exact instructions per item — including where to
              click for API keys and access grants. Every credential request
              explains why it's needed. Include the "we can't start until"
              blocker list shown to the client upfront. PROCESS: Build the
              intake form, then the access checklist with per-item instructions,
              then kickoff agenda, then week-one plan. OUTPUT FORMAT: Intake
              form (fields + validation), access checklist with instructions,
              kickoff agenda, week-one task plan.
```

PRO TIP — the per-item access instructions eliminate most of the back-and-forth. Screenshot-level detail pays for itself on client one.

03 The Discovery-Call Converter

WHEN TO USE — calls end warm and then die in your drafts folder while the lead cools.

```
You are a chief of staff for an agency owner. GOAL: Build my
              call-processing template — paste any discovery call transcript or
              notes, get back the scope summary, open questions, quote inputs,
              and the follow-up message — then run one real call through it.
              CONTEXT: What my agency sells:
              [SERVICES + TYPICAL PRICE RANGES]. A real
              call: [PASTE TRANSCRIPT OR YOUR NOTES]. How
              I quote:
              [FIXED PACKAGES / CUSTOM / RETAINER].
              CONSTRAINTS: Separate what the prospect SAID they want from what
              they actually need — flag mismatches, that's where projects blow
              up. Every scope item maps to something they said. Unknowns become
              questions in the follow-up, not assumptions in the quote.
              Follow-up message ready to send, plain text, my voice:
              [PASTE A SAMPLE MESSAGE]. PROCESS: Build
              the extraction template, process the pasted call, draft the
              follow-up. OUTPUT FORMAT: The reusable template, the processed
              call (scope, mismatches, questions, quote inputs), and the
              ready-to-send follow-up.
```

PRO TIP — run this the same day as the call. The said-vs-need mismatch flag prevents the projects you'd regret winning.

04 The Proposal That Closes

WHEN TO USE — you send custom proposals and too many of them ghost.

```
You are a sales consultant who writes proposals that get signed.
              GOAL: Build my reusable agency proposal template with the
              persuasion architecture baked in, then fill it for one real
              prospect I'm pitching now. CONTEXT: My service:
              [WEB / MARKETING / AUTOMATION — WHAT].
              Typical deal size: [RANGE]. The live
              prospect:
              [THEIR SITUATION + WHAT THEY SAID THEY WANT, IN THEIR
                WORDS]. Past proposals that won or lost:
              [PASTE IF AVAILABLE]. CONSTRAINTS: Their
              goals stated before my services — the proposal is about them.
              Three-option pricing with a recommended middle. Every deliverable
              has a done-definition. One page of substance beats ten of filler.
              Include validity deadline and exact next step. PROCESS: Build the
              template, fill it for the prospect, then read it as the prospect's
              skeptical CFO and patch. OUTPUT FORMAT: TEMPLATE with slot
              instructions, then the FILLED proposal ready to send.
```

PRO TIP — the skeptical-CFO read is the step most owners skip. It catches every vague deliverable before the client does.

05 The Productized Offer Ladder

WHEN TO USE — every deal is bespoke and your margin depends on estimating well at midnight.

```
You are a pricing strategist for agencies. GOAL: Design my
productized offer ladder — 2-3 fixed-scope packages from my actual
delivery capability — with pricing, scope boundaries, and the
exact language to present them. CONTEXT: What my agency has
actually delivered:
[LIST REAL PROJECTS + WHAT EACH TOOK IN HOURS]. Current pricing: [HOW I QUOTE TODAY].
Client objections I hear: [REAL ONES]. My
floor:
[MINIMUM VIABLE RETAINER / PROJECT FEE].
CONSTRAINTS: Scope boundaries explicit enough to kill scope creep
— every package lists what's NOT included, revision rounds capped
and numbered. Middle package = the obvious choice. Frame value as
client outcomes (leads captured, hours saved, systems running),
never as my team's hours. Include the upgrade path between tiers.
PROCESS: Cluster my past projects into natural packages, price
against value delivered, stress-test against my listed objections.
OUTPUT FORMAT: Offer ladder table, per-package one-paragraph
pitch, NOT-included lists, objection responses, and discount
rules.
```

PRO TIP — the NOT-included lists are where the margin lives. Let them do the negotiating before the client does.

06 The GHL Funnel & Pipeline Spec

WHEN TO USE — before you touch the builder on any GoHighLevel (or similar CRM) funnel, pipeline, or campaign.

```
You are a CRM automation consultant who designs funnels clients
can actually run. GOAL: Design the complete GHL setup for
[CLIENT / OFFER]: pipeline stages,
automation triggers, forms, calendars, and follow-up campaigns —
as a build checklist I execute top to bottom. CONTEXT: The
business: [WHAT THEY SELL + PRICE POINT].
Lead sources: [ADS / ORGANIC / REFERRALS].
Current follow-up process:
[HONEST — USUALLY "OWNER'S MEMORY"]. What
counts as a won deal: [DEFINITION].
CONSTRAINTS: Every pipeline stage needs an exit condition — no
stages where leads rot. Every automation lists its exact trigger
and failure behavior. Follow-up sequences capped at what the
client will actually maintain. Flag anything needing API or
webhook work beyond native features. PROCESS: Map the lead journey
first, then stages, then automations per stage, then the build
order. OUTPUT FORMAT: Pipeline diagram (text), stage table (name,
entry, exit, automation), campaign outlines, and the sequenced
build checklist.
```

PRO TIP — the exit-condition rule kills the pipeline-graveyard problem. If a stage has no exit, it's a junk drawer.

07 The Lead Magnet & Nurture Build

WHEN TO USE — you have attention (posts, profile visits, referrals) but nothing that captures it.

```
You are a funnel copywriter for service businesses. GOAL: Build
              my complete lead capture asset: the lead magnet itself (outlined
              and written), the delivery mechanism, and the nurture sequence
              that follows — ready to wire into my CRM. CONTEXT: Audience:
              [THE NICHE MY AGENCY SERVES + WHAT THEY STRUGGLE WITH]. What I sell after the magnet:
              [OFFER + PRICE]. My proof:
              [REAL DELIVERED RESULTS ONLY]. Delivery
              constraint:
              [EMAIL GATE / PINNED COMMENT LINK — NO ENGAGEMENT-BAIT
                MECHANICS]. CONSTRAINTS: The magnet must solve one real problem completely
              in under 15 minutes of the reader's time — a tool, checklist, or
              template beats an ebook. Nurture: 4 emails, value-first, one clear
              pitch at the end. Every email survivable standalone. Match my
              voice: [PASTE SAMPLE]. PROCESS: Pick the
              magnet format against the audience's problem, write it, then the
              delivery step, then the sequence. OUTPUT FORMAT: The lead magnet
              in full, delivery setup note, 4 nurture emails, and the CRM wiring
              checklist (tags, triggers, delays).
```

PRO TIP — a magnet the audience actually keeps is the one that converts. Checklists and templates outlive ebooks.

08 The Social Content Engine

WHEN TO USE — your agency (or a client) needs consistent social presence without daily invention.

```
You are a social content systems designer for agencies. GOAL:
              Build my content engine: pillar topics, per-platform formats, a
              30-day queue, and the repurposing rules that turn one asset into a
              week of posts — plus the scheduler-ready output format. CONTEXT:
              The brand:
              [MY AGENCY OR CLIENT + WHAT IT SELLS].
              Platforms: [LIST]. Proof bank:
              [REAL WINS, DELIVERED PROJECTS, NUMBERS I CAN SHOW]. Posting capacity honestly: [X PER WEEK].
              Scheduler: [GHL / BUFFER / MANUAL].
              CONSTRAINTS: Every post maps to a job: authority, trust, sell,
              engage. No invented metrics or fake claims — proof posts use only
              the pasted material. Formats native per platform, not cross-posted
              copies. Output must match my scheduler's import format
              [CSV COLUMNS IF KNOWN]. PROCESS: Define
              pillars from the proof bank, build the repurposing map, generate
              the 30-day queue, format for the scheduler. OUTPUT FORMAT: Pillar
              doc, repurposing rules, 30-day content table (date, platform,
              hook, format, job), scheduler-ready rows.
```

PRO TIP — the repurposing map is the permanent asset. The 30-day queue is just its first output; regenerate monthly.

09 The Case Study Builder

WHEN TO USE — you have client results but they live in scattered emails and memory.

```
You are a case-study writer who turns project notes into proof.
              GOAL: Write one complete case study from my raw project material,
              plus the interview-question set and template for producing every
              future one. CONTEXT: The client and project:
              [WHO + WHAT THE AGENCY BUILT — SITE / FUNNEL / AUTOMATION /
                CAMPAIGN]. Raw material:
              [PASTE EMAILS, BEFORE/AFTER NUMBERS, DELIVERABLES, CLIENT
                QUOTES]. Who reads this: [FUTURE PROSPECT TYPE].
              CONSTRAINTS: Only real, verifiable numbers — if a metric is
              missing, write [ASK CLIENT] instead of inventing. Structure:
              situation, obstacle, approach, result, client words. The reader
              must recognize their own situation in the opening. PROCESS:
              Extract the story from the raw material, identify the missing
              pieces, write, then list what to request from the client. OUTPUT
              FORMAT: The case study, a follow-up questions list, and the blank
              template + interview kit.
```

PRO TIP — the [ASK CLIENT] rule structurally prevents fabricated numbers. Send the follow-up list the same day.

10 The Competitor Teardown

WHEN TO USE — you're entering a niche, or losing deals to a named rival agency.

```
You are a competitive intelligence analyst for service
              businesses. GOAL: Build a reusable competitor-teardown template,
              then apply it to my top 3 rival agencies so I have both the filled
              analysis AND the blank template for future rivals. CONTEXT: My
              positioning:
              [WHAT MY AGENCY SELLS, TO WHOM, AT WHAT PRICE]. Competitors: [NAMES + URLS]. Their
              public material I've collected:
              [PASTE PAGES, PRICING, REVIEWS, PORTFOLIO ITEMS]. CONSTRAINTS: Only claims supported by the pasted
material —
              mark anything inferred as INFERRED. Focus on exploitable gaps
              (slow delivery, no automation capability, template work sold as
              custom), not admiration. PROCESS: Build the template first
              (positioning, pricing, proof, delivery model, weaknesses). Then
              fill per competitor. Then write a "where we win" synthesis. OUTPUT
              FORMAT: Blank template + one filled teardown per competitor + a
              5-bullet positioning brief I can paste into proposals and my
              site.
```

PRO TIP — the INFERRED tag keeps the teardown honest. The 5-bullet brief goes straight into your next three proposals.

11 The Client Reporting Automation

WHEN TO USE — reporting day costs you hours per client, or worse, you skip it and clients wonder what they pay for.

```
You are a reporting-automation specialist for agencies. GOAL:
              Turn my manual client reporting into a system: report template,
              the data pipeline feeding each section, and the rerun-prompt that
              generates the narrative each month. CONTEXT: A recent report I
              sent: [PASTE ONE]. Where each number lives:
              [GHL / ANALYTICS / AD PLATFORMS / SPREADSHEET]. What clients actually ask about:
              [THEIR REAL QUESTIONS]. Time it costs
              today: [HOURS PER CLIENT]. CONSTRAINTS:
              Numbers arrive by export or API — never hand-transcribed.
              Narrative states what changed, why, and what we're doing about it
              — not a restatement of the charts. Only real logged numbers; a
              metric we can't source gets dropped, not estimated. Consistent
              structure every month. PROCESS: Dissect my pasted report into data
              vs narrative, wire the data layer, template the narrative, write
              the rerun-prompt. OUTPUT FORMAT: Report template, per-section
              data-source table, and the exact monthly rerun-prompt (the
              reusable asset).
```

PRO TIP — the rerun-prompt is the asset. It works on any model, whatever the pricing does.

12 The Agency KPI System

WHEN TO USE — you're tracking nothing, or tracking 40 numbers that don't drive a single decision.

```
You are a business analyst who designs minimal, decision-driving
              metric systems. GOAL: Design my agency KPI system — the 5-7
              numbers that actually predict business health — as a spec I can
              implement in a spreadsheet today. CONTEXT: Business model:
              [RETAINERS / PROJECTS / MIX + HOW MONEY ARRIVES]. Revenue sources: [LIST]. What I
              currently track:
              [HONEST, EVEN IF "NOTHING"]. Decisions I
              struggle to make:
              [E.G. "CAN I AFFORD A VA", "WHICH SERVICE TO KILL"]. CONSTRAINTS: Maximum 7 metrics. Each must connect to
a decision
              I'd make differently based on its value. Include leading
              indicators (pipeline, proposals out), not just revenue. Every
              metric needs a red/yellow/green threshold. PROCESS: Propose
              metrics, justify each against a real decision, cut anything
              decorative. OUTPUT FORMAT: Metrics table (name, formula, data
              source, thresholds, decision it drives), a weekly 10-minute review
              script, and spreadsheet column headers ready to paste.
```

PRO TIP — the weekly 10-minute review script is what turns this from a document into a habit.

13 The Client-Facing Agent Prompt

WHEN TO USE — building any AI that touches client work unattended: an email triager, a lead qualifier, a support responder.

```
You are an expert in designing system prompts for production AI
agents. GOAL: Write the production system prompt for my agent:
[E.G. "TRIAGES CLIENT EMAILS", "QUALIFIES INBOUND LEADS",
  "DRAFTS SUPPORT REPLIES"]
— plus a test set to verify it behaves. CONTEXT: Exact job:
[WHAT IT DECIDES OR PRODUCES]. Inputs it
receives:
[FORMAT + 3-5 REAL CLIENT MESSAGES, PASTED]. Hard rules it must never break:
[E.G. NEVER QUOTE PRICES, NEVER PROMISE DEADLINES]. Failure examples from my current version if any:
[PASTE THE BAD OUTPUTS]. CONSTRAINTS: The
prompt must handle every pasted example correctly. Ambiguous
inputs get an explicit escalation path to a human, never a guess.
Output format locked and machine-parseable if downstream
automation consumes it. No personality filler. PROCESS: Draft the
prompt, run my pasted examples through it showing expected
outputs, patch failures, then write 10 test cases including 3
adversarial ones. OUTPUT FORMAT: The system prompt in a code
block, the test table (input → expected output), and deployment
notes.
```

PRO TIP — treat agent prompts like code, because they are. The escalation path is what keeps an unattended agent client-safe.

14 The Fulfillment Fan-Out

WHEN TO USE — a delivery too big for one sitting: 20 client sites to audit, 50 pages to migrate, a whole content batch.

```
You are an AI systems architect who designs multi-agent
workflows. GOAL: Design the multi-agent orchestration for
[TASK — E.G. "AUDIT 20 CLIENT SITES", "MIGRATE 50 LANDING
  PAGES", "PRODUCE A MONTH OF CONTENT FOR 5 CLIENTS"]: decomposition, agent briefs, and the verification
layer that
catches agent errors. CONTEXT: The full task:
[DESCRIBE + VOLUME]. What one unit of work
looks like done well: [ONE EXAMPLE]. Tools
agents have: [CLAUDE CODE / API / n8n].
What's gone wrong with automation before:
[HONEST]. CONSTRAINTS: Every agent brief
must be self-contained — no shared conversation memory. Include a
verification stage: agent outputs get checked, not trusted. Define
what happens on partial failure. Budget-conscious: state which
stages need the big model and which don't. PROCESS: Decompose,
write one complete agent brief as the template, design the
verify/merge stage, then the failure playbook. OUTPUT FORMAT:
Pipeline diagram (text), the template agent brief, verification
checklist, failure playbook.
```

PRO TIP — the check-don't-trust layer is what separates fleets that deliver from expensive chaos. Never skip it.

15 The Deliverable Critic Gate

WHEN TO USE — anything billable leaves your agency reviewed only by the person who made it.

```
You are a quality-systems designer who builds LLM-as-judge review
              gates. GOAL: Build my critic gate for
              [DELIVERABLE TYPE — CLIENT SITES / FUNNELS / REPORTS / CONTENT
                BATCHES]: the rubric, the judge prompt, and the pass/fail protocol — so
              nothing ships on the maker's own opinion. CONTEXT: What my agency
              ships: [DESCRIBE]. Past failures that got
              through:
              [REAL EXAMPLES — BROKEN FORMS, TYPOS, WRONG BRANDING — THESE
                BECOME RUBRIC ITEMS]. What a client complaint costs me:
              [STAKES]. Here's a sample deliverable to
              calibrate on: [PASTE ONE]. CONSTRAINTS: The
              judge must default to FAIL on uncertainty — a false pass costs
              more than a false block. Rubric items must be checkable, not vibes
              ("all links resolve" not "good UX"). Reasons before scores. The
              maker never grades their own work — the judge prompt runs in a
              fresh session. PROCESS: Convert my past failures into rubric
              items, design the judge prompt, then run my pasted sample through
              it as demonstration. OUTPUT FORMAT: Rubric table, judge prompt in
              a code block, pass/fail protocol, and the graded sample.
```

PRO TIP — run the gate before anything billable leaves your machine. It's the cheapest employee you'll ever hire.

WANT IT DONE FOR YOU?

We build the systems.

You keep signing clients.

SkynetLabs builds AI-powered ops systems for agencies — client onboarding flows, reporting automation, GHL funnels and pipelines, content engines, full publishing automation. Real systems, running on real client work, published openly.

WEBSITE	**skynetjoe.com**
SOCIAL	**@skynetlabs**
ALL 40 PROMPTS	**skynetjoe.com/blog/claude-fable-5-prompts-40-master-prompts**

This pack adapts 15 of the 40 master prompts from our full Fable 5 guide — re-built for agency operations. Get the other 25 at the link above.

© 2026 SkynetLabs · Free to share, not to resell